



Red Hat CloudForms 4.0

Defining Policies and Profiles

Policy-based Enforcement, Compliance, Events, and Policy Profiles for CloudForms
Management Engine 5.5

Red Hat CloudForms 4.0 Defining Policies and Profiles

Policy-based Enforcement, Compliance, Events, and Policy Profiles for CloudForms Management Engine 5.5

Red Hat CloudForms Documentation Team
cloudforms-docs@redhat.com

Legal Notice

Copyright © 2017 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This guide provides instructions for policy-based actions in a CloudForms Management Engine environment, including system controls, enforcement, compliance, and events. Information and procedures in this book are relevant to CloudForms Management Engine administrators. If you have a suggestion for improving this guide or have found an error, please submit a Bugzilla report at <http://bugzilla.redhat.com> against Red Hat CloudForms Management Engine for the Documentation component. Please provide specific details, such as the section number, guide name, and CloudForms version so we can easily locate the content.

Table of Contents

CHAPTER 1. POLICIES	4
1.1. CONTROL POLICIES	4
1.1.1. Creating Control Policies	4
1.1.2. Editing Basic Information, Scope, and Notes for a Policy	5
1.1.3. Copying a Policy	7
1.1.4. Deleting a Policy	8
1.1.5. Creating a New Policy Condition	8
1.1.6. Editing Policy Condition Assignments	11
1.1.7. Editing Policy Event Assignments	11
1.1.8. Assigning an Action to an Event	12
1.2. COMPLIANCE POLICIES	13
1.2.1. Creating a Compliance Policy	13
1.2.2. Creating a Compliance Condition to Check Host File Contents	14
1.2.3. Checking for Compliance	15
1.2.3.1. Scheduling a Compliance Check	15
1.2.3.2. Checking a Virtual Machine for Compliance from the Summary Screen	17
1.2.3.3. Checking a Host for Compliance from the Summary Screen	17
CHAPTER 2. EVENTS	18
CHAPTER 3. CONDITIONS	26
3.1. CREATING A CONDITION	26
3.2. EDITING A CONDITION	29
3.3. COPYING A CONDITION	30
3.4. DELETING A CONDITION	30
CHAPTER 4. ACTIONS	31
4.1. CUSTOM ACTIONS	32
4.1.1. Creating an Assign Profile to Analysis Task Action	33
4.1.2. Creating a Snapshot Action	34
4.1.3. Deleting Snapshots by Age	34
4.1.4. Evaluating an Alert	35
4.1.5. Creating an Inherit Tag Action	36
4.1.6. Creating a CPU Reconfigure Action	36
4.1.7. Creating a Memory Reconfigure Action	37
4.1.8. Creating a Remove Tag Action	37
4.1.9. Creating an E-mail Action	38
4.1.10. Creating an SNMP Action	39
4.1.11. Creating a Set Custom Attribute Action	40
4.1.12. Creating a Tag Action	40
4.2. EDITING AN ACTION	41
4.3. DELETING AN ACTION	41
CHAPTER 5. POLICY PROFILES	43
5.1. CREATING POLICY PROFILES	43
5.2. DELETING A POLICY PROFILE	44
5.3. SIMULATING POLICY	44
5.3.1. Simulating Policy Profiles on Virtual Machines	44
5.4. ASSIGNING POLICY PROFILES	45
5.4.1. Assigning Policy Profiles to a Provider	45
5.4.2. Removing Policy Profiles from a Provider	45
5.4.3. Assigning Policy Profiles to a Cluster	46

5.4.4. Removing Policy Profiles from a Cluster	46
5.4.5. Assigning Policy Profiles to a Host	46
5.4.6. Removing Policy Profiles from a Host	46
5.4.7. Assigning Policy Profiles to a Virtual Machine	47
5.4.8. Removing Policy Profiles from a Virtual Machine	47
5.4.9. Assigning Policy Profiles to a Resource Pool	47
5.4.10. Removing Policy Profiles from a Resource Pool	47
5.4.11. Assigning Policy Profiles to a Cloud Provider	48
5.4.12. Removing Policy Profiles from a Cloud Provider	48
5.4.13. Assigning Policy Profiles to an Instance	48
5.4.14. Removing Policy Profiles from an Instance	48
5.5. DISABLING A POLICY IN A POLICY PROFILE	49
5.6. VIEWING POLICY SIMULATION - RESULTANT SET OF POLICY (RSOP)	49

CHAPTER 1. POLICIES

Policies are used to manage your virtual environment. There are two types of policies available: compliance and control. Compliance policies are used to harden your virtual infrastructure, making sure that your security requirements are adhered to. Control policies are used to check for a specific condition and perform an action based on the outcome. For example:

- Prevent virtual machines from running without an administrator account.
- Prevent virtual machines from starting if certain patches are not applied.
- Configure the behavior of a production virtual machine to only start if it is running on a production host.
- Force a SmartState Analysis when a host is added or removed from a cluster.

1.1. CONTROL POLICIES



A control policy is a combination of an event, a condition, and an action. This combination provides management capabilities in your virtual environment.


- An event is a trigger to check a condition.
- A condition is a test triggered by an event.
- An action is an execution that occurs if a condition is met.

1.1.1. Creating Control Policies

Create control policies by combining an event, a condition, and an action. Plan carefully the purpose of your policy before creating it. You can also use a scope expression that is tested immediately when the policy is triggered by an event. If the item is out of scope, then the policy does not continue on to the conditions, and none of the associated actions run.

The procedure below describes how to create a control policy, its underlying conditions, and assign its events and actions in one process. Conditions and custom actions can be created separately as well. Those procedures are described in later sections in conditions and actions. Also, a description of all events is provided in events.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, and select **Control Policies**.
3. Select either **Host Control Policies** or **VM Control Policies**.
4. Click  (**Configuration**),  (**Add New Host/VM Control Policy**).
5. Type in a **Description**.



Basic Information	
Description	Analyze on Reconfigure
Active	<input checked="" type="checkbox"/>

6. Uncheck **Active** if you do not want this policy processed even when assigned to a resource.
7. You can enter a **Scope** here (You can also create a scope as part of a condition, or not use one at all). If the host or virtual machine is not included in the scope, no actions will be run.
8. In the **Notes** area, add a detailed explanation of the policy.
9. Click **Add**. You are brought to the page where you add conditions and events to your new policy.

Basic Information

Active

Yes

Created

By User ID admin on 02/27/13 at 18:51:01 UTC

Scope

No Policy scope defined, the scope of this policy includes all elements.

Conditions

* No conditions defined, this policy is unconditional and will ALWAYS return true.

Events

* This policy does not currently respond to any Events.

Notes

No notes have been entered.



Belongs to Profiles

* This Policy is not assigned to any Profiles.

10. Click  (**Configuration**) to associate conditions, events, and actions with the policy.

1.1.2. Editing Basic Information, Scope, and Notes for a Policy

As your enterprise's needs change, you can change the name of a policy or its scope. If the items being evaluated are out of scope, policy processing stops and no actions run.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, and select the policy to edit.
3. Click  (**Configuration**),  (**Edit Basic Info, Scope, and Notes**).
4. In the **Scope** area, create a general condition based on a simple attribute. Or, click on an existing expression to edit it. Based on what you choose, different options appear. Configuring a **Scope** is optional for a policy.

Basic Information

Description

Active ☒

Scope (Choose an element of the Policy scope to edit)

???

☒
☐

<Choose>

Notes (71 / 512)

This policy will start a SmartState Analysis when a VM is reconfigured.

- Click **Field** to create criteria based on field values.

☒
☐

Field

VM and Instance.OS : Product Name

INCLUDES

Windows

- Click **Count of** to create criteria based on the count of something, such as the number of snapshots for a virtual machine, or the number of virtual machines on a host.

☒
☐

Count of

VM and Instance.Snapshots

<=

2

- Click **Tag** to create criteria based on tags assigned to your resources. For example, you can check the power state of a virtual machine or see if it is tagged as production.

Find dialog box configuration:

- Tag: VM and Instance.My Company Tags : Department
- CONTAINS: Engineering

- Click **Find** to seek a particular value, and then check a property. For example, finding the **Admin** account and checking that it is enabled. Use the following check commands:
 - **Check Any**: The result is true if one or more of the find results satisfy the check condition.
 - **Check All**: All of the find results must match for a true result.
 - **Check Count**: If the result satisfies the expression in check count, the result is true.


Find dialog box configuration:

- Find: VM and Instance.Users : Name
- STARTS WITH: Admin
- Check Any: Active
- =: true

- Click **Registry** to create criteria based on registry values. For example, you can check if DCOM is enabled on a Windows System. Note that this applies only to Windows operating systems. Registry will only be available if you are editing a VM Control Policy.

Registry dialog box configuration:


- Registry: HKLM\Software\Microsoft
- Value: EnableDCOM
- =: Data



5. Click  (**Commit Expression Element Changes**) to add the scope.
6. In the **Notes** area, make the required changes.
7. Click **Save**.

1.1.3. Copying a Policy

You can copy a policy if its contents are similar to a new one that you want to create, then change the condition or event associated with it. This enables you to make new policies efficiently.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, and select the policy you want to copy.





3. Click  (**Configuration**),  (**Copy this Policy to new Policy**).
4. Click **OK** to confirm.

The new policy is created with a prefix of **Copy of** in its description, and it can be viewed in the Policy accordion.



1.1.4. Deleting a Policy

You can remove policies that you no longer need. You can only remove policies that are not assigned to a policy profile.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, and select the policy you want to remove.
3. Click  (**Configuration**),  (**Delete this Host/VM and Instance Policy**).
4. Click **OK** to confirm.

1.1.5. Creating a New Policy Condition


If you have not already created a condition to use with this policy, you can create one directly from inside the policy. A condition can contain two elements: a scope, and an expression. The expression is mandatory, but the scope is optional. A scope is a general attribute that is quickly checked before evaluating a more complex expression. You can create a scope at either the policy or condition level.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, and select the policy you want to create a new condition for.
3. Click  (**Configuration**),  (**Create a new Condition assigned to this Policy**).
4. Type in a **Description** for the condition. It must be unique to all the conditions.

Basic Information

Description

Scope (Press the "Edit" button to edit the scope)



No scope defined, the scope of this condition includes all elements.

Expression (Choose an element of the expression to edit)

↶

↷

AND

OR

NOT

✕


???

✓

✕

<Choose>

⌵

5. Click  (**Edit this Scope**) in the **Scope** area to create a general expression based on a simple attribute, such as operating system version. Based on what you choose, different options display. **Scope** is optional.

- Click **Field** to create criteria based on field values.

✓

✕

Field

⌵

VM and Instance.OS : Product Name

⌵

INCLUDES

⌵

Windows

- Click **Count of** to create criteria based on the count of something, such as the number of snapshots for a virtual machine, or the number of virtual machines on a host.

9

Count of

VM and Instance.Snapshots

<=

- Click **Tag** to create criteria based on tags assigned to your resources. For example, you can check the power state of a virtual machine or see if it is tagged as production.

Tag

VM and Instance.My Company Tags : Department

CONTAINS

Engineering

- Click **Find** to seek a particular value, and then check a property. For example, finding the Admin account and checking that it is enabled. Use the following check commands:
 - **Check Any:** The result is true if one or more of the find results satisfy the check condition.
 - **Check All:** All of the find results must match for a true result.
 - **Check Count:** If the result satisfies the expression in check count, the result is true.

Find

VM and Instance.Users : Name

STARTS WITH

Check Any

Active

=

true

Data:

- Click **Registry** to create criteria based on registry values. For example, you can check if DCOM is enabled on a Windows System. Note that this applies only to Windows operating systems. Registry is only available if you are creating a VM Control Policy.

Registry

Key: HKLM\Software\Microsoft Value: EnableDCOM

=

true

Data:

Y



6. Click (**Commit expression element changes**) to add the scope.
7. Click (**Edit this Expression**) in the **Expression** area. Based on what you choose, options display as per the choices presented in the **Scope** area detailed above.
8. Click (**Commit Expression Element Changes**) to add the expression.
9. In **Notes**, type in a detailed explanation of the condition.


10. Click **Add**.




The condition is created and is assigned directly to the policy. Note that the condition can be assigned to other policies.

1.1.6. Editing Policy Condition Assignments

Use this procedure to use a condition that has already been created either separately or as part of another policy. You can also remove a condition from a policy that no longer applies.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, and select the policy you want to assign conditions to.
3. Click  (**Configuration**),  (**Edit this Policy's Condition assignments**).
4. From the **Condition Selection** area, you can assign conditions to the policy, remove all conditions from the policy, or remove specific conditions from the policy.





- To add one or several conditions, select all the conditions you want to apply from the **Available Conditions** box. Use **Ctrl** to add multiple conditions to a policy. Then, click  (**Move selected Conditions into this Policy**).
- Click  (**Remove all Conditions from this Policy**) to unassign any conditions from this policy.
- To remove one or some conditions, select all the conditions you want to remove from the **Policy Conditions** box. Use **Ctrl** to select multiple conditions. Then, click  (**Remove selected Conditions from this Policy**)

5. Click **Save**.

1.1.7. Editing Policy Event Assignments



The policy evaluates its scopes and conditions when specified events occur in your virtual infrastructure. This procedure enables you to select those events and the actions that should occur based on the evaluation of the scopes and conditions for the policy.


1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion and select the control policy you want to assign events to.

- Click  (**Configuration**),  (**Edit this Policy's Event assignments**).
- Check all the events you want to assign to this policy. For a description of the events, see [Events](#).
- Click **Save**.

1.1.8. Assigning an Action to an Event

This procedure describes how to assign an action to an event.

- Navigate to **Control** → **Explorer**.
- Click the **Policies** accordion, and select the policy you want to assign actions to.
- From the **Events** area, click on the description of the event you want to assign an action to.
- Click  (**Configuration**),  (**Edit Actions for this Policy Event**).
- Select all the appropriate actions from the **Available Actions** box, inside the **Order of Actions if ALL Conditions are True**.




Order of Actions if ALL Conditions are True

Available Actions:		Selected Actions:	
Alert - CPU Reservation > 500Mhz	▶	(S) Initiate SmartState Analysis for VM	▲
Cancel vCenter Task	◀◀		▼
Check Host or VM Compliance	◀		S
Collect Running Processes on VM Guest OS			A
Connect All CD-ROM Drives for Virtual Machine			
Connect All Floppy Drives for Virtual Machine			
Connect All Floppy and CD-ROM Drives for Virtual Machine			
Convert to Template			



NOTE

Each selected action can be executed synchronously or asynchronously; synchronous actions will not start until the previous synchronous action is completed, and asynchronous action allows the next action to start whether or not the first action has completed. Also, at least one CloudForms Management Engine server in the CloudForms Management Engine zone must have the notifier server role enabled for the trap to be sent.

- Click the add button (), then:
 - Click the action, then click **A** (**Set selected Actions to Asynchronous**) to make it asynchronous.
 - Click the action, then click **S** (**Set selected Actions to Synchronous**) to make it synchronous. If creating a synchronous action, use the up and down arrows to identify in what order you want the actions to run.

7. Select all the actions from the appropriate **Available Actions** box, inside of the **Order of Actions if ANY Conditions are False**. These are the actions that take place if the resources do not meet the condition of the policy.
8. Click **Save**.



1.2. COMPLIANCE POLICIES


Compliance policies are specifically designed to secure your environment by checking conditions that you create. These conditions can include the same conditions that you would use in a control policy, and most of the procedures are the same. However, a compliance policy automatically assigns the mark as a compliant action when the virtual machine or host passes all of the conditions. If any of the conditions are not met, then the virtual machine or host is marked as non-compliant. The compliance status is shown in the summary screen for the virtual machine or host and on the compare and drift screens.

1.2.1. Creating a Compliance Policy



Create compliance policies by assigning or creating a condition. CloudForms Management Engine automatically assigns the events and actions to the compliance policy as opposed to a control policy where you must define this yourself. The VM or host compliance check event is assigned to the compliance policy. A compliance policy runs the mark as compliant action when the virtual machine or host passes all of the conditions. If any of the conditions are not met, then the virtual machine or host is marked as non-compliant.

If you do not know how to create a condition, see [Creating a new Policy Condition](#). Carefully plan the purpose of your policy before creating it. You can also use a scope expression that is tested immediately when the compliance check event triggers the policy. If the item is out of scope, then the policy does not continue on to the conditions, and none of the associated actions run.


1. Navigate to **Control** → **Explorer**.
2. Click on the **Policies** accordion, and select VM or host compliances policies.
3. Click  (**Configuration**),  (**Add a new Compliance Policy**).
4. Type in a **Description** for the policy.







Basic Information	
Description	Check VM for Compliance
Active	<input checked="" type="checkbox"/>

5. Uncheck **Active** if you do not want this policy processed even when assigned to a resource.
6. You can enter a scope here. (You can also create a scope as part of a condition, or not use one at all.) If the host or virtual machine is not included in the scope, NO actions run.
7. In the **Notes** area, add a detailed explanation of the policy.
8. Click **Add**.
9. Click  (**Configuration**),  (**Edit this Policy's Condition assignments**).

10. Select the required conditions from the **Available Conditions** box. Use the **Ctrl** key to select multiple actions.



11. Click  (**Move selected Conditions into this Policy**).
12. Click **Save**. By default, if any of the conditions are false, the virtual machine is marked as non-compliant.
13. To add other actions, such as sending an email if the virtual machine fails the compliance test, click **VM Compliance Check**.
14. Click  (**Configuration**),  (**Edit Actions for this Policy Event**).
15. Select **Stop Virtual Machine** and **Send Email** from the **Available Actions** area in **Order of Actions if ANY conditions are False**. (**Mark as Non-Compliant** should already be selected.)



16. Click  (**Move selected Actions into this Event**).
17. Click **Add**.

You can now make this part of a policy profile. After assigning the policy profile to the virtual machine, you can check it for its compliance status either on a schedule or on demand.

1.2.2. Creating a Compliance Condition to Check Host File Contents


CloudForms Management Engine Control provides the ability to create a compliance condition that checks file contents. Use this to be sure that internal operating system settings meet your security criteria. Regular expressions are used to create the search pattern. Test your regular expressions thoroughly before using them in a production environment.

Note that to search file contents you will need to have collected the file using a host analysis profile. See the [Hosts](#) chapter in the **Managing Infrastructure and Inventory** guide for instructions.

1. Navigate to **Control** → **Explorer**.
2. Click the **Conditions** accordion, and select **Host Conditions**.

3. Click  (**Configuration**),  (**Add a New Host Condition**).


4. In **Basic Information**, type in a **Description** for the condition.




Basic Information

Description

5. Editing the **Scope** area is not necessary for this procedure. Skip editing any **Scope** conditions.

6. If the **Expression** area is not automatically opened, click  (**Edit this Expression**), then edit the condition area to create a general condition based on a simple attribute. Based on what you choose, different options appear.


- Click **Find**, then **Host.Files : Name**, and the parameters to select the file that you want to check.
- Click **Check Any**, **Contents**, **Regular Expression Matches**, and type the expression. For example, if you want to make sure that permit root login is set to no, type `^\s*PermitRootLogin\s+no`.



Find

=

Check Any REGULAR EXPRESSION MATCHES

7. Click  (**Commit expression element changes**) to add the expression.

8. In **Notes** area, type in a detailed explanation of the condition.

9. Click **Add**.

1.2.3. Checking for Compliance

After you have created your compliance policies and assigned them to a policy profile, you can check compliance in two ways. You can either schedule the compliance check or perform the check directly from the summary screen.

The compliance check runs all compliance policies that are assigned to the host or virtual machine. If the item fails any of the checks, it is marked as non-compliant in the item's summary screen.






NOTE

To schedule, you must have **EvmRole-administrator** access to the CloudForms Management Engine server.

1.2.3.1. Scheduling a Compliance Check

1. Navigate to **Configure** → **Configuration**.
2. Click the **Settings** accordion, and select **Schedules**.


3. Click  (**Configuration**),  (**Add a new Schedule**).
4. In the **Basic Information** area, type in a name and description for the schedule.



Basic Information	
Name	Daily VM Compliance
Description	Daily VM Compliance
Active	<input checked="" type="checkbox"/>
Action	VM Compliance Check ▾

5. Check **Active** if you want to enable this scan.
6. From the **Action** dropdown, select the type of compliance check you want to schedule. Depending on the type of analysis you choose, you are presented with one of the following group boxes:

- If you choose **VM Compliance Check**, you are presented with **VM Selection** where you can choose to check all VMs, all VMs for a specific provider, all VMs for a cluster, all VMs for a specific host, a single VM, or you can select VMs using a global filter.



VM Selection	
Filter	<div> All VMs for Host ▾ vi4esxm1.manageiq.com ▾ </div>


- If you choose **Host Compliance Check**, you are presented with **Host Selection** where you can choose to analyze all hosts, all hosts for a specific provider, all hosts for a cluster, a single host, or you can select hosts using a global filter.



NOTE

You can only schedule a host analysis for connected virtual machines, not repository virtual machines that were discovered through that host. Since repository virtual machines do not retain a relationship with the host that discovered them, there is no current way to scan them through the scheduling feature. The host is shown because it may have connected virtual machines in the future when the schedule is set to run.



7. In the **Timer** area, click the **Run** dropdown to specify how often you want the analysis to run. Your options after that depend on which run option you choose.



Timer	
Run	Daily ▾ every Day ▾
Time Zone	(GMT+00:00) UTC ▾ * Changing the Time Zone will reset the Starting Date and Time fields below
Starting Date	3/2/2013
Starting Time (UTC)	0 ▾ h 0 ▾ m




- Select **Once** to have the analysis run just one time.
 - Select **Daily** to run the analysis on a daily basis. You are prompted to select how many days you want between each analysis.
 - Select **Hourly** to run the analysis hourly. You are prompted to select how many hours you want between each analysis.
8. Select the time zone for the schedule.
 9. Type or select a date to begin the schedule in **Starting Date**.
 10. Select a starting time based on a 24-hour clock in the selected time zone.
 11. Click **Add**.

1.2.3.2. Checking a Virtual Machine for Compliance from the Summary Screen

1. Navigate to **Infrastructure** → **Virtual Machines**, click the virtual machine you want to check for compliance.
2. Click  (**Policy**), and then  (**Check Compliance of Last Known Configuration**).
3. A confirmation message appears. Click **OK**.
4. If it says **Available** next to **History**, you can click it to view the compliance history.

Compliance	
Status	 Compliant as of 5 Days Ago
History	 Available

1.2.3.3. Checking a Host for Compliance from the Summary Screen

1. Navigate to **Infrastructure** → **Hosts**, click the host you want to check for compliance.
2. Click  (**Policy**), and then  (**Check Compliance of Last Known Configuration**) or  (**Analyze then Check Compliance**).
3. To view the compliance history, click **Available** next to **History**.

Compliance	
Status	 Compliant as of 5 Days Ago
History	 Available

CHAPTER 2. EVENTS

Events are triggers that cause a condition to be tested. CloudForms Management Engine Control provides several Events, that can be divided into functional types. Events cannot be modified.

Table 2.1. Event Types

Category	Description
Datastore Operation	Events related to datastore analysis.
Authentication Validation	Events related to credential validation for hosts and providers.
Company Tag	Events related to assigning and removing company tags from an infrastructure object.
Compliance	Events related to checking compliance policies.
Host Operation	Events related to the connection state of a host and status of a SmartState Analysis on a host.
VM Configuration	Events associated with a change in configuration of a virtual machine. These include, but are not limited to, clone, create, template create, and settings change.
VM Lifecycle	Events such as virtual machine discovery, provisioning, and virtual machine retirement.
VM Operation	Events associated with power states or locations of virtual machines and virtual desktop machines. These include, but are not limited to, power off, power on, reset, resume, shutdown, and suspend.
Service Lifecycle	Events associated with service lifecycle. These include, but are not limited to, provisioning completed, start request, started, stop request, stopped, retirement warning, and retired.

Each type has a set of events that you can select to trigger the checking of a condition.

Table 2.2. Events and Descriptions

Event	Description
Datastore Analysis Complete	Check the condition when a SmartState Analysis of datastore completes.

Event	Description
Datastore Analysis Request	Check the condition when a SmartState Analysis for a datastore is requested from the CloudForms Management Engine console.
Host Added to Cluster	Check the condition when a host is added to a cluster.
Host Analysis Complete	Check the condition when a SmartState Analysis of host completes.
Host Analysis Request	Check the condition when a SmartState Analysis is requested from the CloudForms Management Engine console.
Host Auth Changed	Check the condition when host authentication credentials are changed in the CloudForms Management Engine console.
Host Auth Error	Check the condition if there is any other error connecting to the host such as ssh/vim handshaking problems, timeouts, or any other uncategorized error.
Host Auth Incomplete Credentials	Check the condition if host authentication credentials are not complete in the CloudForms Management Engine console.
Host Auth Invalid	Check the condition if CloudForms Management Engine is able to communicate with the host and the credentials fail.
Host Auth Unreachable	Check the condition if CloudForms Management Engine is unable to communicate with the host.
Host Auth Valid	Check the condition when the host authentication credentials entered in the CloudForms Management Engine console are valid.
Host C & U Processing Complete	Check the condition when the processing of capacity and utilization data has finished.
Host Compliance Check	Check the condition when a compliance check is performed on a host.
Host Compliance Failed	Check the condition when a host fails a compliance check.
Host Compliance Passed	Check the condition when a host passes a compliance check.

Event	Description
Host Connect	Check the condition when a host connects to a provider.
Host Disconnect	Check the condition when a host disconnects from a provider.
Host Removed from Cluster	Check the condition when a host is removed from a cluster.
Provider Auth Changed	<i>For use only with CloudForms Management Engine automate, for future use in policies.</i> Check the condition when provider authentication credentials are changed in the CloudForms Management Engine console.
Provider Auth Error	<i>For use only with CloudForms Management Engine automate, for future use in policies.</i> Check the condition if there is any other error connecting to the provider such as ssh/vim handshaking problems, timeouts, or any other uncategorized error.
Provider Auth Incomplete Credentials	<i>For use only with CloudForms Management Engine automate, for future use in policies.</i> Check the condition if provider authentication credentials are not complete in the CloudForms Management Engine console.
Provider Auth Invalid	<i>For use only with CloudForms Management Engine automate, for future use in policies.</i> Check the condition if CloudForms Management Engine is able to communicate with the provider and the credentials fail.
Provider Auth Unreachable	<i>For use only with CloudForms Management Engine automate, for future use in policies.</i> Check the condition if CloudForms Management Engine is unable to communicate with the provider.
Provider Auth Valid	<i>For use only with CloudForms Management Engine automate, for future use in policies.</i> Check the condition when the provider authentication credentials entered in the CloudForms Management Engine console are valid.
Service Provision Complete	Check the condition when the service provision is complete.
Service Retired	Check the condition when the service has been retired.

Event	Description
Service Retirement Warning	Check the condition when the service is about to retire.
Service Start Request	Check the condition when the service has been requested to start.
Service Started	Check the condition when the service has started.
Service Stop Request	Check the condition when the service has been requested to stop.
Service Stopped	Check the condition when the service has stopped.
Tag Complete	Check the condition after a company tag is assigned.
Tag Parent Cluster Complete	Check the condition after a company tag is assigned to a virtual machine's parent cluster.
Tag Parent Datastore Complete	Check the condition after a company tag is assigned to a virtual machine's parent datastore.
Tag Parent Host Complete	Check the condition after a company tag is assigned to a virtual machine's parent host.
Tag Parent Resource Pool Complete	Check the condition after a company tag is assigned to a virtual machine's parent resource pool.
Tag Request	Check the condition when assignment of a company tag is attempted.
Un-Tag Complete	Check the condition when a company tag is removed.
Un-Tag Parent Cluster Complete	Check the condition after a company tag is removed from a virtual machine's parent cluster.
Un-Tag Parent Datastore Complete	Check the condition after a company tag is removed from a virtual machine's parent datastore.
Un-Tag Parent Host Complete	Check the condition after a company tag is removed from a virtual machine's parent host.
Un-Tag Parent Resource Pool Complete	Check the condition after a company tag is removed from a virtual machine's parent resource pool.
Un-Tag Request	Check the condition when an attempt is made to remove a company tag.

Event	Description
VDI Connecting to Session	Check the condition when a VDI session is started.
VDI Disconnected from Session	Check the condition when a VDI session is disconnected.
VDI Login Session	Check the condition when a user logs on to a VDI session.
VDI Logoff Session	Check the condition when a user logs off from a VDI session.
VM Analysis Complete	Check the condition when a SmartState Analysis of virtual machine completes.
VM Analysis Failure	Check the condition when a SmartState Analysis of virtual machine fails.
VM Analysis Request	Check the condition when a SmartState Analysis is requested from the CloudForms Management Engine console.
VM Analysis Start	Check the condition when a SmartState Analysis of virtual machine is started.
VM C & U Processing Complete	Check the condition when the processing of capacity and utilization data has finished.
VM Clone Complete	Check the condition when a virtual machine is cloned.
VM Clone Start	Check the condition when a virtual machine clone is started.
VM Compliance Check	Check the condition when a compliance check is performed on a virtual machine.
VM Compliance Failed	Check the condition when a virtual machine fails a compliance check.
VM Compliance Passed	Check the condition when a virtual machine passes a compliance check.
VM Create Complete	Check the condition when a virtual machine is created.

Event	Description
VM Delete (from Disk) Request	Check the condition when someone tries to delete a virtual machine from disk from the CloudForms Management Engine console.
VM Discovery	Check the condition when CloudForms Management Engine discovers a virtual machine.
VM Guest Reboot	Check the condition when a virtual machine is rebooted.
VM Guest Reboot Request	Check the condition when someone tries to reboot a virtual machine from the CloudForms Management Engine console.
VM Guest Shutdown	Check the condition when the operating system of a virtual machine shuts down.
VM Guest Shutdown Request	Check the condition when someone tries to shut down the operating system of a virtual machine from the CloudForms Management Engine console.
VM Live Migration (VMOTION)	Check the condition when a VMOTION is performed.
VM Power Off	Check the condition when a virtual machine is turned off.
VM Power Off Request	Check the condition when someone tries to power off a virtual machine from the CloudForms Management Engine console.
VM Power On	Check the condition when a virtual machine is turned on.
VM Power On Request	Check the condition when someone tries to turn on a virtual machine from the CloudForms Management Engine console.
VM Provision Complete	Check the condition when a virtual machine is provisioned.
VM Remote Console Connected	Check the condition when a virtual machine is connected to a remote console.
VM Removal from Inventory	Check the condition when a virtual machine is unregistered.

Event	Description
VM Removal from Inventory Request	Check the condition when a request is sent from the CloudForms Management Engine console to unregister a virtual machine.
VM Renamed Event	Check the condition when a virtual machine is renamed on its provider.
VM Reset	Check the condition when a virtual machine is restarted.
VM Reset Request	Check the condition when a virtual machine is restarted from the CloudForms Management Engine console.
VM Retire Request	Check the condition when a virtual machine retirement request is created from CloudForms Management Engine.
VM Retired	Check the condition when a virtual machine is retired.
VM Retirement Warning	Check the condition when a warning threshold is reached for retirement.
VM Settings Change	Check the condition when the settings of virtual machine are changed.
VM Snapshot Create Complete	Check the condition when a snapshot is completed.
VM Snapshot Create Request	Check the condition when someone tries to create a snapshot of a virtual machine from the CloudForms Management Engine console.
VM Snapshot Create Started	Check the condition when a snapshot creation is started.
VM Standby of Guest	Check the condition when the operating system of a virtual machine goes to standby.
VM Standby of Guest Request	Check the condition when someone tries to put the operating system of a virtual machine in standby from the CloudForms Management Engine console.
VM Suspend	Check the condition when a virtual machine is suspended.
VM Suspend Request	Check the condition when someone tries to suspend a virtual machine from the CloudForms Management Engine console.




Event	Description
VM Template Create Complete	Check the condition when a virtual machine template is created.


CHAPTER 3. CONDITIONS

Conditions are tests performed on attributes of virtual machines. A condition can contain two elements, a scope, and an expression. The expression is mandatory, but the scope is optional. A scope is a general attribute that is quickly checked before evaluating a more complex expression. For example, you might use a scope to check the operating system, and use an expression to check for a specific set of applications or security patches that only apply to the operating system referenced in the scope. If no conditions, scope or expression, are defined for a policy, the policy is considered unconditional and returns a true value.

3.1. CREATING A CONDITION


You can create a condition either from within a policy screen or by going directly to the expression editor in the CloudForms Management Engine console. You need to define a description and an expression element. The expression element defines what criteria you want to use to test the condition.


1. Navigate to **Control** → **Explorer**.
2. Click the **Conditions** accordion, and select either **Host Conditions** or **VM Conditions**.
3. Click  (**Configuration**), then  (**Add a New Host Condition**) or  (**Add a New VM Condition**).
4. Enter a **Description** for the condition.




Basic Information

Description

5. Click  (**Edit this Scope**) in the **Scope** area to create a general condition based on a simple attribute. Based on what you choose, different options appear. Creating a scope is optional.




Scope (Press the "Edit" button to edit the scope)



No scope defined, the scope of this condition includes all elements.

- Click **Field** to create criteria based on field values.



Field

Host.OS : Product Name

INCLUDES

Windows

- Click **Count of** to create criteria based on the count of something, such as the number of network adapters on the host.

Count of

Host.Hardware.Network Adapters

=

- Click **Tag** to create criteria based on tags assigned to your resources. For example, you can check the power state of a virtual machine or see if it is tagged as production.

Tag

Host.VM Template.My Company Tags : Department

CONTAINS

- Click **Find** to seek a particular value, and then check a property. For example, finding the Admin account and checking that it is enabled. Use the following check commands:
 - **Check Any**: The result is true if one or more of the find results satisfy the check condition.
 - **Check All**: All of the find results must match for a true result.
 - **Check Count**: If the result satisfies the expression in check count, the result is true.

Find

Host.VMs : Vdi User Name

STARTS WITH

Check Any

=


- Click **Registry** to create criteria based on registry values. For example, you can check if DCOM is enabled on a Windows System. Note that this applies only to Windows operating systems. Registry will only be available if you are creating a VM Condition.

Registry

Value:

=

6. Click  (**Commit expression element changes**) to add the scope.

7. Click  (**Edit this Expression**) in the **Expression** area to create a general condition based on a simple attribute. Based on what you choose, different options appear.

- Click **Field** to create criteria based on field values.

Field ▾
 VM.OS : Product Name ▾
 INCLUDES ▾
 Windows

- Click **Count of** to create criteria based on the count of something, such as the number of snapshots for a virtual machine, or the number of virtual machines on a host.

Count of ▾
 VM.Snapshots ▾
 <= ▾
 2

- Click **Tag** to create criteria based on tags assigned to your resources. For example, you can check the power state of a virtual machine or see if it is tagged as production.


Tag ▾
 VM.My Company Tags : Department ▾
 CONTAINS
 Engineering ▾

- Click **Find** to seek a particular value, and then check a property. For example, finding the Admin account and checking that it is enabled. Use the following check commands.
 - Check Any:** The result is true if one or more of the find results satisfy the check condition.
 - Check All:** All of the find results must match for a true result.
 - Check Count:** If the result satisfies the expression in check count, the result is true.

Find ▾
 VM.Users : Name ▾
 STARTS WITH ▾ Admin
 Check Any ▾ Active ▾ = ▾ true ▾



- Click **Registry** to create criteria based on registry values. For example, you can check if DCOM is enabled on a Windows System. Note that this applies only to Windows operating systems.

Registry ▾
 Key: HKLM\Software\Microsoft Value: EnableDCOM
 = ▾ Data: Y


8. Click  (**Commit expression element changes**) to add the expression.
9. In **Notes**, type in a detailed explanation of the condition.
10. Click **Add**.





3.2. EDITING A CONDITION

Edit a condition to add more expressions to it or modify its properties. You can edit conditions that you have created.

1. Navigate to **Control** → **Explorer**.
2. Click the **Conditions** accordion, and click on the condition you want to edit.
3. Click  (**Configuration**),  (**Edit this Condition**).
4. Click in either the **Scope** or **Expression** area, and click the part of the condition to edit.



Expression (Choose an element of the expression to edit)



5. Make any edits for the current expression.
 - Click  (**Commit expression element changes**) to add the changes.
 - Click  (**Undo the previous change**) to cancel the last action executed.
 - Click  (**Redo the previous change**) to repeat the previous action executed.
 - Click **AND** (**AND with a new expression element**) to create a logical AND with a new expression element.
 - Click **OR** (**OR with a new expression element**) to create a logical OR with a new expression element.
 - Click **NOT** (**Wrap this expression element with a NOT**) to create a logical NOT on an expression element
 - Click  (**Remove this expression element**) to take out the current expression element.
6. When you have made all of the changes to the condition, click **Save**.

3.3. COPYING A CONDITION

You can copy a condition to create a similar condition, then change the values associated with it. You can copy the sample conditions provided to customize them to your environment.

1. Navigate to **Control** → **Explorer**.
2. Click the **Conditions** accordion, and select the condition you want to copy.
3. Click  (**Configuration**),  (**Copy this Condition to a new Condition**).
4. Make any changes you need for the new condition. The description must be unique to all conditions.
5. Click **Add**.

3.4. DELETING A CONDITION

Remove conditions that are no longer applicable. You can only delete conditions that are not part of a policy. To be able to delete the condition, you must remove the policy first.

1. Navigate to **Control** → **Explorer**.
2. Click the **Conditions** accordion, and click on the condition you want to remove.
3. Click  (**Configuration**),  (**Delete this VM and Instance Condition**).
4. Click **OK** to confirm.

CHAPTER 4. ACTIONS

Actions are performed after the condition is evaluated. CloudForms Management Engine Control comes with a set of default actions that you can choose from. You can also create some of your own.

Table 4.1. Default Actions and Descriptions

Action	Description
Cancel vCenter Task	Stop current vCenter Task. Due to limitations of vCenter, this applies only to cloning tasks.
Check Host or VM Compliance	Run compliance checks.
Collect Running Processes on VM Guest OS	Collect the list of running processes from the guest operating system.
Connect All CD-ROM Drives for Virtual Machine	Connect all the CD-ROM drives for the virtual Machine.
Connect All Floppy Drives for Virtual Machine	Connect all the floppy drives for the virtual machine.
Connect All Floppy and CD-ROM Drives for Virtual Machine	Connect all of the floppy and CD-ROM drives for virtual machine.
Convert to Template	Convert this virtual machine to a template.
Delete all Snapshots	Remove all snapshots for a virtual machine.
Delete Most Recent Snapshot	Removes a virtual machine's most recent snapshot.
Delete VM from Disk	Remove the virtual machine from disk.
Disconnect All CD-ROM Drives for Virtual Machine	Disconnect all the CD-ROM drives for the virtual machine.
Disconnect All Floppy Drives for Virtual Machine	Disconnect all the floppy drives for the virtual machine.
Disconnect All Floppy and CD-ROM Drives for Virtual Machine	Disconnect all of the floppy and CD-ROM drives for virtual machine.
Execute an external script	Run an external script.
Generate Audit Event	Write an entry to the audit log and to the VMDB.
Generate log message	Write an entry to the CloudForms Management Engine log.

Action	Description
Initiate SmartState Analysis for Host	Start a SmartState Analysis for a host.
Initiate SmartState Analysis for VM	Start a SmartState Analysis for a virtual machine.
Invoke a Custom Automation	For use with CloudForms Management Engine automate. It enables you to run tasks and notifications automatically.
Mark as Non-Compliant	Used with compliance policies. Mark resource as non-compliant. (Compliance status is viewable in summary screens.)
Prevent current event from proceeding	Stop the current event from continuing.
Put Virtual Machine Guest OS in Standby	Put the virtual machines operating system in standby mode.
Raise Automation Event	Used with CloudForms Management Engine automate.
Refresh data from vCenter	Perform a refresh of the vCenter.
Remove Virtual Machine from Inventory	Take the virtual machine out of inventory.
Retire Virtual Machine	Retire the virtual machine. (It will remain in inventory, but cannot be started.)
Show EVM Event on Timeline	To show the EVM event on the CloudForms Management Engine timeline.
Shutdown Virtual Machines Guest OS	Shut down the virtual machine's operating system.
Start Virtual Machine	Power on the virtual machine.
Stop Virtual Machine	Power off the virtual machine.
Suspend Virtual Machine	Suspend the virtual machine.

4.1. CUSTOM ACTIONS

You can create a custom action using the CloudForms Management Engine console. Enter a description and action type. Procedures for each type of action are shown in the sections below. When you create a policy, you can associate actions with specific events.

Table 4.2. Custom Actions and Descriptions

Custom Action	Description
Assign Profile to Analysis Task	When initiating a Smart State Analysis event, you can assign a specific analysis profile.
Create a Snapshot	Creates a snapshot with a name that you provide.
Delete Snapshots by Age	Removes snapshots based on how old they are.
Evaluate Alerts	Checks for alerts. This is required for the alert to be delivered.
Inherit Parent Tags	Assigns tags from the parent cluster, host, datastore, or resource pool.
Invoke a Custom Automation	For use with CloudForms Management Engine automate.
Reconfigure CPUs	Reconfigure the number of CPUs for a virtual machine to the number you specify.
Reconfigure Memory	Reconfigure the amount of memory for a virtual machine to the amount you specify.
Remove Tags	Removes tags from the resource.
Send an E-mail	Send an email to an address that you provide. This type of action can be used in an alert.
Send an SNMP trap	Send an SNMP (Simple Network Management Protocol) trap to the host you specify. This type of action can be used for an alert.
Set a Custom Attribute in vCenter	Set the value of a custom attribute in vCenter.
Tag	Assign a company tag that you specify to a virtual machine.


4.1.1. Creating an Assign Profile to Analysis Task Action

Use this action for assigning specific analysis profiles to virtual machines. You must create an analysis profile before assigning it to an action. You can only assign this action to an analysis start event. See the [Configuration](#) chapter in the General Configuration guide for information on how to create analysis profiles.

1. Navigate to **Control** → **Explorer**.

2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).

3. Type in a **Description** for the **Action Type**.






Basic Information

Description	Use Events Log Analysis Pro
Action Type	Assign Profile to Analysis Task

4. Select **Assign Profile to Analysis Task** from **Action Type**.
5. Select a profile from the **Analysis profiles**.
6. Click **Add**.

4.1.2. Creating a Snapshot Action


1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
3. Type in a **Description** for the action.



Basic Information

Description	Snapshot after VM Start
Action Type	Create a Snapshot

4. Select **Create a Snapshot** from **Action Type**.
5. Type in a **Snapshot Name**.





Snapshot Settings

Snapshot Name	Start
----------------------	-------

6. Click **Add** when you are finished.

4.1.3. Deleting Snapshots by Age

1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
3. Type in a **Description** for the action.



Basic Information	
Description	Delete Snapshots Older than
Action Type	Delete Snapshots by Age

4. Select **Delete Snapshots by Age** from **Action Type**.
5. Select the age of snapshots to delete.


Snapshot Age Settings	
Delete if Older than	1 Week

6. Click **Add**.

4.1.4. Evaluating an Alert

1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
3. Type in a **Description** for the action.

Basic Information	
Description	Evaluate Memory Balloon
Action Type	Evaluate Alerts

4. Select **Evaluate Alerts** from **Action Type**.
5. Select the alerts to be evaluated and click  (Move selected Alerts into this Action). Use the **Ctrl** key to select multiple alerts.

Select Alerts to be Evaluated



Available Alerts:

- VM Guest C: Drive < 10% Free
- VM Guest Windows Event Log Error - NtpClient
- VM Memory Balloon > 250 in last 10 min
- VM Memory was decreased
- VM Memory was increased
- VM Migration > 1 in last 30 min
- VM Power On > 2 in last 15 min
- VM Silver and CPU > 1

Selected Alerts:

- Click **Add**.

4.1.5. Creating an Inherit Tag Action

- Navigate to **Control** → **Explorer**.
- Click the **Actions** accordion, and click  (**Configuration**),  (**Add a new Action**).
- Type in a **Description** for the action.

Basic Information

Description: Inherit Host Tags

Action Type: Inherit Parent Tags

- Select **Inherit Parent Tag** from **Action Type**.
- Select the type of parent item to inherit from in **Parent Type**.
- Check all categories that you want inherited.

Inherit Tags Settings

Parent Type: Host



Categories

- ☐ Auto Approve - Max CPU
- ☐ Auto Approve - Max Memory
- ☐ Auto Approve - Max Retirement Days
- ☐ Auto Approve - Max VM
- ☐ Cost Center
- ☐ Department
- ☒ Environment
- ☐ EVM Operations
- ☐ Exclusions
- ☐ Location
- ☐ Network Location
- ☐ Owner
- ☐ Provisioning Scope
- ☐ Quota - Max Memory
- ☐ Quota - Max Storage
- ☐ Quota - Max CPUs
- ☐ Service Level
- ☐ Workload

- Click **Add**.

4.1.6. Creating a CPU Reconfigure Action

- Navigate to **Control** → **Explorer**.

- Click the **Actions** accordion, then click  (Configuration),  (Add a new Action).
- Type in a **Description** for the action.

Basic Information

Description	Increase CPUs to 2
Action Type	Reconfigure CPUs



- Select **Reconfigure CPUs** from **Action Type**.
- Select a number from **Number of CPUs**.

Reconfigure CPU

Number of CPU's	2
------------------------	---

- Click **Add**.

4.1.7. Creating a Memory Reconfigure Action

- Navigate to **Control** → **Explorer**.
- Click the **Actions** accordion, then click  (Configuration),  (Add a new Action).
- Type in a **Description** for the action.

Basic Information

Description	Increase RAM to 8064
Action Type	Reconfigure Memory



- Select **Reconfigure Memory** from **Action Type**.
- Type in a new value for **Memory Size**.


Reconfigure Memory

Memory Size	8064	(Enter the value between 4 – 65636 MB)
--------------------	------	--

- Click **Add**.

4.1.8. Creating a Remove Tag Action

1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (Configuration),  (Add a new Action).
3. Type in a **Description** for the action.




Basic Information

Description Remove Department Tags

Action Type Remove Tags

4. Select **Remove Tags** from **Action Type**.
5. Check the category of tags you want to remove.



Remove Tags Settings



Categories


- ☐ Auto Approve – Max CPU
- ☐ Auto Approve – Max Memory
- ☐ Auto Approve – Max Retirement Days
- ☐ Auto Approve – Max VM
- ☐ Cost Center
- ☒ Department
- ☐ Environment
- ☐ EVM Operations
- ☐ Exclusions
- ☐ Location
- ☐ Network Location
- ☐ Owner
- ☐ Provisioning Scope
- ☐ Quota – Max Memory
- ☐ Quota – Max Storage
- ☐ Quota – Max CPUs
- ☐ Service Level
- ☐ Workload

6. Click **Add**.

4.1.9. Creating an E-mail Action

To send emails from the CloudForms Management Engine server, you must have the notifier server role enabled and have defined settings for SMTP email. For further information regarding SMTP, see the [General Configuration](#) guide.

1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (Configuration),  (Add a new Action).
3. Type in a **Description** for the action.



Basic Information

Description Send email to Admin

Action Type Send an E-mail

4. Select **Send an E-mail** from **Action Type**.
5. Type in a **From E-mail Address** and **To E-mail Address**.

E-mail Settings

From E-mail Address
(leave blank for default)

evmadmin@acme.com

(Default: evmadmin@evmserver.com)

To E-mail Address

netadmin@acme.com

- Click **Add**.

4.1.10. Creating an SNMP Action

To send SNMP traps from the CloudForms Management Engine server, you must have the **Notifier** server role and the SNMP daemons enabled. For information on enabling SNMP, see the [General Configuration](#) guide.



- Navigate to **Control** → **Explorer**.
- Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
- Enter a **Description** for the action.
- Select **Send an SNMP** Trap from **Action Type**.
- Type in the IP for the host to send the trap to, select the version of SNMP that you are using, and type in the Trap Object ID. Type in multiple hosts if you require the trap sent to multiple SNMP hosts.
 - If using SNMP V1, you are prompted for a Trap Number. Type 1, 2, or 3, based on the appropriate Suffix Number from table below.
 - If using SNMP V2, you are prompted for a Trap Object ID. Type info, warning, or critical, based on the table below.

Table 4.3. Trap Object ID and Suffix Number

Object ID	Suffix Number Added to PEN	PEN with the Suffix Added
info	1	1.3.6.1.4.1.33482.1
warn, warning	2	1.3.6.1.4.1.33482.2
crit, critical, error	3	1.3.6.1.4.1.33482.3

- Type in the variables that you require in your message.
- Click **Add**.





NOTE

When adding an SNMP action, be sure to set it as asynchronous.

4.1.11. Creating a Set Custom Attribute Action

The custom attribute must already exist in vCenter. See vCenter documentation for instructions. In this example, an attribute called CloudForms Management Engine policy already exists.

1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
3. Type in a **Description** for the action.



Basic Information	
Description	Set EVM Policy Attribute
Action Type	Set a Custom Attribute in vCenter ▾

4. Select **Set a Custom Attribute in vCenter** from **Action Type**.
5. Type in the **Attribute Name** and **Value to Set**.

Custom Attribute Settings	
Attribute Name	EVM Policy
Value to Set	3.0 Requested VM Power

6. Click **Add**.

4.1.12. Creating a Tag Action

1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
3. Type in a **Description** for the action.

Basic Information	
Description	Set Department
Action Type	Tag ▾

4. Select **Tag** from **Action Type**.
5. Click on the appropriate tag to apply from the list provided.

Applied Tag

Tag to Apply:

Department: Accounting

Select a Tag to Apply

▲

My Company Tags

▷

Auto Approve - Max CPU

▷

Auto Approve - Max Memory

▷

Auto Approve - Max Retirement Days

▷

Auto Approve - Max VM

▷

Cost Center

▲

Department

Accounting

Automotive

- Click **Add**.

4.2. EDITING AN ACTION

Edit an action to modify its properties. You cannot edit any of the default actions supplied with CloudForms Management Engine. Only actions that you create can be changed.

Note that when you view an action, you can see what policies it has been assigned to.



- Navigate to **Control** → **Explorer**.
- Click the **Actions** accordion, then click on the action you need to edit.
- Click  (**Configuration**),  (**Edit this Action**) on the detail view of the action.
- Make any required changes.
- Click **Save**.

The action is modified and can be added to a policy. If the action is already party of a policy, the policy is automatically updated.

4.3. DELETING AN ACTION

Delete unused actions to keep your environment uncluttered. You cannot delete default actions or actions that are currently assigned to a policy. The delete button is unavailable if the action is in use.

- Navigate to **Control** → **Explorer**.
- Click the **Actions** accordion, click on the action you need to remove.



3. Click  (**Configuration**),  (**Delete this Action**) on the detail view of the tree.
4. Click **OK** to confirm.

CHAPTER 5. POLICY PROFILES


5.1. CREATING POLICY PROFILES

Policy profiles are groups of policies that you need to use at the same time. A policy profile can have one or more policies. Policy profiles can be assigned to either a host or a virtual machine.

1. Navigate to **Control** → **Explorer**.

2. Click on the **Policy Profiles** accordion, then click  (**Configuration**), then  (**Add a New Policy Profile**).

3. In the **Basic Information** area, type in a unique description for the policy profile.



Basic Information

Description

4. From **Available Policies** in the **Policy Selection** area select all the policies you need to apply to this policy profile. Use the **Ctrl** key to select multiple policies.





Policy Selection

Available Policies:

- VM and Instance Compliance: test
- VM and Instance Control: testing

Profile Policies:

5. Click  to add the **Policies**.



Policy Selection

Available Policies:

- VM and Instance Control: testing

Profile Policies:

- VM and Instance Compliance: test



6. Add to the **Notes** area if required.

7. Click **Add**.

The policy profile is added. You can now assign the policy profile to providers, hosts, and repositories. In addition, you can verify that the virtual machine complies with the policy profile using the **Resultant Set of Policy** feature.

5.2. DELETING A POLICY PROFILE



Remove policy profiles that you no longer need. This does not remove the policies associated with the policy profile.


1. Navigate to **Control** → **Explorer**.
2. Click on the **Policy Profile** accordion, then click the policy profile you want to remove.
3. Click  (**Configuration**),  (**Remove this Policy Profile**).
4. Click **OK** to confirm.



5.3. SIMULATING POLICY

Before assigning a policy profile to a virtual machine, use the CloudForms Management Engine controls policy simulation feature to determine if a virtual machine passes a policy profile.

5.3.1. Simulating Policy Profiles on Virtual Machines

1. Navigate to **Infrastructure** → **Virtual Machines**, select the virtual machines you need to evaluate.
2. Click  (**Policy**), and then click  (**Policy Simulation**).
3. From the **Select a Policy Profile to add** dropdown, click the policy you need to apply to the selected virtual machines.



Choose Policies	
Select a Policy Profile to add:	
▼	
Policy Profiles in Effect	
	Analysis: Exclude Specially Tagged VMs
	Snapshot Management: Delete Based On Count

4. The virtual machine thumbnail displays in the **Policy Simulation** area.
 - A check sign in the lower right quadrant of the virtual thumbnail shows that the virtual machine passes policy.
 - A minus sign in the lower right quadrant of the virtual thumbnail shows that the virtual machine fails policy.
5. Click on a virtual machine in the **Policy Simulation** area to see its details.
6. Expand a policy profile by clicking on it to see its member policies and the status of the conditions.
 - Check **Show out of scope items** to show all conditions, whether or not the virtual machine passes the scope part of the condition. Uncheck it to hide conditions where the scope part fails.
 - Next to **Show policies**, check **Successful** to show policies that are passed and check **Failed** to see the policies that have failed. The default is to show both.

- Items in green text passed the condition.
- Items in red text failed the condition.
- Items in red italics failed the condition, but do not change the outcome of the scope.



If you evaluate multiple policy profiles, you can see both policy profiles and a tree expanding down to their conditions.

5.4. ASSIGNING POLICY PROFILES



After creating your policy profiles, you are ready to evaluate and assign them. Policy profiles are assigned to virtual machines, providers, clusters, hosts, and resource pools. Policies within a profile run either on a Host or virtual machine based on the type of policy created.

- Assign a policy profile to a virtual machine to apply the policy profile to a specific virtual machine, independent of its related host, provider, or repository.
- Assign a policy profile to a provider to apply the policy profile to all virtual machines or hosts registered to that provider.
- Assign a policy profile to a cluster to apply the policy profile to all virtual machines or hosts assigned to that cluster.
- Assign a VM policy profile to a host to apply the policy profile to that specific host or all virtual machines registered to that Host.
- Assign a VM policy profile to a resource pool to apply the policy profile to all virtual machines or hosts assigned to that resource pool.

5.4.1. Assigning Policy Profiles to a Provider



1. Navigate to **Infrastructure** → **Providers**, verify the provider you need to assign the policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, you can click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Check the policy profiles you require to apply to the provider. It turns blue to show its assignment state has changed.
5. Click **Save**.

5.4.2. Removing Policy Profiles from a Provider



1. Navigate to **Infrastructure** → **Providers**, check the providers you want to remove the policy profile from.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. Uncheck the policy profile you need to remove. It turns blue to show that its assignment state has changed.

4. Click **Save**.



5.4.3. Assigning Policy Profiles to a Cluster

1. Navigate to **Infrastructure** → **Clusters**, check the clusters you need to assign policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, you can click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Check the policy profiles you need to apply to the cluster. It turns blue to show its assignment state has changed.
5. Click **Save**.



5.4.4. Removing Policy Profiles from a Cluster

1. Navigate to **Infrastructure** → **Clusters**, check the clusters you need to remove the policy profiles from.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, you can click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Uncheck the policy profiles you need to remove. It turns blue to show that its assignment state has changed.
5. Click **Save**.

5.4.5. Assigning Policy Profiles to a Host



1. Navigate to **Infrastructure** → **Hosts**, check the hosts you need to assign policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Check the policy profiles you need to apply to the host. It turns blue to show its assignment state has changed.
5. Click **Save**.

5.4.6. Removing Policy Profiles from a Host



1. Navigate to **Infrastructure** → **Hosts**, check the hosts you need to remove the policy profiles from.
2. Click  (**Policy**), and then click  (**Manage Policies**).

3. Uncheck the policy profiles you need to remove. It turns blue to show that its assignment state has changed.
4. Click **Save**.



5.4.7. Assigning Policy Profiles to a Virtual Machine

1. Navigate to **Infrastructure** → **Virtual Machines**, check the virtual machines you need to assign policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Check the policy profiles you need to apply to the host. It will turn blue to show that its assignment state has changed.
5. Click **Save**.



5.4.8. Removing Policy Profiles from a Virtual Machine

1. Navigate to **Infrastructure** → **Virtual Machines**, check the virtual machines you want to remove the policy profile from.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. Uncheck the policy profile you need to remove. It turns blue to show that its assignment state has changed.
4. Click **Save**.

5.4.9. Assigning Policy Profiles to a Resource Pool



1. Navigate to **Infrastructure** → **Resource Pools**, check the resource pools you need to assign policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Click the policy profiles you need to apply to the resource pools. It turns blue to show its assignment state has changed.
5. Click **Save**.

5.4.10. Removing Policy Profiles from a Resource Pool



1. Navigate to **Infrastructure** → **Resource Pools**, check the resource pools you need to remove the policy profiles from.
2. Click  (**Policy**), and then click  (**Manage Policies**).

3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Uncheck the policy profiles you need to remove. It turns blue to show that its assignment state has changed.
5. Click **Save**.



5.4.11. Assigning Policy Profiles to a Cloud Provider

1. Navigate to **Clouds** → **Providers** and check the provider you need to assign the policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Check the policy profiles you need to apply to the provider. The ones that are different from the previous setting will show in blue.
5. Click **Save**.



5.4.12. Removing Policy Profiles from a Cloud Provider

1. Navigate to **Clouds** → **Providers**, check the providers you need to remove the policy profile from.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Uncheck the policy profile you need to remove. It turns blue to show that its assignment state has changed.
5. Click **Save**.

5.4.13. Assigning Policy Profiles to an Instance



1. From **Clouds** → **Instances**, check the instances you want to assign policy profiles to.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Check the policy profiles you want to apply to the instances. It turns blue to show its assignment state has changed.
5. Click **Save**.

5.4.14. Removing Policy Profiles from an Instance

1. Navigate to **Clouds** → **Instances**, check the instances you need to remove the policy profile from.
2. Click  (**Policy**), and then click  (**Manage Policies**).
3. From the **Select Policy Profiles** area, click on the triangle next to a desired policy profile to expand it and see its member policies.
4. Uncheck the policy profile you need to remove. It turns blue to show that its assignment state has changed.
5. Click **Save**.

5.5. DISABLING A POLICY IN A POLICY PROFILE


You can disable one policy in a profile without removing it from the policy, perhaps for trouble shooting purposes or because the policy is not required temporarily.

1. Navigate to **Control** → **Explorer**.
2. Click the **Policies** accordion, then navigate to the policy that you need to disable or navigate to the policy from the policy profile.
3. Click  (**Configuration**),  (**Edit Basic Info, Scope, Notes**).
4. Uncheck **Active**.
5. Click **Save**.

5.6. VIEWING POLICY SIMULATION - RESULTANT SET OF POLICY (RSOP)

After the Policy Profiles are assigned, you can see the final result of the resolution of all policies based on which Events occur. Based on the result, you can adjust your Policies. To view RSOP, go to the control area in the CloudForms Management Engine console.

1. Navigate to **Control** → **Simulation**.
2. From the **Event Selection** area, select a type of event, and then the specific event you need the result for.




Event Selection

Type:
VM Operation

Event:
VM Power On

3. From the **VM Selection** area, select the virtual machine from a provider, cluster, host, or a single virtual machine.



The screenshot shows a dialog box titled "VM Selection". Inside the dialog, there are two buttons, each with a dropdown arrow on its right side. The top button is labeled "By Cluster" and the bottom button is labeled "Default".

4. Click **Submit**.