



Red Hat CloudForms

4.1

Monitoring, Alerts, and Reporting

Creating and managing reports, feeds, and widgets in Red Hat CloudForms

Red Hat CloudForms Documentation
Team

Creating and managing reports, feeds, and widgets in Red Hat CloudForms

Red Hat CloudForms Documentation Team
cloudforms-docs@redhat.com

Legal Notice

Copyright © 2017 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This guide provides instructions for creating and managing reports, feeds, and widgets in Red Hat CloudForms. It also includes information on accessing usage and timeline data, and chargeback costs. This information supports better information technology decision making and predictions for future virtual machine management. If you have a suggestion for improving this guide or have found an error, please submit a Bugzilla report at <http://bugzilla.redhat.com> against Red Hat CloudForms Management Engine for the Documentation component. Please provide specific details, such as the section number, guide name, and CloudForms version so we can easily locate the content.

Table of Contents

CHAPTER 1. CLOUD INTELLIGENCE DASHBOARD	4
1.1. ADDING A WIDGET	4
1.2. RESETTING TO THE DEFAULT SET OF WIDGETS	4
1.3. REMOVING A WIDGET	4
1.4. ZOOMING IN TO A CHART WIDGET	5
1.5. OPENING A CHART OR REPORT WIDGET IN ITS OWN WINDOW	5
1.6. MINIMIZING OR MAXIMIZING A WIDGET	5
1.7. DOWNLOADING A REPORT WIDGET AS A FILE	5
CHAPTER 2. CREATING DASHBOARD WIDGETS	6
2.1. CREATING A REPORT WIDGET	6
2.2. CREATING A CHART WIDGET	7
2.3. CREATING AN RSS FEED WIDGET	8
2.4. CREATING A MENU WIDGET	9
2.5. EDITING A WIDGET	9
2.6. COPYING A WIDGET	10
2.7. DELETING A WIDGET	10
2.8. IMPORTING A WIDGET	10
2.9. EXPORTING A WIDGET	10
2.10. GENERATING WIDGET CONTENT IMMEDIATELY	11
CHAPTER 3. REPORTS	12
3.1. RUNNING REPORTS	12
3.1.1. Generating a Single Report	12
3.2. SCHEDULING A REPORT	13
3.2.1. Modifying a Report Schedule	15
3.2.2. Running a Scheduled Report Immediately	15
3.3. VIEWING REPORTS	15
3.3.1. Changing Report Views	16
3.3.2. Report Download Buttons	16
3.3.3. Downloading a Report	16
3.3.4. Showing a Report in Full Screen	17
3.4. ADDING A REPORT	17
3.5. COPYING A REPORT	23
3.6. EDITING A REPORT	24
3.7. DELETING A REPORT	24
3.8. IMPORTING A REPORT	24
3.9. EXPORTING A REPORT	25
3.10. REPORT MENUS	25
3.10.1. Managing Report Menu Accordions	25
3.11. MANAGING REPORT MENU FOLDERS	26
3.12. ORGANIZING REPORTS IN REPORT MENUS	27
CHAPTER 4. USAGE	29
4.1. ACCESSING USAGE DATA	29
CHAPTER 5. CHARGEBACK	30
5.1. CHARGEBACK RATES	30
5.1.1. Memory Used Cost	30
5.1.2. CPU Total Cost	31
5.1.3. CPU Used Cost	31
5.1.4. Storage Allocated Cost	31
5.1.5. Storage Total Cost	32

5.1.5. Storage Total Cost	32
5.1.6. Storage Used Cost	32
5.2. CREATING CHARGEBACK RATES	32
5.2.1. Editing a Chargeback Rate	33
5.2.2. Copying a Chargeback Rate	33
5.2.3. Adding a Chargeback Rate	33
5.3. ASSIGNING CHARGEBACK RATES	35
5.4. CREATING A CHARGEBACK REPORT	35
CHAPTER 6. TIMELINES	37
6.1. ACCESSING AND USING A TIMELINE	37
6.2. DOWNLOADING A TIMELINE'S DATA	37
CHAPTER 7. ALERTS	38
7.1. ASSIGNING THE NOTIFIER ROLE	38
7.2. CREATING AN ALERT	38
7.3. CREATING A HARDWARE RECONFIGURED ALERT	40
7.4. CREATING A NORMAL OPERATING RANGE ALERT	41
7.5. CREATING A REAL TIME PERFORMANCE ALERT	41
7.6. CREATING AN HOURLY PERFORMANCE ALERT	42
7.7. CREATING A HOSTD LOG THRESHOLD ALERT	43
7.8. CREATING A VMWARE ALARM ALERT	44
7.9. CREATING AN EXPRESSION ALERT	45
7.10. CREATE AN OPERATIONAL ALERT	46
7.11. OPERATIONAL ALERT TYPES	46
7.12. EDITING AN ALERT	50
7.13. COPYING AN ALERT	50
7.14. DELETING AN ALERT	50
7.15. EVALUATING AN ALERT	51
CHAPTER 8. ALERT PROFILES	52
8.1. CREATING ALERT PROFILES	52
8.2. EDITING AN ALERT PROFILE	52
8.3. DELETING AN ALERT PROFILE	52
8.4. ASSIGNING AN ALERT PROFILE	53
CHAPTER 9. IMPORTING AND EXPORTING	54
9.1. IMPORTING AND EXPORTING POLICIES, POLICY PROFILES, AND ALERTS	54
9.2. EXPORTING A POLICY, POLICY PROFILE, OR AN ALERT	54
CHAPTER 10. RSS	55
APPENDIX A. REGULAR EXPRESSIONS	56
APPENDIX B. REPORTABLE FIELDS IN RED HAT CLOUDFORMS	60

CHAPTER 1. CLOUD INTELLIGENCE DASHBOARD


Cloud Intelligence shows your virtual environment's events, reports, and configurable alerts. This information supports better information technology decision making and predictions for future virtual machine management.

When you log in to the console, it brings you directly to the **Cloud Intelligence Dashboard** page by default. The console uses widgets to organize this page, providing you with a default set of commonly used widgets. The configuration items on these widgets are clickable, allowing you to drill down directly to a referenced item.

Customize this page to include the charts, reports, and RSS feeds you specifically want to see as soon as you log in to the console. You can add, remove, move, minimize, zoom into, and maximize widgets. Only users with the proper access can create widgets.

1.1. ADDING A WIDGET

You can add widgets to the dashboard to accommodate the information you want to see upon login.

1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. Click  **(Add a Widget)**.
3. Select the widget you want to add from the list.




Note

Only widgets that are not currently showing on the dashboard will appear in this list.


1.2. RESETTING TO THE DEFAULT SET OF WIDGETS

You can reset to default set of widgets according to your needs with the following steps:

1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. Click  **(Reset Dashboard Widgets to the defaults)**.


1.3. REMOVING A WIDGET


You can remove a widget when you no longer need the widget to be displayed in the dashboard.

1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. From the widget that you want to remove, click  **(Remove from Dashboard)** in the upper right corner of the widget.
3. Click **OK**.


The widget is removed from the dashboard, but it is not deleted. It can be added again if needed.

1.4. ZOOMING IN TO A CHART WIDGET



1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. From the chart widget that you want to enlarge, click  **(Zoom in)** in the upper right corner of the widget.

The enlarged chart is opened in its own pop-up window. To close this window, click  **(Close)** in the upper right corner.


1.5. OPENING A CHART OR REPORT WIDGET IN ITS OWN WINDOW

1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. From the chart or report widget that you want to enlarge, click  **(Open the chart and full report in new window)** in the upper right corner of the widget.
3. Click **OK**.

1.6. MINIMIZING OR MAXIMIZING A WIDGET



1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. From the chart or report widget that you want to maximize, click  **(Minimize)** or  **(Full Screen)** in the upper right corner of the widget.


1.7. DOWNLOADING A REPORT WIDGET AS A FILE

1. Navigate to **Cloud Intelligence** → **Dashboard**.
2. From the chart or report widget that you want to download as a PDF, click  **[(Download PDF)]** in the upper right corner of the widget.
3. Click **OK**.

CHAPTER 2. CREATING DASHBOARD WIDGETS

2.1. CREATING A REPORT WIDGET


1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click on the **Dashboard Widgets** accordion, then choose the **Reports** folder.
3. Click  (**Configuration**), then click  (**Add a new Widget**).
4. In the **Basic Information** area, type in a **Title** and **Description**. By default the widget will be active as soon as you create it. To make it inactive, uncheck the **Active** box.



Basic Information

Title	<input type="text"/>
Description	<input type="text"/>
Active	<input checked="" type="checkbox"/>


5. From the **Report Options** area, select the filters until you are at the report you want for this widget. Select up to four columns from that report. Finally, for **Row Count**, select the number of rows that you want displayed.



Report Options

Filter	Configuration Management	Virtual Machines	VM Location and Size
Column 1	VM Name		
Column 2	Host Name		
Column 3	Datastore Path		
Column 4	Size		
Row Count	5		

6. In the **Timer** area, click the **Run** drop down to specify how often you want the widget data to get updated. The options displayed will depend on which **Run** option you choose. Select **Hourly**, **Daily**, **Weekly**, or **Monthly**.



Timer

Run	Hourly	every	Hour
Time Zone	(GMT+00:00) UTC		
Starting Date	3/14/2013		
Starting Time (UTC)	0	h	0 m

7. Select a **Time Zone**. Type or select a date to begin the schedule in **Starting Date**. Select a **Starting Time** based on a 24 hour clock in the selected time zone.



Note

If you change the time zone, you will need to reset the starting date and time.

8. In the **Visibility** area, select **<To All Users>**, so that all users can use this widget no matter what user role they are assigned. Select **<By Role>** to assign this widget to specific user roles. Select **<By Group>** to assign this widget to specific groups.
9. Click **Add**.

2.2. CREATING A CHART WIDGET



1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widgets** accordion and click the **Charts** folder.
3. Click  (**Configuration**), then click  (**Add a new Widget**).
4. In the **Basic Information** area, type in a **Title** and **Description**. By default the widget will be active as soon as you create it. To make it inactive, uncheck the **Active** box.
5. From the **Chart Report** area, select a chart to display in the widget.

Chart Report

Filter Configuration Management/Virtual Machines/VMs with Free Space > 50% by Department

6. In the **Timer** area, click the **Run** drop down to specify how often you want the widget data to get updated. The options displayed will depend on which **Run** option you choose. Select **Hourly**, **Daily**, **Weekly**, or **Monthly**.

Timer

Run	Hourly every Hour
Time Zone	(GMT+00:00) UTC
Starting Date	3/14/2013
Starting Time (UTC)	0 h 0 m

fields below



7. Select a **Time Zone**. Type or select a date to begin the schedule in **Starting Date**. Select a **Starting Time** based on a 24 hour clock in the selected time zone.

**Note**

If you change the time zone, you will need to reset the starting date and time.

8. In the **Visibility** area, select **<To All Users>**, so that all users can use this widget no matter what user role they are assigned. Select **<By Role>** to assign this widget to specific user roles. Select **<By Group>** to assign this widget to specific groups.
9. Click **Add**.

2.3. CREATING AN RSS FEED WIDGET

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widgets** accordion, and click the **RSS Feeds** folder.
3. Click  (**Configuration**), then click  (**Add a new Widget**).
4. In the **Basic Information** area, type in a **Title** and **Description**. By default the widget will be active as soon as you create it. To make it inactive, uncheck the **Active** box.
5. In the **RSS Feed Options** area, you have the following choices:
 - » From **Type**, select **Internal** to use feed from Red Hat CloudForms. Then select the RSS feed, from the **Internal RSS Feed** dropdown.
 - » From **Type**, select **External** to use a feed outside of Red Hat CloudForms. Then, either select the RSS feed or type your own.
 - » From **Row Count**, select the number of rows you want returned from the RSS feed.
6. Select the **Filters** until you are at the report you want for this widget. Select up to three columns from that report. Finally, for **Row Count**, select the number of rows that you want displayed.
7. In the **Timer** area, click the **Run** drop down to specify how often you want the widget data to get updated. The options displayed will depend on which **Run** option you choose. Select **Hourly**, **Daily**, **Weekly**, or **Monthly**.

Timer	
Run	Hourly ▾ every Hour ▾
Time Zone	(GMT+00:00) UTC ▾
fields below	
Starting Date	3/14/2013
Starting Time (UTC)	0 ▾ h 0 ▾ m

8. Select a **Time Zone**.


**Note**

If you change the time zone, you will need to reset the starting date and time.

9. Type or select a date to begin the schedule in **Starting Date**.
10. Select a **Starting Time (UTC)** based on a 24 hour clock in the selected **Time Zone**.
11. In the **Visibility** area, select **<To All Users>**, so that all users can use this widget no matter what user role they are assigned. Select **<By Role>** to assign this widget to specific user roles. Select **<By Group>** to assign this widget to specific groups.
12. Click **Add**.

2.4. CREATING A MENU WIDGET



1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widgets** accordion and click the **Menus** folder.
3. Click  (**Configuration**), then click  (**Add a new Widget**).
4. In the **Basic Information** area, type in a **Title** and **Description**. By default the widget will be active as soon as you create it. To make it inactive, uncheck the **Active** box.



Basic Information	
Title	<input type="text"/>
Description	<input type="text"/>
Active	<input checked="" type="checkbox"/>



5. In the **Menu Shortcuts** area, use the **Add a Shortcut** dropdown to select all the places in the console that you want to add to this widget.
6. In the **Visibility** area, select **<To All Users>**, so that all users can use this widget no matter what user role they are assigned. Select **<By Role>** to assign this widget to specific user roles. Select **<By Group>** to assign this widget to specific groups.
7. Click **Add**.

2.5. EDITING A WIDGET

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widgets** accordion and select the widget you want to edit.
3. Click  (**Configuration**), and then  (**Edit this Widget**).
4. Make the required changes.

5. Click **Save**.

2.6. COPYING A WIDGET



1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widget** accordion, and select the widget you want to copy.
3. Click  (**Configuration**), and then  (**Copy this Widget**).
4. Type a unique name for the widget and edit its properties.
5. Click **Save**.

2.7. DELETING A WIDGET



Note

Default widgets cannot be deleted, but they can be copied.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widget** accordion and select the widget you want to delete.
3. Click  (**Configuration**), and then  (**Delete this Widget from the Database**).
4. Click **OK**.

2.8. IMPORTING A WIDGET

You can share widgets between appliances using the export and import features.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. In the **Import/Export** accordion, click **Widgets**.
3. In the **Import** area, click **Browse** to select an import file.
4. Click **Upload**.



2.9. EXPORTING A WIDGET

You can share widgets between appliances using the export and import features.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. In the **Import/Export** accordion, click **Widgets**.
3. In the **Export** area, select the widgets that you want to export.

4. Click **Export**.

2.10. GENERATING WIDGET CONTENT IMMEDIATELY

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Dashboard Widgets** accordion and select the widget you want to generate.
3. Click  (**Configuration**), and then  (**Generate Widget Content now**).
4. Click **OK**.

The content is generated immediately instead of waiting for the next scheduled update. Generation of widget content is shown under **Settings** → **Tasks**.

CHAPTER 3. REPORTS

Click the **Reports** accordion under **Cloud Intelligence** → **Reports** to see a list of reports available. These reports have been constructed to help you view the most commonly requested and significant data. From here, you can also create reports if you have appropriate access. Red Hat CloudForms provides a large group of default reports organized into categories. Each category has its own set of subfolders.

- ✎ Use **Configuration Management** to see hardware, application, network, service, user account, operating system, and snapshot information for all of your items.
- ✎ Use **Migration Readiness** to see information specifically related to items required to migrate a virtual machine.
- ✎ Use **Operations** to look at free space on registered and unregistered virtual machines, to see power states for virtual machines, and see which offline virtual machines have snapshots or have never been analyzed. You are also provided with reports specifically related to the operation of Red Hat CloudForms, such as user ids and snapshots taken by Red Hat CloudForms.
- ✎ Use **VM Sprawl** to check on usage information and disk waste.
- ✎ Use **Relationships** to see virtual machine, folder, and cluster relationships.
- ✎ Use **Events** to view operations and configuration management events.
- ✎ Use **Performance by Asset Type** to see a report on the performance of your virtual infrastructure. You must be capturing capacity and utilization data to get this information.
- ✎ Use **Running Processes** to view the information on processes running on a virtual machine. You must have domain credentials entered for the zone to collect the info for these reports, and the virtual machine must have been analyzed at least once.
- ✎ **Trending** shows projections of datastore capacity and host CPU and memory use.
- ✎ **Tenants**: quotas report aggregated by each tenant that shows quota name, total quota, in use, allocated, and available. The report currently lists all tenants and there is no nesting information available by parent and child tenants.
- ✎ **Provisioning** shows provisioning activity based on the approver, datastore, requester, and virtual machine.


For a complete list of reportable fields in Red Hat CloudForms, see [Appendix B, Reportable Fields in Red Hat CloudForms](#).



3.1. RUNNING REPORTS


There are two different ways to generate a report: by scheduling the report, or running the report manually by clicking the report generation button on the **Reports** page. Red Hat CloudForms uses interactive report generation so that reports are placed on a queue. A visual indicator of the reports status is shown. All reports are automatically saved so that they can be downloaded and analyzed later.

3.1.1. Generating a Single Report

1. Navigate to **Cloud Intelligence** → **Reports**





2. Click the **Reports** accordion and select the report you want to view.
3. Click  (**Queue**).
4. The report generation is placed on the queue and its status shows in the reports page.

	Queued At	Run At	Source	User ID	Status
	10/21/11 14:14:11 UTC		Requested by user	admin	Queued
	10/21/11 14:00:08 UTC	10/21/11 14:00:22 UTC	Requested by user	admin	Finished

5. Click  (**Reload current display**) to update the status.
6. When a report has finished generating, click on its row to view it.

3.2. SCHEDULING A REPORT

You can view historical data by creating reports on a scheduled basis. In addition, scheduled reports can be emailed directly to users.

1. There are two ways to schedule a report. Select a report from the Reports accordion and click  **Configuration**,  **Add a New Schedule**, or click the Schedules accordion and click  **Configuration**,  **Add a New Schedule**.

Basic Information

Name	Hardware Information
Description	Hardware information for Hosts
Active	<input checked="" type="checkbox"/>

- ✎ In the **Basic Information** area, type in a **Name** and **Description** for the schedule.
 - ✎ By default, **Active** is checked to enable the scan.
 - ✎ Check **E-Mail after Running** to send an email after the report has been generated. The email will be sent to the users email address as show in the **Accounts** area in **Configuration**. The email will include a link to the report.
2. The **Report Selection** area is pre-populated if you added the schedule directly from the report. If you are adding from the schedule according, use the **Filter** drop downs to select the report that you want to schedule.

Report Selection

Filter
Configuration Management
Hosts
Hardware Information

3. In the **Timer** area, click the **Run** drop down to specify how often you want the analysis to run. Your options after that will depend on which run option you choose.

Timer


Run	Daily every Day
Time Zone	(GMT+00:00) UTC
Starting Date	3/14/2013
Starting Time (UTC)	2 h 0 m

fields below

- ✧ Click **Once** to have the analysis run just one time.
 - ✧ Click **Daily** to run the analysis on a daily basis. You will be prompted to select how many days you want between each analysis.
 - ✧ Click **Hourly** to run the analysis hourly. You will be prompted to select how many hours you want between each analysis.
 - ✧ Type or select a date to begin the schedule in **Starting Date**.
 - ✧ Select a **Starting Time** based on a 24 hour clock in the Red Hat CloudForms appliance's Time Zone.
4. To send an email that includes an attachment with the report contents, check **Send an E-mail**. Parameters required for sending an email are displayed.

E-Mail after Running

Send an E-mail	<input checked="" type="checkbox"/>
From (leave blank for default)	
To (Click to remove)	None
Add a User	None Available or All Selected
Add (enter manually)	<input type="text"/> +

- ✧ In **From (leave blank for default)**, type in the sending email.
 - ✧ Use **Add a User**, to select a specific user. The user must have a valid email address entered under accounts.
 - ✧ Use **Add (enter manually)** to type in the address not registered to a User.
 - ✧ Then, click  (**Add**).
5. If you are sending an email after the report runs, then you can select further options under Email Options.

E-mail Options

Send if Report is Empty ☒

Attachments

☐ Text
☐ CSV
☒ PDF

- ✎ Check **Send if Report is Empty** if you want an email even if no records exist in the report.
- ✎ Next to Attachments, check if you would like the report attached as a **Text**, **CSV**, or **PDF** file.



6. Click **Add**.





Note

You may need to disable, change the report filter, or change the frequency of a schedule. To do this, you will need to edit the schedule.

3.2.1. Modifying a Report Schedule

1. Navigate to **Cloud Intelligence** → **Reports**
2. Click the **Schedules** accordion and select the schedule you want to edit.
3. Click  (**Configuration**), then click  (**Edit this Schedule**).
4. Make the required changes.
5. Click **Save**.

3.2.2. Running a Scheduled Report Immediately

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Schedules** accordion and select the schedule you want to run.
3. Click  (**Configuration**), then click  (**Queue**).

3.3. VIEWING REPORTS

Once you have created a schedule for a report, you can view it at any time after the first scheduled time has occurred.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Saved Reports** accordion or the **Reports** accordion.


3. Click on the instance of the report you want to view.

3.3.1. Changing Report Views

Some reports can be viewed as charts as well as lists. Note that this will depend on the type of data and on how the report has been created. Where applicable, you will see these additional buttons.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the report to view. Click one of the following buttons for the view you want.

» Click  for **Graph View**.

» Click  for **Hybrid View**.

» Click  for **Tabular View**.

3.3.2. Report Download Buttons

When you click on one of the supplied reports, you are presented with a group of buttons to download the report in one of three formats or to view the report in a full screen.



Note


Edit and delete buttons are only visible to administrators and super administrators. Edit and delete functions are only available to customer-created reports. The Red Hat CloudForms pre-configured reports cannot be edited or deleted, but they can be copied.

3.3.3. Downloading a Report

Download reports to analyze the data using other tools or to print the report.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the report you want to view.
3. Click on the row for the instance of the report you want to download. If the report needs to be generated, see [Section 3.1, “Running Reports”](#).
4. Click on the report download buttons for the type of export you want.

» Click  **(Download this report in text format)** to download as text.

» Click  **(Download this report in csv format)** to download as a comma-separated file.

» Click  **(Download this report in PDF format)** to download as PDF.



» The report is automatically named with the type of report and date.


3.3.4. Showing a Report in Full Screen

View the report in full screen to zoom into the report screen. From full screen, you can also print the chart that accompanies a report.

3.4. ADDING A REPORT

Add reports if the default reports do not include what you need or you want to narrow the scope of a report. For example, you may want a report that shows only Windows virtual machines.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Reports** accordion.
3. Click  (**Configuration**), then click  (**Add a New Report**).
4. In the **Columns** tab, edit the **Basic Report Info** area.



Basic Report Info	
Menu Name	Windows VMs
Title	Windows VMs

- ✦ Type a unique name in **Menu Name** for how you want the report described in the menu list.
 - ✦ Type the **Title** you want displayed on the report in title.
5. Add fields in the **Configure Report Columns** area.

Configure Report Columns

* Base the report on VMs

Available Fields:

- Active
- Allocated Disk Storage
- Annotation
- Archived
- Autostart
- Busy
- CPU - % Overallocated
- CPU - Aggregate Usage Rate for Child VMs for Collected Intervals 30 Day Max (MHz)
- CPU - Aggressive Recommendation Savings (%)
- CPU - Aggressive Recommendation Savings

Selected Fields:

- Name
- Boot Time
- OS Name

* Caution: Changing these fields will clear all selected values below them!

- ✧ Use the **Base the report on** table dropdown to choose a table to get fields from.



Note

If you change the report base or the interval, all selections below will be reset.

- ✧ Select fields that you want in the report from **Available Fields**, and then click (**Move selected fields down**). In addition to the fields, you can also select any tags that you have created and assigned.

- ✧ Change the order of the fields in the report by clicking (**Move selected fields up**) or (**Move selected fields down**).

- Click on the **Consolidation** tab to consolidate and aggregate data points into maximum, minimum, average, and total. Specifically, this would be useful for analyzing performance data over a specific period of time. Note that if you do this, you will not see individual records, but rather the calculation as a column header.

Group Records by up to 3 Columns

Column 1	Host : Name
Column 2	Asset Name
Column 3	<<< Nothing >>>

Note: Consolidating records will not show detail records in the report.

- ✧ Select the columns to group by.

Specify Calculations of Numeric Values for Grouped Records

Column Name	Calculations	Selected
CPU – Usage Rate for Collected Intervals (%)	Check Options	
CPU – Usage Rate for Collected Intervals (MHz)	Check Options	
CPU – Total – from VM Analysis (MHz)	Check Options	

- ✧ For each numeric field selected in the report, you can click the dropdown under **Calculations**. Check the calculations you want to use.
7. Click on the **Formatting** tab to set the size of paper for a PDF and column header format.
- ✧ From the **PDF Output** area, select the page size from the dropdown.

PDF Output

Page Size: US Letter – 8.5in x 11.0in

- A0 – 841mm x 1189mm
- A1 – 594mm x 841mm
- A2 – 420mm x 594mm
- A3 – 297mm x 420mm
- A4 – 210mm x 297mm (default)
- US Executive – 7.25in x 10.5in
- US Folio – 8.5in x 13.0in
- US Government – 8.0in x 11.0in
- US Ledger – 17.0in x 11.0in
- US Legal – 8.5in x 14.0in
- US Letter – 8.5in x 11.0in**
- US Statement – 5.5in x 8.5in
- US Tabloid – 11.0in x 17.0in

- ✧ From **Specify Column Headers and Formats**, type the text you want displayed for each field. For each numeric field, you can also set the numeric format.


Specify Column Headers and Formats

Column Name	Header	Format
Host : Name	VM's Host Name	<None>
Activity Sample – Timestamp (Day/Time)	Activity Sample – Timestamp (Day/Time)	Date/Time (M/D/Y H:M:S Z)
Asset Name	Asset Name	<None>
CPU – Usage Rate for Collected Intervals (%)	CPU – Usage Rate for Collected Int	Percent, 1 Decimal (99.0%)
CPU – Usage Rate for Collected Intervals (MHz)	CPU – Usage Rate for Collected Int	Megahertz Avg (12.1 Mhz)
CPU – Total – from VM Analysis (MHz)	CPU – Total Available – from VM A	Megahertz (12 Mhz)

8. Click on the **Styling** tab to change the color of the text or the background for a row based on a condition.

Column Name	Style	If	
Host : Name	<Normal>	Default	
Activity Sample - Timestamp (Day/Time)	<Normal>	Default	
Asset Name	<Normal>	Default	
CPU - Usage Rate for Collected Intervals (%)	Blue Text	>= 80 %	Sample
CPU - Usage Rate for Collected Intervals (MHz)	<Normal>	Default	
CPU - Total - from VM Analysis (MHz)	<Normal>	Default	

* Style "If" conditions are evaluated top to bottom for each column

- Use **Style** to select the format for the value. You can choose to change the text color or the background.
 - Use **If** to create a conditional statement for the style.
9. Click on the **Filter** tab to set filters for the data displayed in the report. There are two types of filters: the first is the **Record Filter** which is the primary filter of the main tables records, the second is also a **Display Filter**, which is a secondary filter of rows based on the fields of the child table. Click  in the appropriate area to use the expression editor to choose the appropriate options for your criteria. Based on what you choose, different options will show.
- Click **Field** to create criteria based on field values.

☒
☐

Field

VM : Number of CPUs

<

2

- Click **Count of** to create criteria based on the count of something, such as the number of snapshots for a virtual machine, or the number of virtual machines on a host.

☒
☐

Count of

VM.Snapshots

>=

3

- Click **Tag** to create criteria based on tags assigned to your resources. For example, you may want to check the power state of a virtual machine or see if it is tagged as production.

Tag: VM.My Company Tags : Cost Center

CONTAINS

Cost Center 001

- Click **Registry** to create criteria based on registry values. For example, you may want to check if DCOM is enabled on a Windows system. (Note that this applies only to Windows operating systems.)

Registry

Key: HKLM\SOFTWARE\Mic Value: EnableDCOM = Data: Y

- Click **Find** to seek a particular value, and then check a property. For example, finding the **Admin** account and checking that it is enabled.

FIND VM.Hardware.Volumes : Name IS NOT EMPTY CHECK ALL Free Space Percent >= 80

Find

VM.Hardware.Volumes : Name

IS NOT EMPTY

Check All Free Space Percent >= 80 %

- Click (**Commit Expression Element Changes**) to add the expression.



Note

The filters that you apply will show at the bottom of the report so that you know which filters have been applied.

- Click on the **Summary** tab to select sort order, sort type, groupings, and group calculations for the report. **Summary** groups rows of data based on the sort breaks. You can only sort by fields that display in the report.

Sort Criteria

Sort the Report By	Host : Name
Sort Order	Ascending
Show Sort Breaks	Counts
Hide Detail Rows	<input type="checkbox"/>
Format on Summary Row	<None>
Within Above Field, Sort By	Power State
Number of Rows to Show	All

- ✧ Set the primary sort in **Sort the Report by**.
- ✧ Set the next sorts in **Within Above Field, Sort By**.
- ✧ Select the type of sort, ascending or descending, in **Sort order**.
- ✧ In **Show Sort breaks**, select **Yes** to show the sort breaks, **Counts** to show sort breaks with the count, or **No** for no sort breaks.

Specify Calculations for Summary Rows

Column Name	Header	Calculations	Selected
Host : Name	Host Name		<input checked="" type="checkbox"/>
Name	Name		
Power State	Power State		
Hardware : Number of CPUs	Hardware Number of Virtual CPUs	Check Options	<input type="checkbox"/>
Hardware : RAM	Hardware RAM	<input type="checkbox"/> Minimum <input type="checkbox"/> Average <input type="checkbox"/> Maximum <input type="checkbox"/> Total	<input type="checkbox"/>

- ✧ For any numeric field, you can select to show minimum, average, maximum, and total in the sort break.

11. Click on the **Charts** tab to create a chart for the report. This is not required.

Chart Settings

Choose a chart type	Bars, Stacked (2D)
Top values to show	10
Sum 'Other' values	<input checked="" type="checkbox"/>

* Some charts may not produce desired results with a single sort field

- ✧ Use **Choose a chart type** to select a type of chart. Note that some charts may not produce the result you are looking for based on the types of fields in the report and its sort order.

- » If you only want to see the top values, select the number of top values from **Top values to show**.
 - » If you want to see the total number of values that are not categorized or evaluated against others, check **Sum 'Other' values**.
12. Click on the **Timeline** tab to select a timeline for the report. You must have a field of time or date format to use this feature.

- » Use **Base Timeline on** to select a column in date or time format for the report.
- » Select a unit of time for the first band in **First band unit**.
- » Select a unit of time for the second band in **Second band unit**.
- » Select a unit of time for the third band in **Third band unit**.
- » Select an **Event to position at**.
- » Select the range for the event to position from **Show events from last**.



Note

If you select a timeline for a report, that timeline will also show on the timelines page of **Cloud Intelligence**. The filters that you apply will show on a timeline report so that you know which filters have been applied.

13. Click the **Previews** tab to see a sample of your report.
14. When you have the report that you want, click **Add** to create the new report.





Note

After the new report is created, to make the report accessible from the report menu, you must add it to a report menu.

3.5. COPYING A REPORT



Use this feature to copy a report that is similar to one that you want to create. By copying a report, you only need to make minor edits instead of creating an entirely new report.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Reports** accordion and select the report that you want to copy.

3. Click  (**Configuration**), then click  (**Copy this report**).
4. On the Columns tab, edit the **Basic Report Info** area to include a new **Menu Name**. Each **Menu Name** must be unique.
5. Make any other changes you need. See "Adding a Report" for details on the changes you can make.
6. Click **Add**.



3.6. EDITING A REPORT

If you find that a report is not giving you the data that you need, you can edit it after it has been created. Note that only reports that you have created can be modified. Only administrators and super administrators of Red Hat CloudForms can add, copy, edit, and delete reports.

1. Navigate to **Cloud Intelligence** → **Report**.
2. Click the **Reports** accordion and select the report you want to edit.
3. Click  (**Configuration**),  (**Edit this Report**).
4. Make any changes you need.
5. Click **Save**.

3.7. DELETING A REPORT

Delete reports when you find that they are no longer useful. Only administrators and super administrators of Red Hat CloudForms can add, copy, edit, and delete reports. Note that only customer-created reports can be deleted.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Reports** accordion and select the report you want to delete.
3. Click  (**Configuration**),  (**Delete this Report from the Database**).



Note

The **Delete this report from the Database** option will only appear on reports you have created. Default reports cannot be deleted.

4. Click **OK**.

3.8. IMPORTING A REPORT

Reports are stored in the VMDB; however, you can share customized reports among VMDBs. To do this use the export and import feature of reports.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. In the **Import/Export** accordion, click **Custom Reports**.
3. In the **Import** area, click **Browse** to select an import file.
4. To overwrite an existing report with the same menu name, select **Overwrite existing reports**.
5. Click **Upload** to import the report to the **Company-Custom** folder.

3.9. EXPORTING A REPORT

Reports are stored in the VMDB; however, you can share customized reports among VMDBs. To do this use the export and import feature of reports.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. In the **Import/Export** accordion, click **Custom Reports**.
3. In the **Export** area, select the reports to export.
4. Click **Export**.

3.10. REPORT MENUS

By default, all account roles have the same reports available. If you have the super administrator or administrator role, you can customize the accordions, the folders within them, and the locations of your reports.



Note

When you create your own report, the report is not automatically available. You must add it to a report menu.







The report menu is a hierarchical structure that consists of the following components:

- ✦ The top level, under which the accordions are shown. (Top level is only displayed when you are in the report menu editor.)
- ✦ Accordions that are general categories for the reports. The defaults supplied are **Configuration Management**, **Migration Readiness**, **Operations**, **VM Sprawl**, **Relationships**, and **Events**.
- ✦ Folders that are used to further organize reports within an accordion. For example, under the **Configuration Management**, there are folders for virtual machines, hosts, and other virtual infrastructure components.
- ✦ Reports that are stored directly in the folders.

3.10.1. Managing Report Menu Accordions

1. Navigate to **Cloud Intelligence** → **Reports**.

2. Click the **Edit Report Menus** folder.
3. Click the role whose menus you want to customize.
4. Click on **Top Level** to organize, add, and delete folders.

- ✦ Click  (**Move selected folder to top**) to move the folder to the top of the list.
- ✦ Click  (**Move selected folder up**) to move the folder up.
- ✦ Click  (**Move selected folder down**) to move the folder down.
- ✦ Click  (**Move selected folder to bottom**) to move the folder to the bottom of the list.
- ✦ Click  (**Delete selected folder and its contents**) to delete a folder.
- ✦ Click  (**Add folder to selected folder**) to add an folder.



Note




If you are creating a new folder, **Top Level** must be selected under **Reports**. Be sure to select the folder you want to create a subfolder for on the left pane. To name the folder, double-click on **New Folder**, then click on **Top Level** in the **Reports** area.




5. When you are finished adding folders, click **Commit**. To revert, click **Discard**.
6. Click **Save**.

The new folder is added, and you can add folders in which to store reports to it. You can also organize the reports into folder that are meaningful to you.

3.11. MANAGING REPORT MENU FOLDERS

1. Log in to the console as a user who is assigned either the super administrator or administrator account role.
2. Navigate to **Cloud Intelligence** → **Reports**.
3. Click the **Edit Report Menus** accordion.
4. Click the role whose menus you want to customize.
5. Click on the accordion name you want to organize or add folders to.

- ✦ Click  (**Move selected folder to top**) to move the folder to the top of the list.
- ✦ Click  (**Move selected folder up**) to move the folder up.
- ✦ Click  (**Move selected folder down**) to move the folder down.

- ✧ Click  (**Move selected folder to bottom**) to move the folder to the bottom of the list.
- ✧ Click  (**Delete selected folder and its contents**) to delete an folder.
- ✧ Click  (**Add subfolder to selected folder**) to add a folder. When creating a subfolder, be sure to select the folder that you want the subfolder to show under. To name the folder, double-click on **New Folder**.

6. When you are finished making changes click **Commit**. To revert, click **Discard**.







7. Click **Save**.



Note

Only reports that are not already in another folder can be assigned.

3.12. ORGANIZING REPORTS IN REPORT MENUS

1. Log in to the console as a user who is assigned either the Super Administrator or Administrator Account Role.
2. Navigate to **Cloud Intelligence** → **Reports**.
3. Click the **Edit Report Menus** accordion.
4. Click the role whose menus you want to customize.
5. Expand the **Report** accordion and menus using the triangles to the left of the item name until you are able to select the subfolder where you want to put reports.
6. Choose one of the following actions:
 - ✧ To add a report, select a report from the **Available Reports** area on the right and click  (**Move selected reports left**).
 - ✧ To remove a report from a folder, select the report from the **Selected Reports** area and click  (**Move selected reports right**).
 - ✧ To move a report to the top of the folder, select the report and click  (**Move selected reports to top**).
 - ✧ To move a report up one place in the folder, select the report and click  (**Move selected reports up**).
 - ✧ To move a report down one place in the folder, select the report and click  (**Move selected reports down**).
 - ✧ To move a report to the bottom of the folder, select the report and click  (**Move selected reports to bottom**).

7. When you are finished making changes click  (**Commit report management changes**).
8. Click **Save**.

The changes are made. The next time a user with this Account Role logs in, the new report and menu structure will be displayed.

CHAPTER 4. USAGE


Usage provides a targeted view of CPU, RAM, disk space, disk I/O, and network I/O for tagged virtual machines. This allows you to find which virtual machines are using or overusing resources.

There are two requirements to use this feature:

- ✦ You must assign tags to the virtual machines that you want to collect usage data for. See [Tagging Virtual Machines and Templates](#) in *Managing Infrastructure and Inventory*.
- ✦ Capacity and utilization collection must be enabled. For more information on configuring capacity and utilization charts, see [Capacity Planning](#) in the *Deployment Planning Guide*.

4.1. ACCESSING USAGE DATA

1. Navigate to **Cloud Intelligence** → **Usage**.
2. In the **Options** area, select a **Date**. More choices will display.



Options

Date: **Period:**

Category: **Entry:**

- ✦ From **Period**, select either **Day** or **Hour**. If you select **Hour**, you will be prompted for which hour in UTC time.
- ✦ From **Category**, select the category for the tag.
- ✦ From **Entry**, select the tag from within the category that you want usage data for.

CHAPTER 5. CHARGEBACK

The chargeback feature allows you to calculate monetary virtual machine charges based on owner or company tag. To use this feature you must be collecting capacity and utilization data.

For information on server control settings and capacity & utilization collection settings, see *General Configuration*.

5.1. CHARGEBACK RATES

Red Hat CloudForms provides a default set of rates for calculating chargeback costs, but you can create your own set of computing and storage costs by navigating to **Cloud Intelligence** → **Chargeback** and clicking the **Rates** accordion.

You can configure chargeback rates for various resources by selecting either **Compute** or **Storage** in the **Rates** accordion. **Compute** sets chargeback rates for CPU, disk I/O, fixed compute cost, memory, and network I/O items, while **Storage** sets chargeback rates for fixed storage cost and disk storage.

Chargeback costs are computed using a set formula based on hourly cost per unit and hourly usage.

Chargeback can be calculated in the following currencies:

- ✎ United States Dollars (USD)
- ✎ Euro (EUR)
- ✎ Pound Sterling (GBP)
- ✎ Japanese Yen (JPY)

Chargeback rates can be assigned at a single rate or by tiers, where rates are assigned in ranges depending on level of usage.

Additionally, chargeback can be calculated at one fixed rate, or by a combination of fixed and variable rates per tier. Fixed rates are charged once per unit of time, and the variable rate is calculated by the level of usage multiplied by the number of resources used in a unit of time.

5.1.1. Memory Used Cost

Calculating the Memory Used Cost in dollars (\$) for a day can be expressed in the following ways:

- ✎ $\text{Memory allocation per hour (in MB)} * \text{Hourly Allocation cost per megabyte} * \text{Number of Memory Allocation metrics available for the day}$
- ✎ $\text{Sum of Memory allocation for the day (in MB)} * \text{Hourly Allocation cost per megabyte}$
- ✎ $\text{Sum of Memory allocation for the day (in MB)} * \text{Daily Allocation cost per megabyte} / 24$

Memory costs can be measured in B, KB, MB, GB, or TB.

Example 5.1. Memory Used Cost

In a scenario where 9.29 GB of memory is used in a day with the chargeback rate set at one dollar (\$1) per megabyte per day, the Memory Used Cost would be \$396.42.

- ✧ 9.29 GB = 9514.08 MB
- ✧ 9514.08 MB * \$1 (per MB per day) = \$9514.08
- ✧ \$9514.08 / 24 = \$396.42 Memory Used Cost

5.1.2. CPU Total Cost

The CPU Total Cost is defined as the number of virtual CPUs over the selected interval (hour, day, week, month). CPU costs can be measured in units of Hz, KHz, MHz, GHz, or THz, as specified when creating a chargeback rate.

Example 5.2. CPU Total Cost

In a scenario where 16 CPUs are used in a day with the chargeback rate set at one dollar per CPU per day, the CPU Total Cost would be \$16.

- ✧ 16 CPUs * \$1 (per CPU per day) = \$16 CPU Total Cost

5.1.3. CPU Used Cost

The CPU Used Cost is defined as the average CPU used in MHz over the selected rate interval (hour, day, week, month). CPU Used Cost is not supported for containers providers.

Example 5.3. CPU Used Cost

In a scenario where 2.5 GHz is used in a day with the chargeback rate set at \$0.01 per MHz per day, the CPU Used Cost would be \$25.

- ✧ 2.5 GHz = 2500 MHz
- ✧ 2500 MHz * \$0.01 (per MHz per day) = \$25 CPU Used Cost

5.1.4. Storage Allocated Cost

The Storage Allocated Cost is defined as the Allocated Disk Storage in bytes over the selected rate interval (hour, day, week, month). Storage costs can be measured in B, KB, MB, GB, or TB.

Example 5.4. Storage Allocated Cost

In a scenario where 500 GB are used in a day with the chargeback rate set at \$0.10 per GB per day, the Storage Allocated Cost would be \$50.

- ✧ 536,870,912,000 bytes = 500 GB

- ✧ $500 \text{ GB} * \$0.10 \text{ (per GB per day)} = \$50 \text{ Storage Allocated Cost}$

5.1.5. Storage Total Cost

The Storage Total Cost is defined as the Used Disk Storage in bytes over the selected rate interval (hour, day, week, month).

Example 5.5. Storage Total Cost

In a scenario where 250 GB are used in a day with the chargeback rate set at \$0.10 per GB per day, the Storage Total Cost would be \$25.

- ✧ $268,435,456,000 \text{ bytes} = 250 \text{ GB}$
- ✧ $250 \text{ GB} * \$0.10 \text{ (per GB per day)} = \$25 \text{ Storage Total Cost}$

5.1.6. Storage Used Cost

The Storage Used Cost is defined as the Used Disk Storage in bytes over the selected rate interval (hour, day, week, month).

Example 5.6. Storage Used Cost

In a scenario where 250 GB are used in a day with the chargeback rate set at \$0.10 per GB per day, the Storage Used Cost would be \$25.

- ✧ $268,435,456,000 \text{ bytes} = 250 \text{ GB}$
- ✧ $250 \text{ GB} * \$0.10 \text{ (per GB per day)} = \$25 \text{ Storage Used Cost}$

Note

The following chargeback rates are not supported for containers providers:

- ✧ Allocated CPU count
- ✧ Used CPU
- ✧ Used disk I/O
- ✧ Allocated memory



5.2. CREATING CHARGEBACK RATES

Red Hat CloudForms allows you to create your own set of computing and storage costs to use for billing.



Chargeback rates can be configured at a single rate or in tiers, where one rate is assigned to one usage range, and another rate is assigned to a different usage range. You can also assign fixed and variable rates per tier if desired.

There are three methods to create a chargeback rate: editing or copying an existing rate, or creating a new rate.

5.2.1. Editing a Chargeback Rate

1. Navigate to **Cloud Intel** → **Chargeback**.
2. Click the **Rates** accordion and select an existing rate from under **Compute** or **Storage**.
3. Click  (**Configuration**) and  (**Edit this Chargeback Rate**).
4. Edit the rate as desired.
5. Click **Save** at the bottom of the screen to save the chargeback rate.

5.2.2. Copying a Chargeback Rate

1. Navigate to **Cloud Intel** → **Chargeback**.
2. Click the **Rates** accordion and select an existing rate from under **Compute** or **Storage**.
3. Click  (**Configuration**) and  (**Copy this Chargeback Rate**).
4. Edit the rate as desired.
5. Click **Add** at the bottom of the screen to save the chargeback rate.



5.2.3. Adding a Chargeback Rate

The following example shows a scenario to create a new chargeback rate for allocated CPU usage in Euro per week measured by the following tiers, calculating both fixed and variable costs:

Example: Creating a tiered chargeback rate

- ✧ Tier 1: 0-2 CPU = 1 Euro fixed + 0.5 Euro variable
- ✧ Tier 2: 2-4 CPU = 0.8 Euro fixed + 0.4 Euro variable
- ✧ Tier 3: 4 CPU and above = 0.6 Euro fixed + 0.2 Euro variable

To configure this rate:

1. Navigate to **Cloud Intel** → **Chargeback**.
2. Click the **Rates** accordion and select **Compute** to create a CPU chargeback rate.
3. Click  (**Configuration**) and  (**Add a new Chargeback Rate**).
4. Type in a **Description** for the chargeback rate.

5. Select **Euro** for currency.
6. In **Rate Details**, select the time, and fill in the range and rates for each tier. Alternatively, a single chargeback rate can be configured by using only one tier. For this example, in **Allocated CPU Count**, configure:
 - a. For tier 1, set:
 - i. In **Per Time**, select **Hourly**.
 - ii. In **Range**, specify the CPU range: **Start** remains as **0.0** and **Finish** is **2**.
 - iii. In **Rate**, specify **1** for the **Fixed** rate, and **0.5** for the **Variable** rate.
 - iv. Click **Add** under **Actions** to create a new, blank **Allocated CPU Count** line for tier 2.
 - b. For tier 2, set:
 - i. In the new line in **Range**, specify the CPU range: **Start** is **2** and **Finish** is **4**.
 - ii. In **Rate**, specify **0.8** for the **Fixed** rate, and **0.4** for the **Variable** rate.
 - iii. Click **Add** under **Actions** to create another new, blank **Allocated CPU Count** line for tier 3.
 - c. For tier 3, set:
 - i. In the new line in **Range**, specify the CPU range: **Start** is **4** and leave **Finish** as **Infinity**.
 - ii. In **Rate**, specify **0.6** for the **Fixed** rate, and **0.2** for **Variable**.

Compute Chargeback Rates

Basic Info

Description CPU Count - Paris

Currencies

Select currency: € [Euro]

Rate Details

* Caution: The value Range end will not be included in the tier.

Group	Description	Per Time	Per Unit	Range Start	Finish	Rate Fixed	Variable	Actions	Currency
Cpu	Allocated CPU Count	Hourly		0.0	2	1.0	0.5	Add	EUR
				2	4	0.8	0.4	Delete	
				4	Infinity	0.6	0.2	Delete	
CPU	Used CPU	Hourly	MHz	0.0	Infinity	0.0	0.02	Add	EUR
Cpu Cores	Used CPU Cores	Hourly		0.0	Infinity	1.0	0.02	Add	EUR
Disk I/O	Used Disk I/O	Hourly	KBps	0.0	Infinity	0.0	0.005	Add	EUR
Fixed	Fixed Compute Cost 1	Hourly		0.0	Infinity	0.0	0.0	Add	EUR
Fixed	Fixed Compute Cost 2	Hourly		0.0	Infinity	0.0	0.0	Add	EUR
Memory	Allocated Memory	Hourly	MB	0.0	Infinity	0.0	0.0	Add	EUR
Memory	Used Memory	Hourly	MB	0.0	Infinity	0.0	0.02	Add	EUR
Network I/O	Used Network I/O	Hourly	KBps	0.0	100.0	0.5	0.0	Add	EUR
				100.0	Infinity	0.5	0.005	Delete	

7. Click **Add** at the bottom of the screen to save the chargeback rate.

The rate can now be assigned.

5.3. ASSIGNING CHARGEBACK RATES

Red Hat CloudForms allows you to assign chargeback rates by choosing from **Compute** and **Storage**.

1. Navigate to **Cloud Intelligence** → **Chargeback**. Click the **Assignments** accordion, and click either **Compute** or **Storage**.
 - ✦ Use **Compute** to assign a compute chargeback rate. You can assign chargeback rates to **The Enterprise**, **Selected Clusters**, **Selected Infrastructure Providers**, **Tagged VMs and Instances**, or **Tenants**.
 - ✦ Use **Storage** to assign a storage chargeback rate.
2. You can assign chargeback rates to **The Enterprise**, **Selected Datastores**, **Tagged Datastores**, or **Tenants**.
3. From the **Basic Info** area, use the **Assign To** list to select a type of assignee to assign the rate set to. The options displayed vary based on the type you selected.
4. For each item to set, select the chargeback rate to use.
5. Click **Save**.

The rate is assigned. The next time you generate a chargeback report, these values will be used.








Note

When viewing chargeback, there is a rate for a virtual machine for the number of the CPUs. The chargeback for this parameter is calculated based on when the virtual machine is running. If the virtual machine is not running, then it is not charged for CPU allocation.

5.4. CREATING A CHARGEBACK REPORT

Red Hat CloudForms allows you to create chargeback reports to monitor costs you charged.

1. Navigate to **Cloud Intelligence** → **Reports**.
2. Click the **Reports** accordion.
3. Click  (**Configuration**),  (**Add a new Report**).
4. On the **Columns** tab, fill out the **Basic Report Info** area.
 - ✦ Type a unique name in **Menu Name** for how you want the report described in the menu list.
 - ✦ Type the **Title** to display on the report.
5. Add fields in the **Configure Report Columns** area.
 - ✦ From the **Base the report on** list, select **Chargebacks**.

- ✧ Select the fields to include in the report from the **Available Fields** list, then click  **(Move selected fields down)**. In addition to the fields, you can also select any tags that you have created and assigned.
 - ✧ Change the order of the fields in the report by clicking  **(Move selected fields up)** or  **(Move selected fields down)]**.
6. Click the **Formatting** tab to set the size of paper for a PDF and column header format.
 - ✧ From the **PDF Output** area, select the page size from the **Page Size** list.
 - ✧ From **Specify Column Headers and Formats**, type the text to display for each field. For each numeric field, you can also set the numeric format.
 7. Click the **Filter** tab to set filters for the data displayed in the report.
 - ✧ From **Chargeback Filters**, select how you want the costs to show, the tag category, the tag, and how you want the items grouped.
 - ✧ From **Chargeback Interval**, select the time interval. You must have a full interval worth of data in order to select an option other than **Partial** in the **Daily Ending With** list.
 8. Click the **Preview** tab, and then **Load** to see what the report will look like.
 9. When you are satisfied that you have the report that you want, click **Add** to create the new report.

The new report is created. To make the report accessible from the **Report** menu, you must add it to a report menu.

CHAPTER 6. TIMELINES

6.1. ACCESSING AND USING A TIMELINE

You can use timelines to view the history record for virtual machines.



Note

Amazon does not provide events, so Red Hat CloudForms does not support timelines for virtual machines hosted by Amazon.

1. Navigate to **Cloud Intelligence** → **Timelines**.
2. From the accordion on the left, click a category of **Timeline**.
 - ✦ Select **Configuration Management** to see when items were brought under management.
 - ✦ Select **Events** to view timelines related to operations and changes in configuration.
3. Drag the relevant time band, such as hour, day, or month to go to the time you want to see.



Note




Some timelines, such as **Events Operations: All Events**, use minutes, hours, and days instead of going back only 30 days.

4. To see more detail for a resource in the timeline, click on it. A balloon appears with a clickable link to the resource.

6.2. DOWNLOADING A TIMELINE'S DATA

You can download timeline data for further analysis or printing.


1. Navigate to **Cloud Intelligence** → **Timelines**, and click the timeline you want to download.
2. Click on the download button for the format you want.

- ✦ Click  **(Download this Timeline data in text format)** to download as text.
- ✦ Click  **(Download this Timeline data in csv format)** to download as a comma separated file.
- ✦ Click  **(Download this Timeline data in PDF format)** to download as PDF.

CHAPTER 7. ALERTS

7.1. ASSIGNING THE NOTIFIER ROLE

1. Navigate to **Settings** → **Configuration**.
2. Click the **Settings** accordion, and select the Red Hat CloudForms server.
3. From the **Server Control** tab, select the **Notifier** role.





4. Click **Save**.

7.2. CREATING AN ALERT

In this section, the basics of creating an Alert are described. Detailed instructions for the specific types of Alerts are given in the sections following.

To send emails or SNMP traps from the Red Hat CloudForms server, you must have the **Notifier** server role enabled and have set up SMTP email or SNMP traps. For further information, see *General Configuration*.

1. Navigate to **Control** → **Explorer**.
2. Click the **Alerts** accordion, then click  (**Configuration**),  (**Add a new Alert**).
 - » Type in a description for the alert.
 - » Check **Active** when you feel that the alert is ready to be enabled.
 - » From **Based On**, select the type of infrastructure item to base the alert on.
 - » The options shown in **What to Evaluate** change based on what you selected in **Based On**.

- ✧ In **Notification Frequency**, select how often you want to be notified if the event log threshold is reached.
- 3. The parameters available are based on the **What to Evaluate** selection. See the following sections for additional details on each alert type.
- 4. To send an email, check **Send an E-mail**. Parameters required for sending an email are displayed.

E-mail

Send an E-mail ☒

From (leave blank for default) (Default: cfadmin@cfserver.com)

To (Click to remove) None

Add a User None Available or All Selected

Add (enter manually) +

- ✧ In **From**, type in the sending email.
- ✧ Use **Add a Red Hat CloudForms User** to select a user. The Red Hat CloudForms user must have a valid email address entered under accounts.
- ✧ Use **Add (enter manually)** to type in the address not registered to a Red Hat CloudForms user. Then, click **+** (**Add**).
- 5. If you check **Send an SNMP Trap**, type in the IP for the host to send the trap to, select the version of SNMP that you are using, and type in the Trap Object ID. Type in multiple hosts if you need the trap sent to multiple SNMP hosts.
 - ✧ If using SNMP V1, you will be prompted for a Trap Number. Type 1, 2, or 3, based on the appropriate suffix number from table below.
 - ✧ If using SNMP V2, you will be prompted for a Trap Object ID. Type info, warning, or critical, based on the table below.
 - ✧ Trap Object ID and suffix number

Object ID	Suffix Number Added to PEN	PEN with the Suffix Added
info	1	1.3.6.1.4.1.33482.1
warn, warning	2	1.3.6.1.4.1.33482.2
crit, critical, error	3	1.3.6.1.4.1.33482.3

SNMP Trap

Send an SNMP Trap ☒

Host

Version v1



Trap Number

Variable Object ID	Type	Value
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>
<input type="text"/>	<None> <input type="button" value="v1"/>	<input type="text"/>

- To show the alert as an event on the Red Hat CloudForms timeline, check **Show on Timeline**. It shows as part of the Alarm/Status Change/Errors category.
- To invoke automation, check **Send a Management Event**. Type in the name of the event. This item exists in the **Process/Event Class**.
- Click **Add**.

7.3. CREATING A HARDWARE RECONFIGURED ALERT

Use a hardware reconfigure alert to detect changes to the amount of memory or the number of CPUs on a virtual machine.

- Navigate to **Control** → **Explorer**.
- Click the **Alerts** accordion, then click  (**Configuration**),  (**Add a new Alert**).
- In the **Info** area:
 - Type in a description for the alert.
 - From **Based On**, select **VM and Instance**.
 - From **What to Evaluate**, select **Hardware Reconfigured**.
 - In **Notification Frequency**, select how often you want to be notified if hardware reconfiguration is detected.
- From **Hardware Attribute**, select Number of CPUs. From the next dropdown, select **Decreased**.



Hardware Reconfigured Parameters

Hardware Attribute	Number of Virtual CPUs ▼	Decreased ▼
--------------------	--------------------------	-------------

- After setting the parameters, select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.
- Click **Add**.

7.4. CREATING A NORMAL OPERATING RANGE ALERT

Normal operating range alerts enables you to be notified when the normal operating range is exceeded, or falls below for a period of time from 1 minute to 2 hours. Capacity and utilization must be enabled for normal operating ranges to be calculated. See *General Configuration* for more information.

- Navigate to **Control** → **Explorer**.
- Click the **Alerts** accordion, then click  (**Configuration**),  (**Add a new Alert**).
- In the **Info** area:
 - Type in a **Description** for the alert.
 - From **Based On**, select **VM and Instance**.
 - For **What to Evaluate**, select **Normal Operating Range**.
 - In **Notification Frequency**, select how often you want to be notified if the performance threshold is reached.
- Set the threshold in the **Normal Operating Range Parameters** area.



Normal Operating Range Parameters

Performance Field	CPU - Usage Rate for Collected Intervals (MHz) ▼	Exceeded ▼
Field Meets Criteria for	5 Minutes ▼	

- From **Performance Field**, select the field to check and whether you want to be notified if the field is exceeded or fell below.
 - In **Field Meets Criteria for**, select the amount of time that the threshold requires to be met to trigger the alert.
- After setting the parameters, you then select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process. See [Section 7.2, “Creating an Alert”](#).
 - Click **Add**.

7.5. CREATING A REAL TIME PERFORMANCE ALERT

Real Time Performance alerts enables you to be notified immediately when a performance threshold has been met for a virtual machine, host, or cluster. Capacity and Utilization must be enabled for performance thresholds to be detected. See *General Configuration* for more information.

1. Navigate to **Control** → **Explorer**.
2. Click the **Alert** accordion, then click  (**Configuration**),  (**Add a new Alert**).
3. In the **Info** area:
 - ✎ Type in a **Description** for the alert.
 - ✎ From **Based On**, select **VM and Instance**.
 - ✎ For **What to Evaluate**, select **Real Time Performance**.
 - ✎ In **Notification Frequency**, select how often you want to be notified if the performance threshold is reached.
4. Set the threshold in the **Real Time Performance Parameters** area.



Real Time Performance Parameters	
Performance Field	CPU - Time Spent In Ready State (ms) > 4000
And is Trending	Don't Care
Field Meets Criteria for	10 Minutes
Debug Tracing	false * Caution: Setting tracing to true may cause excessive log lines to be written

- ✎ From **Performance Field**, select the field to check and any other parameters required for that field.
 - ✎ In **And is Trending**, select **Don't Care** if it does not matter how the performance metric is trending. Otherwise, choose from the possible trending options.
 - ✎ In **Field Meets Criteria for**, select the amount of time that the threshold requires to be met to trigger the alert.
 - ✎ Set **Debug Tracing** to true only when directed to do so by Red Hat Support. This provides an extremely detailed level of logging and can result in many more log lines being written.
5. After setting the parameters, you then select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.
 6. Click **Add**.

7.6. CREATING AN HOURLY PERFORMANCE ALERT

Hourly performance alerts enable you to be notified immediately when an hourly performance threshold has been met for a cluster. Capacity and Utilization must be enabled for performance thresholds to be detected. See *General Configuration* for instructions.

1. Navigate to **Control** → **Explorer**.
2. Click the **Alerts** accordion.

3. Click  (**Configuration**),  (**Add a new Alert**).
4. In the **Info** area:



Info

Description	Cluster Hourly CPU
Active	<input checked="" type="checkbox"/>
Based On	Cluster ▼
What to Evaluate	Hourly Performance ▼
Notification Frequency	1 Hour ▼

- » Type in a **Description** for the alert.
 - » From **Based On**, select **Cluster**.
 - » For **What to Evaluate**, select **Hourly Performance**.
 - » In **Notification Frequency**, select how often you want to be notified if threshold is met.
5. In the **Hourly Performance Parameters** area select performance field and the criteria. You can also select options from the **And is Trending** dropdown box and whether the **Debug Tracing** is true or false.
 6. After setting the parameters, you then select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.
 7. Click **Add**.

7.7. CREATING A HOSTD LOG THRESHOLD ALERT

Use the **hostd Log Threshold** to send a notification when certain items are found in the event logs for a host. A default analysis profile with event log items is required for this feature. The following example shows steps to check the host's log for a failure to validate a virtual machine's IP address.

1. Navigate to **Control** → **Explorer**.
2. Click the **Alert** accordion.
3. Click  (**Configuration**),  (**Add a new Alert**).
4. In the **Info** area:

Info

Description	Host Event Log Error - Failed to validate VI
Active	<input type="checkbox"/>
Based On	Host ▼
What to Evaluate	Hostd Log Threshold ▼
Notification Frequency	10 Minutes ▼

- ✎ Type in a **Description** for the alert.
- ✎ From **Based On**, select **Host**.
- ✎ For **What to Evaluate**, select **Hostd Log Threshold**.
- ✎ In **Notification Frequency**, select how often you want to be notified if the log item is detected.

5. In the **Hostd Log Threshold Parameters** area, select the parameters for the event log message. You can set a threshold for a filter, level, or message source.

Hostd Log Threshold Parameters

Message Filter	INCLUDES ▼	Failed to validate VM II
Message Level	<input type="text"/>	
Message Source	VmMisc	
How Far Back to Check	1 Day ▼	
Event Count Threshold	2	



- ✎ Use **Message Filter** to look for specific text in a message. Use **Message Level** to filter based on message level. Red Hat CloudForms reports on the specified level and above. Use **Message Source** to filter log messages based on its source.
- ✎ Set **How Far Back to Check** in days you want to look for this message.
- ✎ If you only want an alert triggered when the log message has occurred a certain number of times, type the number in **Event Count Threshold**.

6. After setting the parameters, select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.

7. Click **Add**.

7.8. CREATING A VMWARE ALARM ALERT

Red Hat CloudForms can use VMware alarms as a trigger for an alert. This type of alert can be created for a cluster, host, or virtual machine.

1. Navigate to **Control** → **Explorer**.
2. Click the **Alerts** accordion, then click  (**Configuration**),  (**Add a new Alert**).

3. In the **Info** area:
 - » Type in a description for the alert.
 - » From **Based On**, select **Cluster**, **Host**, or **VM**.
 - » For **What to Evaluate**, select **VMware Alarm**.
 - » In **Notification Frequency**, select how often you want to be notified if the log item is detected.
4. In the **VMware Alarm Parameters** area select the provider and alarm.

VMware Alarm Parameters

Management System	Virtual Center (192.168.254.88) ▼
Alarm	Virtual machine memory usage ▼

5. After setting the parameters, you then select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.
6. Click **Add**.

7.9. CREATING AN EXPRESSION ALERT

Expression alerts enables you to create a notification based on any possible criteria for clusters, datastores, hosts, and virtual machines. The following procedure creates an alert for when a host's datastore has less than 5% free space.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alerts** accordion, then click  (**Configuration**),  (**Add a new Alert**).
3. In the **Info** area:

Info

Description	Host Datastore < 5% of Free Space
Active	<input type="checkbox"/>
Based On	Host ▼
What to Evaluate	Expression (Custom) ▼
Driving Event	<Choose> ▼
Notification Frequency	10 Minutes ▼

- » Type in a description for the alert.
- » From **Based On**, select **Host**.
- » For **What to Evaluate**, select **Expression (Custom)**.
- » In **Notification Frequency**, select how often you want to be notified if the expression is evaluated to true.

- Use the expression editor to create your expression. This is the same expression editor used to create **Conditions**. For details on how to use the expression editor, see the *Policies and Profiles Guide*.

- Click (**Commit expression element changes**) to accept the expression.
- After setting the parameters, you then select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.
- Click **Add**.

7.10. CREATE AN OPERATIONAL ALERT

- Navigate to **Control** → **Explorer**.
- Click on the **Alerts** accordion, then click (**Configuration**), (**Add a new Alert**).
- In the **Info** area:
 - Type in a description for the alert.
 - Check **Active** when you feel that the alert is ready to be enabled.
 - From **Based On**, select **Server**.
 - Select the appropriate driving event.
 - In **Notification Frequency**, select how often you want to be notified if the event log threshold is reached.
- After setting the parameters, select what you want the alert to do. You can send an email, create an SNMP Trap, let the alert show on the timeline, or send a management event to start an automation process.
- Click **Add**.

7.11. OPERATIONAL ALERT TYPES

Table 7.1. Operational Alerts

Driving Event	Explanation (Thresholds, Description)	Proposed Action if Alert is Raised
---------------	---------------------------------------	------------------------------------

Driving Event	Explanation (Thresholds, Description)	Proposed Action if Alert is Raised
EVM Server Start	Alert is raised when an EVM Server starts.	
EVM Server Stop	Alert is raised when an EVM Server stops.	
EVM Server Not Responding	Alert is raised when one EVM server detects that another EVM Server has not responded in (2 minutes).	This is a sign of a problem that should be investigated. Check logs.
EVM Server Exceeded Memory Limit	<p>Alert is raised when an EVM server has exceeded its system memory limit and begins killing workers. Default is 80%.</p> <p>Threshold configured in Advanced Settings.</p> <p>server:</p> <p>:worker_monitor:</p> <p>:kill_algorithm:</p> <p>:name:</p> <p>:used_swap_percent_gt_value</p> <p>:value: 80</p>	<p>This may be caused by the following issues:</p> <p>The server is running with too few resources.</p> <p>The server is enabled with too many roles or number of workers.</p> <p>The server picked up all the roles because another server has failed.</p> <p>A runaway process has taken up most of the memory.</p>
EVM Server is Master	When one EVM Server takes over as a master server.	Typically, this should only occur when first starting a set of servers, perhaps following expected outages. If a server picks up as master in other situations, the old master had an issue that needs to be researched (such as server not responding in time).



Driving Event	Explanation (Thresholds, Description)	Proposed Action if Alert is Raised
EVM Server High System Disk Usage	<p>The EVM Servers system disk is 80% full. This check is run as part of a system schedule.</p> <p>Threshold configured in Advanced Settings.</p> <p>server:</p> <p>events:</p> <p>:disk_usage_gt_percent: 80</p>	<p>Something is filling the disk such as temp files used by the operating system such as, yum updates and normal /tmp files, or EVM temp files in /var/lib/data/miqtemp/.</p>
EVM Server High App Disk Usage	<p>The EVM Servers app disk is 80% full. This check is run as part of a system schedule.</p> <p>Threshold configured in Advanced Settings.</p> <p>server:</p> <p>events:</p> <p>:disk_usage_gt_percent: 80</p>	<p>Possibly EVM temp files are being left around.</p>
EVM Server High Log Disk Usage	<p>The EVM Servers log disk is 80% full. This check is run as part of a system schedule.</p> <p>Threshold configured in Advanced Settings.</p> <p>server:</p> <p>events:</p> <p>:disk_usage_gt_percent: 80</p>	<p>Logs are getting too big or are not being log rotated properly every day. Check most recent logs.</p>

Driving Event	Explanation (Thresholds, Description)	Proposed Action if Alert is Raised
EVM Server High DB Disk Usage	<p>The EVM Servers db disk is 80% full. This check is run as part of a system schedule. Applies if using PostgreSQL as the VDMB.</p> <p>Threshold configured in Advanced Settings.</p> <p>server:</p> <p>events:</p> <p>:disk_usage_gt_percent: 80</p>	Database or database logging is getting too large. May need FULL vacuuming of PostgreSQL database.
EVM Worker Started	Alert is raised when a worker is about to start.	
EVM Worker Stopped	Alert is raised when a worker is requested to stop.	
EVM Worker Killed	Alert is raised when a non-responsive worker does not restart on its own and is killed.	
EVM Worker Not Responding	Alert is raised when a worker has not responded for 2 minutes (:heartbeat_timeout) or has not started within 10 minutes (:starting_timeout).	
EVM Worker Exceeded Memory Limit	Alert is raised when a worker exceeds the memory threshold. The default is 150 MB, but some workers have their own value in the :memory_threshold section for that specific worker.	

Driving Event	Explanation (Thresholds, Description)	Proposed Action if Alert is Raised
EVM Worker Exceeded Uptime Limit	Alert is raised when a worker has been running longer than the :restart_interval. (Most workers are set to never restart using the 0.hours setting.) The EMS Refresh SmartProxy workers are set to restart every 2 hours.	
EVM Worker Exit File	Alert is raised when the scheduler worker exits due to a pending large ntp time change.	



7.12. EDITING AN ALERT

After creating an alert, you can edit the threshold, expression, or the notification type.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alerts** accordion, then click on the alert that you need to edit.
3. Click  (**Configuration**),  (**Edit this Alert**).
4. Make the required changes.
5. Click **Save**.



7.13. COPYING AN ALERT

You can copy an existing alert to create a new alert that is similar to the existing one, then change the values associated with it.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alert** accordion, then click on the alert that you want to copy.
3. Click  (**Configuration**),  (**Copy this Alert**). Click **OK** to confirm.
4. Make the required changes.
5. Click **Add**.


7.14. DELETING AN ALERT

When an alert is no longer needed, you can remove it from your VMDB.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alerts** accordion, then click on the alert that you want to delete.
3. Click  (**Configuration**),  (**Delete this Alert**).
4. Click **OK** to confirm.


7.15. EVALUATING AN ALERT


1. Navigate to **Control** → **Explorer**.
2. Click the **Actions** accordion, then click  (**Configuration**),  (**Add a new Action**).
3. Type in a **Description** for the action.






Basic Information

Description	Evaluate Memory Balloon
Action Type	Evaluate Alerts

4. Select **Evaluate Alerts** from **Action Type**.
5. Select the alerts to be evaluated and click  (**Move selected Alerts into this Action**).
Use the **Ctrl** key to select multiple alerts.



Select Alerts to be Evaluated




Available Alerts:		Selected Alerts:
VM Guest C: Drive < 10% Free VM Guest Windows Event Log Error - NtpClient VM Memory Balloon > 250 in last 10 min VM Memory was decreased VM Memory was increased VM Migration > 1 in last 30 min VM Power On > 2 in last 15 min VM Silver and CPU > 1	  	

6. Click **Add**.

CHAPTER 8. ALERT PROFILES



8.1. CREATING ALERT PROFILES

Alert profiles enable you to create groups of standard alerts. An alert profile can have as many alerts assigned as you need, and can be assigned to clusters, datastores, hosts, and virtual machines.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alert Profiles** accordion, then click on the type of profile that you want to create.
3. Click  (**Configuration**),  (**Add a new Profile**).
4. In the **Basic Information** box, type in a unique **Description** for the alert profile.
5. Select the desired alerts from the **Available Datastore Alerts** area. Use the **Ctrl** key to select multiple alerts.
6. Click  to add the Alerts.
7. Type in any additional description in the **Notes** area.
8. Click **Add**.



8.2. EDITING AN ALERT PROFILE

You can edit an alert profile as your enterprise's needs change.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alert Profiles** accordion, then click the alert profile you want to edit.
3. Click  (**Configuration**),  (**Edit this Alert Profile**).
4. Make the required changes.
5. Click **Save**.

8.3. DELETING AN ALERT PROFILE



Remove alert profiles that you no longer need. This does not remove the alerts associated with the alert profile.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alert Profiles** accordion, then click the alert profile you want to remove.
3. Click  (**Configuration**),  (**Delete this Alert Profile**).

4. Click **OK** to confirm.

8.4. ASSIGNING AN ALERT PROFILE

After an alert profile is created and verified, you can assign it directly to a resource.

1. Navigate to **Control** → **Explorer**.
2. Click on the **Alert Profiles** accordion, then click on the alert profile that you want to assign.
3. Click  (**Configuration**),  (**Edit Assignments for this Alert Profile**).
4. The options presented change based on if the alert is for a cluster, datastore, Red Hat CloudForms server, host, or virtual machine and instance. You can assign to the enterprise, to specific hosts, cluster, resource pools, and providers, or based on assign tags. For a Red Hat CloudForms server alert profile, you can only assign to Red Hat CloudForms servers in the current Region.
5. Click **Save**.

CHAPTER 9. IMPORTING AND EXPORTING


9.1. IMPORTING AND EXPORTING POLICIES, POLICY PROFILES, AND ALERTS

If you have multiple VMDBs, you can export policies, policy profiles, or alerts from one to another. You can export and import for use with other Red Hat CloudForms infrastructures.

1. Copy the file to import to a location that is accessible to your Red Hat CloudForms Console.
2. Navigate to **Control** → **Import/Export**.
3. Click **Browse** to navigate to the location of the file.
4. Select the file, and then click **Open** from the file selection box.
5. Click **Upload**.
6. Verify that these are the policies or policy profiles that you want to import.
7. Click **Commit**.

9.2. EXPORTING A POLICY, POLICY PROFILE, OR AN ALERT

1. Navigate to **Control** → **Import/Export**.
2. From the **Export dropdown**, select policy profiles, policies, or alerts, depending on what you want to export.



3. From the **Available Profiles** or **Available Policies** or **Available Alerts** list, select the items to export. Use the **Ctrl** key to select multiple items to export into one file.
4. Click **Export**.
5. Follow the prompts in your browser to save the file.













CHAPTER 10. RSS

Use RSS to view RSS feeds based on administrative roles. You can subscribe to the RSS feeds and have them delivered to an RSS reader.

To view and filter RSS feeds:

1. Navigate to **Cloud Intelligence** → **RSS**.
2. Filter the list of RSS feeds by administrative role using the **Admin Role Filter** dropdown.

All RSS Feeds

Admin Role Filter: <All> ▼			
	Title	Description	Feed URL
	Administrative Events	Administrative events	https://10.64.15.143/alert/rss?feed=evmevents
	Alerts: All	Insight All Alert Events	https://10.64.15.143/alert/rss?feed=all_alert_event
	Alerts: Cluster	Cluster Alert Events	https://10.64.15.143/alert/rss?feed=cluster_alert_event
	Alerts: Host	Host Alert Events	https://10.64.15.143/alert/rss?feed=host_alert_event
	Alerts: VM	VM Alert Events	https://10.64.15.143/alert/rss?feed=vm_alert_event
	Hosts in Production	Host machines discovered in production	https://10.64.15.143/alert/rss?feed=prod_hosts
	Microsoft VMs	Microsoft Virtual machines	https://10.64.15.143/alert/rss?feed=microsoft_vms
	Policy Events	Policy events	https://10.64.15.143/alert/rss?feed=polevents_vmconfiguration
	Recent Lifecycle Events	Recent Lifecycle Events	https://10.64.15.143/alert/rss?feed=lifecycle_events
	Recently Added Hosts	Host machines added	https://10.64.15.143/alert/rss?feed=newest_hosts
	Recently Discovered VMs	Virtual machines added	https://10.64.15.143/alert/rss?feed=newest_vms
	SmartProxy Changes - Settings	Hosts with recent SmartProxy settings changes	https://10.64.15.143/alert/rss?feed=smartproxy_settings_changes

APPENDIX A. REGULAR EXPRESSIONS

In Red Hat CloudForms, regular expressions can be used to search the contents of a file for a specific string for use in a condition. Below are listed the items most commonly used with Red Hat CloudForms to search strings. These are a small subset of all the items available to use in regular expressions. If you are unfamiliar with regular expressions, there are many resources available on the Internet, including www.regular-expressions.info. Note that if you want to search a file, you must collect it as part of a host analysis profile.

Table A.1. Regular Expressions

Anchors	
^	start of string
\$	end of string
Character Classes	
\s	white space including spaces, tabs, and line breaks
\S	not white space
\d	digit, same as [0-9]
\D	not digit
\w	word
\W	not word
Quantifiers	
*	0 or more of preceding characters

Anchors	
+	1 or more of preceding characters
?	0 or 1 of preceding character
Escape Character	
\	put before a metacharacter to search for that actual character
Metacharacters	
^ [. \$ { * (\ +) ? < >	must be used with the Escape Character if you are searching specifically for it
Special characters	
\n	new line
\t	tab
Groups and Ranges	
.	any character except new line (\n)
(a b)	a or b
()	group
[abc]	a or b or c
[^abc]	not a or b or c

Anchors	
[a-q]	letter between a and q
[A-Q]	upper case letter between A and Q
[0-7]	digit between 0 and 7
Pattern modifiers	
i	case insensitive
Other helpers	
.*	swallows text between 2 words
\s+	guarantees minimum of 1 whitespace between 2 words
\s*	guarantees 0 or more whitespace between 2 words
^\s*	beginning of line with zero or more whitespace
\s+.*	swallows all text and white space between 2 words
\d+	guarantees minimum of 1 number between 2 words
<\w>	identical to <[a-zA-Z0-9_]>

Table A.2. Examples

Description	Regular Expression
<code>([A-Za-z0-9]+)</code>	Letters, numbers, hyphens
Find the line beginning with sshd . Then, using a colon <code>:</code> as delimiter, check that the value four "over" is equal to 99999.	<code>^sshd:[^:]*:[^:]*:[^:]*:99999:</code>
Verify that PASS_MAX_DAYS exists starting in position 1 and a value after it is ≤ 90 .	<code>^s*PASS_MAX_DAYS\s+([0-9] [1-8][0-9] 90)</code>
Verify that ROOTPW (in any case) exists on an uncommented line.	<code>/[#]*ROOTPW/i</code>
Verify that line in file starts with size and the value after is $\leq 4096k$.	<code>^s*size\s+(409[0-6] 40[0-8] [0-9] [123][09]{3})\d{1,3}k</code>
Find line with string restrict 127.0.0.1 that starts in position <code>`1</code> to ensure it is not commented out.	<code>^s*restrict\s+127\.\.0\.\.1</code>
Find an uncommented line that contains /home . There will be additional text before the desired string.	<code>[#]*Vhome</code>

APPENDIX B. REPORTABLE FIELDS IN RED HAT CLOUDFORMS

Red Hat CloudForms provides a set of out of the box reports covering a variety of areas. These fields are collected by Red Hat CloudForms from the different parts of the infrastructure. Most of the fields are named directly as the vendor would name them. However, there are some fields that Red Hat CloudForms calculates given this data. Note that this list may vary by Provider and may change as new Providers are added to Red Hat CloudForms. Also, note that the value returned by each reportable field below is in megabytes (MB).

Table B.1. Clusters

Reportable Field
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg

Reportable Field
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg

Table B.2. Datastore Files

Reportable Field
Datastore : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Datastore : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Datastore : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
VM Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
VM Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg

Reportable Field
VM Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
VM Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VM and Instance : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VM and Instance : Memory - Avg Used for Collected Intervals 30 Day Avg
VM and Instance : Memory - Avg Used for Collected Intervals 30 Day High Avg
VM and Instance : Memory - Avg Used for Collected Intervals 30 Day Low Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg

Reportable Field
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Logical Disk.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
File Share.File System.Logical Disk.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
File Share.File System.Logical Disk.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
File Share.File System.Logical Disk.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg
File Share.File System.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
File Share.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg

Reportable Field
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg

Table B.3. Datastores

Reportable Field
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg

Reportable Field
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
File Share.File System.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
File Share.File System.Logical Disk.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.File System.Logical Disk.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
File Share.File System.Logical Disk.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
File Share.File System.Logical Disk.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
File Share.File System.Logical Disk.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg
File Share.File System.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg

Reportable Field
File Share.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
File Share.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
File Share.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
File Share.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
File Share.File System.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg
File Share.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
File Share.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
File Share.Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
File Share.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
File Share.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
File Share.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
File Share.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg

Reportable Field
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Hosts : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg

Table B.4. EVM Groups

Reportable Field
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg

Reportable Field
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg

Table B.5. Hosts

Reportable Field
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Cluster : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Cluster : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Cluster : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Miq Templates : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg

Reportable Field
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
VMs : Memory - Avg Used for Collected Intervals 30 Day Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg
VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg

Table B.6. Images

Reportable Field
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max
Cluster : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Cluster : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Cluster : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Datastore : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg

Reportable Field
Datastore : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Datastore : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Datastores : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Host : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Host : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Host : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Provider : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Provisioned From Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg
Provisioned From Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg
Provisioned From Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg
Provisioned From Template : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max

Reportable Field

Provisioned VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Avg

Provisioned VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day High Avg

Provisioned VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Low Avg

Provisioned VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max

Service.VMs : Memory - Aggregate Used for Child VMs for Collected Intervals 30 Day Max

Service.VMs : Memory - Avg Used for Collected Intervals 30 Day Avg

Service.VMs : Memory - Avg Used for Collected Intervals 30 Day High Avg

Service.VMs : Memory - Avg Used for Collected Intervals 30 Day Low Avg