



## Red Hat Decision Manager 7.6

Deploying a Red Hat Decision Manager  
authoring or managed server environment on  
Red Hat OpenShift Container Platform



# Red Hat Decision Manager 7.6 Deploying a Red Hat Decision Manager authoring or managed server environment on Red Hat OpenShift Container Platform

---

Red Hat Customer Content Services  
brms-docs@redhat.com

## Legal Notice

Copyright © 2021 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

This document describes how to deploy a Red Hat Decision Manager 7.6 authoring or managed server environment on Red Hat OpenShift Container Platform.

# Table of Contents

<b>PREFACE</b> .....	<b>5</b>
<b>CHAPTER 1. OVERVIEW OF RED HAT DECISION MANAGER ON RED HAT OPENSIFT CONTAINER PLATFORM</b> .....	<b>7</b>
<b>CHAPTER 2. PREPARING TO DEPLOY RED HAT DECISION MANAGER IN YOUR OPENSIFT ENVIRONMENT</b>	<b>9</b>
2.1. ENSURING THE AVAILABILITY OF IMAGE STREAMS AND THE IMAGE REGISTRY	9
2.2. CREATING THE SECRETS FOR DECISION SERVER	10
2.3. CREATING THE SECRETS FOR BUSINESS CENTRAL	11
2.4. PREPARING A MAVEN MIRROR REPOSITORY FOR OFFLINE USE	11
2.5. CHANGING GLUSTERFS CONFIGURATION	12
2.6. PROVISIONING PERSISTENT VOLUMES WITH READWRITEMANY ACCESS MODE USING NFS	14
<b>CHAPTER 3. AUTHORIZING OR MANAGED SERVER ENVIRONMENT</b> .....	<b>15</b>
3.1. DEPLOYING AN AUTHORIZING ENVIRONMENT	16
3.1.1. Starting configuration of the template for an authoring environment	16
3.1.2. Setting required parameters for an authoring environment	17
3.1.3. Configuring the image stream namespace for an authoring environment	18
3.1.4. Setting an optional Maven repository for an authoring environment	18
3.1.5. Specifying credentials to access the built-in Maven repository for an authoring environment	19
3.1.6. Configuring access to a Maven mirror in an environment without a connection to the public Internet for an authoring environment	19
3.1.7. Specifying the Git hooks directory for an authoring environment	20
3.1.8. Configuring resource usage for a high-availability deployment	21
3.1.9. Setting parameters for RH-SSO authentication for an authoring environment	21
3.1.10. Setting parameters for LDAP authentication for an authoring environment	23
3.1.11. Enabling Prometheus metric collection for an authoring environment	24
3.1.12. Completing deployment of the template for an authoring environment	25
3.2. (OPTIONAL) PROVIDING THE GIT HOOKS DIRECTORY	25
3.3. DEPLOYING AN ADDITIONAL MANAGED DECISION SERVER FOR AN AUTHORIZING OR MANAGED ENVIRONMENT	27
3.3.1. Starting configuration of the template for an additional managed Decision Server	27
3.3.2. Setting required parameters for an additional managed Decision Server	27
3.3.3. Configuring the image stream namespace for an additional managed Decision Server	29
3.3.4. Configuring information about a Business Central instance for an additional managed Decision Server	29
3.3.5. Configuring access to a Maven mirror in an environment without a connection to the public Internet for an additional managed Decision Server	30
3.3.6. Setting parameters for RH-SSO authentication for an additional managed Decision Server	31
3.3.7. Setting parameters for LDAP authentication for an additional managed Decision Server	32
3.3.8. Enabling Prometheus metric collection for an additional managed Decision Server	33
3.3.9. Completing deployment of the template for an additional managed Decision Server	34
3.4. (OPTIONAL) PROVIDING THE LDAP ROLE MAPPING FILE	34
<b>CHAPTER 4. RED HAT DECISION MANAGER ROLES AND USERS</b> .....	<b>36</b>
<b>CHAPTER 5. OPENSIFT TEMPLATE REFERENCE INFORMATION</b> .....	<b>37</b>
5.1. RHDM76-AUTHORIZING.YAML TEMPLATE	37
5.1.1. Parameters	37
5.1.2. Objects	52
5.1.2.1. Services	52
5.1.2.2. Routes	52

5.1.2.3. Deployment Configurations	52
5.1.2.3.1. Triggers	53
5.1.2.3.2. Replicas	53
5.1.2.3.3. Pod Template	53
5.1.2.3.3.1. Service Accounts	53
5.1.2.3.3.2. Image	53
5.1.2.3.3.3. Readiness Probe	53
5.1.2.3.3.4. Liveness Probe	54
5.1.2.3.3.5. Exposed Ports	54
5.1.2.3.3.6. Image Environment Variables	54
5.1.2.3.3.7. Volumes	73
5.1.2.4. External Dependencies	74
5.1.2.4.1. Volume Claims	74
5.1.2.4.2. Secrets	74
5.2. RHDM76-AUTHORING-HA.YAML TEMPLATE	74
5.2.1. Parameters	74
5.2.2. Objects	91
5.2.2.1. Services	91
5.2.2.2. Routes	92
5.2.2.3. Deployment Configurations	92
5.2.2.3.1. Triggers	93
5.2.2.3.2. Replicas	93
5.2.2.3.3. Pod Template	93
5.2.2.3.3.1. Service Accounts	93
5.2.2.3.3.2. Image	93
5.2.2.3.3.3. Readiness Probe	94
5.2.2.3.3.4. Liveness Probe	94
5.2.2.3.3.5. Exposed Ports	94
5.2.2.3.3.6. Image Environment Variables	94
5.2.2.3.3.7. Volumes	114
5.2.2.4. External Dependencies	115
5.2.2.4.1. Volume Claims	115
5.2.2.4.2. Secrets	115
5.2.2.4.3. Clustering	115
5.3. RHDM76-KIESERVER.YAML TEMPLATE	116
5.3.1. Parameters	116
5.3.2. Objects	130
5.3.2.1. Services	130
5.3.2.2. Routes	130
5.3.2.3. Deployment Configurations	130
5.3.2.3.1. Triggers	130
5.3.2.3.2. Replicas	131
5.3.2.3.3. Pod Template	131
5.3.2.3.3.1. Service Accounts	131
5.3.2.3.3.2. Image	131
5.3.2.3.3.3. Readiness Probe	131
5.3.2.3.3.4. Liveness Probe	131
5.3.2.3.3.5. Exposed Ports	131
5.3.2.3.3.6. Image Environment Variables	132
5.3.2.3.3.7. Volumes	142
5.3.2.4. External Dependencies	142
5.3.2.4.1. Secrets	142
5.4. OPENSIFT USAGE QUICK REFERENCE	142

APPENDIX A. VERSIONING INFORMATION ..... 144





# PREFACE

As a system engineer, you can deploy a Red Hat Decision Manager authoring or managed environment on Red Hat OpenShift Container Platform to provide a platform for developing or running services and other business assets.

## Prerequisites


- Red Hat OpenShift Container Platform version 3.11 is deployed.
- At least four gigabytes of memory are available in the OpenShift cluster/namespace.
- For a high-availability deployment, the following resources are available on the OpenShift cluster:
  - For the Business Central replicated pod, 8 gigabytes of memory and 2 CPU cores are required for each replica. Two replicas are created by default.
  - For the Decision Server replicated pod, 1 gigabyte of memory and 1 CPU core are required for each replica. Two replicas are created by default.
  - For the Red Hat Data Grid replicated pod, 2 gigabytes of memory and 1 CPU core are required for each replica. Two replicas are created by default.
  - The Red Hat AMQ replicated pod uses the default resource limits configured on your cluster.



### NOTE

For instructions about checking the capacity of your cluster, see [Analyzing cluster capacity](#) in the Red Hat OpenShift Container Platform 3.11 product documentation.

- The OpenShift project for the deployment is created.
- You are logged in to the project using the **oc** command. For more information about the **oc** command-line tool, see the OpenShift [CLI Reference](#). If you want to use the OpenShift Web console to deploy templates, you must also be logged on using the Web console.
- Dynamic persistent volume (PV) provisioning is enabled. Alternatively, if dynamic PV provisioning is not enabled, a sufficient persistent volume must be available. By default, Business Central requires one 1Gi PV. You can change the PV size for Business Central persistent storage in the template parameters.
- If you intend to deploy a high-availability authoring environment, which includes high-availability Business Central, your OpenShift environment supports persistent volumes with **ReadWriteMany** mode. If your environment does not support this mode, you can use NFS to provision the volumes. However, for best performance and reliability, use GlusterFS to provision persistent volumes for a high-availability authoring environment. For information about access mode support in OpenShift Online volume plug-ins, see [Access Modes](#).



### IMPORTANT

**ReadWriteMany** mode is not supported on OpenShift Online and OpenShift Dedicated.

**NOTE**

Since Red Hat Decision Manager version 7.5, support for Red Hat OpenShift Container Platform 3.x is deprecated, including using templates to install Red Hat Decision Manager. This functionality will be removed in a future release.

**NOTE**

Do not use Red Hat Decision Manager templates with Red Hat OpenShift Container Platform 4.x. To deploy Red Hat Decision Manager on Red Hat OpenShift Container Platform 4.x, see the instructions in [Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators](#).

# CHAPTER 1. OVERVIEW OF RED HAT DECISION MANAGER ON RED HAT OPENSIFT CONTAINER PLATFORM

You can deploy Red Hat Decision Manager into a Red Hat OpenShift Container Platform environment.

In this solution, components of Red Hat Decision Manager are deployed as separate OpenShift pods. You can scale each of the pods up and down individually to provide as few or as many containers as required for a particular component. You can use standard OpenShift methods to manage the pods and balance the load.

The following key components of Red Hat Decision Manager are available on OpenShift:

- Decision Server, also known as *Execution Server* or *KIE Server*, is the infrastructure element that runs decision services and other deployable assets (collectively referred to as *services*) . All logic of the services runs on execution servers.

You can scale up a Decision Server pod to provide as many copies as required, running on the same host or different hosts. As you scale a pod up or down, all of its copies run the same services. OpenShift provides load balancing and a request can be handled by any of the pods.

You can deploy a separate Decision Server pod to run a different group of services. That pod can also be scaled up or down. You can have as many separate replicated Decision Server pods as required.

- Business Central is a web-based interactive environment used for authoring services. It also provides a management console. You can use Business Central to develop services and deploy them to Decision Servers.

Business Central is a centralized application. However, you can configure it for high availability, where multiple pods run and share the same data.

Business Central includes a Git repository that holds the source for the services that you develop on it. It also includes a built-in Maven repository. Depending on configuration, Business Central can place the compiled services (KJAR files) into the built-in Maven repository or (if configured) into an external Maven repository.

You can arrange these and other components into various environment configurations within OpenShift.

The following environment types are typical:

- *Authoring or managed environment*: An environment architecture that can be used for creating and modifying services using Business Central and also for running services on Decision Servers. It consists of pods that provide Business Central for the authoring work and one or more Decision Servers for execution of the services. Each Decision Server is a pod that you can replicate by scaling it up or down as necessary. You can deploy and undeploy services on each Decision Server using Business Central. For instructions about deploying this environment, see [Deploying a Red Hat Decision Manager authoring or managed server environment on Red Hat OpenShift Container Platform](#).
- *Deployment with immutable servers*: An alternate environment for running existing services for staging and production purposes. In this environment, when you deploy a Decision Server pod, it builds an image that loads and starts a service or group of services. You cannot stop any service on the pod or add any new service to the pod. If you want to use another version of a service or modify the configuration in any other way, you deploy a new server image and displace the old one. In this system, the Decision Server runs like any other pod on the OpenShift environment; you can use any container-based integration workflows and do not need to use any other tools to manage the pods. For instructions about deploying this environment, see [Deploying a Red Hat Decision Manager immutable server environment on Red Hat OpenShift Container Platform](#).

You can also deploy a *trial* or evaluation environment. This environment includes Business Central and a Decision Server. You can set it up quickly and use it to evaluate or demonstrate developing and running assets. However, the environment does not use any persistent storage, and any work you do in the environment is not saved. For instructions about deploying this environment, see [Deploying a Red Hat Decision Manager trial environment on Red Hat OpenShift Container Platform](#).

To deploy a Red Hat Decision Manager environment on OpenShift, you can use the templates that are provided with Red Hat Decision Manager.

## CHAPTER 2. PREPARING TO DEPLOY RED HAT DECISION MANAGER IN YOUR OPENSIFT ENVIRONMENT

Before deploying Red Hat Decision Manager in your OpenShift environment, you must complete several tasks. You do not need to repeat these tasks if you want to deploy additional images, for example, for new versions of decision services or for other decision services

### 2.1. ENSURING THE AVAILABILITY OF IMAGE STREAMS AND THE IMAGE REGISTRY

To deploy Red Hat Decision Manager components on Red Hat OpenShift Container Platform, you must ensure that OpenShift can download the correct images from the Red Hat registry. To download the images, OpenShift requires *image streams*, which contain the information about the location of images. OpenShift also must be configured to authenticate with the Red Hat registry using your service account user name and password.

Some versions of the OpenShift environment include the required image streams. You must check if they are available. If image streams are available in OpenShift by default, you can use them if the OpenShift infrastructure is configured for registry authentication server. The administrator must complete the registry authentication configuration when installing the OpenShift environment.

Otherwise, you can configure registry authentication in your own project and install the image streams in that project.

#### Procedure

1. Determine whether Red Hat OpenShift Container Platform is configured with the user name and password for Red Hat registry access. For details about the required configuration, see [Configuring a Registry Location](#). If you are using an OpenShift Online subscription, it is configured for Red Hat registry access.
2. If Red Hat OpenShift Container Platform is configured with the user name and password for Red Hat registry access, enter the following commands:

```
$ oc get imagestreamtag -n openshift | grep rhdm76-decisioncentral-openshift
$ oc get imagestreamtag -n openshift | grep rhdm76-kieserver-openshift
```

If the outputs of both commands are not empty, the required image streams are available in the **openshift** namespace and no further action is required.

3. If the output of one or both of the commands is empty or if OpenShift is not configured with the user name and password for Red Hat registry access, complete the following steps:
  - a. Ensure you are logged in to OpenShift with the **oc** command and that your project is active.
  - b. Complete the steps documented in [Registry Service Accounts for Shared Environments](#). You must log in to the Red Hat Customer Portal to access the document and to complete the steps to create a registry service account.
  - c. Select the **OpenShift Secret** tab and click the link under **Download secret** to download the YAML secret file.
  - d. View the downloaded file and note the name that is listed in the **name:** entry.
  - e. Enter the following commands:

```
oc create -f <file_name>.yaml
oc secrets link default <secret_name> --for=pull
oc secrets link builder <secret_name> --for=pull
```

Replace **<file\_name>** with the name of the downloaded file and **<secret\_name>** with the name that is listed in the **name:** entry of the file.

- f. Download the **rhdm-7.6.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page and extract the **rhdm76-image-streams.yaml** file.
- g. Enter the following command:

```
$ oc apply -f rhdm76-image-streams.yaml
```



#### NOTE

If you complete these steps, you install the image streams into the namespace of your project. In this case, when you deploy the templates, you must set the **IMAGE\_STREAM\_NAMESPACE** parameter to the name of this project.

## 2.2. CREATING THE SECRETS FOR DECISION SERVER

OpenShift uses objects called *secrets* to hold sensitive information such as passwords or keystores. For more information about OpenShift secrets, see the [Secrets chapter](#) in the OpenShift documentation.

You must create an SSL certificate for HTTP access to Decision Server and provide it to your OpenShift environment as a secret.

### Procedure

1. Generate an SSL keystore with a private and public key for SSL encryption for Decision Server. For more information on how to create a keystore with self-signed or purchased SSL certificates, see [Generate a SSL Encryption Key and Certificate](#).



#### NOTE

In a production environment, generate a valid signed certificate that matches the expected URL for Decision Server.

2. Save the keystore in a file named **keystore.jks**.
3. Record the name of the certificate. The default value for this name in Red Hat Decision Manager configuration is **jboss**.
4. Record the password of the keystore file. The default value for this name in Red Hat Decision Manager configuration is **mykeystorepass**.
5. Use the **oc** command to generate a secret named **kieserver-app-secret** from the new keystore file:

```
$ oc create secret generic kieserver-app-secret --from-file=keystore.jks
```

## 2.3. CREATING THE SECRETS FOR BUSINESS CENTRAL

You must create an SSL certificate for HTTP access to Business Central and provide it to your OpenShift environment as a secret.

Do not use the same certificate and keystore for Business Central and Decision Server.

### Procedure

1. Generate an SSL keystore with a private and public key for SSL encryption for Decision Server. For more information on how to create a keystore with self-signed or purchased SSL certificates, see [Generate a SSL Encryption Key and Certificate](#).



### NOTE

In a production environment, generate a valid signed certificate that matches the expected URL for Business Central.

2. Save the keystore in a file named **keystore.jks**.
3. Record the name of the certificate. The default value for this name in Red Hat Decision Manager configuration is **jboss**.
4. Record the password of the keystore file. The default value for this name in Red Hat Decision Manager configuration is **mykeystorepass**.
5. Use the **oc** command to generate a secret named **decisioncentral-app-secret** from the new keystore file:

```
$ oc create secret generic decisioncentral-app-secret --from-file=keystore.jks
```

## 2.4. PREPARING A MAVEN MIRROR REPOSITORY FOR OFFLINE USE

If your Red Hat OpenShift Container Platform environment does not have outgoing access to the public Internet, you must prepare a Maven repository with a mirror of all the necessary artifacts and make this repository available to your environment.



### NOTE

You do not need to complete this procedure if your Red Hat OpenShift Container Platform environment is connected to the Internet.

### Prerequisites

- A computer that has outgoing access to the public Internet is available.

### Procedure

1. Prepare a Maven release repository to which you can write. The repository must allow read access without authentication. Your OpenShift environment must have access to this repository. You can deploy a Nexus repository manager in the OpenShift environment. For instructions about setting up Nexus on OpenShift, see [Setting up Nexus](#). Use this repository as a separate mirror repository.

Alternatively, if you use a custom external repository (for example, Nexus) for your services, you can use the same repository as a mirror repository.

2. On the computer that has an outgoing connection to the public Internet, complete the following steps:
  - a. Download the latest version of the [Offliner tool](#).
  - b. Download the **rhdm-7.6.0-offliner.txt** product deliverable file from the [Software Downloads](#) page of the Red Hat Customer Portal.
  - c. Enter the following command to use the Offliner tool to download the required artifacts:

```
java -jar offliner-<version>.jar -r https://maven.repository.redhat.com/ga/ -r
https://repo1.maven.org/maven2/ -d /home/user/temp rhdm-7.6.0-offliner.txt
```

Replace **/home/user/temp** with an empty temporary directory and **<version>** with the version of the Offliner tool that you downloaded. The download can take a significant amount of time.

- d. Upload all artifacts from the temporary directory to the Maven mirror repository that you prepared. You can use the [Maven Repository Provisioner](#) utility to upload the artifacts.
3. If you developed services outside Business Central and they have additional dependencies, add the dependencies to the mirror repository. If you developed the services as Maven projects, you can use the following steps to prepare these dependencies automatically. Complete the steps on the computer that has an outgoing connection to the public Internet.
  - a. Create a backup of the local Maven cache directory (**~/.m2/repository**) and then clear the directory.
  - b. Build the source of your projects using the **mvn clean install** command.
  - c. For every project, enter the following command to ensure that Maven downloads all runtime dependencies for all the artifacts generated by the project:

```
mvn -e -DskipTests dependency:go-offline -f /path/to/project/pom.xml --batch-mode -
Djava.net.preferIPv4Stack=true
```

Replace **/path/to/project/pom.xml** with the correct path to the **pom.xml** file of the project.

- d. Upload all artifacts from the local Maven cache directory (**~/.m2/repository**) to the Maven mirror repository that you prepared. You can use the [Maven Repository Provisioner](#) utility to upload the artifacts.

## 2.5. CHANGING GLUSTERFS CONFIGURATION

You must check whether your OpenShift environment uses GlusterFS to provide permanent storage volumes. If it uses GlusterFS, to ensure optimal performance of Business Central, you must tune your GlusterFS storage by changing the storage class configuration.

### Procedure

1. To check whether your environment uses GlusterFS, enter the following command:

```
oc get storageclass
```



-

In the results, check whether the **(default)** marker is on the storage class that lists **glusterfs**. For example, in the following output the default storage class is **gluster-container**, which does list **glusterfs**:

```
NAME                PROVISIONER                AGE
gluster-block       gluster.org/glusterblock    8d
gluster-container (default) kubernetes.io/glusterfs 8d
```

If the result has a default storage class that does not list **glusterfs** or if the result is empty, you do not need to make any changes. In this case, skip the rest of this procedure.

2. To save the configuration of the default storage class into a YAML file, enter the following command:

```
oc get storageclass <class-name> -o yaml >storage_config.yaml
```

Replace **<class-name>** with the name of the default storage class. Example:

```
oc get storageclass gluster-container -o yaml >storage_config.yaml
```

3. Edit the **storage\_config.yaml** file:

- a. Remove the lines with the following keys:

- **creationTimestamp**
- **resourceVersion**
- **selfLink**
- **uid**

- b. If you are planning to use Business Central only as a single pod, without high-availability configuration, on the line with the **volumeoptions** key, add the following options:

```
features.cache-invalidation on
performance.nl-cache on
```

For example:

```
volumeoptions: client.ssl off, server.ssl off, features.cache-invalidation on,
performance.nl-cache on
```

- c. If you are planning to use Business Central in a high-availability configuration, on the line with the **volumeoptions** key, add the following options:

```
features.cache-invalidation on
nfs.trusted-write on
nfs.trusted-sync on
performance.nl-cache on
performance.stat-prefetch off
performance.read-ahead off
performance.write-behind off
performance.readdir-ahead off
performance.io-cache off
```

```
performance.quick-read off
performance.open-behind off
locks.mandatory-locking off
performance.strict-o-direct on
```

For example:

**volumeoptions: client.ssl off, server.ssl off, features.cache-invalidation on, nfs.trusted-write on, nfs.trusted-sync on, performance.nl-cache on, performance.stat-prefetch off, performance.read-ahead off, performance.write-behind off, performance.readdir-ahead off, performance.io-cache off, performance.quick-read off, performance.open-behind off, locks.mandatory-locking off, performance.strict-o-direct on**

4. To remove the existing default storage class, enter the following command:

```
oc delete storageclass <class-name>
```

Replace **<class-name>** with the name of the default storage class. Example:

```
oc delete storageclass gluster-container
```

5. To re-create the storage class using the new configuration, enter the following command:

```
oc create -f storage_config.yaml
```

## 2.6. PROVISIONING PERSISTENT VOLUMES WITH READWRITEMANY ACCESS MODE USING NFS

If you want to deploy high-availability Business Central, your environment must provision persistent volumes with **ReadWriteMany** access mode.



### NOTE

If you want to deploy a high-availability authoring environment, for optimal performance and reliability, provision persistent volumes using GlusterFS. Configure the GlusterFS storage class as described in [Section 2.5, "Changing GlusterFS configuration"](#).

If your configuration requires provisioning persistent volumes with **ReadWriteMany** access mode but your environment does not support such provisioning, use NFS to provision the volumes. Otherwise, skip this procedure.

### Procedure

Deploy an NFS server and provision the persistent volumes using NFS. For information about provisioning persistent volumes using NFS, see the "Persistent storage using NFS" section of the [Configuring Clusters](#) guide.

## CHAPTER 3. AUTHORIZING OR MANAGED SERVER ENVIRONMENT

You can deploy an environment for creating and modifying services using Business Central and for running them in Decision Servers managed by Business Central. This environment consists of Business Central and one or more Decision Servers.

You can use Business Central both to develop services and to deploy them to Decision Servers. You can connect several Decision Servers to one Business Central to manage deployment of services to each of the servers.

If necessary, you can create separate environments, so that you can use one deployment of Business Central to author services (*authoring environment*) and another deployment of Business Central to manage deployment of staging or production services on several Decision Servers (*managed server environment*). Usually, one Decision Server is sufficient for a dedicated authoring environment. You can use an external Maven repository to store services from an authoring environment and deploy them to a separate managed server environment.

For Red Hat Decision Manager, the procedures to deploy an authoring environment and a managed server environment are the same. You must first deploy an authoring environment template, consisting of Business Central and one Decision Server.

If necessary, you can deploy additional Decision Server templates in the same namespace to create an environment with multiple Decision Servers. This environment can be a managed server environment for staging and production deployment of services.

Depending on your needs, you can deploy either a single authoring environment template or a high-availability (HA) authoring environment template.

A single authoring environment contains two pods. One of the pods runs Business Central, the other runs Decision Server. This environment is most suitable for single-user authoring or when your OpenShift infrastructure has limited resources.

In an HA authoring environment, both Business Central and Decision Server are provided in scalable pods. When pods are scaled, persistent storage is shared between the copies. To enable high-availability functionality in Business Central, additional pods with AMQ and Data Grid are required. These pods are configured and deployed by the high-availability authoring template. Use a high-availability authoring environment to provide maximum reliability and responsiveness, especially if several users are involved in authoring at the same time.

In the current version of Red Hat Decision Manager, an HA authoring environment is supported with certain limitations:

- If a Business Central pod crashes while a user works with it, the user can get an error message and then is redirected to another pod. Logging on again is not required.
- If a Business Central pod crashes during a user operation, data that was not committed (saved) might be lost.
- If a Business Central pod crashes during creation of a project, an unusable project might be created.
- If a Business Central pod crashes during creation of an asset, the asset might be created but not indexed, so it cannot be used. The user can open the asset in Business Central and save it again to make it indexed.

Another limitation also applies to all authoring and managed environment deployments. If a user is deploying a service to the Decision Server, no user is able to deploy another service to the same Decision Server until the first deployment completes.

You can also deploy additional managed or immutable Decision Servers, if required. Business Central can automatically discover any Decision Servers in the same namespace, including immutable Decision Servers and managed Decision Servers. This feature requires the **OpenShiftStartupStrategy** setting, which is enabled for all Decision Servers by default. For instructions about deploying managed Decision Servers, see [Section 3.3, “Deploying an additional managed Decision Server for an authoring or managed environment”](#). For instructions about deploying immutable Decision Servers, see [Deploying a Red Hat Decision Manager immutable server environment on Red Hat OpenShift Container Platform](#).

## 3.1. DEPLOYING AN AUTHORIZING ENVIRONMENT

You can use OpenShift templates to deploy a single or high-availability authoring environment. This environment consists of Business Central and a single Decision Server.

### 3.1.1. Starting configuration of the template for an authoring environment

If you want to deploy a single authoring environment, use the **rhdm76-authoring.yaml** template file.

If you want to deploy a high-availability authoring environment, use the **rhdm76-authoring-ha.yaml** template file.

#### Procedure

1. Download the **rhdm-7.6.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page of the Red Hat Customer Portal.
2. Extract the required template file.
3. Use one of the following methods to start deploying the template:
  - To use the OpenShift Web UI, in the OpenShift application console select **Add to Project → Import YAML / JSON** and then select or paste the **<template-file-name>.yaml** file. In the **Add Template** window, ensure **Process the template** is selected and click **Continue**.
  - To use the OpenShift command line console, prepare the following command line:

```
oc new-app -f <template-path>/<template-file-name>.yaml -p
DECISION_CENTRAL_HTTPS_SECRET=decisioncentral-app-secret -p
KIE_SERVER_HTTPS_SECRET=kieserver-app-secret -p PARAMETER=value
```

In this command line, make the following changes:

- Replace **<template-path>** with the path to the downloaded template file.
- Replace **<template-file-name>** with the name of the template file.
- Use as many **-p PARAMETER=value** pairs as needed to set the required parameters.

#### Next steps

Set the parameters for the template. Follow the steps in [Section 3.1.2, “Setting required parameters for an authoring environment”](#) to set common parameters. You can view the template file to see descriptions for all parameters.

### 3.1.2. Setting required parameters for an authoring environment

When configuring the template to deploy an authoring environment, you must set the following parameters in all cases.

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

#### Procedure

1. Set the following parameters:

- **Business Central Server Keystore Secret Name (DECISION\_CENTRAL\_HTTPS\_SECRET)**: The name of the secret for Business Central, as created in [Section 2.3, "Creating the secrets for Business Central"](#).
- **KIE Server Keystore Secret Name (KIE\_SERVER\_HTTPS\_SECRET)**: The name of the secret for Decision Server, as created in [Section 2.2, "Creating the secrets for Decision Server"](#).
- **Business Central Server Certificate Name (DECISION\_CENTRAL\_HTTPS\_NAME)**: The name of the certificate in the keystore that you created in [Section 2.3, "Creating the secrets for Business Central"](#).
- **Business Central Server Keystore Password (DECISION\_CENTRAL\_HTTPS\_PASSWORD)**: The password for the keystore that you created in [Section 2.3, "Creating the secrets for Business Central"](#).
- **KIE Server Certificate Name (KIE\_SERVER\_HTTPS\_NAME)**: The name of the certificate in the keystore that you created in [Section 2.2, "Creating the secrets for Decision Server"](#).
- **KIE Server Keystore Password (KIE\_SERVER\_HTTPS\_PASSWORD)**: The password for the keystore that you created in [Section 2.2, "Creating the secrets for Decision Server"](#).
- **Application Name (APPLICATION\_NAME)**: The name of the OpenShift application. It is used in the default URLs for Business Central Monitoring and Decision Server. OpenShift uses the application name to create a separate set of deployment configurations, services, routes, labels, and artifacts.
- **Enable KIE server global discovery (KIE\_SERVER\_CONTROLLER\_OPENSIFT\_GLOBAL\_DISCOVERY\_ENABLED)**: Set this parameter to **true** if you want Business Central to discover all Decision Servers with the **OpenShiftStartupStrategy** in the same namespace. By default, Business Central discovers only Decision Servers that are deployed with the same value of the **APPLICATION\_NAME** parameter as Business Central itself.
- **ImageStream Namespace (IMAGE\_STREAM\_NAMESPACE)**: The namespace where the image streams are available. If the image streams were already available in your OpenShift environment (see [Section 2.1, "Ensuring the availability of image streams and the image registry"](#)), the namespace is **openshift**. If you have installed the image streams file, the namespace is the name of the OpenShift project.

2. You can set the following user names and passwords. By default, the deployment automatically generates the passwords.

- **KIE Admin User (KIE\_ADMIN\_USER)** and **KIE Admin Password (KIE\_ADMIN\_PWD)**: The user name and password for the administrative user. If you want to use the Business Central to control or monitor any Decision Servers other than the Decision Server deployed by the same template, you must set and record the user name and password.
- **KIE Server User (KIE\_SERVER\_USER)** and **KIE Server Password (KIE\_SERVER\_PWD)**: The user name and password that a client application can use to connect to any of the Decision Servers.

### Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, "Completing deployment of the template for an authoring environment"](#).

### 3.1.3. Configuring the image stream namespace for an authoring environment

If you created image streams in a namespace that is not **openshift**, you must configure the namespace in the template.

If all image streams were already available in your Red Hat OpenShift Container Platform environment, you can skip this procedure.

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

#### Procedure

If you installed an image streams file according to instructions in [Section 2.1, "Ensuring the availability of image streams and the image registry"](#), set the **ImageStream Namespace (IMAGE\_STREAM\_NAMESPACE)** parameter to the name of your OpenShift project.

### 3.1.4. Setting an optional Maven repository for an authoring environment

When configuring the template to deploy an authoring environment, if you want to place the built KJAR files into an external Maven repository, you must set parameters to access the repository.

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

#### Procedure

To configure access to a custom Maven repository, set the following parameters:

- **Maven repository URL (MAVEN\_REPO\_URL)**: The URL for the Maven repository.
- **Maven repository ID (MAVEN\_REPO\_ID)**: An identifier for the Maven repository. The default value is **repo-custom**.
- **Maven repository username (MAVEN\_REPO\_USERNAME)**: The user name for the Maven repository.

- **Maven repository password (MAVEN\_REPO\_PASSWORD):** The password for the Maven repository.

### Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, “Completing deployment of the template for an authoring environment”](#).



### IMPORTANT

To export or push Business Central projects as KJAR artifacts to the external Maven repository, you must also add the repository information in the **pom.xml** file for every project. For information about exporting Business Central projects to an external repository, see [Packaging and deploying a Red Hat Decision Manager project](#) .

## 3.1.5. Specifying credentials to access the built-in Maven repository for an authoring environment

When configuring the template to deploy an authoring environment, if you want to use the Maven repository that is built into Business Central and to connect additional Decision Servers to the Business Central, you must configure credentials for accessing this Maven repository. You can then use these credentials to configure the Decision Servers.

Also, if you are configuring RH-SSO or LDAP authentication, you must set the credentials for the built-in Maven repository to a user name and password configured in RH-SSO or LDAP. This setting is required so that the Decision Server can access the Maven repository.

### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, “Starting configuration of the template for an authoring environment”](#).

### Procedure

To configure credentials for the built-in Maven repository, set the following parameters:

- **Username for the Maven service hosted by Business Central (DECISION\_CENTRAL\_MAVEN\_USERNAME):** The user name for the built-in Maven repository.
- **Password for the Maven service hosted by Business Central (DECISION\_CENTRAL\_MAVEN\_PASSWORD):** The password for the built-in Maven repository.

### Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, “Completing deployment of the template for an authoring environment”](#).

## 3.1.6. Configuring access to a Maven mirror in an environment without a connection to the public Internet for an authoring environment

When configuring the template to deploy an authoring environment, if your OpenShift environment does not have a connection to the public Internet, you must configure access to a Maven mirror that you set up according to [Section 2.4, "Preparing a Maven mirror repository for offline use"](#) .

### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

### Procedure

To configure access to the Maven mirror, set the following parameters:

- **Maven mirror URL (MAVEN\_MIRROR\_URL)**: The URL for the Maven mirror repository that you set up in [Section 2.4, "Preparing a Maven mirror repository for offline use"](#) . This URL must be accessible from a pod in your OpenShift environment.
- **Maven mirror of (MAVEN\_MIRROR\_OF)**: The value that determines which artifacts are to be retrieved from the mirror. For instructions about setting the **mirrorOf** value, see [Mirror Settings](#) in the Apache Maven documentation. The default value is **external:\*,!repo-rhdmcentr**; with this value, Maven retrieves artifacts from the built-in Maven repository of Business Central directly and retrieves any other required artifacts from the mirror. If you configure an external Maven repository (**MAVEN\_REPO\_URL**), change **MAVEN\_MIRROR\_OF** to exclude the artifacts in this repository, for example, **external:\*,!repo-custom**. Replace **repo-custom** with the ID that you configured in **MAVEN\_REPO\_ID**.

### Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, "Completing deployment of the template for an authoring environment"](#).

## 3.1.7. Specifying the Git hooks directory for an authoring environment

You can use Git hooks to facilitate interaction between the internal Git repository of Business Central and an external Git repository.

If you want to use Git hooks, you must configure a Git hooks directory.

### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

### Procedure

To configure a Git hooks directory, set the following parameter:

- **Git hooks directory (GIT\_HOOKS\_DIR)**: The fully qualified path to a Git hooks directory, for example, **/opt/kie/data/git/hooks**. You must provide the content of this directory and mount it at the specified path. For instructions about providing and mounting the Git hooks directory using a configuration map or a persistent volume, see [Section 3.2, "\(Optional\) Providing the Git hooks directory"](#).

### Next steps



If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, “Completing deployment of the template for an authoring environment”](#).

### 3.1.8. Configuring resource usage for a high-availability deployment

If you are deploying the high-availability template (**rhdm76-authoring-ha.yaml**), you can optionally configure resource usage to optimize performance for your requirements.

If you are deploying the single authoring environment template (**rhdm76-authoring.yaml**), skip this procedure.

For more information about sizing resources, see the following sections in the Red Hat OpenShift Container Platform 3.11 product documentation:

- [Application memory sizing](#)
- [Compute resources](#)

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, “Starting configuration of the template for an authoring environment”](#).

#### Procedure

Set the following parameters of the template as applicable:

- **Business Central Container Memory Limit(DECISION\_CENTRAL\_MEMORY\_LIMIT)**: The amount of memory requested in the OpenShift environment for the Business Central container. The default value is **8Gi**.
- **Business Central JVM Max Memory Ratio (DECISION\_CENTRAL\_JAVA\_MAX\_MEM\_RATIO)**: The percentage of container memory that is used for the Java Virtual Machine for Business Central. The remaining memory is used for the operating system. The default value is **80**, for a limit of 80%.
- **Business Central Container CPU Limit(DECISION\_CENTRAL\_CPU\_LIMIT)**: The maximum CPU usage for Business Central. The default value is **2000m**.
- **KIE Server Container Memory Limit(KIE\_SERVER\_MEMORY\_LIMIT)**: The amount of memory requested in the OpenShift environment for the Decision Server container. The default value is **1Gi**.
- **KIE Server Container CPU Limit(KIE\_SERVER\_CPU\_LIMIT)**: The maximum CPU usage for Decision Server. The default value is **1000m**.
- **DataGrid Container Memory Limit(DATAGRID\_MEMORY\_LIMIT)**: The amount of memory requested in the OpenShift environment for the Red Hat Data Grid container. The default value is **2Gi**.
- **DataGrid Container CPU Limit(DATAGRID\_CPU\_LIMIT)**: The maximum CPU usage for Red Hat Data Grid. The default value is **1000m**.

### 3.1.9. Setting parameters for RH-SSO authentication for an authoring environment

If you want to use RH-SSO authentication, complete the following additional configuration when configuring the template to deploy an authoring environment.



## IMPORTANT

Do not configure LDAP authentication and RH-SSO authentication in the same deployment.

## Prerequisites

- A realm for Red Hat Decision Manager is created in the RH-SSO authentication system.
- User names and passwords for Red Hat Decision Manager are created in the RH-SSO authentication system. For a list of the available roles, see [Chapter 4, Red Hat Decision Manager roles and users](#). The following users are required in order to set the parameters for the environment:
  - An administrative user with the **kie-server,rest-all,admin** roles. This user can administer and use the environment. Decision Servers use this user to authenticate with Business Central.
  - A server user with the **kie-server,rest-all,user** roles. This user can make REST API calls to the Decision Server. Business Central uses this user to authenticate with Decision Servers.
- Clients are created in the RH-SSO authentication system for all components of the Red Hat Decision Manager environment that you are deploying. The client setup contains the URLs for the components. You can review and edit the URLs after deploying the environment. Alternatively, the Red Hat Decision Manager deployment can create the clients. However, this option provides less detailed control over the environment.
- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

## Procedure

1. Set the **KIE\_ADMIN\_USER** and **KIE\_ADMIN\_PASSWORD** parameters of the template to the user name and password of the administrative user that you created in the RH-SSO authentication system.
2. Set the **KIE\_SERVER\_USER** and **KIE\_SERVER\_PASSWORD** parameters of the template to the user name and password of the server user that you created in the RH-SSO authentication system.
3. Set the following parameters:
  - **RH-SSO URL (SSO\_URL)**: The URL for RH-SSO.
  - **RH-SSO Realm name (SSO\_REALM)**: The RH-SSO realm for Red Hat Decision Manager.
  - **RH-SSO Disable SSL Certificate Validation (SSO\_DISABLE\_SSL\_CERTIFICATE\_VALIDATION)**: Set to **true** if your RH-SSO installation does not use a valid HTTPS certificate.
4. Complete one of the following procedures:
  - a. If you created the clients for Red Hat Decision Manager within RH-SSO, set the following parameters in the template:

- **Business Central RH-SSO Client name(DECISION\_CENTRAL\_SSO\_CLIENT):** The RH-SSO client name for Business Central.
  - **Business Central RH-SSO Client Secret(DECISION\_CENTRAL\_SSO\_SECRET):** The secret string that is set in RH-SSO for the client for Business Central.
  - **KIE Server RH-SSO Client name(KIE\_SERVER\_SSO\_CLIENT):** The RH-SSO client name for Decision Server.
  - **KIE Server RH-SSO Client Secret(KIE\_SERVER\_SSO\_SECRET):** The secret string that is set in RH-SSO for the client for Decision Server.
- b. To create the clients for Red Hat Decision Manager within RH-SSO, set the following parameters in the template:
- **Business Central RH-SSO Client name(DECISION\_CENTRAL\_SSO\_CLIENT):** The name of the client to create in RH-SSO for Business Central.
  - **Business Central RH-SSO Client Secret(DECISION\_CENTRAL\_SSO\_SECRET):** The secret string to set in RH-SSO for the client for Business Central.
  - **KIE Server RH-SSO Client name(KIE\_SERVER\_SSO\_CLIENT):** The name of the client to create in RH-SSO for Decision Server.
  - **KIE Server RH-SSO Client Secret(KIE\_SERVER\_SSO\_SECRET):** The secret string to set in RH-SSO for the client for Decision Server.
  - **RH-SSO Realm Admin Username(SSO\_USERNAME) and RH-SSO Realm Admin Password (SSO\_PASSWORD):** The user name and password for the realm administrator user for the RH-SSO realm for Red Hat Decision Manager. You must provide this user name and password in order to create the required clients.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, “Completing deployment of the template for an authoring environment”](#).

After completing the deployment, review the URLs for components of Red Hat Decision Manager in the RH-SSO authentication system to ensure they are correct.

### 3.1.10. Setting parameters for LDAP authentication for an authoring environment

If you want to use LDAP authentication, complete the following additional configuration when configuring the template to deploy an authoring environment.



#### IMPORTANT

Do not configure LDAP authentication and RH-SSO authentication in the same deployment.

## Prerequisites

- You created user names and passwords for Red Hat Decision Manager in the LDAP system. For a list of the available roles, see [Chapter 4, Red Hat Decision Manager roles and users](#). As a minimum, in order to set the parameters for the environment, you created the following users:

- An administrative user with the **kie-server,rest-all,admin** roles. This user can administer and use the environment.
- A server user with the **kie-server,rest-all,user** roles. This user can make REST API calls to the Decision Server.
- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

## Procedure

1. In the LDAP service, create all user names in the deployment parameters. If you do not set any of the parameters, create users with the default user names. The created users must also be assigned to roles:

- **KIE\_ADMIN\_USER**: default user name **adminUser**, roles: **kie-server,rest-all,admin**
- **KIE\_SERVER\_USER**: default user name **executionUser**, roles **kie-server,rest-all,guest**  
For the user roles that you can configure in LDAP, see [Roles and users](#).

2. Set the **AUTH\_LDAP\*** parameters of the template. These parameters correspond to the settings of the **LdapExtended** Login module of Red Hat JBoss EAP. For instructions about using these settings, see [LdapExtended login module](#).

If the LDAP server does not define all the roles required for your deployment, you can map LDAP groups to Red Hat Decision Manager roles. To enable LDAP role mapping, set the following parameters:

- **RoleMapping rolesProperties file path (AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES)**: The fully qualified path name of a file that defines role mapping, for example, **/opt/eap/standalone/configuration/rolemapping/rolemapping.properties**. You must provide this file and mount it at this path in all applicable deployment configurations; for instructions, see [Section 3.4, "\(Optional\) Providing the LDAP role mapping file"](#).
- **RoleMapping replaceRole property (AUTH\_ROLE\_MAPPER\_REPLACE\_ROLE)**: If set to **true**, mapped roles replace the roles defined on the LDAP server; if set to **false**, both mapped roles and roles defined on the LDAP server are set as user application roles. The default setting is **false**.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, "Completing deployment of the template for an authoring environment"](#).

### 3.1.11. Enabling Prometheus metric collection for an authoring environment

If you want to configure your Decision Server deployment to use Prometheus to collect and store metrics, enable support for this feature in Decision Server at deployment time.

## Prerequisites

- You started the configuration of the template, as described in [Section 3.1.1, "Starting configuration of the template for an authoring environment"](#).

## Procedure

To enable support for Prometheus metric collection, set the **Prometheus Server Extension Disabled** (**PROMETHEUS\_SERVER\_EXT\_DISABLED**) parameter to **false**.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.1.12, “Completing deployment of the template for an authoring environment”](#).

For instructions about configuring Prometheus metrics collection, see [Managing and monitoring Decision Server](#).

### 3.1.12. Completing deployment of the template for an authoring environment

After setting all the required parameters in the OpenShift Web UI or in the command line, complete deployment of the template.

## Procedure

Depending on the method that you are using, complete the following steps:

- In the OpenShift Web UI, click **Create**.
  - If the **This will create resources that may have security or project behavior implications** message appears, click **Create Anyway**.
- Complete the command line and press Enter.

## 3.2. (OPTIONAL) PROVIDING THE GIT HOOKS DIRECTORY

If you configure the **GIT\_HOOKS\_DIR** parameter, you must provide a directory of Git hooks and must mount this directory on the Business Central deployment.

The typical use of Git hooks is interaction with an upstream repository. To enable Git hooks to push commits into an upstream repository, you must also provide a secret key that corresponds to a public key configured on the upstream repository.

## Procedure

1. If interaction with an upstream repository using SSH authentication is required, complete the following steps to prepare and mount a secret with the necessary files:
  - a. Prepare the **id\_rsa** file with a private key that matches a public key stored in the repository.
  - b. Prepare the **known\_hosts** file with the correct name, address, and public key for the repository.
  - c. Create a secret with the two files using the **oc** command, for example:

```
oc create secret git-hooks-secret --from-file=id_rsa=id_rsa --from-file=known_hosts=known_hosts
```

- d. Mount the secret in the SSH key path of the Business Central deployment, for example:

```
oc set volume dc/<myapp>-rhdmcenr --add --type secret --secret-name git-hooks-secret
--mount-path=/home/jboss/.ssh --name=ssh-key
```

Replace **<myapp>** with the application name that you set when configuring the template.

2. Create the Git hooks directory. For instructions, see the [Git hooks reference documentation](#). For example, a simple Git hooks directory can provide a post-commit hook that pushes the changes upstream. If the project was imported into Business Central from a repository, this repository remains configured as the upstream repository. Create a file named **post-commit** with permission values **755** and the following content:

```
git push
```

3. Supply the Git hooks directory to the Business Central deployment. You can use a configuration map or a persistent volume.

- a. If the Git hooks consist of one or several fixed script files, use a configuration map. Complete the following steps:

- i. Change into the Git hooks directory that you have created.

- ii. Create an OpenShift configuration map from the files in the directory. Run the following command:

```
oc create configmap git-hooks --from-file=<file_1>=<file_1> --from-file=<file_2>=<file_2> ...
```

Replace **file\_1**, **file\_2**, and so on with Git hook script file names. Example:

```
oc create configmap git-hooks --from-file=post-commit=post-commit
```

- iii. Mount the configuration map on the Business Central deployment in the path that you have configured:

```
oc set volume dc/<myapp>-rhdmcenr --add --type configmap --configmap-name git-hooks
--mount-path=<git_hooks_dir> --name=git-hooks
```

Replace **<myapp>** with the application name that was set when configuring the template and **<git\_hooks\_dir>** is the value of **GIT\_HOOKS\_DIR** that was set when configuring the template.

- b. If the Git hooks consist of long files or depend on binaries, such as executable or KJAR files, use a persistence volume. You must create a persistent volume, create a persistent volume claim and associate the volume with the claim, transfer files to the volume, and mount the volume in the **myapp-rhdmcenr** deployment configuration (replace *myapp* with the application name). For instructions about creating and mounting persistence volumes, see [Using persistent volumes](#). For instructions about copying files onto a persistent volume, see [Transferring files in and out of containers](#).
4. Wait a few minutes, then review the list and status of pods in your project. Because Business Central does not start until you provide the Git hooks directory, the Decision Server might not start at all. To see if it has started, check the output of the following command:

```
oc get pods
```

If a working Decision Server pod is not present, start it:

```
oc rollout latest dc/<myapp>-kieserver
```

Replace **<myapp>** with the application name that was set when configuring the template.

### 3.3. DEPLOYING AN ADDITIONAL MANAGED DECISION SERVER FOR AN AUTHORIZING OR MANAGED ENVIRONMENT

You can deploy an additional managed Decision Server to an authoring or managed environment. Deploy the server in the same project as the Business Central deployment.

The Decision Server loads services from a Maven repository. You must configure the server to use either the Business Central built-in repository or an external repository.

The server starts with no loaded services. Use Business Central or the REST API of the Decision Server to deploy and undeploy services on the server.

#### 3.3.1. Starting configuration of the template for an additional managed Decision Server

To deploy an additional managed Decision Server, use the **rhdm76-kieserver.yaml** template file.

##### Procedure

1. Download the **rhdm-7.6.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page of the Red Hat Customer Portal.
2. Extract the **rhdm76-kieserver.yaml** template file.
3. Use one of the following methods to start deploying the template:
  - To use the OpenShift Web UI, in the OpenShift application console select **Add to Project** → **Import YAML / JSON** and then select or paste the **rhdm76-kieserver.yaml** file. In the **Add Template** window, ensure **Process the template** is selected and click **Continue**.
  - To use the OpenShift command line console, prepare the following command line:

```
oc new-app -f <template-path>/rhdm76-kieserver.yaml -p
KIE_SERVER_HTTPS_SECRET=kieserver-app-secret -p PARAMETER=value
```

In this command line, make the following changes:

- Replace **<template-path>** with the path to the downloaded template file.
- Use as many **-p PARAMETER=value** pairs as needed to set the required parameters.

##### Next steps

Set the parameters for the template. Follow the steps in [Section 3.3.2, "Setting required parameters for an additional managed Decision Server"](#) to set common parameters. You can view the template file to see descriptions for all parameters.

#### 3.3.2. Setting required parameters for an additional managed Decision Server

When configuring the template to deploy an additional managed Decision Server, you must set the following parameters in all cases.

## Prerequisites

- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

## Procedure

1. Set the following parameters:

- **KIE Server Keystore Secret Name (KIE\_SERVER\_HTTPS\_SECRET)**: The name of the secret for Decision Server, as created in [Section 2.2, “Creating the secrets for Decision Server”](#).
- **KIE Server Certificate Name (KIE\_SERVER\_HTTPS\_NAME)**: The name of the certificate in the keystore that you created in [Section 2.2, “Creating the secrets for Decision Server”](#).
- **KIE Server Keystore Password (KIE\_SERVER\_HTTPS\_PASSWORD)**: The password for the keystore that you created in [Section 2.2, “Creating the secrets for Decision Server”](#).
- **Application Name (APPLICATION\_NAME)**: The name of the OpenShift application. It is used in the default URLs for Business Central Monitoring and Decision Server. OpenShift uses the application name to create a separate set of deployment configurations, services, routes, labels, and artifacts. You can deploy several applications using the same template into the same project, as long as you use different application names. Also, the application name determines the name of the server configuration (server template) that the Decision Server joins on Business Central. If you are deploying several Decision Servers, you must ensure each of the servers has a different application name.
- **KIE Server Mode (KIE\_SERVER\_MODE)**: In the `rhdm76-kieserver.yaml` template the default value is **PRODUCTION**. In **PRODUCTION** mode, you cannot deploy **SNAPSHOT** versions of KJAR artifacts on the Decision Server and cannot change versions of an artifact in an existing container. To deploy a new version with **PRODUCTION** mode, create a new container on the same Decision Server. To deploy **SNAPSHOT** versions or to change versions of an artifact in an existing container, set this parameter to **DEVELOPMENT**.
- **ImageStream Namespace (IMAGE\_STREAM\_NAMESPACE)**: The namespace where the image streams are available. If the image streams were already available in your OpenShift environment (see [Section 2.1, “Ensuring the availability of image streams and the image registry”](#)), the namespace is **openshift**. If you have installed the image streams file, the namespace is the name of the OpenShift project.

2. You can set the following user name and password. By default, the deployment automatically generates the password.

- **KIE Server User (KIE\_SERVER\_USER)** and **KIE Server Password (KIE\_SERVER\_PWD)**: The user name and password that a client application can use to connect to any of the Decision Servers.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.3.9, “Completing deployment of the template for an additional managed Decision Server”](#).



### 3.3.3. Configuring the image stream namespace for an additional managed Decision Server

If you created image streams in a namespace that is not **openshift**, you must configure the namespace in the template.

If all image streams were already available in your Red Hat OpenShift Container Platform environment, you can skip this procedure.

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

#### Procedure

If you installed an image streams file according to instructions in [Section 2.1, “Ensuring the availability of image streams and the image registry”](#), set the **ImageStream Namespace (IMAGE\_STREAM\_NAMESPACE)** parameter to the name of your OpenShift project.

### 3.3.4. Configuring information about a Business Central instance for an additional managed Decision Server

If you want to enable a connection from a Business Central instance in the same namespace to the Decision Server, you must configure information about the Business Central instance.

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

#### Procedure

1. Set the following parameters:
  - **KIE Admin User (KIE\_ADMIN\_USER)** and **KIE Admin Password (KIE\_ADMIN\_PWD)**: The user name and password for the administrative user. These values must be the same as the **KIE\_ADMIN\_USER** and **KIE\_ADMIN\_PWD** settings for the Business Central. If the Business Central uses RH-SSO or LDAP authentication, these values must be a user name and password configured in the authentication system with an administrator role for the Business Central.
  - **Name of the Business Central service (DECISION\_CENTRAL\_SERVICE)**: The OpenShift service name for the Business Central.
2. Configure access to the Maven repository from which the server must load services. You must configure the same repository that the Business Central uses.
  - If the Business Central uses its own built-in repository, set the following parameters:
    - **Name of the Maven service hosted by Business Central (DECISION\_CENTRAL\_MAVEN\_SERVICE)**: The OpenShift service name for the Business Central.
    - **Username for the Maven service hosted by Business Central (DECISION\_CENTRAL\_MAVEN\_USERNAME)**: The user name for the built-in Maven

repository of the Business Central. Enter the user name that you configured for the Business Central as **DECISION\_CENTRAL\_MAVEN\_USERNAME**.

- **Password to access the Maven service hosted by Business Central (DECISION\_CENTRAL\_MAVEN\_PASSWORD):** The password for the built-in Maven repository of the Business Central. Enter the password that you configured for the Business Central as **DECISION\_CENTRAL\_MAVEN\_PASSWORD**.
- If you configured the Business Central to use an external Maven repository, set the following parameters:
  - **Maven repository URL (MAVEN\_REPO\_URL):** A URL for the external Maven repository that Business Central uses.
  - **Maven repository ID (MAVEN\_REPO\_ID):** An identifier for the Maven repository. The default value is **repo-custom**.
  - **Maven repository username (MAVEN\_REPO\_USERNAME):** The user name for the Maven repository.
  - **Maven repository password (MAVEN\_REPO\_PASSWORD):** The password for the Maven repository.

### Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.3.9, “Completing deployment of the template for an additional managed Decision Server”](#).

### 3.3.5. Configuring access to a Maven mirror in an environment without a connection to the public Internet for an additional managed Decision Server

When configuring the template to deploy an additional managed Decision Server, if your OpenShift environment does not have a connection to the public Internet, you must configure access to a Maven mirror that you set up according to [Section 2.4, “Preparing a Maven mirror repository for offline use”](#).

#### Prerequisites

- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

#### Procedure

To configure access to the Maven mirror, set the following parameters:

- **Maven mirror URL (MAVEN\_MIRROR\_URL):** The URL for the Maven mirror repository that you set up in [Section 2.4, “Preparing a Maven mirror repository for offline use”](#). This URL must be accessible from a pod in your OpenShift environment.
- **Maven mirror of (MAVEN\_MIRROR\_OF):** The value that determines which artifacts are to be retrieved from the mirror. For instructions about setting the **mirrorOf** value, see [Mirror Settings](#) in the Apache Maven documentation. The default value is **external:\***. With this value, Maven retrieves every required artifact from the mirror and does not query any other repositories.
  - If you configure an external Maven repository (**MAVEN\_REPO\_URL**), change **MAVEN\_MIRROR\_OF** to exclude the artifacts in this repository from the mirror, for

example, **external:\*,!repo-custom**. Replace **repo-custom** with the ID that you configured in **MAVEN\_REPO\_ID**.

- If you configure a built-in Business Central Maven repository (**BUSINESS\_CENTRAL\_MAVEN\_SERVICE**), change **MAVEN\_MIRROR\_OF** to exclude the artifacts in this repository from the mirror: **external:\*,!repo-rhdmcentr**.
- If you configure both repositories, change **MAVEN\_MIRROR\_OF** to exclude the artifacts in both repositories from the mirror: **external:\*,!repo-rhdmcentr,!repo-custom**. Replace **repo-custom** with the ID that you configured in **MAVEN\_REPO\_ID**.

### Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.3.9, “Completing deployment of the template for an additional managed Decision Server”](#).

### 3.3.6. Setting parameters for RH-SSO authentication for an additional managed Decision Server

If you want to use RH-SSO authentication, complete the following additional configuration when configuring the template to deploy an additional managed Decision Server.



#### IMPORTANT

Do not configure LDAP authentication and RH-SSO authentication in the same deployment.

### Prerequisites

- A realm for Red Hat Decision Manager is created in the RH-SSO authentication system.
- User names and passwords for Red Hat Decision Manager are created in the RH-SSO authentication system. For a list of the available roles, see [Chapter 4, Red Hat Decision Manager roles and users](#). In order to set the parameters for the environment, an administrative user with the **kie-server,rest-all,admin** roles is required. The default user name for this user is **adminUser**. This user can administer and use the environment.
- Clients are created in the RH-SSO authentication system for all components of the Red Hat Decision Manager environment that you are deploying. The client setup contains the URLs for the components. You can review and edit the URLs after deploying the environment. Alternatively, the Red Hat Decision Manager deployment can create the clients. However, this option provides less detailed control over the environment.
- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

### Procedure

1. Set the **KIE\_ADMIN\_USER** and **KIE\_ADMIN\_PASSWORD** parameters of the template to the user name and password of the administrative user that you created in the RH-SSO authentication system.
2. Set the following parameters:

- **RH-SSO URL (SSO\_URL):** The URL for RH-SSO.
  - **RH-SSO Realm name (SSO\_REALM):** The RH-SSO realm for Red Hat Decision Manager.
  - **RH-SSO Disable SSL Certificate Validation (SSO\_DISABLE\_SSL\_CERTIFICATE\_VALIDATION):** Set to **true** if your RH-SSO installation does not use a valid HTTPS certificate.
3. Complete one of the following procedures:
- a. If you created the client for Red Hat Decision Manager within RH-SSO, set the following parameters in the template:
    - **Business Central RH-SSO Client name(DECISION\_CENTRAL\_SSO\_CLIENT):** The RH-SSO client name for Business Central.
    - **KIE Server RH-SSO Client name(KIE\_SERVER\_SSO\_CLIENT):** The RH-SSO client name for Decision Server.
    - **KIE Server RH-SSO Client Secret(KIE\_SERVER\_SSO\_SECRET):** The secret string that is set in RH-SSO for the client for Decision Server.
  - b. To create the clients for Red Hat Decision Manager within RH-SSO, set the following parameters in the template:
    - **KIE Server RH-SSO Client name(KIE\_SERVER\_SSO\_CLIENT):** The name of the client to create in RH-SSO for Decision Server.
    - **KIE Server RH-SSO Client Secret(KIE\_SERVER\_SSO\_SECRET):** The secret string to set in RH-SSO for the client for Decision Server.
    - **RH-SSO Realm Admin Username(SSO\_USERNAME) and RH-SSO Realm Admin Password (SSO\_PASSWORD):** The user name and password for the realm administrator user for the RH-SSO realm for Red Hat Decision Manager. You must provide this user name and password in order to create the required clients.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.3.9, “Completing deployment of the template for an additional managed Decision Server”](#).

After completing the deployment, review the URLs for components of Red Hat Decision Manager in the RH-SSO authentication system to ensure they are correct.

### 3.3.7. Setting parameters for LDAP authentication for an additional managed Decision Server

If you want to use LDAP authentication, complete the following additional configuration when configuring the template to deploy an additional managed Decision Server.



#### IMPORTANT

Do not configure LDAP authentication and RH-SSO authentication in the same deployment.

## Prerequisites

- You created user names and passwords for Red Hat Decision Manager in the LDAP system. For a list of the available roles, see [Chapter 4, Red Hat Decision Manager roles and users](#) . As a minimum, in order to set the parameters for the environment, you created the following users:
  - An administrative user with the **kie-server,rest-all,admin** roles. This user can administer and use the environment.
  - A server user with the **kie-server,rest-all,user** roles. This user can make REST API calls to the Decision Server.
- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

## Procedure

1. In the LDAP service, create all user names in the deployment parameters. If you do not set any of the parameters, create users with the default user names. The created users must also be assigned to roles:
  - **KIE\_ADMIN\_USER**: default user name **adminUser**, roles: **kie-server,rest-all,admin**
  - **KIE\_SERVER\_USER**: default user name **executionUser**, roles **kie-server,rest-all,guest**  
For the user roles that you can configure in LDAP, see [Roles and users](#).

2. Set the **AUTH\_LDAP\*** parameters of the template. These parameters correspond to the settings of the **LdapExtended** Login module of Red Hat JBoss EAP. For instructions about using these settings, see [LdapExtended login module](#) .

If the LDAP server does not define all the roles required for your deployment, you can map LDAP groups to Red Hat Decision Manager roles. To enable LDAP role mapping, set the following parameters:

- **RoleMapping rolesProperties file path (AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES)**: The fully qualified path name of a file that defines role mapping, for example, **/opt/eap/standalone/configuration/rolemapping/rolemapping.properties**. You must provide this file and mount it at this path in all applicable deployment configurations; for instructions, see [Section 3.4, “\(Optional\) Providing the LDAP role mapping file”](#) .
- **RoleMapping replaceRole property (AUTH\_ROLE\_MAPPER\_REPLACE\_ROLE)**: If set to **true**, mapped roles replace the roles defined on the LDAP server; if set to **false**, both mapped roles and roles defined on the LDAP server are set as user application roles. The default setting is **false**.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.3.9, “Completing deployment of the template for an additional managed Decision Server”](#).

### 3.3.8. Enabling Prometheus metric collection for an additional managed Decision Server

If you want to configure your Decision Server deployment to use Prometheus to collect and store metrics, enable support for this feature in Decision Server at deployment time.

## Prerequisites

- You started the configuration of the template, as described in [Section 3.3.1, “Starting configuration of the template for an additional managed Decision Server”](#).

## Procedure

To enable support for Prometheus metric collection, set the **Prometheus Server Extension Disabled (PROMETHEUS\_SERVER\_EXT\_DISABLED)** parameter to **false**.

## Next steps

If necessary, set additional parameters.

To complete the deployment, follow the procedure in [Section 3.3.9, “Completing deployment of the template for an additional managed Decision Server”](#).

For instructions about configuring Prometheus metrics collection, see [Managing and monitoring Decision Server](#).

### 3.3.9. Completing deployment of the template for an additional managed Decision Server

After setting all the required parameters in the OpenShift Web UI or in the command line, complete deployment of the template.

## Procedure

Depending on the method that you are using, complete the following steps:

- In the OpenShift Web UI, click **Create**.
  - If the **This will create resources that may have security or project behavior implications** message appears, click **Create Anyway**.
- Complete the command line and press Enter.

## 3.4. (OPTIONAL) PROVIDING THE LDAP ROLE MAPPING FILE

If you configure the **AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES** parameter, you must provide a file that defines the role mapping. Mount this file on all affected deployment configurations.

## Procedure

1. Create the role mapping properties file, for example, **my-role-map**. The file must contain entries in the following format:

```
ldap_role = product_role1, product_role2...
```

For example:

```
admins = kie-server,rest-all,admin
```

2. Create an OpenShift configuration map from the file by entering the following command:

```
oc create configmap ldap-role-mapping --from-file=<new_name>=<existing_name>
```

Replace **<new\_name>** with the name that the file is to have on the pods (it must be the same as the name specified in the **AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES** file) and **<existing\_name>** with the name of the file that you created. Example:

```
oc create configmap ldap-role-mapping --from-file=rolemapping.properties=my-role-map
```

3. Mount the configuration map on every deployment configuration that is configured for role mapping.

The following deployment configurations can be affected in this environment:

- **myapp-rhdmcentr**: Business Central
- **myapp-kieserver**: Decision Server

Replace **myapp** with the application name. Sometimes, several Decision Server deployments can be present under different application names.

For every deployment configuration, run the command:

```
oc set volume dc/<deployment_config_name> --add --type configmap --configmap-name ldap-role-mapping --mount-path=<mapping_dir> --name=ldap-role-mapping
```

Replace **<mapping\_dir>** with the directory name (without file name) set in the **AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES** parameter, for example, **/opt/eap/standalone/configuration/rolemapping** .

## CHAPTER 4. RED HAT DECISION MANAGER ROLES AND USERS

To access Business Central or Decision Server, you must create users and assign them appropriate roles before the servers are started.

The Business Central and Decision Server use Java Authentication and Authorization Service (JAAS) login module to authenticate the users. If both Business Central and Decision Server are running on a single instance, then they share the same JAAS subject and security domain. Therefore, a user, who is authenticated for Business Central can also access Decision Server.

However, if Business Central and Decision Server are running on different instances, then the JAAS login module is triggered for both individually. Therefore, a user, who is authenticated for Business Central, needs to be authenticated separately to access the Decision Server (for example, to view or manage process definitions in Business Central). In case, the user is not authenticated on the Decision Server, then 401 error is logged in the log file, displaying **Invalid credentials to load data from remote server. Contact your system administrator.** message in Business Central.

This section describes available Red Hat Decision Manager user roles.



### NOTE

The **admin**, **analyst**, and **rest-all** roles are reserved for Business Central. The **kie-server** role is reserved for Decision Server. For this reason, the available roles can differ depending on whether Business Central, Decision Server, or both are installed.

- **admin**: Users with the **admin** role are the Business Central administrators. They can manage users and create, clone, and manage the repositories. They have full access to make required changes in the application. Users with the **admin** role have access to all areas within Red Hat Decision Manager.
- **analyst**: Users with the **analyst** role have access to all high-level features. They can model projects. However, these users cannot add contributors to spaces or delete spaces in the **Design → Projects** view. Access to the **Deploy → Execution Servers** view, which is intended for administrators, is not available to users with the **analyst** role. However, the **Deploy** button is available to these users when they access the Library perspective.
- **rest-all**: Users with the **rest-all** role can access Business Central REST capabilities.
- **kie-server**: Users with the **kie-server** role can access Decision Server (KIE Server) REST capabilities.



## CHAPTER 5. OPENSIFT TEMPLATE REFERENCE INFORMATION

Red Hat Decision Manager provides the following OpenShift templates. To access the templates, download and extract the **rhdm-7.6.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page of the Red Hat customer portal.

- **rhdm76-authoring.yaml** provides a Business Central and a Decision Server connected to the Business Central. You can use this environment to author services and other business assets or to run them in staging or production environments. For details about this template, see [Section 5.1, "rhdm76-authoring.yaml template"](#).
- **rhdm76-authoring-ha.yaml** provides a high-availability Business Central and a Decision Server connected to the Business Central. You can use this environment to author services and other business assets or to run them in staging or production environments. For details about this template, see [Section 5.2, "rhdm76-authoring-ha.yaml template"](#).
- **rhdm76-kieserver.yaml** provides a Decision Server. You can configure the Decision Server to connect to a Business Central. In this way, you can set up a staging or production environment in which one Business Central manages several distinct Decision Servers. For details about this template, see [Section 5.3, "rhdm76-kieserver.yaml template"](#).

### 5.1. RHDM76-AUTHORING.YAML TEMPLATE

Application template for a non-HA persistent authoring environment, for Red Hat Decision Manager 7.6 - Deprecated

#### 5.1.1. Parameters

Templates allow you to define parameters which take on a value. That value is then substituted wherever the parameter is referenced. References can be defined in any text field in the objects list field. Refer to the [Openshift documentation](#) for more information.

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPLICATION_NAME</b>	–	The name for the application.	myapp	True
<b>KIE_ADMIN_USER</b>	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	adminUser	False
<b>KIE_ADMIN_PASSWORD</b>	<b>KIE_ADMIN_PASSWORD</b>	KIE administrator password.	–	False
<b>KIE_SERVER_CONTROLLER_USER</b>	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller user name. (Sets the org.kie.server.controller.user system property)	controllerUser	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_CONTROLLER_PASSWORD</b>	<b>KIE_SERVER_CONTROLLER_PASSWORD</b>	KIE server controller password. (Sets the org.kie.server.controller.pwd system property)	–	False
<b>KIE_SERVER_CONTROLLER_TOKEN</b>	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication. (Sets the org.kie.server.controller.token system property)	–	False
<b>KIE_SERVER_USER</b>	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	executionUser	False
<b>KIE_SERVER_PASSWORD</b>	<b>KIE_SERVER_PASSWORD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	–	False
<b>KIE_SERVER_BYPASS_AUTH_USER</b>	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	Allows the KIE server to bypass the authenticated user for task-related operations, for example, queries. (Sets the org.kie.server.bypass.auth.user system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_MODE</b>	<b>KIE_SERVER_MODE</b>	The KIE Server mode. Valid values are 'DEVELOPMENT' or 'PRODUCTION'. In production mode, you can not deploy SNAPSHOT versions of artifacts on the KIE server and can not change the version of an artifact in an existing container. (Sets the org.kie.server.mode system property).	<b>DEVELOPMENT</b>	False
<b>KIE_MBEANS</b>	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	enabled	False
<b>DROOLS_SERVER_FILTER_CLASSES</b>	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering (Sets the org.drools.server.filter.classes system property)	true	False
<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	If set to false, the prometheus server extension will be enabled. (Sets the org.kie.prometheus.server.ext.disabled system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>DECISION_CENTRAL_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for Decision Central. Leave blank for default hostname, e.g.: insecure- <application-name>-rhdmcentr- <project>.<default-domain-suffix>	–	False
<b>DECISION_CENTRAL_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for Decision Central. Leave blank for default hostname, e.g.: <application-name>-rhdmcentr- <project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for KIE Server. Leave blank for default hostname, e.g.: insecure- <application-name>-kieserver- <project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for KIE Server. Leave blank for default hostname, e.g.: <application-name>-kieserver- <project>.<default-domain-suffix>	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>DECISION_CENTRAL_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file for Decision Central.	decisioncentral-app-secret	True
<b>DECISION_CENTRAL_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret.	keystore.jks	False
<b>DECISION_CENTRAL_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate.	jboss	False
<b>DECISION_CENTRAL_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate.	mykeystorepass	False
<b>KIE_SERVER_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file.	kieserver-app-secret	True
<b>KIE_SERVER_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret.	keystore.jks	False
<b>KIE_SERVER_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate.	jboss	False
<b>KIE_SERVER_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate.	mykeystorepass	False
<b>KIE_SERVER_CONTROLLER_OPENSHIFT_GLOBAL_DISCOVERY_ENABLED</b>	<b>KIE_SERVER_CONTROLLER_OPENSHIFT_GLOBAL_DISCOVERY_ENABLED</b>	If set to true, turns on KIE server global discovery feature (Sets the org.kie.server.controller.openshift.global.discovery.enabled system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_CONTROLLER_OPENSHIFT_PREFER_KIESERVER_SERVICE</b>	<b>KIE_SERVER_CONTROLLER_OPENSHIFT_PREFER_KIESERVER_SERVICE</b>	If OpenShift integration of Business Central is turned on, setting this parameter to true enables connection to KIE Server via an OpenShift internal Service endpoint. (Sets the <code>org.kie.server.controller.openshift.prefer.kieserver.service</code> system property)	true	False
<b>KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL</b>	<b>KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL</b>	KIE ServerTemplate Cache TTL in milliseconds. (Sets the <code>org.kie.server.controller.template.cache.ttl</code> system property)	60000	False
<b>IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStreams for Red Hat Decision Manager images are installed. These ImageStreams are normally installed in the <code>openshift</code> namespace. You should only need to modify this if you installed the ImageStreams in a different namespace/project.	openshift	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for KIE server. Default is "rhd-kieserver-rhel8".	rhd-kieserver-rhel8	True
<b>IMAGE_STREAM_TAG</b>	–	A named pointer to an image in an image stream. Default is "7.6.0".	7.6.0	True
<b>MAVEN_MIRROR_URL</b>	<b>MAVEN_MIRROR_URL</b>	Maven mirror that Decision Central and KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for building and deploying your services.	–	False
<b>MAVEN_MIRROR_OF</b>	<b>MAVEN_MIRROR_OF</b>	Maven mirror configuration for KIE server.	external:*,!repo-rhdmcen	False
<b>MAVEN_REPOSITORY_ID</b>	<b>MAVEN_REPOSITORY_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcen,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	repo-custom	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>MAVEN_REPO_URL</b>	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<a href="http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/">http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/</a>	False
<b>MAVEN_REPO_USERNAME</b>	<b>MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	–	False
<b>MAVEN_REPO_PASSWORD</b>	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	–	False
<b>DECISION_CENTRAL_MAVEN_USERNAME</b>	<b>KIE_MAVEN_USER</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	mavenUser	True
<b>DECISION_CENTRAL_MAVEN_PASSWORD</b>	<b>KIE_MAVEN_PASSWORD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	–	True
<b>GIT_HOOKS_DIRECTORY</b>	<b>GIT_HOOKS_DIRECTORY</b>	The directory to use for git hooks, if required.	<b>/opt/kie/data/git/hooks</b>	False
<b>DECISION_CENTRAL_VOLUME_CAPACITY</b>	–	Size of the persistent storage for Decision Central's runtime data.	1Gi	True
<b>DECISION_CENTRAL_MEMORY_LIMIT</b>	–	Decision Central Container memory limit.	2Gi	False
<b>KIE_SERVER_MEMORY_LIMIT</b>	–	KIE server Container memory limit.	1Gi	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>SSO_URL</b>	<b>SSO_URL</b>	RH-SSO URL.	<a href="https://rh-sso.example.com/auth">https://rh-sso.example.com/auth</a>	False
<b>SSO_REALM</b>	<b>SSO_REALM</b>	RH-SSO Realm name.	–	False
<b>DECISION_CENTRAL_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	Decision Central RH-SSO Client name	–	False
<b>DECISION_CENTRAL_SSO_SECRET</b>	<b>SSO_SECRET</b>	Decision Central RH-SSO Client Secret.	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>KIE_SERVER_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name.	–	False
<b>KIE_SERVER_SSO_SECRET</b>	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret.	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>SSO_USERNAME</b>	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	–	False
<b>SSO_PASSWORD</b>	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	–	False
<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	false	False
<b>SSO_PRINCIPAL_ATTRIBUTE</b>	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	preferred_username	False
<b>AUTH_LDAP_URL</b>	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	ldap://myldap.example.com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_BIND_DN</b>	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	uid=admin,ou=users,ou=example,ou=com	False
<b>AUTH_LDAP_BIND_CREDENTIAL</b>	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	Password	False
<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	–	False
<b>AUTH_LDAP_BASE_CTX_DN</b>	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	ou=users,ou=example,ou=com	False
<b>AUTH_LDAP_BASE_FILTER</b>	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	(uid={0})	False
<b>AUTH_LDAP_SEARCH_SCOPE</b>	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>SUBTREE_SCOPE</b>	False
<b>AUTH_LDAP_SEARCH_TIMEOUT</b>	<b>AUTH_LDAP_SEARCH_TIMEOUT</b>	The timeout in milliseconds for user or role searches.	10000	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	distinguishedName	False
<b>AUTH_LDAP_PARSE_USERNAME</b>	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	true	False
<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_USERNAME_END_STRING</b>	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<code>memberOf</code>	False
<b>AUTH_LDAP_ROLE_CONTEXT_DN</b>	<b>AUTH_LDAP_ROLE_CONTEXT_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<code>ou=groups,ou=example,ou=com</code>	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_FILTER</b>	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	(memberOf={1})	False
<b>AUTH_LDAP_ROLE_RECURSION</b>	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	1	False
<b>AUTH_LDAP_DEFAULT_ROLE</b>	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	user	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	name	False
<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttribute ID. If set to true, the DN is checked for the roleNameAttribute ID. If set to false, the DN is not checked for the roleNameAttribute ID. This flag can improve the performance of LDAP queries.	false	False
<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeId attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_REFERRAL_USE_R_ATTRIBUTE_ID_TO_CHECK</b>	<b>AUTH_LDAP_REFERRAL_USE_R_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	–	False
<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This parameter defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	–	False
<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	–	False

## 5.1.2. Objects

The CLI supports various object types. A list of these object types as well as their abbreviations can be found in the [Openshift documentation](#).

### 5.1.2.1. Services

A service is an abstraction which defines a logical set of pods and a policy by which to access them. Refer to the [container-engine documentation](#) for more information.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-rhdmcenr</b>	8080	http	All the Decision Central web server's ports.
	8443	https	
<b>\${APPLICATION_NAME}-kieserver</b>	8080	http	All the KIE server web server's ports.
	8443	https	

### 5.1.2.2. Routes

A route is a way to expose a service by giving it an externally-reachable hostname such as **www.example.com**. A defined route and the endpoints identified by its service can be consumed by a router to provide named connectivity from external clients to your applications. Each route consists of a route name, service selector, and (optionally) security configuration. Refer to the [Openshift documentation](#) for more information.

Service	Security	Hostname
insecure- \${APPLICATION_NAME}- rhdmcenr-http	none	<b>\${DECISION_CENTRAL_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}- rhdmcenr-https</b>	TLS passthrough	<b>\${DECISION_CENTRAL_HOSTNAME_HTTPS}</b>
insecure- \${APPLICATION_NAME}- kieserver-http	none	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}- kieserver-https</b>	TLS passthrough	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>

### 5.1.2.3. Deployment Configurations

A deployment in OpenShift is a replication controller based on a user defined template called a deployment configuration. Deployments are created manually or in response to triggered events. Refer to the [Openshift documentation](#) for more information.



### 5.1.2.3.1. Triggers

A trigger drives the creation of new deployments in response to events, both inside and outside OpenShift. Refer to the [OpenShift documentation](#) for more information.

Deployment	Triggers
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	ImageChange

### 5.1.2.3.2. Replicas

A replication controller ensures that a specified number of pod "replicas" are running at any one time. If there are too many, the replication controller kills some pods. If there are too few, it starts more. Refer to the [container-engine documentation](#) for more information.

Deployment	Replicas
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	1
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	1

### 5.1.2.3.3. Pod Template

#### 5.1.2.3.3.1. Service Accounts

Service accounts are API objects that exist within each project. They can be created or deleted like any other API object. Refer to the [OpenShift documentation](#) for more information.

Deployment	Service Account
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	<b><code>\${APPLICATION_NAME}-rhdmsvc</code></b>
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${APPLICATION_NAME}-rhdmsvc</code></b>

#### 5.1.2.3.3.2. Image

Deployment	Image
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	rhdm-decisioncentral-rhel8
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${KIE_SERVER_IMAGE_STREAM_NAME}</code></b>

#### 5.1.2.3.3.3. Readiness Probe

**\${APPLICATION\_NAME}-rhdmcentr**

Http Get on `http://localhost:8080/rest/ready`

**\${APPLICATION\_NAME}-kieserver**

Http Get on `http://localhost:8080/services/rest/server/readycheck`

## 5.1.2.3.3.4. Liveness Probe

**\${APPLICATION\_NAME}-rhdmcentr**

Http Get on `http://localhost:8080/rest/healthy`

**\${APPLICATION\_NAME}-kieserver**

Http Get on `http://localhost:8080/services/rest/server/healthcheck`

## 5.1.2.3.3.5. Exposed Ports

Deployments	Name	Port	Protocol
<b>\${APPLICATION_NAME}-rhdmcentr</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>
<b>\${APPLICATION_NAME}-kieserver</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>

## 5.1.2.3.3.6. Image Environment Variables

Deployment	Variable name	Description	Example value
<b>\${APPLICATION_NAME}-rhdmcentr</b>	<b>APPLICATION_USE_RS_PROPERTIES</b>	–	<code>/opt/kie/data/configuration/application-users.properties</code>
	<b>APPLICATION_ROLES_PROPERTIES</b>	–	<code>/opt/kie/data/configuration/application-roles.properties</code>

Deployment	Variable name	Description	Example value
	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	<b>`\${KIE_ADMIN_USER}`</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password.	<b>`\${KIE_ADMIN_PWD}`</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>`\${KIE_MBEANS}`</b>
	<b>KIE_SERVER_CONTROLLER_OPENSIFT_GLOBAL_DISCOVERY_ENABLED</b>	If set to true, turns on KIE server global discovery feature (Sets the org.kie.server.controller.openshift.global.discovery.enabled system property)	<b>`\${KIE_SERVER_CONTROLLER_OPENSIFT_GLOBAL_DISCOVERY_ENABLED}`</b>
	<b>KIE_SERVER_CONTROLLER_OPENSIFT_PREFER_KIESERVER_SERVICE</b>	If OpenShift integration of Business Central is turned on, setting this parameter to true enables connection to KIE Server via an OpenShift internal Service endpoint. (Sets the org.kie.server.controller.openshift.prefer.kieserver.service system property)	<b>`\${KIE_SERVER_CONTROLLER_OPENSIFT_PREFER_KIESERVER_SERVICE}`</b>
	<b>KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL</b>	KIE ServerTemplate Cache TTL in milliseconds. (Sets the org.kie.server.controller.template.cache.ttl system property)	<b>`\${KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL}`</b>
	<b>KIE_WORKBENCH_CONTROLLER_OPENSIFT_ENABLED</b>	–	true

Deployment	Variable name	Description	Example value
	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller user name. (Sets the org.kie.server.controller.user system property)	<b>`\${KIE_SERVER_CONTROLLER_USER}`</b>
	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password. (Sets the org.kie.server.controller.pwd system property)	<b>`\${KIE_SERVER_CONTROLLER_PWD}`</b>
	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication. (Sets the org.kie.server.controller.token system property)	<b>`\${KIE_SERVER_CONTROLLER_TOKEN}`</b>
	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	<b>`\${KIE_SERVER_USER}`</b>
	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	<b>`\${KIE_SERVER_PWD}`</b>
	<b>WORKBENCH_ROUTE_NAME</b>	–	<b>`\${APPLICATION_NAME}-rhdmcenr`</b>
	<b>MAVEN_MIRROR_URL</b>	Maven mirror that Decision Central and KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for building and deploying your services.	<b>`\${MAVEN_MIRROR_URL}`</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_REPO_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	<b>\${MAVEN_REPO_ID}</b>
	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>\${MAVEN_REPO_URL}</b>
	<b>MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	<b>\${MAVEN_REPO_USERNAME}</b>
	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>\${MAVEN_REPO_PASSWORD}</b>
	<b>KIE_MAVEN_USER</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_USERNAME}</b>
	<b>KIE_MAVEN_PWD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_PASSWORD}</b>
	<b>GIT_HOOKS_DIR</b>	The directory to use for git hooks, if required.	<b>\${GIT_HOOKS_DIR}</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/decisioncentral-secret-volume</b>

Deployment	Variable name	Description	Example value
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret.	<b>`\${DECISION_CENTRAL_HTTPS_KEYSTORE}`</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate.	<b>`\${DECISION_CENTRAL_HTTPS_NAME}`</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate.	<b>`\${DECISION_CENTRAL_HTTPS_PASSWORD}`</b>
	<b>SSO_URL</b>	RH-SSO URL.	<b>`\${SSO_URL}`</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name.	<b>`\${SSO_REALM}`</b>
	<b>SSO_SECRET</b>	Decision Central RH-SSO Client Secret.	<b>`\${DECISION_CENTRAL_SSO_SECRET}`</b>
	<b>SSO_CLIENT</b>	Decision Central RH-SSO Client name	<b>`\${DECISION_CENTRAL_SSO_CLIENT}`</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	<b>`\${SSO_USERNAME}`</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	<b>`\${SSO_PASSWORD}`</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	<b>`\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}`</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	<b>`\${SSO_PRINCIPAL_ATTRIBUTE}`</b>

Deployment	Variable name	Description	Example value
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for Decision Central. Leave blank for default hostname, e.g.: insecure-<application-name>-rhdmcentr-<project>.<default-domain-suffix>	<b>`\${DECISION_CENTRAL_HOSTNAME_HTTP}`</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for Decision Central. Leave blank for default hostname, e.g.: <application-name>-rhdmcentr-<project>.<default-domain-suffix>	<b>`\${DECISION_CENTRAL_HOSTNAME_HTTPS}`</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	<b>`\${AUTH_LDAP_URL}`</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	<b>`\${AUTH_LDAP_BIND_DN}`</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	<b>`\${AUTH_LDAP_BIND_CREDENTIAL}`</b>
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>\${AUTH_LDAP_BASE_FILTER}</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>\${AUTH_LDAP_SEARCH_SCOPE}</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>\${AUTH_LDAP_SEARCH_TIME_LIMIT}</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}</b>
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with usernameBeginString and usernameEndString.	<b>\${AUTH_LDAP_PARSE_USERNAME}</b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_USER_NAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USER_NAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b><code>\${AUTH_LDAP_ROLE_S_CTX_DN}</code></b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This parameter defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>
<b>\${APPLICATION_NAME}-kieserver</b>	<b>WORKBENCH_SERVICE_NAME</b>	–	<b>\${APPLICATION_NAME}-rhdmcenr</b>
	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	<b>\${KIE_ADMIN_USER}</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password.	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_SERVER_MODE</b>	The KIE Server mode. Valid values are 'DEVELOPMENT' or 'PRODUCTION'. In production mode, you can not deploy SNAPSHOT versions of artifacts on the KIE server and can not change the version of an artifact in an existing container. (Sets the org.kie.server.mode system property).	<b>\${KIE_SERVER_MODE}</b>

Deployment	Variable name	Description	Example value
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering (Sets the org.drools.server.filter.classes system property)	<b>\${DROOLS_SERVER_FILTER_CLASSES}</b>
	<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	If set to false, the prometheus server extension will be enabled. (Sets the org.kie.prometheus.server.ext.disabled system property)	<b>\${PROMETHEUS_SERVER_EXT_DISABLED}</b>
	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	Allows the KIE server to bypass the authenticated user for task-related operations, for example, queries. (Sets the org.kie.server.bypass.auth.user system property)	<b>\${KIE_SERVER_BYPASS_AUTH_USER}</b>
	<b>KIE_SERVER_ID</b>	–	–
	<b>KIE_SERVER_ROUTE_NAME</b>	–	<b>\${APPLICATION_NAME}-kieserver</b>
	<b>KIE_SERVER_STARTUP_STRATEGY</b>	–	OpenShiftStartupStrategy
	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>
	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_MIRROR_URL</b>	Maven mirror that Decision Central and KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for building and deploying your services.	<b>\${MAVEN_MIRROR_URL}</b>
	<b>MAVEN_MIRROR_OFF</b>	Maven mirror configuration for KIE server.	<b>\${MAVEN_MIRROR_OFF}</b>
	<b>MAVEN_REPOS</b>	–	RHDMCENTR,EXTERNAL
	<b>RHDMCENTR_MAVEN_REPO_ID</b>	–	repo-rhdmcentr
	<b>RHDMCENTR_MAVEN_REPO_SERVICE</b>	–	<b>\${APPLICATION_NAME}-rhdmcentr</b>
	<b>RHDMCENTR_MAVEN_REPO_PATH</b>	–	<i>/maven2/</i>
	<b>RHDMCENTR_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_USERNAME}</b>
	<b>RHDMCENTR_MAVEN_REPO_PASSWORD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_PASSWORD}</b>

Deployment	Variable name	Description	Example value
	<b>EXTERNAL_MAVEN_REPO_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	<b>`\${MAVEN_REPO_ID}`</b>
	<b>EXTERNAL_MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>`\${MAVEN_REPO_URL}`</b>
	<b>EXTERNAL_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	<b>`\${MAVEN_REPO_USERNAME}`</b>
	<b>EXTERNAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>`\${MAVEN_REPO_PASSWORD}`</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/kieserver-secret-volume</b>
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret.	<b>`\${KIE_SERVER_HTTPS_KEYSTORE}`</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate.	<b>`\${KIE_SERVER_HTTPS_NAME}`</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate.	<b>`\${KIE_SERVER_HTTPS_PASSWORD}`</b>
	<b>SSO_URL</b>	RH-SSO URL.	<b>`\${SSO_URL}`</b>

Deployment	Variable name	Description	Example value
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name.	<b>\${SSO_REALM}</b>
	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret.	<b>\${KIE_SERVER_SSO_SECRET}</b>
	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name.	<b>\${KIE_SERVER_SSO_CLIENT}</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	<b>\${SSO_USERNAME}</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	<b>\${SSO_PASSWORD}</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	<b>\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	<b>\${SSO_PRINCIPAL_ATTRIBUTE}</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for KIE Server. Leave blank for default hostname, e.g.: insecure-<application-name>-kieserver-<project>.<default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for KIE Server. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	<b>\${AUTH_LDAP_URL}</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	<b>\${AUTH_LDAP_BIND_DN}</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	<b>\${AUTH_LDAP_BIND_CREDENTIAL}</b>
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>\${AUTH_LDAP_BASE_CTX_DN}</b>
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>\${AUTH_LDAP_BASE_FILTER}</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>\${AUTH_LDAP_SEARCH_SCOPE}</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>\${AUTH_LDAP_SEARCH_TIME_LIMIT}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}</b>
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b>\${AUTH_LDAP_PARSE_USERNAME}</b>
	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</b>
	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b>\${AUTH_LDAP_USERNAME_END_STRING}</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b>`\${AUTH_LDAP_ROLE_S_CTX_DN}`</b>
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}</b>
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}</b>
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This parameter defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>

#### 5.1.2.3.3.7. Volumes

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-rhdmcentr</b>	decisioncentral-keystore-volume	<b>/etc/decisioncentral-secret-volume</b>	ssl certs	True

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-kieserver</b>	kieserver-keystore-volume	<b>/etc/kieserver-secret-volume</b>	ssl certs	True

#### 5.1.2.4. External Dependencies

##### 5.1.2.4.1. Volume Claims

A **PersistentVolume** object is a storage resource in an OpenShift cluster. Storage is provisioned by an administrator by creating **PersistentVolume** objects from sources such as GCE Persistent Disks, AWS Elastic Block Stores (EBS), and NFS mounts. Refer to the [Openshift documentation](#) for more information.

Name	Access Mode
<b>\${APPLICATION_NAME}-rhdmcentr-claim</b>	ReadWriteOnce

##### 5.1.2.4.2. Secrets

This template requires the following secrets to be installed for the application to run.

decisioncentral-app-secret kieserver-app-secret

## 5.2. RHDM76-AUTHORING-HA.YAML TEMPLATE

Application template for a HA persistent authoring environment, for Red Hat Decision Manager 7.6 -  
Deprecated

### 5.2.1. Parameters

Templates allow you to define parameters which take on a value. That value is then substituted wherever the parameter is referenced. References can be defined in any text field in the objects list field. Refer to the [Openshift documentation](#) for more information.

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPLICATION_NAME</b>	–	The name for the application.	myapp	True
<b>KIE_ADMIN_USER</b>	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	adminUser	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_ADMIN_PWD</b>	<b>KIE_ADMIN_PWD</b>	KIE administrator password.	–	False
<b>KIE_SERVER_CONTROLLER_USER</b>	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller user name. (Sets the org.kie.server.controller.user system property)	controllerUser	False
<b>KIE_SERVER_CONTROLLER_PWD</b>	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password. (Sets the org.kie.server.controller.pwd system property)	–	False
<b>KIE_SERVER_CONTROLLER_TOKEN</b>	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication. (Sets the org.kie.server.controller.token system property)	–	False
<b>KIE_SERVER_USER</b>	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	executionUser	False
<b>KIE_SERVER_PWD</b>	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	–	False
<b>KIE_SERVER_BYPASS_AUTH_USER</b>	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	Allows the KIE server to bypass the authenticated user for task-related operations, for example, queries. (Sets the org.kie.server.bypass.auth.user system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_MODE</b>	<b>KIE_SERVER_MODE</b>	The KIE Server mode. Valid values are 'DEVELOPMENT' or 'PRODUCTION'. In production mode, you can not deploy SNAPSHOT versions of artifacts on the KIE server and can not change the version of an artifact in an existing container. (Sets the org.kie.server.mode system property).	<b>DEVELOPMENT</b>	False
<b>KIE_MBEANS</b>	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled. (Sets the kie.mbeans and kie.scanner.mbeans system properties)	enabled	False
<b>DROOLS_SERVER_FILTER_CLASSES</b>	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering. (Sets the org.drools.server.filter.classes system property)	true	False
<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	If set to false, the prometheus server extension will be enabled. (Sets the org.kie.prometheus.server.ext.disabled system property)	false	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>DECISION_CENTRAL_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for Decision Central. Leave blank for default hostname, e.g.: insecure-<application-name>-rhdmcentr-<project>.<default-domain-suffix>	–	False
<b>DECISION_CENTRAL_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for Decision Central. Leave blank for default hostname, e.g.: <application-name>-rhdmcentr-<project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for KIE Server. Leave blank for default hostname, e.g.: insecure-<application-name>-kieserver-<project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for KIE Server. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>DECISION_CENTRAL_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file for Decision Central.	decisioncentral-app-secret	True
<b>DECISION_CENTRAL_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret for Decision Central.	keystore.jks	False
<b>DECISION_CENTRAL_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate for Decision Central.	jboss	False
<b>DECISION_CENTRAL_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate for Decision Central.	mykeystorepass	False
<b>KIE_SERVER_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file for KIE Server.	kieserver-app-secret	True
<b>KIE_SERVER_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret for KIE Server.	keystore.jks	False
<b>KIE_SERVER_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate for KIE Server.	jboss	False
<b>KIE_SERVER_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate for KIE Server.	mykeystorepass	False
<b>APPFORMER_JMS_BROKER_USER</b>	<b>APPFORMER_JMS_BROKER_USER</b>	The user name to connect to the JMS broker.	jmsBrokerUser	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPFORMER_JMS_BROKER_PASSWORD</b>	<b>APPFORMER_JMS_BROKER_PASSWORD</b>	The password to connect to the JMS broker.	–	True
<b>DATAGRID_IMAGE</b>	–	DataGrid image.	registry.redhat.io/jboss-datagrid-7/datagrid73-openshift:1.3	True
<b>DATAGRID_CPU_LIMIT</b>	–	DataGrid Container CPU limit.	1000m	True
<b>DATAGRID_MEMORY_LIMIT</b>	–	DataGrid Container memory limit.	2Gi	True
<b>DATAGRID_VOLUME_CAPACITY</b>	–	Size of the persistent storage for DataGrid's runtime data.	1Gi	True
<b>AMQ_BROKER_IMAGE</b>	–	AMQ Broker Image	registry.redhat.io/amq7/amq-broker:7.5	True
<b>AMQ_ROLE</b>	–	User role for standard broker user.	admin	True
<b>AMQ_NAME</b>	–	The name of the broker.	broker	True
<b>AMQ_GLOBAL_MAX_SIZE</b>	–	Specifies the maximum amount of memory that message data can consume. If no value is specified, half of the system's memory is allocated.	10 gb	False
<b>AMQ_VOLUME_CAPACITY</b>	–	Size of persistent storage for AMQ broker volume.	1Gi	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>AMQ_REPLICAS</b>	–	Number of broker replicas for a cluster	2	True
<b>KIE_SERVER_CONTROLLER_OPENSHIFT_GLOBAL_DISCOVERY_ENABLED</b>	<b>KIE_SERVER_CONTROLLER_OPENSHIFT_GLOBAL_DISCOVERY_ENABLED</b>	If set to true, turns on KIE server global discovery feature (Sets the org.kie.server.controller.openshift.global.discovery.enabled system property)	false	False
<b>KIE_SERVER_CONTROLLER_OPENSHIFT_PREFER_KIESERVER_SERVICE</b>	<b>KIE_SERVER_CONTROLLER_OPENSHIFT_PREFER_KIESERVER_SERVICE</b>	If OpenShift integration of Business Central is turned on, setting this parameter to true enables connection to KIE Server via an OpenShift internal Service endpoint. (Sets the org.kie.server.controller.openshift.prefer.kieserver.service system property)	true	False
<b>KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL</b>	<b>KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL</b>	KIE ServerTemplate Cache TTL in milliseconds. (Sets the org.kie.server.controller.template.cache.ttl system property)	60000	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStreams for Red Hat Decision Manager images are installed. These ImageStreams are normally installed in the openshift namespace. You should only need to modify this if you installed the ImageStreams in a different namespace/project.	openshift	True
<b>DECISION_CENTRAL_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for Decision Central. Default is "rdm-decisioncentral-rhel8".	rdm-decisioncentral-rhel8	True
<b>KIE_SERVER_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for KIE server. Default is "rdm-kieserver-rhel8".	rdm-kieserver-rhel8	True
<b>IMAGE_STREAM_TAG</b>	–	A named pointer to an image in an image stream. Default is "7.6.0".	7.6.0	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>MAVEN_MIRROR_URL</b>	<b>MAVEN_MIRROR_URL</b>	Maven mirror that Decision Central and KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for building and deploying your services.	–	False
<b>MAVEN_MIRROR_OF</b>	<b>MAVEN_MIRROR_OF</b>	Maven mirror configuration for KIE server.	external:*,!repo-rhdmcentr	False
<b>MAVEN_REPOSITORY_ID</b>	<b>MAVEN_REPOSITORY_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	repo-custom	False
<b>MAVEN_REPOSITORY_URL</b>	<b>MAVEN_REPOSITORY_URL</b>	Fully qualified URL to a Maven repository or service.	<a href="http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/">http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/</a>	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>MAVEN_REPO_USERNAME</b>	<b>MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	–	False
<b>MAVEN_REPO_PASSWORD</b>	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	–	False
<b>DECISION_CENTRAL_MAVEN_USERNAME</b>	<b>KIE_MAVEN_USER</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	mavenUser	True
<b>DECISION_CENTRAL_MAVEN_PASSWORD</b>	<b>KIE_MAVEN_PASSWORD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	–	True
<b>GIT_HOOKS_DIRECTORY</b>	<b>GIT_HOOKS_DIRECTORY</b>	The directory to use for git hooks, if required.	<b>/opt/kie/data/git/hooks</b>	False
<b>DECISION_CENTRAL_VOLUME_CAPACITY</b>	–	Size of the persistent storage for Decision Central's runtime data.	1Gi	True
<b>DECISION_CENTRAL_MEMORY_LIMIT</b>	–	Decision Central Container memory limit.	8Gi	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>DECISION_CENTRAL_JAVA_MAX_MEM_RATIO</b>	<b>JAVA_MAX_MEM_RATIO</b>	Decision Central Container JVM maximum memory ratio. -Xmx is set to a ratio of the memory available on the container. The default is 80, which means the upper boundary is 80% of the available memory. To skip adding the -Xmx option, set this value to 0.	80	True
<b>DECISION_CENTRAL_CPU_LIMIT</b>	–	Decision Central Container CPU limit.	2000m	True
<b>KIE_SERVER_MEMORY_LIMIT</b>	–	KIE server Container memory limit.	1Gi	True
<b>KIE_SERVER_CPU_LIMIT</b>	–	KIE server Container CPU limit.	1000m	True
<b>SSO_URL</b>	<b>SSO_URL</b>	RH-SSO URL.	<a href="https://rh-sso.example.com/auth">https://rh-sso.example.com/auth</a>	False
<b>SSO_REALM</b>	<b>SSO_REALM</b>	RH-SSO Realm name.	–	False
<b>DECISION_CENTRAL_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	Decision Central RH-SSO Client name.	–	False
<b>DECISION_CENTRAL_SSO_SECRET</b>	<b>SSO_SECRET</b>	Decision Central RH-SSO Client Secret.	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>KIE_SERVER_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name.	–	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_SSO_SECRET</b>	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret.	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>SSO_USERNAME</b>	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	–	False
<b>SSO_PASSWORD</b>	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	–	False
<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	false	False
<b>SSO_PRINCIPAL_ATTRIBUTE</b>	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	preferred_username	False
<b>AUTH_LDAP_URL</b>	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	ldap://myldap.example.com	False
<b>AUTH_LDAP_BIND_DN</b>	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	uid=admin,ou=users,ou=example,ou=com	False
<b>AUTH_LDAP_BIND_CREDENTIAL</b>	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	Password	False
<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	–	False
<b>AUTH_LDAP_BASE_CTX_DN</b>	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	ou=users,ou=example,ou=com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_B ASE_FILTER</b>	<b>AUTH_LDAP_B ASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	(uid={0})	False
<b>AUTH_LDAP_S EARCH_SCOPE</b>	<b>AUTH_LDAP_S EARCH_SCOPE</b>	The search scope to use.	<b>SUBTREE_SCO PE</b>	False
<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	The timeout in milliseconds for user or role searches.	10000	False
<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	distinguishedNam e	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_PARSE_USERNAME</b>	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	true	False
<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_USERNAME_END_STRING</b>	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	memberOf	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLES_CTX_DN</b>	<b>AUTH_LDAP_ROLES_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	ou=groups,ou=example,ou=com	False
<b>AUTH_LDAP_ROLE_FILTER</b>	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	(memberOf={1})	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_RECURSION</b>	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	1	False
<b>AUTH_LDAP_DEFAULT_ROLE</b>	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	user	False
<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributelsDN property is set to true, this property is used to find the role object's name attribute.	name	False
<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttribute ID. If set to true, the DN is checked for the roleNameAttribute ID. If set to false, the DN is not checked for the roleNameAttribute ID. This flag can improve the performance of LDAP queries.	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeId attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	false	False
<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This parameter defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is <code>original_role=role1,role2,role3</code>	–	False
<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	–	False

## 5.2.2. Objects

The CLI supports various object types. A list of these object types as well as their abbreviations can be found in the [Openshift documentation](#).

### 5.2.2.1. Services

A service is an abstraction which defines a logical set of pods and a policy by which to access them. Refer to the [container-engine documentation](#) for more information.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-rhdmcentr</b>	8080	http	All the Decision Central web server's ports.
	8443	https	
<b>\${APPLICATION_NAME}-rhdmcentr-ping</b>	8888	ping	The JGroups ping port for rhdmcentr clustering.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-datagrid-ping</b>	8888	ping	Provides a ping service for clustered applications.
<b>\${APPLICATION_NAME}-datagrid</b>	11222	hotrod	Provides a service for accessing the application over Hot Rod protocol.
<b>\${APPLICATION_NAME}-kieserver</b>	8080	http	All the KIE server web server's ports.
	8443	https	
<b>\${APPLICATION_NAME}-amq-tcp</b>	61616	–	The broker's OpenWire port.
<b>ping</b>	8888	–	The JGroups ping port for amq clustering.

### 5.2.2.2. Routes

A route is a way to expose a service by giving it an externally-reachable hostname such as **www.example.com**. A defined route and the endpoints identified by its service can be consumed by a router to provide named connectivity from external clients to your applications. Each route consists of a route name, service selector, and (optionally) security configuration. Refer to the [OpenShift documentation](#) for more information.

Service	Security	Hostname
insecure- \${APPLICATION_NAME}- rhdmcenr-http	none	<b>\${DECISION_CENTRAL_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}- rhdmcenr-https</b>	TLS passthrough	<b>\${DECISION_CENTRAL_HOSTNAME_HTTPS}</b>
insecure- \${APPLICATION_NAME}- kieserver-http	none	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}- kieserver-https</b>	TLS passthrough	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>

### 5.2.2.3. Deployment Configurations



A deployment in OpenShift is a replication controller based on a user defined template called a deployment configuration. Deployments are created manually or in response to triggered events. Refer to the [OpenShift documentation](#) for more information.

#### 5.2.2.3.1. Triggers

A trigger drives the creation of new deployments in response to events, both inside and outside OpenShift. Refer to the [OpenShift documentation](#) for more information.

Deployment	Triggers
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	ImageChange

#### 5.2.2.3.2. Replicas

A replication controller ensures that a specified number of pod "replicas" are running at any one time. If there are too many, the replication controller kills some pods. If there are too few, it starts more. Refer to the [container-engine documentation](#) for more information.

Deployment	Replicas
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	2
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	2

#### 5.2.2.3.3. Pod Template

##### 5.2.2.3.3.1. Service Accounts

Service accounts are API objects that exist within each project. They can be created or deleted like any other API object. Refer to the [OpenShift documentation](#) for more information.

Deployment	Service Account
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	<b><code>\${APPLICATION_NAME}-rhdmsvc</code></b>
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${APPLICATION_NAME}-rhdmsvc</code></b>

##### 5.2.2.3.3.2. Image

Deployment	Image
<b><code>\${APPLICATION_NAME}-rhdmcentr</code></b>	<b><code>\${DECISION_CENTRAL_IMAGE_STREAM_NAME}</code></b>

Deployment	Image
<b>\${APPLICATION_NAME}-kieserver</b>	<b>\${KIE_SERVER_IMAGE_STREAM_NAME}</b>

#### 5.2.2.3.3.3. Readiness Probe

**\${APPLICATION\_NAME}-rhdmcenr**

Http Get on <http://localhost:8080/rest/ready>

**\${APPLICATION\_NAME}-kieserver**

Http Get on <http://localhost:8080/services/rest/server/readycheck>

#### 5.2.2.3.3.4. Liveness Probe

**\${APPLICATION\_NAME}-rhdmcenr**

Http Get on <http://localhost:8080/rest/healthy>

**\${APPLICATION\_NAME}-kieserver**

Http Get on <http://localhost:8080/services/rest/server/healthcheck>

#### 5.2.2.3.3.5. Exposed Ports

Deployments	Name	Port	Protocol
<b>\${APPLICATION_NAME}-rhdmcenr</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>
	ping	8888	<b>TCP</b>
<b>\${APPLICATION_NAME}-kieserver</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>

#### 5.2.2.3.3.6. Image Environment Variables

Deployment	Variable name	Description	Example value
<b>\${APPLICATION_NAME}-rhdmcentr</b>	<b>APPLICATION_USE_RS_PROPERTIES</b>	–	<b>/opt/kie/data/configuration/application-users.properties</b>
	<b>APPLICATION_ROLES_PROPERTIES</b>	–	<b>/opt/kie/data/configuration/application-roles.properties</b>
	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	<b>\${KIE_ADMIN_USER}</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password.	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled. (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>KIE_SERVER_CONTROLLER_OPENSIFT_GLOBAL_DISCOVERY_ENABLED</b>	If set to true, turns on KIE server global discovery feature (Sets the org.kie.server.controller.openshift.global.discovery.enabled system property)	<b>\${KIE_SERVER_CONTROLLER_OPENSIFT_GLOBAL_DISCOVERY_ENABLED}</b>
	<b>KIE_SERVER_CONTROLLER_OPENSIFT_PREFER_KIESERVER_SERVICE</b>	If OpenShift integration of Business Central is turned on, setting this parameter to true enables connection to KIE Server via an OpenShift internal Service endpoint. (Sets the org.kie.server.controller.openshift.prefer.kieserver.service system property)	<b>\${KIE_SERVER_CONTROLLER_OPENSIFT_PREFER_KIESERVER_SERVICE}</b>
<b>KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL</b>	KIE ServerTemplate Cache TTL in milliseconds. (Sets the org.kie.server.controller.template.cache.ttl system property)	<b>\${KIE_SERVER_CONTROLLER_TEMPLATE_CACHE_TTL}</b>	

Deployment	Variable name	Description	Example value
	<b>KIE_WORKBENCH_CONTROLLER_OPERATOR_ENABLED</b>	–	true
	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller user name. (Sets the org.kie.server.controller.user system property)	<b>\${KIE_SERVER_CONTROLLER_USER}</b>
	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password. (Sets the org.kie.server.controller.pwd system property)	<b>\${KIE_SERVER_CONTROLLER_PWD}</b>
	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication. (Sets the org.kie.server.controller.token system property)	<b>\${KIE_SERVER_CONTROLLER_TOKEN}</b>
	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>
	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>
	<b>WORKBENCH_ROUTE_NAME</b>	–	<b>\${APPLICATION_NAME}-rhdmcen</b>
	<b>MAVEN_MIRROR_URL</b>	Maven mirror that Decision Central and KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for building and deploying your services.	<b>\${MAVEN_MIRROR_URL}</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_REPO_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	<b>\${MAVEN_REPO_ID}</b>
	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>\${MAVEN_REPO_URL}</b>
	<b>MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	<b>\${MAVEN_REPO_USERNAME}</b>
	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>\${MAVEN_REPO_PASSWORD}</b>
	<b>KIE_MAVEN_USER</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_USERNAME}</b>
	<b>KIE_MAVEN_PWD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_PASSWORD}</b>
	<b>GIT_HOOKS_DIR</b>	The directory to use for git hooks, if required.	<b>\${GIT_HOOKS_DIR}</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/decisioncentral-secret-volume</b>

Deployment	Variable name	Description	Example value
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret for Decision Central.	<b>`\${DECISION_CENTRAL_HTTPS_KEYSTORE}`</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate for Decision Central.	<b>`\${DECISION_CENTRAL_HTTPS_NAME}`</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate for Decision Central.	<b>`\${DECISION_CENTRAL_HTTPS_PASSWORD}`</b>
	<b>JGROUPS_PING_PROTOCOL</b>	–	openshift.DNS_PING
	<b>OPENSIFT_DNS_PING_SERVICE_NAME</b>	–	<b>`\${APPLICATION_NAME}-rdmcentr-ping`</b>
	<b>OPENSIFT_DNS_PING_SERVICE_PORT</b>	–	8888
	<b>APPFORMER_INFISPAN_SERVICE_NAME</b>	–	<b>`\${APPLICATION_NAME}-datagrid`</b>
	<b>APPFORMER_INFISPAN_PORT</b>	–	11222
	<b>APPFORMER_JMS_BROKER_ADDRESS</b>	–	<b>`\${APPLICATION_NAME}-amq-tcp`</b>
	<b>APPFORMER_JMS_BROKER_PORT</b>	–	61616
	<b>APPFORMER_JMS_BROKER_USER</b>	The user name to connect to the JMS broker.	<b>`\${APPFORMER_JMS_BROKER_USER}`</b>
	<b>APPFORMER_JMS_BROKER_PASSWORD</b>	The password to connect to the JMS broker.	<b>`\${APPFORMER_JMS_BROKER_PASSWORD}`</b>

Deployment	Variable name	Description	Example value
	<b>JAVA_MAX_MEM_RATIO</b>	Decision Central Container JVM maximum memory ratio. -Xmx is set to a ratio of the memory available on the container. The default is 80, which means the upper boundary is 80% of the available memory. To skip adding the -Xmx option, set this value to 0.	<b>`\${DECISION_CENTRAL_JAVA_MAX_MEM_RATIO}`</b>
	<b>SSO_URL</b>	RH-SSO URL.	<b>`\${SSO_URL}`</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name.	<b>`\${SSO_REALM}`</b>
	<b>SSO_SECRET</b>	Decision Central RH-SSO Client Secret.	<b>`\${DECISION_CENTRAL_SSO_SECRET}`</b>
	<b>SSO_CLIENT</b>	Decision Central RH-SSO Client name.	<b>`\${DECISION_CENTRAL_SSO_CLIENT}`</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	<b>`\${SSO_USERNAME}`</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	<b>`\${SSO_PASSWORD}`</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	<b>`\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}`</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	<b>`\${SSO_PRINCIPAL_ATTRIBUTE}`</b>

Deployment	Variable name	Description	Example value
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for Decision Central. Leave blank for default hostname, e.g.: insecure-<application-name>-rhdmcentr-<project>.<default-domain-suffix>	<b>`\${DECISION_CENTRAL_HOSTNAME_HTTP}`</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for Decision Central. Leave blank for default hostname, e.g.: <application-name>-rhdmcentr-<project>.<default-domain-suffix>	<b>`\${DECISION_CENTRAL_HOSTNAME_HTTPS}`</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	<b>`\${AUTH_LDAP_URL}`</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	<b>`\${AUTH_LDAP_BIND_DN}`</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	<b>`\${AUTH_LDAP_BIND_CREDENTIAL}`</b>
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>`\${AUTH_LDAP_BASE_FILTER}`</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>`\${AUTH_LDAP_SEARCH_SCOPE}`</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>`\${AUTH_LDAP_SEARCH_TIME_LIMIT}`</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>`\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}`</b>
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b>`\${AUTH_LDAP_PARSE_USERNAME}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_USER_NAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USER_NAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USER_NAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USER_NAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b><code>\${AUTH_LDAP_ROLE_S_CTX_DN}</code></b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This parameter defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>
<b>\${APPLICATION_NAME}-kieserver</b>	<b>WORKBENCH_SERVICE_NAME</b>	–	<b>\${APPLICATION_NAME}-rhdmcenr</b>
	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	<b>\${KIE_ADMIN_USER}</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password.	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_SERVER_MODE</b>	The KIE Server mode. Valid values are 'DEVELOPMENT' or 'PRODUCTION'. In production mode, you can not deploy SNAPSHOT versions of artifacts on the KIE server and can not change the version of an artifact in an existing container. (Sets the org.kie.server.mode system property).	<b>\${KIE_SERVER_MODE}</b>

Deployment	Variable name	Description	Example value
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled. (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering. (Sets the org.drools.server.filter.classes system property)	<b>\${DROOLS_SERVER_FILTER_CLASSES}</b>
	<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	If set to false, the prometheus server extension will be enabled. (Sets the org.kie.prometheus.server.ext.disabled system property)	<b>\${PROMETHEUS_SERVER_EXT_DISABLED}</b>
	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	Allows the KIE server to bypass the authenticated user for task-related operations, for example, queries. (Sets the org.kie.server.bypass.auth.user system property)	<b>\${KIE_SERVER_BYPASS_AUTH_USER}</b>
	<b>KIE_SERVER_ID</b>	–	–
	<b>KIE_SERVER_ROUTE_NAME</b>	–	<b>\${APPLICATION_NAME}-kieserver</b>
	<b>KIE_SERVER_STARTUP_STRATEGY</b>	–	OpenShiftStartupStrategy
	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>
	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_MIRROR_URL</b>	Maven mirror that Decision Central and KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for building and deploying your services.	<b>\${MAVEN_MIRROR_URL}</b>
	<b>MAVEN_MIRROR_OF</b>	Maven mirror configuration for KIE server.	<b>\${MAVEN_MIRROR_OF}</b>
	<b>MAVEN_REPOS</b>	–	RHDMCENTR,EXTERNAL
	<b>RHDMCENTR_MAVEN_REPO_ID</b>	–	repo-rhdmcentr
	<b>RHDMCENTR_MAVEN_REPO_SERVICE</b>	–	<b>\${APPLICATION_NAME}-rhdmcentr</b>
	<b>RHDMCENTR_MAVEN_REPO_PATH</b>	–	<i>/maven2/</i>
	<b>RHDMCENTR_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_USERNAME}</b>
	<b>RHDMCENTR_MAVEN_REPO_PASSWORD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	<b>\${DECISION_CENTRAL_MAVEN_PASSWORD}</b>

Deployment	Variable name	Description	Example value
	<b>EXTERNAL_MAVEN_REPO_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	<b>\${MAVEN_REPO_ID}</b>
	<b>EXTERNAL_MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>\${MAVEN_REPO_URL}</b>
	<b>EXTERNAL_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	<b>\${MAVEN_REPO_USERNAME}</b>
	<b>EXTERNAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>\${MAVEN_REPO_PASSWORD}</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/kieserver-secret-volume</b>
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret for KIE Server.	<b>\${KIE_SERVER_HTTPS_KEYSTORE}</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate for KIE Server.	<b>\${KIE_SERVER_HTTPS_NAME}</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate for KIE Server.	<b>\${KIE_SERVER_HTTPS_PASSWORD}</b>
	<b>SSO_URL</b>	RH-SSO URL.	<b>\${SSO_URL}</b>



Deployment	Variable name	Description	Example value
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name.	<b>\${SSO_REALM}</b>
	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret.	<b>\${KIE_SERVER_SSO_SECRET}</b>
	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name.	<b>\${KIE_SERVER_SSO_CLIENT}</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	<b>\${SSO_USERNAME}</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	<b>\${SSO_PASSWORD}</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	<b>\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	<b>\${SSO_PRINCIPAL_ATTRIBUTE}</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route for KIE Server. Leave blank for default hostname, e.g.: insecure- <application-name>-kieserver-<project>.<default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route for KIE Server. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	<b>`\${AUTH_LDAP_URL}`</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	<b>`\${AUTH_LDAP_BIND_DN}`</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	<b>`\${AUTH_LDAP_BIND_CREDENTIAL}`</b>
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>`\${AUTH_LDAP_BASE_FILTER}`</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>`\${AUTH_LDAP_SEARCH_SCOPE}`</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>`\${AUTH_LDAP_SEARCH_TIME_LIMIT}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}</b>
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b>\${AUTH_LDAP_PARSE_USERNAME}</b>
	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</b>
	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b>\${AUTH_LDAP_USERNAME_END_STRING}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}`</b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b>`\${AUTH_LDAP_ROLE_S_CTX_DN}`</b>
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a <code>{0}</code> expression is used. The authenticated userDN is substituted into the filter anywhere a <code>{1}</code> is used. An example search filter that matches on the input username is <code>(member={0})</code> . An alternative that matches on the authenticated userDN is <code>(member={1})</code> .	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributelsDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This parameter defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>`\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}`</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>`\${AUTH_ROLE_MAPPER_REPLACE_ROLE}`</b>

#### 5.2.2.3.3.7. Volumes

Deployment	Name	mountPath	Purpose	readOnly
<b>`\${APPLICATION_NAME}`-rhdmcentr</b>	decisioncentral-keystore-volume	<b>/etc/decisioncentral-secret-volume</b>	ssl certs	True

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-kieserver</b>	kieserver-keystore-volume	<b>/etc/kieserver-secret-volume</b>	ssl certs	True

#### 5.2.2.4. External Dependencies

##### 5.2.2.4.1. Volume Claims

A **PersistentVolume** object is a storage resource in an OpenShift cluster. Storage is provisioned by an administrator by creating **PersistentVolume** objects from sources such as GCE Persistent Disks, AWS Elastic Block Stores (EBS), and NFS mounts. Refer to the [OpenShift documentation](#) for more information.

Name	Access Mode
<b>\${APPLICATION_NAME}-rhdmcenr-claim</b>	ReadWriteMany

##### 5.2.2.4.2. Secrets

This template requires the following secrets to be installed for the application to run.

decisioncentral-app-secret kieserver-app-secret

##### 5.2.2.4.3. Clustering

Clustering in OpenShift EAP is achieved through one of two discovery mechanisms: Kubernetes or DNS. This is done by configuring the JGroups protocol stack in standalone-openshift.xml with either the **<openshift.KUBE\_PING/>** or **<openshift.DNS\_PING/>** elements. The templates are configured to use **DNS\_PING**, however `^KUBE_PING^` is the default used by the image.

The discovery mechanism used is specified by the **JGROUPS\_PING\_PROTOCOL** environment variable which can be set to either **openshift.DNS\_PING** or **openshift.KUBE\_PING**. **openshift.KUBE\_PING** is the default used by the image if no value is specified for **JGROUPS\_PING\_PROTOCOL**.

For **DNS\_PING** to work, the following steps must be taken:

1. The **OPENSIFT\_DNS\_PING\_SERVICE\_NAME** environment variable must be set to the name of the ping service for the cluster (see table above). If not set, the server will act as if it is a single-node cluster (a "cluster of one").
2. The **OPENSIFT\_DNS\_PING\_SERVICE\_PORT** environment variables should be set to the port number on which the ping service is exposed (see table above). The **DNS\_PING** protocol will attempt to discern the port from the SRV records, if it can, otherwise it will default to 8888.
3. A ping service which exposes the ping port must be defined. This service should be "headless" (ClusterIP=None) and must have the following:
  - a. The port must be named for port discovery to work.

- b. It must be annotated with **service.alpha.kubernetes.io/tolerate-unready-endpoints** set to **"true"**. Omitting this annotation will result in each node forming their own "cluster of one" during startup, then merging their cluster into the other nodes' clusters after startup (as the other nodes are not detected until after they have started).

### Example ping service for use with DNS\_PING

```
kind: Service
apiVersion: v1
spec:
  clusterIP: None
  ports:
  - name: ping
    port: 8888
  selector:
    deploymentConfig: eap-app
metadata:
  name: eap-app-ping
  annotations:
    service.alpha.kubernetes.io/tolerate-unready-endpoints: "true"
    description: "The JGroups ping port for clustering."
```

For **KUBE\_PING** to work, the following steps must be taken:

1. The **OPENSIFT\_KUBE\_PING\_NAMESPACE** environment variable must be set (see table above). If not set, the server will act as if it is a single-node cluster (a "cluster of one").
2. The **OPENSIFT\_KUBE\_PING\_LABELS** environment variables should be set (see table above). If not set, pods outside of your application (albeit in your namespace) will try to join.
3. Authorization must be granted to the service account the pod is running under to be allowed to access Kubernetes' REST api. This is done on the command line.

#### Example 5.1. Policy commands

Using the default service account in the myproject namespace:

```
oc policy add-role-to-user view system:serviceaccount:myproject:default -n myproject
```

Using the eap-service-account in the myproject namespace:

```
oc policy add-role-to-user view system:serviceaccount:myproject:eap-service-account -n myproject
```

## 5.3. RHDM76-KIESERVER.YAML TEMPLATE

Application template for a managed KIE Server, for Red Hat Decision Manager 7.6 - Deprecated

### 5.3.1. Parameters



Templates allow you to define parameters which take on a value. That value is then substituted wherever the parameter is referenced. References can be defined in any text field in the objects list field. Refer to the [OpenShift documentation](#) for more information.

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPLICATION_NAME</b>	–	The name for the application.	myapp	True
<b>MAVEN_MIRROR_URL</b>	<b>MAVEN_MIRROR_URL</b>	Maven mirror that KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for deploying your services.	–	False
<b>MAVEN_MIRROR_OF</b>	<b>MAVEN_MIRROR_OF</b>	Maven mirror configuration for KIE server.	external:*	False
<b>MAVEN_REPO_ID</b>	<b>EXTERNAL_MAVEN_REPO_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	repo-custom	False
<b>MAVEN_REPO_URL</b>	<b>EXTERNAL_MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<a href="http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/">http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/</a>	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>MAVEN_REPO_USERNAME</b>	<b>EXTERNAL_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	–	False
<b>MAVEN_REPO_PASSWORD</b>	<b>EXTERNAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	–	False
<b>DECISION_CENTRAL_SERVICE</b>	<b>WORKBENCH_SERVICE_NAME</b>	The Service name for the optional Decision Central, where it can be reached, to allow service lookups (for example, maven repo usage), if required.	myapp-rhdmcentr	False
<b>DECISION_CENTRAL_MAVEN_USERNAME</b>	<b>RHDMCENTRAL_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	mavenUser	False
<b>DECISION_CENTRAL_MAVEN_PASSWORD</b>	<b>RHDMCENTRAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	maven!!	False
<b>KIE_ADMIN_USER</b>	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	adminUser	False
<b>KIE_ADMIN_PASSWORD</b>	<b>KIE_ADMIN_PASSWORD</b>	KIE administrator password.	–	False
<b>KIE_SERVER_USER</b>	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	executionUser	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_PWD</b>	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	–	False
<b>IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStreams for Red Hat Decision Manager images are installed. These ImageStreams are normally installed in the openshift namespace. You should only need to modify this if you installed the ImageStreams in a different namespace/project.	openshift	True
<b>KIE_SERVER_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for KIE server. Default is "rhd-kieserver-rhel8".	rhd-kieserver-rhel8	True
<b>IMAGE_STREAM_TAG</b>	–	A named pointer to an image in an image stream. Default is "7.6.0".	7.6.0	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_MODE</b>	<b>KIE_SERVER_MODE</b>	The KIE Server mode. Valid values are 'DEVELOPMENT' or 'PRODUCTION'. In production mode, you can not deploy SNAPSHOT versions of artifacts on the KIE server and can not change the version of an artifact in an existing container. (Sets the org.kie.server.mode system property).	<b>PRODUCTION</b>	False
<b>KIE_MBEANS</b>	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled. (Sets the kie.mbeans and kie.scanner.mbeans system properties)	enabled	False
<b>DROOLS_SERVER_FILTER_CLASSES</b>	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering. (Sets the org.drools.server.filter.classes system property)	true	False
<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	If set to false, the prometheus server extension will be enabled. (Sets the org.kie.prometheus.server.ext.disabled system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: insecure- <application-name>-kieserver- <project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: <application-name>-kieserver- <project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file.	kieserver-app-secret	True
<b>KIE_SERVER_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret.	keystore.jks	False
<b>KIE_SERVER_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate.	jboss	False
<b>KIE_SERVER_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate.	mykeystorepass	False
<b>KIE_SERVER_BYPASS_AUTH_USER</b>	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	Allows the KIE server to bypass the authenticated user for task-related operations, for example, queries. (Sets the org.kie.server.bypass.auth.user system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_MEMORY_LIMIT</b>	–	KIE server Container memory limit.	1Gi	False
<b>KIE_SERVER_CONTAINER_DEPLOYMENT</b>	<b>KIE_SERVER_CONTAINER_DEPLOYMENT</b>	KIE Server Container deployment configuration with optional alias. Format: containerId=groupId:artifactId:version c2(alias2)=g2:a2:v2	rhdm-kieserver-library=org.openshift.quickstarts:rhdm-kieserver-library:1.6.0-SNAPSHOT	False
<b>KIE_SERVER_MGMT_DISABLED</b>	<b>KIE_SERVER_MGMT_DISABLED</b>	Disable management api and don't allow KIE containers to be deployed/undeployed or started/stopped. Sets the property org.kie.server.management.api.disabled to true and org.kie.server.startup.strategy to LocalContainersStartupStrategy.	true	False
<b>SSO_URL</b>	<b>SSO_URL</b>	RH-SSO URL.	<a href="https://rh-sso.example.com/auth">https://rh-sso.example.com/auth</a>	False
<b>SSO_REALM</b>	<b>SSO_REALM</b>	RH-SSO Realm name.	–	False
<b>KIE_SERVER_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name.	–	False
<b>KIE_SERVER_SSO_SECRET</b>	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret	252793ed-7118-4ca8-8dab-5622fa97d892	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>SSO_USERNAME</b>	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	–	False
<b>SSO_PASSWORD</b>	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	–	False
<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	false	False
<b>SSO_PRINCIPAL_ATTRIBUTE</b>	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as user name.	preferred_username	False
<b>AUTH_LDAP_URL</b>	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	ldap://myldap.example.com	False
<b>AUTH_LDAP_BIND_DN</b>	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	uid=admin,ou=users,ou=example,ou=com	False
<b>AUTH_LDAP_BIND_CREDENTIAL</b>	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	Password	False
<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	–	False
<b>AUTH_LDAP_BASE_CTX_DN</b>	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	ou=users,ou=example,ou=com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_B ASE_FILTER</b>	<b>AUTH_LDAP_B ASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	(uid={0})	False
<b>AUTH_LDAP_S EARCH_SCOPE</b>	<b>AUTH_LDAP_S EARCH_SCOPE</b>	The search scope to use.	<b>SUBTREE_SCO PE</b>	False
<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	The timeout in milliseconds for user or role searches.	10000	False
<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	distinguishedNam e	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_PARSE_USERNAME</b>	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	true	False
<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_USERNAME_END_STRING</b>	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	memberOf	False
<b>AUTH_LDAP_ROLES_CTX_DN</b>	<b>AUTH_LDAP_ROLES_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	ou=groups,ou=example,ou=com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_FILTER</b>	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	(memberOf={1})	False
<b>AUTH_LDAP_ROLE_RECURSION</b>	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	1	False
<b>AUTH_LDAP_DEFAULT_ROLE</b>	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users.	user	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	name	False
<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttribute ID. If set to true, the DN is checked for the roleNameAttribute ID. If set to false, the DN is not checked for the roleNameAttribute ID. This flag can improve the performance of LDAP queries.	false	False
<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttribute Id attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_REFERRAL_USE_R_ATTRIBUTE_ID_TO_CHECK</b>	<b>AUTH_LDAP_REFERRAL_USE_R_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	–	False
<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	–	False
<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	–	False

## 5.3.2. Objects

The CLI supports various object types. A list of these object types as well as their abbreviations can be found in the [OpenShift documentation](#).

### 5.3.2.1. Services

A service is an abstraction which defines a logical set of pods and a policy by which to access them. Refer to the [container-engine documentation](#) for more information.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-kieserver</b>	8080	http	All the KIE server web server's ports.
	8443	https	
<b>\${APPLICATION_NAME}-kieserver-ping</b>	8888	ping	The JGroups ping port for clustering.

### 5.3.2.2. Routes

A route is a way to expose a service by giving it an externally-reachable hostname such as **www.example.com**. A defined route and the endpoints identified by its service can be consumed by a router to provide named connectivity from external clients to your applications. Each route consists of a route name, service selector, and (optionally) security configuration. Refer to the [OpenShift documentation](#) for more information.

Service	Security	Hostname
insecure- <b>\${APPLICATION_NAME}-kieserver-http</b>	none	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}-kieserver-https</b>	TLS passthrough	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>

### 5.3.2.3. Deployment Configurations

A deployment in OpenShift is a replication controller based on a user defined template called a deployment configuration. Deployments are created manually or in response to triggered events. Refer to the [OpenShift documentation](#) for more information.

#### 5.3.2.3.1. Triggers

A trigger drives the creation of new deployments in response to events, both inside and outside OpenShift. Refer to the [OpenShift documentation](#) for more information.

Deployment	Triggers
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	ImageChange

### 5.3.2.3.2. Replicas

A replication controller ensures that a specified number of pod "replicas" are running at any one time. If there are too many, the replication controller kills some pods. If there are too few, it starts more. Refer to the [container-engine documentation](#) for more information.

Deployment	Replicas
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	1

### 5.3.2.3.3. Pod Template

#### 5.3.2.3.3.1. Service Accounts

Service accounts are API objects that exist within each project. They can be created or deleted like any other API object. Refer to the [Openshift documentation](#) for more information.

Deployment	Service Account
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${APPLICATION_NAME}-kieserver</code></b>

#### 5.3.2.3.3.2. Image

Deployment	Image
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${KIE_SERVER_IMAGE_STREAM_NAME}</code></b>

#### 5.3.2.3.3.3. Readiness Probe

**`${APPLICATION_NAME}-kieserver`**

Http Get on `http://localhost:8080/services/rest/server/readycheck`

#### 5.3.2.3.3.4. Liveness Probe

**`${APPLICATION_NAME}-kieserver`**

Http Get on `http://localhost:8080/services/rest/server/healthcheck`

#### 5.3.2.3.3.5. Exposed Ports

Deployments	Name	Port	Protocol
<b>\${APPLICATION_NAME}-kieserver</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>
	ping	8888	<b>TCP</b>

#### 5.3.2.3.3.6. Image Environment Variables

Deployment	Variable name	Description	Example value
<b>\${APPLICATION_NAME}-kieserver</b>	<b>WORKBENCH_SERVICE_NAME</b>	The Service name for the optional Decision Central, where it can be reached, to allow service lookups (for example, maven repo usage), if required.	<b>\${DECISION_CENTRAL_SERVICE}</b>
	<b>KIE_ADMIN_USER</b>	KIE administrator user name.	<b>\${KIE_ADMIN_USER}</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password.	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_SERVER_MODE</b>	The KIE Server mode. Valid values are 'DEVELOPMENT' or 'PRODUCTION'. In production mode, you can not deploy SNAPSHOT versions of artifacts on the KIE server and can not change the version of an artifact in an existing container. (Sets the org.kie.server.mode system property).	<b>\${KIE_SERVER_MODE}</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled. (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>



Deployment	Variable name	Description	Example value
	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering. (Sets the org.drools.server.filter.classes system property)	<b>`\${DROOLS_SERVER_FILTER_CLASSES}`</b>
	<b>PROMETHEUS_SERVER_EXT_DISABLED</b>	If set to false, the prometheus server extension will be enabled. (Sets the org.kie.prometheus.server.ext.disabled system property)	<b>`\${PROMETHEUS_SERVER_EXT_DISABLED}`</b>
	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	Allows the KIE server to bypass the authenticated user for task-related operations, for example, queries. (Sets the org.kie.server.bypass.auth.user system property)	<b>`\${KIE_SERVER_BYPASS_AUTH_USER}`</b>
	<b>KIE_SERVER_ID</b>	–	–
	<b>KIE_SERVER_ROUTE_NAME</b>	–	<b>`\${APPLICATION_NAME}-kieserver`</b>
	<b>KIE_SERVER_USER</b>	KIE server user name. (Sets the org.kie.server.user system property)	<b>`\${KIE_SERVER_USER}`</b>
	<b>KIE_SERVER_PWD</b>	KIE server password. (Sets the org.kie.server.pwd system property)	<b>`\${KIE_SERVER_PWD}`</b>
	<b>KIE_SERVER_CONTAINER_DEPLOYMENT</b>	KIE Server Container deployment configuration with optional alias. Format: containerId=groupId:artifactId:version c2(alias2)=g2:a2:v2	<b>`\${KIE_SERVER_CONTAINER_DEPLOYMENT}`</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_MIRROR_URL</b>	Maven mirror that KIE server must use. If you configure a mirror, this mirror must contain all artifacts that are required for deploying your services.	<b>`\${MAVEN_MIRROR_URL}`</b>
	<b>MAVEN_MIRROR_OF</b>	Maven mirror configuration for KIE server.	<b>`\${MAVEN_MIRROR_OF}`</b>
	<b>MAVEN_REPOS</b>	–	RHDMCENTR,EXTERNAL
	<b>RHDMCENTR_MAVEN_REPO_ID</b>	–	repo-rhdmcentr
	<b>RHDMCENTR_MAVEN_REPO_SERVICE</b>	The Service name for the optional Decision Central, where it can be reached, to allow service lookups (for example, maven repo usage), if required.	<b>`\${DECISION_CENTRAL_SERVICE}`</b>
	<b>RHDMCENTR_MAVEN_REPO_PATH</b>	–	<b>/maven2/</b>
	<b>RHDMCENTR_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven service hosted by Decision Central inside EAP.	<b>`\${DECISION_CENTRAL_MAVEN_USERNAME}`</b>
	<b>RHDMCENTR_MAVEN_REPO_PASSWORD</b>	Password to access the Maven service hosted by Decision Central inside EAP.	<b>`\${DECISION_CENTRAL_MAVEN_PASSWORD}`</b>

Deployment	Variable name	Description	Example value
	<b>EXTERNAL_MAVEN_REPO_ID</b>	The id to use for the maven repository. If set, it can be excluded from the optionally configured mirror by adding it to MAVEN_MIRROR_OF. For example: external:*,!repo-rhdmcentr,!repo-custom. If MAVEN_MIRROR_URL is set but MAVEN_MIRROR_ID is not set, an id will be generated randomly, but won't be usable in MAVEN_MIRROR_OF.	<b>`\${MAVEN_REPO_ID}`</b>
	<b>EXTERNAL_MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>`\${MAVEN_REPO_URL}`</b>
	<b>EXTERNAL_MAVEN_REPO_USERNAME</b>	User name for accessing the Maven repository, if required.	<b>`\${MAVEN_REPO_USERNAME}`</b>
	<b>EXTERNAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>`\${MAVEN_REPO_PASSWORD}`</b>
	<b>KIE_SERVER_MGMT_DISABLED</b>	Disable management api and don't allow KIE containers to be deployed/undeployed or started/stopped. Sets the property org.kie.server.mgmt.api.disabled to true and org.kie.server.startup.strategy to LocalContainersStartupStrategy.	<b>`\${KIE_SERVER_MGMT_DISABLED}`</b>
	<b>KIE_SERVER_STARTUP_STRATEGY</b>	–	OpenShiftStartupStrategy
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/kieserver-secret-volume</b>

Deployment	Variable name	Description	Example value
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret.	<b>\${KIE_SERVER_HTTPS_KEYSTORE}</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate.	<b>\${KIE_SERVER_HTTPS_NAME}</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate.	<b>\${KIE_SERVER_HTTPS_PASSWORD}</b>
	<b>JGROUPS_PING_PROTOCOL</b>	–	openshift.DNS_PING
	<b>OPENSIFT_DNS_PING_SERVICE_NAME</b>	–	<b>\${APPLICATION_NAME}-kieserver-ping</b>
	<b>OPENSIFT_DNS_PING_SERVICE_PORT</b>	–	8888
	<b>SSO_URL</b>	RH-SSO URL.	<b>\${SSO_URL}</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name.	<b>\${SSO_REALM}</b>
	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret	<b>\${KIE_SERVER_SSO_SECRET}</b>
	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name.	<b>\${KIE_SERVER_SSO_CLIENT}</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm admin user name used to create the Client if it doesn't exist.	<b>\${SSO_USERNAME}</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client.	<b>\${SSO_PASSWORD}</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation.	<b>\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}</b>

Deployment	Variable name	Description	Example value
	<b>SSO_PRINCIPAL_tribute</b>	RH-SSO Principal Attribute to use as user name.	<b>`\${SSO_PRINCIPAL_tribute}`</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: insecure-<application-name>-kieserver-<project>.<default-domain-suffix>	<b>`\${KIE_SERVER_HOSTNAME_HTTP}`</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	<b>`\${KIE_SERVER_HOSTNAME_HTTPS}`</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication.	<b>`\${AUTH_LDAP_URL}`</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication.	<b>`\${AUTH_LDAP_BIND_DN}`</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication.	<b>`\${AUTH_LDAP_BIND_CREDENTIAL}`</b>
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>`\${AUTH_LDAP_BASE_FILTER}`</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>`\${AUTH_LDAP_SEARCH_SCOPE}`</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>`\${AUTH_LDAP_SEARCH_TIME_LIMIT}`</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>`\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}`</b>
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the user name. If set to true, the DN is parsed for the user name. If set to false the DN is not parsed for the user name. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b>`\${AUTH_LDAP_PARSE_USERNAME}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_USER_NAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USER_NAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USER_NAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the user name. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USER_NAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b><code>\${AUTH_LDAP_ROLE_S_CTX_DN}</code></b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users.	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>

#### 5.3.2.3.3.7. Volumes

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-kieserver</b>	kieserver-keystore-volume	<b>/etc/kieserver-secret-volume</b>	ssl certs	True

#### 5.3.2.4. External Dependencies

##### 5.3.2.4.1. Secrets

This template requires the following secrets to be installed for the application to run.

kieserver-app-secret

## 5.4. OPENSIFT USAGE QUICK REFERENCE

To deploy, monitor, manage, and undeploy Red Hat Decision Manager templates on Red Hat OpenShift Container Platform, you can use the OpenShift Web console or the **oc** command.

For instructions about using the Web console, see [Create and build an image using the Web console](#) .

For detailed instructions about using the **oc** command, see [CLI Reference](#). The following commands are likely to be required:

- To create a project, use the following command:

```
$ oc new-project <project-name>
```

For more information, see [Creating a project using the CLI](#).

- To deploy a template (create an application from a template), use the following command:

```
$ oc new-app -f <template-name> -p <parameter>=<value> -p <parameter>=<value> ...
```

For more information, see [Creating an application using the CLI](#).

- To view a list of the active pods in the project, use the following command:

```
$ oc get pods
```

- To view the current status of a pod, including information whether or not the pod deployment has completed and it is now in a running state, use the following command:

```
$ oc describe pod <pod-name>
```

You can also use the **oc describe** command to view the current status of other objects. For more information, see [Application modification operations](#).

- To view the logs for a pod, use the following command:

```
$ oc logs <pod-name>
```

- To view deployment logs, look up a **DeploymentConfig** name in the template reference and enter the following command:

```
$ oc logs -f dc/<deployment-config-name>
```

For more information, see [Viewing deployment logs](#).

- To view build logs, look up a **BuildConfig** name in the template reference and enter the command:

```
$ oc logs -f bc/<build-config-name>
```

For more information, see [Accessing build logs](#).

- To scale a pod in the application, look up a **DeploymentConfig** name in the template reference and enter the command:

```
$ oc scale dc/<deployment-config-name> --replicas=<number>
```

For more information, see [Manual scaling](#).

- To undeploy the application, you can delete the project by using the command:

```
$ oc delete project <project-name>
```

Alternatively, you can use the **oc delete** command to remove any part of the application, such as a pod or replication controller. For details, see [Application modification operations](#).

## APPENDIX A. VERSIONING INFORMATION

Documentation last updated on Monday, December 21, 2020.