



## **Red Hat Decision Manager 7.9**

### **Installing and configuring Red Hat Decision Manager**



# Red Hat Decision Manager 7.9 Installing and configuring Red Hat Decision Manager

---

## Legal Notice

Copyright © 2021 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux® is the registered trademark of Linus Torvalds in the United States and other countries.

Java® is a registered trademark of Oracle and/or its affiliates.

XFS® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js® is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

This document describes how to install Red Hat Decision Manager components on Red Hat JBoss EAP, in an Red Hat JBoss EAP clustered environment, on JBoss Web Server, and in other supported environments.

## Table of Contents

PREFACE .....	6
MAKING OPEN SOURCE MORE INCLUSIVE .....	7
PART I. PLANNING A RED HAT DECISION MANAGER INSTALLATION .....	8
CHAPTER 1. RED HAT DECISION MANAGER VERSIONING .....	9
CHAPTER 2. RED HAT DECISION MANAGER COMPONENTS .....	10
CHAPTER 3. AVAILABLE INSTALLATION PLATFORMS .....	11
3.1. RED HAT JBOSS EAP 7.3	11
3.2. RED HAT JBOSS WEB SERVER	11
3.3. RED HAT OPENSHIFT CONTAINER PLATFORM	11
3.4. ORACLE WEBLOGIC SERVER	12
3.5. IBM WEBSPHERE APPLICATION SERVER	12
3.6. DEVELOPMENT OPTIONS	12
CHAPTER 4. SUPPORTED REPOSITORIES .....	13
4.1. GIT REPOSITORIES	13
4.2. APACHE MAVEN	13
CHAPTER 5. INSTALLATION ENVIRONMENT OPTIONS FOR RED HAT DECISION MANAGER .....	14
CHAPTER 6. RED HAT DECISION MANAGER ROLES AND USERS .....	15
CHAPTER 7. AVAILABLE REFERENCE IMPLEMENTATIONS .....	16
CHAPTER 8. INTEGRATING WITH RED HAT SINGLE SIGN-ON .....	17
CHAPTER 9. ADDITIONAL RESOURCES .....	18
PART II. INSTALLING AND CONFIGURING RED HAT DECISION MANAGER ON RED HAT JBOSS EAP 7.3	19
CHAPTER 10. ABOUT RED HAT DECISION MANAGER .....	20
CHAPTER 11. RED HAT DECISION MANAGER ROLES AND USERS .....	21
CHAPTER 12. DOWNLOADING THE RED HAT DECISION MANAGER INSTALLATION FILES .....	22
CHAPTER 13. USING THE RED HAT DECISION MANAGER INSTALLER .....	23
13.1. USING THE INSTALLER IN INTERACTIVE MODE	23
13.2. USING THE INSTALLER IN CLI MODE	25
CHAPTER 14. INSTALLING RED HAT DECISION MANAGER FROM ZIP FILES .....	28
14.1. INSTALLING BUSINESS CENTRAL FROM THE ZIP FILE	28
14.2. INSTALLING KIE SERVER FROM THE ZIP FILE	28
14.3. CREATING USERS	29
14.4. CONFIGURING KIE SERVER TO CONNECT TO BUSINESS CENTRAL	30
CHAPTER 15. SECURING PASSWORDS WITH A KEYSTORE .....	34
CHAPTER 16. CONFIGURING SSH TO USE RSA .....	36
CHAPTER 17. VERIFYING THE RED HAT DECISION MANAGER INSTALLATION .....	37
CHAPTER 18. RUNNING RED HAT DECISION MANAGER .....	38

<b>CHAPTER 19. INSTALLING AND RUNNING THE HEADLESS DECISION MANAGER CONTROLLER .....</b>	<b>39</b>
19.1. INSTALLING THE HEADLESS DECISION MANAGER CONTROLLER	39
19.1.1. Creating a headless Decision Manager controller user	40
19.1.2. Configuring KIE Server and the headless Decision Manager controller	40
19.2. RUNNING THE HEADLESS DECISION MANAGER CONTROLLER	41
<b>CHAPTER 20. RUNNING STANDALONE BUSINESS CENTRAL .....</b>	<b>44</b>
20.1. BUSINESS CENTRAL SYSTEM PROPERTIES	44
<b>CHAPTER 21. MAVEN SETTINGS AND REPOSITORIES FOR RED HAT DECISION MANAGER .....</b>	<b>51</b>
21.1. ADDING MAVEN DEPENDENCIES FOR RED HAT DECISION MANAGER	51
21.2. CONFIGURING AN EXTERNAL MAVEN REPOSITORY FOR BUSINESS CENTRAL AND KIE SERVER	53
21.3. PREPARING A MAVEN MIRROR REPOSITORY FOR OFFLINE USE	54
<b>CHAPTER 22. IMPORTING PROJECTS FROM GIT REPOSITORIES .....</b>	<b>57</b>
<b>CHAPTER 23. CUSTOMIZING THE BRANDING OF BUSINESS CENTRAL .....</b>	<b>58</b>
23.1. CUSTOMIZING THE BUSINESS CENTRAL LOGIN PAGE	58
23.2. CUSTOMIZING BUSINESS CENTRAL APPLICATION HEADER	58
<b>CHAPTER 24. INTEGRATING LDAP AND SSL .....</b>	<b>59</b>
<b>CHAPTER 25. ADDITIONAL RESOURCES .....</b>	<b>60</b>
<b>CHAPTER 26. NEXT STEPS .....</b>	<b>61</b>
<b>PART III. INSTALLING AND CONFIGURING RED HAT DECISION MANAGER IN A RED HAT JBOSS EAP CLUSTERED ENVIRONMENT .....</b>	<b>62</b>
<b>CHAPTER 27. RED HAT DECISION MANAGER CLUSTERS .....</b>	<b>63</b>
<b>CHAPTER 28. RED HAT DECISION MANAGER CLUSTERS IN A DEVELOPMENT (AUTHORING) ENVIRONMENT .....</b>	<b>64</b>
28.1. INSTALLING AND CONFIGURING RED HAT DATA GRID	64
28.2. DOWNLOADING AND CONFIGURING AMQ BROKER	65
28.3. CONFIGURING AN NFS SERVER	66
28.4. DOWNLOADING AND EXTRACTING RED HAT JBOSS EAP 7.3 AND RED HAT DECISION MANAGER	66
28.5. CONFIGURING AND RUNNING BUSINESS CENTRAL IN A CLUSTER	67
28.6. TESTING YOUR HIGH AVAILABILITY (HA) ON-PREMISE INFRASTRUCTURE	69
28.7. VERIFYING THE RED HAT DECISION MANAGER CLUSTER	71
<b>CHAPTER 29. KIE SERVER CLUSTERS IN A RUNTIME ENVIRONMENT .....</b>	<b>73</b>
29.1. DOWNLOADING AND EXTRACTING RED HAT JBOSS EAP 7.3 AND KIE SERVER	73
29.2. CLUSTERING KIE SERVERS WITH THE HEADLESS DECISION MANAGER CONTROLLER	74
<b>CHAPTER 30. ADDITIONAL RESOURCES .....</b>	<b>77</b>
<b>PART IV. INSTALLING AND CONFIGURING RED HAT DECISION MANAGER ON RED HAT JBOSS WEB SERVER .....</b>	<b>78</b>
<b>CHAPTER 31. ABOUT RED HAT DECISION MANAGER .....</b>	<b>79</b>
31.1. RED HAT DECISION MANAGER COMPONENTS	79
31.2. RED HAT DECISION MANAGER ROLES AND USERS	80
<b>CHAPTER 32. DOWNLOADING THE RED HAT DECISION MANAGER INSTALLATION FILES .....</b>	<b>81</b>
<b>CHAPTER 33. USING THE RED HAT DECISION MANAGER INSTALLER .....</b>	<b>82</b>
33.1. USING THE INSTALLER IN INTERACTIVE MODE	82

---

33.2. USING THE INSTALLER IN CLI MODE	84
<b>CHAPTER 34. KIE SERVER ZIP FILE INSTALLATION AND CONFIGURATION .....</b>	<b>86</b>
34.1. INSTALLING KIE SERVER FROM ZIP FILES	86
34.2. CONFIGURING JDBC WEB SERVER DATA SOURCES	87
<b>CHAPTER 35. SECURING PASSWORDS WITH A KEYSTORE .....</b>	<b>92</b>
<b>CHAPTER 36. VERIFYING THE KIE SERVER INSTALLATION .....</b>	<b>95</b>
<b>CHAPTER 37. DOWNLOADING AND INSTALLING THE HEADLESS DECISION MANAGER CONTROLLER</b>	<b>96</b>
<b>CHAPTER 38. RUNNING STANDALONE BUSINESS CENTRAL .....</b>	<b>99</b>
38.1. BUSINESS CENTRAL SYSTEM PROPERTIES	99
<b>CHAPTER 39. MAVEN SETTINGS AND REPOSITORIES FOR RED HAT DECISION MANAGER .....</b>	<b>106</b>
39.1. CONFIGURING MAVEN USING THE PROJECT CONFIGURATION FILE (POM.XML)	106
39.2. MODIFYING THE MAVEN SETTINGS FILE	106
39.3. ADDING MAVEN DEPENDENCIES FOR RED HAT DECISION MANAGER	107
39.4. PREPARING A MAVEN MIRROR REPOSITORY FOR OFFLINE USE	109
<b>CHAPTER 40. IMPORTING PROJECTS FROM GIT REPOSITORIES .....</b>	<b>111</b>
<b>CHAPTER 41. INTEGRATING LDAP AND SSL .....</b>	<b>112</b>
<b>PART V. INSTALLING AND CONFIGURING KIE SERVER ON IBM WEBSPHERE APPLICATION SERVER ..</b>	<b>113</b>
<b>CHAPTER 42. KIE SERVER .....</b>	<b>114</b>
<b>CHAPTER 43. IBM WEBSPHERE APPLICATION SERVER .....</b>	<b>115</b>
<b>CHAPTER 44. INSTALLING AND RUNNING IBM WEBSPHERE APPLICATION SERVER .....</b>	<b>116</b>
<b>CHAPTER 45. CONFIGURING IBM WEBSPHERE APPLICATION SERVER FOR KIE SERVER .....</b>	<b>118</b>
45.1. ENABLING ADMINISTRATIVE SECURITY	118
45.2. CONFIGURING JAVA MESSAGE SERVICE (JMS)	119
45.2.1. Create a service bus and add IBM WebSphere	119
45.2.2. Create JMS connection factories	119
45.2.2.1. JMS connection factories for KIE Server	120
45.2.3. Create JMS queues	120
45.2.3.1. JMS queues for KIE Server	120
45.2.4. Create JMS activation specifications	121
45.2.4.1. JMS activation specifications for KIE Server	121
45.3. SETTING SYSTEM PROPERTIES IN IBM WEBSPHERE APPLICATION SERVER	122
45.4. STOPPING AND RESTARTING IBM WEBSPHERE APPLICATION SERVER	124
<b>CHAPTER 46. INSTALLING AND RUNNING KIE SERVER WITH IBM WEBSPHERE APPLICATION SERVER</b>	<b>126</b>
46.1. CREATING THE KIE SERVER GROUP AND ROLE	127
46.2. MAPPING THE KIE SERVER GROUP AND ROLE	127
46.3. CONFIGURING CLASS LOADING FOR KIE SERVER	128
46.4. VERIFYING THE INSTALLATION	128
<b>CHAPTER 47. INSTALLING AND RUNNING THE HEADLESS DECISION MANAGER CONTROLLER WITH IBM WEBSPHERE APPLICATION SERVER .....</b>	<b>129</b>
47.1. CONFIGURING CLASS LOADING FOR THE HEADLESS DECISION MANAGER CONTROLLER	130
47.2. SETTING SYSTEM PROPERTIES FOR THE HEADLESS DECISION MANAGER CONTROLLER	130
47.3. MAPPING THE HEADLESS DECISION MANAGER CONTROLLER GROUP AND ROLE	132
47.4. VERIFYING THE INSTALLATION	132

---

CHAPTER 48. CONFIGURING AN EMBEDDED DECISION ENGINE IN IBM WEBSPHERE APPLICATION SERVER .....	134
CHAPTER 49. SECURING PASSWORDS WITH A KEYSTORE .....	137
CHAPTER 50. NEXT STEPS .....	139
PART VI. INSTALLING AND CONFIGURING KIE SERVER ON ORACLE WEBLOGIC SERVER .....	140
CHAPTER 51. KIE SERVER .....	141
CHAPTER 52. ORACLE WEBLOGIC SERVER .....	142
CHAPTER 53. INSTALLING AND RUNNING ORACLE WEBLOGIC SERVER .....	143
CHAPTER 54. CONFIGURING ORACLE WEBLOGIC SERVER FOR KIE SERVER .....	145
54.1. CONFIGURING THE KIE SERVER GROUP AND USERS .....	145
54.2. CONFIGURING JAVA MESSAGE SERVICE (JMS) .....	145
54.2.1. Create a JMS server .....	145
54.2.2. Create a JMS module .....	146
54.2.3. Create JMS connection factories .....	146
54.2.3.1. JMS connection factories for KIE Server .....	147
54.2.4. Create JMS queues .....	147
54.2.4.1. JMS queues for KIE Server .....	148
54.3. SETTING SYSTEM PROPERTIES IN ORACLE WEBLOGIC SERVER .....	148
54.4. STOPPING AND RESTARTING ORACLE WEBLOGIC SERVER .....	149
CHAPTER 55. INSTALLING KIE SERVER WITH ORACLE WEBLOGIC SERVER .....	151
55.1. VERIFYING THE KIE SERVER INSTALLATION ON ORACLE WEBLOGIC SERVER .....	151
CHAPTER 56. INSTALLING AND RUNNING THE HEADLESS DECISION MANAGER CONTROLLER WITH ORACLE WEBLOGIC SERVER .....	153
56.1. SETTING SYSTEM PROPERTIES FOR THE HEADLESS DECISION MANAGER CONTROLLER .....	154
56.2. VERIFYING THE INSTALLATION .....	155
CHAPTER 57. CONFIGURING AN EMBEDDED DECISION ENGINE IN ORACLE WEBLOGIC SERVER .....	156
CHAPTER 58. SECURING PASSWORDS WITH A KEYSTORE .....	159
CHAPTER 59. NEXT STEPS .....	161
PART VII. PATCHING AND UPGRADING RED HAT DECISION MANAGER 7.9 .....	162
CHAPTER 60. RED HAT DECISION MANAGER VERSIONING .....	163
CHAPTER 61. ENABLING RED HAT DECISION MANAGER NOTIFICATIONS IN THE RED HAT CUSTOMER PORTAL .....	165
CHAPTER 62. APPLYING PATCH UPDATES AND MINOR RELEASE UPGRADES TO RED HAT DECISION MANAGER .....	166
CHAPTER 63. ADDITIONAL RESOURCES .....	169
APPENDIX A. VERSIONING INFORMATION .....	170
APPENDIX B. CONTACT INFORMATION .....	171



## PREFACE

As a developer or system administrator, you can install Red Hat Decision Manager components on Red Hat JBoss EAP, in an Red Hat JBoss EAP clustered environment, on JBoss Web Server, and in other supported environments.

## MAKING OPEN SOURCE MORE INCLUSIVE

Red Hat is committed to replacing problematic language in our code, documentation, and web properties. We are beginning with these four terms: master, slave, blacklist, and whitelist. Because of the enormity of this endeavor, these changes will be implemented gradually over several upcoming releases. For more details, see [our CTO Chris Wright's message](#).

## PART I. PLANNING A RED HAT DECISION MANAGER INSTALLATION

As a system administrator, you have several options for installing Red Hat Decision Manager.

# CHAPTER 1. RED HAT DECISION MANAGER VERSIONING

Red Hat Decision Manager versions are designated with a numerical **Major.Minor.Patch** format, such as **7.5.1**. In this example, the major release is **7.x.x**, the minor release is **7.5.x**, and the patch release is **7.5.1**. Major releases often require data migration, while minor release upgrades and patch updates are typically managed with update tools provided with the Red Hat Decision Manager release artifacts.

The following are the general types of releases for Red Hat Decision Manager:

## Major release migrations

Major releases of Red Hat Decision Manager include substantial enhancements, security updates, bug fixes, and possibly redesigned features and functions. Data migration is typically required when an application is moved from one major release to another major release, such as from Red Hat JBoss BRMS 6.4.x to Red Hat Decision Manager 7.0. Automated migration tools are often provided with new major versions of Red Hat Decision Manager to facilitate migration, but some manual effort is likely required for certain data and configurations. The supported migration paths are specified in product announcements and documentation.

For example migration instructions, see [Migrating from Red Hat JBoss BRMS 6.4 to Red Hat Decision Manager 7.0](#).

## Minor release upgrades

Minor releases of Red Hat Decision Manager include enhancements, security updates, and bug fixes. Data migration may be required when an application is moved from one minor release to another minor release, such as from Red Hat Decision Manager 7.5.x to 7.6. Automated update tools are often provided with both patch updates and new minor versions of Red Hat Decision Manager to facilitate updating certain components of Red Hat Decision Manager, such as Business Central, KIE Server, and the headless Decision Manager controller. Other Red Hat Decision Manager artifacts, such as the decision engine and standalone Business Central, are released as new artifacts with each minor release and you must re-install them to apply the update.

Before you upgrade to a new minor release, apply the latest patch update to your current version of Red Hat Decision Manager to ensure that the minor release upgrade is successful.

## Patch updates

Patch updates of Red Hat Decision Manager include the latest security updates and bug fixes. Scheduled patch updates contain all previously released patch updates for that minor version of the product, so you do not need to apply each patch update incrementally in order to apply the latest update. For example, you can update Red Hat Decision Manager 7.5.0 or 7.5.1 to Red Hat Decision Manager 7.5.2. However, for optimal Red Hat Decision Manager performance, apply product updates as they become available. Occasionally, unscheduled patch updates may be released outside the normal update cycle of the existing product. These may include security or other updates provided by Red Hat Global Support Services (GSS) to fix specific issues, and may not be cumulative updates. Automated update tools are often provided with both patch updates and new minor versions of Red Hat Decision Manager to facilitate updating certain components of Red Hat Decision Manager, such as Business Central, KIE Server, and the headless Decision Manager controller. Other Red Hat Decision Manager artifacts, such as the decision engine and standalone Business Central, are released as new artifacts with each minor release and you must re-install them to apply the update.

To ensure optimal transition between releases and to keep your Red Hat Decision Manager distribution current with the latest enhancements and fixes, apply new product releases and updates to Red Hat Decision Manager as they become available in the Red Hat Customer Portal. Consider also enabling product notifications in the Red Hat Customer Portal.

## CHAPTER 2. RED HAT DECISION MANAGER COMPONENTS

Red Hat Decision Manager is made up of Business Central and KIE Server.

- Business Central is the graphical user interface where you create and manage business rules. You can install Business Central in a Red Hat JBoss EAP instance or on the Red Hat OpenShift Container Platform (OpenShift).  
Business Central is also available as a standalone JAR file. You can use the Business Central standalone JAR file to run Business Central without needing to deploy it to an application server.
- KIE Server is the server where rules and other artifacts are executed. It is used to instantiate and execute rules and solve planning problems. You can install KIE Server in a Red Hat JBoss EAP instance, on OpenShift, in an Oracle WebLogic server instance, in an IBM WebSphere Application Server instance, or as a part of Spring Boot application.  
You can configure KIE Server to run in managed or unmanaged mode. If KIE Server is unmanaged, you must manually create and maintain KIE containers (deployment units). A KIE container is a specific version of a project. If KIE Server is managed, the Decision Manager controller manages the KIE Server configuration and you interact with the Decision Manager controller to create and maintain KIE containers.

The Decision Manager controller is integrated with Business Central. If you install Business Central on Red Hat JBoss EAP, use the Execution Server page to create and maintain KIE containers. However, if you do not install Business Central, you can install the headless Decision Manager controller and use the REST API or the KIE Server Java Client API to interact with it.

- Red Hat Business Optimizer is integrated in Business Central and KIE Server. It is a lightweight, embeddable planning engine that optimizes planning problems. Red Hat Business Optimizer helps Java programmers solve planning problems efficiently, and it combines optimization heuristics and metaheuristics with efficient score calculations.

# CHAPTER 3. AVAILABLE INSTALLATION PLATFORMS

Every Red Hat Decision Manager release is certified on a variety of operating systems, JVMs, web browsers, and database combinations. Red Hat provides both production and development support for supported and tested configurations in both physical and virtual environments, according to your subscription agreement. See the following pages for information about supported configurations and version numbers:

- [Red Hat Decision Manager Manager 7 Supported Configurations](#)
- [Red Hat Decision Manager 7 Component Details](#)

Red Hat Decision Manager 7.9 is available for the following application platforms:

- Red Hat JBoss EAP
- Red Hat JBoss Web Server
- Red Hat OpenShift Container Platform
- Oracle WebLogic Server
- IBM WebSphere Application Server

## 3.1. RED HAT JBOSS EAP 7.3

Red Hat JBoss Enterprise Application Platform (Red Hat JBoss EAP) 7.3 is a certified implementation of the Java Enterprise Edition 7 (Java EE 7) full and web profile specifications. Red Hat JBoss EAP provides preconfigured options for features such as high availability, clustering, messaging, and distributed caching. It also enables users to write, deploy, and run applications using the various APIs and services that Red Hat JBoss EAP provides.

You can install both Business Central and KIE Server in a single Red Hat JBoss EAP instance. However, in production environments you should install them in separate instances.

## 3.2. RED HAT JBOSS WEB SERVER

Red Hat JBoss Web Server is an enterprise-ready web server designed for medium and large applications, based on Tomcat. Red Hat JBoss Web Server provides organizations with a single deployment platform for Java Server Pages (JSP) and Java Servlet technologies, PHP, and CGI.

You can install KIE Server and the headless Decision Manager controller on Red Hat JBoss Web Server 5.3.0.

## 3.3. RED HAT OPENSHIFT CONTAINER PLATFORM

Red Hat OpenShift Container Platform (OpenShift) uses Kubernetes and provides an API to manage these services. OpenShift enables you to create and manage containers.

In this solution, components of Red Hat Decision Manager are deployed as separate OpenShift pods. You can scale each of the pods up and down individually, providing as few or as many containers as necessary for a particular component. You can use standard OpenShift methods to manage the pods and balance the load.

You can install both Business Central and KIE Server on OpenShift.

## 3.4. ORACLE WEBLOGIC SERVER

Oracle WebLogic Server is a Java EE application server that provides a standard set of APIs for creating distributed Java applications that can access a wide variety of services, such as databases, messaging services, and connections to external enterprise systems. Users access these applications using web browser clients or Java clients.

You can install KIE Server in an Oracle WebLogic Server instance and then use the headless Decision Manager controller and the REST API or the KIE Server Java Client API to interact with KIE Server. You can also use standalone Business Central to interact with KIE Server.

## 3.5. IBM WEBSPHERE APPLICATION SERVER

IBM WebSphere Application Server is a flexible and secure web application server that hosts Java-based web applications and provides Java EE-certified run time environments. IBM WebSphere 9.0 supports Java SE 8 and is fully compliant with Java EE 7 since version 8.5.5.6.

You can install KIE Server in an IBM WebSphere Application Server instance and then use the headless Decision Manager controller to interact with KIE Server. You can also use standalone Business Central to interact with KIE Server.

## 3.6. DEVELOPMENT OPTIONS

Developers can develop assets in Red Hat Decision Manager. However, you can optionally integrate Red Hat CodeReady Studio with Red Hat Decision Manager to enable developers to write complex applications and leverage code auto-completion.

Red Hat CodeReady Studio is an integrated development environment (IDE) based on Eclipse. It integrates tooling and runtime components by combining Eclipse, Eclipse Tooling, and Red Hat JBoss EAP. Red Hat CodeReady Studio provides plug-ins with tools and interfaces for Red Hat Decision Manager. These plug-ins are based on the community version of these products. For this reason, the Red Hat Decision Manager plug-in is called the Drools plug-in.

# CHAPTER 4. SUPPORTED REPOSITORIES

## 4.1. GIT REPOSITORIES

Git repositories are used internally within Business Central to store all processes, rules, and other artifacts that are created in the authoring environment. Git is a distributed version control system. It implements revisions as commit objects. When you commit your changes into a repository, a new commit object in the Git repository is created. When you create a project in Business Central it is added to the Git repository connected to Business Central.

If you have projects in other Git repositories, you can import them into Business Central spaces. You can use Git hooks to synchronize the internal Git repositories with external repositories.

## 4.2. APACHE MAVEN

[Apache Maven](#) is a distributed build automation tool used in Java application development to build and manage software projects. You can use Maven to build, publish, and deploy your Red Hat Decision Manager projects. Maven provides the following benefits:

- The build process is easy and a uniform build system is implemented across projects.
- All of the required JAR files for a project are made available at compile time.
- A proper project structure is configured.
- Dependencies and versions are well managed.
- There is no need for additional build processing because Maven builds output into a number of predefined types, such as JAR and WAR.

Maven uses repositories to store Java libraries, plug-ins, and other build artifacts. These repositories can be local or remote. Red Hat Decision Manager maintains local and remote maven repositories that you can add to your project for accessing the rules, processes, events, and other project dependencies. When building projects and archetypes, Maven dynamically retrieves Java libraries and Maven plug-ins from local or remote repositories. Doing this promotes sharing and reuse of dependencies across projects.

## CHAPTER 5. INSTALLATION ENVIRONMENT OPTIONS FOR RED HAT DECISION MANAGER

With Red Hat Decision Manager, you can set up a development environment to develop business applications, a runtime environment to run those applications to support decisions, or both.

- **Development environment:** Typically consists of one Business Central installation and at least one KIE Server installation. You can use Business Central to design decisions and other artifacts, and you can use KIE Server to execute and test the artifacts that you created.
- **Runtime environment:** Consists of one or more KIE Server instances with or without Business Central. Business Central has an embedded Decision Manager controller. If you install Business Central, use the **Menu → Deploy → Execution servers** page to create and maintain containers. If you want to automate KIE Server management without Business Central, you can use the headless Decision Manager controller.

You can also cluster both development and runtime environments. A clustered development or runtime environment consists of a unified group or "cluster" of two or more servers. The primary benefit of clustering Red Hat Decision Manager development environments is high availability and enhanced collaboration, while the primary benefit of clustering Red Hat Decision Manager runtime environments is high availability and load balancing. High availability decreases the chance of data loss when a single server fails. When a server fails, another server fills the gap by providing a copy of the data that was on the failed server. When the failed server comes online again, it resumes its place in the cluster.



### NOTE

Clustering of the runtime environment is currently supported on Red Hat JBoss EAP 7.3 and Red Hat OpenShift Container Platform only.

# CHAPTER 6. RED HAT DECISION MANAGER ROLES AND USERS

To access Business Central or KIE Server, you must create users and assign them appropriate roles before the servers are started.

The Business Central and KIE Server use Java Authentication and Authorization Service (JAAS) login module to authenticate the users. If both Business Central and KIE Server are running on a single instance, then they share the same JAAS subject and security domain. Therefore, a user, who is authenticated for Business Central can also access KIE Server.

However, if Business Central and KIE Server are running on different instances, then the JAAS login module is triggered for both individually. Therefore, a user, who is authenticated for Business Central, needs to be authenticated separately to access the KIE Server (for example, to view or manage process definitions in Business Central). In case, the user is not authenticated on the KIE Server, then 401 error is logged in the log file, displaying **Invalid credentials to load data from remote server. Contact your system administrator.** message in Business Central.

This section describes available Red Hat Decision Manager user roles.



## NOTE

The **admin**, **analyst**, and **rest-all** roles are reserved for Business Central. The **kie-server** role is reserved for KIE Server. For this reason, the available roles can differ depending on whether Business Central, KIE Server, or both are installed.

- **admin:** Users with the **admin** role are the Business Central administrators. They can manage users and create, clone, and manage the repositories. They have full access to make required changes in the application. Users with the **admin** role have access to all areas within Red Hat Decision Manager.
- **analyst:** Users with the **analyst** role have access to all high-level features. They can model projects. However, these users cannot add contributors to spaces or delete spaces in the **Design → Projects** view. Access to the **Deploy → Execution Servers** view, which is intended for administrators, is not available to users with the **analyst** role. However, the **Deploy** button is available to these users when they access the Library perspective.
- **rest-all:** Users with the **rest-all** role can access Business Central REST capabilities.
- **kie-server:** Users with the **kie-server** role can access KIE Server (KIE Server) REST capabilities.

## CHAPTER 7. AVAILABLE REFERENCE IMPLEMENTATIONS

Three reference implementations are available that you can use as starter applications. They are provided in the **Red Hat Decision Manager 7.9.1 Reference Implementations** download, available on the Red Hat Decision Manager Software Downloads page in the Red Hat Customer Portal.

### Employee Rostering reference implementation

The employee rostering reference implementation enables you to create an application that assigns employees to shifts on various positions in an organization. For example, you can use the application to distribute shifts in a hospital between nurses, guard duty shifts across a number of locations, or shifts on an assembly line between workers.

### High available event-driven decisioning reference implementation

A reference implementation for high available event-driven decisioning on Red Hat OpenShift Container Platform is available. You can customize this reference implementation to deploy Drools engine code that requires stateful processing, including rules developed with complex event processing, in an OpenShift environment. Doing this enables the decision engine to process complex event series with high availability.

### Vehicle route planning reference implementation

The vehicle route planning reference implementation enables you to create an application that solves a vehicle route planning problem with real-world maps, roads, and vehicles delivering goods to locations, each with a specific capacity. For more information, see the README file in the vehicle routing ZIP file, included in the reference implementation download.

## CHAPTER 8. INTEGRATING WITH RED HAT SINGLE SIGN-ON

Red Hat Single Sign-On (RH-SSO) is a single sign-on solution that you can use to secure your browser applications with your REST web services and Git access.

When you integrate Red Hat Decision Manager with RH-SSO, you create an SSO and identity management (IDM) environment for Red Hat Decision Manager. The session management feature of RH-SSO enables you to use a single authentication for different Red Hat Decision Manager environments on the internet.

RH-SSO 7.3 is supported with Red Hat Decision Manager on Red Hat JBoss EAP 7.3.

# CHAPTER 9. ADDITIONAL RESOURCES

## Installation

- *Installing and configuring Red Hat Decision Manager on Red Hat JBoss EAP 7.3*
- *Installing and configuring Red Hat Decision Manager in a Red Hat JBoss EAP clustered environment*
- *Installing and configuring Red Hat Decision Manager on Red Hat JBoss Web Server*
- *Installing and configuring KIE Server on IBM WebSphere Application Server*
- *Installing and configuring KIE Server on Oracle WebLogic Server*

## Integration

- *Integrating Red Hat CodeReady Studio with Red Hat Decision Manager*
- *Integrating Red Hat Decision Manager with Red Hat Single Sign-On*

## Reference Implementations

- *Running and modifying the employee rostering starter application for Red Hat Business Optimizer using an IDE*
- *Implementing high available event-driven decisioning using the decision engine on Red Hat OpenShift Container Platform*

## OpenShift

- *Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators*
- *Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using templates*

## PART II. INSTALLING AND CONFIGURING RED HAT DECISION MANAGER ON RED HAT JBOSS EAP 7.3

This document describes how to install Red Hat Decision Manager on a Red Hat JBoss Enterprise Application Platform 7.3 instance.

### Prerequisites

- You have reviewed the information in [\*Planning a Red Hat Decision Manager installation\*](#).
- You have installed the latest patch release of Red Hat JBoss Enterprise Application Platform 7.3. For information about installing Red Hat JBoss EAP, see the [\*Red Hat JBoss Enterprise Application Platform installaton guide\*](#).

## CHAPTER 10. ABOUT RED HAT DECISION MANAGER

Red Hat Decision Manager is an open source decision management platform that combines business rules management, complex event processing, Decision Model & Notation (DMN) execution, and Business Optimizer for solving planning problems. It automates business decisions and makes that logic available to the entire business.

Business assets such as rules, decision tables, and DMN models are organized in projects and stored in the Business Central repository. This ensures consistency, transparency, and the ability to audit across the business. Business users can modify business logic without requiring assistance from IT personnel.

Red Hat JBoss Enterprise Application Platform (Red Hat JBoss EAP) 7.3 is a certified implementation of the Java Enterprise Edition 8 (Java EE 8) full and web profile specifications. Red Hat JBoss EAP provides preconfigured options for features such as high availability, clustering, messaging, and distributed caching. It also enables users to write, deploy, and run applications using the various APIs and services that Red Hat JBoss EAP provides.

The instructions in this document explain how to install Red Hat Decision Manager in a Red Hat JBoss EAP 7.3 server instance.

For instructions on how to install Red Hat Decision Manager in other environments, see the following documents:

- [\*Installing and configuring KIE Server on IBM WebSphere Application Server\*](#)
- [\*Installing and configuring KIE Server on Oracle WebLogic Server\*](#)
- [\*Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators\*](#)
- [\*Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using templates\*](#)

For information about supported components, see the following documents:

- [\*What is the mapping between Red Hat Decision Manager and the Maven library version?\*](#)
- [\*Red Hat Decision Manager 7 Supported Configurations\*](#)

# CHAPTER 11. RED HAT DECISION MANAGER ROLES AND USERS

To access Business Central or KIE Server, you must create users and assign them appropriate roles before the servers are started.

The Business Central and KIE Server use Java Authentication and Authorization Service (JAAS) login module to authenticate the users. If both Business Central and KIE Server are running on a single instance, then they share the same JAAS subject and security domain. Therefore, a user, who is authenticated for Business Central can also access KIE Server.

However, if Business Central and KIE Server are running on different instances, then the JAAS login module is triggered for both individually. Therefore, a user, who is authenticated for Business Central, needs to be authenticated separately to access the KIE Server (for example, to view or manage process definitions in Business Central). In case, the user is not authenticated on the KIE Server, then 401 error is logged in the log file, displaying **Invalid credentials to load data from remote server. Contact your system administrator.** message in Business Central.

This section describes available Red Hat Decision Manager user roles.



## NOTE

The **admin**, **analyst**, and **rest-all** roles are reserved for Business Central. The **kie-server** role is reserved for KIE Server. For this reason, the available roles can differ depending on whether Business Central, KIE Server, or both are installed.

- **admin:** Users with the **admin** role are the Business Central administrators. They can manage users and create, clone, and manage the repositories. They have full access to make required changes in the application. Users with the **admin** role have access to all areas within Red Hat Decision Manager.
- **analyst:** Users with the **analyst** role have access to all high-level features. They can model projects. However, these users cannot add contributors to spaces or delete spaces in the **Design → Projects** view. Access to the **Deploy → Execution Servers** view, which is intended for administrators, is not available to users with the **analyst** role. However, the **Deploy** button is available to these users when they access the Library perspective.
- **rest-all:** Users with the **rest-all** role can access Business Central REST capabilities.
- **kie-server:** Users with the **kie-server** role can access KIE Server (KIE Server) REST capabilities.

## CHAPTER 12. DOWNLOADING THE RED HAT DECISION MANAGER INSTALLATION FILES

Depending on your environment and installation requirements, download a Red Hat Decision Manager distribution.

### Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download one of the following product distributions, depending on your preferred installation method:



#### NOTE

You only need to download one of these distributions.

- If you want to use the installer to install Red Hat Decision Manager on Red Hat JBoss EAP 7.3 download **Red Hat Decision Manager 7.9.1 Installer(rhdm-installer-7.9.1.jar)**. The installer graphical user interface guides you through the installation process.
- If you want to install Red Hat Decision Manager on Red Hat JBoss EAP 7.3 using the deployable ZIP files, download the following files:
  - **Red Hat Decision Manager 7.9.1 KIE Server for All Supported EE8 Containers(rhdm-7.9.1-kie-server-ee8.zip)**
  - **Red Hat Decision Manager 7.9.1 KIE Server Deployable for EAP 7(rhdm-7.9.1-decision-central-eap7-deployable.zip)**
- To run Business Central without needing to deploy it to an application server, download **Red Hat Decision Manager 7.9.1 Business Central Standalone (rhdm-7.9.1-decision-central-standalone.jar)**.


# CHAPTER 13. USING THE RED HAT DECISION MANAGER INSTALLER

This section describes how to install KIE Server and the headless Decision Manager controller using the installer JAR file. The JAR file is an executable file that installs Red Hat Decision Manager in an existing Red Hat JBoss EAP 7.3 server installation. You can run the installer in interactive or command line interface (CLI) mode.



## NOTE

The Red Hat Decision Manager JAR file installer does *not* support the Red Hat JBoss EAP distribution installed by yum or RPM Package Manager. If you want to install Red Hat Decision Manager in this type of Red Hat JBoss EAP installation, download the **Red Hat Decision Manager 7.9 Deployable for Red Hat JBoss EAP 7.3** file and follow the steps in [Chapter 14, \*Installing Red Hat Decision Manager from ZIP files\*](#).



## NOTE

Because IBM JDK cannot use keystores generated on other JDKs, you cannot install Red Hat Decision Manager into an existing Red Hat JBoss EAP installation running on IBM JDK with a keystore generated on another JDK.

### Next steps:

Follow the instructions in one of the following sections:

- [Section 13.1, “Using the installer in interactive mode”](#)
- [Section 13.2, “Using the installer in CLI mode”](#)

## 13.1. USING THE INSTALLER IN INTERACTIVE MODE

The installer for Red Hat Decision Manager is an executable JAR file. You can use it to install Red Hat Decision Manager in an existing Red Hat JBoss EAP 7.3 server installation.



## NOTE

For security reasons, you should run the installer as a non-root user.

### Prerequisites

- A supported JDK is installed. For a list of supported JDKs, see [Red Hat Process Automation Manager 7 Supported Configurations](#).
- A backed-up Red Hat JBoss EAP 7.3 server installation is available.
- Sufficient user permissions to complete the installation are granted.
- The JAR binary is included in **\$PATH** environment variable. On Red Hat Enterprise Linux, it is included in the **java-\$JAVA\_VERSION-openjdk-devel** package.



## NOTE

Red Hat Decision Manager is designed to work with UTF-8 encoding. If a different encoding system is used by the underlying JVM, unexpected errors might occur. To ensure UTF-8 is used by the JVM, use the "**-Dfile.encoding=UTF-8**" system property.

## Procedure

1. In a terminal window, navigate to the directory where you downloaded the installer JAR file and enter the following command:

```
java -jar rhdm-installer-7.9.1.jar
```



## NOTE

When running the installer on Windows, you may be prompted to provide administrator credentials during the installation. To prevent this requirement, add the **izpack.mode=privileged** option to the installation command:

```
java -Dizpack.mode=privileged -jar  
rhdm-installer-7.9.1.jar
```

Furthermore, when running the installer on a 32-bit Java virtual machine, you might encounter memory limitations. To prevent this issue, run this command:

```
java -XX:MaxHeapSize=4g -jar  
rhdm-installer-7.9.1.jar
```

The graphical installer displays a splash screen and a license agreement page.

2. Click **I accept the terms of this license agreement** and click **Next**.
3. Specify the Red Hat JBoss EAP 7.3 server home where you want to install Red Hat Decision Manager and click **Next**.
4. Select the components that you want to install and click **Next**.



## NOTE

You can install Business Central and KIE Server on the same server. However, you should install Business Central and KIE Server on different servers in production environments. To do this, run the installer twice.

5. Create a user and click **Next**. By default, if you install both Business Central and KIE Server in the same container the new user is given the **admin**, **kie-server**, and **rest-all** roles. If you install only KIE Server, the user is given the **kie-server** role. To select another role, deselect **admin**. For more information, see [Chapter 11, Red Hat Decision Manager roles and users](#).



### NOTE

Make sure that the specified user name is not the same as an existing user, role, or group. For example, do not create a user with the user name **admin**.

The password must have at least eight characters and must contain at least one number and one non-alphanumeric character, but not & (ampersand).

Make a note of the user name and password. You will need them to access Business Central and KIE Server.

6. On the **Installation Overview** page, click **Next** to start the installation. The Installation Overview page lists the components that you will install.
7. When the installation has completed, click **Next**.
8. When **Processing finished** appears at the top of the screen, click **Next** to complete the installation.
9. Optionally, click **Generate Installation Script and Properties File** to save the installation data in XML files, and then click **Done**.

The installer generates two files. The **auto.xml** file automates future installations and the **auto.xml.variables** file stores user passwords and other sensitive variables. Use the **auto.xml** file on multiple systems to easily repeat a Red Hat Decision Manager installation on the same type of server with the same configuration as the original installation. If necessary, update the **installpath** parameter in the **auto.xml** file. Enter the following command to perform an installation with the XML file:

```
java -jar rhdm-installer-7.9.1.jar <path-to-auto.xml-file>
```

You have successfully installed Red Hat Decision Manager using the installer.

## 13.2. USING THE INSTALLER IN CLI MODE

You can run the Red Hat Decision Manager installer through the command-line interface (CLI).



### NOTE

For security reasons, you should run the installer as a non-root user.

#### Prerequisites

- A supported JDK is installed. For a list of supported JDKs, see [Red Hat Process Automation Manager 7 Supported Configurations](#).
- A backed-up Red Hat JBoss EAP 7.3 server installation is available.
- Sufficient user permissions to complete the installation are granted.
- The JAR binary is included in the **\$PATH** environment variable. On Red Hat Enterprise Linux, it is included in the **java-\$JAVA\_VERSION-openjdk-devel** package.



## NOTE

Red Hat Decision Manager is designed to work with UTF-8 encoding. If a different encoding system is used by the underlying JVM, unexpected errors might occur. To ensure UTF-8 is used by the JVM, use the "**-Dfile.encoding=UTF-8**" system property.

## Procedure

1. In a terminal window, navigate to the directory where you downloaded the installer file and enter the following command:

```
java -jar rhdm-installer-7.9.1.jar -console
```

The command-line interactive process will start and display the End-User License Agreement.

```
press 1 to continue, 2 to quit, 3 to redisplay.
```

2. Read the license agreement, enter **1**, and press Enter to continue:

```
Specify the home directory of one of the following servers: Red Hat JBoss EAP 7 or Red Hat JBoss Web Server 5. For more information, see  
https://access.redhat.com/articles/3354301[Red Hat Decision Manager 7 Supported Configurations].
```

3. Enter the parent directory of an existing Red Hat JBoss EAP 7.3 installation.

The installer will verify the location of the installation at the location provided. Enter **1** to confirm and continue.



## NOTE

You can install Business Central and KIE Server on the same server. However, you should install Business Central and KIE Server on different servers in production environments.

4. Follow the instructions in the installer to complete the installation.



## NOTE

When you create the user name and password, make sure that the specified user name does not conflict with any known title of a role or a group. For example, if there is a role called **admin**, you should not create a user with the user name **admin**.

The password must have at least eight characters and must contain at least one number and one non-alphanumeric character (*not* including the character **&**).

Make a note of the user name and password. You will need them to access Business Central and KIE Server.

5. When the installation has completed, you will see this message:

```
Would you like to generate an automatic installation script and properties file?
```

6. Enter **y** to create XML files that contain the installation data, or **n** to complete the installation. If you enter **y**, you are prompted to specify a path for the XML files.

7. Enter a path or press the Enter key to accept the suggested path.

The installer generates two files. The **auto.xml** file automates future installations and the **auto.xml.variables** file stores user passwords and other sensitive variables. Use the **auto.xml** file on multiple systems to easily repeat a Red Hat Decision Manager installation on the same type of server with the same configuration as the original installation. If necessary, update the **installpath** parameter in the **auto.xml** file. Enter the following command to perform an installation with the XML file:

```
java -jar rhdm-installer-7.9.1.jar <path-to-auto.xml-file>
```

8. If you installed only Business Central, repeat these steps to install KIE Server on a separate server.

# CHAPTER 14. INSTALLING RED HAT DECISION MANAGER FROM ZIP FILES

The Red Hat Decision Manager ZIP files (one for Business Central and one for KIE Server) do not require a graphical user interface.



## NOTE

You should install Business Central and the KIE Server on different servers in production environments.

For information about installing the headless Decision Manager controller, see [Chapter 19, \*Installing and running the headless Decision Manager controller\*](#).

## 14.1. INSTALLING BUSINESS CENTRAL FROM THE ZIP FILE

Business Central is a web console that enables you to create, manage, and edit your rules and related assets in a unified web-based environment.

### Prerequisites

- A backed-up Red Hat JBoss EAP installation version 7.3 is available. The base directory of the Red Hat JBoss EAP installation is referred to as **EAP\_HOME**.
- Sufficient user permissions to complete the installation are granted.
- The following file is downloaded as described in [Chapter 12, \*Downloading the Red Hat Decision Manager installation files\*](#):  
**rhdm-7.9.1-decision-central-eap7-deployable.zip**

### Procedure

1. Extract the **rhdm-7.9.1-decision-central-eap7-deployable.zip** file to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
2. Copy the contents of the **TEMP\_DIR/rhdm-7.9.1-decision-central-eap7-deployable/jboss-eap-7.3** directory to **EAP\_HOME**. When prompted, merge or replace files.



## WARNING

Ensure the names of the Red Hat Decision Manager deployments you copy do not conflict with your existing deployments in the Red Hat JBoss EAP instance.

## 14.2. INSTALLING KIE SERVER FROM THE ZIP FILE

KIE Server provides the runtime environment for business assets and accesses the data stored in the assets repository (knowledge store).

## Prerequisites

- A backed-up Red Hat JBoss EAP installation version 7.3 is available. The base directory of the Red Hat JBoss EAP installation is referred to as **EAP\_HOME**.
- Sufficient user permissions to complete the installation are granted.
- The following file is downloaded as described in [Chapter 12, Downloading the Red Hat Decision Manager installation files](#):  
**rhdm-7.9.1-kie-server-ee8.zip**

## Procedure

1. Extract the **rhdm-7.9.1-kie-server-ee8.zip** archive to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
2. Copy the **TEMP\_DIR/rhdm-7.9.1-kie-server-ee8/kie-server.war** directory to **EAP\_HOME/standalone/deployments/**.



### WARNING

Ensure the names of the Red Hat Decision Manager deployments you copy do not conflict with your existing deployments in the Red Hat JBoss EAP instance.

3. Copy the contents of the **TEMP\_DIR/rhdm-7.9.1-kie-server-ee8/rhdm-7.9.1-kie-server-ee8/SecurityPolicy/** to **EAP\_HOME/bin**. When asked to overwrite files, click **Replace**.
4. In the **EAP\_HOME/standalone/deployments/** directory, create an empty file named **kie-server.war.dodeploy**. This file ensures that KIE Server is automatically deployed when the server starts.

## 14.3. CREATING USERS

Before you can log in to Business Central or KIE Server, you must create users. This section shows you how to create a Business Central user with the **admin**, **rest-all**, and **kie-server** roles and a KIE Server user that has the **kie-server** role. For information about roles, see [Chapter 11, Red Hat Decision Manager roles and users](#).

## Prerequisites

- Red Hat Decision Manager is installed in the base directory of the Red Hat JBoss EAP installation (**EAP\_HOME**).

## Procedure

1. In a terminal application, navigate to the **EAP\_HOME/bin** directory.
2. Create a user with the **admin**, **rest-all**, and **kie-server** roles.



### NOTE

Users with the **admin** role are Business Central administrators. Users with **rest-all** role can access Business Central REST capabilities. Users with the **kie-server** role can access KIE Server (KIE Server) REST capabilities.

In the following command, replace **<username>** and **<password>** with the user name and password of your choice.

```
$ ./add-user.sh -a --user <USERNAME> --password <PASSWORD> --role admin,rest-all,kie-server
```



### NOTE

Make sure that the specified user name is not the same as an existing user, role, or group. For example, do not create a user with the user name **admin**.

The password must have at least eight characters and must contain at least one number and one non-alphanumeric character, but not & (ampersand).

3. Create a user with the **kie-server** role that you will use to log in to KIE Server.

```
$ ./add-user.sh -a --user <USERNAME> --password <PASSWORD> --role kie-server
```

4. Make a note of your user names and passwords.



### NOTE

If you installed Business Central and KIE Server in the same server instance, you can create a single user that has both of these roles:

```
$ ./add-user.sh -a --user <USERNAME> --password <PASSWORD> --role admin,rest-all,kie-server
```

You should install Business Central and KIE Server on different servers in production environments.

## 14.4. CONFIGURING KIE SERVER TO CONNECT TO BUSINESS CENTRAL



### WARNING

This section provides a sample setup that you can use for testing purposes. Some of the values are unsuitable for a production environment, and are marked as such.

If a KIE Server is not configured in your Red Hat Decision Manager environment, or if you require additional KIE Servers in your Red Hat Decision Manager environment, you must configure a KIE Server to connect to Business Central.



## NOTE

If you are deploying KIE Server on Red Hat OpenShift Container Platform, see the [Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators](#) document for instructions about configuring it to connect to Business Central.

## Prerequisites

- Business Central and KIE Server are installed in the base directory of the Red Hat JBoss EAP installation (**EAP\_HOME**) as described in the following sections:
  - [Section 14.1, "Installing Business Central from the ZIP file"](#)
  - [Section 14.2, "Installing KIE Server from the ZIP file"](#)
- Users with the following roles exist:
  - In Business Central, a user with the role **rest-all**
  - On the KIE Server, a user with the role **kie-server**  
For more information, see [Section 14.3, "Creating users"](#).

## Procedure

1. In your Red Hat Decision Manager installation directory, navigate to the **standalone-full.xml** file. For example, if you use a Red Hat JBoss EAP installation for Red Hat Decision Manager, go to **\$EAP\_HOME/standalone/configuration/standalone-full.xml**.
2. Open **standalone-full.xml** file and under the **<system-properties>** tag, set the following JVM properties:

Table 14.1. JVM Properties for Managed KIE Server Instance

Property	Value	Note
<b>org.kie.server.id</b>	<b>default-kie-server</b>	The KIE Server ID.
<b>org.kie.server.controller</b>	<b>http://localhost:8080/decision-central/rest/controller</b>	The location of Business Central. The URL for connecting to the API of Business Central.
<b>org.kie.server.controller.user</b>	<b>controllerUser</b>	The user name with the role <b>rest-all</b> who can log in to the Business Central.
<b>org.kie.server.controller.pwd</b>	<b>controllerUser1234;</b>	The password of the user who can log in to the Business Central.

Property	Value	Note
<b>org.kie.server.location</b>	<b>http://localhost:8080/kie-server/services/rest/server</b>	The location of the KIE Server. The URL for connecting to the API of KIE Server.

Table 14.2. JVM Properties for Business Central Instance

Property	Value	Note
<b>org.kie.server.user</b>	<b>controllerUser</b>	The user name with the role <b>kie-server</b> .
<b>org.kie.server.pwd</b>	<b>controllerUser1234;</b>	The password of the user.

Example for KIE Server Instance:

```
<property name="org.kie.server.id" value="default-kie-server"/>
<property name="org.kie.server.controller" value="http://localhost:8080/decision-central/rest/controller"/>
<property name="org.kie.server.controller.user" value="controllerUser"/>
<property name="org.kie.server.controller.pwd" value="controllerUser1234;"/>
<property name="org.kie.server.location" value="http://localhost:8080/kie-server/services/rest/server"/>
```

Example for Business Central Instance:

```
<property name="org.kie.server.user" value="controllerUser"/>
<property name="org.kie.server.pwd" value="controllerUser1234;"/>
```

- Send a GET request to **http://*SERVER:PORT*/kie-server/services/rest/server** and verify the successful start of the KIE Server. Once authenticated, you receive an XML response similar to the following example:

```
<response type="SUCCESS" msg="Kie Server info">
  <kie-server-info>
    <capabilities>KieServer</capabilities>
    <capabilities>BRM</capabilities>
    <capabilities>BPM</capabilities>
    <capabilities>CaseMgmt</capabilities>
    <capabilities>BPM-UI</capabilities>
    <capabilities>BRP</capabilities>
    <capabilities>DMN</capabilities>
    <capabilities>Swagger</capabilities>
    <location>http://localhost:8230/kie-server/services/rest/server</location>
    <messages>
      <content>Server KieServerInfo{serverId='first-kie-server', version='7.5.1.Final-redhat-1', location='http://localhost:8230/kie-server/services/rest/server', capabilities=[KieServer, BRM, BPM, CaseMgmt, BPM-UI, BRP, DMN, Swagger]}started successfully at Mon Feb 05 15:44:35 AEST 2018</content>
      <severity>INFO</severity>
    </messages>
  </kie-server-info>
</response>
```

```
<timestamp>2018-02-05T15:44:35.355+10:00</timestamp>
</messages>
<name>first-kie-server</name>
<id>first-kie-server</id>
<version>7.5.1.Final-redhat-1</version>
</kie-server-info>
</response>
```

4. Verify the successful registration:

- a. Log in to Business Central.

- b. Click **Menu** → **Deploy** → **Execution Servers**.

If registration is successful, you can see the registered server ID.

## CHAPTER 15. SECURING PASSWORDS WITH A KEYSTORE

You can use a keystore to encrypt passwords that are used for communication between Business Central and KIE Server. You should encrypt both controller and KIE Server passwords. If Business Central and KIE Server are deployed to different application servers, then both application servers should use the keystore.

Use Java Cryptography Extension KeyStore (JCEKS) for your keystore because it supports symmetric keys. Use KeyTool, which is part of the JDK installation, to create a new JCEKS.



### NOTE

If KIE Server is not configured with JCEKS, KIE Server passwords are stored in system properties in plain text form.

### Prerequisites

- KIE Server is installed in Red Hat JBoss EAP.
- Java 8 or higher is installed.

### Procedure

1. In the Red Hat JBoss EAP home directory, enter the following command to create a KIE Server user with the **kie-server** role and specify a password. In the following example, replace **<USER\_NAME>** and **<PASSWORD>** with the user name and password of your choice.

```
$<EAP_HOME>/bin/add-user.sh -a -e -u <USER_NAME> -p <PASSWORD> -g kie-server
```

2. To use KeyTool to create a JCEKS, enter the following command in the Java 8 home directory:

```
$<JAVA_HOME>/bin/keytool -importpassword -keystore <KEYSTORE_PATH> -keypass
<ALIAS_KEY_PASSWORD> -alias <PASSWORD_ALIAS> -storepass
<KEYSTORE_PASSWORD> -storetype JCEKS
```

In this example, replace the following variables:

- **<KEYSTORE\_PATH>**: The path where the keystore will be stored
- **<KEYSTORE\_PASSWORD>**: The keystore password
- **<ALIAS\_KEY\_PASSWORD>**: The password used to access values stored with the alias
- **<PASSWORD\_ALIAS>**: The alias of the entry to the process

3. When prompted, enter the password for the KIE Server user that you created.
4. Set the following system properties in the **EAP\_HOME/standalone/configuration/standalone-full.xml** file and replace the placeholders as listed in the following table:

```
<system-properties>
  <property name="kie.keystore.keyStoreURL" value="<KEYSTORE_URL>"/>
  <property name="kie.keystore.keyStorePwd" value="<KEYSTORE_PWD>"/>
  <property name="kie.keystore.key.server.alias" value="<KEY_SERVER_ALIAS>"/>
  <property name="kie.keystore.key.server.pwd" value="<KEY_SERVER_PWD>"/>
```

```
<property name="kie.keystore.key.ctrl.alias" value="

```

Table 15.1. System properties used to load a KIE Server JCEKS

System property	Placeholder	Description
<b>kie.keystore.keyStoreURL</b>	<b>&lt;KEYSTORE_URL&gt;</b>	URL for the JCEKS that you want to use, for example <b>file:///home/kie/keystores/key store.jceks</b>
<b>kie.keystore.keyStorePwd</b>	<b>&lt;KEYSTORE_PWD&gt;</b>	Password for the JCEKS
<b>kie.keystore.key.server.alias</b>	<b>&lt;KEY_SERVER_ALIAS&gt;</b>	Alias of the key for REST services where the password is stored
<b>kie.keystore.key.server.pwd</b>	<b>&lt;KEY_SERVER_PWD&gt;</b>	Password of the alias for REST services with the stored password
<b>kie.keystore.key.ctrl.alias</b>	<b>&lt;KEY_CONTROL_ALIAS&gt;</b>	Alias of the key for default REST Process Automation Controller where the password is stored
<b>kie.keystore.key.ctrl.key.ctrl.pwd</b>	<b>&lt;KEY_CONTROL_PWD&gt;</b>	Password of the alias for default REST Process Automation Controller with the stored password

5. Start KIE Server to verify the configuration.

## CHAPTER 16. CONFIGURING SSH TO USE RSA

SSH is used to clone Git repositories. By default, the DSA encryption algorithm is provided by Business Central. However, some SSH clients, for example SSH clients in the Fedora 23 environment, use the RSA algorithm instead of the DSA algorithm. Business Central contains a system property that you can use to switch from DSA to RSA if required.



### NOTE

SSH clients on supported configurations, for example Red Hat Enterprise Linux 7, are not affected by this issue. For a list of supported configurations, see [Red Hat Decision Manager 7 Supported Configurations](#).

### Procedure

Complete one of the following tasks to enable this system property:

- Modify the `~/.ssh/config` file on client side as follows to force the SSH client to accept the deprecated DSA algorithm:

```
Host <SERVER_IP>
  HostKeyAlgorithms +ssh-dss
```

- Include the `-Dorg.uberfire.nio.git.ssh.algorithm=RSA` parameter when you start Business Central, for example:

```
$ ./standalone.sh -c standalone-full.xml
-Dorg.uberfire.nio.git.ssh.algorithm=RSA
```

# CHAPTER 17. VERIFYING THE RED HAT DECISION MANAGER INSTALLATION

After you have installed Red Hat Decision Manager, create an asset to verify that the installation is working.

## Procedure

1. In a terminal window, navigate to the **EAP\_HOME/bin** directory and enter the following command to start Red Hat Decision Manager:

```
./standalone.sh -c standalone-full.xml
```



### NOTE

If you deployed Business Central without KIE Server, you can start Business Central with the **standalone.sh** script without specifying the **standalone-full.xml** file. In this case, ensure that you make any configuration changes to the **standalone.xml** file before starting Business Central.

2. In a web browser, enter **localhost:8080/decision-central**.
  - If Red Hat Decision Manager has been configured to run from a domain name, replace **localhost** with the domain name, for example:  
**http://www.example.com:8080/decision-central**
  - If Red Hat Decision Manager has been configured to run in a cluster, replace **localhost** with the IP address of a particular node, for example:  
**http://<node\_IP\_address>:8080/decision-central**
3. Enter the **admin** user credentials that you created during installation. The Business Central home page appears.
4. Select **Menu → Deploy → Execution Servers**.
5. Confirm that **default-kieserver** is listed under **Server Configurations**.
6. Select **Menu → Design → Projects**.
7. Open the **MySpace** space.
8. Click **Try Samples → Mortgages → OK**. The **Assets** window appears.
9. Click **Add Asset → Data Object**.
10. Enter **MyDataObject** in the **Data Object** field and click **OK**.
11. Click **Spaces → MySpace → Mortgages** and confirm that **MyDataObject** is in the list of assets.
12. Delete the **Mortgages** project.

# CHAPTER 18. RUNNING RED HAT DECISION MANAGER

Use this procedure to run the Red Hat Decision Manager on Red Hat JBoss EAP in standalone mode.

## Prerequisites

- Red Hat Decision Manager is installed and configured.



### NOTE

If you changed the default host (**localhost**) or the default port (**9990**), then before you run Red Hat Decision Manager, you must edit the **business-central.war/WEB-INF/classes/datasource-management.properties** and **business-central.war/WEB-INF/classes/security-management.properties** files as described in [Solution 3519551](#).

## Procedure

1. In a terminal application, navigate to **EAP\_HOME/bin**.
2. Run the standalone configuration:
  - On Linux or UNIX-based systems:

```
$ ./standalone.sh -c standalone-full.xml
```
  - On Windows:

```
standalone.bat -c standalone-full.xml
```



### NOTE

If you deployed Business Central without KIE Server, you can start Business Central with the **standalone.sh** script without specifying the **standalone-full.xml** file. In this case, ensure that you make any configuration changes to the **standalone.xml** file before starting Business Central.

On Linux or UNIX-based systems:

```
$ /standalone.sh
```

On Windows:

```
standalone.bat
```

3. In a web browser, open the URL **localhost:8080/decision-central**.
4. Log in using the credentials of the user that you created for Business Central in [Section 14.3, "Creating users"](#).

# CHAPTER 19. INSTALLING AND RUNNING THE HEADLESS DECISION MANAGER CONTROLLER

You can configure KIE Server to run in managed or unmanaged mode. If KIE Server is unmanaged, you must manually create and maintain KIE containers (deployment units). If KIE Server is managed, the Decision Manager controller manages the KIE Server configuration and you interact with the Decision Manager controller to create and maintain KIE containers.

Business Central has an embedded Decision Manager controller. If you install Business Central, use the **Execution Server** page to create and maintain KIE containers. If you want to automate KIE Server management without Business Central, you can use the headless Decision Manager controller.

## 19.1. INSTALLING THE HEADLESS DECISION MANAGER CONTROLLER

You can install the headless Decision Manager controller and use the REST API or the KIE Server Java Client API to interact with it.

### Prerequisites

- A backed-up Red Hat JBoss EAP installation version 7.3 is available. The base directory of the Red Hat JBoss EAP installation is referred to as **EAP\_HOME**.
- Sufficient user permissions to complete the installation are granted.

### Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download Red Hat Decision Manager 7.9.1 Add Ons(the **rhdm-7.9.1-add-ons.zip** file).
3. Unzip the **rhdm-7.9.1-add-ons.zip** file. The **rhdm-7.9.1-controller-ee7.zip** file is in the unzipped directory.
4. Extract the **rhdm-7.9.1-controller-ee7** archive to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
5. Copy the **TEMP\_DIR/rhdm-7.9.1-controller-ee7/controller.war** directory to **EAP\_HOME/standalone/deployments/**.



### WARNING

Ensure that the names of the headless Decision Manager controller deployments you copy do not conflict with your existing deployments in the Red Hat JBoss EAP instance.

6. Copy the contents of the **TEMP\_DIR/rhdm-7.9.1-controller-ee7/SecurityPolicy** directory to **EAP\_HOME/bin**. When asked to overwrite files, select **Yes**.
7. In the **EAP\_HOME/standalone/deployments** directory, create an empty file named **controller.war.dodeploy**. This file ensures that the headless Decision Manager controller is automatically deployed when the server starts.

### 19.1.1. Creating a headless Decision Manager controller user

Before you can use the headless Decision Manager controller, you must create a user that has the **kie-server** role.

#### Prerequisites

- The headless Decision Manager controller is installed in the base directory of the Red Hat JBoss EAP installation (**EAP\_HOME**).

#### Procedure

1. In a terminal application, navigate to the **EAP\_HOME/bin** directory.
2. Enter the following command and replace **<USER\_NAME>** and **<PASSWORD>** with the user name and password of your choice.

```
$ ./add-user.sh -a --user <username> --password <password> --role kie-server
```



#### NOTE

Make sure that the specified user name is not the same as an existing user, role, or group. For example, do not create a user with the user name **admin**.

The password must have at least eight characters and must contain at least one number and one non-alphanumeric character, but not & (ampersand).

3. Make a note of your user name and password.

### 19.1.2. Configuring KIE Server and the headless Decision Manager controller

If KIE Server will be managed by the headless Decision Manager controller, you must edit the **standalone-full.xml** file in KIE Server installation and the **standalone.xml** file in the headless Decision Manager controller installation, as described in this section.

#### Prerequisites

- KIE Server is installed in the base directory of the Red Hat JBoss EAP installation (**EAP\_HOME**) as described in [Chapter 14, \*Installing Red Hat Decision Manager from ZIP files\*](#) section.
- The headless Decision Manager controller is installed in an **EAP\_HOME**.

**NOTE**

You should install KIE Server and the headless Decision Manager controller on different servers in production environments. However, if you install KIE Server and the headless Decision Manager controller on the same server, for example in a development environment, make these changes in the shared **standalone-full.xml** file.

- On KIE Server nodes, a user with the **kie-server** role exists.
- On the server nodes, a user with the **kie-server** role exists.  
For more information, see [Section 14.3, "Creating users"](#).

**Procedure**

1. In the **EAP\_HOME/standalone/configuration/standalone-full.xml** file, add the following properties to the **<system-properties>** section and replace **<USERNAME>** and **<USER\_PWD>** with the credentials of a user with the **kie-server** role:

```
<property name="org.kie.server.user" value="<USERNAME>"/>
<property name="org.kie.server.pwd" value="<USER_PWD>"/>
```

2. In the KIE Server **EAP\_HOME/standalone/configuration/standalone-full.xml** file, add the following properties to the **<system-properties>** section:

```
<property name="org.kie.server.controller.user" value="<CONTROLLER_USER>"/>
<property name="org.kie.server.controller.pwd" value="<CONTROLLER_PWD>"/>
<property name="org.kie.server.id" value="<KIE_SERVER_ID>"/>
<property name="org.kie.server.location" value="http://<HOST>:<PORT>/kie-
server/services/rest/server"/>
<property name="org.kie.server.controller" value="<CONTROLLER_URL>"/>
```

3. In this file, replace the following values:

- Replace **<CONTROLLER\_USER>** and **<CONTROLLER\_PWD>** with the credentials of a user with the **kie-server** role.
- Replace **<KIE\_SERVER\_ID>** with the ID or name of the KIE Server installation, for example, **rhdm-7.9.1-kie-server-1**.
- Replace **<HOST>** with the ID or name of the KIE Server host, for example, **localhost** or **192.7.8.9**.
- Replace **<PORT>** with the port of the KIE Server host, for example, **8080**.

**NOTE**

The **org.kie.server.location** property specifies the location of KIE Server.

- Replace **<CONTROLLER\_URL>** with the URL of the headless Decision Manager controller.

4. KIE Server connects to this URL during startup.

## 19.2. RUNNING THE HEADLESS DECISION MANAGER CONTROLLER

After you have installed the headless Decision Manager controller on Red Hat JBoss EAP, use this procedure to run the headless Decision Manager controller.

## Prerequisites

- The headless Decision Manager controller is installed and configured in the base directory of the Red Hat JBoss EAP installation (**EAP\_HOME**).

## Procedure

1. In a terminal application, navigate to **EAP\_HOME/bin**.
2. If you installed the headless Decision Manager controller on the same Red Hat JBoss EAP instance as the Red Hat JBoss EAP instance where you installed the KIE Server, enter one of the following commands:
  - On Linux or UNIX-based systems:

```
$ ./standalone.sh -c standalone-full.xml
```
  - On Windows:

```
standalone.bat -c standalone-full.xml
```
3. If you installed the headless Decision Manager controller on a separate Red Hat JBoss EAP instance from the Red Hat JBoss EAP instance where you installed the KIE Server, you can start the headless Decision Manager controller with the **standalone.sh** script:



### NOTE

In this case, ensure that you made all required configuration changes to the **standalone.xml** file.

- On Linux or UNIX-based systems:

```
$ ./standalone.sh
```
- On Windows:

```
standalone.bat
```
4. To verify that the headless Decision Manager controller is working on Red Hat JBoss EAP, enter the following command where <CONTROLLER> and <CONTROLLER\_PWD> is the user name and password combination that you created in [Section 19.1.1, “Creating a headless Decision Manager controller user”](#). The output of this command provides information about the KIE Server instance.

```
curl -X GET "http://<HOST>:<PORT>/controller/rest/controller/management/servers" -H "accept: application/xml" -u '<CONTROLLER>:<CONTROLLER_PWD>'
```

**NOTE**

Alternatively, you can use the KIE Server Java API Client to access the headless Decision Manager controller.

# CHAPTER 20. RUNNING STANDALONE BUSINESS CENTRAL

You can use the Business Central standalone JAR file to run Business Central without needing to deploy it to an application server such as Red Hat JBoss EAP.



## NOTE

Red Hat supports this installation type only when it is installed on Red Hat Enterprise Linux.



## NOTE

Example configuration files are available in **rhdm-7.9.1-standalone-sample-configuration.zip** of **rhdm-7.9.1-addons.zip**.

## Prerequisites

- The Red Hat Decision Manager 7.9.1 Business Central Standalone(**rhdm-7.9.1-decision-central-standalone.jar**) file has been downloaded from the [Software Downloads](#) page for Red Hat Decision Manager 7.9, as described in [Chapter 12, Downloading the Red Hat Decision Manager installation files](#).

## Procedure

1. Download the **rhdm-7.9.1-addons.zip** file from the [Software Downloads](#) page for Red Hat Decision Manager 7.9.
2. Unzip the downloaded **rhdm-7.9.1-addons.zip** to a temporary directory.
3. Navigate to the **rhdm-7.9.1-addons** folder and unzip the **rhdm-7.9.1-standalone-sample-configuration.zip**.
4. Navigate to the **rhdm-7.9.1-standalone-sample-configuration** folder and copy the contents to the directory containing your **rhdm-7.9.1-decision-central-standalone.jar** file.
5. To run the standalone sample configuration, enter the following command:

```
java -jar rhdm-7.9.1-decision-central-standalone.jar -s sample-standalone-config.yml
```

See [Section 20.1, “Business Central system properties”](#) for more information.

## 20.1. BUSINESS CENTRAL SYSTEM PROPERTIES

The Business Central system properties listed in this section are passed to **standalone\*.xml** files. To install standalone Business Central, you can use the listed properties in the following command:

```
java -jar rhdm-7.9.1-decision-central-standalone.jar -s application-config.yaml -D<property>=<value> -D<property>=<value>
```

In this command, **<property>** is a property from list and **<value>** is a value that you assign to that property.

[Git directory](#)

Use the following properties to set the location and name for the Business Central Git directory:

- **org.uberfire.nio.git.dir**: Location of the Business Central Git directory.
- **org.uberfire.nio.git.dirname**: Name of the Business Central Git directory. Default value: **.niogit**.
- **org.uberfire.nio.git.ketch**: Enables or disables Git ketch.
- **org.uberfire.nio.git.hooks**: Location of the Git hooks directory.

## Git over HTTP

Use the following properties to configure access to the Git repository over HTTP:

- **org.uberfire.nio.git.proxy.ssh.over.http**: Specifies whether SSH should use an HTTP proxy. Default value: **false**.
- **http.proxyHost**: Defines the host name of the HTTP proxy. Default value: **null**.
- **http.proxyPort**: Defines the host port (integer value) of the HTTP proxy. Default value: **null**.
- **http.proxyUser**: Defines the user name of the HTTP proxy.
- **http.proxyPassword**: Defines the user password of the HTTP proxy.
- **org.uberfire.nio.git.http.enabled**: Enables or disables the HTTP daemon. Default value: **true**.
- **org.uberfire.nio.git.http.host**: If the HTTP daemon is enabled, it uses this property as the host identifier. This is an informative property that is used to display how to access the Git repository over HTTP. The HTTP still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.http.hostname**: If the HTTP daemon is enabled, it uses this property as the host name identifier. This is an informative property that is used to display how to access the Git repository over HTTP. The HTTP still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.http.port**: If the HTTP daemon is enabled, it uses this property as the port number. This is an informative property that is used to display how to access the Git repository over HTTP. The HTTP still relies on the servlet container. Default value: **8080**.

## Git over HTTPS

Use the following properties to configure access to the Git repository over HTTPS:

- **org.uberfire.nio.git.proxy.ssh.over.https**: Specifies whether SSH uses an HTTPS proxy. Default value: **false**.
- **https.proxyHost**: Defines the host name of the HTTPS proxy. Default value: **null**.
- **https.proxyPort**: Defines the host port (integer value) of the HTTPS proxy. Default value: **null**.
- **https.proxyUser**: Defines the user name of the HTTPS proxy.
- **https.proxyPassword**: Defines the user password of the HTTPS proxy.
- **user.dir**: Location of the user directory.

- **org.uberfire.nio.git.https.enabled:** Enables or disables the HTTPS daemon. Default value: **false**
- **org.uberfire.nio.git.https.host:** If the HTTPS daemon is enabled, it uses this property as the host identifier. This is an informative property that is used to display how to access the Git repository over HTTPS. The HTTPS still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.https.hostname:** If the HTTPS daemon is enabled, it uses this property as the host name identifier. This is an informative property that is used to display how to access the Git repository over HTTPS. The HTTPS still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.https.port:** If the HTTPS daemon is enabled, it uses this property as the port number. This is an informative property that is used to display how to access the Git repository over HTTPS. The HTTPS still relies on the servlet container. Default value: **8080**.

## JGit

- **org.uberfire.nio.jgit.cache.instances:** Defines the JGit cache size.
- **org.uberfire.nio.jgit.cache.overflow.cleanup.size:** Defines the JGit cache overflow cleanup size.
- **org.uberfire.nio.jgit.remove.eldest.iterations:** Enables or disables whether to remove eldest JGit iterations.
- **org.uberfire.nio.jgit.cache.evict.threshold.duration:** Defines the JGit evict threshold duration.
- **org.uberfire.nio.jgit.cache.evict.threshold.time.unit:** Defines the JGit evict threshold time unit.

## Git daemon

Use the following properties to enable and configure the Git daemon:

- **org.uberfire.nio.git.daemon.enabled:** Enables or disables the Git daemon. Default value: **true**.
- **org.uberfire.nio.git.daemon.host:** If the Git daemon is enabled, it uses this property as the local host identifier. Default value: **localhost**.
- **org.uberfire.nio.git.daemon.hostname:** If the Git daemon is enabled, it uses this property as the local host name identifier. Default value: **localhost**
- **org.uberfire.nio.git.daemon.port:** If the Git daemon is enabled, it uses this property as the port number. Default value: **9418**.
- **org.uberfire.nio.git.http.sslVerify:** Enables or disables SSL certificate checking for Git repositories. Default value: **true**.



### NOTE

If the default or assigned port is already in use, a new port is automatically selected. Ensure that the ports are available and check the log for more information.

## Git SSH

Use the following properties to enable and configure the Git SSH daemon:

- **org.uberfire.nio.git.ssh.enabled**: Enables or disables the SSH daemon. Default value: **true**.
- **org.uberfire.nio.git.ssh.host**: If the SSH daemon enabled, it uses this property as the local host identifier. Default value: **localhost**.
- **org.uberfire.nio.git.ssh.hostname**: If the SSH daemon is enabled, it uses this property as local host name identifier. Default value: **localhost**.
- **org.uberfire.nio.git.ssh.port**: If the SSH daemon is enabled, it uses this property as the port number. Default value: **8001**.



### NOTE

If the default or assigned port is already in use, a new port is automatically selected. Ensure that the ports are available and check the log for more information.

- **org.uberfire.nio.git.ssh.cert.dir**: Location of the **.security** directory where local certificates are stored. Default value: Working directory.
- **org.uberfire.nio.git.ssh.idle.timeout**: Sets the SSH idle timeout.
- **org.uberfire.nio.git.ssh.passphrase**: Pass phrase used to access the public key store of your operating system when cloning git repositories with SCP style URLs. Example: `git@github.com:user/repository.git`.
- **org.uberfire.nio.git.ssh.algorithm**: Algorithm used by SSH. Default value: **RSA**.
- **org.uberfire.nio.git.gc.limit**: Sets the GC limit.
- **org.uberfire.nio.git.ssh.ciphers**: A comma-separated string of ciphers. The available ciphers are **aes128-ctr**, **aes192-ctr**, **aes256-ctr**, **arcfour128**, **arcfour256**, **aes192-cbc**, **aes256-cbc**. If the property is not used, all available ciphers are loaded.
- **org.uberfire.nio.git.ssh.macs**: A comma-separated string of message authentication codes (MACs). The available MACs are **hmac-md5**, **hmac-md5-96**, **hmac-sha1**, **hmac-sha1-96**, **hmac-sha2-256**, **hmac-sha2-512**. If the property is not used, all available MACs are loaded.



### NOTE

If you plan to use RSA or any algorithm other than DSA, make sure you set up your application server to use the Bouncy Castle JCE library.

## KIE Server nodes and Decision Manager controller

Use the following properties to configure the connections with the KIE Server nodes from the Decision Manager controller:

- **org.kie.server.controller**: The URL is used to connect to the Decision Manager controller. For example, `ws://localhost:8080/decision-central/websocket/controller`.

- **org.kie.server.user:** User name used to connect to the KIE Server nodes from the Decision Manager controller. This property is only required when using this Business Central installation as a Decision Manager controller.
- **org.kie.server.pwd:** Password used to connect to the KIE Server nodes from the Decision Manager controller. This property is only required when using this Business Central installation as a Decision Manager controller.

## Maven and miscellaneous

Use the following properties to configure Maven and other miscellaneous functions:

- **kie.maven.offline.force:** Forces Maven to behave as if offline. If true, disables online dependency resolution. Default value: **false**.



### NOTE

Use this property for Business Central only. If you share a runtime environment with any other component, isolate the configuration and apply it only to Business Central.

- **org.uberfire.gzip.enable:** Enables or disables Gzip compression on the **GzipFilter** compression filter. Default value: **true**.
- **org.kie.workbench.profile:** Selects the Business Central profile. Possible values are **FULL** or **PLANNER\_AND\_RULES**. A prefix **FULL\_** sets the profile and hides the profile preferences from the administrator preferences. Default value: **FULL**
- **org.appformer.m2repo.url:** Business Central uses the default location of the Maven repository when looking for dependencies. It directs to the Maven repository inside Business Central, for example, <http://localhost:8080/business-central/maven2>. Set this property before starting Business Central. Default value: File path to the inner **m2** repository.
- **appformer.ssh.keystore:** Defines the custom SSH keystore to be used with Business Central by specifying a class name. If the property is not available, the default SSH keystore is used.
- **appformer.ssh.keys.storage.folder:** When using the default SSH keystore, this property defines the storage folder for the user's SSH public keys. If the property is not available, the keys are stored in the Business Central **.security** folder.
- **appformer.experimental.features:** Enables the experimental features framework. Default value: **false**.
- **org.kie.demo:** Enables an external clone of a demo application from GitHub.
- **org.uberfire.metadata.index.dir:** Place where the Lucene **.index** directory is stored. Default value: Working directory.
- **org.uberfire.ldap.regex.role\_mapper:** Regex pattern used to map LDAP principal names to the application role name. Note that the variable role must be a part of the pattern as the application role name substitutes the variable role when matching a principle value and role name.
- **org.uberfire.sys.repo.monitor.disabled:** Disables the configuration monitor. Do not disable unless you are sure. Default value: **false**.

- **org.uberfire.secure.key:** Password used by password encryption. Default value: **org.uberfire.admin.**
- **org.uberfire.secure.alg:** Crypto algorithm used by password encryption. Default value: **PBEWithMD5AndDES.**
- **org.uberfire.domain:** Security-domain name used by uberfire. Default value: **ApplicationRealm.**
- **org.guvnor.m2repo.dir:** Place where the Maven repository folder is stored. Default value: **<working-directory>/repositories/kie.**
- **org.guvnor.project.gav.check.disabled:** Disables group ID, artifact ID, and version (GAV) checks. Default value: **false.**
- **org.kie.build.disable-project-explorer:** Disables automatic build of a selected project in Project Explorer. Default value: **false.**
- **org.kie.builder.cache.size:** Defines the cache size of the project builder. Default value: **20.**
- **org.kie.verification.disable-dtable-realtime-verification:** Disables the real-time validation and verification of decision tables. Default value: **false.**

### Decision Manager controller

Use the following properties to configure how to connect to the Decision Manager controller:

- **org.kie.workbench.controller:** The URL used to connect to the Decision Manager controller, for example, **ws://localhost:8080/kie-server-controller/websocket/controller.**
- **org.kie.workbench.controller.user:** The Decision Manager controller user. Default value: **kieserver.**
- **org.kie.workbench.controller.pwd:** The Decision Manager controller password. Default value: **kieserver1!.**
- **org.kie.workbench.controller.token:** The token string used to connect to the Decision Manager controller.

### Java Cryptography Extension KeyStore (JCEKS)

Use the following properties to configure JCEKS:

- **kie.keystore.keyStoreURL:** The URL used to load a Java Cryptography Extension KeyStore (JCEKS). For example, **file:///home/kie/keystores/keystore.jceks.**
- **kie.keystore.keyStorePwd:** The password used for the JCEKS.
- **kie.keystore.key.ctrl.alias:** The alias of the key for the default REST Decision Manager controller.
- **kie.keystore.key.ctrl.pwd:** The password of the alias for the default REST Decision Manager controller.

### Rendering

Use the following properties to switch between Business Central and KIE Server rendered forms:

- **org.jbpm.wb.forms.renderer.ext**: Switches the form rendering between Business Central and KIE Server. By default, the form rendering is performed by Business Central. Default value: **false**.
- **org.jbpm.wb.forms.renderer.name**: Enables you to switch between Business Central and KIE Server rendered forms. Default value: **workbench**.

# CHAPTER 21. MAVEN SETTINGS AND REPOSITORIES FOR RED HAT DECISION MANAGER

When you create a Red Hat Decision Manager project, Business Central uses the Maven repositories that are configured for Business Central. You can use the Maven global or user settings to direct all Red Hat Decision Manager projects to retrieve dependencies from the public Red Hat Decision Manager repository by modifying the Maven project object model (POM) file (**pom.xml**). You can also configure Business Central and KIE Server to use an external Maven repository or prepare a Maven mirror for offline use.

For more information about Red Hat Decision Manager packaging and deployment options, see [Packaging and deploying a Red Hat Decision Manager project](#).

## 21.1. ADDING MAVEN DEPENDENCIES FOR RED HAT DECISION MANAGER

To use the correct Maven dependencies in your Red Hat Decision Manager project, add the Red Hat Business Automation bill of materials (BOM) files to the project's **pom.xml** file. The Red Hat Business Automation BOM applies to both Red Hat Decision Manager and Red Hat Process Automation Manager. When you add the BOM files, the correct versions of transitive dependencies from the provided Maven repositories are included in the project.

For more information about the Red Hat Business Automation BOM, see [What is the mapping between Red Hat Decision Manager and the Maven library version?](#).

### Procedure

1. Declare the Red Hat Business Automation BOM in the **pom.xml** file:

```
<dependencyManagement>
<dependencies>
<dependency>
<groupId>com.redhat.ba</groupId>
<artifactId>ba-platform-bom</artifactId>
<version>7.9.1.redhat-00003</version>
<type>pom</type>
<scope>import</scope>
</dependency>
</dependencies>
</dependencyManagement>
<dependencies>
<!-- Your dependencies -->
</dependencies>
```

2. Declare dependencies required for your project in the **<dependencies>** tag. After you import the product BOM into your project, the versions of the user-facing product dependencies are defined so you do not need to specify the **<version>** sub-element of these **<dependency>** elements. However, you must use the **<dependency>** element to declare dependencies which you want to use in your project.
3. For standalone projects that are not authored in Business Central, specify all dependencies required for your projects. In projects that you author in Business Central, the basic decision engine dependencies are provided automatically by Business Central.
  - For a basic Red Hat Decision Manager project, declare the following dependencies

- For a basic Red Hat Decision Manager project, declare the following dependencies, depending on the features that you want to use:

- For a basic Red Hat Decision Manager project, declare the following dependencies:

### Embedded decision engine dependencies

```
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-compiler</artifactId>
</dependency>

<!-- Dependency for persistence support. -->
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-persistence-jpa</artifactId>
</dependency>

<!-- Dependencies for decision tables, templates, and scorecards.
For other assets, declare org.drools:business-central-models-* dependencies. -->
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-decisiontables</artifactId>
</dependency>
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-templates</artifactId>
</dependency>
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-scorecards</artifactId>
</dependency>

<!-- Dependency for loading KJARs from a Maven repository using KieScanner. -->
<dependency>
<groupId>org.kie</groupId>
<artifactId>kie-ci</artifactId>
</dependency>
```

- To use the KIE Server, declare the following dependencies:

### Client application KIE Server dependencies

```
<dependency>
<groupId>org.kie.server</groupId>
<artifactId>kie-server-client</artifactId>
</dependency>
```

- To create a remote client for Red Hat Decision Manager, declare the following dependency:

### Client dependency

```
<dependency>
<groupId>org.uberfire</groupId>
<artifactId>uberfire-rest-client</artifactId>
```

</dependency>

- When creating a JAR file that includes assets, such as rules and process definitions, specify the packaging type for your Maven project as **kjar** and use **org.kie:kie-maven-plugin** to process the **kjar** packaging type located under the **<project>** element. In the following example,  **\${kie.version}**  is the Maven library version listed in [What is the mapping between Red Hat Decision Manager and the Maven library version?](#):

```
<packaging>kjar</packaging>
<build>
<plugins>
<plugin>
<groupId>org.kie</groupId>
<artifactId>kie-maven-plugin</artifactId>
<version>${kie.version}</version>
<extensions>true</extensions>
</plugin>
</plugins>
</build>
```

## 21.2. CONFIGURING AN EXTERNAL MAVEN REPOSITORY FOR BUSINESS CENTRAL AND KIE SERVER

You can configure Business Central and KIE Server to use an external Maven repository, such as Nexus or Artifactory, instead of the built-in repository. This enables Business Central and KIE Server to access and download artifacts that are maintained in the external Maven repository.



### IMPORTANT

"Artifacts in the repository do not receive automated security patches as Maven requires that artifacts be immutable. As a result, artifacts that are missing patches for known security flaws will remain in the repository to avoid breaking builds that depend on them. Patched artifacts have their version number incremented". For more information, see [JBoss Enterprise Maven Repository](#).



### NOTE

For information about configuring an external Maven repository for an authoring environment on Red Hat OpenShift Container Platform, see the following documents:

- Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators*
- Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using templates*

### Prerequisites

- Business Central and KIE Server are installed. For installation options, see [Planning a Red Hat Decision Manager installation](#).

### Procedure

1. Create a Maven **settings.xml** file with connection and access details for your external repository. For details about the **settings.xml** file, see the Maven [Settings Reference](#).
2. Save the file in a known location, for example, **/opt/custom-config/settings.xml**.
3. In your Red Hat Decision Manager installation directory, navigate to the **standalone-full.xml** file. For example, if you use a Red Hat JBoss EAP installation for Red Hat Decision Manager, go to **\$EAP\_HOME/standalone/configuration/standalone-full.xml**.
4. Open **standalone-full.xml** and under the **<system-properties>** tag, set the **kie.maven.settings.custom** property to the full path name of the **settings.xml** file.  
For example:

```
<property name="kie.maven.settings.custom" value="/opt/custom-config/settings.xml"/>
```

5. Start or restart Business Central and KIE Server.

## Next steps

For each Business Central project that you want to export or push as a KJAR artifact to the external Maven repository, you must add the repository information in the project **pom.xml** file. For instructions, see [Packaging and deploying a Red Hat Decision Manager project](#).

## 21.3. PREPARING A MAVEN MIRROR REPOSITORY FOR OFFLINE USE

If your Red Hat Decision Manager deployment does not have outgoing access to the public Internet, you must prepare a Maven repository with a mirror of all the necessary artifacts and make this repository available to your environment.



### NOTE

You do not need to complete this procedure if your Red Hat Decision Manager deployment is connected to the Internet.

### Prerequisites

- A computer that has outgoing access to the public Internet is available.

### Procedure

1. On the computer that has an outgoing connection to the public Internet, complete the following steps:
  - a. Click [Red Hat Process Automation Manager 7.9.1 Offliner Content List](#) to download the **rhdm-7.9.1-offliner.zip** product deliverable file from the [Software Downloads](#) page of the Red Hat Customer Portal.
  - b. Extract the contents of the **rhdm-7.9.1-offliner.zip** file into any directory.
  - c. Change to the directory and enter the following command:

```
./offline-repo-builder.sh offliner.txt
```

This command creates a **repository** subdirectory and downloads the necessary artifacts into this subdirectory.

If a message reports that some downloads have failed, run the same command again. If downloads fail again, contact Red Hat support.

2. If you developed services outside Business Central and they have additional dependencies, add the dependencies to the mirror repository. If you developed the services as Maven projects, you can use the following steps to prepare these dependencies automatically. Complete the steps on the computer that has an outgoing connection to the public Internet.
  - a. Create a backup of the local Maven cache directory (`~/.m2/repository`) and then clear the directory.
  - b. Build the source of your projects using the **mvn clean install** command.
  - c. For every project, enter the following command to ensure that Maven downloads all runtime dependencies for all the artifacts generated by the project:

```
mvn -e -DskipTests dependency:go-offline -f /path/to/project/pom.xml --batch-mode -Djava.net.preferIPv4Stack=true
```

Replace **/path/to/project/pom.xml** with the correct path to the **pom.xml** file of the project.

- d. Copy the contents of the local Maven cache directory (`~/.m2/repository`) to the **repository** subdirectory that was created.
3. Copy the contents of the **repository** subdirectory to a directory on the computer on which you deployed Red Hat Decision Manager. This directory becomes the offline Maven mirror repository.
4. Create and configure a **settings.xml** file for your Red Hat Decision Manager deployment, according to instructions in [Section 21.2, “Configuring an external Maven repository for Business Central and KIE Server”](#).
5. Make the following changes in the **settings.xml** file:

- Under the **<profile>** tag, if a **<repositories>** or **<pluginRepositories>** tag is absent, add the tags as necessary.
- Under **<repositories>** add the following sequence:

```
<repository>
<id>offline-repository</id>
<url>file:///path/to/repo</url>
<releases>
<enabled>true</enabled>
</releases>
<snapshots>
<enabled>false</enabled>
</snapshots>
</repository>
```

Replace **/path/to/repo** with the full path to the local Maven mirror repository directory.

- Under **<pluginRepositories>** add the following sequence:

```
<repository>
<id>offline-plugin-repository</id>
<url>file:///path/to/repo</url>
```

```
<releases>
  <enabled>true</enabled>
</releases>
<snapshots>
  <enabled>false</enabled>
</snapshots>
</repository>
```

Replace **/path/to/repo** with the full path to the local Maven mirror repository directory.

6. Set the **kie.maven.offline.force** property for Business Central to **true**. For instructions about setting properties for Business Central, see *Installing and configuring Red Hat Decision Manager on Red Hat JBoss EAP 7.3*.

# CHAPTER 22. IMPORTING PROJECTS FROM GIT REPOSITORIES

Git is a distributed version control system. It implements revisions as commit objects. When you save your changes to a repository, a new commit object in the Git repository is created.

Business Central uses Git to store project data, including assets such as rules and processes. When you create a project in Business Central, it is added to a Git repository that is embedded in Business Central. If you have projects in other Git repositories, you can import those projects into the Business Central Git repository through Business Central spaces.

## Prerequisites

- Red Hat Decision Manager projects exist in an external Git repository.
- You have the credentials required for read access to that external Git repository.

## Procedure

1. In Business Central, click **Menu** → **Design** → **Projects**.
2. Select or create the space into which you want to import the projects. The default space is **MySpace**.
3. To import a project, do one of the following:
  - Click **Import Project**.
  - Select **Import Project** from the drop-down list.
4. In the **Import Project** window, enter the URL and credentials for the Git repository that contains the projects that you want to import and click **Import**. The projects are added to the Business Central Git repository and are available from the current space.

# CHAPTER 23. CUSTOMIZING THE BRANDING OF BUSINESS CENTRAL

You can customize the branding of the Business Central login page and application header by replacing the images with your own.

## 23.1. CUSTOMIZING THE BUSINESS CENTRAL LOGIN PAGE

You can customize the company logo and the project logo on the Business Central login page.

### Procedure

1. Start Red Hat JBoss EAP and open Business Central in a web browser.
2. Copy a SVG format image to the **EAP\_HOME/standalone/deployments/decision-central.war/img/** directory in your Red Hat Decision Manager installation.
3. In the **EAP\_HOME/standalone/deployments/decision-central.war/img/** directory, either move or rename the existing **redhat\_logo.png** file.
4. Rename your PNG file **redhat\_logo.png**.
5. To change the project logo that appears above the **User name** and **Password** fields, replace the default image **BC\_Logo.png** with a new SVG file.
6. Force a full reload of the login page, bypassing the cache, to view the changes. For example, in most Linux and Windows web browsers, press Ctrl+F5.

## 23.2. CUSTOMIZING BUSINESS CENTRAL APPLICATION HEADER

You can customize the Business Central application header.

### Procedure

1. Start Red Hat JBoss EAP, open Business Central in a web browser, and log in with your user credentials.
2. Copy your new application header image in the SVG format to the **EAP\_HOME/standalone/deployments/decision-central.war/banner/** directory in your Red Hat Decision Manager installation.
3. Open the **EAP\_HOME/standalone/deployments/decision-central.war/banner/banner.html** file in a text editor.
4. Replace **logo.png** in the **<img>** tag with the file name of your new image:  

```

```
5. Force a full reload of the login page, bypassing the cache, to view the changes. For example, in most Linux and Windows web browsers, press Ctrl+F5.

## CHAPTER 24. INTEGRATING LDAP AND SSL

With Red Hat Decision Manager you can integrate LDAP and SSL through RH-SSO. For more information, see the [Red Hat Single Sign-On Server Administration Guide](#).

## CHAPTER 25. ADDITIONAL RESOURCES

- *Installing and configuring Red Hat Decision Manager in a Red Hat JBoss EAP clustered environment*

## CHAPTER 26. NEXT STEPS

- *Integrating Red Hat Decision Manager with Red Hat Single Sign-On*
- *Getting started with decision services*

## PART III. INSTALLING AND CONFIGURING RED HAT DECISION MANAGER IN A RED HAT JBOSS EAP CLUSTERED ENVIRONMENT

As a system engineer, you can create a Red Hat Decision Manager clustered environment to provide high availability and load balancing for your development and runtime environments.

### Prerequisites

- You have reviewed the information in [\*Planning a Red Hat Decision Manager installation\*](#) .

# CHAPTER 27. RED HAT DECISION MANAGER CLUSTERS

By clustering two or more computers, you have the benefits of high availability, enhanced collaboration, and load balancing. High availability decreases the chance of data loss when a single computer fails. When a computer fails, another computer fills the gap by providing a copy of the data that was on the failed computer. When the failed computer comes online again, it resumes its place in the cluster.

There are several ways that you can cluster Red Hat Decision Manager components. This document describes how to cluster the following scenarios:

- [Chapter 28, Red Hat Decision Manager clusters in a development \(authoring\) environment](#)
- [Chapter 29, KIE Server clusters in a runtime environment](#)

# CHAPTER 28. RED HAT DECISION MANAGER CLUSTERS IN A DEVELOPMENT (AUTHORING) ENVIRONMENT

You can configure Red Hat Decision Manager as a clustered development environment to benefit from high availability. With a clustered environment, if a developer is working on a node and that node fails, that developer's work is preserved and visible on any other node of the cluster.

Most development environments consist of Business Central and at least one KIE Server .

To create a Red Hat Decision Manager clustered development environment, you must perform the following tasks:

- Configure Red Hat JBoss EAP 7.3 with Red Hat Data Grid 7.3 on a machine.
- Configure AMQ Broker, a Java messaging server (JMS) broker, on a machine.
- Configure an NFS file server on a machine.
- Download Red Hat JBoss EAP 7.3 and Red Hat Decision Manager 7.9, then install them on each machine that is to become a cluster node.
- Configure and start Business Central on each cluster node to start the operation of the cluster.

Red Hat Data Grid is built from the Infinispan open-source software project. It is a distributed in-memory key/value data store that has indexing capabilities that enable you to store, search, and analyze high volumes of data quickly and in near-real time. In a Red Hat Decision Manager clustered environment, it enables you to perform complex and efficient searches across cluster nodes.

A JMS broker is a software component that receives messages, stores them locally, and forwards the messages to a recipient. AMQ Broker enables your applications to communicate with any messaging provider. It specifies how components such as message-driven beans, Enterprise JavaBeans, and servlets can send or receive messages.

## 28.1. INSTALLING AND CONFIGURING RED HAT DATA GRID

Install and configure Red Hat Data Grid for the Red Hat Decision Manager clustered environment for more efficient searching across cluster nodes.

For information about advanced installation and configuration options, and Red Hat Data Grid modules for Red Hat JBoss EAP, see the [Red Hat Data Grid User Guide](#).



### NOTE

Do not install Red Hat Data Grid on the same node as Business Central.

#### Prerequisites

- A Java Virtual Machine (JVM) environment compatible with Java 8.0 or later is installed.

#### Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Data Grid

- **Version:** 7.3
2. Download and unzip the **Red Hat JBoss Data Grid 7.3.0 Server(jboss-datagrid-7.3.0-1-server.zip)** installation file to the preferred location on your system.  
The unzipped directory is referred to as ***JDG\_HOME***.
  3. Update Red Hat Data Grid to the latest version. For more information, see Red Hat Data Grid [Red Hat Data Grid User Guide](#).
  4. To run Red Hat Data Grid, navigate to ***JDG\_HOME/bin*** and enter the following command:

```
$ ./standalone.sh -c clustered.xml -b <HOST>
```

Replace **<HOST>** with the IP address or host name of the server where you installed Red Hat Data Grid.

## 28.2. DOWNLOADING AND CONFIGURING AMQ BROKER

Red Hat AMQ Broker enables your applications to communicate with any messaging provider. It specifies how components such as message-driven beans, Enterprise JavaBeans, and servlets can send or receive messages.

For information about advanced installations and configuration options, see [Getting started with AMQ Broker](#).

### Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product: AMQ Broker**
  - **Version: 7.7.0**
2. Click **Download** next to **Red Hat AMQ Broker 7.7.0(amq-broker-7.7.0-bin.zip)**.
3. Extract the **amq-broker-7.7.0-bin.zip** file.
4. Change directory to **amq-broker-7.7.0-bin/amq-broker-7.7.0/bin**.
5. Enter the following command and replace the following placeholders to create the broker and broker user:
  - **<HOST>** is the IP address or host name of the server where you installed AMQ Broker.
  - **<AMQ\_USER>** and **<AMQ\_PASSWORD>** is a user name and password combination of your choice.
  - **<BROKER\_NAME>** is a name for the broker that you are creating.

```
./artemis create --host <HOST> --user <AMQ_USER> --password <AMQ_PASSWORD>
--require-login <BROKER_NAME>
```
6. To run AMQ Broker, enter the following command in the **amq-broker-7.7.0-bin/amq-broker-7.7.0/bin** directory:

```
<BROKER_NAME>/bin/artemis run
```

## 28.3. CONFIGURING AN NFS SERVER

A shared file system is required for a Business Central clustered environment and each client node must have access to the shared file system.

You must deploy and configure an NFS version 4 server.

### Procedure

1. Configure a server to export NFS version 4 shares. For instructions about exporting NFS shares on Red Hat Enterprise Linux, see *Exporting NFS shares* in [Managing file systems](#). For more information about creating the NFS server, see [How to configure NFS in RHEL 7](#).
2. On the server, create an **/opt/kie/data** share with the **rw,sync,no\_root\_squash** options by adding the following line to the **/etc/exports** file:

```
/opt/kie/data *(rw,sync,no_root_squash)
```

In this example, **/opt/kie/data** is the shared folder, \* are the IP addresses allowed to connect to the NFS server, and **(rw,sync,no\_root\_squash)** are the minimum options required for NFS. For example:

```
/opt/kie/data 192.268.1.0/24(rw,sync,no_root_squash)
```



### NOTE

You can use another share name instead of '/opt/kie/data'. In this case, you must use this name when configuring all nodes that run Business Central.

## 28.4. DOWNLOADING AND EXTRACTING RED HAT JBOSS EAP 7.3 AND RED HAT DECISION MANAGER

Download and install Red Hat JBoss EAP 7.3 and Red Hat Decision Manager 7.9 on each node of the cluster.

### Procedure

1. Download Red Hat JBoss EAP 7.3 on each node of the cluster:
  - a. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
    - Product: Enterprise Application Platform
    - Version: 7.3
  - b. Click **Download** next to **Red Hat JBoss Enterprise Application Platform 7.3.0 (JBEAP-7.3.0/jboss-eap-7.3.0.zip)**.
2. Extract the **jboss-eap-7.3.0.zip** file. In the following steps, **EAP\_HOME** is the **jboss-eap-7.3/jboss-eap-7.3** directory.

3. Download and apply the latest Red Hat JBoss EAP patch, if available.
4. Download Red Hat Decision Manager on each node of the cluster:
  - a. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal, and select the product and version from the drop-down options:
    - Product: Decision Manager
    - Version: 7.9
  - b. Download **Red Hat Decision Manager 7.9.1Business Central Deployable for Red Hat JBoss EAP 7 ([rhdm-7.9.1-decision-central-eap7-deployable.zip](#))**.
5. Extract the **rhdm-7.9.1-decision-central-eap7-deployable.zip** file to a temporary directory. In the following commands this directory is called **TEMP\_DIR**.
6. Copy the contents of **TEMP\_DIR/rhdm-7.9.1-decision-central-eap7-deployable/jboss-eap-7.3** to **EAP\_HOME**.
7. Download and apply the latest Red Hat Decision Manager patch, if available.
8. Configure Red Hat Single Sign-On for your high availability environment. For more information, see [Integrating Red Hat Decision Manager with Red Hat Single Sign-On](#) and the [Red Hat Single Sign-On Server Administration Guide](#).

## 28.5. CONFIGURING AND RUNNING BUSINESS CENTRAL IN A CLUSTER

After you install Red Hat JBoss EAP and Business Central you can use Red Hat Data Grid and the AMQ Broker to configure the cluster. Complete these steps on each node of the cluster.



### NOTE

These steps describe a basic cluster configuration. For more complex configurations, see the [Red Hat JBoss EAP 7.3 Configuration Guide](#).



### NOTE

Do not connect KIE Server to Business Central in high availability (HA) on premise environments.

Business Central instances are not able to keep in sync with the status of each KIE Server. For example, if a KIE Server is up but not in sync, Business Central will not be able to deploy through that instance.

### Prerequisites

- Red Hat Data Grid 7.3 is installed as described in [Section 28.1, “Installing and configuring Red Hat Data Grid”](#).
- AMQ Broker is installed and configured, as described in [Section 28.2, “Downloading and configuring AMQ Broker”](#).

- Red Hat JBoss EAP and Red Hat Decision Manager are installed on each node of the cluster as described in [Section 28.4, “Downloading and extracting Red Hat JBoss EAP 7.3 and Red Hat Decision Manager”](#).
- An NFS server with a shared folder is available as described in [Section 28.3, “Configuring an NFS server”](#).

## Procedure

1. Mount the directory shared over NFS as **/data**. Enter the following commands as the root user:

```
mkdir /data
mount <NFS_SERVER_IP>:<DATA_SHARE> /data
```

Replace **<NFS\_SERVER\_IP>** with the IP address or hostname of the NFS server machine. Replace **<DATA\_SHARE>** with the share name that you configured (for example, **/opt/kie/data**).

2. Create a **kie-wb-playground** directory in the **/data** NFS directory:

```
mkdir /kie-wb-playground
```

3. Create a **kie-wb-playground** directory in the **EAP\_HOME/bin** directory and mount the directory:

```
mount -o rw,sync,actimeo=1 <NFS_SERVER_IP>:<DATA_SHARE>/kie-wb-playground kie-wb-playground
```

4. Open the **EAP\_HOME/standalone/configuration/standalone-full.xml** file in a text editor.

5. Edit or add the properties under the **<system-properties>** element and replace the following placeholders:

- **<AMQ\_USER>** and **<AMQ\_PASSWORD>** are the credentials that you defined when creating the AMQ Broker.
- **<AMQ\_BROKER\_IP\_ADDRESS>** is the IP address of the AMQ Broker.
- **<DATA\_GRID\_NODE\_IP>** is the IP address where Red Hat Data Grid is installed.

```
<system-properties>
<property name="appformer-jms-connection-mode" value="REMOTE"/>
<property name="appformer-jms-username" value="<AMQ_USER>"/>
<property name="appformer-jms-password" value="<AMQ_USER_PASSWORD>"/>
<property name="appformer-jms-url"
  value="tcp://<AMQ_BROKER_IP_ADDRESS>:61616?
ha=true&retryInterval=1000&retryIntervalMultiplier=1.0&reconnectAttempts=-1"/>
<property name="org.appformer.ext.metadata.infinispan.port"
  value="11222"/>
<property name="org.appformer.ext.metadata.infinispan.host"
  value="<DATA_GRID_NODE_IP>"/>
<property name="org.appformer.ext.metadata.infinispan.realm"
  value="ApplicationRealm"/>
<property name="org.appformer.ext.metadata.infinispan.cluster"
  value="kie-cluster"/>
```

```

<property name="org.appformer.ext.metadata.index"
  value="infinispan"/>
<property name="org.uberfire.nio.git.dir"
  value="/data"/>
<property name="es.set.netty.runtime.available.processors"
  value="false"/>
</system-properties>

```

6. Optional: If the Red Hat Data Grid deployment requires authentication, edit or add the properties under the **<system-properties>** element and replace the following placeholders:

- **<SERVER\_NAME>** is the server name specified in your Red Hat Data Grid server configuration.
- **<SASL\_QOP>** is the combination of auth, auth-int and auth-conf values for your Red Hat Data Grid server configuration.

```

<property name="org.appformer.ext.metadata.infinispan.server.name"
  value=<SERVER_NAME>/>
<property name="org.appformer.ext.metadata.infinispan.sasl.qop"
  value=<SASL_QOP>/>
<property name="org.appformer.ext.metadata.infinispan.username"
  value="">
<property name="org.appformer.ext.metadata.infinispan.password"
  value="">

```

7. Save the **standalone-full.xml** file.

8. To start the cluster, navigate to **EAP\_HOME/bin** and enter the following command:

```
$ ./standalone.sh -c standalone-full.xml -b <HOST>
```

Replace **<HOST>** with the IP address or host name of the server where you installed Red Hat Decision Manager.

## 28.6. TESTING YOUR HIGH AVAILABILITY (HA) ON-PREMISE INFRASTRUCTURE

When you create a production-ready high availability (HA) on-premises infrastructure for Business Central, you must ensure that it meets the minimum hardware and performance requirements for a viable HA environment. An HA on-premise infrastructure consists of the following four main components: Business Central, the message system (AMQ), the indexing server (Red Hat Data Grid), and a shared file system (NFS/GlusterFS/Ceph).

### Prerequisites

- A network environment of at least 3 nodes is configured with the following layout:
  - Node 1: Business Central
  - Node 2: Business Central
  - Node 3: AMQ, Red Hat Data Grid, and NFS

### Procedure

1. Test the network speed by following these steps:

- a. In the command terminal of each server node, install **iPerf3**:

```
$ dnf install iperf3
```

- b. In the command terminal of the NFS server node (server node 3), start **iPerf3** in server mode:

```
$ iperf3 -s
```

- c. In the command terminal of each Business Central server node, start **iPerf3** in client mode with the NFS server node set as the host:

```
$ iperf3 -c <NFS_SERVER_IP>
```

- d. Compare the results from each server node with the following example of minimum values:

```
iperf3 -c 172.31.47.103
Connecting to host 172.31.47.103, port 5201
[ 5] local 172.31.39.4 port 44820 connected to 172.31.47.103 port 5201
[ ID] Interval      Transfer     Bitrate     Retr Cwnd
[ 5]  0.00-1.00  sec   143 MBytes   1.20 Gbits/sec  0  419 KBytes
[ 5]  1.00-2.00  sec   111 MBytes   928 Mbits/sec  6  848 KBytes
[ 5]  2.00-3.00  sec   53.8 MBytes   451 Mbits/sec  0  1.08 MBytes
[ 5]  3.00-4.00  sec   52.5 MBytes   440 Mbits/sec  1 1022 KBytes
[ 5]  4.00-5.00  sec   53.8 MBytes   451 Mbits/sec  1  935 KBytes
[ 5]  5.00-6.00  sec   53.8 MBytes   451 Mbits/sec  1  848 KBytes
[ 5]  6.00-7.00  sec   52.5 MBytes   440 Mbits/sec  0  1.08 MBytes
[ 5]  7.00-8.00  sec   53.8 MBytes   451 Mbits/sec  1  1.01 MBytes
[ 5]  8.00-9.00  sec   53.8 MBytes   451 Mbits/sec  1  953 KBytes
[ 5]  9.00-10.00 sec   52.5 MBytes   440 Mbits/sec  1  856 KBytes
-----
[ ID] Interval      Transfer     Bitrate     Retr
[ 5]  0.00-10.00 sec   680 MBytes   570 Mbits/sec  12          sender
[ 5]  0.00-10.04 sec   677 MBytes   566 Mbits/sec          receiver

iperf Done.
```

2. Verify the NFS information by following these steps:

- a. In the command terminal of each Business Central server node, mount the NFS node:

```
$ mount -o actimeo=1 <NFS_SERVER_IP>/opt/nfs/kie /opt/kie/niogit
```

- b. In the command terminal of each mounted node, enter **nfsiostat**:

```
$ nfsiostat
```

- c. Compare the results from each server node with the following example of minimum values:

```
nfsiostat
ops/s rpc bklog
6.415 0.000
```

```

read:
ops/s kB/s kB/op retrans avg RTT (ms) avg exe (ms) avg queue (ms) errors
0.031 0.045 1.452 0 (0.0%) 0.129 0.166 0.019 0 (0.0%)

write:
ops/s kB/s kB/op retrans avg RTT (ms) avg exe (ms) avg queue (ms) errors
0.517 0.467 0.903 0 (0.0%) 1.235 1.269 0.018 0 (0.0%)

```

3. Verify that the disk is an SSD by following these steps:

- a. In the command terminal of the NFS server, enter **df -h** to identify the disk as shown in the following example:

```
$ df -h
Filesystem      Size  Used Avail Use% Mounted on
devtmpfs        3.8G  0  3.8G  0% /dev
tmpfs          3.9G  0  3.9G  0% /dev/shm
tmpfs          3.9G 33M  3.8G  1% /run
tmpfs          3.9G  0  3.9G  0% /sys/fs/cgroup
/dev/xvda2       25G  3.2G  22G  13% /
tmpfs         781M  0  781M  0% /run/user/1000
172.31.47.103:/root/nfs 25G  2.1G  23G  9% /root/nfs
```

- b. Enter **lsblk -d** to verify that the disk is an SSD:

```
$ lsblk -d
```

- c. Enter **hdparm -Tt** to test the disk:

```
$ hdparm -Tt /dev/xvda2
```

- d. Compare the results from each server node with the following example of minimum values:

```
$ hdparm -Tt /dev/xvda2
/dev/xvda2:
Timing cached reads: 18670 MB in 1.99 seconds = 9389.01 MB/sec
Timing buffered disk reads: 216 MB in 3.03 seconds = 71.40 MB/sec
```

## 28.7. VERIFYING THE RED HAT DECISION MANAGER CLUSTER

After configuring the cluster for Red Hat Decision Manager, create an asset to verify that the installation is working.

### Procedure

1. In a web browser, enter **<node-IP-address>:8080/decision-central**. Replace **<node-IP-address>** with the IP address of a particular node.
2. Enter the **admin** user credentials that you created during installation. The Business Central home page appears.
3. Select **Menu → Design → Projects**.

4. Open the **MySpace** space.
5. Click **Try Samples** → **Mortgages** → **OK**. The **Assets** window appears.
6. Click **Add Asset** → **Data Object**.
7. Enter **MyDataObject** in the **Data Object** field and click **OK**.
8. Click **Spaces** → **MySpace** → **Mortgages** and confirm that **MyDataObject** is in the list of assets.
9. Enter the following URL in a web browser, where **<node\_IP\_address>** is the address of a different node of the cluster:  
**http://<node\_IP\_address>:8080/decision-central**
10. Enter the same credentials that you used to log in to Business Central on the first node, where you created the **MyDataObject** asset.
11. Select **Menu**→**Design** → **Projects**.
12. Open the **MySpace** space.
13. Select the **Mortgages** project.
14. Verify that **MyDataObject** is in the asset list.
15. Delete the **Mortgages** project.

# CHAPTER 29. KIE SERVER CLUSTERS IN A RUNTIME ENVIRONMENT

The primary benefit of clustering a KIE Server runtime environment is load balancing. If activity on one node of the cluster increases, that activity can be shared among the other nodes of the cluster to improve performance.

To create a KIE Server clustered runtime environment, you download and extract Red Hat JBoss EAP 7.3 and KIE Server. Then, you configure Red Hat JBoss EAP 7.3 for a cluster, start the cluster, and install KIE Server on each cluster node.

Optionally, you can then cluster the headless Decision Manager controller.



## NOTE

Do not connect KIE Server to Business Central in high availability (HA) on premise environments.

Business Central instances are not able to keep in sync with the status of each KIE Server. For example, if a KIE Server is up but not in sync, Business Central will not be able to deploy through that instance.

## 29.1. DOWNLOADING AND EXTRACTING RED HAT JBOSS EAP 7.3 AND KIE SERVER

Complete the steps in this section to download and install Red Hat JBoss EAP 7.3 and KIE Server for installation in a clustered environment.

### Procedure

1. Download Red Hat JBoss EAP 7.3 on each node of the cluster:
  - a. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required) and select the product and version from the drop-down options:
    - **Product: Red Hat JBoss EAP**
    - **Version: 7.3**
  - b. Click **Download** next to **Red Hat JBoss Enterprise Application Platform 7.3.0 (**jboss-eap-7.3.0.zip**)**.
2. Extract the **jboss-eap-7.3.0.zip** file. The **jboss-eap-7.3/jboss-eap-7.3** directory is referred to as **EAP\_HOME**.
3. Download and apply the latest Red Hat JBoss EAP patch, if available.
4. Download KIE Server:
  - a. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal and select the product and version from the drop-down options:
    - **Product: Decision Manager**
    - **Version: 7.9**

- b. Download Red Hat Decision Manager 7.9.1 KIE Server for All Supported EE8 Containers (**rhdm-7.9.1-kie-server-ee8.zip**).
5. Extract the **rhdm-7.9.1-kie-server-ee8.zip** archive to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
6. Copy the **TEMP\_DIR/rhdm-7.9.1-kie-server-ee8/rhdm-7.9.1-kie-server-ee8/kie-server.war** directory to **EAP\_HOME/standalone/deployments/**.



#### WARNING

Ensure the names of the Red Hat Decision Manager deployments you copy do not conflict with your existing deployments in the Red Hat JBoss EAP instance.

7. Copy the contents of the **TEMP\_DIR/rhdm-7.9.1-kie-server-ee8/rhdm-7.9.1-kie-server-ee8/SecurityPolicy/** to **EAP\_HOME/bin**. When asked to overwrite files, click **Replace**.
8. In the **EAP\_HOME/standalone/deployments/** directory, create an empty file named **kie-server.war.dodeploy**. This file ensures that KIE Server is automatically deployed when the server starts.
9. Download and apply the latest Red Hat Decision Manager patch, if available.
10. Navigate to the **EAP\_HOME/bin** directory.
11. Create a user with the **kie-server** role that you will use to log in to KIE Server.

```
$ ./add-user.sh -a --user <USERNAME> --password <PASSWORD> --role kie-server
```

12. Make a note of your user names and passwords.
13. To start the cluster, navigate to **EAP\_HOME/bin** and enter one of the following commands:

- On Linux or UNIX-based systems:

```
$ ./standalone.sh -c standalone-full.xml
```

- On Windows:

```
standalone.bat -c standalone-full.xml
```

## 29.2. CLUSTERING KIE SERVERS WITH THE HEADLESS DECISION MANAGER CONTROLLER

The Decision Manager controller is integrated with Business Central. However, if you do not install Business Central, you can install the headless Decision Manager controller and use the REST API or the KIE Server Java Client API to interact with it.

## Prerequisites

- A backed-up Red Hat JBoss EAP installation version 7.3 or later is available. The base directory of the Red Hat JBoss EAP installation is referred to as **EAP\_HOME**.
- Sufficient user permissions to complete the installation are granted.
- An NFS server with a shared folder is available as described in [Section 28.3, "Configuring an NFS server"](#).

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product: Decision Manager**
  - **Version: 7.9**
2. Download **Red Hat Decision Manager 7.9.1 Add Ons**(the **rhdm-7.9.1-add-ons.zip** file).
3. Unzip the **rhdm-7.9.1-add-ons.zip** file. The **rhdm-7.9.1-controller-ee7.zip** file is in the unzipped directory.
4. Extract the **rhdm-7.9.1-controller-ee7** archive to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
5. Copy the **TEMP\_DIR/rhdm-7.9.1-controller-ee7/controller.war** directory to **EAP\_HOME/standalone/deployments/**.



### WARNING

Ensure that the names of the headless Decision Manager controller deployments you copy do not conflict with your existing deployments in the Red Hat JBoss EAP instance.

6. Copy the contents of the **TEMP\_DIR/rhdm-7.9.1-controller-ee7/SecurityPolicy/** directory to **EAP\_HOME/bin**. When asked to overwrite files, select **Yes**.
7. In the **EAP\_HOME/standalone/deployments/** directory, create an empty file named **controller.war.dodeploy**. This file ensures that the headless Decision Manager controller is automatically deployed when the server starts.
8. Open the **EAP\_HOME/standalone/configuration/standalone.xml** file in a text editor.
9. Add the following properties to the **<system-properties>** element and replace **<NFS\_STORAGE>** with the absolute path to the NFS storage where the template configuration is stored:

```
<system-properties>
<property name="org.kie.server.controller.templatefile.watcher.enabled" value="true"/>
<property name="org.kie.server.controller.templatefile" value="<NFS_STORAGE>"/>
```

```
</system-properties>
```

Template files contain default configurations for specific deployment scenarios.

If the value of the **org.kie.server.controller.templatefile.watcher.enabled** property is set to true, a separate thread is started to watch for modifications of the template file. The default interval for these checks is 30000 milliseconds and can be further controlled by the **org.kie.server.controller.templatefile.watcher.interval** system property. If the value of this property is set to false, changes to the template file are detected only when the server restarts.

10. To start the headless Decision Manager controller, navigate to **EAP\_HOME/bin** and enter the following command:

- On Linux or UNIX-based systems:

```
$ ./standalone.sh
```

- On Windows:

```
standalone.bat
```

## CHAPTER 30. ADDITIONAL RESOURCES

- *Installing and configuring Red Hat Decision Manager on Red Hat JBoss EAP 7.3*
- *Planning a Red Hat Decision Manager installation*
- *Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators*
- *Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using templates*

## PART IV. INSTALLING AND CONFIGURING RED HAT DECISION MANAGER ON RED HAT JBOSS WEB SERVER

This document describes how to install Red Hat Decision Manager 7.9 on JBoss Web Server.

### Prerequisites

- You have reviewed the information in [\*Planning a Red Hat Decision Manager installation\*](#) .
- You have installed Red Hat JBoss Web Server 5.3.0. For information about installing Red Hat JBoss Web Server, see the [\*Red Hat JBoss Web Server Installation Guide\*](#) .

# CHAPTER 31. ABOUT RED HAT DECISION MANAGER

Red Hat Decision Manager is an open source decision management platform that combines business rules management, complex event processing, Decision Model & Notation (DMN) execution, and Business Optimizer for solving planning problems. It automates business decisions and makes that logic available to the entire business.

Business assets such as rules, decision tables, and DMN models are organized in projects and stored in the Business Central repository. This ensures consistency, transparency, and the ability to audit across the business. Business users can modify business logic without requiring assistance from IT personnel.

Red Hat JBoss Web Server is an enterprise ready web server designed for medium and large applications, based on Tomcat. Red Hat JBoss Web Server provides organizations with a single deployment platform for Java Server Pages (JSP) and Java Servlet technologies, PHP, and CGI.

On a Red Hat JBoss Web Server installation, you can install KIE Server and the headless Decision Manager controller. Alternatively, you can run the standalone Business Central JAR file.

The instructions in this document explain how to install Red Hat Decision Manager in a Red Hat JBoss Web Server instance.

For instructions on how to install Red Hat Decision Manager in other environments, see the following documents:

- [\*Installing and configuring Red Hat Decision Manager on Red Hat JBoss EAP 7.3\*](#)
- [\*Installing and configuring KIE Server on IBM WebSphere Application Server\*](#)
- [\*Installing and configuring KIE Server on Oracle WebLogic Server\*](#)
- [\*Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using Operators\*](#)
- [\*Deploying a Red Hat Decision Manager environment on Red Hat OpenShift Container Platform using templates\*](#)

For information about supported components, see the following documents:

- [\*What is the mapping between Red Hat Decision Manager and the Maven library version?\*](#)
- [\*Red Hat Decision Manager 7 Supported Configurations\*](#)

## 31.1. RED HAT DECISION MANAGER COMPONENTS

Red Hat Decision Manager is made up of Business Central and KIE Server.

- Business Central is the graphical user interface where you create and manage business rules. You can install Business Central in a Red Hat JBoss EAP instance or on the Red Hat OpenShift Container Platform (OpenShift).  
Business Central is also available as a standalone JAR file. You can use the Business Central standalone JAR file to run Business Central without needing to deploy it to an application server.
- KIE Server is the server where rules and other artifacts are executed. It is used to instantiate and execute rules and solve planning problems. You can install KIE Server in a Red Hat JBoss EAP instance, on OpenShift, in an Oracle WebLogic server instance, in an IBM WebSphere

Application Server instance, or as a part of Spring Boot application.

You can configure KIE Server to run in managed or unmanaged mode. If KIE Server is unmanaged, you must manually create and maintain KIE containers (deployment units). A KIE container is a specific version of a project. If KIE Server is managed, the Decision Manager controller manages the KIE Server configuration and you interact with the Decision Manager controller to create and maintain KIE containers.

On a Red Hat JBoss Web Server installation, you can install KIE Server and the headless Decision Manager controller. Alternatively, you can run the standalone Business Central JAR file.

## 31.2. RED HAT DECISION MANAGER ROLES AND USERS

To access Business Central or KIE Server, you must create users and assign them appropriate roles before the servers are started.

The Business Central and KIE Server use Java Authentication and Authorization Service (JAAS) login module to authenticate the users. If both Business Central and KIE Server are running on a single instance, then they share the same JAAS subject and security domain. Therefore, a user, who is authenticated for Business Central can also access KIE Server.

However, if Business Central and KIE Server are running on different instances, then the JAAS login module is triggered for both individually. Therefore, a user, who is authenticated for Business Central, needs to be authenticated separately to access the KIE Server (for example, to view or manage process definitions in Business Central). In case, the user is not authenticated on the KIE Server, then 401 error is logged in the log file, displaying **Invalid credentials to load data from remote server. Contact your system administrator.** message in Business Central.

This section describes available Red Hat Decision Manager user roles.



### NOTE

The **admin**, **analyst**, and **rest-all** roles are reserved for Business Central. The **kie-server** role is reserved for KIE Server. For this reason, the available roles can differ depending on whether Business Central, KIE Server, or both are installed.

- **admin:** Users with the **admin** role are the Business Central administrators. They can manage users and create, clone, and manage the repositories. They have full access to make required changes in the application. Users with the **admin** role have access to all areas within Red Hat Decision Manager.
- **analyst:** Users with the **analyst** role have access to all high-level features. They can model projects. However, these users cannot add contributors to spaces or delete spaces in the **Design → Projects** view. Access to the **Deploy → Execution Servers** view, which is intended for administrators, is not available to users with the **analyst** role. However, the **Deploy** button is available to these users when they access the Library perspective.
- **rest-all:** Users with the **rest-all** role can access Business Central REST capabilities.
- **kie-server:** Users with the **kie-server** role can access KIE Server (KIE Server) REST capabilities.

# CHAPTER 32. DOWNLOADING THE RED HAT DECISION MANAGER INSTALLATION FILES

Depending on your environment and installation requirements, download a Red Hat Decision Manager distribution.

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download one of the following product distributions, depending on your preferred installation method:



### NOTE

You only need to download one of these distributions.

- If you want to use the installer to install Red Hat Decision Manager on Red Hat JBoss Web Server, download **Red Hat Decision Manager 7.9.1 Installer(rhdm-installer-7.9.1.jar)**. The installer graphical user interface guides you through the installation process.
- To install KIE Server on Red Hat JBoss Web Server using the deployable ZIP file, download the **Red Hat Decision Manager 7.9.1 Add Ons(rhdm-7.9.1-add-ons.zip)** file.  
The ZIP file does not require a graphical user interface.
- To run Business Central without needing to deploy it to an application server, download **Red Hat Decision Manager 7.9.1 Business Central Standalone (rhdm-7.9.1-decision-central-standalone.jar)**.

# CHAPTER 33. USING THE RED HAT DECISION MANAGER INSTALLER

This section describes how to install KIE Server and the headless Decision Manager controller using the installer JAR file. The JAR file is an executable file that installs Red Hat Decision Manager in an existing Red Hat JBoss Web Server 5.3.0 server installation. You can run the installer in interactive or command line interface (CLI) mode.

## Next steps:

Follow the instructions in one of the following sections:

- [Section 33.1, “Using the installer in interactive mode”](#)
- [Section 33.2, “Using the installer in CLI mode”](#)

## 33.1. USING THE INSTALLER IN INTERACTIVE MODE

The installer for Red Hat Decision Manager is an executable JAR file. You can use it to install Red Hat Decision Manager in an existing Red Hat JBoss Web Server 5.3.0 server installation.



### NOTE

For security reasons, you should run the installer as a non-root user.

### Prerequisites

- A supported JDK is installed. For a list of supported JDKs, see [Red Hat Process Automation Manager 7 Supported Configurations](#).
- A backed-up Red Hat JBoss Web Server 5.3.0 server installation is available.
- Sufficient user permissions to complete the installation are granted.



### NOTE

Ensure that you are logged in with a user that has write permission for Tomcat.

- The JAR binary is included in **\$PATH** environment variable. On Red Hat Enterprise Linux, it is included in the **java-\$JAVA\_VERSION-openjdk-devel** package.



### NOTE

Red Hat Decision Manager is designed to work with UTF-8 encoding. If a different encoding system is used by the underlying JVM, unexpected errors might occur. To ensure UTF-8 is used by the JVM, use the “**-Dfile.encoding=UTF-8**” system property.

### Procedure

1. In a terminal window, navigate to the directory where you downloaded the installer JAR file and enter the following command:

```
java -jar rhdm-installer-7.9.1.jar
```



### NOTE

When running the installer on Windows, you may be prompted to provide administrator credentials during the installation. To prevent this requirement, add the **izpack.mode=privileged** option to the installation command:

```
java -Dizpack.mode=privileged -jar  
rhdm-installer-7.9.1.jar
```

Furthermore, when running the installer on a 32-bit Java virtual machine, you might encounter memory limitations. To prevent this issue, run this command:

```
java -XX:MaxHeapSize=4g -jar  
rhdm-installer-7.9.1.jar
```

The graphical installer displays a splash screen and a license agreement page.

2. Click **I accept the terms of this license agreement** and click **Next**.
3. Specify the Red Hat JBoss Web Server 5.3.0 server home where you want to install Red Hat Decision Manager and click **Next**.
4. Select the components that you want to install and click **Next**.  
You cannot install Business Central on Red Hat JBoss Web Server. You can only install it on Red Hat JBoss EAP. However, you can install KIE Server and the headless Decision Manager controller on Red Hat JBoss Web Server. The headless Decision Manager controller is used to manage KIE Server. Install the headless Decision Manager controller if you plan to manage multiple KIE Server instances.
5. Create a user and click **Next**. By default, if you install both Business Central and KIE Server in the same container the new user is given the **admin**, **kie-server**, and **rest-all** roles. If you install only KIE Server, the user is given the **kie-server** role. The **kie-server** role is required to access KIE Server REST capabilities.



### NOTE

Make sure that the specified user name is not the same as an existing user, role, or group. For example, do not create a user with the user name **admin**.

The password must have at least eight characters and must contain at least one number and one non-alphanumeric character, but not & (ampersand).

Make a note of the user name and password. You will need them to access Business Central and KIE Server.

6. On the **Installation Overview** page, click **Next** to start the installation. The Installation Overview page lists the components that you will install.
7. When the installation has completed, click **Next**.

8. When **Processing finished** appears at the top of the screen, click **Next** to complete the installation.
9. Optionally, click **Generate Installation Script and Properties File** to save the installation data in XML files, and then click **Done**.

The installer generates two files. The **auto.xml** file automates future installations and the **auto.xml.variables** file stores user passwords and other sensitive variables. Use the **auto.xml** file on multiple systems to easily repeat a Red Hat Decision Manager installation on the same type of server with the same configuration as the original installation. If necessary, update the **installpath** parameter in the **auto.xml** file. Enter the following command to perform an installation with the XML file:

```
java -jar rhdm-installer-7.9.1.jar <path-to-auto.xml-file>
```

You have successfully installed Red Hat Decision Manager using the installer.

## 33.2. USING THE INSTALLER IN CLI MODE

You can run the Red Hat Decision Manager installer through the command-line interface (CLI).



### NOTE

For security reasons, you should run the installer as a non-root user.

#### Prerequisites

- A supported JDK is installed. For a list of supported JDKs, see [Red Hat Process Automation Manager 7 Supported Configurations](#).
- A backed-up Red Hat JBoss Web Server 5.3.0 server installation is available.
- Sufficient user permissions to complete the installation are granted.



### NOTE

Ensure that you are logged in with a user that has write permission for Tomcat.

- The JAR binary is included in the **\$PATH** environment variable. On Red Hat Enterprise Linux, it is included in the **java-\$JAVA\_VERSION-openjdk-devel** package.



### NOTE

Red Hat Decision Manager is designed to work with UTF-8 encoding. If a different encoding system is used by the underlying JVM, unexpected errors might occur. To ensure UTF-8 is used by the JVM, use the "**-Dfile.encoding=UTF-8**" system property.

#### Procedure

1. In a terminal window, navigate to the directory where you downloaded the installer file and enter the following command:

```
java -jar rhdm-installer-7.9.1.jar -console
```

The command-line interactive process will start and display the End-User License Agreement.

press 1 to continue, 2 to quit, 3 to redisplay.

2. Read the license agreement, enter **1**, and press Enter to continue:

Specify the home directory of one of the following servers: Red Hat JBoss EAP 7 or Red Hat JBoss Web Server 5. For more information, see <https://access.redhat.com/articles/3354301>[Red Hat Decision Manager 7 Supported Configurations].

3. Enter the parent directory of an existing Red Hat JBoss Web Server 5.3.0 installation. The installer will verify the location of the installation at the location provided. Enter **1** to confirm and continue.
4. Follow the instructions in the installer to complete the installation.



#### NOTE

When you create the user name and password, make sure that the specified user name does not conflict with any known title of a role or a group. For example, if there is a role called **admin**, you should not create a user with the user name **admin**.

The password must have at least eight characters and must contain at least one number and one non-alphanumeric character (*not* including the character &).

Make a note of the user name and password. You will need them to access Business Central and KIE Server.

5. When the installation has completed, you will see this message:

Would you like to generate an automatic installation script and properties file?

6. Enter **y** to create XML files that contain the installation data, or **n** to complete the installation. If you enter **y**, you are prompted to specify a path for the XML files.
7. Enter a path or press the Enter key to accept the suggested path.  
The installer generates two files. The **auto.xml** file automates future installations and the **auto.xml.variables** file stores user passwords and other sensitive variables. Use the **auto.xml** file on multiple systems to easily repeat a Red Hat Decision Manager installation on the same type of server with the same configuration as the original installation. If necessary, update the **installpath** parameter in the **auto.xml** file. Enter the following command to perform an installation with the XML file:

`java -jar rhdm-installer-7.9.1.jar <path-to-auto.xml-file>`


8. If you installed only KIE Server, repeat these steps to install the headless Decision Manager controller on a separate server.

# CHAPTER 34. KIE SERVER ZIP FILE INSTALLATION AND CONFIGURATION

You can install KIE Server using the **rhdm-7.9.1-kie-server-jws.zip** file available from the **Red Hat Decision Manager 7.9.1 Add Ons (rhdm-7.9.1-add-ons.zip)** file on the Customer Portal .

## 34.1. INSTALLING KIE SERVER FROM ZIP FILES

KIE Server provides the runtime environment for business assets and accesses the data stored in the assets repository (knowledge store). You can use ZIP files to install KIE Server on an existing Red Hat JBoss Web Server 5.3.0 server instance.



### NOTE

To use the installer JAR file to install KIE Server, see [Chapter 33, Using the Red Hat Decision Manager installer](#).

- The **Red Hat Decision Manager 7.9.1 Add Ons(rhdm-7.9.1-add-ons.zip)** file has been downloaded, as described in [Chapter 32, Downloading the Red Hat Decision Manager installation files](#).
- A backed-up Red Hat JBoss Web Server 5.3.0 server installation is available. The base directory of the Red Hat JBoss Web Server installation is referred to as **JWS\_HOME**.
- Sufficient user permissions to complete the installation are granted.

### Procedure

1. Unzip the **rhdm-7.9.1-add-ons.zip** file.
2. From the unzipped **rhdm-7.9.1-add-ons.zip** file, extract the following files:
  - **rhdm-7.9.1-kie-server-jws.zip**
  - **rhdm-7.9.1-decision-engine.zip**

In the following instructions, the directory that contains the extracted **rhdm-7.9.1-kie-server-jws.zip** file is called **JWS\_TEMP\_DIR** and the directory that contains the extracted **rhdm-7.9.1-decision-engine.zip** file is called **ENGINE\_TEMP\_DIR**.

3. Copy the **JWS\_TEMP\_DIR/rhdm-7.9.1-kie-server-jws/kie-server.war** directory to the **JWS\_HOME/tomcat/webapps** directory.



### NOTE

Ensure the names of the Red Hat Decision Manager deployments you copy do not conflict with your existing deployments in the Red Hat JBoss Web Server instance.

4. Remove the **.war** extensions from the **kie-server.war** folder.
5. Move the **kie-tomcat-integration-7.44.0.Final-redhat-00006.jar** file from the **ENGINE\_TEMP\_DIR** directory to the **JWS\_HOME/tomcat/lib** directory.

6. Move the **jboss-jacc-api-<VERSION>.jar**, **slf4j-api-<VERSION>.jar**, and **slf4j-jdk14-<VERSION>.jar** files from the **ENGINE\_TEMP\_DIR/lib** directory to the **JWS\_HOME/tomcat/lib** directory, where **<VERSION>** is the version artifact file name, in the **lib** directory.
7. Add the following line to the **<host>** element in the **JWS\_HOME/tomcat/conf/server.xml** file after the last Valve definition:

```
<Valve className="org.kie.integration.tomcat.JACCValve" />
```

8. Open the **JWS\_HOME/tomcat/conf/tomcat-users.xml** file in a text editor.
9. Add users and roles to the **JWS\_HOME/tomcat/conf/tomcat-users.xml** file. In the following example, **<ROLE\_NAME>** is a role supported by Red Hat Decision Manager. **<USER\_NAME>** and **<USER\_PWD>** are the user name and password of your choice:

```
<role rolename="<ROLE_NAME>">
<user username="<USER_NAME>" password="<USER_PWD>" roles="<ROLE_NAME>">/>
```

If a user has more than one role, as shown in the following example, separate the roles with a comma:

```
<role rolename="admin"/>
<role rolename="kie-server"/>
<user username="rhdmUser" password="user1234" roles="admin,kie-server"/>
```

10. Complete one of the following steps in the **JWS\_HOME/tomcat/bin** directory:

- On Linux or UNIX, create the **setenv.sh** file with the following content:

```
CATALINA_OPTS="-Xmx1024m
-Dorg.jboss.logging.provider=jdk
-Dorg.jbpm.server.ext.disabled=true
-Dorg.jbpm.ui.server.ext.disabled=true
-Dorg.jbpm.case.server.ext.disabled=true"
```

- On Windows, add the following content to the **setenv.bat** file:

```
set CATALINA_OPTS="-Xmx1024m -Dorg.jboss.logging.provider=jdk -
Dorg.jbpm.server.ext.disabled=true -Dorg.jbpm.ui.server.ext.disabled=true -
Dorg.jbpm.case.server.ext.disabled=true
```

## 34.2. CONFIGURING JDBC WEB SERVER DATA SOURCES

Java Database Connectivity (JDBC) is an API specification that is used to connect programs written in Java to the data in popular databases. A data source is an object that enables a JDBC client, such as an application server, to establish a connection with a database. Applications look up the data source on the Java Naming and Directory Interface (JNDI) tree or in the local application context and request a database connection to retrieve data. You must configure data sources for KIE Server to ensure proper data exchange between the servers and the designated database.

### Prerequisites

- Red Hat Decision Manager is installed on Red Hat JBoss Web Server.

- The Red Hat Decision Manager 7.9.x Maven Repository (**rhdm-7.9.1-maven-repository.zip**) and the Red Hat Decision Manager 7.9.x Add-Ons (**rhdm-7.9.1-add-ons.zip**) files have been downloaded, as described in [Chapter 32, Downloading the Red Hat Decision Manager installation files](#).
- You want to configure one of the following supported databases and Hibernate dialects:
  - DB2: **org.hibernate.dialect.DB2Dialect**
  - MSSQL: **org.hibernate.dialect.SQLServer2012Dialect**
  - MySQL: **org.hibernate.dialect.MySQL5InnoDBialect**
  - MariaDB: **org.hibernate.dialect.MySQL5InnoDBialect**
  - Oracle: **org.hibernate.dialect.Oracle10gDialect**
  - PostgreSQL: **org.hibernate.dialect.PostgreSQL82Dialect**
  - PostgreSQL plus: **org.hibernate.dialect.PostgresPlusDialect**
  - Sybase: **org.hibernate.dialect.SybaseASE157Dialect**

## Procedure

1. Complete the following steps to prepare your database:
  - a. Extract **rhdm-7.9.1-add-ons.zip** in a temporary directory, for example **TEMP\_DIR**.
  - b. Extract **TEMP\_DIR/rhdm-7.9.1-migration-tool.zip**.
  - c. Change your current directory to the **TEMP\_DIR/rhdm-7.9.1-migration-tool/ddl-scripts** directory. This directory contains DDL scripts for several database types.
  - d. Import the DDL script for your database type into the database that you want to use, for example:

```
psql jbpm < /ddl-scripts/postgresql/postgresql-jbpm-schema.sql
```



### NOTE

If you are using PostgreSQL or Oracle in conjunction with Spring Boot, you must import the respective Spring Boot DDL script, for example **/ddl-scripts/oracle/oracle-springboot-jbpm-schema.sql** or **/ddl-scripts/postgresql/postgresql-springboot-jbpm-schema.sql**.

2. Extract the **rhdm-7.9.1-maven-repository.zip** offline Maven repository file.
3. Copy the following libraries from the extracted offline Maven repository to the **JWS\_HOME/tomcat/lib** folder where **VERSION** is the version of that library:

```
org/jboss/spec/javaj/transaction/jboss-transaction-api_1.2_spec/{VERSION}/jboss-transaction-api_1.2_spec-{VERSION}.jar
org/jboss/integration/narayana-tomcat/{VERSION}/narayana-tomcat-{VERSION}.jar
org/jboss/narayana/jta/narayana-jta/{VERSION}/narayana-jta-{VERSION}.jar
org/jboss/jboss-transaction-spi/{VERSION}/jboss-transaction-spi-{VERSION}.jar
```

- 
- 4. Copy your database JDBC driver to the **JWS\_HOME/tomcat/lib** folder.
- 5. Configure the pooling XA data source in the **JWS\_HOME/tomcat/conf/context.xml** file:



### NOTE

Some of the properties in the following examples might not apply to your database server. Check the documentation for your JDBC driver to determine which properties to set.

- a. Configure an XA data source without pooling capabilities. This XA data source is used to create new connections to the target database. In the following example, the XA datasource is **xads** and the variables are defined in [Table 34.1, "XA data source variables"](#):

```
<?xml version="1.0" encoding="UTF-8"?>
<Context>
<Resource
auth="Container"
databaseName="${datasource.dbName}"
description="XA Data Source"
factory="org.apache.tomcat.jdbc.naming.GenericNamingResourcesFactory"
loginTimeout="0"
name="xads"
uniqueName="xads"
portNumber="${datasource.port}"
serverName="${datasource.hostname}"
testOnBorrow="false"
type="${datasource.class}"
url="${datasource.url}"
URL="${datasource.url}"
user="${datasource.username}"
password="${datasource.password}"
driverType="4"
schema="${datasource.schema}"
/>
</Context>
```

**Table 34.1. XA data source variables**

Variable	Description
<b>&lt;datasource.dbName&gt;</b>	The name of the database.
<b>&lt;datasource.port&gt;</b>	The port number of the database.
<b>&lt;datasource.hostname&gt;</b>	The name of the database host.
<b>&lt;datasource.class&gt;</b>	<b>XADatasource</b> class of JDBC driver.

Variable	Description
<datasource.url>	The JDBC database connection URL. With some databases, the URL property is <b>url</b> and with other databases (for example H2 databases) this property is <b>URL</b> .
<datasource.username>	User name for the database connection.
<datasource.password>	Password for the database connection.
<datasource.schema>	The database schema.

- b. Configure a pooling data source that relies on the XA data source for creating new connections. In this example, the data source is **poolingXaDs**, <datasource.username> is the user name for the database connection, and <datasource.password> is the password for the database connection:

```
<?xml version="1.0" encoding="UTF-8"?>
<Context>
<Resource
  name="poolingXaDs"
  uniqueName="poolingXaDs"
  auth="Container"
  description="Pooling XA Data Source"
  factory="org.jboss.narayana.tomcat.jta.TransactionalDataSourceFactory"
  testOnBorrow="true"
  transactionManager="TransactionManager"
  transactionSynchronizationRegistry="TransactionSynchronizationRegistry"
  type="javax.sql.XADataSource"
  username="${datasource.username}"
  password="${datasource.password}"
  xaDataSource="xads"
/>
</Context>
```

The data source is now available under the **java:comp/env/poolingXaDs** JNDI name and passes it to the KIE Server through the **org.kie.server.persistence.ds** system property as described in the next steps.



#### NOTE

The pooling data source configuration relies on additional resources that have been previously configured in **context.xml** file in **kie-server** application, specifically **TransactionManager** and **TransactionSynchronizationRegistry**.

6. Configure KIE Server to use the data source:

- a. Open one of the following scripts in a text editor:



### NOTE

The **setenv.sh** or **setenv.bat** script should already exist. However, if it does not, create it.

- For Linux or Unix:

```
JWS_HOME/tomcat/bin/setenv.sh
```

- For Windows:

```
JWS_HOME/tomcat/bin/setenv.bat
```

- Add the following properties to **CATALINA\_OPTS** where **<hibernate.dialect>** is the Hibernate dialect for your database:

```
CATALINA_OPTS="-Xmx1024m  
-Dorg.jboss.logging.provider=jdk  
-Dorg.kie.server.persistence.ds=java:comp/env/poolingXaDs  
-Dorg.kie.server.persistence.tm=JBossTS  
-Dorg.kie.server.persistence.dialect=${<hibernate.dialect>}"
```

## CHAPTER 35. SECURING PASSWORDS WITH A KEYSTORE

You can use a keystore to encrypt passwords that are used for communication between Business Central and KIE Server. You should encrypt both controller and KIE Server passwords. If Business Central and KIE Server are deployed to different application servers, then both application servers should use the keystore.

Use Java Cryptography Extension KeyStore (JCEKS) for your keystore because it supports symmetric keys. Use KeyTool, which is part of the JDK installation, to create a new JCEKS.



### NOTE

If KIE Server is not configured with JCEKS, KIE Server passwords are stored in system properties in plain text form.

#### Prerequisites

- KIE Server is installed in Red Hat JBoss Web Server.
- Java 8 or higher is installed.

#### Procedure

1. Open the **JWS\_HOME/tomcat/conf/tomcat-users.xml** file in a text editor.
2. Add a KIE Server user with the **kie-server** role to the **JWS\_HOME/tomcat/conf/tomcat-users.xml** file. In the following example, replace **<USER\_NAME>** and **<PASSWORD>** with the user name and password of your choice.

```
<role rolename="kie-server"/>
<user username="<USER_NAME>" password="<PASSWORD>" roles="kie-server"/>
```

3. To use KeyTool to create a JCEKS, enter the following command in the Java 8 home directory:

```
$<JAVA_HOME>/bin/keytool -importpassword -keystore <KEYSTORE_PATH> -keypass
<ALIAS_KEY_PASSWORD> -alias <PASSWORD_ALIAS> -storepass
<KEYSTORE_PASSWORD> -storetype JCEKS
```

In this example, replace the following variables:

- **<KEYSTORE\_PATH>**: The path where the keystore will be stored
- **<KEYSTORE\_PASSWORD>**: The keystore password
- **<ALIAS\_KEY\_PASSWORD>**: The password used to access values stored with the alias
- **<PASSWORD\_ALIAS>**: The alias of the entry to the process

4. When prompted, enter the password for the KIE Server user that you created.
5. To set the system properties, complete one of these steps in the **JWS\_HOME/tomcat/bin** directory and replace the variables as described in the following table:

**NOTE**

If Business Central or the standalone controller are installed in separate instances from Red Hat JBoss Web Server, do not add the **kie.keystore.key.server.alias** and **kie.keystore.key.server.pwd** properties to **CATALINA\_OPTS**.

- On Linux or UNIX, create the **setenv.sh** file with the following content:

```
set CATALINA_OPTS=
-Dkie.keystore.keyStoreURL=<KEYSTORE_URL>
-Dkie.keystore.keyStorePwd=<KEYSTORE_PWD>
-Dkie.keystore.key.server.alias=<KEY_SERVER_ALIAS>
-Dkie.keystore.key.server.pwd=<KEY_SERVER_PWD>
-Dkie.keystore.key.ctrl.alias=<KEY_CONTROL_ALIAS>
-Dkie.keystore.key.ctrl.key.ctrl.pwd=<KEY_CONTROL_PWD>
```

- On Windows, add the following content to the **setenv.bat** file:

```
set CATALINA_OPTS=
-Dkie.keystore.keyStoreURL=<KEYSTORE_URL>
-Dkie.keystore.keyStorePwd=<KEYSTORE_PWD>
-Dkie.keystore.key.server.alias=<KEY_SERVER_ALIAS>
-Dkie.keystore.key.server.pwd=<KEY_SERVER_PWD>
-Dkie.keystore.key.ctrl.alias=<KEY_CONTROL_ALIAS>
-Dkie.keystore.key.ctrl.key.ctrl.pwd=<KEY_CONTROL_PWD>
```

Table 35.1. System properties used to load a KIE Server JCEKS

System property	Placeholder	Description
<b>kie.keystore.keyStoreURL</b>	<KEYSTORE_URL>	URL for the JCEKS that you want to use, for example <b>file:///home/kie/keystores/keystore.jceks</b>
<b>kie.keystore.keyStorePwd</b>	<KEYSTORE_PWD>	Password for the JCEKS
<b>kie.keystore.key.server.alias</b>	<KEY_SERVER_ALIAS>	Alias of the key for REST services where the password is stored
<b>kie.keystore.key.server.pwd</b>	<KEY_SERVER_PWD>	Password of the alias for REST services with the stored password
<b>kie.keystore.key.ctrl.alias</b>	<KEY_CONTROL_ALIAS>	Alias of the key for default REST Process Automation Controller where the password is stored
<b>kie.keystore.key.ctrl.pwd</b>	<KEY_CONTROL_PWD>	Password of the alias for default REST Process Automation Controller with the stored password

6. Start KIE Server to verify the configuration.

# CHAPTER 36. VERIFYING THE KIE SERVER INSTALLATION

Verify that KIE Server is installed correctly.

## Prerequisites

- KIE Server is installed and configured.

## Procedure

1. To start KIE Server, enter one of the following commands in the **JWS\_HOME/tomcat/bin** directory:
  - On Linux or UNIX-based systems:

```
$ ./startup.sh
```
  - On Windows:

```
startup.bat
```
2. After a few minutes, review the files in the **JWS\_HOME/tomcat/logs** directory and correct any errors.
3. To verify that KIE Server is working correctly, enter **http://localhost:8080/kie-server/services/rest/server** in a web browser.
4. Enter the user name and password stored in the **tomcat-users.xml** file.

# CHAPTER 37. DOWNLOADING AND INSTALLING THE HEADLESS DECISION MANAGER CONTROLLER

You can configure KIE Server to run in managed or unmanaged mode. If KIE Server is unmanaged, you must manually create and maintain KIE containers (deployment units). If KIE Server is managed, the Decision Manager controller manages the KIE Server configuration and you interact with the Decision Manager controller to create and maintain KIE containers.

The Decision Manager controller is integrated with Business Central. If you install Business Central, use the **Execution Server** page to create and maintain KIE containers. However, if you do not install Business Central, you can install the headless Decision Manager controller and use the REST API or the KIE Server Java Client API to interact with it.

## Prerequisites

- The **Red Hat Decision Manager 7.9.1 Add Ons(rhdm-7.9.1-add-ons.zip)** file has been downloaded, as described in [Chapter 32, Downloading the Red Hat Decision Manager installation files](#).
- A Red Hat JBoss Web Server 5.3.0 server installation is available. The base directory of the Red Hat JBoss Web Server installation is referred to as **JWS\_HOME**.
- Sufficient user permissions to complete the installation are granted.

## Procedure

1. Unzip the **rhdm-7.9.1-add-ons.zip** file. The **rhdm-7.9.1-controller-jws.zip** file is in the unzipped directory.
2. Extract the **rhdm-7.9.1-controller-jws.zip** archive to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
3. Copy the **TEMP\_DIR/rhdm-7.9.1-controller-jws.zip/controller.war** directory to the **JWS\_HOME/tomcat/webapps** directory.



### NOTE

Ensure the names of the Red Hat Decision Manager deployments you copy do not conflict with your existing deployments in the Red Hat JBoss Web Server instance.

4. Remove the **.war** extensions from the **controller.war** folder.
5. Copy the contents of the **TEMP\_DIR/rhdm-7.9.1-controller-jws/SecurityPolicy** directory to **JWS\_HOME/bin**
6. When asked to overwrite files, select **Yes**.
7. Add the **kie-server** role and user to the **JWS\_HOME/tomcat/conf/tomcat-users.xml** file. In the following example, **<USER\_NAME>** and **<PASSWORD>** are the user name and password of your choice:

```
<role rolename="kie-server"/>
<user username="<USER_NAME>" password="<PASSWORD>" roles="kie-server"/>
```

8. Complete one of the following tasks in the **JWS\_HOME/tomcat/bin** directory of the instance running KIE Server:

- On Linux or UNIX, create the **setenv.sh** file with the following content:

```
CATALINA_OPTS="-Xmx1024m
-Dorg.jboss.logging.provider=jdk
-Dorg.jbpm.server.ext.disabled=true
-Dorg.jbpm.ui.server.ext.disabled=true
-Dorg.jbpm.case.server.ext.disabled=true
-Dorg.kie.server.controller.user=<CONTROLLER_USER>
-Dorg.kie.server.controller.pwd=<CONTROLLER_PWD>
-Dorg.kie.server.id=<KIE_SERVER_ID>
-Dorg.kie.server.location=http://<HOST>:<PORT>/kie-server/services/rest/server
-Dorg.kie.server.controller=http://<HOST>:<PORT>/controller/rest/controller"
```

- On Windows, add the following content to the **setenv.bat** file:

```
set CATALINA_OPTS= -Xmx1024m
-Dorg.jbpm.server.ext.disabled=true
-Dorg.jbpm.ui.server.ext.disabled=true
-Dorg.jbpm.case.server.ext.disabled=true
-Dorg.kie.server.controller.user=<CONTROLLER_USER>
-Dorg.kie.server.controller.pwd=<CONTROLLER_PWD>
-Dorg.kie.server.id=<KIE_SERVER_ID>
-Dorg.kie.server.location=http://<HOST>:<PORT>/kie-server/services/rest/server
-Dorg.kie.server.controller=http://<CONTROLLER_HOST>:<CONTROLLER_PORT>/controller/rest/controller
```

In the preceding examples, replace the following variables:

- Replace **<CONTROLLER\_USER>** and **<CONTROLLER\_PWD>** with the user name and password for the **kie-server** role that you defined earlier in this procedure.
- Replace **<KIE\_SERVER\_ID>** with a unique identifier.
- Replace **<CONTROLLER\_HOST>:<CONTROLLER\_PORT>** with the IP address (host and port) of the controller. If you use the same server for KIE Server and the controller, **<CONTROLLER\_HOST>:<CONTROLLER\_PORT>** is **localhost:8080**.

9. In the **JWS\_HOME/tomcat/bin** directory of the instance running the headless Decision Manager controller, create a readable **setenv.sh** file with the following content, where **<USERNAME>** is the KIE Server user and **<USER\_PWD>** is the password for that user:  
**CATALINA\_OPTS="-Dorg.kie.server.user=<USERNAME> -Dorg.kie.server.pwd=<USER\_PWD>"**

10. To start the headless Decision Manager controller, enter one of the following commands in the **JWS\_HOME/tomcat/bin** directory:

- On Linux or UNIX-based systems:

```
$ ./startup.sh
```

- On Windows:

```
startup.bat
```

- - 11. After a few minutes, review the **JWS\_HOME/tomcat/logs** directory and correct any errors.
  - 12. To verify that the headless Decision Manager controller is working correctly, enter **http://<CONTROLLER\_HOST>:<CONTROLLER\_PORT>/controller/rest/controller/management/servers** in a web browser. If you use the same server for KIE Server and the controller, **<CONTROLLER\_HOST>:<CONTROLLER\_PORT>** is **localhost:8080**.
  - 13. Enter the user name and password stored in the **tomcat-users.xml** file.

# CHAPTER 38. RUNNING STANDALONE BUSINESS CENTRAL

You can use the Business Central standalone JAR file to run Business Central without needing to deploy it to an application server such as Red Hat JBoss EAP.



## NOTE

Red Hat supports this installation type only when it is installed on Red Hat Enterprise Linux.



## NOTE

Example configuration files are available in **rhdm-7.9.1-standalone-sample-configuration.zip** of **rhdm-7.9.1-addons.zip**.

## Prerequisites

- The Red Hat Decision Manager 7.9.1 Business Central Standalone(**rhdm-7.9.1-decision-central-standalone.jar**) file has been downloaded from the [Software Downloads](#) page for Red Hat Decision Manager 7.9, as described in [Chapter 32, Downloading the Red Hat Decision Manager installation files](#).

## Procedure

- Download the **rhdm-7.9.1-addons.zip** file from the [Software Downloads](#) page for Red Hat Decision Manager 7.9.
- Unzip the downloaded **rhdm-7.9.1-addons.zip** to a temporary directory.
- Navigate to the **rhdm-7.9.1-addons** folder and unzip the **rhdm-7.9.1-standalone-sample-configuration.zip**.
- Navigate to the **rhdm-7.9.1-standalone-sample-configuration** folder and copy the contents to the directory containing your **rhdm-7.9.1-decision-central-standalone.jar** file.
- To run the standalone sample configuration, enter the following command:

```
java -jar rhdm-7.9.1-decision-central-standalone.jar -s sample-standalone-config.yml
```

See [Section 20.1, “Business Central system properties”](#) for more information.

## 38.1. BUSINESS CENTRAL SYSTEM PROPERTIES

The Business Central system properties listed in this section are passed to **standalone\*.xml** files. To install standalone Business Central, you can use the listed properties in the following command:

```
java -jar rhdm-7.9.1-decision-central-standalone.jar -s application-config.yaml -D<property>=<value> -D<property>=<value>
```

In this command, **<property>** is a property from list and **<value>** is a value that you assign to that property.

[Git directory](#)

Use the following properties to set the location and name for the Business Central Git directory:

- **org.uberfire.nio.git.dir**: Location of the Business Central Git directory.
- **org.uberfire.nio.git.dirname**: Name of the Business Central Git directory. Default value: **.niogit**.
- **org.uberfire.nio.git.ketch**: Enables or disables Git ketch.
- **org.uberfire.nio.git.hooks**: Location of the Git hooks directory.

## Git over HTTP

Use the following properties to configure access to the Git repository over HTTP:

- **org.uberfire.nio.git.proxy.ssh.over.http**: Specifies whether SSH should use an HTTP proxy. Default value: **false**.
- **http.proxyHost**: Defines the host name of the HTTP proxy. Default value: **null**.
- **http.proxyPort**: Defines the host port (integer value) of the HTTP proxy. Default value: **null**.
- **http.proxyUser**: Defines the user name of the HTTP proxy.
- **http.proxyPassword**: Defines the user password of the HTTP proxy.
- **org.uberfire.nio.git.http.enabled**: Enables or disables the HTTP daemon. Default value: **true**.
- **org.uberfire.nio.git.http.host**: If the HTTP daemon is enabled, it uses this property as the host identifier. This is an informative property that is used to display how to access the Git repository over HTTP. The HTTP still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.http.hostname**: If the HTTP daemon is enabled, it uses this property as the host name identifier. This is an informative property that is used to display how to access the Git repository over HTTP. The HTTP still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.http.port**: If the HTTP daemon is enabled, it uses this property as the port number. This is an informative property that is used to display how to access the Git repository over HTTP. The HTTP still relies on the servlet container. Default value: **8080**.

## Git over HTTPS

Use the following properties to configure access to the Git repository over HTTPS:

- **org.uberfire.nio.git.proxy.ssh.over.https**: Specifies whether SSH uses an HTTPS proxy. Default value: **false**.
- **https.proxyHost**: Defines the host name of the HTTPS proxy. Default value: **null**.
- **https.proxyPort**: Defines the host port (integer value) of the HTTPS proxy. Default value: **null**.
- **https.proxyUser**: Defines the user name of the HTTPS proxy.
- **https.proxyPassword**: Defines the user password of the HTTPS proxy.
- **user.dir**: Location of the user directory.

- **org.uberfire.nio.git.https.enabled:** Enables or disables the HTTPS daemon. Default value: **false**
- **org.uberfire.nio.git.https.host:** If the HTTPS daemon is enabled, it uses this property as the host identifier. This is an informative property that is used to display how to access the Git repository over HTTPS. The HTTPS still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.https.hostname:** If the HTTPS daemon is enabled, it uses this property as the host name identifier. This is an informative property that is used to display how to access the Git repository over HTTPS. The HTTPS still relies on the servlet container. Default value: **localhost**.
- **org.uberfire.nio.git.https.port:** If the HTTPS daemon is enabled, it uses this property as the port number. This is an informative property that is used to display how to access the Git repository over HTTPS. The HTTPS still relies on the servlet container. Default value: **8080**.

## JGit

- **org.uberfire.nio.jgit.cache.instances:** Defines the JGit cache size.
- **org.uberfire.nio.jgit.cache.overflow.cleanup.size:** Defines the JGit cache overflow cleanup size.
- **org.uberfire.nio.jgit.remove.eldest.iterations:** Enables or disables whether to remove eldest JGit iterations.
- **org.uberfire.nio.jgit.cache.evict.threshold.duration:** Defines the JGit evict threshold duration.
- **org.uberfire.nio.jgit.cache.evict.threshold.time.unit:** Defines the JGit evict threshold time unit.

## Git daemon

Use the following properties to enable and configure the Git daemon:

- **org.uberfire.nio.git.daemon.enabled:** Enables or disables the Git daemon. Default value: **true**.
- **org.uberfire.nio.git.daemon.host:** If the Git daemon is enabled, it uses this property as the local host identifier. Default value: **localhost**.
- **org.uberfire.nio.git.daemon.hostname:** If the Git daemon is enabled, it uses this property as the local host name identifier. Default value: **localhost**
- **org.uberfire.nio.git.daemon.port:** If the Git daemon is enabled, it uses this property as the port number. Default value: **9418**.
- **org.uberfire.nio.git.http.sslVerify:** Enables or disables SSL certificate checking for Git repositories. Default value: **true**.



### NOTE

If the default or assigned port is already in use, a new port is automatically selected. Ensure that the ports are available and check the log for more information.

## Git SSH

Use the following properties to enable and configure the Git SSH daemon:

- **org.uberfire.nio.git.ssh.enabled**: Enables or disables the SSH daemon. Default value: **true**.
- **org.uberfire.nio.git.ssh.host**: If the SSH daemon enabled, it uses this property as the local host identifier. Default value: **localhost**.
- **org.uberfire.nio.git.ssh.hostname**: If the SSH daemon is enabled, it uses this property as local host name identifier. Default value: **localhost**.
- **org.uberfire.nio.git.ssh.port**: If the SSH daemon is enabled, it uses this property as the port number. Default value: **8001**.



### NOTE

If the default or assigned port is already in use, a new port is automatically selected. Ensure that the ports are available and check the log for more information.

- **org.uberfire.nio.git.ssh.cert.dir**: Location of the **.security** directory where local certificates are stored. Default value: Working directory.
- **org.uberfire.nio.git.ssh.idle.timeout**: Sets the SSH idle timeout.
- **org.uberfire.nio.git.ssh.passphrase**: Pass phrase used to access the public key store of your operating system when cloning git repositories with SCP style URLs. Example: **git@github.com:user/repository.git**.
- **org.uberfire.nio.git.ssh.algorithm**: Algorithm used by SSH. Default value: **RSA**.
- **org.uberfire.nio.git.gc.limit**: Sets the GC limit.
- **org.uberfire.nio.git.ssh.ciphers**: A comma-separated string of ciphers. The available ciphers are **aes128-ctr**, **aes192-ctr**, **aes256-ctr**, **arcfour128**, **arcfour256**, **aes192-cbc**, **aes256-cbc**. If the property is not used, all available ciphers are loaded.
- **org.uberfire.nio.git.ssh.macs**: A comma-separated string of message authentication codes (MACs). The available MACs are **hmac-md5**, **hmac-md5-96**, **hmac-sha1**, **hmac-sha1-96**, **hmac-sha2-256**, **hmac-sha2-512**. If the property is not used, all available MACs are loaded.



### NOTE

If you plan to use RSA or any algorithm other than DSA, make sure you set up your application server to use the Bouncy Castle JCE library.

## KIE Server nodes and Decision Manager controller

Use the following properties to configure the connections with the KIE Server nodes from the Decision Manager controller:

- **org.kie.server.controller**: The URL is used to connect to the Decision Manager controller. For example, **ws://localhost:8080/decision-central/websocket/controller**.

- **org.kie.server.user:** User name used to connect to the KIE Server nodes from the Decision Manager controller. This property is only required when using this Business Central installation as a Decision Manager controller.
- **org.kie.server.pwd:** Password used to connect to the KIE Server nodes from the Decision Manager controller. This property is only required when using this Business Central installation as a Decision Manager controller.

## Maven and miscellaneous

Use the following properties to configure Maven and other miscellaneous functions:

- **kie.maven.offline.force:** Forces Maven to behave as if offline. If true, disables online dependency resolution. Default value: **false**.



### NOTE

Use this property for Business Central only. If you share a runtime environment with any other component, isolate the configuration and apply it only to Business Central.

- **org.uberfire.gzip.enable:** Enables or disables Gzip compression on the **GzipFilter** compression filter. Default value: **true**.
- **org.kie.workbench.profile:** Selects the Business Central profile. Possible values are **FULL** or **PLANNER\_AND\_RULES**. A prefix **FULL\_** sets the profile and hides the profile preferences from the administrator preferences. Default value: **FULL**
- **org.appformer.m2repo.url:** Business Central uses the default location of the Maven repository when looking for dependencies. It directs to the Maven repository inside Business Central, for example, <http://localhost:8080/business-central/maven2>. Set this property before starting Business Central. Default value: File path to the inner **m2** repository.
- **appformer.ssh.keystore:** Defines the custom SSH keystore to be used with Business Central by specifying a class name. If the property is not available, the default SSH keystore is used.
- **appformer.ssh.keys.storage.folder:** When using the default SSH keystore, this property defines the storage folder for the user's SSH public keys. If the property is not available, the keys are stored in the Business Central **.security** folder.
- **appformer.experimental.features:** Enables the experimental features framework. Default value: **false**.
- **org.kie.demo:** Enables an external clone of a demo application from GitHub.
- **org.uberfire.metadata.index.dir:** Place where the Lucene **.index** directory is stored. Default value: Working directory.
- **org.uberfire.ldap.regex.role\_mapper:** Regex pattern used to map LDAP principal names to the application role name. Note that the variable role must be a part of the pattern as the application role name substitutes the variable role when matching a principle value and role name.
- **org.uberfire.sys.repo.monitor.disabled:** Disables the configuration monitor. Do not disable unless you are sure. Default value: **false**.

- **org.uberfire.secure.key:** Password used by password encryption. Default value: **org.uberfire.admin.**
- **org.uberfire.secure.alg:** Crypto algorithm used by password encryption. Default value: **PBEWithMD5AndDES.**
- **org.uberfire.domain:** Security-domain name used by uberfire. Default value: **ApplicationRealm.**
- **org.guvnor.m2repo.dir:** Place where the Maven repository folder is stored. Default value: **<working-directory>/repositories/kie.**
- **org.guvnor.project.gav.check.disabled:** Disables group ID, artifact ID, and version (GAV) checks. Default value: **false.**
- **org.kie.build.disable-project-explorer:** Disables automatic build of a selected project in Project Explorer. Default value: **false.**
- **org.kie.builder.cache.size:** Defines the cache size of the project builder. Default value: **20.**
- **org.kie.verification.disable-dtable-realtime-verification:** Disables the real-time validation and verification of decision tables. Default value: **false.**

## Decision Manager controller

Use the following properties to configure how to connect to the Decision Manager controller:

- **org.kie.workbench.controller:** The URL used to connect to the Decision Manager controller, for example, **ws://localhost:8080/kie-server-controller/websocket/controller.**
- **org.kie.workbench.controller.user:** The Decision Manager controller user. Default value: **kieserver.**
- **org.kie.workbench.controller.pwd:** The Decision Manager controller password. Default value: **kieserver1!.**
- **org.kie.workbench.controller.token:** The token string used to connect to the Decision Manager controller.

## Java Cryptography Extension KeyStore (JCEKS)

Use the following properties to configure JCEKS:

- **kie.keystore.keyStoreURL:** The URL used to load a Java Cryptography Extension KeyStore (JCEKS). For example, **file:///home/kie/keystores/keystore.jceks.**
- **kie.keystore.keyStorePwd:** The password used for the JCEKS.
- **kie.keystore.key.ctrl.alias:** The alias of the key for the default REST Decision Manager controller.
- **kie.keystore.key.ctrl.pwd:** The password of the alias for the default REST Decision Manager controller.

## Rendering

Use the following properties to switch between Business Central and KIE Server rendered forms:

- **org.jbpm.wb.forms.renderer.ext**: Switches the form rendering between Business Central and KIE Server. By default, the form rendering is performed by Business Central. Default value: **false**.
- **org.jbpm.wb.forms.renderer.name**: Enables you to switch between Business Central and KIE Server rendered forms. Default value: **workbench**.

# CHAPTER 39. MAVEN SETTINGS AND REPOSITORIES FOR RED HAT DECISION MANAGER

When you create a Red Hat Decision Manager project, Business Central uses the Maven repositories that are configured for Business Central. You can use the Maven global or user settings to direct all Red Hat Decision Manager projects to retrieve dependencies from the public Red Hat Decision Manager repository by modifying the Maven project object model (POM) file (**pom.xml**). You can also configure Business Central and KIE Server to use an external Maven repository or prepare a Maven mirror for offline use.

For more information about Red Hat Decision Manager packaging and deployment options, see [Packaging and deploying a Red Hat Decision Manager project](#).

## 39.1. CONFIGURING MAVEN USING THE PROJECT CONFIGURATION FILE (**POM.XML**)

To use Maven for building and managing your Red Hat Decision Manager projects, you must create and configure the POM file (**pom.xml**). This file holds configuration information for your project. For more information, see [Apache Maven Project](#).

### Procedure

1. Generate a Maven project. A **pom.xml** file is automatically generated when you create a Maven project.
2. Edit the **pom.xml** file to add more dependencies and new repositories.  
Maven downloads all of the JAR files and the dependent JAR files from the Maven repository when you compile and package your project.

Find the schema for the **pom.xml** file at [http://maven.apache.org/maven-v4\\_0\\_0.xsd](http://maven.apache.org/maven-v4_0_0.xsd). For more information about POM files, see [Apache Maven Project POM](#).

## 39.2. MODIFYING THE MAVEN SETTINGS FILE

Red Hat Decision Manager uses Maven **settings.xml** file to configure its Maven execution. You must create and activate a profile in the **settings.xml** file and declare the Maven repositories used by your Red Hat Decision Manager projects.

For information about the Maven **settings.xml** file, see the Apache Maven Project [Setting Reference](#).

### Procedure

1. In the **settings.xml** file, declare the repositories that your Red Hat Decision Manager projects use. Usually, this is either the [online Red Hat Decision Manager Maven repository](#) or the Red Hat Decision Manager Maven repository that you download from the Red Hat Customer Portal and any repositories for custom artifacts that you want to use.
2. Ensure that Business Central or KIE Server is configured to use the **settings.xml** file. For example, specify the **kie.maven.settings.custom=<SETTINGS\_FILE\_PATH>** property where **<SETTINGS\_FILE\_PATH>** is the path to the **settings.xml** file.  
On Red Hat JBoss Web Server, for KIE Server add **-Dkie.maven.settings.custom=<SETTINGS\_FILE\_PATH>** to the **CATALINA\_OPTS** section of the **setenv.sh** (Linux) or **setenv.bat** (Windows) file. For standalone Business Central, enter the following command:

```
java -jar rhpam-7.9.1-business-central-standalone.jar -s application-config.yaml -
Dkie.maven.settings.custom=<SETTINGS_FILE_PATH>
```

## 39.3. ADDING MAVEN DEPENDENCIES FOR RED HAT DECISION MANAGER

To use the correct Maven dependencies in your Red Hat Decision Manager project, add the Red Hat Business Automation bill of materials (BOM) files to the project's **pom.xml** file. The Red Hat Business Automation BOM applies to both Red Hat Decision Manager and Red Hat Process Automation Manager. When you add the BOM files, the correct versions of transitive dependencies from the provided Maven repositories are included in the project.

For more information about the Red Hat Business Automation BOM, see [What is the mapping between Red Hat Decision Manager and the Maven library version?](#).

### Procedure

1. Declare the Red Hat Business Automation BOM in the **pom.xml** file:

```
<dependencyManagement>
<dependencies>
<dependency>
<groupId>com.redhat.ba</groupId>
<artifactId>ba-platform-bom</artifactId>
<version>7.9.1.redhat-00003</version>
<type>pom</type>
<scope>import</scope>
</dependency>
</dependencies>
</dependencyManagement>
<dependencies>
<!-- Your dependencies -->
</dependencies>
```

2. Declare dependencies required for your project in the **<dependencies>** tag. After you import the product BOM into your project, the versions of the user-facing product dependencies are defined so you do not need to specify the **<version>** sub-element of these **<dependency>** elements. However, you must use the **<dependency>** element to declare dependencies which you want to use in your project.
3. For standalone projects that are not authored in Business Central, specify all dependencies required for your projects. In projects that you author in Business Central, the basic decision engine dependencies are provided automatically by Business Central.
  - For a basic Red Hat Decision Manager project, declare the following dependencies, depending on the features that you want to use:
  - For a basic Red Hat Decision Manager project, declare the following dependencies:

#### Embedded decision engine dependencies

```
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-compiler</artifactId>
```

```

</dependency>

<!-- Dependency for persistence support. -->
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-persistence-jpa</artifactId>
</dependency>

<!-- Dependencies for decision tables, templates, and scorecards.
For other assets, declare org.drools:business-central-models-* dependencies. -->
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-decisionservices</artifactId>
</dependency>
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-templates</artifactId>
</dependency>
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-scorecards</artifactId>
</dependency>

<!-- Dependency for loading KJARs from a Maven repository using KieScanner. -->
<dependency>
  <groupId>org.kie</groupId>
  <artifactId>kie-ci</artifactId>
</dependency>

```

- To use the KIE Server, declare the following dependencies:

### Client application KIE Server dependencies

```

<dependency>
  <groupId>org.kie.server</groupId>
  <artifactId>kie-server-client</artifactId>
</dependency>

```

- To create a remote client for Red Hat Decision Manager, declare the following dependency:

### Client dependency

```

<dependency>
  <groupId>org.uberfire</groupId>
  <artifactId>uberfire-rest-client</artifactId>
</dependency>

```

- When creating a JAR file that includes assets, such as rules and process definitions, specify the packaging type for your Maven project as **kjar** and use **org.kie:kie-maven-plugin** to process the **kjar** packaging type located under the **<project>** element. In the following example,  **\${kie.version}**  is the Maven library version listed in [What is the mapping between Red Hat Decision Manager and the Maven library version?](#):

```

<packaging>kjar</packaging>
<build>

```

```
<plugins>
<plugin>
<groupId>org.kie</groupId>
<artifactId>kie-maven-plugin</artifactId>
<version>${kie.version}</version>
<extensions>true</extensions>
</plugin>
</plugins>
</build>
```

## 39.4. PREPARING A MAVEN MIRROR REPOSITORY FOR OFFLINE USE

If your Red Hat Decision Manager deployment does not have outgoing access to the public Internet, you must prepare a Maven repository with a mirror of all the necessary artifacts and make this repository available to your environment.



### NOTE

You do not need to complete this procedure if your Red Hat Decision Manager deployment is connected to the Internet.

#### Prerequisites

- A computer that has outgoing access to the public Internet is available.

#### Procedure

1. On the computer that has an outgoing connection to the public Internet, complete the following steps:
  - a. Click **Red Hat Process Automation Manager 7.9.1 Offliner Content List** to download the **rhdm-7.9.1-offliner.zip** product deliverable file from the [Software Downloads](#) page of the Red Hat Customer Portal.
  - b. Extract the contents of the **rhdm-7.9.1-offliner.zip** file into any directory.
  - c. Change to the directory and enter the following command:

```
./offline-repo-builder.sh offliner.txt
```

This command creates a **repository** subdirectory and downloads the necessary artifacts into this subdirectory.

If a message reports that some downloads have failed, run the same command again. If downloads fail again, contact Red Hat support.

2. If you developed services outside Business Central and they have additional dependencies, add the dependencies to the mirror repository. If you developed the services as Maven projects, you can use the following steps to prepare these dependencies automatically. Complete the steps on the computer that has an outgoing connection to the public Internet.
  - a. Create a backup of the local Maven cache directory (**~/.m2/repository**) and then clear the directory.
  - b. Build the source of your projects using the **mvn clean install** command.

- c. For every project, enter the following command to ensure that Maven downloads all runtime dependencies for all the artifacts generated by the project:

```
mvn -e -DskipTests dependency:go-offline -f /path/to/project/pom.xml --batch-mode -Djava.net.preferIPv4Stack=true
```

Replace **/path/to/project/pom.xml** with the correct path to the **pom.xml** file of the project.

- d. Copy the contents of the local Maven cache directory (**~/.m2/repository**) to the **repository** subdirectory that was created.
3. Copy the contents of the **repository** subdirectory to a directory on the computer on which you deployed Red Hat Decision Manager. This directory becomes the offline Maven mirror repository.
4. Create and configure a **settings.xml** file for your Red Hat Decision Manager deployment, according to instructions in [Section 39.2, “Modifying the Maven settings file”](#).
5. Make the following changes in the **settings.xml** file:

- Under the **<profile>** tag, if a **<repositories>** or **<pluginRepositories>** tag is absent, add the tags as necessary.
- Under **<repositories>** add the following sequence:

```
<repository>
<id>offline-repository</id>
<url>file:///path/to/repo</url>
<releases>
  <enabled>true</enabled>
</releases>
<snapshots>
  <enabled>false</enabled>
</snapshots>
</repository>
```

Replace **/path/to/repo** with the full path to the local Maven mirror repository directory.

- Under **<pluginRepositories>** add the following sequence:

```
<repository>
<id>offline-plugin-repository</id>
<url>file:///path/to/repo</url>
<releases>
  <enabled>true</enabled>
</releases>
<snapshots>
  <enabled>false</enabled>
</snapshots>
</repository>
```

Replace **/path/to/repo** with the full path to the local Maven mirror repository directory.

# CHAPTER 40. IMPORTING PROJECTS FROM GIT REPOSITORIES

Git is a distributed version control system. It implements revisions as commit objects. When you save your changes to a repository, a new commit object in the Git repository is created.

Business Central uses Git to store project data, including assets such as rules and processes. When you create a project in Business Central, it is added to a Git repository that is embedded in Business Central. If you have projects in other Git repositories, you can import those projects into the Business Central Git repository through Business Central spaces.

## Prerequisites

- Red Hat Decision Manager projects exist in an external Git repository.
- You have the credentials required for read access to that external Git repository.

## Procedure

1. In Business Central, click **Menu** → **Design** → **Projects**.
2. Select or create the space into which you want to import the projects. The default space is **MySpace**.
3. To import a project, do one of the following:
  - Click **Import Project**.
  - Select **Import Project** from the drop-down list.
4. In the **Import Project** window, enter the URL and credentials for the Git repository that contains the projects that you want to import and click **Import**. The projects are added to the Business Central Git repository and are available from the current space.

## CHAPTER 41. INTEGRATING LDAP AND SSL

With Red Hat Decision Manager you can integrate LDAP and SSL through RH-SSO. For more information, see the [Red Hat Single Sign-On Server Administration Guide](#).

## PART V. INSTALLING AND CONFIGURING KIE SERVER ON IBM WEBSHARE APPLICATION SERVER

As a system administrator, you can configure your IBM WebSphere Application Server for Red Hat KIE Server and install KIE Server on that IBM server instance.

### Prerequisites

- An IBM WebSphere Application Server instance version 9.0 or later is installed. For complete installation instructions, see the [IBM WebSphere Application Server product page](#).
- You have access to the WebSphere Integrated Solutions Console, usually at **<http://<HOST>:9060/ibm/console>**.

## CHAPTER 42. KIE SERVER

KIE Server is the server where the rules and other artifacts for Red Hat Decision Manager are stored and run. KIE Server is a standalone built-in component that can be used to instantiate and execute rules through interfaces available for REST, Java Message Service (JMS), or Java client-side applications, and Red Hat Business Optimizer functionality through solvers.

Created as a web deployable WAR file, KIE Server can be deployed on any web container. The current version of the KIE Server is included with default extensions for both Red Hat Decision Manager and Red Hat Process Automation Manager.

KIE Server has a low footprint with minimal memory consumption and therefore can be deployed easily on a cloud instance. Each instance of this server can open and instantiate multiple containers, which enables you to execute multiple rule services in parallel.

KIE Server can be integrated with other application servers, such as Oracle WebLogic Server or IBM WebSphere Application Server, to streamline Red Hat Decision Manager application management.

## CHAPTER 43. IBM WEBSPHERE APPLICATION SERVER

IBM WebSphere Application Server is a flexible and secure web application server that hosts Java-based web applications and provides Java EE-certified run time environments. IBM WebSphere 9.0 supports Java SE 8 and is fully compliant with Java EE 7.

## CHAPTER 44. INSTALLING AND RUNNING IBM WEBSPHERE APPLICATION SERVER

IBM WebSphere Application Server must be installed and running for you to apply many of the configurations that accommodate KIE Server. This section describes how to install and start IBM WebSphere.

For the most up-to-date and detailed installation instructions, see the [IBM Knowledge Center](#).

### Procedure

1. Download IBM Installation Manager version 1.8.5 or later from the [IBM Installation Manager and Packaging Utility download links](#) page. IBM Installation Manager is required for installing IBM WebSphere.
2. Extract the downloaded archive and run the following command as the root user in the new directory:

```
sudo ./install
```

The **IBM Installation Manager** opens.

3. Go to **File → Preferences** and click **Add Repository**.
4. In the **Add Repository** window, enter the repository URL for IBM WebSphere 9.0. You can find all the repository URLs in the [Online product repositories for IBM WebSphere Application Server offerings](#) page of the IBM Knowledge Center.
5. In your command terminal, navigate to the IBM WebSphere Application Server folder location that you specified during the installation.
6. Change to the **/bin** directory and run a command similar to the following example to create an IBM WebSphere profile, user name, and password. A profile defines the run time environment. The profile includes all the files that the server processes in the runtime environment and that you can change. The user is required for login.

```
sudo ./manageprofiles.sh -create -profileName testprofile -profilePath /profiles/testprofile -adminUserName websphere -adminPassword password123
```

7. In your command terminal, navigate to the **bin** directory within the profile that you created (for example, **/profiles/testprofile/bin**) and run the following command to start the IBM WebSphere Application Server instance:

```
sudo ./startServer.sh <SERVER_NAME>
```

**<SERVER\_NAME>** is the IBM WebSphere Application Server name defined in **Servers → Server Types → IBM WebSphere Application Servers** of the WebSphere Integrated Solutions Console.

8. Open the following URL in a web browser:

```
http://<HOST>:9060/ibm/console
```

**<HOST>** is the system name or IP address of the target server.

For example, to start the WebSphere Integrated Solutions Console for a local instance of IBM WebSphere running on your system, enter the following URL in a web browser:

http://localhost:9060/ibm/console

9. When the login page of the WebSphere Integrated Solutions Console appears, enter your administrative credentials.

# CHAPTER 45. CONFIGURING IBM WEBSPHERE APPLICATION SERVER FOR KIE SERVER

Before you deploy KIE Server with IBM WebSphere Application Server, you must configure system properties, security settings, JMS requirements, and other properties on IBM WebSphere. These configurations promote an optimal integration with KIE Server.

## Prerequisites

- IBM WebSphere Application Server is installed and running.
- You are logged in to the WebSphere Integrated Solutions Console.


### 45.1. ENABLING ADMINISTRATIVE SECURITY

You must enable administrative security in the WebSphere Integrated Solutions Console so that you have the required permissions to create users and groups.

#### Procedure

1. In the WebSphere Integrated Solutions Console, click **Security** → **Global Security** and ensure that the option **Enable Application Security** is selected. This may already be selected and overridden at the server level.
2. Click **Security Configuration Wizard** and click **Next**.
3. Select the repository that contains the user information. For example, select **Federated repositories** for local configurations.
4. Click **Next**.
5. Enter the **Primary administrative user name** and **Password**.
6. Click **Next** and then click **Finish**.
7. Click **Save** in the **Messages** window to save your changes to the master configuration.

Figure 45.1. Save security changes



8. In your command terminal, navigate to the IBM WebSphere Application Server **/bin** directory location that you specified during installation, and run the following commands to stop and restart IBM WebSphere to apply the security changes:
 

```
sudo ./stopServer.sh <SERVER_NAME>
```

```
sudo ./startServer.sh <SERVER_NAME>
```

<SERVER\_NAME> is the IBM WebSphere Application Server name defined in **Servers → Server Types → IBM WebSphere Application Servers** of the WebSphere Integrated Solutions Console.

## 45.2. CONFIGURING JAVA MESSAGE SERVICE (JMS)

The Java Message Service (JMS) is a Java API that KIE Server uses to exchange messages with other application servers such as Oracle WebLogic Server and IBM WebSphere Application Server. You must configure your application server to send and receive JMS messages through KIE Server to ensure proper collaboration between the two servers.

### 45.2.1. Create a service bus and add IBM WebSphere

You must create a service bus and add the IBM WebSphere Application Server as a member of it in order to use JMS.

#### Procedure

1. In the WebSphere Integrated Solutions Console, navigate to **Service Integration → Buses → New**.
2. Enter a new bus name and clear the **Bus Security** option.
3. Click **Next** and then **Finish** to create the service bus.
4. Select the service bus that you have created.
5. Under **Topology**, click **Bus Members → Add**.
6. In the **Add a New Bus Member** wizard, choose the IBM WebSphere Application Server and the type of message store for persistence. You can also specify the properties of the message store.
7. Click **Finish** to add the new bus member.

### 45.2.2. Create JMS connection factories

To enable messaging with KIE Server, you must create certain JMS connection factories for sending and receiving messages.

#### Prerequisites

- You have created a service bus for IBM WebSphere Application Server.

#### Procedure

1. In the WebSphere Integrated Solutions Console, navigate to **Resources → JMS → Connection Factories**.
2. Select the correct scope and click **New**.
3. Select the **Default Messaging Provider** option and click **OK**.

4. For each of the following required connection factories, enter the name of the connection factory (for example, **KIE.SERVER.REQUEST**) and the JNDI name (for example, **jms/cf/KIE.SERVER.REQUEST**), and then select the service bus from the **Bus Name** drop-down list. Leave the default values for the remaining options.
5. Click **Apply** and **Save** to save the changes to the master configuration, and repeat for each required factory.

#### 45.2.2.1. JMS connection factories for KIE Server

The following are the required Java Message Service (JMS) connection factories that enable JMS messaging with KIE Server:

**Table 45.1. Required JMS connection factories for KIE Server**

Name	Default value	Used for
<b>KIE.SERVER.REQUEST</b>	<b>jms/cf/KIE.SERVER.REQUEST</b>	Sending all requests to KIE Server
<b>KIE.SERVER.RESPONSE</b>	<b>jms/cf/KIE.SERVER.RESPONSE</b>	Receiving all responses produced by KIE Server

#### 45.2.3. Create JMS queues

JMS queues are the destination end points for point-to-point messaging. You must create certain JMS queues to enable JMS messaging with KIE Server.

##### Prerequisites

- You have created a service bus for IBM WebSphere Application Server.

##### Procedure

1. In the WebSphere Integrated Solutions Console, navigate to **Resources** → **JMS** → **Queues**.
2. Select the correct scope and click **New**.
3. Select the **Default Messaging Provider** option and click **OK**.
4. For each of the following required queues, enter the name of the queue (for example, **KIE.SERVER.REQUEST**) and the JNDI name (for example, **jms/KIE.SERVER.REQUEST**), and then select the service bus from the **Bus Name** drop-down list.
5. From the **Queue Name** drop-down list, select the **Create Service Integration Bus Destination** enter a unique identifier, and select the bus member that you created previously.
6. Click **Apply** and **Save** to save the changes to the master configuration, and repeat for each required queue.

#### 45.2.3.1. JMS queues for KIE Server

The following are the required Java Message Service (JMS) queues that enable JMS messaging with KIE Server:

**Table 45.2. Required JMS queues for KIE Server**

Name	Default value	Used for
KIE.SERVER.REQUEST	jms/KIE.SERVER.REQUEST	Sending all requests to KIE Server
KIE.SERVER.RESPONSE	jms/KIE.SERVER.RESPONSE	Receiving all responses produced by KIE Server

#### 45.2.4. Create JMS activation specifications

A JMS activation specification is required in order to bridge the queue and the message-driven bean that enables JMS.

##### Prerequisites

- You have created a service bus for IBM WebSphere Application Server.
- You have created JMS queues.

##### Procedure

1. In the WebSphere Integrated Solutions Console, navigate to **Resources** → **JMS** → **Activation Specifications**.
2. Select the correct scope and click **New**.
3. Select the **Default Messaging Provider** option and click **OK**.
4. For each of the following required activation specifications, enter the name of the activation specification (for example, **KIE.SERVER.REQUEST**) and the JNDI name (for example, **jms/activation/KIE.SERVER.REQUEST**), and then select the service bus from the **Bus Name** drop-down list.
5. From the **Destination Type** drop-down list, select **Queue** and enter the name of the corresponding queue as a **Destination lookup** (for example, **jms/KIE.SERVER.REQUEST**).
6. Click **Apply** and **Save** to save the changes to the master configuration, and repeat for each required activation specification.

##### 45.2.4.1. JMS activation specifications for KIE Server

The following are the required Java Message Service (JMS) activation specifications that enable JMS messaging with KIE Server:

**Table 45.3. Required JMS activation specifications for KIE Server**

Name	Default value	Used for
KIE.SERVER.REQUEST	jms/activation/KIE.SERVER.REQUEST	Sending all requests to KIE Server

Name	Default value	Used for
KIE.SERVER.RESPONSE	jms/activation/KIE.SERVER.RESPONSE	Receiving all responses produced by KIE Server


## 45.3. SETTING SYSTEM PROPERTIES IN IBM WEBSPHERE APPLICATION SERVER

Set the system properties listed in this section on your IBM WebSphere Application Server before you deploy KIE Server.

### Procedure


1. In the WebSphere Integrated Solutions Console, navigate to **Servers** → **Server Types** → **IBM WebSphere Application Servers**.
2. In the list of application servers, choose the server on which you are going to deploy KIE Server.
3. Under the **Server Infrastructure**, click **Java and Process Management** → **Process Definition**.

Figure 45.2. WebSphere configuration page



- Under Additional Properties, click Java Virtual Machine

Figure 45.3. Process definition configuration page



This opens the configuration properties for the JVM that is used to start IBM WebSphere.

- Set both the **Initial heap size** and **Maximum heap size** to **2048** and click **Apply** to increase the Java Virtual Machine (JVM) memory size. KIE Server has been tested with these values. If you do not increase the JVM memory size, IBM WebSphere Application Server freezes or causes deployment errors when deploying KIE Server.
- Under Additional Properties, click Custom Properties.
- Click New → Custom JVM Properties and add the following properties to IBM WebSphere:

Table 45.4. System properties for KIE Server

Name	Value	Description
<b>kie.server.jms.queues.response</b>	<b>jms/KIE.SERVER.RESPONSE</b>	The JNDI name of JMS queue for responses used by KIE Server.

Name	Value	Description
<b>org.kie.server.domain</b>	<b>WSLogin</b>	JAAS <b>LoginContext</b> domain used to authenticate users when using JMS.
<b>org.jbpm.server.ext.disabled</b>	<b>true</b>	Disables Business Central features, which are not supported in RHDM. If not set, KIE Server will work, but will show error messages during start up.
<b>org.jbpm.ui.server.ext.disabled</b>	<b>true</b>	Disables Business Central features, which are not supported in RHDM. If not set, KIE Server will work, but will show error messages during start up.
<b>org.jbpm.case.server.ext.disabled</b>	<b>true</b>	Disables Business Central features, which are not supported in RHDM. If not set, KIE Server will work, but will show error messages during start up.
<b>org.jboss.logging.provider</b>	<b>jdk</b>	This property is only required where a <b>CA SiteMinder TAI (SMTAI)</b> is installed in the environment. Using this property forces Hibernate to use <b>JDK</b> instead of <b>log4j</b> for logging within Dashbuilder. <b>CA SiteMinder TAI (SMTAI)</b> contains an old version of <b>log4j</b> , which causes conflicts.

- Click **Save** to save the changes to the master configuration.

## 45.4. STOPPING AND RESTARTING IBM WEBSPHERE APPLICATION SERVER

After you have configured all required system properties in IBM WebSphere Application Server, stop and restart the IBM server to ensure that the configurations are applied.

### Procedure

In your command terminal, navigate to the IBM WebSphere Application Server **/bin** directory location that you specified during installation, and run the following commands to stop and restart IBM WebSphere to apply the configuration changes:

```
sudo ./stopServer.sh <SERVER_NAME>
```

```
sudo ./startServer.sh <SERVER_NAME>
```

<**SERVER\_NAME**> is the IBM WebSphere Application Server name defined in **Servers → Server Types → IBM WebSphere Application Servers** of the WebSphere Integrated Solutions Console.

# CHAPTER 46. INSTALLING AND RUNNING KIE SERVER WITH IBM WEBSPHERE APPLICATION SERVER

After you have configured all required system properties in IBM WebSphere Application Server, you can install KIE Server with IBM WebSphere to streamline Red Hat Decision Manager application management.

## Prerequisites

- An IBM WebSphere Application Server instance is configured as described in [Chapter 45, Configuring IBM WebSphere Application Server for KIE Server](#).

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download **Red Hat Decision Manager 7.9.1 KIE Server for All Supported EE7 Containers**
3. Extract the **rhdm-7.9.1-kie-server-ee7.zip** archive to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
4. Repackage the **kie-server.war** directory:
  - a. Navigate to the **TEMP\_DIR/rhdm-7.9.1-kie-server-ee7/kie-server.war** directory.
  - b. Select the contents of the **TEMP\_DIR/rhdm-7.9.1-kie-server-ee7/kie-server.war** directory and create the **kie-server.zip** file.
  - c. Rename **kie-server.zip** to **kie-server.war**. This is the file that you will use to deploy KIE Server.
  - d. Optionally, copy the new **kie-server.war** file to a location that is more convenient to deploy from.
5. In the WebSphere Integrated Solutions Console, navigate to **Applications → Application Types → WebSphere Enterprise Applications**.
6. Click **Install**.
7. Navigate to the **kie-server.war** file that you repackaged and select it to upload.
8. Select **Fast Path** and click **Next**.  
The **Install New Application** wizard opens.
9. Change the **Application Name** to **kie-server** and click **Next**.
10. Map the KIE Server modules to servers according to your specific requirements and click **Next**.
11. For **Bind Listeners for Message-Driven Beans**, select **Activation Specification** for both beans, enter **jms/activation/KIE.SERVER.REQUEST** in the **Target Resource JNDI Name** field, and enter the **jms/cf/KIE.SERVER.REQUEST** JNDI name for the

**KIE.SERVER.REQUEST** connection factory.

12. In the **Map Virtual Hosts for Web Modules** section, keep the default values and click **Next**.
13. Set the context root to **kie-server**.
14. In the **Metadata for Modules** section, keep the default values and click **Next**.
15. Click **Finish** to install KIE Server and click **Save** to save the changes to the master configuration.

## 46.1. CREATING THE KIE SERVER GROUP AND ROLE

After KIE Server is installed, you must create the **kie-server** group and a user.

### Prerequisites

- KIE Server is installed on the IBM WebSphere Application Server instance.

### Procedure

1. In the WebSphere Integrated Solutions Console, click **Users and Groups** → **Manage Groups**.
2. In the **Manage Groups** screen, click **Create**.
3. In the **Create a Group** screen, enter **kie-server** in the **Group name** box, then click **Create**.
4. To create a user to add to the **kie-server** group, click **Users and Groups** → **Manage Users**.
5. In the **Create a User** screen, complete the required information.
6. Click **Group Membership**.
7. In the **Group Membership** screen, click **kie-server**, move it to **Mapped To**, and click **Close**.
8. On the **Create a User** screen click **Create**.

## 46.2. MAPPING THE KIE SERVER GROUP AND ROLE

After KIE Server is installed, you must map the **kie-server** role to the **kie-server** group in the WebSphere Integrated Solutions Console to run KIE Server.

### Prerequisites

- KIE Server is installed on the IBM WebSphere Application Server instance.
- IBM WebSphere Application Server has the **kie-server** group with at least one user.

### Procedure

1. In the WebSphere Integrated Solutions Console, navigate to **Applications** → **Application Types** → **WebSphere Enterprise Applications** and select the newly installed **kie-server** application.
2. Under **Detail Properties**, click **Security Role to User/Group Mapping**

3. Select the **kie-server** role and click **Map Groups** to search for the **kie-server** group.
4. Move the **kie-server** group from the **Available** list to the **Selected** list and click **OK**.  
This mapping gives users in the IBM WebSphere Application Server **kie-server** group access to KIE Server.
5. Click **Save** to complete the mapping.

## 46.3. CONFIGURING CLASS LOADING FOR KIE SERVER

After KIE Server is installed, you must configure class loading to set parent classes to load last.

### Procedure

1. Navigate to **Applications** → **Application Types** → **WebSphere Enterprise Applications** and click **kie-server**.
2. Click **Class Loading and Update Detection** under the **Detail Properties** heading on the left.
3. In the properties, change *Class Loader Order* to **Classes loaded with local class loader first (parent last)** and *WAR Class Loader Policy* to **Single class loader for application**
4. Save the changes to the master configuration.

## 46.4. VERIFYING THE INSTALLATION

After you install KIE Server and define the KIE Server group mapping, verify that the server is running.

### Prerequisites

- KIE Server is installed on the IBM WebSphere Application Server instance.
- You have set all required system properties for the headless Decision Manager controller.
- You have defined the KIE Server group mapping in IBM WebSphere Application Server.

### Procedure

Navigate to the KIE Server URL **http://<HOST>:<PORT>/kie-server** to verify that the server is running, or send a **GET** request to **http://<HOST>:<PORT>/kie-server/services/rest/server** to check whether the KIE Server REST API responds.

<**HOST**> is the ID or name of the KIE Server host, for example, **localhost** or **192.7.8.9**.

<**PORT**> is the port of the KIE Server host, for example, **9060**.

If KIE Server is not running, stop and restart the IBM WebSphere Application Server instance and try again to access the KIE Server URL or API.

# CHAPTER 47. INSTALLING AND RUNNING THE HEADLESS DECISION MANAGER CONTROLLER WITH IBM WEBSPHERE APPLICATION SERVER

To use the KIE Server REST API or Java Client API to interact with KIE Server, install the headless Decision Manager controller with IBM WebSphere Application Server. The headless Decision Manager controller manages KIE Server configuration in a centralized way so that you can use the headless Decision Manager controller to create and maintain containers and perform other server-level tasks.



## NOTE

For optimal results, install KIE Server and the headless Decision Manager controller on different servers in production environments. In development environments, you can install KIE Server and the headless Decision Manager controller on the same server.

## Prerequisites

- The IBM WebSphere Application Server instance is configured as described in [Chapter 45, Configuring IBM WebSphere Application Server for KIE Server](#).
- KIE Server is installed on the IBM WebSphere Application Server instance.
- You have sufficient user permissions to complete the installation.

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download **Red Hat Decision Manager 7.9.1 Add-Ons**
3. Extract the downloaded **rhdm-7.9.1-add-ons.zip** file to a temporary directory.
4. Extract the **rhdm-7.9.1-add-ons.zip** file to a temporary directory. In the following examples this directory is called **TEMP\_DIR**.
5. Extract the **rhdm-7.9.1-add-ons/rhdm-7.9.1-controller-ee7.zip** file.
6. Repackage the **controller.war** directory:
  - a. Navigate to the **TEMP\_DIR/rhdm-7.9.1-add-ons/rhdm-7.9.1-controller-ee7/controller.war** directory.
  - b. Select the contents of the **TEMP\_DIR/rhdm-7.9.1-add-ons/rhdm-7.9.1-controller-ee7/controller.war** directory and create the **controller.zip** file.
  - c. Rename **controller.zip** to **controller.war**. This is the file that you will use to deploy the headless Decision Manager controller.
  - d. Optionally, copy the new **controller.war** file to a location that is more convenient to deploy from.

7. In the WebSphere Integrated Solutions Console, navigate to **Applications → Application Types → WebSphere Enterprise Applications**.
8. Click **Install**.
9. Navigate to the **controller.war** file that you repackaged and select it to upload.
10. Select **Fast Path** and click **Next**.  
The **Install New Application** wizard opens.
11. Change the **Application Name** to **controller** and click **Next**.
12. Map the headless Decision Manager controller modules to servers according to your specific requirements and click **Next**.
13. For **Bind Listeners for Message-Driven Beans**, select **Activation Specification** for both beans, enter **jms/activation/KIE.SERVER.REQUEST** in the **Target Resource JNDI Name** field, and enter the **jms/cf/KIE.SERVER.REQUEST** JNDI name for the **KIE.SERVER.REQUEST** connection factory.
14. In the **Map Virtual Hosts for Web Modules** section, keep the default values and click **Next**.
15. Set the context root to **controller**.
16. In the **Metadata for Modules** section, keep the default values and click **Next**.
17. Click **Finish** to install the headless Decision Manager controller and click **Save** to save the changes to the master configuration.

## 47.1. CONFIGURING CLASS LOADING FOR THE HEADLESS DECISION MANAGER CONTROLLER


After the headless Decision Manager controller is installed, you must configure KIE Server class loading to set parent classes to load last.

### Procedure

1. Navigate to **Applications → Application Types → WebSphere Enterprise Applications** and click **kie-server**.
2. Click **Class Loading and Update Detection** under the **Detail Properties** heading on the left.
3. In the properties, change **Class Loader Order** to **Classes loaded with local class loader first (parent last)** and **WAR Class Loader Policy** to **Single class loader for application**.
4. Save the changes to the master configuration.

## 47.2. SETTING SYSTEM PROPERTIES FOR THE HEADLESS DECISION MANAGER CONTROLLER

After you install the headless Decision Manager controller, set the system properties listed in this section on your application server or servers to enable proper interaction with the headless Decision Manager controller.



## NOTE

For optimal results, install KIE Server and the headless Decision Manager controller on different servers in production environments. In development environments, you can install KIE Server and the headless Decision Manager controller on the same server. In either case, be sure to make these property changes on all application servers where the headless Decision Manager controller is installed.

### Prerequisites

- KIE Server and the headless Decision Manager controller are installed on the application server instance.

### Procedure

1. Specify the following JVM property values on the application server instance where the headless Decision Manager controller is installed:

**Table 47.1. Required properties for the headless Decision Manager controller**

Name	Requirement
<b>org.kie.server.user</b>	A user with the <b>kie-server</b> role
<b>org.kie.server.pwd</b>	The password for the user specified in the <b>org.kie.server.user</b> property

2. Specify the following JVM property values on the application server instance where KIE Server is installed:

**Table 47.2. Required properties for KIE Server when headless Decision Manager controller is installed**

Name	Requirement
<b>org.kie.server.controller.user</b>	A user with the <b>kie-server</b> role
<b>org.kie.server.controller.pwd</b>	The password for the user specified for the <b>org.kie.server.controller.user</b> property
<b>org.kie.server.id</b>	The ID or name of the KIE Server installation, such as <b>rhdm700-decision-server-1</b>
<b>org.kie.server.location</b>	The URL of the KIE Server, <b>http://&lt;HOST&gt;:&lt;PORT&gt;/kie-server/services/rest/server</b>
<b>org.kie.server.controller</b>	The URL of the headless Decision Manager controller, <b>http://&lt;HOST&gt;:&lt;PORT&gt;/controller/rest/controller</b>

<HOST> is the ID or name of the KIE Server host, for example, **localhost** or **192.7.8.9**.

<PORT> is the port of the KIE Server host, for example, **7001**.

## 47.3. MAPPING THE HEADLESS DECISION MANAGER CONTROLLER GROUP AND ROLE

After the headless Decision Manager controller is installed, in the WebSphere Integrated Solutions Console, you must create the **kie-server** group and then map the **kie-server** role to the **kie-server** group.

### Prerequisites

- The headless Decision Manager controller is installed on the IBM WebSphere Application Server instance.

### Procedure

1. In the WebSphere Integrated Solutions Console, create the **kie-server** group and a user for that group, as described in [Creating the KIE Server group and role](#).
2. Navigate to **Applications** → **Application Types** → **WebSphere Enterprise Applications** and select the newly installed headless Decision Manager controller.
3. Under **Detail Properties**, click **Security Role to User/Group Mapping**
4. Select the **kie-server** role and click **Map Groups** to search for the **kie-server** group.
5. Move the **kie-server** group from the **Available** list to the **Selected** list and click **OK**.  
This mapping gives the previously created administrator user access to Decision Manager.
6. Click **Save** to complete the mapping.

## 47.4. VERIFYING THE INSTALLATION

After you install the headless Decision Manager controller and define the required system properties and role requirements on the application server, verify that the headless Decision Manager controller works correctly.

### Prerequisites

- KIE Server and the headless Decision Manager controller are installed on the application server instance.
- You have set all required system properties and role requirements for the headless Decision Manager controller on the application server.

### Procedure

In your command terminal, enter the following command to verify that the headless Decision Manager controller is working:

```
curl -X GET "http://<HOST>:<PORT>/controller/rest/controller/management/servers" -H "accept: application/xml" -u '<CONTROLLER>:<CONTROLLER_PWD>'
```

<HOST> is the ID or name of the KIE Server host, for example, **localhost** or **192.7.8.9**.

<**PORT**> is the port of the KIE Server host, for example, **7001**.

<**CONTROLLER**> and <**CONTROLLER\_PWD**> are the user credentials that you created in this section.

The command should return information about the KIE Server instance.



#### NOTE

Alternatively, you can use the KIE Server Java API Client to access the headless Decision Manager controller.

If the headless Decision Manager controller is not running, stop and restart the application server instance and try again to access the headless Decision Manager controller URL or API.

# CHAPTER 48. CONFIGURING AN EMBEDDED DECISION ENGINE IN IBM WEBSPHERE APPLICATION SERVER

A decision engine is a light-weight rule engine that enables you to execute your decisions and business processes. A decision engine can be part of a Red Hat Decision Manager application or it can be deployed as a service through OpenShift, Kubernetes, and Docker. You can embed a decision engine in a Red Hat Decision Manager application through the API or as a set of contexts and dependency injection (CDI) services.

If you intend to use an embedded engine with your Red Hat Decision Manager application, you must add Maven dependencies to your project by adding the Red Hat Business Automation bill of materials (BOM) files to the project's **pom.xml** file. The Red Hat Business Automation BOM applies to a Red Hat Decision Manager. For more information about the Red Hat Business Automation BOM, see [What is the mapping between Red Hat Decision Manager and the Maven library version?](#).

## Procedure

1. Declare the Red Hat Business Automation BOM in the **pom.xml** file:

```
<dependencyManagement>
<dependencies>
<dependency>
<groupId>com.redhat.ba</groupId>
<artifactId>ba-platform-bom</artifactId>
<version>7.9.1.redhat-00003</version>
<type>pom</type>
<scope>import</scope>
</dependency>
</dependencies>
</dependencyManagement>
<dependencies>
<!-- Your dependencies -->
</dependencies>
```

2. Declare dependencies required for your project in the **<dependencies>** tag. After you import the product BOM into your project, the versions of the user-facing product dependencies are defined so you do not need to specify the **<version>** sub-element of these **<dependency>** elements. However, you must use the **<dependency>** element to declare dependencies which you want to use in your project.

- For a basic Red Hat Decision Manager project, declare the following dependencies, depending on the features that you want to use:

### Embedded decision engine dependencies

```
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-compiler</artifactId>
</dependency>

<!-- Dependency for persistence support. -->
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-persistence-jpa</artifactId>
</dependency>
```

```

<!-- Dependencies for decision tables, templates, and scorecards.
For other assets, declare org.drools:business-central-models-* dependencies. -->
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-decisiontables</artifactId>
</dependency>
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-templates</artifactId>
</dependency>
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-scorecards</artifactId>
</dependency>

<!-- Dependency for loading KJARs from a Maven repository using KieScanner. -->
<dependency>
  <groupId>org.kie</groupId>
  <artifactId>kie-ci</artifactId>
</dependency>

```

- To use the KIE Server, declare the following dependencies:

### Client application KIE Server dependencies

```

<dependency>
  <groupId>org.kie.server</groupId>
  <artifactId>kie-server-client</artifactId>
</dependency>

```

- To create a remote client for Red Hat Decision Manager, declare the following dependency:

### Client dependency

```

<dependency>
  <groupId>org.uberfire</groupId>
  <artifactId>uberfire-rest-client</artifactId>
</dependency>

```

- When creating a JAR file that includes assets, such as rules and process definitions, specify the packaging type for your Maven project as **kjar** and use **org.kie:kie-maven-plugin** to process the **kjar** packaging type located under the **<project>** element. In the following example,  **\${kie.version}**  is the Maven library version listed in [What is the mapping between Red Hat Decision Manager and the Maven library version?](#):

```

<packaging>kjar</packaging>
<build>
  <plugins>
    <plugin>
      <groupId>org.kie</groupId>
      <artifactId>kie-maven-plugin</artifactId>
      <version>${kie.version}</version>
      <extensions>true</extensions>
    
```

```
</plugin>
</plugins>
</build>
```

3. If you use a decision engine with persistence support in your project, you must declare the following hibernate dependencies in the **dependencyManagement** section of your **pom.xml** file by copying the **version.org.hibernate-4ee7** property from the Red Hat Business Automation BOM file:

### Hibernate dependencies in decision engine with persistence


```
<!-- hibernate dependencies -->
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>org.hibernate</groupId>
      <artifactId>hibernate-entitymanager</artifactId>
      <version>${version.org.hibernate-4ee7}</version>
    </dependency>

    <dependency>
      <groupId>org.hibernate</groupId>
      <artifactId>hibernate-core</artifactId>
      <version>${version.org.hibernate-4ee7}</version>
    </dependency>
  </dependencies>
</dependencyManagement>
```

# CHAPTER 49. SECURING PASSWORDS WITH A KEYSTORE

You can use a keystore to encrypt passwords that are used for communication between Business Central and KIE Server. You should encrypt both controller and KIE Server passwords. If Business Central and KIE Server are deployed to different application servers, then both application servers should use the keystore.

Use Java Cryptography Extension KeyStore (JCEKS) for your keystore because it supports symmetric keys.



## NOTE

If KIE Server is not configured with JCEKS, KIE Server passwords are stored in system properties in plain text form.

### Prerequisites

- KIE Server is installed in IBM WebSphere Application Server.
- A KIE Server user with the **kie-server** role has been created, as described in [Section 46.1, "Creating the KIE Server group and role"](#).
- Java 8 or higher is installed.

### Procedure

1. Create a JCEKS keystore.
2. When prompted, enter the password for the KIE Server user that you created.
3. Set the system properties listed in the following table:

**Table 49.1. System properties used to load a KIE Server JCEKS**

System property	Placeholder	Description
<b>kie.keystore.keyStoreURL</b>	<KEYSTORE_URL>	URL for the JCEKS that you want to use, for example <b>file:///home/kie/keystores/keystore.jceks</b>
<b>kie.keystore.keyStorePwd</b>	<KEYSTORE_PWD>	Password for the JCEKS
<b>kie.keystore.key.server.alias</b>	<KEY_SERVER_ALIAS>	Alias of the key for REST services where the password is stored
<b>kie.keystore.key.server.pwd</b>	<KEY_SERVER_PWD>	Password of the alias for REST services with the stored password
<b>kie.keystore.key.ctrl.alias</b>	<KEY_CONTROL_ALIAS>	Alias of the key for default REST Process Automation Controller where the password is stored

System property	Placeholder	Description
<b>kie.keystore.key.ctrl.pwd</b>	<b>&lt;KEY_CONTROL_PWD&gt;</b>	Password of the alias for default REST Process Automation Controller with the stored password

4. Start KIE Server to verify the configuration.

## CHAPTER 50. NEXT STEPS

- *Getting started with decision services*
- *Designing a decision service using guided decision tables*

## PART VI. INSTALLING AND CONFIGURING KIE SERVER ON ORACLE WEBLOGIC SERVER

As a system administrator, you can configure your Oracle WebLogic Server for Red Hat KIE Server and install KIE Server on that Oracle server instance.

### Prerequisites

- An Oracle WebLogic Server instance version 12.2.1.3.0 or later is installed. For complete installation instructions, see the [Oracle WebLogic Server product page](#).
- You have access to the Oracle WebLogic Server Administration Console, usually at **<http://<HOST>:7001/console>**.

## CHAPTER 51. KIE SERVER

KIE Server is the server where the rules and other artifacts for Red Hat Decision Manager are stored and run. KIE Server is a standalone built-in component that can be used to instantiate and execute rules through interfaces available for REST, Java Message Service (JMS), or Java client-side applications, and Red Hat Business Optimizer functionality through solvers.

Created as a web deployable WAR file, KIE Server can be deployed on any web container. The current version of the KIE Server is included with default extensions for both Red Hat Decision Manager and Red Hat Process Automation Manager.

KIE Server has a low footprint with minimal memory consumption and therefore can be deployed easily on a cloud instance. Each instance of this server can open and instantiate multiple containers, which enables you to execute multiple rule services in parallel.

KIE Server can be integrated with other application servers, such as Oracle WebLogic Server or IBM WebSphere Application Server, to streamline Red Hat Decision Manager application management.


## CHAPTER 52. ORACLE WEBLOGIC SERVER

Oracle WebLogic Server is a Java EE application server that provides a standard set of APIs for creating distributed Java applications that can access a wide variety of services, such as databases, messaging services, and connections to external enterprise systems. User clients access these applications using web browser clients or Java clients.

# CHAPTER 53. INSTALLING AND RUNNING ORACLE WEBLOGIC SERVER

Oracle WebLogic Server must be installed and running for you to apply many of the configurations that accommodate KIE Server. This section describes how to install and start Oracle WebLogic Server in a standalone Oracle WebLogic Server domain.

For the most up-to-date and detailed installation instructions, see the [Oracle WebLogic Server product page](#).



## NOTE

If you are already running an instance of Oracle WebLogic Server that uses the same listener port as the one to be used by the server you are starting, you must stop the first server before starting the second server.

### Procedure

1. Download Oracle WebLogic Server 12.2.1.3.0 or later from the [Oracle WebLogic Server Downloads page](#).
2. Sign in to the target system and verify that a certified JDK already exists on your system. The installer requires a certified JDK. For system requirements, see [Oracle Fusion Middleware Systems Requirements and Specifications](#). To download the JDK, see the 'About JDK Requirements for an Oracle Fusion Middleware Installation' section in the [Planning an Installation of Oracle Fusion Middleware](#).
3. Go to the directory where you downloaded the installation program.
4. Launch the installation program by running **java -jar** from the JDK directory on your system. See the following examples:  
On UNIX-based operating systems:

```
/home/Oracle/jdk/jdk1.8.0_131/bin/java -jar fmw_12.2.1.3.0_wls_generic.jar
```

On Windows operating systems:

```
C:\Program Files\Java\jdk1.8.0_131\bin\java -jar fmw_12.2.1.3.0_wls_generic.jar
```

Be sure to replace the JDK location in these examples with the actual JDK location on your system.

5. Follow the installation wizard prompts to complete the installation.
6. After the installation is complete, navigate to the domain directory in the command terminal, ***WLS\_HOME/user\_projects/<DOMAIN\_NAME>***. For example:

```
WLS\user_projects\mydomain
```

7. Enter one of the following commands to start Oracle WebLogic Server:  
On UNIX-based operating systems:

```
startWebLogic.sh
```

On Windows operating systems:

`startWebLogic.cmd`

The startup script displays a series of messages, and finally displays a message similar to the following:

`<Dec 8, 2017 3:50:42 PM PDT> <Notice> <WebLogicServer> <000360> <Server started in RUNNING mode>`

8. Open the following URL in a web browser:

`http://<HOST>:<PORT>/console`

**<HOST>** is the system name or IP address of the host server.

**<PORT>** is the address of the port on which the host server is listening for requests (7001 by default).

For example, to start the Administration Console for a local instance of Oracle WebLogic Server running on your system, enter the following URL in a web browser:

`http://localhost:7001/console/`

If you started the Administration Console using secure socket layer (SSL), you must add **s** after **http**, as follows: **https://<HOST>:<PORT>/console**

9. When the login page of the WebLogic Administration Console appears, enter your administrative credentials.

# CHAPTER 54. CONFIGURING ORACLE WEBLOGIC SERVER FOR KIE SERVER

Before you deploy KIE Server with Oracle WebLogic Server, you must configure system properties, security settings, JMS requirements, and other properties on Oracle WebLogic Server. These configurations promote an optimal integration with KIE Server.

## Prerequisites

- Oracle WebLogic Server is installed and running.
- You are logged in to the WebLogic Administration Console.

### 54.1. CONFIGURING THE KIE SERVER GROUP AND USERS

You must assign users to a **kie-server** group in the WebLogic Administration Console to enable the container-managed authentication mechanisms in Oracle WebLogic Server.

#### Procedure

1. In the WebLogic Administration Console, click **Security Realms**.
2. Choose your desired security realm or click **New** to create a new security realm.
3. Navigate to **Users and Groups** → **Groups** → **New** and create the **kie-server** group.
4. Navigate to **Users** → **New** and create a new user.
5. Enter a user, such as **server-user**, and a password for this new user and click **OK**.



#### IMPORTANT

Make sure that the selected user name does not conflict with any known title of a role or a group. For example, if there is a role called **kie-server**, then do not create a user with the user name **kie-server**.

6. Click the newly created user, then return to the **Groups** tab.
7. Use the selection tool to move the **kie-server** group from the **Available** field to the **Chosen** field, and click **Save**.

### 54.2. CONFIGURING JAVA MESSAGE SERVICE (JMS)

The Java Message Service (JMS) is a Java API that KIE Server uses to exchange messages with other application servers such as Oracle WebLogic Server and IBM WebSphere Application Server. You must configure your application server to send and receive JMS messages through KIE Server to ensure proper collaboration between the two servers.

#### 54.2.1. Create a JMS server

You must create a JMS server in order to use JMS.

## Procedure

1. In the WebLogic Administration Console, navigate to **Services → Messaging → JMS Servers**.
2. Click **New** to create a new JMS server.
3. Enter a name for your JMS server and click **Next**.
4. Select the target server chosen for the KIE Server deployment.
5. Click **Finish**.

### 54.2.2. Create a JMS module

You must create a JMS module to store your JMS resources, such as connection factories and queues.

#### Prerequisites

- You have created a JMS server.

#### Procedure

1. In the WebLogic Administration Console, navigate to **Services → Messaging → JMS Modules**.
2. Click **New** to create a module.
3. Enter a module name and click **Next**.
4. Select the target server chosen for the KIE Server deployment and click **Finish**.
5. Click the newly created module name and then click **Subdeployments**.
6. Click **New** to create a subdeployment for your module.
7. Give your subdeployment a name and click **Next**.
8. Select the check box to choose the previously created JMS server.
9. Click **Finish** to complete the subdeployment configuration.

### 54.2.3. Create JMS connection factories

To enable messaging with KIE Server, you must create certain JMS connection factories for sending and receiving messages.

#### Prerequisites

- You have created a JMS server.
- You have created a JMS module.

#### Procedure

1. In the WebLogic Administration Console, navigate to **Services → Messaging → JMS Modules** to see a list of JMS modules.

2. Select your previously created module and click **New** to create a new JMS resource.
3. Select **Connection Factory** and click **Next**.
4. For each of the following required connection factories, enter the name of the connection factory (for example, **KIE.SERVER.REQUEST**) and the JNDI name (for example, **jms/cf/KIE.SERVER.REQUEST**) and click **Next**. The connection factory automatically selects the servers assigned to the JMS Module as the default.
5. Click **Finish** to add the connection factory, and repeat for each required factory.

#### 54.2.3.1. JMS connection factories for KIE Server

The following are the required Java Message Service (JMS) connection factories that enable JMS messaging with KIE Server:

**Table 54.1. Required JMS connection factories for KIE Server**

Name	Default value	Used for
<b>KIE.SERVER.REQUEST</b>	<b>jms/cf/KIE.SERVER.REQUEST</b>	Sending all requests to KIE Server
<b>KIE.SERVER.RESPONSE</b>	<b>jms/cf/KIE.SERVER.RESPONSE</b>	Receiving all responses produced by KIE Server

#### 54.2.4. Create JMS queues

JMS queues are the destination end points for point-to-point messaging. You must create certain JMS queues to enable JMS messaging with KIE Server.

##### Prerequisites

- You have created a JMS server.
- You have created a JMS module.

##### Procedure

1. In the WebLogic Administration Console, navigate to **Services** → **Messaging** → **JMS Modules** to see the list of JMS modules.
2. Select your previously created module, then click **New** to create a new JMS resource.
3. Select **Queue** and click **Next**.
4. For each of the following required queues, enter the name of the queue (for example, **KIE.SERVER.REQUEST**) and the JNDI name (for example, **jms/KIE.SERVER.REQUEST**) and then click **Next**.
5. Choose the JMS module subdeployment that connects to the JMS server.
6. Click **Finish** to add the queue, and repeat for each required queue.

#### 54.2.4.1. JMS queues for KIE Server

The following are the required Java Message Service (JMS) queues that enable JMS messaging with KIE Server:

**Table 54.2. Required JMS queues for KIE Server**

Name	Default value	Used for
<b>KIE.SERVER.REQUEST</b>	<b>jms/KIE.SERVER.REQUEST</b>	Sending all requests to KIE Server
<b>KIE.SERVER.RESPONSE</b>	<b>jms/KIE.SERVER.RESPONSE</b>	Receiving all responses produced by KIE Server

### 54.3. SETTING SYSTEM PROPERTIES IN ORACLE WEBLOGIC SERVER

Set the system properties listed in this section on your Oracle WebLogic Server before you deploy KIE Server.

#### Procedure

1. Set the following system property to increase the Java Virtual Machine (JVM) memory size:

```
USER_MEM_ARGS=-Xms512m -Xmx1024m
```

If you do not increase the JVM memory size, Oracle WebLogic Server freezes or causes deployment errors when deploying KIE Server.

2. Specify the following system properties for KIE Server on the Oracle WebLogic Server instance:

**Table 54.3. System properties for KIE Server**

Name	Value	Description
<b>kie.server.jms.queues.response</b>	<b>jms/KIE.SERVER.RESPONSE</b>	The JNDI name of JMS queue for responses used by the KIE Server.
<b>org.kie.server.domain</b>	<b>OracleDefaultLoginConfiguration</b>	JAAS <b>LoginContext</b> domain used to authenticate users when using JMS.
<b>org.jbpm.server.ext.disabled</b>	<b>true</b>	Disables Business Central features, which are not supported in RHDM. If not set, KIE Server will work, but will show error messages during start up.

Name	Value	Description
<b>org.jbpm.ui.server.ext.disabled</b>	<b>true</b>	Disables Business Central features, which are not supported in RHDM. If not set, KIE Server will work, but will show error messages during start up.
<b>org.jbpm.case.server.ext.disabled</b>	<b>true</b>	Disables Business Central features, which are not supported in RHDM. If not set, KIE Server will work, but will show error messages during start up.

3. Set the same property values in the **JAVA\_OPTIONS** environment variable:

```
JAVA_OPTIONS="-Dkie.server.jms.queues.response=jms/KIE.SERVER.RESPONSE
-Dorg.kie.server.domain=OracleDefaultLoginConfiguration
-Dorg.jbpm.server.ext.disabled=true
-Dorg.jbpm.ui.server.ext.disabled=true
-Dorg.jbpm.case.server.ext.disabled=true"
```

## 54.4. STOPPING AND RESTARTING ORACLE WEBLOGIC SERVER

After you have configured all required system properties in Oracle WebLogic Server, stop and restart the Oracle server to ensure that the configurations are applied.

### Procedure

1. In the WebLogic Administration Console, navigate to **Change Center** → **Lock & Edit**
2. Under **Domain Structure**, click **Environment** → **Servers** → **Control**.
3. Select the server that you want to stop and click **Shutdown**.
4. Select **When Work Completes** to gracefully shut down the server or select **Force Shutdown Now** to stop the server immediately without completing ongoing tasks.
5. On the **Server Life Cycle Assistant** pane, click **Yes** to complete the shutdown.
6. After the shutdown is complete, navigate to the domain directory in the command terminal, **WLS\_HOME/user\_projects/<DOMAIN\_NAME>**. For example:
  - WLS\user\_projects\mydomain
7. Enter one of the following commands to restart Oracle WebLogic Server to apply the new configurations:  
On UNIX-based operating systems:
  - startWebLogic.sh

-

On Windows operating systems:

startWebLogic.cmd

8. Open the Administration Console in a web browser (for example, **http://localhost:7001/console/**) and log in with your credentials.

# CHAPTER 55. INSTALLING KIE SERVER WITH ORACLE WEBLOGIC SERVER

After you have configured all required system properties in Oracle WebLogic Server, you can install KIE Server with Oracle WebLogic Server to streamline Red Hat Decision Manager application management.

## Prerequisites

- An Oracle WebLogic Server instance is configured as described in [Chapter 54, Configuring Oracle WebLogic Server for KIE Server](#).

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download **Red Hat Decision Manager 7.9.1 KIE Server for All Supported EE7 Containers**
3. Extract the downloaded **rhdm-7.9.1-kie-server-ee7.zip** file to a temporary directory.
4. In the WebLogic Administration Console, navigate to **Deployments** to view all existing applications.
5. Click **Install**.
6. Navigate to the temporary directory where you downloaded and extracted the **rhdm-7.9.1-kie-server-ee7.zip** file, and go to **rhdm-7.9.1-kie-server-ee7/kie-server.war**.
7. Select the **kie-server.war** file and click **Next** to continue.
8. Select **Install this deployment as an application** as the targeting style and click **Next**.
9. Set the application name to **kie-server** and set the security model to **DD Only**. Leave the remaining options as default and click **Next** to continue.
10. In the **Additional Configuration** section, choose **No, I will review the configuration later** and click **Finish**.

## 55.1. VERIFYING THE KIE SERVER INSTALLATION ON ORACLE WEBLOGIC SERVER

After you have installed KIE Server on Oracle WebLogic Server, verify that the installation was successful.

## Prerequisites

- An Oracle WebLogic Server instance is configured as described in [Chapter 54, Configuring Oracle WebLogic Server for KIE Server](#).
- KIE Server is installed as described in [Chapter 55, Installing KIE Server with Oracle WebLogic Server](#).

## Procedure

1. Enter the KIE Server URL **http://<HOST>:<PORT>/kie-server/services/rest/server** in a web browser.
2. Verify that KIE Server is running.  
If KIE Server is not running, stop and restart the Oracle WebLogic Server instance and try again to access the KIE Server URL.

# CHAPTER 56. INSTALLING AND RUNNING THE HEADLESS DECISION MANAGER CONTROLLER WITH ORACLE WEBLOGIC SERVER

To use the KIE Server REST API or Java Client API to interact with KIE Server, install the headless Decision Manager controller with Oracle WebLogic Server. The headless Decision Manager controller manages KIE Server configuration in a centralized way so that you can use the headless Decision Manager controller to create and maintain containers and perform other server-level tasks.

## Prerequisites

- The Oracle WebLogic Server instance is configured as described in [Chapter 54, Configuring Oracle WebLogic Server for KIE Server](#).
- KIE Server is installed on the Oracle WebLogic Server instance.
- You have sufficient user permissions to complete the installation.

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options:
  - **Product:** Decision Manager
  - **Version:** 7.9
2. Download **Red Hat Decision Manager 7.9.1 Add-Ons**
3. Extract the downloaded **rhdm-7.9.1-add-ons.zip** file to a temporary directory.
4. In the WebLogic Administration Console, navigate to **Security Realms → Users and Groups**.
5. In the **kie-server** group that you created previously, create a user for the headless Decision Manager controller, such as **controller**, and a password for this new user and click **OK**. For more information about creating groups and users, see [Section 54.1, “Configuring the KIE Server group and users”](#).
6. Navigate to **Deployments** to view all existing applications.
7. Click **Install**.
8. Navigate to the temporary directory where you downloaded and extracted the **rhdm-7.9.1-add-ons.zip** file, and go to **rhdm-7.9.1-add-ons/rhdm-7.9.1-controller-ee7.zip/controller.war**.
9. Select the **controller.war** file and click **Next** to continue.
10. Select **Install this deployment as an application** as the targeting style and click **Next**.
11. Keep the application name as **controller** and set the security model to **DD Only**. Leave the remaining options as default and click **Next** to continue.
12. In the **Additional Configuration** section, choose **No, I will review the configuration later** and click **Finish**.

## 56.1. SETTING SYSTEM PROPERTIES FOR THE HEADLESS DECISION MANAGER CONTROLLER

After you install the headless Decision Manager controller, set the system properties listed in this section on your application server or servers to enable proper interaction with the headless Decision Manager controller.



### NOTE

For optimal results, install KIE Server and the headless Decision Manager controller on different servers in production environments. In development environments, you can install KIE Server and the headless Decision Manager controller on the same server. In either case, be sure to make these property changes on all application servers where the headless Decision Manager controller is installed.

### Prerequisites

- KIE Server and the headless Decision Manager controller are installed on the application server instance.

### Procedure

1. Specify the following JVM property values on the application server instance where the headless Decision Manager controller is installed:

**Table 56.1. Required properties for the headless Decision Manager controller**

Name	Requirement
<b>org.kie.server.user</b>	A user with the <b>kie-server</b> role
<b>org.kie.server.pwd</b>	The password for the user specified in the <b>org.kie.server.user</b> property

2. Specify the following JVM property values on the application server instance where KIE Server is installed:

**Table 56.2. Required properties for KIE Server when headless Decision Manager controller is installed**

Name	Requirement
<b>org.kie.server.controller.user</b>	A user with the <b>kie-server</b> role
<b>org.kie.server.controller.pwd</b>	The password for the user specified for the <b>org.kie.server.controller.user</b> property
<b>org.kie.server.id</b>	The ID or name of the KIE Server installation, such as <b>rhdm700-decision-server-1</b>

Name	Requirement
<b>org.kie.server.location</b>	The URL of the KIE Server, <b>http://&lt;HOST&gt;:&lt;PORT&gt;/kie-server/services/rest/server</b>
<b>org.kie.server.controller</b>	The URL of the headless Decision Manager controller, <b>http://&lt;HOST&gt;:&lt;PORT&gt;/controller/rest/controller</b>

<HOST> is the ID or name of the KIE Server host, for example, **localhost** or **192.7.8.9**.

<PORT> is the port of the KIE Server host, for example, **7001**.

## 56.2. VERIFYING THE INSTALLATION

After you install the headless Decision Manager controller and define the required system properties and role requirements on the application server, verify that the headless Decision Manager controller works correctly.

### Prerequisites

- KIE Server and the headless Decision Manager controller are installed on the application server instance.
- You have set all required system properties and role requirements for the headless Decision Manager controller on the application server.

### Procedure

In your command terminal, enter the following command to verify that the headless Decision Manager controller is working:

```
curl -X GET "http://<HOST>:<PORT>/controller/rest/controller/management/servers" -H "accept: application/xml" -u '<CONTROLLER>:<CONTROLLER_PWD>'
```

<HOST> is the ID or name of the KIE Server host, for example, **localhost** or **192.7.8.9**.

<PORT> is the port of the KIE Server host, for example, **7001**.

<CONTROLLER> and <CONTROLLER\_PWD> are the user credentials that you created in this section.

The command should return information about the KIE Server instance.



### NOTE

Alternatively, you can use the KIE Server Java API Client to access the headless Decision Manager controller.

If the headless Decision Manager controller is not running, stop and restart the application server instance and try again to access the headless Decision Manager controller URL or API.

## CHAPTER 57. CONFIGURING AN EMBEDDED DECISION ENGINE IN ORACLE WEBLOGIC SERVER

A decision engine is a light-weight rule engine that enables you to execute your decisions and business processes. A decision engine can be part of a Red Hat Decision Manager application or it can be deployed as a service through OpenShift, Kubernetes, and Docker. You can embed a decision engine in a Red Hat Decision Manager application through the API or as a set of contexts and dependency injection (CDI) services.

If you intend to use an embedded engine with your Red Hat Decision Manager application, you must add Maven dependencies to your project by adding the Red Hat Business Automation bill of materials (BOM) files to the project's **pom.xml** file. The Red Hat Business Automation BOM applies to a Red Hat Decision Manager. For more information about the Red Hat Business Automation BOM, see [What is the mapping between Red Hat Decision Manager and the Maven library version?](#).

### Procedure

1. Declare the Red Hat Business Automation BOM in the **pom.xml** file:

```
<dependencyManagement>
<dependencies>
<dependency>
<groupId>com.redhat.ba</groupId>
<artifactId>ba-platform-bom</artifactId>
<version>7.9.1.redhat-00003</version>
<type>pom</type>
<scope>import</scope>
</dependency>
</dependencies>
</dependencyManagement>
<dependencies>
<!-- Your dependencies -->
</dependencies>
```

2. Declare dependencies required for your project in the **<dependencies>** tag. After you import the product BOM into your project, the versions of the user-facing product dependencies are defined so you do not need to specify the **<version>** sub-element of these **<dependency>** elements. However, you must use the **<dependency>** element to declare dependencies which you want to use in your project.

- For a basic Red Hat Decision Manager project, declare the following dependencies, depending on the features that you want to use:

### Embedded decision engine dependencies

```
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-compiler</artifactId>
</dependency>

<!-- Dependency for persistence support. -->
<dependency>
<groupId>org.drools</groupId>
<artifactId>drools-persistence-jpa</artifactId>
</dependency>
```

```

<!-- Dependencies for decision tables, templates, and scorecards.
For other assets, declare org.drools:business-central-models-* dependencies. -->
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-decisiontables</artifactId>
</dependency>
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-templates</artifactId>
</dependency>
<dependency>
  <groupId>org.drools</groupId>
  <artifactId>drools-scorecards</artifactId>
</dependency>

<!-- Dependency for loading KJARs from a Maven repository using KieScanner. -->
<dependency>
  <groupId>org.kie</groupId>
  <artifactId>kie-ci</artifactId>
</dependency>

```

- To use the KIE Server, declare the following dependencies:

### Client application KIE Server dependencies

```

<dependency>
  <groupId>org.kie.server</groupId>
  <artifactId>kie-server-client</artifactId>
</dependency>

```

- To create a remote client for Red Hat Decision Manager, declare the following dependency:

### Client dependency

```

<dependency>
  <groupId>org.uberfire</groupId>
  <artifactId>uberfire-rest-client</artifactId>
</dependency>

```

- When creating a JAR file that includes assets, such as rules and process definitions, specify the packaging type for your Maven project as **kjar** and use **org.kie:kie-maven-plugin** to process the **kjar** packaging type located under the **<project>** element. In the following example,  **\${kie.version}**  is the Maven library version listed in [What is the mapping between Red Hat Decision Manager and the Maven library version?](#):

```

<packaging>kjar</packaging>
<build>
  <plugins>
    <plugin>
      <groupId>org.kie</groupId>
      <artifactId>kie-maven-plugin</artifactId>
      <version>${kie.version}</version>
      <extensions>true</extensions>
    
```

```
</plugin>
</plugins>
</build>
```

3. If you use a decision engine with persistence support in your project, you must declare the following hibernate dependencies in the **dependencyManagement** section of your **pom.xml** file by copying the **version.org.hibernate-4ee7** property from the Red Hat Business Automation BOM file:

### Hibernate dependencies in decision engine with persistence

```
<!-- hibernate dependencies -->
<dependencyManagement>
  <dependencies>
    <dependency>
      <groupId>org.hibernate</groupId>
      <artifactId>hibernate-entitymanager</artifactId>
      <version>${version.org.hibernate-4ee7}</version>
    </dependency>

    <dependency>
      <groupId>org.hibernate</groupId>
      <artifactId>hibernate-core</artifactId>
      <version>${version.org.hibernate-4ee7}</version>
    </dependency>
  </dependencies>
</dependencyManagement>
```

# CHAPTER 58. SECURING PASSWORDS WITH A KEYSTORE

You can use a keystore to encrypt passwords that are used for communication between Business Central and KIE Server. You should encrypt both controller and KIE Server passwords. If Business Central and KIE Server are deployed to different application servers, then both application servers should use the keystore.

Use Java Cryptography Extension KeyStore (JCEKS) for your keystore because it supports symmetric keys. Use KeyTool, which is part of the JDK installation, to create a new JCEKS.



## NOTE

If KIE Server is not configured with JCEKS, KIE Server passwords are stored in system properties in plain text form.

### Prerequisites

- KIE Server is installed in Oracle WebLogic Server.
- A KIE Server user with the **kie-server** role has been created, as described in [Section 54.1, "Configuring the KIE Server group and users"](#).
- Java 8 or higher is installed.

### Procedure

1. To use KeyTool to create a JCEKS, enter the following command in the Java 8 home directory:

```
$<JAVA_HOME>/bin/keytool -importpassword -keystore <KEYSTORE_PATH> -keypass
<ALIAS_KEY_PASSWORD> -alias <PASSWORD_ALIAS> -storepass
<KEYSTORE_PASSWORD> -storetype JCEKS
```

In this example, replace the following variables:

- **<KEYSTORE\_PATH>**: The path where the keystore will be stored
- **<KEYSTORE\_PASSWORD>**: The keystore password
- **<ALIAS\_KEY\_PASSWORD>**: The password used to access values stored with the alias
- **<PASSWORD\_ALIAS>**: The alias of the entry to the process

2. When prompted, enter the password for the KIE Server user that you created.
3. Set the system properties listed in the following table:

**Table 58.1. System properties used to load a KIE Server JCEKS**

System property	Placeholder	Description
<b>kie.keystore.keyStoreURL</b>	<b>&lt;KEYSTORE_URL&gt;</b>	URL for the JCEKS that you want to use, for example <b>file:///home/kie/keystores/keystore.jceks</b>

System property	Placeholder	Description
<b>kie.keystore.keyStorePwd</b>	<b>&lt;KEYSTORE_PWD&gt;</b>	Password for the JCEKS
<b>kie.keystore.key.server.alias</b>	<b>&lt;KEY_SERVER_ALIAS&gt;</b>	Alias of the key for REST services where the password is stored
<b>kie.keystore.key.server.pwd</b>	<b>&lt;KEY_SERVER_PWD&gt;</b>	Password of the alias for REST services with the stored password
<b>kie.keystore.key.ctrl.alias</b>	<b>&lt;KEY_CONTROL_ALIAS&gt;</b>	Alias of the key for default REST Process Automation Controller where the password is stored
<b>kie.keystore.key.ctrl.pwd</b>	<b>&lt;KEY_CONTROL_PWD&gt;</b>	Password of the alias for default REST Process Automation Controller with the stored password

- Start KIE Server to verify the configuration.

## CHAPTER 59. NEXT STEPS

- *Getting started with decision services*
- *Designing a decision service using guided decision tables*

## PART VII. PATCHING AND UPGRADING RED HAT DECISION MANAGER 7.9

As a Red Hat Decision Manager user, you can apply updates to Red Hat Decision Manager as they become available in the Red Hat Customer Portal to keep your Red Hat Decision Manager distribution current with the latest enhancements and fixes. Red Hat provides update tools and product notifications for new product releases so you can more readily apply helpful updates to Red Hat Decision Manager and KIE Server.

### Prerequisites

- You have a Red Hat Customer Portal account.
- Red Hat Decision Manager 7.9 is installed. For installation options, see [Planning a Red Hat Decision Manager installation](#).



#### NOTE

If you are using Red Hat Decision Manager 7.8 and you want to upgrade to Red Hat Decision Manager 7.9, see [Patching and upgrading Red Hat Decision Manager 7.8](#).

# CHAPTER 60. RED HAT DECISION MANAGER VERSIONING

Red Hat Decision Manager versions are designated with a numerical **Major.Minor.Patch** format, such as **7.7.1**. In this example, the major release is **7.x.x**, the minor release is **7.7.x**, and the patch release is **7.7.1**. Major releases often require data migration, while minor release upgrades and patch updates are typically managed with update tools provided with the Red Hat Decision Manager release artifacts.

The following are the general types of releases for Red Hat Decision Manager:

## Major release migrations

Major releases of Red Hat Decision Manager include substantial enhancements, security updates, bug fixes, and possibly redesigned features and functions. Data migration is typically required when an application is moved from one major release to another major release, such as from Red Hat JBoss BRMS 6.4.x to Red Hat Decision Manager 7.0. Automated migration tools are often provided with new major versions of Red Hat Decision Manager to facilitate migration, but some manual effort is likely required for certain data and configurations. The supported migration paths are specified in product announcements and documentation.

For example migration instructions, see [Migrating from Red Hat JBoss BRMS 6.4 to Red Hat Decision Manager 7.0](#).

## Minor release upgrades

Minor releases of Red Hat Decision Manager include enhancements, security updates, and bug fixes. Data migration may be required when an application is moved from one minor release to another minor release, such as from Red Hat Decision Manager 7.7.x to 7.8. Automated update tools are often provided with both patch updates and new minor versions of Red Hat Decision Manager to facilitate updating certain components of Red Hat Decision Manager, such as Business Central, KIE Server, and the headless Decision Manager controller. Other Red Hat Decision Manager artifacts, such as the decision engine and standalone Business Central, are released as new artifacts with each minor release and you must re-install them to apply the update.

Before you upgrade to a new minor release, apply the latest patch update to your current version of Red Hat Decision Manager to ensure that the minor release upgrade is successful.

## Patch updates

Patch updates of Red Hat Decision Manager include the latest security updates and bug fixes. Scheduled patch updates contain all previously released patch updates for that minor version of the product, so you do not need to apply each patch update incrementally in order to apply the latest update. For example, you can update Red Hat Decision Manager 7.7.0 or 7.7.1 to Red Hat Decision Manager 7.7.2. However, for optimal Red Hat Decision Manager performance, apply product updates as they become available. Occasionally, unscheduled patch updates may be released outside the normal update cycle of the existing product. These may include security or other updates provided by Red Hat Global Support Services (GSS) to fix specific issues, and may not be cumulative updates. Automated update tools are often provided with both patch updates and new minor versions of Red Hat Decision Manager to facilitate updating certain components of Red Hat Decision Manager, such as Business Central, KIE Server, and the headless Decision Manager controller. Other Red Hat Decision Manager artifacts, such as the decision engine and standalone Business Central, are released as new artifacts with each minor release and you must re-install them to apply the update.

To ensure optimal transition between releases and to keep your Red Hat Decision Manager distribution current with the latest enhancements and fixes, apply new product releases and updates to Red Hat Decision Manager as they become available in the Red Hat Customer Portal. Consider also enabling product notifications in the Red Hat Customer Portal.

For information about enabling product notifications, see [Chapter 61, Enabling Red Hat Decision Manager notifications in the Red Hat Customer Portal](#).

# CHAPTER 61. ENABLING RED HAT DECISION MANAGER NOTIFICATIONS IN THE RED HAT CUSTOMER PORTAL

You can enable notifications in the Red Hat Customer Portal to receive Red Hat Decision Manager updates and announcements. These notifications inform you of updated or added documentation, product releases, and patch updates related to Red Hat Decision Manager. With notifications enabled, you can more readily apply product updates to Red Hat Decision Manager as they become available in the Red Hat Customer Portal to keep your Red Hat Decision Manager distribution current with the latest enhancements and fixes.

## Prerequisites

- You have a Red Hat Customer Portal account and are logged in.

## Procedure

1. In the top-right corner of the Red Hat Customer Portal window, click your profile name and click **Notifications**.
2. Select the **Notifications** tab and click **Manage Notifications**.
3. Next to **Follow**, select **Products** from the drop-down menu, and then select **Red Hat Decision Manager** from the next drop-down menu that appears.
4. Click **Save Notification** to finish.

You can add notifications for any other products as needed in the same way.

# CHAPTER 62. APPLYING PATCH UPDATES AND MINOR RELEASE UPGRADES TO RED HAT DECISION MANAGER

Automated update tools are often provided with both patch updates and new minor versions of Red Hat Decision Manager to facilitate updating certain components of Red Hat Decision Manager, such as Business Central, KIE Server, and the headless Decision Manager controller. Other Red Hat Decision Manager artifacts, such as the decision engine and standalone Business Central, are released as new artifacts with each minor release and you must re-install them to apply the update.

You can use the same automated update tool to apply both patch updates and minor release upgrades to Red Hat Decision Manager 7.9. Patch updates of Red Hat Decision Manager, such as an update from version 7.9 to 7.9.1, include the latest security updates and bug fixes. Minor release upgrades of Red Hat Decision Manager, such as an upgrade from version 7.8.x to 7.9, include enhancements, security updates, and bug fixes.



## NOTE

Only updates for Red Hat Decision Manager are included in Red Hat Decision Manager update tools. Updates to Red Hat JBoss EAP must be applied using Red Hat JBoss EAP patch distributions. For more information about Red Hat JBoss EAP patching, see the [Red Hat JBoss EAP patching and upgrading guide](#).

## Prerequisites

- Your Red Hat Decision Manager and KIE Server instances are not running. Do not apply updates while you are running an instance of Red Hat Decision Manager or KIE Server.

## Procedure

1. Navigate to the [Software Downloads](#) page in the Red Hat Customer Portal (login required), and select the product and version from the drop-down options.  
If you are upgrading to a new minor release of Red Hat Decision Manager, such as an upgrade from version 7.8.x to 7.9, first apply the latest patch update to your current version of Red Hat Decision Manager and then follow this procedure again to upgrade to the new minor release.
2. Click **Patches**, download the **Red Hat Decision Manager [VERSION] Update Tool** and extract the downloaded **rhdm-\$VERSION-update.zip** file to a temporary directory.  
This update tool automates the update of certain components of Red Hat Decision Manager, such as Business Central, KIE Server, and the headless Decision Manager controller. Use this update tool first to apply updates and then install any other updates or new release artifacts that are relevant to your Red Hat Decision Manager distribution.
3. If you want to preserve any files from being updated by the update tool, navigate to the extracted **rhdm-\$VERSION-update** folder, open the **blacklist.txt** file, and add the relative paths to the files that you do not want to be updated.  
When a file is listed in the **blacklist.txt** file, the update script does not replace the file with the new version but instead leaves the file in place and in the same location adds the new version with a **.new** suffix. If you blacklist files that are no longer being distributed, the update tool creates an empty marker file with a **.removed** suffix. You can then choose to retain, merge, or delete these new files manually.

Example files to be excluded in **blacklist.txt** file:

WEB-INF/web.xml // Custom file  
styles/base.css // Obsolete custom file kept for record

The contents of the blacklisted file directories after the update:

\$ ls WEB-INF  
web.xml web.xml.new

\$ ls styles  
base.css base.css.removed

- In your command terminal, navigate to the temporary directory where you extracted the **rhdm-\$VERSION-update.zip** file and run the **apply-updates** script in the following format:



### IMPORTANT

Make sure that your Red Hat Decision Manager and KIE Server instances are not running before you apply updates. Do not apply updates while you are running an instance of Red Hat Decision Manager or KIE Server.

On Linux or Unix-based systems:

\$ ./apply-updates.sh \$DISTRO\_PATH \$DISTRO\_TYPE

On Windows:

\$ .\apply-updates.bat \$DISTRO\_PATH \$DISTRO\_TYPE

The **\$DISTRO\_PATH** portion is the path to the relevant distribution directory and the **\$DISTRO\_TYPE** portion is the type of distribution that you are updating with this update.

The following distribution types are supported in Red Hat Decision Manager update tool:

- **rhdm-decision-central-eap7-deployable**: Updates Business Central (**decision-central.war**)
- **rhdm-kie-server-ee8**: Updates KIE Server (**kie-server.war**)
- **rhdm-kie-server-jws**: Updates KIE Server on Red Hat JBoss Web Server (**kie-server.war**)
- **rhdm-controller-ee7**: Updates the headless Decision Manager controller (**controller.war**)
- **rhdm-controller-jws**: Updates the headless Decision Manager controller on Red Hat JBoss Web Server (**controller.war**)

Example update to Business Central and KIE Server for a full Red Hat Decision Manager distribution on Red Hat JBoss EAP:

./apply-updates.sh ~EAP\_HOME/standalone/deployments/decision-central.war rhdm-decision-central-eap7-deployable

./apply-updates.sh ~EAP\_HOME/standalone/deployments/kie-server.war rhdm-kie-server-ee8

Example update to headless Decision Manager controller, if used:

```
./apply-updates.sh ~EAP_HOME/standalone/deployments/controller.war rhdm-controller-ee7
```

The update script creates a **backup** folder in the extracted **rhdm-\$VERSION-update** folder with a copy of the specified distribution, and then proceeds with the update.

5. After the update tool completes, return to the **Software Downloads** page of the Red Hat Customer Portal where you downloaded the update tool and install any other updates or new release artifacts that are relevant to your Red Hat Decision Manager distribution. For files that already exist in your Red Hat Decision Manager distribution, such as **.jar** files for the decision engine or other add-ons, replace the existing version of the file with the new version from the Red Hat Customer Portal.
6. If you use the standalone **Red Hat Decision Manager 7.9.1 Maven Repository artifact (rhdm-7.9.1-maven-repository.zip)**, such as in air-gap environments, download **Red Hat Decision Manager 7.9.x Maven Repository** and extract the downloaded **rhdm-7.9.x-maven-repository.zip** file to your existing **~/maven-repository** directory to update the relevant contents.

Example Maven repository update:

```
$ unzip -o rhdm-7.9.x-maven-repository.zip 'rhba-7.9.1.GA-maven-repository/maven-repository/*' -d /tmp/rhbaMavenRepoUpdate  
$ mv /tmp/rhbaMavenRepoUpdate/rhba-7.9.1.GA-maven-repository/maven-repository/$REPO_PATH/
```



#### NOTE

You can remove the **/tmp/rhbaMavenRepoUpdate** folder after you complete the update.

7. After you finish applying all relevant updates, start Red Hat Decision Manager and KIE Server and log in to Business Central.
8. Verify that all project data is present and accurate in Business Central, and in the top-right corner of the Business Central window, click your profile name and click **About** to verify the updated product version number.  
If you encounter errors or notice any missing data in Business Central, you can restore the contents in the **backup** folder within the **rhdm-\$VERSION-update** folder to revert the update tool changes. You can also re-install the relevant release artifacts from your previous version of Red Hat Decision Manager in the Red Hat Customer Portal. After restoring your previous distribution, you can try again to run the update.

## CHAPTER 63. ADDITIONAL RESOURCES

- *Planning a Red Hat Decision Manager installation*
- *Patching and upgrading Red Hat Decision Manager 7.8*
- *Release notes for Red Hat Decision Manager 7.9*

## APPENDIX A. VERSIONING INFORMATION

Documentation last updated on Monday, July 5, 2021.

## APPENDIX B. CONTACT INFORMATION

Red Hat Decision Manager documentation team: [brms-docs@redhat.com](mailto:brms-docs@redhat.com)