



Red Hat Fuse 7.0

Tooling Tutorials

Tooling Tutorials

Legal Notice

Copyright © 2018 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This guide contains a number of simple tutorials that demonstrate how to use the tooling provided by Red Hat Fuse Tooling to develop and test applications.

Table of Contents

CHAPTER 1. ABOUT THE FUSE TOOLING TUTORIALS	4
PREREQUISITES	4
OVERVIEW OF THE FUSE TOOLING TUTORIALS	4
ABOUT THE SAMPLE APPLICATION	5
ABOUT THE RESOURCE FILES	5
CHAPTER 2. SETTING UP YOUR ENVIRONMENT	7
GOALS	7
BEFORE YOUR BEGIN	7
CREATING A FUSE INTEGRATION PROJECT	7
SETTING COMPONENT LABELS TO DISPLAY ID VALUES	13
DOWNLOADING TEST MESSAGES FOR YOUR PROJECT	14
VIEWING THE TEST MESSAGES	15
NEXT STEPS	16
CHAPTER 3. DEFINING A ROUTE	17
GOALS	17
BEFORE YOU BEGIN	17
ADDING AND CONFIGURING THE SOURCE ENDPOINT	17
ADDING AND CONFIGURING THE SINK ENDPOINT	18
NEXT STEPS	20
CHAPTER 4. RUNNING A ROUTE	21
GOALS	21
PREREQUISITES	21
RUNNING THE ROUTE	21
VERIFYING THE ROUTE	23
NEXT STEPS	23
FURTHER READING	24
CHAPTER 5. ADDING A CONTENT-BASED ROUTER	25
GOALS	25
PREREQUISITES	25
ADDING AND CONFIGURING A CONTENT-BASED ROUTER	25
ADDING AND CONFIGURING LOGGING	28
ADDING AND CONFIGURING MESSAGE HEADERS	30
ADDING AND CONFIGURING A BRANCH TO HANDLE VALID ORDERS	33
VERIFYING THE CBR	39
NEXT STEPS	40
CHAPTER 6. ADDING ANOTHER ROUTE TO THE ROUTING CONTEXT	41
GOALS	41
PREREQUISITES	41
RECONFIGURING THE EXISTING ROUTE'S ENDPOINT	41
ADDING THE SECOND ROUTE	42
CONFIGURING A CHOICE BRANCH TO PROCESS USA ORDERS	43
BUILDING AND CONFIGURING THE GERMANY BRANCH OF THE SECOND ROUTE	50
VERIFYING THE NEW ROUTE	53
NEXT STEPS	57
CHAPTER 7. DEBUGGING A ROUTING CONTEXT	58
GOALS	58
PREREQUISITES	58

SETTING BREAKPOINTS	58
STEPPING THROUGH THE ROUTING CONTEXT	60
CHANGING THE VALUE OF A VARIABLE	64
NARROWING THE CAMEL DEBUGGER'S FOCUS	68
VERIFYING THE EFFECT OF CHANGING A MESSAGE VARIABLE VALUE	70
NEXT STEPS	71
CHAPTER 8. TRACING A MESSAGE THROUGH A ROUTE	72
GOALS	72
PREREQUISITES	72
SETTING UP YOUR FUSE INTEGRATION PERSPECTIVE	72
STARTING MESSAGE TRACING	75
DROPPING MESSAGES ON THE RUNNING ZOOORDERAPP PROJECT	78
CONFIGURING MESSAGES VIEW	79
STEPPING THROUGH MESSAGE TRACES	80
NEXT STEPS	83
CHAPTER 9. TESTING A ROUTE WITH JUNIT	84
OVERVIEW	84
GOALS	84
PREREQUISITES	84
CREATING THE SRC/TEST FOLDER	85
CREATING THE JUNIT TEST CASE	87
MODIFYING THE BLUEPRINTXMLTEST FILE	91
MODIFYING THE POM.XML FILE	95
RUNNING THE JUNIT TEST	95
FURTHER READING	96
NEXT STEPS	97
CHAPTER 10. PUBLISHING YOUR PROJECT TO RED HAT FUSE	98
GOALS	98
PREREQUISITES	98
DEFINING A RED HAT FUSE SERVER	98
CONFIGURING THE PUBLISHING OPTIONS	102
CONNECTING TO THE RUNTIME SERVER	106
UNINSTALLING THE ZOOORDERAPP PROJECT	108

CHAPTER 1. ABOUT THE FUSE TOOLING TUTORIALS

The Red Hat Fuse Tooling tutorials provide developers with a hands-on introduction to using the Fuse Tooling to develop, run, test, and deploy an Apache Camel application.

PREREQUISITES

You should be familiar with the following software:

- [Apache Camel](#)
- [Apache Maven](#)

OVERVIEW OF THE FUSE TOOLING TUTORIALS

By completing these tutorials, you gain an understanding of how to use Red Hat Fuse Tooling to develop, debug, test, and deploy a simple Apache Camel application.

For more details on Fuse Tooling features, see the [Tooling User Guide](#).

Here is a summary of the tutorials and what you accomplish in each one:

- **[Chapter 2, *Setting up your environment*](#)**
Create a Fuse Integration project and set up the tutorial resource files. When you create a project, it auto-creates a routing context and a preliminary route.
- **[Chapter 3, *Defining a Route*](#)**
Define the endpoints for a simple route that retrieves messages from a folder and copies them to another folder.
- **[Chapter 4, *Running a Route*](#)**
View the test messages. Run the route and verify that it works by seeing that the test messages were copied from the source folder to the target folder. For the sample application, the messages contain order information for zoo animals. For example, an order of five wombats for the Chicago zoo.
- **[Chapter 5, *Adding a Content-Based Router*](#)**
Add a content-based router that filters the messages and copies them to different target folders based on content in the messages. For the sample application, the messages are filtered based on whether an order is valid or not, depending on how many animals are available and how many animals are ordered. For example, if a zoo orders five zebras and only three zebras are available, the order is copied to the invalid order target folder.
- **[Chapter 6, *Adding another route to the routing context*](#)**
Add another route that further filters the messages and copies them to different target folders based on content in the messages. For the sample application, the valid order messages are further filtered based on the location of the zoo that is placing the order. For example, an order from the Chicago zoo is copied to the USA folder.
- **[Chapter 7, *Debugging a routing context*](#)**
Use the Camel debugger to set breakpoints and then step through a route to examine route and message variables.
- **[Chapter 8, *Tracing a message through a route*](#)**
Drop messages onto the route and track them through all route nodes.

- **Chapter 9, *Testing a route with JUnit***

Create a JUnit test case for the route and then test the route.

- **Chapter 10, *Publishing your project to Red Hat Fuse***

Walk through the process of publishing an Apache Camel project to Red Hat Fuse: define a local server, configure publishing options, start the server, publish the project, connect to the server, and verify that the project was successfully built and published.

ABOUT THE SAMPLE APPLICATION

The sample application that you build in the Fuse Tooling tutorials simulates a simple order application for zoos to order animals. Sample XML messages are provided - each XML message includes customer information (the name, city, and country of the zoo) and order information (the type and number of animals requested, and the maximum number of animals allowed).

Using the Fuse Tooling, you create a Blueprint project that takes the incoming sample messages, filters them based on their content (valid versus invalid orders), and then further sorts the valid orders by the location (country) of the zoo. In the later tutorials, you use the sample application to debug a routing context, trace a message through a route, test a route with JUnit, and finally to publish a Fuse project.

ABOUT THE RESOURCE FILES

Each tutorial builds upon the previous one. The code generated by one tutorial is the starting point for the next tutorial so that you can complete the tutorials in sequence. Alternately, after you complete the first tutorial, you can do any other tutorial out of sequence by using the provided resource files.

The tutorials rely on resource files provided in the **Fuse-tooling-tutorials-jbds-10.3.zip** file located [here](#). This zip file contains two folders:

Messages

This folder contains six message files named **message1.xml**, **message2.xml**, ... , **message6.xml**. In the first tutorial, [Chapter 2, *Setting up your environment*](#), you create the directory in which to store these message files and you also view their contents. You need these message files for all tutorials.

blueprintContexts

This folder contains three routing context files:

- **Blueprint1.xml** - This is the solution routing context resulting from completing the [Chapter 3, *Defining a Route*](#) tutorial. You can use it as the starting point for the following tutorials:
 - [Chapter 4, *Running a Route*](#)
 - [Chapter 5, *Adding a Content-Based Router*](#)
- **Blueprint2.xml** - This is the solution context file for the [Chapter 5, *Adding a Content-Based Router*](#) tutorial. You can use **blueprint2.xml** as the starting point for the [Chapter 6, *Adding another route to the routing context*](#) tutorial.
- **Blueprint3.xml** - This is the solution context file for the [Chapter 6, *Adding another route to the routing context*](#) tutorial. You can use **blueprint3.xml** as the starting point for these tutorials:
 - [Chapter 7, *Debugging a routing context*](#)

- [Chapter 8, *Tracing a message through a route*](#)
- [Chapter 9, *Testing a route with JUnit*](#)
- [Chapter 10, *Publishing your project to Red Hat Fuse*](#)

CHAPTER 2. SETTING UP YOUR ENVIRONMENT

This tutorial walks you through the process of creating a Fuse Integration project. The project includes an initial route and a default CamelContext. A route is a chain of processors through which a message travels. A CamelContext is a single routing rule base that defines the context for configuring routes, and specifies which policies to use during message exchanges between endpoints (message sources and targets).

You must complete this tutorial before you follow any of the other tutorials.

GOALS

In this tutorial you complete the following tasks:

- Create a Fuse Integration project
- Download test messages (XML files) for your project
- View the test messages

BEFORE YOUR BEGIN


Before you can set up a Fuse Integration project, you must install Red Hat Developer Studio with Fuse Tooling. For information on how to install Developer Studio, go to the [Red Hat customer portal](#) for the installation guide for your platform.

Before you can follow the steps in the [Chapter 10, *Publishing your project to Red Hat Fuse*](#) tutorial, you must install Java 8.

CREATING A FUSE INTEGRATION PROJECT


1. Open Developer Studio.

When you start Developer Studio for the first time, it opens in the **JBoss** perspective:




Otherwise, it opens in the perspective that you were using in your previous Developer Studio session.

- From the menu, select **File** → **New** → **Fuse Integration Project** to open the **New Fuse Integration Project** wizard:



- In the **Project Name** field, enter **ZooOrderApp**.
Leave the **Use default workspace location** option checked.

4. Click **Next** to open the **Select a Target Runtime** page:



The screenshot shows a window titled "New Fuse Integration Project" with a camel icon in the top right. The main heading is "Select a Target Environment" with the instruction "Select a target environment for deploying your new project." Below this are three sections:

- Choose the deployment platform:** Two radio buttons are present: "Kubernetes/OpenShift" (selected) and "Standalone".
- Choose the runtime environment:** Two radio buttons are present: "Spring Boot" (selected) and "Karaf/Fuse on Karaf". Below "Spring Boot" is a "Runtime (optional)" dropdown menu set to "None selected" with a "New" button. Below "Karaf/Fuse on Karaf" is a "Runtime (optional)" dropdown menu set to "None selected" with a "New" button.
- Select the Camel version:** A dropdown menu is set to "2.21.0.fuse-000077-redhat-1 (Fuse 7.0.0 GA)" with a "Verify" button.

At the bottom, there is a help icon (question mark) and four buttons: "< Back", "Next >", "Cancel", and "Finish".


5. Select **Standalone** for the deployment platform.
6. Choose **Fuse on Karaf** and accept **None selected** for the runtime.



NOTE

You add the runtime later in the [Chapter 10, Publishing your project to Red Hat Fuse](#) tutorial .

7. Accept the default Apache **Camel Version**.



The image shows a 'New Fuse Integration Project' dialog box. It has a title bar with standard window controls. The main content area is titled 'Select a Target Environment' and includes a camel icon. Below the title, there is a section 'Choose the deployment platform' with two radio buttons: 'Kubernetes/OpenShift' and 'Standalone' (which is selected). Another section 'Choose the runtime environment' has two radio buttons: 'Spring Boot' and 'Karaf/Fuse on Karaf' (which is selected). Below 'Karaf/Fuse on Karaf', there is a 'Runtime (optional)' dropdown menu showing 'None selected' and a 'New' button. A similar section exists for 'Wildfly/Fuse on EAP'. The 'Select the Camel version' section has a dropdown menu showing '2.21.0.fuse-000077-redhat-1 (Fuse 7.0.0 GA)' and a 'Verify' button. At the bottom, there is a help icon (question mark) and four buttons: '< Back', 'Next >', 'Cancel', and 'Finish'.

New Fuse Integration Project

Select a Target Environment

Select a target environment for deploying your new project.

Choose the deployment platform

☐ Kubernetes/OpenShift

☒ Standalone

Choose the runtime environment

☐ Spring Boot

☒ Karaf/Fuse on Karaf

Runtime (optional) None selected New

☐ Wildfly/Fuse on EAP


Runtime (optional) None selected New

Select the Camel version

2.21.0.fuse-000077-redhat-1 (Fuse 7.0.0 GA) Verify

? < Back Next > Cancel Finish

8. Click **Next** to open the **Advanced Project Setup** page.
9. Select the **Empty - Blueprint DSL** template:



10. Click **Finish**.


Fuse Tooling starts downloading from the Maven repository all of the files that it needs to build the project, and then it adds the new project to the **Project Explorer** view.

If Developer Studio is not already showing the **Fuse Integration** perspective, it asks whether you want to switch to it now:




11. Click **Yes**.

The new **ZooOrderApp** project opens in the **Fuse Integration** perspective:




The **ZooOrderApp** project contains all of the files that you need to create and run routes, including:

- **ZooOrderApp/pom.xml** — A Maven project file.




- **ZooOrderApp/src/main/resources/OSGI-INF/blueprint/blueprint.xml** — A Blueprint XML file that contains a preliminary Camel routing context and an initial route.
12. To view the preliminary routing context, open the **blueprint.xml** file in the Editor view, and then click the **Source** tab.



SETTING COMPONENT LABELS TO DISPLAY ID VALUES

To ensure that the labels of the patterns and components that you place on the Design canvas are the same as the labels shown in the Tooling Tutorials:

1. Open the Editor preferences page:
 - On Linux and Windows machines, select **Windows** → **Preferences** → **Fuse Tooling** → **Editor**.
 - On OS X, select **Developer Studio** → **Preferences** → **Fuse Tooling** → **Editor**.
2. Check the **Use ID values for all component labels** option.




3. Click **Apply and Close**.

DOWNLOADING TEST MESSAGES FOR YOUR PROJECT

Sample XML message files are provided for you to test your ZooOrderApp project as you work through the Tooling Tutorials.

To download and copy the provided test messages (XML files) to your project:

1. In the Developer Studio **Project Explorer** view:
 - a. Right-click the **ZooOrderApp/src** folder and then select **New** → **Folder**. The **New Folder** wizard opens.
 - b. For **Folder name**, type **data**.
 - c. Click **Finish**.
2. Click [here](#) to open a web browser to the location of the provided Tooling Tutorial resource **Fuse-tooling-tutorials-jbds-10.3.zip** file.
Download the **Fuse-tooling-tutorials-jbds-10.3.zip** file to a convenient location that is external to the ZooOrderApp project's workspace, and then unzip it. It contains two folders as described in [Chapter 1, About the Fuse Tooling Tutorials](#).
3. From the **messages** folder, copy the six XML files to your **ZooOrderApp** project's **src/data** folder.



VIEWING THE TEST MESSAGES

Each XML message file contains an order from a zoo (a customer) for a quantity of animals. For example, the 'message1.xml' file contains an order from the Brooklyn Zoo for 12 wombats.

You can open any of the message XML files in the **Editor** view to examine the contents.

1. In the **Project Explorer** view, right-click a message file.
2. From the popup menu, select **Open**.
3. Click the **Source** tab.
The XML file opens in the **Editor** view.

For example, the contents of the **message1.xml** file shows an order from the Bronx Zoo for 12 wombats:

```
<?xml version="1.0" encoding="UTF-8"?>
```

```

<order>
  <customer>
    <name>Bronx Zoo</name>
    <city>Bronx NY</city>
    <country>USA</country>
  </customer>
  <orderline>
    <animal>wombat</animal>
    <quantity>12</quantity>
  </orderline>
</order>

```



NOTE

You can safely ignore the 🚫 on the first line of the newly created **message1.xml** file, which advises you that there are no grammar constraints (DTD or XML Schema) referenced by the document.

The following table provides a summary of the contents of all six message files:

Table 2.1. Provided test messages

msg#	<name>	<city>	<country>	<animal>	<quantity>
1	Bronx Zoo	Bronx NY	USA	wombat	12
2	San Diego Zoo	San Diego CA	USA	giraffe	3
3	Sea Life Centre	Munich	Germany	penguin	15
4	Berlin Zoo	Berlin	Germany	emu	6
5	Philadelphia Zoo	Philapelpia PA	USA	giraffe	2
6	St Louis Zoo	St Loius MO	USA	penguin	10

NEXT STEPS

Now that you have set up your Developer Studio project, you can continue to the [Chapter 3, Defining a Route](#) tutorial in which you define the route that processes the XML messages.

CHAPTER 3. DEFINING A ROUTE

This tutorial walks you through adding endpoints to a route. Endpoints define the source and sink for messages traveling through the route. For your **ZooOrderApp** project, the starting (source) endpoint is the folder containing the XML message files. The sink (finishing) endpoint is another folder that you specify in your project.

GOALS

In this tutorial you complete the following tasks:

- Add source and sink endpoints to the route
- Configure the endpoints
- Connect the endpoints


BEFORE YOU BEGIN


Before you start this tutorial:

1. You must set up your workspace environment, as described in the [Chapter 2, Setting up your environment](#) tutorial.
2. In Developer Studio, open your **ZooOrderApp** project's **/src/main/resources/OSGI-INF/blueprint/blueprint.xml** file in the **Editor** view.
3. If needed, click the **Design** tab at the bottom of the **Editor** view to see the graphic display of the initial route, labeled **Route_route1**.


ADDING AND CONFIGURING THE SOURCE ENDPOINT

Follow these steps to add and configure the **src/data** folder that contains the test XML messages as the route's source endpoint:

1. Drag a **File** component () from the **Palette's Components** drawer to the canvas, and drop it in the **Route_route1** container node.
The **File** component changes to a **From _from1** node inside the **Route_route1** container node.
2. On the canvas, select the **From _from1** node.
The **Properties** view, located below the canvas, displays the node's property fields for editing.
3. To specify the source directory for the message files, in the **Properties** view, click the **Advanced** tab:




4. In the **Directory Name** field, enter **src/data**:



The path **src/data** is relative to the project's directory.

5. On the **Consumer** tab, enable the **Noop** option by clicking its check box.
The **Noop** option prevents the **message#.xml** files from being deleted from the **src/data** folder, and it enables idempotency to ensure that each **message#.xml** file is consumed only once.
6. Select the **Details** tab to open the file node's **Details** page.
The tooling automatically populates the **Uri** field with the **Directory Name** and **Noop** properties you configured on the **Advanced** tab. It also populates the **Id** field with an autogenerated ID (**_from1**):



NOTE

The tooling prefixes autogenerated ID values with an underscore (_). You can optionally change the ID value. The underscore prefix is not a requirement.

Leave the autogenerated **Id** as is.


7. Select **File** → **Save** to save the route.

ADDING AND CONFIGURING THE SINK ENDPOINT

To add and configure the route's sink (target) endpoint:

1. Drag another **File** component from the **Palette's Components** drawer and drop it in the **Route_route1** container node.
The **File** component changes to a **To_to1** node inside the **Route_route1** container node.
2. On the canvas, select the **To_to1** node.
The **Properties** view, located below the canvas, displays the node's property fields for editing.
3. On the **Details** tab:
 - a. In the **Uri** field, type **file:target/messages/received**.

- b. In the **Id** field, type **_Received**.



The screenshot shows a 'Properties' window with a sidebar containing 'Details', 'Advanced', and 'Documentation'. The 'Details' tab is selected, showing the 'General' section for a route named 'To_to1'. The 'Uri' field contains 'file:target/messages/received', the 'Description' field is empty, the 'Id' field contains '_Received', and the 'Pattern' field is empty with a dropdown arrow.




NOTE

The tooling will create the **target/messages/received** folder at runtime.

4. In the **Route_route1** container, select the **From_from1** node and drag its connector arrow (



) over the **To_Received** node, and then release it:




NOTE

The two file nodes are connected and aligned on the canvas according to the route editor's layout direction preference setting. The choices are **Down** (the default) and **Right**.

To access the route editor's layout preference options:

- On Linux and Windows machines, select **Windows** → **Preferences** → **Fuse Tooling** → **Editor** → **Choose the layout direction for the diagram editor**.
- On OS X, select **Developer Studio** → **Preferences** → **Fuse Tooling** → **Editor** → **Choose the layout direction for the diagram editor**.

**NOTE**

If you do not connect the nodes before you close the project, the tooling automatically connects them when you reopen it.

5. Save the route.
6. Click the **Source** tab at the bottom of the canvas to display the XML for the route.

```
<?xml version="1.0" encoding="UTF-8"?>

<blueprint xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.osgi.org/xmlns/blueprint/v1.0.0
    https://www.osgi.org/xmlns/blueprint/v1.0.0/blueprint.xsd
    http://camel.apache.org/schema/blueprint
    http://camel.apache.org/schema/blueprint/camel-blueprint.xsd">

  <camelContext id="_context1"
    xmlns="http://camel.apache.org/schema/blueprint">
    <route id="_route1">
      <from id="_from1" uri="file:src/data?noop=true"/>
      <to id="_Received" uri="file:target/messages/received"/>
    </route>
  </camelContext>
</blueprint>
```

NEXT STEPS

Now that you have added and configured endpoints in the route, you can run the route as described in the [Chapter 4, *Running a Route*](#) tutorial.

CHAPTER 4. RUNNING A ROUTE

This tutorial walks you through the process of running a route to verify that the route correctly transfers messages from the source endpoint to the sink endpoint.

GOALS

In this tutorial you complete the following tasks:

- Run a route as a local Camel context (without tests since you have not set up a test yet)
- Send messages through the route
- Examine the messages received by the sink endpoint

PREREQUISITES


To start this tutorial, you need the **ZooOrderApp** project resulting from:

1. Completing the [Chapter 2, *Setting up your environment*](#) tutorial.
2. One of the following:
 - Completing the [Chapter 3, *Defining a Route*](#) tutorial.
or
 - Replacing your project's **blueprint.xml** file with the provided **blueprintContexts/blueprint1.xml** file, as described in [the section called “About the resource files”](#).

RUNNING THE ROUTE

To run the route:

1. Open the **ZooOrderApp** project.
2. In **Project Explorer**, select **ZooOrderApp/Camel Contexts/blueprint.xml** :



3. Right-click it to open the context menu, then select **Run As** → **Local Camel Context (without tests)**.



NOTE

If you select **Local Camel Context** instead, the tooling automatically tries to run the routing context against a supplied JUnit test. Because a JUnit test does not exist, the tooling reverts to running the routing context without tests. In the [Chapter 9, Testing a route with JUnit](#) tutorial, you create a JUnit test case and modify it specifically for testing the **ZooOrderApp** project.

The **Console** panel opens to display log messages that reflect the progress of the project's execution. At the beginning, Maven downloads the resources necessary to update the local Maven repository, which may take a few minutes.

Messages similar to the following at the end of the output indicate that the route executed successfully:


```
...
[Blueprint Extender: 3] BlueprintCamelContext INFO  Route: _route1
started and consuming from:Endpoint[file://src/data?noop=true]
[Blueprint Extender: 3] BlueprintCamelContext INFO  Total 1 routes,
of which 1 are started.
[Blueprint Extender: 1] BlueprintCamelContext INFO  Apache Camel
2.18.1.redhat-00002 (CamelContext: ...) started in 0.163 seconds
[Blueprint Extender: 3] BlueprintCamelContext INFO  Apache Camel
2.18.1.redhat-00002 (CamelContext: ...) started in 0.918 seconds
```

4. To shutdown the route, click  located at the top of the **Console** view.

VERIFYING THE ROUTE

To verify that the route executed properly, you check to see whether the message XML files were copied from the source folder (**src/data**) to the target folder ('target/messages/received').

1. In **Project Explorer**, select **ZooOrderApp**.
2. Right-click it to open the context menu, then select **Refresh**.
3. In **Project Explorer**, locate the folder **target/messages/** and expand it:



4. Verify that the **target/messages/received** folder contains the six message files, **message1.xml** through **message6.xml**.
5. Double-click **message1.xml** to open it in the route editor's **Design** tab, then select the **Source** tab to see the XML code.

```
<?xml version="1.0" encoding="UTF-8"?>
<order>
  <customer>
    <name>Bronx Zoo</name>
    <city>Bronx NY</city>
    <country>USA</country>
  </customer>
  <orderline>
    <animal>wombat</animal>
    <quantity>12</quantity>
  </orderline>
</order>
```

NEXT STEPS

In the [Chapter 5, Adding a Content-Based Router](#) tutorial you add a Content-Based Router that uses the content of a message to determine its destination.

FURTHER READING

To learn more about:

- Configuring runtime profiles, see the [Editing a routing context in the route editor](#) section in "Tooling User Guide".
- Deploying Apache Camel applications, see [Developing and Deploying Applications](#).

CHAPTER 5. ADDING A CONTENT-BASED ROUTER

This tutorial shows how to add a Content-Based Router (CBR) and logging to a route.

A CBR routes a message to a destination based on its content. In this tutorial, the CBR that you create routes messages to different folders based on the value of each message's quantity field (the number of animals in the order). The maximum value of animals for each order is 10. The CBR routes the messages to different folders, depending on whether the quantity is greater than 10.

GOALS

In this tutorial you complete the following tasks:

- Add a Content-Based Router to your route
- Configure the Content-Based Router:
 - Add a log endpoint to each output branch of the content-based router
 - Add a Set Header EIP after each log endpoint
 - Add an Otherwise branch to the content-based router



PREREQUISITES


To start this tutorial, you need the **ZooOrderApp** project resulting from one of the following:


- Completing the [Chapter 4, *Running a Route*](#) tutorial.
- or
- Completing the [Chapter 2, *Setting up your environment*](#) tutorial and replacing your project's **blueprint.xml** file with the provided **blueprintContexts/blueprint1.xml** file, as described in [the section called "About the resource files"](#).

ADDING AND CONFIGURING A CONTENT-BASED ROUTER

To add and configure a Content-Based Router for your route:

1. In **Project Explorer**, double-click **ZooOrderApp/src/main/resources/OSGI-INF/blueprint/blueprint.xml** to open it in the Editor view.
2. On the **Design** canvas, select the **To_Received** node and then select the trash can icon to delete it.
3. In the **Palette**, open the **Routing** drawer and drag a **Choice** () pattern to the canvas and drop it in the **Route_route1** container.
The **Route_route1** container expands to accommodate the **Choice_choice1** node. The error icon indicates that the **Choice_choice1** node requires a child node, which you add next.
4. From the **Routing** drawer, drag a **When** () pattern to the canvas and drop it on the **Choice_choice1** node:




The **Choice_choice1** container expands to accommodate the **When_when1** node. The  decorating the **When_when1** node indicates that one or more required property values must be set.



NOTE

The tooling prevents you from dropping a pattern onto an invalid drop point in a Route container.

- On the canvas, select the **When_when1** node, to open its properties in the **Properties** view:


- Click the  button in the **Language** field to open the list of available languages.
- Select **xpath** (for the XML query language) because the test messages are written in XML.



NOTE

Once you select the expression **Language**, the **Properties** view displays its properties in an indented list directly below the **Language** field. The **Id** property in this list sets the ID of the expression. The **Id** property following the **Description** field sets the ID of the **When** node.

- In the **Expression** field, type: `/order/orderline/quantity/text() > 10`
This expression specifies that only messages in which the value of the **quantity** field is greater than 10 travel this path in the route (to the `invalidOrders` folder).
- Leave each of the remaining properties as they are.

**NOTE**

Enabling **Trim** removes any leading or trailing white spaces and line breaks from the message.

Properties ⓘ

Details

Documentation

When _when1

General

Language *

Expression *

Document Type

Factory Ref

Header Name

Id

Log Namespaces ☐

Object Model

Result Type


Saxon ☐

Trim ☒

Description


Id

10. In the **Route_route1** container, select the **From_from1** node and drag its connector arrow over the **Choice_choice1** node, then release it:



11. On the menu bar, click **File** → **Save** to save the routing context file.


12. Click the **Source** tab to view the XML for the route:




ADDING AND CONFIGURING LOGGING

Adding logging to a route allows you to track the activity of the route.

To add logging to your CBR route:

1. In the **Palette**, open the **Components** drawer and select a **Log** () component.
2. Drag the **Log** component to the canvas and drop it on the **When_when1** node.
The **When_when1** container expands to accommodate the **Log_log1** node:



3. On the canvas, select the **Log_log1** node to open its properties in the **Properties** view.
4. In the **Message** field, type: **The quantity requested exceeds the maximum allowed - contact customer.**

Log_log1	
General	
Message *	The quantity requested exceeds the maximum allowed - contact customer.
Description	
Id	_log1
Log Name	
Logger Ref	
Logging Level	INFO
Marker	

Leave each of the remaining properties as they are.

+



NOTE


The tooling auto-generates a log node **id** value. In the **Fuse Integration** perspective's **Messages** view, the tooling inserts the contents of the log node's **Id** field in the **Trace Node Id** column for message instances, when tracing is enabled on the route (see the [Chapter 8, Tracing a message through a route](#) tutorial). In the **Console**, it adds the contents of the log node's **Message** field to the log data whenever the route runs.


1. On the menu bar, click **File** → **Save** to save the routing context file.

ADDING AND CONFIGURING MESSAGE HEADERS


A message header contains information to process a message.

To add and configure message headers:


1. In the **Palette**, open the **Transformation** drawer and select a **Set Header** () pattern.
2. Drag the **Set Header** pattern to the canvas and drop it in the **When_when1** container.
The **When_when1** container expands to accommodate the **SetHeader_setHeader1** node.
3. On the canvas, select the **Log_log1** node and drag its connector arrow over the **SetHeader_setHeader1** node, and then release it:





4. On the canvas, select the **SetHeader_setHeader1** node to open its properties in the **Properties** view:



5. Click the ▼ button in the **Language** field to open the list of available languages, and select **constant**:
6. In the **Expression** field, type **Invalid**.
7. In the **Header Name** field, type **Destination**.
8. Leave each of the remaining properties as they are.



9. In the **Palette**, open the **Components** drawer and select the **File** () component.
10. Drag the **File** component to the canvas and drop it in the **When_when1** container.
The **When_when1** container expands to accommodate the **To_to1** node.
11. On the canvas, select the **SetHeader_setHeader1** node and drag its connector arrow over the **To_to1** node, and then release it:



12. On the canvas, select the **To_to1** node to open its properties in the **Properties** view:


To_to1	
General	
Uri *	file:directoryName
Description	
Id	_to1
Pattern	
Ref (deprecated)	

13. On the **Details** tab, replace *directoryName* with **target/messages/invalidOrders** in the **Uri** field, and type **_Invalid** in the **Id** field:

To_Invalid	
General	
Uri *	file:target/messages/invalidOrders
Description	
Id	_Invalid
Pattern	
Ref (deprecated)	

14. On the menu bar, click **File** → **Save** to save the routing context file.

15. Click the **Source** tab to view the XML for the route:



```


34<camelContext id="_context1" xmlns="http://camel.apache.org/schema/blueprint">
35  <route id="_route1" shutdownRoute="Default">
36    <from id="_from1" uri="file:src/data?noop=true"/>
37    <choice id="_choice1">
38      <when id="_when1">
39        <xpath>/order/orderline/quantity/text() > 10</xpath>
40        <log id="_log1" message="quantity requested exceeds maximum allowed - contact customer"/>
41        <setHeader headerName="Destination" id="_setHeader1">
42          <constant>Invalid</constant>
43        </setHeader>
44        <to id="_Invalid" uri="file:target/messages/invalidOrders"/>
45      </when>
46    </choice>
47  </route>
</camelContext>
</blueprint>


```

ADDING AND CONFIGURING A BRANCH TO HANDLE VALID ORDERS

So far, the CBR handles messages that contain invalid orders.


To add and configure an otherwise branch of your route to handle valid orders:

1. In the **Palette**, open the **Routing** drawer and select the **Otherwise** () pattern.
2. Drag the **Otherwise** pattern to the canvas and drop it into the **Choice_choice1** container:




The **Choice_choice1** container expands to accommodate the **Otherwise_otherwise1** node.


- On the canvas, select the **Otherwise_otherwise1** node to open its properties in the **Properties** view.
- In the **Id** field, type **_elseValid**:



NOTE

The **elseValid** node will route to the terminal **file** node (**file:target/messages/validOrders**) any message that does not match the XPath expression set for the **When_when1** node.

- In the **Palette**, open the **Components** drawer and select the **Log** () component.
- Drag the **Log** component to the canvas and drop it on the **Otherwise_elseValid** node:



The **Otherwise-elseValid** container expands to accommodate the **Log_log2** node.


- On the canvas, select the **Log_log2** node to open its properties in the **Properties** view.

8. In the **Message** field, type **This is a valid order - OK to process.**

Properties	
General	
Details	
Documentation	
Message *	This is a valid order - OK to process.
Description	
Id	_log2
Log Name	


Leave the remaining properties as they are.


9. In the **Palette**, open the **Transformation** drawer and select the **Set Header** pattern.
10. Drag the **Set Header** pattern to the canvas and drop it into the **Otherwise_elseValid** container.
The **Otherwise_elseValid** container expands to accommodate the **SetHeader_setHeader2** node.
11. On the canvas, select the **Log_log2** node and drag its connector arrow over the **SetHeader_setHeader2** node, and then release it:





NOTE

You can collapse containers to free up space when the diagram becomes congested. To do so, select the container you want to collapse, and then click its


 button:





To reopen the container, select it and then click its  button:




Collapsing and expanding containers in the **Design** tab does not affect the routing context file. It remains unchanged.

12. On the canvas, select the **SetHeader_setHeader2** node to open its properties in the **Properties** view.
13. Click the  button in the **Language** field to open the list of available languages, and select **constant**.
14. In the **Expression** field, type **ReadyForDispatcher**.
15. In the **Header Name** field, type **Destination**.
16. Leave the remaining properties as they are.



17. In the **Palette**, open the **Components** drawer and select the **File** () component.
18. Drag the **File** component to the canvas and drop it into the **Otherwise_elseValid** container. The **Otherwise_elseValid** container expands to accommodate the **To_to1** node.
19. On the canvas, select the **SetHeader_setHeader2** node, and drag its connector arrow over the **To_to1** node and then release it:



20. On the canvas, select the **To_to1** node to open its properties in the **Properties** view.
21. In the **URI** field, replace *directoryName* with **target/messages/validOrders**, and in the **Id** field, type **_Valid**.

Properties

Details

To_to1

General

Uri *

Description


Id

Pattern

Ref (deprecated)

22. **Save** the routing context file.

Here is the completed content-based router with logs and message headers:



23. Click the **Source** tab at the bottom, left of the canvas to display the XML for the route.

```

<?xml version="1.0" encoding="UTF-8"?>
<blueprint xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.osgi.org/xmlns/blueprint/v1.0.0
    http://www.osgi.org/xmlns/blueprint/v1.0.0/blueprint.xsd
    http://camel.apache.org/schema/blueprint
    http://camel.apache.org/schema/blueprint/camel-blueprint.xsd">

  <camelContext id="_context1"
    xmlns="http://camel.apache.org/schema/blueprint">
    <route id="_route1">

```

```

        <from id="_from1" uri="file:src/data?noop=true"/>
        <choice id="_choice1">
            <when id="_when1">
                <xpath>/order/orderline/quantity/text() >
10</xpath>
                <log id="_log1" message="The quantity requested
exceeds the maximum allowed - contact customer."/>
                <setHeader headerName="Destination"
id="_setHeader1">
                    <constant>Invalid</constant>
                </setHeader>
                <to id="_Invalid"
uri="file:target/messages/invalidOrders"/>
            </when>
            <otherwise id="_elseValid">
                <log id="_log2" message="This is a valid order
- OK to process."/>
                <setHeader headerName="Destination"
id="_setHeader2">
                    <constant>ReadyForDispatcher</constant>
                </setHeader>
                <to id="_Valid"
uri="file:target/messages/validOrders"/>
            </otherwise>
        </choice>
    </route>
</camelContext>
</blueprint>


```

VERIFYING THE CBR

You can run the new route as described in the [the section called “Running the route”](#) tutorial.

After you run it, to verify whether the route executed properly you can check the target destination folders in **Project Explorer**:

1. Select **ZooOrderApp**.
2. Right-click it to open the context menu, and then select **Refresh**.
3. Under the project root node (**ZooOrderApp**), locate the **target/messages/** folder and expand it.



4. Check that the **target/messages/invalidOrders** folder contains **message1.xml** and **message3.xml**.
In these messages, the value of the **quantity** element exceeds 10.
5. Check that the **target/messages/validOrders** folder contains the four message files that contain valid orders: **message2.xml**, **message4.xml**, **message5.xml** and **message6.xml**.
In these messages, the value of the **quantity** element is less than or equal to 10.



NOTE

To view message content, double-click each message to open it in the route editor's XML editor.

NEXT STEPS

In the next tutorial, [Chapter 6, Adding another route to the routing context](#), you add a second route that further processes valid order messages.

CHAPTER 6. ADDING ANOTHER ROUTE TO THE ROUTING CONTEXT

This tutorial shows you how to add a second route to the camel context in the **ZooOrderApp** project's **blueprint.xml** file. The second route:

- Takes messages (valid orders) directly from the terminal end of the first route's **otherwise** branch
- Sorts the messages according to the customer's country
- Sends each message to the corresponding **country** folder in the **ZooOrderApp/target/messages** folder.

GOALS

In this tutorial you complete the following tasks:

- Reconfigure the existing route for direct connection to a second route
- Add a second route to your **<camelContext>**
- Configure the new route to take messages directly from the otherwise branch of the first route
- Add a content-based router to the new route
- Add and configure a message header, logging, and target destination to each output branch of the new route's content-based router

PREREQUISITES

To start this tutorial, you need the **ZooOrderApp** project resulting from one of the following:

- Complete the [Chapter 5, Adding a Content-Based Router](#) tutorial.
or
- Complete the [Chapter 2, Setting up your environment](#) tutorial and replace your project's **blueprint.xml** file with the provided **blueprintContexts/blueprint2.xml** file, as described in [the section called "About the resource files"](#).

RECONFIGURING THE EXISTING ROUTE'S ENDPOINT

The existing route sends all valid orders to the **target/messages/validOrders** folder.

In this section, you reconfigure the endpoint of the existing route's **Otherwise _elseValid** branch to instead connect to a new route (which you create in the next section).

To configure the existing route for direct connection with the new route:

1. Open your **ZooOrderApp/src/main/resources/OSGI-INF/blueprint/blueprint.xml** in the route editor.
2. On the canvas, select the **Route_route1** container to open its properties in the **Properties** view.

3. Scroll down to the **Shutdown Route** property and then select **Default**.
4. On the canvas, select the terminal file node **To_Valid** to display its properties in the **Properties** view.
5. In the **Uri** field, delete the existing text, and then enter **direct:OrderFulfillment**.
6. In the **Id** field, enter **_Fulfill**.




NOTE


Instead of repurposing the existing **To_Valid** terminal file node, you could have replaced it with a **Components** → **Direct** component, configuring it with the same property values as the repurposed **To_Valid** node.

To learn more about the **Direct** component see the [Apache Camel Component Reference](#).

ADDING THE SECOND ROUTE

To add another route to the routing context:

1. In the **Palette**, open the **Routing** drawer and select the **Route** () pattern.
2. Drag the **Route** pattern to the canvas and drop it next to the **Route_route1** container:




The **Route** pattern becomes the **Route_route2** container node on the canvas.

3. Click the **Route_route2** container node to display its properties in the **Properties** view. Leave the properties as they are.
4. Save the file.

NOTE

As your multi-route routing context grows in complexity, you might want to focus the route editor on an individual route while you work on it. To do so, in **Project Explorer**, double-click the route that you want the route editor to display on the canvas; for example **Route_route2**:





To display all routes in the routing context on the canvas, double-click the project's **.xml** context file entry (**src/main/resources/OSGI-INF/...**) at the top of the **Camel Contexts** folder.

CONFIGURING A CHOICE BRANCH TO PROCESS USA ORDERS

In this section, you add a Choice branch to the route and configure the route to send USA orders to a new **target/messages/validOrders/USA** folder.

You also set a message header and a log file component.

1. In the **Palette**, open the **Components** drawer and drag a **Direct** component () to the canvas and drop it in the **Route_route2** container:





The **Route_route2** container expands to accommodate the **From_from2** node.

2. On the canvas, select the **From_from2** node to open its properties in the **Properties** view.
3. In the **Uri** field, replace **name** (following **direct:**) with **OrderFulfillment**, and in the **Id** field, enter **_direct:OrderFulfillment**.


The screenshot shows the 'Properties' window with the 'Details' tab selected. The title bar reads 'From _direct:OrderFulfillment'. The 'General' section contains the following fields:


Uri *	direct:OrderFulfillment
Description	
Id	_direct:OrderFulfillment
Ref (deprecated)	

- In the **Palette**, open the **Routing** drawer and drag a **Choice** () pattern to the canvas and drop it in the **Route_route2** container.
The **Route_route2** container expands to accommodate the **Choice_choice2** node.
- In the **Route_route2** container, select the **From _direct:OrderFulfillment** node and drag its connector arrow over the **Choice_choice2** node, then release it:



In the **Properties** view, leave the **Choice_choice2** node's properties they are.

- In the **Palette**, open the **Routing** drawer and drag a **When** () pattern to the canvas and drop it in the **Choice_choice2** container:



The **Choice_choice2** container expands to accommodate the **When_when2** node.


7. On the canvas, select the **When_when2** node to open its properties in the **Properties** view.
8. Set the node's properties as follows:
 - Select **xpath** from the **Language** drop-down menu.
 - Enter **/order/customer/country = 'USA'** in the **Expression** field.
 - Leave **Trim** enabled.
 - Enter **_when/usa** in the **Id** field.

The screenshot shows the 'Properties' window for the 'When_when2' node. The 'Details' tab is active. Under the 'General' section, the 'Language' dropdown is set to 'xpath'. The 'Expression' field contains the XPath expression '/order/customer/country = 'USA''. The 'Trim' checkbox is checked. The 'Id' field at the bottom of the form contains the value '_when/usa'.



NOTE

Once you select the expression **Language**, the **Properties** view displays its properties in an indented list directly below the **Language** field. The **Id** property in this list sets the ID of the expression. The **Id** property following the **Description** field sets the ID of the **When** node.

9. In the **Palette**, open the **Components** drawer and drag a **File** component () to the canvas and drop it in the **When_when/usa** container.
The **When_when/usa** container expands to accommodate the **To_to1** node.

10. In the **Properties** view:


To_US	
General	
Uri *	file:target/messages/USA
Description	
Id	_US
Pattern	
Ref (deprecated)	

- Replace *directoryName* with **target/messages/validOrders/USA** in the **Uri** field.
- Enter **_US** in the **Id** field.

11. Save the file.

To set a message header and add a log component:


1. In the **Palette**, open the **Transformation** drawer and drag the **Set Header** pattern to the canvas and drop on the **when_when/usa** node:



The **When_when/usa** container expands to accommodate the **SetHeader_setHeader3** node.

2. On the canvas, select the **SetHeader_setHeader3** node to open its properties in the **Properties** view.
3. Set the node's properties as follows:
 - From the **Language** drop-down menu, select **constant**.
 - In the **Expression** field, type: **USA**

- Leave **Trim** enabled.
- In the **Header Name** field, type: **Destination**
- In the **Id** field, type: **_setHead_usa**



Properties

Details

Documentation

SetHeader_setHeader3

General

Language * constant

Expression * USA


Id


Trim ☒

Header Name * Destination

Description

Id _setHead_usa

4. In the **Palette**, open the **Components** drawer and drag a **Log** component () to the canvas and drop it in the **When_when/usa** container.
The **When_when/usa** container expands to accommodate the **Log_log3** node.
5. On the canvas, select the **SetHeader_setHead_usa** node and drag its connector arrow over the **Log_log3** node, then release it:



6. On the canvas, select the **Log_log3** node to open its properties in the **Properties** view:

The screenshot shows the **Properties** view for the `Log_log3` node. The left sidebar has tabs for **Details** and **Documentation**. The main area is titled `Log_log3` and contains the following fields:


General	
Message *	<input type="text"/>
Description	<input type="text"/>
Id	<input type="text" value="_log3"/>
Log Name	<input type="text"/>
Logger Ref	<input type="text"/>
Logging Level	<input type="text" value="INFO"/>
Marker	<input type="text"/>

7. In the **Properties** view:

The screenshot shows the **Properties** view for the `Log_usa` node. The left sidebar has tabs for **Details** and **Documentation**. The main area is titled `Log_usa` and contains the following fields:

General	
Message *	<input type="text" value="valid order - ship animals to USA customer"/>
Description	<input type="text"/>
Id	<input type="text" value="_usa"/>
Log Name	<input type="text"/>
Logger Ref	<input type="text"/>
Logging Level	<input type="text" value="INFO"/>
Marker	<input type="text"/>

- Enter **Valid order - ship animals to USA customer** in the **Message** field.
 - Enter **_usa** in the **Id** field.
 - Leave **Logging Level** as is.
8. On the canvas, select the **Log_usa** node and drag its connector arrow over the **To_to1** node, then release it:





9. Save the file.
The USA branch of **Route_route2** should look like this:



BUILDING AND CONFIGURING THE GERMANY BRANCH OF THE SECOND ROUTE

With **Route_route2** displayed on the canvas:


1. In the **Palette**, open the **Routing** drawer and drag an **Otherwise** pattern () to the canvas and drop it in the **Choice_choice2** container:




The **Choice_choice2** container expands to accommodate the **Otherwise_otherwise1** node.

2. On the canvas, select the **Otherwise_otherwise1** node to open its properties in the **Properties** view.

3. In the **Properties** view, enter `_else/ger` in the **Id** field.

4. In the **Palette**, open the **Transformation** drawer and drag a **Set Header** pattern () to the canvas and drop it on the **Otherwise_else/ger** node:




The **Otherwise_else/ger** container expands to accommodate the **SetHeader_setHeader3** node.

5. On the canvas, select the **SetHeader_setHeader3** node to open its properties in the **Properties** view.


6. In the **Properties** view:


- Select **constant** from the **Language** drop-down menu.
- Enter **Germany** in the **Expression** field.
- Leave **Trim** as is.
- Enter **Destination** in the **Header Name** field.
- Enter `_setHead_ger` in the **Id** field.


7. In the **Palette**, open the **Components** drawer and drag a **Log** pattern () to the canvas and drop it in the **Otherwise_else/ger** container.

The **Otherwise_else/ger** container expands to accommodate the **Log_log3** node.

8. On the canvas, select the **SetHeader_setHead_ger** node and drag its connector arrow over the **Log_log3** node, and then release it:



9. On the canvas, select the **Log_log3** node to open its properties in the **Properties** view.
10. In the **Properties** view:
 - Enter **Valid order - ship animals to Germany customer** in the **Message** field.
 - Enter **_ger** in the **Id** field.
 - Leave the **Logging Level** as is.
11. From the **Components** drawer, drag a **File** pattern () to the canvas and drop it in the **otherwise_else/ger** container.
The **otherwise_else/ger** container expands to accommodate the **To_to1** node.
12. On the canvas, select the **Log_ger** node and drag its connector arrow over the **To_to1** node, and then release it:



13. On the canvas, select the **To_to1** node to open its properties in the **Properties** view.

14. In the **Properties** view:

- Replace *directoryName* with **target/messages/validOrders/Germany** in the **Uri** field.
- Enter **_GER** in the **Id** field.

15. Save the file.


The Germany branch of **Route_route2** should look like this:




VERIFYING THE NEW ROUTE

The routes on the canvas should look like this:

Completed route1



Completed route2



In the **Source** tab at the bottom of the canvas, the XML for the camelContext element should look like that shown in [Example 6.1](#), “XML for dual-route content-based router”:

Example 6.1. XML for dual-route content-based router

```

<?xml version="1.0" encoding="UTF-8"?>

<blueprint xmlns="http://www.osgi.org/xmlns/blueprint/v1.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.osgi.org/xmlns/blueprint/v1.0.0
    http://www.osgi.org/xmlns/blueprint/v1.0.0/blueprint.xsd
    http://camel.apache.org/schema/blueprint
    http://camel.apache.org/schema/blueprint/camel-blueprint.xsd">

  <camelContext id="_context1"
    xmlns="http://camel.apache.org/schema/blueprint">
    <route id="_route1" shutdownRoute="Default">
      <from id="_from1" uri="file:src/data?noop=true"/>
      <choice id="_choice1">
        <when id="_when1">
          <xpath>/order/orderline/quantity/text() > 10</xpath>
          <log id="_log1" message="quantity requested exceeds
            maximum allowed - contact customer"/>
          <setHeader headerName="Destination"
            id="_setHeader1">
            <constant>InvalidOrders</constant>
          </setHeader>
          <to id="_Invalid"
  
```

```

uri="file:target/messages/invalidOrders"/>
    </when>
    <otherwise id="_else2">
        <log id="_log2" message="valid order - process"/>
        <setHeader headerName="Destination"
id="_setHeader2">
            <constant>ValidOrders</constant>
        </setHeader>
        <to id="_Fulfill" uri="direct:OrderFulfillment"/>
    </otherwise>
</choice>
</route>
<route id="_route2">
    <from id="_direct:OrderFulfillment"
uri="direct:OrderFulfillment"/>
    <choice id="_choice2">
        <when id="_when/usa">
            <xpath>/order/customer/country = 'USA'</xpath>
            <setHeader headerName="Destination"
id="_setHead_usa">
                <constant>USA</constant>
            </setHeader>
            <log id="_usa" message="Valid order - ship animals
to USA customer"/>
            <to id="_US"
uri="file:target/messages/validOrders/USA"/>
        </when>
        <otherwise id="_else/ger">
            <setHeader headerName="Destination"
id="_setHead_ger">
                <constant>Germany</constant>
            </setHeader>
            <log id="_ger" message="Valid order - ship animals
to Germany customer"/>
            <to id="_GER"
uri="file:target/messages/validOrders/Germany"/>
        </otherwise>
    </choice>
</route>
</camelContext>
</blueprint>

```



IMPORTANT

If the tooling added the attribute `shutdownRoute=" "` to the second route element (`<route id="route2">`), delete that attribute. Otherwise, the **ZooOrderApp** project might fail to run.

To make sure that your updated project works as expected, follow these steps:

1. In **Project Explorer**, right-click **ZooOrderApp/Camel Contexts/blueprint.xml**.
2. From the popup menu, select **Run As → Local Camel Context (without tests)**.


3. Check the end of the Console's output. You should see these lines:

```
[ Blueprint Extender: 2] BlueprintCamelContext      INFO Total 2 routes, of which 2 are started.
[ Blueprint Extender: 2] BlueprintCamelContext      INFO Apache Camel 2.18.1.redhat-000021 (CamelContext: _context1) st
[1] thread #2 - file://src/data] _route1           INFO quantity requested exceeds maximum allowed - contact customer
[1] thread #2 - file://src/data] _route1           INFO quantity requested exceeds maximum allowed - contact customer
[1] thread #2 - file://src/data] _route2           INFO valid order - process
[1] thread #2 - file://src/data] _route2           INFO Valid order - ship animals to USA customer
[1] thread #2 - file://src/data] _route1           INFO valid order - process
[1] thread #2 - file://src/data] _route2           INFO Valid order - ship animals to USA customer
[1] thread #2 - file://src/data] _route1           INFO valid order - process
[1] thread #2 - file://src/data] _route2           INFO Valid order - ship animals to USA customer
[1] thread #2 - file://src/data] _route1           INFO valid order - process
[1] thread #2 - file://src/data] _route1           INFO Valid order - ship animals to Germany customer
```

Check the target destination folders to verify that the routes executed properly:

1. In **Project Explorer**, right-click **ZooOrderApp** and then select **Refresh**.
2. Expand the **target/messages/** folder.
The **message*.xml** files should be dispersed in your the destinations as shown:

Figure 6.1. Target message destinations in Project Explorer



NEXT STEPS

In the next tutorial, [Chapter 7, Debugging a routing context](#), you learn how to use the Fuse Tooling debugger.

CHAPTER 7. DEBUGGING A ROUTING CONTEXT

This tutorial shows how to use the Camel debugger to find logic errors for a locally running routing context.

GOALS

In this tutorial you complete the following tasks:

- Set breakpoints on the nodes of interest in the two routes
- In the Debug perspective, step through the routes and examine the values of message variables
- Step through the routes again, changing the value of a message variable and observing the effect

PREREQUISITES


To start this tutorial, you need the **ZooOrderApp** project resulting from one of the following:


- Complete the [Chapter 6, Adding another route to the routing context](#) tutorial.
or
- Complete the [Chapter 2, Setting up your environment](#) tutorial and replace your project's **blueprint.xml** file with the provided **blueprintContexts/blueprint3.xml** file, as described in [the section called “About the resource files”](#).

SETTING BREAKPOINTS



In the Debugger, you can set both conditional and unconditional breakpoints. In this tutorial, you only set unconditional breakpoints. To learn how to set conditional breakpoints (that are triggered when a specific condition is met during the debugging session), see the [Tooling User Guide](#).

To set unconditional breakpoints:

1. If necessary, open your **ZooOrderApp/src/main/resources/OSGI-INF/blueprint/blueprint.xml** in the route editor.
2. In **Project Explorer**, expand **Camel Contexts** → **src/main/resources/OSGI-INF/blueprint/blueprint.xml** to expose both route entries.
3. Double-click the **Route_route1** entry to switch focus to **Route_route1** in the **Design** tab.
4. On the canvas, select the **Choice_choice1** node, and then click its  icon to set an unconditional breakpoint:



NOTE

In the route editor, you can disable or delete a specific breakpoint by clicking the node's  icon or its  icon, respectively. You can delete all set breakpoints by right-clicking the canvas and selecting **Delete all breakpoints**.



5. Set unconditional breakpoints on the following **Route_Route1** nodes:

- **Log_log1**
- **SetHeader_setHeader1**


- **To_Invalid**
 - **Log_log2**
 - **SetHeader_setHeader2**
 - **To_Fulfill**
6. In **Project Explorer**, double-click **Route_route2** under **src/main/resources/OSGI-INF/blueprint** to open **Route_route2** on the canvas.
7. Set unconditional breakpoints on the following **Route_Route2** nodes:
- **Choice_choice2**
 - **SetHeader_setHead_usa**
 - **Log_usa**
 - **To_US**
 - **SetHeader_setHead_ger**
 - **Log_ger**
 - **To_GER**

STEPPING THROUGH THE ROUTING CONTEXT

You can step through the routing context in two ways:

- Step over () - Jumps to the next node of execution in the routing context, regardless of breakpoints.
- Resume () - Jumps to the next active breakpoint in the routing context.
 1. In **Project Explorer**, expand the **ZooOrderApp** project's **Camel Contexts** folder to expose the **blueprint.xml** file.
 2. Right-click the **blueprint.xml** file to open its context menu, and then click **Debug As** → **Local Camel Context (without tests)**.

The Camel debugger suspends execution at the first breakpoint it encounters and asks whether you want to open the **Debug** perspective now:




3. Click **Yes**.



NOTE

If you click **No**, the confirmation pane appears several more times. After the third refusal, it disappears, and the Camel debugger resumes execution. To interact with the debugger at this point, you need to open the **Debug** perspective by clicking **Window** → **Open Perspective** → **> Debug**.


The **Debug** perspective opens with the routing context suspended at **_choice1** in **_route1 [blueprint.xml]** as shown in the **Debug** view:




NOTE


Breakpoints are held for a maximum of five minutes before the debugger automatically resumes, moving on to the next breakpoint or to the end of the routing context, whichever comes next.

- In the **Variables** view, expand the nodes to expose the variables and values available for each node.
As you step through the routing context, the variables whose values have changed since the last breakpoint are highlighted in yellow. You might need to expand the nodes at each breakpoint to reveal variables that have changed.

- Click  to step to the next breakpoint, **_log2 in _route1 [blueprint.xml]**:



Name	Value
CamelDebugger	CamelDebuggerSettings (id=-914092373)
Endpoint	_log2
Processor	CamelProcessor (id=91061837)
Exchange	CamelExchange (id=-1771897467)
ExchangeId	ID-janemurpheysmbp-home-55846-1471374645179-0-2
NodeId	_log2
RouteId	Route1
Timestamp	1471374750578
UID	2
Message	CamelMessage (id=-1771897467)
MessageBody	<?xml version="1.0" encoding="UTF-8"?>\n\n<order>\n <customer>\n

- Expand the nodes in the **Variables** view to examine the variables that have changed since the last breakpoint at **_choice1 in Route1 [blueprint.xml]**.
- Click  to step to the next breakpoint, **_setHeader2 in Route1 [blueprint.xml]**. Examine the variables that changed (highlighted in yellow) since the breakpoint at **_log2 in Route1 [blueprint.xml]**.
- In the **Debug** view, click **_log2 in _route1 [blueprint.xml]** to populate the **Variables** view with the variable values from the breakpoint **_log2 in _route1 [blueprint.xml]** for a quick comparison.


In the **Debug** view, you can switch between breakpoints within the same message flow to quickly compare and monitor changing variable values in the **Variables** view.



NOTE

Message flows can vary in length. For messages that transit the **InvalidOrders** branch of **Route_route1**, the message flow is short. For messages that transit the **ValidOrders** branch of **Route_route1**, which continues on to **Route_route2**, the message flow is longer.

- Continue stepping through the routing context. When one message completes the routing context and the next message enters it, the new message flow appears in the **Debug** view, tagged with a new breadcrumb ID:



```

Camel Context at service:jmx:rmi:///jndi/rmi://localhost:1099/jmxrmi/camel
  ID-janemurpheysmbp-home-55846-1471374645179-0-3
    _setHeader1 in Route1 [blueprint.xml]
    _log1 in Route1 [blueprint.xml]
    _choice1 in Route1 [blueprint.xml]
  ID-janemurpheysmbp-home-55846-1471374645179-0-1
  
```

In this case, **ID-janemurpheysmbp-home-55846-1471374645179-0-3** identifies the second message flow, corresponding to **message2.xml** having entered the routing context. Breadcrumb IDs are incremented by 2.



NOTE

Exchange and Message IDs are identical and remain unchanged throughout a message's passage through the routing context. Their IDs are constructed from the message flow's breadcrumb ID, and incremented by 1. So, in the case of `message2.xml`, its **ExchangeId** and **MessageId** are **ID-janemurpheysmbp-home-55846-1471374645179-0-4**.

10. When `message3.xml` enters the breakpoint **_choice1 in _route_route1 [blueprint.xml]**, examine the **Processor** variables. The values displayed are the metrics accumulated for `message1.xml` and `message2.xml`, which previously transited the routing context:


(x)= Variables Breakpoints Expressions	
Name	Value
▼ CamelDebugger	CamelDebuggerSettings (id=-914092373)
BodyMaxChars	131072
BodyIncludeFiles	true
BodyIncludeStreams	false
DebugCounter	13
LogLevel	INFO
Endpoint	_choice1
▼ Processor	CamelProcessor (id=-1185022607)
ProcessorId	_choice1
RouteId	Route1
CamelId	_context1
CompletedExchanges	2
FailedExchanges	0
TotalExchanges	2
Redeliveries	0
ExternalRedeliveries	0
HandledFailures	0
LastProcessingTime	84876
MinProcessingTime	84876
AverageProcessingTime	122602
MaxProcessingTime	160329
TotalProcessingTime	245205
▼ Exchange	CamelExchange (id=-1771897463)


Timing metrics are in milliseconds.

11. Continue stepping each message through the routing context, examining variables and console output at each processing step. When `message6.xml` enters the breakpoint **To_GER in Route2 [blueprint.xml]**, the debugger begins shutting down the breadcrumb threads.
12. In the Menu bar, click to terminate the Camel debugger. The Console terminates, but you must manually clear the output.



NOTE

With a thread or endpoint selected under the Camel Context node in the **Debug** view, you must click  twice - first to terminate the thread or endpoint and second to terminate the Camel Context, thus the session.


13. In the Menu bar, right-click  to open the context menu, and then select **Close** to close **Debug** perspective.
Developer Studio automatically returns to the perspective from which you launched the Camel debugger.
14. In **Project Explorer**, right-click the project and then select **Refresh** to refresh the display.



NOTE

If you terminated the session prematurely, before all messages transited the routing context, you might see, under the **ZooOrderApp/src/data** folder, a message like this: **message3.xml.camelLock**. You need to remove it before you run the debugger on the project again. To do so, double-click the **.camelLock** message to open its context menu, and then select **Delete**. When asked, click **OK** to confirm deletion.

15. Expand the **ZooOrderApp/target/messages/** directories to check that the messages were delivered to their expected destinations:



Leave the routing context as is, with all breakpoints set and enabled.


CHANGING THE VALUE OF A VARIABLE

In this section, you add variables to a watch list to easily check how their values change as messages pass through the routing context. You change the value of a variable in the body of a message and then observe how the change affects the message's route through the routing context.


1. To rerun the Camel debugger on the **ZooOrderApp** project, right-click the **blueprint.xml** file and then click **Debug As** → **Local Camel Context (without tests)**.
2. With **message1** stopped at the first breakpoint, **_choice1 in _route1 [blueprint.xml]**, add the variables **NodeId** and **RouteId** (in the **Exchange** category) and **MessageBody** and **CamelFileName** (in the **Message** category) to the watch list.

For each of the four variables:

- a. In the **Variables** view, expand the appropriate category to expose the target variable:
- b. Right-click the variable (in this case, **NodeId** in the **Exchange** category) to open the context menu and select **Watch**:



The **Expressions** tab opens, listing the variable you selected to watch:



**NOTE**

Creating a watch list makes it easy for you to quickly check the current value of multiple variables of interest.

- Step **message1** through the routing context until it reaches the fourth breakpoint, **_Fulfill in _route1 [blueprint.xml]**.
- In the **Variables** view, expand the **Message** category.
- Add the variable **Destination** to the watch list.

The **Expressions** view should now contain these variables:


Name	Value
"NodeId"	_Invalid
"RouteId"	_route1
"MessageBody"	<?xml version="1.0" encoding="UTF-8"?>\n\n<order>\n <customer>\n <nam
"CamelFileName"	message1.xml
"Destination"	InvalidOrders
Add new expressi...	

InvalidOrders


**NOTE**

- The pane below the list of variables displays the value of the selected variable.
- The **Expressions** view retains all variables that you add to the list until you explicitly remove them.

- Step **message1** through the rest of the routing context and then step **message2** all of the way through.
- Stop **message3** at **_choice1 in _route1 [blueprint.xml]**.
- In the **Variables** view, expand the **Message** category to expose the **MessageBody** variable.
- Right-click **MessageBody** to open its context menu, and select **Change Value**:




10. Change the value of **quantity** from **15** to **10** (to change it from an invalid order to a valid order):



This changes the in-memory value only (it does not edit the **message3.xml** file).


11. Click **OK**.
12. Switch to the **Expressions** view, and select the **MessageBody** variable.
The pane below the list of variables displays the entire body of **message3**, making it easy to check the current value of order items:



Name	Value
<code>x+y</code> "? "NodeId"	<code>_choice1</code>
<code>x+y</code> "? "RouteId"	<code>_route1</code>
<code>x+y</code> "? "MessageBody"	<code><?xml version="1.0" encoding="UTF-8"?>\n\n<order>\n <customer>\n</code>
<code>x+y</code> "? "CamelFileName"	<code>message3.xml</code>
<code>x+y</code> "? "Destination"	

```


<?xml version="1.0" encoding="UTF-8"?>
<order>
  <customer>
    <name>Sea Life Centre</name>
    <city>Munich</city>
    <country>Germany</country>
  </customer>
  <orderline>
    <animal>penguin</animal>
    <quantity>10</quantity>
  </orderline>
</order>
  
```


13. Click  to step to the next breakpoint.
Instead of following the branch leading to **To_Invalid**, **message3** now follows the branch leading to **To_Fulfill** and **Route_route2**.


NARROWING THE CAMEL DEBUGGER'S FOCUS

You can temporarily narrow and then re-expand the debugger's focus by disabling and re-enabling breakpoints:

1. Step **message4** through the routing context, checking the **Debug** view, the **Variables** view, and the **Console** output at each step.
2. Stop **message4** at **_choice1** in **_route1** [**blueprint.xml**].
3. Switch to the **Breakpoints** view, and clear each check box next to the breakpoints listed below **_choice1**. Clearing the check box of a breakpoint temporarily disables it.




4. Click  to step to the next breakpoint:




The debugger skips over the disabled breakpoints and jumps to **_Fulfill in _route1 [blueprint.xml]**.

5. Click  again to step to the next breakpoint:





The debugger jumps to **_GER in _route2 [blueprint.xml]**.


6. Click  repeatedly to quickly step **message5** and **message6** through the routing context.
7. Switch to the **Breakpoints** view, and check the boxes next to all breakpoints to reenable them.


VERIFYING THE EFFECT OF CHANGING A MESSAGE VARIABLE VALUE

To stop the debugger and check the results of changing the value of `message1`'s quantity variable:

1. In the tool bar, click  to terminate the Camel debugger:



2. Click the Console's  button to clear the output.
3. Close the **Debug** perspective and return to the perspective from which you launched the Camel debugger.
4. In **Project Explorer**, refresh the display.
5. Expand the **ZooOrderApp/target/messages/** directories to check whether the messages were delivered as expected:



You should see that only **message1** was sent to the **invalidOrders** and that **message3.xml** appears in the **validOrders/Germany** folder.

NEXT STEPS

In the [Chapter 8, *Tracing a message through a route*](#) tutorial, you trace messages through your routing context to determine where you can optimize and fine tune your routing context's performance.

CHAPTER 8. TRACING A MESSAGE THROUGH A ROUTE

Tracing allows you to intercept a message as it is routed from one node to another. You can trace messages through your routing context to see where you can optimize and fine tune your routing context's performance. This tutorial shows you how to trace a message through a route.

GOALS

In this tutorial you complete the following tasks:

- Run the **ZooOrderApp** in the **Fuse Integration** perspective
- Enable tracing on the **ZooOrderApp**
- Drop messages onto the **ZooOrderApp** and track them through all route nodes


PREREQUISITES


To start this tutorial, you need the **ZooOrderApp** project resulting from one of the following:

- Complete the [Chapter 6, *Adding another route to the routing context*](#) tutorial.
or
- Complete the [Chapter 2, *Setting up your environment*](#) tutorial and replace your project's **blueprint.xml** file with the provided **blueprintContexts/blueprint3.xml** file, as described in [the section called "About the resource files"](#).


SETTING UP YOUR FUSE INTEGRATION PERSPECTIVE

To set up your workspace to facilitate message tracing:


1. Click the  button on the right side of the tool bar, and then select **Fuse Integration** from the list:



The **Fuse Integration** perspective opens in the default layout:



2. Drag the **JMX Navigator** tab to the far right of the **Terminal** tab and drop it there:




This arrangement provides more space for **Diagram View** to display the routing context's nodes graphically, which makes it easier for you to visually trace the path that messages take in traversing the routing context.

NOTE

To make it easy to access a routing context **.xml** file, especially when a project consists of multiple contexts, the tooling lists them under the **Camel Contexts** folder in **Project Explorer**.

Additionally, all routes in a routing context are displayed as icons directly under their context file entry. To display a single route in the routing context on the canvas, double-click its icon in **Project Explorer**. To display all routes in the routing context, double-click the context file entry.

**STARTING MESSAGE TRACING**


To start message tracing on the **ZooOrderApp** project:

1. In **Project Explorer**, expand the **ZooOrderApp** project to expose **src/main/resources/OSGI-INF/blueprint/blueprint.xml**.
2. Right-click **src/main/resources/OSGI-INF/blueprint/blueprint.xml** to open the context menu.
3. Select **Run As** → **Local Camel Context (without tests)**.


**NOTE**

If you select **Local Camel Context**, the tooling reverts to running without tests because you have not yet created a JUnit test for the **ZooOrderApp** project. You will do that later in [Chapter 9, Testing a route with JUnit](#).


4. In **JMX Navigator**, expand **Local Processes**.




5. Right-click the **maven [ID]** node and then select **Connect**.
6. Expand the elements of your route:



7. Right-click the **Routes** node and then select **Start Tracing**:



The tooling displays a graphical representation of your routing context in **Diagram View**:




To see all message flow paths clearly, you probably need to rearrange the nodes by dragging them to fit neatly in the **Diagram View** tab. You may also need to adjust the size of the other views and tabs in Red Hat JBoss Developer Studio to allow the **Diagram View** tab to expand.


DROPPING MESSAGES ON THE RUNNING ZOOORDERAPP PROJECT

To drop messages on the running ZooOrderApp project:

1. In **Project Explorer**, expand **ZooOrderApp/src/data**, so that you can access the message files (**message1.xml** through **message6.xml**):





2. Drag **message1.xml** and drop it on the **_context1>Endpoints>file>src/data?noop=true** node in **JMX Navigator**:




As the message traverses the route, the tooling traces and records its passage at each step.

CONFIGURING MESSAGES VIEW

You must refresh the **Messages View** before it will display message traces. You also need to configure the columns in **Messages View** if you want them to persist across all message traces.

1. Open the **Messages View**.
2. Click the  (Refresh button) on top, right of the panel's menu bar to populate the view with `message1.xml`'s message traces.
3. Click the  icon on the panel's menu bar, and select **Configure Columns** to open the **Configure Columns** wizard:




**NOTE**

Notice that the message header, **Destination**, which you set for the messages in your routing context, appears in the list.

You can include or exclude items from **Messages View** by selecting or deselecting them. You can rearrange the columnar order in which items appear in **Messages View** by highlighting individual, selected items and moving them up or down in the list.

4. In the **Configure Columns** wizard, select and order the columns this way:




These columns and their order will persist in **Messages View** until you change them again.


**NOTE**

You can control columnar layout in all of the tooling's tables. Use the drag method to temporarily rearrange tabular format. For example, drag a column's border rule to expand or contract its width. To hide a column, totally contract its borders. Drag the column header to relocate a column within the table. For your arrangement to persist, you must use the **View** → **Configure Columns** method instead.

STEPPING THROUGH MESSAGE TRACES

To step through the message traces:

1. Drag **message2.xml** and drop it on the **_context1>Endpoints>file>src/data?noop=true** node in **JMX Navigator**.
2. Switch from **Console** to **Messages View**.
3. In **Messages View**, click the  (Refresh button) to populate the view with **message2.xml** message traces.
Each time you drop a message on in **JMX Navigator**, you need to refresh **Messages View** to populate it with the message traces.
4. Click one of the message traces to see more details about it in **Properties** view:



The screenshot shows the JMX console with two tabs: **Properties** and **Messages View**. The **Properties** tab is active, displaying a table of Camel metrics and their values. The **Messages View** tab is also visible, showing a list of message traces.


Property	Value
Camel Id	_context1
Exchanges Completed	7
Exchanges Failed	0
External Redeliveries	0
Failures Handled	0
Last Processing Time	0
Max Processing Time	0
Mean Processing Time	0
Min Processing Time	0
Processor Id	_log2
Redeliveries	0
Route Id	_route1
Total Processing Time	0

Message Body	Trace ID	Trace Node Id	Destination	Trace Timestamp
<?xml version='1		_route1		Fri Mar 09 13:
<?xml version='2		_choice1		Fri Mar 09 13:
<?xml version='3		_log1		Fri Mar 09 13:
<?xml version='4		_setHeader1		Fri Mar 09 13:
<?xml version='5		_Invalid	InvalidOrders	Fri Mar 09 13:
<?xml version='6		_route1		Fri Mar 09 13:
<?xml version='7		_choice1		Fri Mar 09 13:
<?xml version='8		_log2		Fri Mar 09 13:
<?xml version='9		_setHeader2		Fri Mar 09 13:
<?xml version='10		_Fulfill	ValidOrders	Fri Mar 09 13:
<?xml version='11		_route2	ValidOrders	Fri Mar 09 13:

The tooling displays the details about a message trace (including message headers when they are set) in the top half of the **Properties** view and the contents of the message instance in the bottom half of the **Properties** view. So, if your application sets headers at any step within a route, you can check the **Message Details** to see whether they were set as expected.


You can step through the message instances by highlighting each one to see how a particular message traversed the route and whether it was processed as expected at each step in the route.

5. Open **Diagram View**, to see that the associated step in the route is highlighted:




The tooling draws the route in **Diagram View**, tagging paths exiting a processing step with timing and performance metrics (in milliseconds). Only the metric **Total exchanges** is displayed in the diagram.



6. Hover the mouse pointer over the displayed metrics to reveal additional metrics about message flow:



- Mean time the step took to process a message

- Maximum time the step took to process a message
 - Minimum time the step took to process a message
7. Optionally, you can drag and drop the remaining messages in **ZooOrderApp/src/data/** into the **_context1>Endpoints>file>src/data?noop=true** node in **JMX Navigator** at any time, as long as tracing remains enabled.

On each subsequent drop, remember to click the  (Refresh button) to populate **Messages View** with the new message traces.

8. When done:
- In **JMX Navigator**, right-click **_context1** and select **Stop Tracing Context**.
 - Open the **Console** and click the  button in the upper right of the panel to stop the Console. Then click the  button to clear console output.

NEXT STEPS

In the [Chapter 9, *Testing a route with JUnit*](#) tutorial, you create a JUnit test case for your project and run your project as a **Local Camel Context**.

CHAPTER 9. TESTING A ROUTE WITH JUNIT

This tutorial shows you how to use the **New Camel Test Case** wizard to create a test case for your route and then test the route.

OVERVIEW

The **New Camel Test Case** wizard generates a boilerplate JUnit test case. When you create or modify a route (for example, adding more processors to it), you should create or modify the generated test case to add expectations and assertions specific to the route that you created or updated. This ensures that the test is valid for the route.

GOALS


In this tutorial you complete the following tasks:

- Create the `/src/test/` folder to store the JUnit test case
- Generate the JUnit test case for the **ZooOrderApp** project
- Modify the newly generated JUnit test case
- Modify the **ZooOrderApp** project's `pom.xml` file
- Run the **ZooOrderApp** with the new JUnit test case
- Observe the output

PREREQUISITES

1. To start this tutorial, you need the **ZooOrderApp** project resulting from one of the following:
 - Complete the [Chapter 8, *Tracing a message through a route*](#) tutorial.
 - or
 - Complete the [Chapter 2, *Setting up your environment*](#) tutorial and replace your project's `blueprint.xml` file with the provided `blueprintContexts/blueprint3.xml` file, as described in [the section called “About the resource files”](#).
2. Delete any trace-generated messages from the **ZooOrderApp** project's `/src/data/` directory and `/target/messages/` subdirectories in **Project Explorer**. Trace-generated messages begin with the **ID-** prefix. For example, [Figure 9.1, “Trace-generated messages”](#) shows eight trace-generated messages:

Figure 9.1. Trace-generated messages




Select all trace-generated messages in batch, right-click and then select **Delete**.

CREATING THE SRC/TEST FOLDER


Before you create a JUnit test case for the **ZooOrderApp** project, you must create a folder for it that is included in the build path:

1. In **Project Explorer**, right-click the **ZooOrderApp** project and then select **New** → **Folder**.
2. In the **New Folder** dialog, in the project tree pane, expand the **ZooOrderApp** node and select the **src** folder.
Make sure **ZooOrderApp/src** appears in the **Enter or select the parent folder** field.
3. In **Folder name**, enter **/test/java**:




4. Click **Finish**.

In **Project Explorer**, the new **src/test/java** folder appears under the **src/main/resources** folder:



5. Verify that the new `/src/test/java` folder is included in the build path.
 - a. In **Project Explorer**, right-click the `/src/test/java` folder to open the context menu.
 - b. Select Build Path to see the menu options:
The menu option **Remove from Build Path** verifies that the `/src/test/java` folder is currently included in the build path:



CREATING THE JUNIT TEST CASE

To create a JUnit test case for the **ZooOrderApp** project:

1. In **Project Explorer**, select `src/test/java`.
2. Right-click and then select **New** → **Camel Test Case**.

here)' with a 'Generate comments' checkbox. At the bottom, there is a help icon, a '< Back' button, a 'Next >' button, a 'Cancel' button, and a 'Finish' button."/>

New Camel JUnit Test Case

Camel JUnit Test Case

Select the name of the new JUnit test case. You have the options to specify the Camel XML file under test and on the next page, to select methods to be tested.

Source folder:

Package: (default)

Camel XML file under test:

Name:

Which method stubs would you like to create?

☐ setUpBeforeClass() ☐ tearDownAfterClass()


☐ setUp() ☐ tearDown()

☐ constructor


Do you want to add comments? (Configure templates and default value [here](#))

☐ Generate comments

- In the **Camel JUnit Test Case** wizard, make sure the **Source folder** field contains **ZooOrderApp/src/test/java**. To find the proper folder, click .
- In the **Package** field, enter **tutorial1.zooapp.route**. This package will include the new test case.
- In the **Camel XML file under test** field, click to open a file explorer configured to filter for XML files, and then select the **ZooOrderApp** project's **blueprint.xml** file:



6. Click **OK**. The **Name** field defaults to *BlueprintXmlTest*.



7. Click **Next** to open the **Test Endpoints** page.
By default, all endpoints are selected and will be included in the test case.
8. Click **Finish**.

**NOTE**

If prompted, add JUnit to the build path.

The artifacts for the test are added to your project and appear in **Project Explorer** under **src/test/java**. The class implementing the test case opens in the tooling's Java editor:

```
package tutorial.zooapp.route;

import org.apache.camel.EndpointInject;
import org.apache.camel.Produce;
import org.apache.camel.ProducerTemplate;
import org.apache.camel.builder.RouteBuilder;
import org.apache.camel.component.mock.MockEndpoint;
import org.apache.camel.test.blueprint.CamelBlueprintTestSupport;
import org.junit.Test;

public class BlueprintXmlTest extends CamelBlueprintTestSupport {

    // TODO Create test message bodies that work for the route(s) being
    // tested
    // Expected message bodies
    protected Object[] expectedBodies = {
        "<something>expectedBody1</something>",
        "<something>expectedBody2</something>" };
    // Templates to send to input endpoints
    @Produce(uri = "file:src/data?noop=true")
    protected ProducerTemplate inputEndpoint;
    @Produce(uri = "direct:OrderFulfillment")
    protected ProducerTemplate input2Endpoint;
    // Mock endpoints used to consume messages from the output endpoints and
    // then perform assertions
    @EndpointInject(uri = "mock:output")
    protected MockEndpoint outputEndpoint;
    @EndpointInject(uri = "mock:output2")
    protected MockEndpoint output2Endpoint;
    @EndpointInject(uri = "mock:output3")
    protected MockEndpoint output3Endpoint;
    @EndpointInject(uri = "mock:output4")
    protected MockEndpoint output4Endpoint;

    @Test
    public void testCamelRoute() throws Exception {
        // Create routes from the output endpoints to our mock endpoints so we
        // can assert expectations
        context.addRoutes(new RouteBuilder() {
            @Override
            public void configure() throws Exception {
                from("file:target/messages/invalidOrders").to(outputEndpoint);
                from("file:target/messages/validOrders/USA").to(output3Endpoint);
            }
        });
    }
}
```

```

        from("file:target/messages/validOrders/Germany").to(output4Endpoint);
    }
});

// Define some expectations

// TODO Ensure expectations make sense for the route(s) we're testing
outputEndpoint.expectedBodiesReceivedInAnyOrder(expectedBodies);

// Send some messages to input endpoints
for (Object expectedBody : expectedBodies) {
    inputEndpoint.sendBody(expectedBody);
}

// Validate our expectations
assertMockEndpointsSatisfied();
}

@Override
protected String getBlueprintDescriptor() {
    return "OSGI-INF/blueprint/blueprint.xml";
}
}

```

This generated JUnit test case is insufficient for the **ZooOrderApp** project, and it will fail to run successfully. You need to modify it and the project's **pom.xml**, as described in [the section called “Modifying the BlueprintXmlTest file”](#) and [the section called “Modifying the pom.xml file”](#).


MODIFYING THE BLUEPRINTXMLTEST FILE

You must modify the **BlueprintXmlTest.java** file to:

- Import several classes that support required file functions
- Create variables for holding the content of the various source **.xml** files
- Read the content of the source **.xml** files
- Define appropriate expectations

Follow these steps to modify the **BlueprintXmlTest.java** file:

1. In **Project Explorer**, expand the **ZooOrderApp** project to expose the **BlueprintXmlTest.java** file:



2. Open the **BlueprintXmlTest.java** file.
3. In the Java editor, click the expand button next to **import org.apache.camel.EndpointInject**; to expand the list.
4. Add the two lines shown in bold text. Adding the first line causes an error that will be resolved when you update the **pom.xml** file as instructed in the next section.

```
package tutorial.zooapp.route;

import org.apache.camel.EndpointInject;
import org.apache.camel.Produce;
import org.apache.camel.ProducerTemplate;
import org.apache.camel.builder.RouteBuilder;
import org.apache.camel.component.mock.MockEndpoint;
import org.apache.camel.test.blueprint.CamelBlueprintTestSupport;
import org.apache.commons.io.FileUtils;
import org.junit.Test;
import java.io.File;
```


5. Scroll down to the lines that follow directly after **// Expected message bodies**.
6. Replace those lines — **protected Object[] expectedBodies={ expectedBody2</something>"};** — with these **protected String body#;** lines:

```
protected String body1; protected String body2; protected String
body3; protected String body4; protected String body5; protected
String body6;
```

7. Scroll down to the line **public void testCamelRoute() throws Exception {**, and insert directly after it the lines **body# = FileUtils.readFileToString(new File("src/data/message#.xml"), "UTF-8");** shown below. These lines will indicate an error until you update the **pom.xml** file as instructed in the next section.

```
// Valid orders body2 = FileUtils.readFileToString(new
File("src/data/message2.xml"), "UTF-8"); body4 =
FileUtils.readFileToString(new File("src/data/message4.xml"), "UTF-
8"); body5 = FileUtils.readFileToString(new
File("src/data/message5.xml"), "UTF-8"); body6 =
FileUtils.readFileToString(new File("src/data/message6.xml"), "UTF-
8"); // Invalid orders body1 = FileUtils.readFileToString(new
File("src/data/message1.xml"), "UTF-8"); body3 =
FileUtils.readFileToString(new File("src/data/message3.xml"), "UTF-
8");
```

8. Scroll down to the lines that follow directly after **// TODO Ensure expectations make sense for the route(s) we're testing**.
9. Replace the block of code that begins with **outputEndpoint.expectedBodiesReceivedInAnyOrder(expectedBodies);** and ends with **...inputEndpoint.sendBody(expectedBody); }** with the lines shown here:

```
// Invalid orders outputEndpoint.expectedBodiesReceived(body1,
body3); // Valid orders for USA
output3Endpoint.expectedBodiesReceived(body2, body5, body6); //
Valid order for Germany
output4Endpoint.expectedBodiesReceived(body4);
```

Leave the remaining code as is.

10. Save the file.
11. Check that your updated **BlueprintXmlTest.java** file has the required modifications. It should look something like this:

```
package tutorial.zooapp.route;

import org.apache.camel.EndpointInject;
import org.apache.camel.Produce;
import org.apache.camel.ProducerTemplate;
import org.apache.camel.builder.RouteBuilder;
import org.apache.camel.component.mock.MockEndpoint;
import org.apache.camel.test.blueprint.CamelBlueprintTestSupport;
import org.apache.commons.io.FileUtils;
```

```

import org.junit.Test;
import java.io.file;

public class BlueprintXmlTest extends CamelBlueprintTestSupport {

    // TODO Create test message bodies that work for the route(s) being
    tested
    // Expected message bodies
    protected String body1;
    protected String body2;
    protected String body3;
    protected String body4;
    protected String body5;
    protected String body6;
    // Templates to send to input endpoints
    @Produce(uri = "file:src/data?noop=true")
    protected ProducerTemplate inputEndpoint;
    @Produce(uri = "direct:OrderFulfillment")
    protected ProducerTemplate input2Endpoint;
    // Mock endpoints used to consume messages from the output
    endpoints and then perform assertions
    @EndpointInject(uri = "mock:output")
    protected MockEndpoint outputEndpoint;
    @EndpointInject(uri = "mock:output2")
    protected MockEndpoint output2Endpoint;
    @EndpointInject(uri = "mock:output3")
    protected MockEndpoint output3Endpoint;
    @EndpointInject(uri = "mock:output4")
    protected MockEndpoint output4Endpoint;

    @Test
    public void testCamelRoute() throws Exception {
        // Create routes from the output endpoints to our mock endpoints
        so we can assert expectations
        context.addRoutes(new RouteBuilder() {
            @Override
            public void configure() throws Exception {
                // Valid orders
                body2 = FileUtils.readFileToString(new
                File("src/data/message2.xml"), "UTF-8");
                body4 = FileUtils.readFileToString(new
                File("src/data/message4.xml"), "UTF-8");
                body5 = FileUtils.readFileToString(new
                File("src/data/message5.xml"), "UTF-8");
                body6 = FileUtils.readFileToString(new
                File("src/data/message6.xml"), "UTF-8");

                // Invalid orders
                body1 = FileUtils.readFileToString(new
                File("src/data/message1.xml"), "UTF-8");
                body3 = FileUtils.readFileToString(new
                File("src/data/message3.xml"), "UTF-8");

                from("file:target/messages/invalidOrders").to(outputEndpoint);

                from("file:target/messages/validOrders/USA").to(output3Endpoint);
            }
        });
    }
}

```

```

from("file:target/messages/validOrders/Germany").to(output4Endpoint)
;
    from("direct:OrderFulfillment").to(output2Endpoint);
    }
});

// Define some expectations

// TODO Ensure expectations make sense for the route(s) we're
testing
// Invalid orders
outputEndpoint.expectedBodiesReceived(body1, body3);

// Valid orders for USA
output3Endpoint.expectedBodiesReceived(body2, body5, body6);

// Valid order for Germany
output4Endpoint.expectedBodiesReceived(body4);

// Validate our expectations
assertMockEndpointsSatisfied();
}

@Override
protected String getBlueprintDescriptor() {
    return "OSGI-INF/blueprint/blueprint.xml";
}
}

```

MODIFYING THE POM.XML FILE

You need to add a dependency on the **commons-io** project to the ZooOrderApp project's **pom.xml** file:

1. In **Project Explorer**, select the **pom.xml**, located below the **target** folder, and open it in the tooling's XML editor.
2. Click the **pom.xml** tab at the bottom of the page to open the file for editing.
3. Add these lines to the end of the **<dependencies>** section:

```

<dependency>
    <groupId>commons-io</groupId>
    <artifactId>commons-io</artifactId>
    <version>2.5</version>
    <scope>test</scope>
</dependency>

```

4. Save the file.

RUNNING THE JUNIT TEST

To run the test:

1. Switch to the **JBoss** perspective to free up more workspace.
2. In the **Project Explorer**, right-click the **ZooOrderApp** project.
3. Select **Run As** → **JUnit Test**.


By default, the **JUnit** view opens in the sidebar. (To provide a better view, drag it to the bottom, right panel that displays the **Console**, **Servers**, and **Properties** tabs.)




NOTE

Sometimes the test fails the first time JUnit is run on a project. Rerunning the test usually results in a successful outcome.

If the test runs successfully, you'll see something like this:



When the test does fail, you'll see something like this:




NOTE

JUnit will fail if your execution environment is not set to Java SE 8. The message bar at the top of the **JUnit** tab will display an error message indicating that it cannot find the correct SDK.

To resolve the issue, open the project's context menu, and select **Run As** → **Run Configurations** → **JRE**. Click the **Environments** button next to the ***Execution environment** field to locate and select a Java SE 8 environment.

4. Examine the output and take action to resolve any test failures.

To see more of the errors displayed in the JUnit panel, click  on the panel's menu bar to maximize the view.

Before you run the JUnit test case again, delete any JUnit-generated test messages from the ZooOrderApp project's **/src/data** folder in **Project Explorer** (see [Figure 9.1, "Trace-generated messages"](#)).

FURTHER READING

To learn more about JUnit testing see [JUnit](#).

NEXT STEPS

In the [Chapter 10, *Publishing your project to Red Hat Fuse*](#) tutorial, you learn how to publish your Apache Camel project to Red Hat Fuse.

CHAPTER 10. PUBLISHING YOUR PROJECT TO RED HAT FUSE

This tutorial walks you through the process of publishing your project to Red Hat Fuse. It assumes that you have an instance of Red Hat Fuse installed on the same machine on which you are running the Red Hat Fuse Tooling.

GOALS

In this tutorial you complete the following tasks:

- Define a Red Hat Fuse server
- Configure the publishing options
- Start up the Red Hat Fuse server and publish the **ZooOrderApp** project
- Connect to the Red Hat Fuse server
- Verify whether the **ZooOrderApp** project's bundle was successfully built and published
- Uninstall the **ZooOrderApp** project

PREREQUISITES

Before you start this tutorial you need:

- Access to a Red Hat Fuse instance
- Java 8 installed on your computer
- The **ZooOrderApp** project resulting from one of the following:
 - Complete the [Chapter 9, Testing a route with JUnit](#) tutorial.
 - or
 - Complete the [Chapter 2, Setting up your environment](#) tutorial and replace your project's **blueprint.xml** file with the provided **blueprintContexts/blueprint3.xml** file, as described in [the section called "About the resource files"](#).

DEFINING A RED HAT FUSE SERVER

To define a server:

1. Open the **Fuse Integration** perspective.
2. Click the **Servers** tab in the lower, right panel to open the **Servers** view.
3. Click the **No servers are available. Click this link to create a new server...** link to open the **Define a New Server** page.

**NOTE**

To define a new server when one is already defined, right-click inside the **Servers** view and then select **New** → **Server**.

- Expand the **Red Hat JBoss Middleware** node to expose the available server options:

New Server

Define a New Server

Choose the type of server to create

Select the server type:

type filter text

- Red Hat JBoss Middleware
 - Minishift 1.7+
 - Red Hat Container Development Kit 2.x
 - Red Hat Container Development Kit 3
 - Red Hat Container Development Kit 3.2+
 - Red Hat Fuse 7.0 Server**


Server Definition of Red Hat Fuse 7.0

Server's host name: localhost

Server name: Red Hat Fuse 7.0 Runtime Server

? < Back Next > Cancel Finish

- Select a Red Hat Fuse server.
- Accept the defaults for **Server's host name** (*localhost*) and **Server name** (Fuse *n.n* Runtime Server), and then click **Next** to open the **Runtime** page:





NOTE

If you do not have Fuse already installed, you can download it now using the **Download and install runtime** link.

If you have already defined a server, the tooling skips this page, and instead displays the configuration details page.

7. Accept the default for **Name**.
8. Click **Browse** next to the **Home Directory** field, to navigate to the installation and select it.
9. Select the runtime JRE from the drop-down menu next to **Execution Environment**. Select JavaSE-1.8 (recommended). If necessary, click the **Environments** button to select it from the list.



NOTE

The Fuse server requires Java 8 (recommended). To select it for the **Execution Environment**, you must have previously installed it.

10. Leave the **Alternate JRE** option as is.
11. Click **Next** to save the runtime definition for the Fuse Server and open the **Fuse server configuration details** page:

12. Accept the default for **SSH Port** (8101).

The runtime uses the SSH port to connect to the server's Karaf shell. If this default is incorrect, you can discover the correct port number by looking in the Red Hat Fuse *installDir/etc/org.apache.karaf.shell.cfg* file.

13. In **User Name**, enter the name used to log into the server.

This is a user name stored in the Red Hat Fuse *installDir/etc/users.properties* file.



NOTE

If the default user has been activated (uncommented) in the */etc/users.properties* file, the tooling autofills **User Name** and **Password** with the default user's name and password.

If one has not been set, you can either add one to that file using the format **user=password,role** (for example, **joe=secret,Administrator**), or you can set one using the karaf **jaas** command set:

- **jaas:realms** — to list the realms
- **jaas:manage --index 1** — to edit the first (server) realm
- **jaas:useradd <username> <password>** — to add a user and associated password
- **jaas:roleadd <username> Administrator** — to specify the new user's role
- **jaas:update** — to update the realm with the new user information

If a jaas realm has already been selected for the server, you can discover the user name by issuing the command **JBossFuse:karaf@root>jaas:users**.


14. In **Password**, type the password required for **User name** to log into the server.

This is the password set either in Red Hat Fuse's *installDir/etc/users.properties* file or by the karaf **jaas** commands.

15. Click **Finish**.

Runtime Server [stopped, Synchronized] appears in the **Servers** view.

16. In the **Servers** view, expand **Runtime Server [stopped, Synchronized]**:



JMX[Disconnected] appears as a node under the **Runtime Server [stopped, Synchronized]** entry.


CONFIGURING THE PUBLISHING OPTIONS

Using publishing options, you can configure how and when your **ZooOrderApp** project is published to a running server:

- Automatically, immediately upon saving changes made to the project
- Automatically, at configured intervals after you have changed and saved the project
- Manually, when you select a publish operation


In this tutorial, you configure immediate publishing upon saving changes to the **ZooOrderApp** project. To do so:

1. In the **Servers** view, double-click the **Runtime Server [stopped, Synchronized]** entry to display its overview.
2. On the server's **Overview** page, expand the **Publishing** section to expose the options.




Make sure that the option **Automatically publish when resources change** is enabled.


Optionally, change the value of **Publishing interval** to speed up or delay publishing the project when changes have been made.

3. In the **Servers** view, click .
4. Wait a few seconds for the server to start. When it does:


- The **Terminal** view displays the splash screen:




- The **Servers** view displays:



- The **JMX Navigator** displays *n.n* Runtime Server[Disconnected]:




5. In the **Servers** view, right-click *n.n* Runtime Server [Started] and then select **Add and Remove** to open the **Add and Remove** page:




Make sure the option **If server is started, publish changes immediately** is checked.

6. Select **ZooOrderApp** and click **Add** to assign it to the Fuse server:



7. Click **Finish**.

The **Servers** view should show the following:



- **Runtime Server [Started, Synchronized]**

**NOTE**

For a server, **synchronized** means that all modules published on the server are identical to their local counterparts.

- **ZooOrderApp [Started, Synchronized]**

**NOTE**


For a module, **synchronized** means that the published module is identical to its local counterpart. Because automatic publishing is enabled, changes made to the ZooOrderApp project are published in seconds (according to the value of the **Publishing interval**).

- **JMX[Disconnected]**


CONNECTING TO THE RUNTIME SERVER

After you connect to the runtime server, you can see the published elements of your **ZooOrderApp** project and interact with them.


1. In the **Servers** view, double-click **JMX[Disconnected]** to connect to the runtime server.
2. In the **JMX Navigator**, expand the **Came1** folder to expose the elements of the **ZooOrderApp**.



3. Click the **Bundles** node to populate the **Properties** view with the list of bundles installed on the runtime server:



4. In the **Search** field, type ZooOrderApp. The corresponding **com.mycompany.camel-blueprint** bundle is shown:





NOTE

Alternatively, you can issue the **osgi:list** command in the **Terminal** view to see a generated list of bundles installed on the server runtime. The tooling uses a different naming scheme for OSGi bundles displayed by the **osgi:list** command. In this case, the command returns **Camel Blueprint Quickstart**, which appears at the end of the list of installed bundles.

In the **<build>** section of project's **pom.xml** file, you can find the bundle's symbolic name and its bundle name (OSGi) listed in the **maven-bundle-plugin** entry:

```

124<build>
125  <defaultGoal>install</defaultGoal>
126  <plugins>
127    <plugin>
128      <groupId>org.apache.felix</groupId>
129      <artifactId>maven-bundle-plugin</artifactId>
130      <version>${version.maven-bundle-plugin}</version>
131      <extensions>true</extensions>
132      <configuration>
133        <instructions>
134          <Bundle-SymbolicName>ZooOrderApp</Bundle-SymbolicName>
135          <Bundle-Name>Empty Camel Blueprint Example [ZooOrderApp]</Bundle-Name></instructions></configuration>
136        </plugin>
  
```

UNINSTALLING THE ZOOORDERAPP PROJECT




NOTE

You do not need to disconnect the JMX connection or stop the server to uninstall a published resource.

To remove the **ZooOrderApp** resource from the runtime server:

1. In the **Servers** view, right-click **n.n Runtime Server** to open the context menu.
2. Select **Add and Remove**:



3. In the **Configured** column, select **ZooOrderApp**, and then click **Remove** to move the **ZooOrderApp** resource to the **Available** column.
4. Click **Finish**.
5. In the **Servers** view, right-click **JMX[Connected]** and then click **Refresh**. The **Came1** tree under **JMX[Connected]** disappears.



NOTE

In **JMX Navigator**, the **Came1** tree under **Server Connections > n.n Runtime Server[Connected]** also disappears.

6. With the **Bundles** page displayed in the **Properties** view, scroll down to the end of the list to verify that the ZooOrderApp's bundle is no longer listed.