



## Red Hat Insights 2021

# Remediating Configuration Issues Using Advisor and Ansible Playbooks

Create playbooks in the advisor service to run with your Ansible workflow



# Red Hat Insights 2021 Remediating Configuration Issues Using Advisor and Ansible Playbooks

---

Create playbooks in the advisor service to run with your Ansible workflow

## Legal Notice

Copyright © 2021 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

Create Ansible Playbooks to automate remediation of issues identified by the advisor service.

---

## Table of Contents

MAKING OPEN SOURCE MORE INCLUSIVE .....	3
PROVIDING FEEDBACK ON RED HAT HYBRID CLOUD CONSOLE DOCUMENTATION .....	4
CHAPTER 1. OVERVIEW OF INSIGHTS FOR RHEL ADVISOR SERVICE REMEDIATIONS .....	5
CHAPTER 2. MANUALLY REMEDIATING ADVISOR RECOMMENDATIONS .....	6
CHAPTER 3. CREATING ANSIBLE PLAYBOOKS TO AUTOMATE REMEDIATIONS .....	7
3.1. CREATING ANSIBLE PLAYBOOKS TO REMEDIATION MULTIPLE RECOMMENDATIONS ON AN INDIVIDUAL SYSTEM .....	7
CHAPTER 4. REFERENCE MATERIALS .....	9



## MAKING OPEN SOURCE MORE INCLUSIVE

Red Hat is committed to replacing problematic language in our code, documentation, and web properties. We are beginning with these four terms: master, slave, blacklist, and whitelist. Because of the enormity of this endeavor, these changes will be implemented gradually over several upcoming releases. For more details, see [our CTO Chris Wright's message](#).

## PROVIDING FEEDBACK ON RED HAT HYBRID CLOUD CONSOLE DOCUMENTATION

We appreciate your input on our documentation. Please let us know how we could make it better. To do so, create a Bugzilla ticket:

1. Go to the [Bugzilla](#) website.
2. As the Component, use **Documentation**.
3. Fill in the **Description** field with your suggestion for improvement. Include a link to the relevant part(s) of documentation.
4. Click **Submit Bug**.



# CHAPTER 1. OVERVIEW OF INSIGHTS FOR RHEL ADVISOR SERVICE REMEDIATIONS

The advisor service helps you resolve issues on Red Hat Enterprise Linux (RHEL) systems by providing resolution steps for each recommendation, tailored to each system. You can then remediate issues manually or create Ansible Playbooks to automate resolution procedures.

## CHAPTER 2. MANUALLY REMEDIATING ADVISOR RECOMMENDATIONS

The advisor service provides users with the steps to resolve issues manually for each rule + system pairing.

### Procedure

1. Navigate to the [Red Hat Enterprise Linux > Advisor > Systems](#) page and log in if necessary.
2. Locate and select the system on which to resolve the recommendations.
3. Locate and select the recommendation to resolve.
4. Expand the description, scroll past **Detected issues**, and view the specific **Steps to resolve** the recommendation on that system.
5. Follow the **Steps to resolve** to remediate the issue on the system.

## CHAPTER 3. CREATING ANSIBLE PLAYBOOKS TO AUTOMATE REMEDIATIONS

Users of the advisor service can create Ansible Playbooks to automate the remediation of recommendations.



### NOTE

Look for an Ansible icon, which indicates whether there is a playbook available for a specific rule + system pairing. A blue Ansible icon indicates that a playbook is available. A grey icon with a line through it indicates that a playbook is not available.

The following procedure creates a playbook to remediate an individual recommendation on systems impacted by it.

### Procedure


1. Navigate to [Red Hat Enterprise Linux > Advisor > Recommendations](#) and log in if necessary.
2. Locate and click on the recommendation to resolve.
3. In the **Affected systems** list, check the box next to each system you want to add to the playbook.
4. Click **Remediate**.
5. Select whether to add the remediations to an existing or new playbook and take the following action:
  - a. Click **Existing Playbook** and select the desired playbook from the dropdown list, OR
  - b. Click **Create new Playbook** and add a playbook name.
  - c. Click **Next**.
6. Review the information in the summary.
  - a. Scroll to the bottom of the summary and toggle **Auto Reboot** if available and desired.
  - b. Click **Create**.

### Verification steps

1. Select **Remediations** in the Insights for Red Hat Enterprise Linux services menu.
2. Locate the playbook you just created and check the box next to it.
3. Download the playbook using the **Download playbook** link.

## 3.1. CREATING ANSIBLE PLAYBOOKS TO REMEDIATION MULTIPLE RECOMMENDATIONS ON AN INDIVIDUAL SYSTEM

Users of the advisor service can create Ansible Playbooks to automate the remediation of recommendations.



## NOTE

Look for an Ansible icon, which indicates whether there is a playbook available for a specific rule + system pairing. A blue Ansible icon indicates that a playbook is available. A grey icon with a line through it indicates that a playbook is not available.

## Procedure

1. Navigate to [Red Hat Enterprise Linux > Advisor > Systems](#) and log in if necessary.
2. Locate and select the system for which to create the playbook.
3. Click the check box next to each recommendation you want to resolve.
4. Click **Remediate**.
5. Select whether to add the remediations to an existing or new playbook and take the following action:
  - a. Click **Existing Playbook** and select the desired playbook from the dropdown list, OR
  - b. Click **Create new Playbook** and add a playbook name.
  - c. Click **Next**.
6. Review the information in the summary.
  - a. Scroll to the bottom of the summary and toggle **Auto Reboot** if available and desired.
  - b. Click **Create**.

## CHAPTER 4. REFERENCE MATERIALS

To learn more about the advisor service, see the following resources:

- [Assessing Red Hat Enterprise Linux \(RHEL\) Configuration Issues Using Red Hat Insights](#)
- [Generating Advisor Service Reports](#)
- [Insights for Red Hat Enterprise Linux Documentation](#)
- [Insights for Red Hat Enterprise Linux Product Support page](#)