



Red Hat JBoss Data Grid 6.5

Feature Support Document

For use with Red Hat JBoss Data Grid 6.5.1

Red Hat JBoss Data Grid 6.5 Feature Support Document

For use with Red Hat JBoss Data Grid 6.5.1

Misha Husnain Ali
Red Hat Engineering Content Services
mhusnain@redhat.com

Christian Huffman
Red Hat Engineering Content Services
chuffman@redhat.com

Legal Notice

Copyright © 2015 Red Hat, Inc.

This document is licensed by Red Hat under the [Creative Commons Attribution-ShareAlike 3.0 Unported License](#). If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

Details JBoss Data Grid feature support and technology preview status information.

Table of Contents

CHAPTER 1. INTRODUCTION 3

1.1. ABOUT USAGE MODES 3

1.2. FEATURES AND USAGE MODES 3

APPENDIX A. REVISION HISTORY 9

CHAPTER 1. INTRODUCTION

This document clarifies some important information related to features and support for Red Hat JBoss Data Grid, such as:

- The two JBoss Data Grid Usage Modes
- Supported JBoss Data Grid features
- JBoss Data Grid features that are limited to a technology preview.

[Report a bug](#)

1.1. ABOUT USAGE MODES

Red Hat JBoss Data Grid offers two usage modes:

- Remote Client-Server mode
- Library mode

Remote Client-Server mode, which provides a managed, distributed and clusterable data grid server. Applications can remotely access the data grid server using **Hot Rod**, **memcached** or **REST** client APIs.

Library mode allows the user to build and deploy a custom runtime environment. The Library usage mode hosts a single data grid node in the applications process, with remote access to nodes hosted in other JVMs. Tested containers for JBoss Data Grid Library mode includes JBoss Enterprise Web Server and JBoss Enterprise Application Platform (see <https://access.redhat.com/articles/115883> for details about supported containers). Additionally, Library mode is supported outside the listed containers as a standalone application.

[Report a bug](#)

1.2. FEATURES AND USAGE MODES

The following table presents a list of features and indicates the usage mode for each feature. Red Hat JBoss Data Grid 6.5 includes full support for both Remote Client-Server mode and Library mode.

Table 1.1. JBoss Data Grid Features

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
File Cache Store and Loading	✓	✓
JDBC Cache Store and Loading	✓	✓
LevelDB Cache Store and Loading	✓	✓

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Cache Passivation	✓	✓
Remote Cache Store	✓	✓
Cluster Cache Store	✓	✓
Asynchronous Store	✓	✓
Cluster Configuration Using UDP	✓	✓
Cluster Configuration Using TCP	✓	✓
Mortal and Immortal Data	✓	✓
Eviction Strategy	✓	✓
Expiration	✓	✓
Unscheduled Write-behind Cache Store	✓	✓
Write-through Cache Store	✓	✓
Clustering Mode (local)	✓	✓
Clustering Mode (replicated)	✓	✓
Clustering Mode (invalidation)	✓	✓
Clustering Mode (distribution)	✓	✓

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Asynchronous Clustering Modes	✓	✓
Marshalling	✓	✓
Management Using JMX	✓	✓
Cross-Datacenter Replication and State Transfer	✓	✓
JBoss Operations Network (JON) Integration and Plugin	✓	✓
Asymmetric Cluster	✓	✓
Data Compatibility Between Client-server and Library Modes	✓	✓
Command Line Interface (CLI)	✓	✓
Role-based Access Control	✓	✓
Node Authentication and Authorization	✓	✓
Encrypted Communication Within the Cluster	✓	✓
Per Invocation Flags	✓	✓
Handling Network Partitions	✓	✓
Spring Integration	✓	✓
Apache Camel Component for JBoss Fuse	✓	✓

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Querying (by values)	✓	✓
Clustered Listeners and Notifications for Cache Events	✓	✓
Near Caching	✓	✓
JSR-107 Support	✓	✓
Deploy custom cache store to JDG Server	✓	
Connection Pooling with JDBC Cache Stores	✓	
REST Interface	✓	
Memcached Interface	✓	
Hot Rod Java client	✓	
Hot Rod C++ Client	✓	
Hot Rod .NET Client	✓	
Data Compatibility Between Client-server Protocols	✓	
Data Compatibility Between Hot Rod Java and C++ Client	✓	
Rolling Upgrades for Hot Rod Cluster	✓	
Rolling Upgrades for REST Clusters	✓	

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Authentication and Encryption over Hot Rod (Java client)	✓	
JBoss Data Grid's Hot Rod Client as a JBoss EAP Module	✓	
Externalizing HTTP sessions from JBoss EAP 6 to remote JDG cluster	✓	
CDI		✓
READ_COMMITTED and REPEATABLE_READ Isolation Modes		✓
Lazy Deserialization		✓
Asynchronous API		✓
Using the infinispan.xml File in Conjunction with APIs		✓
Custom Interceptors		✓
Grouping API		✓
Java Transactional API (JTA) Support and Configuration		✓
Java Transactional API (JTA) Deadlock Detection		✓
Transaction Recovery		✓
Transaction and Batching		✓
Key Affinity		✓

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Distributed Execution Framework with Map/Reduce		✓
JPA Cache Store		✓
JBoss Data Grid as a JBoss EAP Module		✓
JDG as Lucene Directory		✓

[Report a bug](#)

APPENDIX A. REVISION HISTORY

Revision 6.5.0-3 Updating for 6.5.1 release.	Mon Sep 14 2015	Christian Huffman
Revision 6.5.0-2 Removed Technology Preview notes. Updated Feature table.	Fri 05 June 2015	Christian Huffman
Revision 6.5.0-1 Updated Technology Preview notes.	Wed 06 May 2015	Christian Huffman
Revision 6.5.0-0 BZ-1188921: Removed C# from tech preview.	Mon 04 May 2015	Rakesh Ghatvisave