



# **Red Hat JBoss Developer Studio 8.0**

## **Update Red Hat JBoss Developer Studio**

Information for users updating JBoss Developer Studio



# Red Hat JBoss Developer Studio 8.0 Update Red Hat JBoss Developer Studio

---

Information for users updating JBoss Developer Studio

Red Hat Customer Content Services

## Legal Notice

Copyright © 2014 Red Hat, Inc.

This document is licensed by Red Hat under the [Creative Commons Attribution-ShareAlike 3.0 Unported License](#). If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

This document details how to update JBoss Developer Studio.

---

## Table of Contents

1. UPDATE A JBOSS DEVELOPER STUDIO 7.X OR EARLIER INSTALLATION .....	2
2. UPDATE A JBOSS DEVELOPER STUDIO 8.0.X INSTALLATION .....	2
3. UPDATE THE VERSION OF ECLIPSE USED WITH JBOSS DEVELOPER STUDIO BYOE .....	3
A. REVISION HISTORY .....	5

## 1. UPDATE A JBOSS DEVELOPER STUDIO 7.X OR EARLIER INSTALLATION

It is not possible to update an existing JBoss Developer Studio 7.x or earlier installation to JBoss Developer Studio 8.0. This is because they are based on different versions of Eclipse; for example, JBoss Developer Studio 7.x is based on Eclipse Kepler (4.3) but JBoss Developer Studio 8.0 is based on Eclipse Luna (4.4).

To use JBoss Developer Studio 8.0, you must do one of the following:

- For JBoss Developer Studio stand-alone, install a fresh instance of JBoss Developer Studio 8.0 stand-alone.
- For JBoss Developer Studio Bring-Your-Own-Eclipse (BYOE), update Eclipse to version Luna (4.4) and install a fresh instance of JBoss Developer Studio 8.0 BYOE.

For information on installing JBoss Developer Studio, see [Install Red Hat JBoss Developer Studio](#).



### WARNING

Before using JBoss Developer Studio 8.0 with a workspace generated by an earlier version of the IDE, you are advised to back up the workspace. In addition to your project files, your workspace contains meta-data about customized settings and preferences for the IDE. To back up your workspace, either copy the workspace directory to a backup location or save it as a compressed file.



### NOTE

You can use different versions of JBoss Developer Studio stand-alone or JBoss Developer Studio BYOE alongside each other by installing them in different directories or installing them onto different Eclipse instances, respectively.

[Report a bug](#)

## 2. UPDATE A JBOSS DEVELOPER STUDIO 8.0.X INSTALLATION

You can update an existing JBoss Developer Studio 8.0.x installation to JBoss Developer Studio 8.0.y. This is because they are based on the same base version of Eclipse, namely Luna (4.4).



## WARNING


Before updating, you are advised to back up your workspace. In addition to your project files, your workspace contains meta-data about customized settings and preferences for the IDE. To back up your workspace, either copy the workspace directory to a backup location or save it as a compressed file.

You may be automatically notified by the IDE when the JBoss Developer Studio 8.0.y update is available, depending on your IDE settings for automatic updates. Alternatively, instructions are given here for manually checking for and applying the JBoss Developer Studio 8.0.y update.

To manually locate and apply the JBoss Developer Studio 8.0.y update, complete the following steps:

1. In the IDE, click **Window** → **Preferences**, expand **Install/Update** and click **Available Software Sites**.
2. In the **Available Software Sites** table, ensure the URL <https://devstudio.redhat.com/updates/8.0/> is listed or, if not listed, add it.
3. Close the **Preferences** window.
4. Click **Help** → **Check for Updates**.
5. For any JBoss Developer Studio updates found, follow the on-screen instructions to apply the update.

During the update process you may receive warnings about installing unsigned content. If this is the case, review the details of the content and if satisfied click **OK** to continue with the update. Once updating is complete, you are prompted to restart the IDE. Click **Yes** to restart immediately and **No** if you need to save any unsaved changes to open projects. Note that IDE changes do not take effect until the IDE is restarted.



## IMPORTANT

If you have installed additional plug-ins from JBoss Central and updated versions of these plug-ins are available with this release of JBoss Developer Studio, you must update the plug-ins independently after first updating JBoss Developer Studio. To install the updated version of an already installed plug-in, from the JBoss Central **Software/Update** tab select to install the plug-in as if it is new and follow the installation wizard instructions.

[Report a bug](#)

## 3. UPDATE THE VERSION OF ECLIPSE USED WITH JBOSS DEVELOPER STUDIO BYOE

JBoss Developer Studio 8.0 Bring-Your-Own-Eclipse (BYOE) supports Eclipse Luna only. If you update the version of Eclipse you are using to Mars (4.5) or later and install JBoss Developer Studio 8.0 BYOE onto it, any problems that occur from this combination are not supported by Red Hat.

Information about the supported versions of Eclipse for each JBoss Developer Studio BYOE release is given in the table below.

**Table 1. JBoss Developer Studio BYOE Releases and Supported Eclipse Versions**

JBoss Developer Studio BYOE Release	Supported Eclipse Version
JBoss Developer Studio 8.x	Eclipse Luna (4.4)
JBoss Developer Studio 7.x	Eclipse Kepler (4.3)
JBoss Developer Studio 6.x	Eclipse Juno (4.2)

[Report a bug](#)



## A. REVISION HISTORY

<b>Revision 8.0.1-1</b> TOOLSDOC-580: Updated to 8.0.x	<b>Tue Jan 20 2015</b>	<b>Supriya Bharadwaj</b>
<b>Revision 8.0.0-5</b> JBQA-11231: Available software sites URL updated	<b>Mon Dec 08 2014</b>	<b>Michelle Murray</b>
<b>Revision 8.0.0-4</b> TOOLSDOC-571: Updating to 8.0.1 info added	<b>Fri Dec 05 2014</b>	<b>Michelle Murray</b>
<b>Revision 8.0.0-2</b> Generated for 8.0.0 release	<b>Wed Oct 15 2014</b>	<b>Michelle Murray</b>