



Red Hat JBoss Developer Studio Integration Stack 9.0 Installation Guide

Installing Red Hat JBoss Developer Studio Integration Stack

Misha Husnain Ali Supriya Bharadwaj
Red Hat Developer Group Documentation
Team

Red Hat JBoss Developer Studio Integration Stack 9.0 Installation Guide

Installing Red Hat JBoss Developer Studio Integration Stack

Misha Husnain Ali
mhusnain@redhat.com

Supriya Bharadwaj
sbharadw@redhat.com

Legal Notice

Copyright © 2017 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This document details steps to install Red Hat JBoss Developer Studio Integration Stack.

Table of Contents

CHAPTER 1. INSTALLATION OPTIONS	3
CHAPTER 2. SYSTEM REQUIREMENTS	4
CHAPTER 3. UPDATING JBOSS DEVELOPER STUDIO INTEGRATION STACK	5
CHAPTER 4. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK USING THE STANDALONE . . . INSTALLER	6
CHAPTER 5. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN ECLIPSE WHEN ONLINE	8
CHAPTER 6. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN ECLIPSE WHEN OFFLINE	10
CHAPTER 7. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN JBOSS DEVELOPER WHEN ONLINE	12
CHAPTER 8. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN JBOSS DEVELOPER WHEN OFFLINE	14
CHAPTER 9. UNINSTALLATION OPTIONS	16
9.1. UNINSTALLING AN ENTIRE CATEGORY OF JBOSS DEVELOPER STUDIO INTEGRATION STACK	16
9.2. UNINSTALLING A SINGLE FEATURE OF JBOSS DEVELOPER STUDIO INTEGRATION STACK	16

CHAPTER 1. INSTALLATION OPTIONS

Red Hat JBoss Developer Studio Integration Stack is provided as a set of plug-ins for Eclipse or JBoss Developer Studio. Depending on whether you are already using Eclipse or JBoss Developer Studio, there are a variety of ways of installing JBoss Developer Studio Integration Stack and instructions are given here for each variation:

- ✱ [Chapter 4, Installing JBoss Developer Studio Integration Stack Using the Standalone Installer](#)
- ✱ [Chapter 5, Installing JBoss Developer Studio Integration Stack in Eclipse when Online](#)
- ✱ [Chapter 6, Installing JBoss Developer Studio Integration Stack in Eclipse when Offline](#)
- ✱ [Chapter 7, Installing JBoss Developer Studio Integration Stack in JBoss Developer when Online](#)
- ✱ [Chapter 8, Installing JBoss Developer Studio Integration Stack in JBoss Developer when Offline](#)



Note

To install Eclipse, see <https://eclipse.org/users/> on the Eclipse website. To install JBoss Developer Studio BYOE or standalone, see the Install Red Hat JBoss Developer Studio document for the relevant version on the [Red Hat JBoss Developer Studio documentation page](#).



Important

A variety of Eclipse installations are available, each with a different default configuration and selection of pre-installed plug-ins. For using JBoss Developer Studio Integration Stack, it is recommended that you use the variant Eclipse Mars for Java EE Developers.

CHAPTER 2. SYSTEM REQUIREMENTS

This release of JBoss Developer Studio is supported for use with a range of operating system, architecture and Java developer kit combinations; for a complete list, see [Red Hat JBoss Developer Studio Supported Configurations and Components](#) on the Red Hat Customer Portal.

To install and run this release of JBoss Developer Studio, the following memory requirements are recommended:

- ✿ 4 GB RAM
- ✿ 2 GB of hard disk space



Note

The minimum memory requirements are 2 GB RAM and 1 GB of hard disk space.

CHAPTER 3. UPDATING JBOSS DEVELOPER STUDIO INTEGRATION STACK

Each major version of JBoss Developer Studio Integration Stack is based on a different version of Eclipse. As a result, it is not possible to update an older major version of JBoss Developer Studio Integration Stack to a newer major version. For example, it is not possible to update an existing JBoss Developer Studio Integration Stack 8.x or earlier installation to JBoss Developer Studio Integration Stack 9.x. because JBoss Developer Studio Integration Stack 8.x is based on Eclipse Luna (4.4) but JBoss Developer Studio Integration Stack 9.x is based on Eclipse Mars (4.5).

You may be automatically notified by the IDE when an update for the next minor version is available, depending on your IDE settings for automatic updates. To check for updates, click **Help** → **Check for Updates**.

CHAPTER 4. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK USING THE STANDALONE INSTALLER

Use the standalone installer to install JBoss Developer Studio Integration Stack with all the latest versions of the integration stack components:

- ✧ JBoss Developer Studio
- ✧ JBoss Fuse & JBoss Fuse Service Works
- ✧ JBoss Data Virtualization
- ✧ JBoss Fuse Service Works
- ✧ JBoss Business Rules Management System (BRMS)
- ✧ JBoss Business Process Management Suite (BPM Suite)



Important

The embeddable version of Xulrunner works with GTK2, but not with GTK3. As a result, the SWT (Standard Widget Toolkit) Browser, which is used for documentation in JBoss Fuse tooling and Javadocs in the Java Editor, does not work.


The workaround for this issue is to install WebKitGTK when using GTK3. An additional workaround is to enable GTK2 and use it instead of GTK3. Note that the browser widget does not work with Red Hat Enterprise Linux 7 or supported Fedora version because they do not have WebKitGTK installed by default.

Further information on what SWT Browser does in Eclipse is available here:
<https://www.eclipse.org/swt/faq.php#browserlinux>

To install JBoss Developer Studio Integration Stack using the Standalone Installer:

1. Download the JBoss Developer Studio Integration Stack Standalone Installer file from the Customer Portal and run the file.
2. Agree to the terms and conditions and specify a target installation directory and a target JDK for the installation.
3. At the **Select Additional Features to Install** screen, select the required components:

Figure 4.1. Select Additional Features to Install



4. Click **Next** to continue the installation process until the process completes.

When done, JBoss Developer Studio Integration Stack and the integration stack components are ready to use.

CHAPTER 5. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN ECLIPSE WHEN ONLINE

JBoss Developer Studio Integration Stack is available to install in Eclipse when you are online. All components except JBoss SOA 5.x can be installed from the Eclipse Marketplace. Installing these components also installs JBoss Developer Studio 9.1.

Important

The embeddable version of Xulrunner works with GTK2, but not with GTK3. As a result, the SWT (Standard Widget Toolkit) Browser, which is used for documentation in JBoss Fuse tooling and Javadocs in the Java Editor, does not work.

The workaround for this issue is to install WebKitGTK when using GTK3. An additional workaround is to enable GTK2 and use it instead of GTK3. Note that the browser widget does not work with Red Hat Enterprise Linux 7 or supported Fedora version because they do not have WebKitGTK installed by default.

Further information on what SWT Browser does in Eclipse is available here: <https://www.eclipse.org/swt/faq.php#browserlinux>

To install JBoss Developer Studio Integration Stack in Eclipse when online:

1. Start **Eclipse Mars for Java EE Developers**.
2. Click **Help** → **Eclipse Marketplace**, locate **Red Hat JBoss Developer Studio Integration Stack** and click **Install**.
3. Select the components that you want to install.
 - a. For JBoss BRMS and JBoss BPM Suite, select **JBoss Business and Rules Development (BPEL, BPMN2, jBPM, Drools, Guvnor)**
 - b. For JBoss Data Virtualization, select **JBoss Data Virtualization Development (Modeshape, Teiid Designer)**
 - c. For JBoss Fuse, select **JBoss Fuse Development (Fuse tooling related to Camel route development)**
 - d. For JBoss Fuse Service Works, select **JBoss Integration and SOA Development**
 - e. JBoss SOA 5.x is deprecated from JBoss Developer Studio Integration Stack 9.0.0 onwards. As a result, JBoss SOA 5.x is not available in the Eclipse Marketplace. To install JBoss SOA 5.x:
 - i. Install any JBoss Developer Studio or JBoss Developer Studio Integration Stack component from the Eclipse Marketplace (as instructed in step 2).
 - ii. Click **Help** → **Red Hat Central**.
 - iii. In the **Red Hat Central** tab, click the **Software/Install** tab at the bottom.

- iv. In the list of components, check the * JBoss SOA 5.x Development (Deprecated)* option and click **Install/Update**.

4. Follow the on-screen instructions to complete the installation process.

During the installation process, warnings about installing unsigned content may display. If this is the case, review the details of the content and if satisfied click OK to continue with the installation.

Warning

The IDE changes do not take effect until the IDE is restarted and the IDE may be unstable until it is restarted.

Once installed, complete the additional configuration actions before you can use the JBoss Developer Studio Integration Stack functionality. For plug-in specific configuration information, see the appropriate Red Hat JBoss product documentation available from the [Red Hat Customer Portal](#).

CHAPTER 6. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN ECLIPSE WHEN OFFLINE

To install JBoss Developer Studio Integration Stack in Eclipse when offline:

Important

The embeddable version of Xulrunner works with GTK2, but not with GTK3. As a result, the SWT (Standard Widget Toolkit) Browser, which is used for documentation in JBoss Fuse tooling and Javadocs in the Java Editor, does not work.

The workaround for this issue is to install WebKitGTK when using GTK3. An additional workaround is to enable GTK2 and use it instead of GTK3. Note that the browser widget does not work with Red Hat Enterprise Linux 7 or supported Fedora version because they do not have WebKitGTK installed by default.

Further information on what SWT Browser does in Eclipse is available here:
<https://www.eclipse.org/swt/faq.php#browserlinux>

1. Locate and download the following files:
 - ✳ **Red Hat JBoss Developer Studio 9.1.0.GA Update Site Zip** file from <https://devstudio.redhat.com/9.0/stable/updates/>
 - ✳ **Red Hat JBoss Developer Studio Integration Stack 9.0.3.GA Update Site Zip** file from <https://devstudio.redhat.com/9.0/stable/updates/integration-stack/>
2. Start **Eclipse Mars for Java EE Developers**.
3. Click **Window** → **Preferences** → **Install/Update** → **Available Software Sites**.
4. Click **Add**, click **Archive** to locate the JBoss Developer Studio Update **.zip** file, select the file and click **OK**.
5. Click **OK** again to close the **Preferences** window.
6. Click **Help** → **Install New Software**.
7. Next to the **Work with** field, click **Add** and click **Archive** to locate the **Red Hat JBoss Developer Studio Integration Stack 9.0.3.GA Update Site Zip** file.
8. From the table of categories, select the JBoss Developer Studio Integration Stack functionality you want to install:
 - ✳ For JBoss BRMS and JBoss BPM Suite, select **JBoss Business and Rules Development**
 - ✳ For JBoss Data Virtualization, select **JBoss Data Virtualization Development**
 - ✳ For JBoss Fuse, select **JBoss Fuse Development**
 - ✳ For JBoss Fuse Service Works, select **JBoss Integration and SOA Development**
 - ✳ For JBoss SOA 5.x Development, select **JBoss SOA 5.x Development (Deprecated)**

**Note**

SOA 5.x is being deprecated starting from JBoss Developer Studio Integration Stack 9.0.0.GA.

9. Click **Next**.

10. Follow the on-screen instructions to complete the installation process.

During the installation process, you may receive warnings about installing unsigned content. If this is the case, review the details of the content and if satisfied click **OK** to continue with the installation.

Once installation is complete, you are prompted to restart the IDE. Click **Yes** to restart immediately and **No** if you need to save any unsaved changes to open projects.

Warning

The IDE changes do not take effect until the IDE is restarted and the IDE may be unstable until it is restarted.

CHAPTER 7. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN JBOSS DEVELOPER WHEN ONLINE

JBoss Developer Studio Integration Stack is available to install from JBoss Developer Studio, through Red Hat Central **Software/Update** tab, when online.



Important

To install JBoss Developer Studio Integration Stack as detailed in the steps below, it is essential that you have an instance of JBoss Developer Studio installed. For detailed steps to install JBoss Developer Studio refer to [Install Red Hat JBoss Developer Studio](#).



Important

The embeddable version of Xulrunner works with GTK2, but not with GTK3. As a result, the SWT (Standard Widget Toolkit) Browser, which is used for documentation in JBoss Fuse tooling and Javadocs in the Java Editor, does not work.

The workaround for this issue is to install WebKitGTK when using GTK3. An additional workaround is to enable GTK2 and use it instead of GTK3. Note that the browser widget does not work with Red Hat Enterprise Linux 7 or supported Fedora version because they do not have WebKitGTK installed by default.

Further information on what SWT Browser does in Eclipse is available here: <https://www.eclipse.org/swt/faq.php#browserlinux>

To install JBoss Developer Studio Integration Stack in JBoss Developer Studio when online, complete the following steps:

1. Start JBoss Developer Studio 9.1.
2. In Red Hat Central, click the **Software/Update** tab. If Red Hat Central is not visible, click **Window** → **Red Hat Central**.
3. In the list of available software, locate **JBoss Developer Studio Integration Stack**.
4. Select the check boxes corresponding to the JBoss Developer Studio Integration Stack functionality you want to install:
 - ✦ For JBoss Fuse, select **JBoss Fuse Development**
 - ✦ For JBoss Data Virtualization, select **JBoss Data Virtualization Development**
 - ✦ For JBoss BRMS and JBoss BPM Suite, select **JBoss Business and Rules Development**
 - ✦ For JBoss Fuse Service Works, select **JBoss Integration and SOA Development**
 - ✦ For JBoss SOA 5.x Development, select **JBoss SOA 5.x Development (Deprecated)**



Note

SOA 5.x is being deprecated starting from JBoss Developer Studio Integration Stack 9.0.0.GA.

5. Click **Install/Update**.
6. Follow the on-screen instructions to complete the installation process.

Warning

The IDE changes do not take effect until the IDE is restarted and the IDE may be unstable until it is restarted.

Once installed, you may need to complete additional configuration actions before you can use the JBoss Developer Studio Integration Stack functionality. For plug-in specific configuration information, see the appropriate Red Hat JBoss product documentation available from the [Red Hat Customer Portal](#)



Important

If you choose to install only selected functionality of a JBoss Developer Studio Integration Stack category, for example only **ModeShape Client** from the **JBoss Data Virtualization Development** category, then the category continues to be listed as uninstalled in the JBoss Central **Software/Update** tab.

CHAPTER 8. INSTALLING JBOSS DEVELOPER STUDIO INTEGRATION STACK IN JBOSS DEVELOPER WHEN OFFLINE

Important

To install JBoss Developer Studio Integration Stack as detailed in the steps below, it is essential that you have an instance of JBoss Developer Studio installed. For detailed steps to install JBoss Developer Studio refer to [Install Red Hat JBoss Developer Studio](#).

Important

The embeddable version of Xulrunner works with GTK2, but not with GTK3. As a result, the SWT (Standard Widget Toolkit) Browser, which is used for documentation in JBoss Fuse tooling and Javadocs in the Java Editor, does not work.

The workaround for this issue is to install WebKitGTK when using GTK3. An additional workaround is to enable GTK2 and use it instead of GTK3. Note that the browser widget does not work with Red Hat Enterprise Linux 7 or supported Fedora version because they do not have WebKitGTK installed by default.

Further information on what SWT Browser does in Eclipse is available here: <https://www.eclipse.org/swt/faq.php#browserlinux>

To install JBoss Developer Studio Integration Stack in JBoss Developer Studio when offline:

1. Locate and download the **Red Hat JBoss Developer Studio Integration Stack 9.0.3.GA Update Site Zip** file from <https://devstudio.redhat.com/9.0/stable/updates/integration-stack/>
2. Start JBoss Developer Studio 9.1.
3. Click **Help** → **Install New Software**.
4. Next to the **Work with** field, click **Add** and click **Archive** to locate the **Red Hat JBoss Developer Studio Integration Stack 9.0.3.GA Update Site Zip** file.
5. From the table of categories, select the JBoss Developer Studio Integration Stack functionality you want to install:
 - ✦ For JBoss BRMS and JBoss BPM Suite, select **JBoss Business and Rules Development**
 - ✦ For JBoss Data Virtualization, select **JBoss Data Virtualization Development**
 - ✦ For JBoss Fuse, select **JBoss Fuse Development**
 - ✦ For JBoss Fuse Service Works, select **JBoss Integration and SOA Development**
 - ✦ For JBoss SOA 5.x Development, select **JBoss SOA 5.x Development (Deprecated)**

**Note**

SOA 5.x is being deprecated starting from JBoss Developer Studio Integration Stack 9.0.0.GA.

6. Click **Next**.

7. Follow the on-screen instructions to complete the installation process.

During the installation process, you may receive warnings about installing unsigned content. If this is the case, review the details of the content and if satisfied click **OK** to continue with the installation.

Once installation is complete, you are prompted to restart the IDE. Click **Yes** to restart immediately and **No** if you need to save any unsaved changes to open projects.

Warning

The IDE changes do not take effect until the IDE is restarted and the IDE may be unstable until it is restarted.

CHAPTER 9. UNINSTALLATION OPTIONS

After concluding development in one of the Red Hat JBoss Developer Studio Integration Stack tooling plug-ins, you can choose to uninstall either an entire category of plug-ins, or individual plug-ins. Removing one or more plug-ins that are no longer required provides continued stability and ensures continued optimal performance due to a smaller memory footprint. Uninstall a category of features to remove all related features in an efficient manner, or select individual plug-ins to remove for a customized uninstall process.

- ✦ To uninstall an entire category of features, refer to [Section 9.1, “Uninstalling an Entire Category of JBoss Developer Studio Integration Stack”](#)
- ✦ To uninstall a single feature, refer to [Section 9.2, “Uninstalling a Single Feature of JBoss Developer Studio Integration Stack”](#)

9.1. UNINSTALLING AN ENTIRE CATEGORY OF JBOSS DEVELOPER STUDIO INTEGRATION STACK

To uninstall an entire category of JBoss Developer Studio Integration Stack:

1. In Red Hat Central, click the **Software/Update** tab.



Note

If Red Hat Central is not visible, click **Window** → **Red Hat Central**.

2. Click the **Show installed** check box.
3. In the **Features Available** list, locate **JBoss Developer Studio Integration Stack**.
4. Select the check boxes corresponding to the JBoss Developer Studio Integration Stack category to uninstall:
 - ✦ For JBoss Data Virtualization, select **JBoss Data Virtualization Development**
 - ✦ For JBoss BRMS and JBoss BPM Suite, select **JBoss Business and Rules Development**
 - ✦ For JBoss SOA Platform 5.x, select **JBoss SOA 5.x Development**
 - ✦ For JBoss Fuse Service Works, select **JBoss Integration and SOA Development**
 - ✦ For JBoss Fuse, select **JBoss Fuse Development**
5. Click **Uninstall**.
6. Follow the on-screen instructions to complete the process of uninstalling the selected category.
7. Restart the IDE to implement the changes. An immediate restart is recommended because the IDE may be unstable until a restart.

9.2. UNINSTALLING A SINGLE FEATURE OF JBOSS DEVELOPER STUDIO INTEGRATION STACK

JBoss Developer Studio Integration Stack

To uninstall a single feature of JBoss Developer Studio Integration Stack:

1. Click **Help** → **Installation Details**.
2. In the search field type the feature to uninstall.
3. Click the feature to uninstall and click **Uninstall**.

**Note**

To delete more than one feature select the features while you press the Shift key.

4. Follow the on-screen instructions to complete the process of uninstalling the selected feature.
5. Restart the IDE to implement the changes. An immediate restart is recommended because the IDE may be unstable until a restart.