



## Red Hat JBoss Web Server 5.3

# Red Hat JBoss Web Server 5.3 Service pack 2 Release Notes

For Use with the Red Hat JBoss Web Server 5.3



# Red Hat JBoss Web Server 5.3 Red Hat JBoss Web Server 5.3 Service pack 2 Release Notes

---

For Use with the Red Hat JBoss Web Server 5.3

## Legal Notice

Copyright © 2020 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

These release notes contain important information related to the Red Hat JBoss Web Server 5.3.

---

## Table of Contents

CHAPTER 1. REDHAT JBOSS WEB SERVER 5.3 SERVICE PACK 2 .....	3
CHAPTER 2. INSTALLING THE RED HAT JBOSS WEB SERVER 5.3 .....	4
CHAPTER 3. UPGRADING RED HAT JBOSS WEB SERVER USING THIS SERVICE PACK .....	5
CHAPTER 4. OS/JVM CERTIFICATIONS .....	6
CHAPTER 5. SUPPORT FOR RED HAT JBOSS WEB SERVER ON IBM Z .....	7
CHAPTER 6. SECURITY FIXES .....	8
CHAPTER 7. RESOLVED ISSUES .....	9
CHAPTER 8. KNOWN ISSUES .....	10
CHAPTER 9. COMPONENTS INCLUDED IN RED HAT JBOSS WEB SERVER 5.3 .....	11



# CHAPTER 1. REDHAT JBOSS WEB SERVER 5.3 SERVICE PACK

## 2

Welcome to the Red Hat JBoss Web Server version 5.3 Service Pack 2 release.

Red Hat JBoss Web Server is a fully integrated and certified set of components for hosting Java web applications. It consists of a web server (Apache HTTP Server), an application server (Apache Tomcat Servlet container), load balancers (mod\_jk and mod\_cluster), and the Tomcat Native Library. A short description of key components is given below:

- **Apache tomcat:** a servlet container in accordance with the Java Servlet Specification. JBoss Web Server contains Apache Tomcat 9.
- **Apache tomcat native library:** a Tomcat library, which improves Tomcat scalability, performance, and integration with native server technologies.
- **tomcat-vault:** an extension for the JBoss Web Server used for securely storing passwords and other sensitive information used by a JBoss Web Server.
- **mod\_cluster** library: a library that allows communication between Apache Tomcat and the Apache HTTP Server's mod\_proxy\_cluster module. This allows the Apache HTTP Server to be used as a load balancer for JBoss Web Server. For information on the configuration of mod\_cluster, or for information on the installation and configuration of the alternative load balancers mod\_jk and mod\_proxy, see the [HTTP Connectors and Load Balancing Guide](#).
- **Apache portable runtime(APR):** A runtime which provides superior scalability, performance, and improved integration with native server technologies. APR is a highly portable library that is at the heart of Apache HTTP Server 2.x. It enables access to advanced IO functionality (for example: sendfile, epoll and OpenSSL), Operating System level functionality (for example: random number generation and system status), and native process handling (shared memory, NT pipes and Unix sockets).
- **OpenSSL:** A software library which implements the Secure Sockets Layer (SSL) and Transport Layer Security (TLS) protocols and includes a basic cryptographic library.

This release of JBoss Web Server covers, few major security updates.

## CHAPTER 2. INSTALLING THE RED HAT JBOSS WEB SERVER 5.3

The JBoss Web Server 5.3 can be installed using one of the following sections of the installation guide:

- [Installing JBoss Web Server on Red Hat Enterprise Linux](#) .
- [Installing JBoss Web Server on Microsoft Windows](#) .



## CHAPTER 3. UPGRADING RED HAT JBOSS WEB SERVER USING THIS SERVICE PACK

To install this service pack:

1. Download the Red Hat JBoss Web Server 5.3 Service Pack 2 file (**.zip** format) appropriate to your platform using the download link [here \(subscription required\)](#).
2. Extract the **.zip** file to the Red Hat JBoss Web Server installation directory.

For Red Hat Enterprise Linux users who have installed Red Hat JBoss Web Server from RPM packages, can upgrade to the latest service pack using yum:

```
# yum upgrade
```

## CHAPTER 4. OS/JVM CERTIFICATIONS

Operating System	Chipset Architecture	Java Virtual Machine
Red Hat Enterprise Linux 8	x86_64	Red Hat OpenJDK 1.8.x, Red Hat OpenJDK 11, OracleJDK 11
Red Hat Enterprise Linux 7	x86_64	Red Hat OpenJDK 1.8.x, Red Hat OpenJDK 11, Oracle JDK 1.8.x, Oracle JDK 11, IBM JDK 1.8.x
Red Hat Enterprise Linux 7	x86_64	OpenJ9 11
Red Hat Enterprise Linux 6	x86_64, x86	Red Hat OpenJDK 1.8.x, Oracle JDK 1.8.x, Oracle JDK 11( <b>x86_64 Only</b> ), IBM JDK 1.8.x
Microsoft Windows 2016 Server	x86_64	Red Hat OpenJDK 1.8.x, Red Hat OpenJDK 11, Oracle JDK 1.8.x, Oracle JDK 11
Microsoft Windows 2012 Server R2	x86_64	Red Hat OpenJDK 1.8.x, Red Hat OpenJDK 11, Oracle JDK 1.8.x, Oracle JDK 11

## CHAPTER 5. SUPPORT FOR RED HAT JBOSS WEB SERVER ON IBM Z

The Red Hat JBoss Web Server for s390x platform is supported only in OpenShift environments provisioned on IBM Z infrastructure. Running the Red Hat JBoss Web Server on a stand-alone installation of RHEL on IBM Z is not supported. Different images are supported for different architectures. The example codes in this guide demonstrate the commands for x86\_64 architecture. If you are using other architectures, specify the relevant image name in the commands. See the [Red Hat Container Catalog](#) for more information about images.

## CHAPTER 6. SECURITY FIXES

This update includes fixes for the following security related issues:

ID	Impact	Summary
<a href="#">CVE-2020-13934</a>	Important	tomcat: OutOfMemoryException caused by HTTP/2 connection leak could lead to DoS
<a href="#">CVE-2020-13935</a>	Important	tomcat: multiple requests with invalid payload length in a WebSocket frame could lead to DoS

---

## CHAPTER 7. RESOLVED ISSUES

Issue	Description
<a href="#">JWS-1754</a>	Use latest released apr and openssl from JBSCS

## CHAPTER 8. KNOWN ISSUES

There are no known issues this release.

## CHAPTER 9. COMPONENTS INCLUDED IN RED HAT JBOSS WEB SERVER 5.3

Red Hat JBoss Web Server 5.3 Service Pack 2 includes the following components:

Component	Version
Apache CXF	3.3.2
Apache Tomcat 9	9.0.30
ECJ	4.12.0
Hibernate	5.3.10
JBoss logging	3.3.2
libapr	1.6.3
mod_cluster	1.4.1.Final
OpenSSL	1.1.1c
Tomcat-Native	1.2.23
Tomcat-Vault	1.1.8.Final