



## Red Hat Process Automation Manager 7.2

Deploying a Red Hat Process Automation  
Manager authoring environment on Red Hat  
OpenShift Container Platform



# Red Hat Process Automation Manager 7.2 Deploying a Red Hat Process Automation Manager authoring environment on Red Hat OpenShift Container Platform

---

Red Hat Customer Content Services

[brms-docs@redhat.com](mailto:brms-docs@redhat.com)

## Legal Notice

Copyright © 2020 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

This document describes how to deploy a Red Hat Process Automation Manager 7.2 authoring environment on Red Hat OpenShift Container Platform.

# Table of Contents

<b>PREFACE</b> .....	<b>4</b>
<b>CHAPTER 1. OVERVIEW OF RED HAT PROCESS AUTOMATION MANAGER ON RED HAT OPENSIFT CONTAINER PLATFORM</b> .....	<b>5</b>
<b>CHAPTER 2. PREPARING TO DEPLOY RED HAT PROCESS AUTOMATION MANAGER IN YOUR OPENSIFT ENVIRONMENT</b> .....	<b>7</b>
2.1. ENSURING THE AVAILABILITY OF IMAGE STREAMS AND THE IMAGE REGISTRY	7
2.2. CREATING THE SECRETS FOR PROCESS SERVER	8
2.3. CREATING THE SECRETS FOR BUSINESS CENTRAL	8
2.4. CHANGING GLUSTERFS CONFIGURATION	9
<b>CHAPTER 3. AUTHORIZING ENVIRONMENT</b> .....	<b>11</b>
3.1. DEPLOYING A SINGLE AUTHORIZING ENVIRONMENT	11
3.2. DEPLOYING A HIGH-AVAILABILITY AUTHORIZING ENVIRONMENT	16
3.3. PROVIDING THE LDAP ROLE MAPPING FILE	22
3.4. PROVIDING THE GIT HOOKS DIRECTORY	23
3.5. MODIFYING THE TEMPLATE FOR THE SINGLE AUTHORIZING ENVIRONMENT	24
3.6. MODIFYING THE TEMPLATE FOR THE HIGH AVAILABILITY AUTHORIZING ENVIRONMENT	26
3.7. BUILDING A CUSTOM PROCESS SERVER IMAGE FOR AN EXTERNAL DATABASE	27
<b>CHAPTER 4. OPENSIFT TEMPLATE REFERENCE INFORMATION</b> .....	<b>30</b>
4.1. RHPAM72-AUTHORIZING.YAML TEMPLATE	30
4.1.1. Parameters	30
4.1.2. Objects	44
4.1.2.1. Services	44
4.1.2.2. Routes	44
4.1.2.3. Deployment Configurations	44
4.1.2.3.1. Triggers	45
4.1.2.3.2. Replicas	45
4.1.2.3.3. Pod Template	45
4.1.2.3.3.1. Service Accounts	45
4.1.2.3.3.2. Image	45
4.1.2.3.3.3. Readiness Probe	45
4.1.2.3.3.4. Liveness Probe	46
4.1.2.3.3.5. Exposed Ports	46
4.1.2.3.3.6. Image Environment Variables	46
4.1.2.3.3.7. Volumes	63
4.1.2.4. External Dependencies	64
4.1.2.4.1. Volume Claims	64
4.1.2.4.2. Secrets	64
4.2. RHPAM72-AUTHORIZING-HA.YAML TEMPLATE	64
4.2.1. Parameters	64
4.2.2. Objects	81
4.2.2.1. Services	81
4.2.2.2. Routes	82
4.2.2.3. Deployment Configurations	82
4.2.2.3.1. Triggers	82
4.2.2.3.2. Replicas	83
4.2.2.3.3. Pod Template	83
4.2.2.3.3.1. Service Accounts	83
4.2.2.3.3.2. Image	84

4.2.2.3.3.3. Readiness Probe	84
4.2.2.3.3.4. Liveness Probe	84
4.2.2.3.3.5. Exposed Ports	85
4.2.2.3.3.6. Image Environment Variables	85
4.2.2.3.3.7. Volumes	105
4.2.2.4. External Dependencies	105
4.2.2.4.1. Volume Claims	105
4.2.2.4.2. Secrets	106
4.2.2.4.3. Clustering	106
4.3. OPENSIFT USAGE QUICK REFERENCE	107
<b>APPENDIX A. VERSIONING INFORMATION</b> .....	<b>109</b>



# PREFACE

As a system engineer, you can deploy a Red Hat Process Automation Manager authoring environment on Red Hat OpenShift Container Platform to provide a platform for development of services, process applications, and other business assets.

## Prerequisites

- At least four gigabytes of memory must be available in the OpenShift cluster/namespace.
- The OpenShift project for the deployment must be created.
- You must be logged in to the project using the **oc** command. For more information about the **oc** command-line tool, see the OpenShift [CLI Reference](#). If you want to use the OpenShift Web console to deploy templates, you must also be logged on using the Web console.
- Dynamic persistent volume (PV) provisioning must be enabled. Alternatively, if dynamic PV provisioning is not enabled, enough persistent volumes must be available. By default, the following sizes are required:
  - The replicated set of Process Server pods requires one 1Gi PV for the database by default. You can change the database PV size in the template parameters. This requirement does not apply if you use an external database server.
  - Business Central requires one 1Gi PV by default. You can change the PV size for Business Central persistent storage in the template parameters.
- If you intend to use the Authoring High Availability template, which scales the Business Central pod:
  - The image streams for Red Hat AMQ version 7.1 or later are available in your OpenShift environment.
  - Your OpenShift environment supports persistent volumes with ReadWriteMany mode. For information about access mode support in OpenShift Online volume plug-ins, see [Access Modes](#).



# CHAPTER 1. OVERVIEW OF RED HAT PROCESS AUTOMATION MANAGER ON RED HAT OPENSIFT CONTAINER PLATFORM

You can deploy Red Hat Process Automation Manager into a Red Hat OpenShift Container Platform environment.

In this solution, components of Red Hat Process Automation Manager are deployed as separate OpenShift pods. You can scale each of the pods up and down individually, providing as few or as many containers as necessary for a particular component. You can use standard OpenShift methods to manage the pods and balance the load.

The following key components of Red Hat Process Automation Manager are available on OpenShift:

- Process Server, also known as *Execution Server* or *KIE Server*, is the infrastructure element that runs decision services, process applications, and other deployable assets (collectively referred to as *services*). All logic of the services runs on execution servers.

A database server is normally required for Process Server. You can provide a database server in another OpenShift pod or configure an execution server on OpenShift to use any other database server. Alternatively, Process Server can use an H2 database; in this case, the pod cannot be scaled.

You can freely scale up a Process Server pod, providing as many copies as necessary, running on the same host or different hosts. As you scale a pod up or down, all its copies use the same database server and run the same services. OpenShift provides load balancing and a request can be handled by any of the pods.

You can deploy a separate Process Server pod to run a different group of services. That pod can also be scaled up or down. You can have as many separate replicated Process Server pods as necessary.

- Business Central is a web-based interactive environment for authoring services. It also provides a management and monitoring console. You can use Business Central to develop services and deploy them to Process Servers. You can also use Business Central to monitor the execution of processes.

Business Central is a centralized application. However, you can configure it for high availability, where multiple pods run and share the same data.

Business Central includes a Git repository that holds the source for the services that you develop on it. It also includes a built-in Maven repository. Depending on configuration, Business Central can place the compiled services (KJAR files) into the built-in Maven repository or (if configured) into an external Maven repository.



## IMPORTANT

In the current version, high-availability Business Central functionality is a technology preview.

- Business Central Monitoring is a web-based management and monitoring console. It can manage deployment of services to Process Servers and provide monitoring information, but does not include authoring capabilities. You can use this component to manage staging and production environments.
- Smart Router is an optional layer between Process Servers and other components that interact with them. It is required if you want Business Central or Business Central Monitoring to interact with several different Process Servers. Also, when your environment includes many services

running on different Process Servers, Smart Router provides a single endpoint to all client applications. A client application can make a REST API call requiring any service. Smart Router automatically determines which Process Server must be called for any particular request.

You can arrange these and other components into various environment configurations within OpenShift.

The following environment types are typical:

- *Authoring*: An environment for creating and modifying services using Business Central. It consists of pods that provide Business Central for the authoring work and a Process Server for test execution of the services. For instructions about deploying this environment, see [Deploying a Red Hat Process Automation Manager authoring environment on Red Hat OpenShift Container Platform](#).
- *Managed deployment*: An environment for running existing services for staging and production purposes. This environment includes several groups of Process Server pods; you can deploy and undeploy services on every such group and also scale the group up or down as necessary. Use Business Central Monitoring to deploy, run, and stop the services and to monitor their execution. For instructions about deploying this environment, see [Deploying a Red Hat Process Automation Manager managed server environment on Red Hat OpenShift Container Platform](#).
- *Deployment with immutable servers*: An alternate environment for running existing services for staging and production purposes. In this environment, when you deploy a Process Server pod, it builds an image that loads and starts a service or group of services. You cannot stop any service on the pod or add any new service to the pod. If you want to use another version of a service or modify the configuration in any other way, you deploy a new server image and displace the old one. In this system, the Process Server runs like any other pod on the OpenShift environment; you can use any container-based integration workflows and do not need to use any other tools to manage the pods. Optionally, you can use Business Central Monitoring to monitor the performance of the environment and to stop and restart some of the service instances, but not to deploy additional services to any Process Server or undeploy any existing ones (you can not add or remove containers). For instructions about deploying this environment, see [Deploying a Red Hat Process Automation Manager immutable server environment on Red Hat OpenShift Container Platform](#).

You can also deploy a *trial* or evaluation environment. This environment includes Business Central and a Process Server. You can set it up quickly and use it to evaluate or demonstrate developing and running assets. However, the environment does not use any persistent storage, and any work you do in the environment is not saved. For instructions about deploying this environment, see [Deploying a Red Hat Process Automation Manager trial environment on Red Hat OpenShift Container Platform](#).

To deploy a Red Hat Process Automation Manager environment on OpenShift, you can use the templates that are provided with Red Hat Process Automation Manager. You can modify the templates to ensure that the configuration suits your environment.

## CHAPTER 2. PREPARING TO DEPLOY RED HAT PROCESS AUTOMATION MANAGER IN YOUR OPENSIFT ENVIRONMENT

Before deploying Red Hat Process Automation Manager in your OpenShift environment, you need to complete several preparatory tasks. You do not need to repeat these tasks if you want to deploy additional images, for example, for new versions of processes or for other processes.

### 2.1. ENSURING THE AVAILABILITY OF IMAGE STREAMS AND THE IMAGE REGISTRY

To deploy Red Hat Process Automation Manager components of Red Hat OpenShift Container Platform, you must ensure that OpenShift can download the correct images from the Red Hat registry. To download the images, OpenShift requires the information about their location (known as *image streams*). OpenShift also must be configured to authenticate with the Red Hat registry using your service account user name and password.

Some versions of the OpenShift environment include the required image streams. You must check if they are available. If image streams are available in OpenShift by default, you can use them if the OpenShift infrastructure is configured for registry authentication server. The administrator must complete the registry authentication configuration when installing the OpenShift environment.

Otherwise, you can configure registry authentication in your own project and install the image streams in the same project.

#### Procedure

1. Determine whether Red Hat OpenShift Container Platform was configured with the user name and password for Red Hat registry access. For details about the required configuration, see [Configuring a Registry Location](#). If you are using an OpenShift Online subscription, it is configured for Red Hat registry access.
2. If Red Hat OpenShift Container Platform was configured with the user name and password for Red Hat registry access, run the following commands:

```
$ oc get imagestreamtag -n openshift | grep rhpam72-businesscentral  
$ oc get imagestreamtag -n openshift | grep rhpam72-kieserver
```

If the outputs of both commands are not empty, the required image streams are available in the **openshift** namespace and no further action is required.

3. If the output of one or both of the commands is empty or if OpenShift was not configured with the user name and password for Red Hat registry access, complete the following steps:
  - a. Ensure you are logged in to OpenShift with the **oc** command and that your project is active.
  - b. Complete the steps documented in [Registry Service Accounts for Shared Environments](#). You must log on to Red Hat Customer Portal to access the document and to complete the steps to create a registry service account.
  - c. Select the **OpenShift Secret** tab and click the link under **Download secret** to download the YAML secret file.
  - d. View the downloaded file and note the name that is listed in the **name:** entry.

- e. Run the following commands:

```
oc create -f <file_name>.yaml
oc secrets link default <secret_name> --for=pull
oc secrets link builder <secret_name> --for=pull
```

Where **<file\_name>** is the name of the downloaded file and **<secret\_name>** is the name that is listed in the **name:** entry of the file.

- f. Download the **rhcam-7.2.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page and extract the **rhcam72-image-streams.yaml** file.
- g. Complete one of the following actions:
- Run the following command:

```
$ oc create -f rhcam72-image-streams.yaml
```

- Using the OpenShift Web UI, select **Add to Project** → **Import YAML / JSON** and then choose the file or paste its contents.



#### NOTE

If you complete these steps, you install the image streams into the namespace of your project. If you install the image streams using these steps, you must set the **IMAGE\_STREAM\_NAMESPACE** parameter to the name of this project when deploying templates.

## 2.2. CREATING THE SECRETS FOR PROCESS SERVER

OpenShift uses objects called **Secrets** to hold sensitive information, such as passwords or keystores. See the [Secrets chapter](#) in the OpenShift documentation for more information.

You must create an SSL certificate for Process Server and provide it to your OpenShift environment as a secret.

### Procedure

1. Generate an SSL keystore with a private and public key for SSL encryption for Process Server. In a production environment, generate a valid signed certificate that matches the expected URL of the Process Server. Save the keystore in a file named **keystore.jks**. Record the name of the certificate and the password of the keystore file. See [Generate a SSL Encryption Key and Certificate](#) for more information on how to create a keystore with self-signed or purchased SSL certificates.
2. Use the **oc** command to generate a secret named **kieserver-app-secret** from the new keystore file:

```
$ oc create secret generic kieserver-app-secret --from-file=keystore.jks
```

## 2.3. CREATING THE SECRETS FOR BUSINESS CENTRAL

If you are planning to deploy Business Central or Business Central Monitoring in your OpenShift environment, you must create an SSL certificate for Business Central and provide it to your OpenShift

environment as a secret. Do not use the same certificate and keystore for Business Central and for Process Server.

### Procedure

1. Generate an SSL keystore with a private and public key for SSL encryption for Business Central. In a production environment, generate a valid signed certificate that matches the expected URL of the Business Central. Save the keystore in a file named **keystore.jks**. Record the name of the certificate and the password of the keystore file.  
See [Generate a SSL Encryption Key and Certificate](#) for more information on how to create a keystore with self-signed or purchased SSL certificates.
2. Use the **oc** command to generate a secret named **businesscentral-app-secret** from the new keystore file:

```
$ oc create secret generic businesscentral-app-secret --from-file=keystore.jks
```

## 2.4. CHANGING GLUSTERFS CONFIGURATION

Check whether your OpenShift environment uses GlusterFS to provide permanent storage volumes. If it uses GlusterFS, to ensure optimal performance, tune your GlusterFS storage by changing the storage class configuration.

### Procedure

1. To check whether your environment uses GlusterFS, run the following command:

```
oc get storageclass
```

In the results, check whether the **(default)** marker is on the storage class that lists **glusterfs**. For example, in the following output the default storage class is **gluster-container**, which does list **glusterfs**:

NAME	PROVISIONER	AGE
gluster-block	gluster.org/glusterblock	8d
gluster-container (default)	kubernetes.io/glusterfs	8d

If the result has a default storage class that does not list **glusterfs** or if the result is empty, you do not need to make any changes. In this case, skip the rest of this procedure.

2. To save the configuration of the default storage class into a YAML file, run the following command:

```
oc get storageclass <class-name> -o yaml >storage_config.yaml
```

Where **class-name** is the name of the default storage class. For example:

```
oc get storageclass gluster-container -o yaml >storage_config.yaml
```

3. Edit the **storage\_config.yaml** file:
  - a. Remove the lines with the following keys:

- **creationTimestamp**

- **resourceVersion**
- **selfLink**
- **uid**

- b. On the line with the **volumeoptions** key, add the following two options: **features.cache-invalidation on, performance.nl-cache on**. For example:

```
volumeoptions: client.ssl off, server.ssl off, features.cache-invalidation on,  
performance.nl-cache on
```

4. To remove the existing default storage class, run the following command:

```
oc delete storageclass <class-name>
```

Where **class-name** is the name of the default storage class. For example:

```
oc delete storageclass gluster-container
```

5. To re-create the storage class using the new configuration, run the following command:

```
oc create -f storage_config.yaml
```

## CHAPTER 3. AUTHORIZING ENVIRONMENT

You can deploy an environment for creating and modifying processes using Business Central. It consists of Business Central for the authoring work and Process Server for test execution of the processes.

Depending on your needs, you can deploy either a single authoring environment or a high-availability (HA) authoring environment.

A single authoring environment contains two pods. One of the pods runs Business Central, the other runs Process Server. The Process Server includes an embedded in-memory H2 database engine. This type of environment uses the least possible amount of resources. However, because of the in-memory database, restarting the Process Server pod leads to loss of all process information.

An HA authoring environment contains several pods. Both Business Central and Process Server are provided in scalable pods that can run in parallel and share persistent storage. The database is provided by a separate high-availability service. Use a high-availability authoring environment to provide maximum reliability and responsiveness, especially if several users are involved in authoring at the same time.



### IMPORTANT

In the current version, the high-availability functionality is a technology preview.

### 3.1. DEPLOYING A SINGLE AUTHORIZING ENVIRONMENT

To deploy a single authoring environment, use the **rhcam72-authoring.yaml** template file.

You can extract this file from the **rhcam-7.2.0-openshift-templates.zip** product deliverable file. You can download the file from the [Software Downloads](#) page.

If you want to modify the environment defined by the template file, see [Section 3.5, “Modifying the template for the single authoring environment”](#).

#### Procedure

1. Use one of the following methods to deploy the template:
  - In the OpenShift Web UI, select **Add to Project** → **Import YAML / JSON** and then select or paste the **rhcam72-authoring.yaml** file. In the **Add Template** window, ensure **Process the template** is selected and click **Continue**.
  - To use the OpenShift command line console, prepare the following command line:

```
oc new-app -f <template-path>/rhcam72-authoring.yaml -p
BUSINESS_CENTRAL_HTTPS_SECRET=businesscentral-app-secret -p
KIE_SERVER_HTTPS_SECRET=kieserver-app-secret
```

In this command line:

- Replace **<template-path>** with the path to the downloaded template file.
  - Use as many **-p PARAMETER=value** pairs as needed to set the required parameters. You can view the template file to see descriptions for all parameters.
2. Set the following parameters as necessary:

- **Business Central Server Keystore Secret Name** (**BUSINESS\_CENTRAL\_HTTPS\_SECRET**): The name of the secret for Business Central, as created in [Section 2.3, "Creating the secrets for Business Central"](#).
  - **KIE Server Keystore Secret Name**(**KIE\_SERVER\_HTTPS\_SECRET**): The name of the secret for Process Server, as created in [Section 2.2, "Creating the secrets for Process Server"](#).
  - **Application Name** (**APPLICATION\_NAME**): The name of the OpenShift application. It is used in the default URLs for Business Central and Process Server. OpenShift uses the application name to create a separate set of deployment configurations, services, routes, labels, and artifacts. You can deploy several applications using the same template into the same project, as long as you use different application names. Also, the application name determines the name of the server configuration (server template) on the Business Central that the Process Server is to join.
  - **Business Central Server Certificate Name**(**BUSINESS\_CENTRAL\_HTTPS\_NAME**): The name of the certificate in the keystore that you created in [Section 2.3, "Creating the secrets for Business Central"](#).
  - **Business Central Server Keystore Password** (**BUSINESS\_CENTRAL\_HTTPS\_PASSWORD**): The password for the keystore that you created in [Section 2.3, "Creating the secrets for Business Central"](#).
  - **KIE Server Certificate Name**(**KIE\_SERVER\_HTTPS\_NAME**): The name of the certificate in the keystore that you created in [Section 2.2, "Creating the secrets for Process Server"](#).
  - **KIE Server Keystore Password** (**KIE\_SERVER\_HTTPS\_PASSWORD**): The password for the keystore that you created in [Section 2.2, "Creating the secrets for Process Server"](#).
  - **ImageStream Namespace** (**IMAGE\_STREAM\_NAMESPACE**): The namespace where the image streams are available. If the image streams were already available in your OpenShift environment (see [Section 2.1, "Ensuring the availability of image streams and the image registry"](#)), the namespace is **openshift**. If you have installed the image streams file, the namespace is the name of the OpenShift project.  
You can also set the following user names and passwords:
  - **KIE Admin User** (**KIE\_ADMIN\_USER**) and **KIE Admin Password** (**KIE\_ADMIN\_PWD**): The user name and password for the administrative user in Business Central.
  - **KIE Server User** (**KIE\_SERVER\_USER**) and **KIE Server Password** (**KIE\_SERVER\_PWD**): The user name and password that a client application must use to connect to the Process Server.
3. If you want to place the built KJAR files into an external Maven repository, set the following parameters:
- **Maven repository URL** (**MAVEN\_REPO\_URL**): The URL for the Maven repository.
  - **Maven repository username** (**MAVEN\_REPO\_USERNAME**): The user name for the Maven repository.
  - **Maven repository password** (**MAVEN\_REPO\_PASSWORD**): The password for the Maven repository.
  - **Maven repository ID** (**MAVEN\_REPO\_ID**): The Maven ID, which must match the **id** setting for the Maven repository.





## IMPORTANT

To export or push Business Central projects as KJAR artifacts to the external Maven repository, you must also add the repository information in the **pom.xml** file for every project. For information about exporting Business Central projects to an external repository, see [Packaging and deploying a Red Hat Process Automation Manager project](#).

4. You can use Git hooks to facilitate interaction between the internal Git repository of Business Central and an external Git repository. To configure Git hooks, set the following parameter:
  - **Git hooks directory (GIT\_HOOKS\_DIR)**: The fully qualified path to a Git hooks directory, for example, **/opt/eap/standalone/data/kie/git/hooks**. You must provide the content of this directory and mount it at the specified path; for instructions, see [Section 3.4, "Providing the Git hooks directory"](#).
5. If you want to use RH-SSO or LDAP authentication, complete the following additional configuration. Do not configure LDAP authentication and RH-SSO authentication in the same deployment.
  - a. In the RH-SSO or LDAP service, create all user names in the deployment parameters. If you do not set any of the parameters, create users with the default user names. The created users must also be assigned to roles:
    - **KIE\_ADMIN\_USER**: default user name **adminUser**, roles: **kie-server,rest-all,admin**
    - **KIE\_SERVER\_CONTROLLER\_USER**: default user name **controllerUser**, roles: **kie-server,rest-all,guest**
    - **BUSINESS\_CENTRAL\_MAVEN\_USERNAME** (not needed if you configure the use of an external Maven repository): default user name **mavenUser**. No roles are required.
    - **KIE\_SERVER\_USER**: default user name **executionUser**, roles **kie-server,rest-all,guest**
  - b. If you want to configure Red Hat Single Sign On (RH-SSO) authentication, an RH-SSO realm that applies to Red Hat Process Automation Manager must exist. Process Server. If the client does not yet exist, the template can create it during deployment. Clients within RH-SSO must also exist for Business Central and for Process Server. If the clients do not yet exist, the template can create them during deployment. For the user roles that you can configure in RH-SSO, see [Roles and users](#).

Use one of the following procedures:

- i. If the clients for Red Hat Process Automation Manager within RH-SSO already exist, set the following parameters in the template:
  - **RH-SSO URL (SSO\_URL)**: The URL for RH-SSO.
  - **RH-SSO Realm name (SSO\_REALM)**: The RH-SSO realm for Red Hat Process Automation Manager.
  - **Business Central RH-SSO Client name (BUSINESS\_CENTRAL\_SSO\_CLIENT)**: The RH-SSO client name for Business Central.

- **Business Central RH-SSO Client Secret** (**BUSINESS\_CENTRAL\_SSO\_SECRET**): The secret string that is set in RH-SSO for the client for Business Central.
  - **KIE Server RH-SSO Client name**(**KIE\_SERVER\_SSO\_CLIENT**): The RH-SSO client name for Process Server.
  - **KIE Server RH-SSO Client Secret**(**KIE\_SERVER\_SSO\_SECRET**): The secret string that is set in RH-SSO for the client for Process Server.
  - **RH-SSO Disable SSL Certificate Validation** (**SSO\_DISABLE\_SSL\_CERTIFICATE\_VALIDATION**): Set to **true** if your RH-SSO installation does not use a valid HTTPS certificate.
- ii. To create the clients for Red Hat Process Automation Manager within RH-SSO, set the following parameters in the template:
- **RH-SSO URL** (**SSO\_URL**): The URL for RH-SSO.
  - **RH-SSO Realm name** (**SSO\_REALM**): The RH-SSO realm for Red Hat Process Automation Manager.
  - **Business Central RH-SSO Client name**(**BUSINESS\_CENTRAL\_SSO\_CLIENT**): The name of the client to create in RH-SSO for Business Central.
  - **Business Central RH-SSO Client Secret** (**BUSINESS\_CENTRAL\_SSO\_SECRET**): The secret string to set in RH-SSO for the client for Business Central.
  - **Business Central Custom http Route Hostname** (**BUSINESS\_CENTRAL\_HOSTNAME\_HTTP**): The fully qualified host name to use for the HTTP endpoint for Business Central. If you need to create a client in RH-SSO, you can not leave this parameter blank.
  - **Business Central Custom https Route Hostname** (**BUSINESS\_CENTRAL\_HOSTNAME\_HTTPS**): The fully qualified host name to use for the HTTPS endpoint for Business Central. If you need to create a client in RH-SSO, you can not leave this parameter blank.
  - **KIE Server RH-SSO Client name**(**KIE\_SERVER\_SSO\_CLIENT**): The name of the client to create in RH-SSO for Process Server.
  - **KIE Server RH-SSO Client Secret**(**KIE\_SERVER\_SSO\_SECRET**): The secret string to set in RH-SSO for the client for Process Server.
  - **KIE Server Custom http Route Hostname**(**KIE\_SERVER\_HOSTNAME\_HTTP**): The fully qualified host name to use for the HTTP endpoint for Process Server. If you need to create a client in RH-SSO, you can not leave this parameter blank.
  - **KIE Server Custom https Route Hostname** (**KIE\_SERVER\_HOSTNAME\_HTTPS**): The fully qualified host name to use for the HTTPS endpoint for Process Server. If you need to create a client in RH-SSO, you can not leave this parameter blank.
  - **RH-SSO Realm Admin Username**(**SSO\_USERNAME**) and **RH-SSO Realm Admin Password** (**SSO\_PASSWORD**): The user name and password for the realm administrator user for the RH-SSO realm for Red Hat Process Automation Manager.

- **RH-SSO Disable SSL Certificate Validation** (**SSO\_DISABLE\_SSL\_CERTIFICATE\_VALIDATION**): Set to **true** if your RH-SSO installation does not use a valid HTTPS certificate.
- c. To configure LDAP, set the **AUTH\_LDAP\*** parameters of the template. These parameters correspond to the settings of the LdapExtended Login module of Red Hat JBoss EAP. For instructions about using these settings, see [LdapExtended Login Module](#). If the LDAP server does not define all the roles required for your deployment, you can map LDAP groups to Red Hat Process Automation Manager roles. To enable LDAP role mapping, set the following parameters:
- **RoleMapping rolesProperties file path** (**AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES**): The fully qualified pathname of a file that defines role mapping, for example, **/opt/eap/standalone/configuration/rolemapping/rolemapping.properties**. You must provide this file and mount it at this path in all applicable deployment configurations; for instructions, see [Section 3.3, "Providing the LDAP role mapping file"](#).
  - **RoleMapping replaceRole property** (**AUTH\_ROLE\_MAPPER\_REPLACE\_ROLE**): If set to **true**, mapped roles replace the roles defined on the LDAP server; if set to **false**, both mapped roles and roles defined on the LDAP server are set as user application roles. The default setting is **false**.
6. If you modified the template to use an external database server for the Process Server, as described in [Section 3.5, "Modifying the template for the single authoring environment"](#), set the following parameters:
- **KIE Server External Database Driver** (**KIE\_SERVER\_EXTERNALDB\_DRIVER**): The driver for the server, depending on the server type:
    - mysql
    - postgresql
    - mariadb
    - mssql
    - db2
    - oracle
    - sybase
  - **KIE Server External Database User** (**KIE\_SERVER\_EXTERNALDB\_USER**) and **KIE Server External Database Password** (**KIE\_SERVER\_EXTERNALDB\_PWD**): The user name and password for the external database server.
  - **KIE Server External Database URL** (**KIE\_SERVER\_EXTERNALDB\_HOST**): The JDBC URL for the external database server.
  - **KIE Server External Database Dialect** (**KIE\_SERVER\_EXTERNALDB\_DIALECT**): The Hibernate dialect for the server, depending on the server type:
    - **org.hibernate.dialect.MySQL5Dialect** (used for MySQL and MariaDB)
    - **org.hibernate.dialect.PostgreSQLDialect**


- **org.hibernate.dialect.SQLServer2012Dialect** (used for MS SQL)
  - **org.hibernate.dialect.DB2Dialect**
  - **org.hibernate.dialect.Oracle12cDialect**
  - **org.hibernate.dialect.SybaseASE15Dialect**
  - **KIE Server External Database Host(KIE\_SERVER\_EXTERNALDB\_HOST)**: The host name of the external database server.
  - **KIE Server External Database Port(KIE\_SERVER\_EXTERNALDB\_PORT)**: The port number of the external database server.
  - **KIE Server External Database name(KIE\_SERVER\_EXTERNALDB\_DB)**: The database name to use on the external database server.
7. If you created a custom image for using an external database server other than MySQL or PostgreSQL, as described in [Section 3.7, “Building a custom Process Server image for an external database”](#), set the KIE Server Image Stream Name (**KIE\_SERVER\_IMAGE\_STREAM\_NAME**) parameter to the following value:
- For Microsoft SQL Server, **rhpm72-kieserver-mssql-openshift**
  - For MariaDB, **rhpm72-kieserver-mariadb-openshift**
  - For IBM DB2, **rhpm72-kieserver-db2-openshift**
  - For Oracle Database, **rhpm72-kieserver-oracle-openshift**
  - For Sybase, **rhpm72-kieserver-sybase-openshift**
8. Complete the creation of the environment, depending on the method that you are using:
- In the OpenShift Web UI, click **Create**.
    - If the **This will create resources that may have security or project behavior implications** message appears, click **Create Anyway**.
  - Complete and run the command line.

## 3.2. DEPLOYING A HIGH-AVAILABILITY AUTHORIZING ENVIRONMENT

To deploy a high-availability authoring environment, use the **rhpm72-authoring-ha.yaml** template file.

You can download the file from the [Software Downloads](#) page.

If you want to modify the environment defined by the template file, see [Section 3.6, “Modifying the template for the High Availability authoring environment”](#).



### IMPORTANT

In the current version, the high-availability functionality is a technology preview.

#### Procedure

1. Use one of the following methods to deploy the template:

- In the OpenShift Web UI, select **Add to Project** → **Import YAML / JSON** and then select or paste the `rhpm72-authoring-ha.yaml` file. In the **Add Template** window, ensure **Process the template** is selected and click **Continue**.
- To use the OpenShift command line console, prepare the following command line:

```
oc new-app -f <template-path>/rhpm72-authoring-ha.yaml -p
BUSINESS_CENTRAL_HTTPS_SECRET=businesscentral-app-secret -p
KIE_SERVER_HTTPS_SECRET=kieserver-app-secret
```

In this command line:

- Replace **<template-path>** with the path to the downloaded template file.
  - Use as many **-p PARAMETER=value** pairs as needed to set the required parameters. You can view the template file to see descriptions for all parameters.
2. Set the following parameters as necessary:
- **Business Central Server Keystore Secret Name** (**BUSINESS\_CENTRAL\_HTTPS\_SECRET**): The name of the secret for Business Central, as created in [Section 2.3, "Creating the secrets for Business Central"](#).
  - **KIE Server Keystore Secret Name** (**KIE\_SERVER\_HTTPS\_SECRET**): The name of the secret for Process Server, as created in [Section 2.2, "Creating the secrets for Process Server"](#).
  - **Application Name** (**APPLICATION\_NAME**): The name of the OpenShift application. It is used in the default URLs for Business Central and Process Server. OpenShift uses the application name to create a separate set of deployment configurations, services, routes, labels, and artifacts. You can deploy several applications using the same template into the same project, as long as you use different application names. Also, the application name determines the name of the server configuration (server template) on the Business Central that the Process Server is to join.
  - **Business Central Server Certificate Name** (**BUSINESS\_CENTRAL\_HTTPS\_NAME**): The name of the certificate in the keystore that you created in [Section 2.3, "Creating the secrets for Business Central"](#).
  - **Business Central Server Keystore Password** (**BUSINESS\_CENTRAL\_HTTPS\_PASSWORD**): The password for the keystore that you created in [Section 2.3, "Creating the secrets for Business Central"](#).
  - **KIE Server Certificate Name** (**KIE\_SERVER\_HTTPS\_NAME**): The name of the certificate in the keystore that you created in [Section 2.2, "Creating the secrets for Process Server"](#).
  - **KIE Server Keystore Password** (**KIE\_SERVER\_HTTPS\_PASSWORD**): The password for the keystore that you created in [Section 2.2, "Creating the secrets for Process Server"](#).
  - **ImageStream Namespace** (**IMAGE\_STREAM\_NAMESPACE**): The namespace where the image streams are available. If the image streams were already available in your OpenShift environment (see [Section 2.1, "Ensuring the availability of image streams and the image registry"](#)), the namespace is **openshift**. If you have installed the image streams file, the namespace is the name of the OpenShift project.
- You can also set the following user names and passwords:

- **KIE Admin User (KIE\_ADMIN\_USER)** and **KIE Admin Password (KIE\_ADMIN\_PWD)**: The user name and password for the administrative user in Business Central.
  - **KIE Server User (KIE\_SERVER\_USER)** and **KIE Server Password (KIE\_SERVER\_PWD)**: The user name and password that a client application must use to connect to the Process Server.
3. If you want to place the built KJAR files into an external Maven repository, set the following parameters:
- **Maven repository URL (MAVEN\_REPO\_URL)**: The URL for the Maven repository.
  - **Maven repository username (MAVEN\_REPO\_USERNAME)**: The user name for the Maven repository.
  - **Maven repository password (MAVEN\_REPO\_PASSWORD)**: The password for the Maven repository.
  - **Maven repository ID (MAVEN\_REPO\_ID)**: The Maven ID, which must match the **id** setting for the Maven repository.



### IMPORTANT

To export or push Business Central projects as KJAR artifacts to the external Maven repository, you must also add the repository information in the **pom.xml** file for every project. For information about exporting Business Central projects to an external repository, see [Packaging and deploying a Red Hat Process Automation Manager project](#).

4. You can use Git hooks to facilitate interaction between the internal Git repository of Business Central and an external Git repository. To configure Git hooks, set the following parameter:
- **Git hooks directory (GIT\_HOOKS\_DIR)**: The fully qualified path to a Git hooks directory, for example, **/opt/eap/standalone/data/kie/git/hooks**. You must provide the content of this directory and mount it at the specified path; for instructions, see [Section 3.4, "Providing the Git hooks directory"](#).
5. If you want to use RH-SSO or LDAP authentication, complete the following additional configuration. Do not configure LDAP authentication and RH-SSO authentication in the same deployment.
- a. In the RH-SSO or LDAP service, create all user names in the deployment parameters. If you do not set any of the parameters, create users with the default user names. The created users must also be assigned to roles:
    - **KIE\_ADMIN\_USER**: default user name **adminUser**, roles: **kie-server,rest-all,admin**
    - **KIE\_SERVER\_CONTROLLER\_USER**: default user name **controllerUser**, roles: **kie-server,rest-all,guest**
    - **BUSINESS\_CENTRAL\_MAVEN\_USERNAME** (not needed if you configure the use of an external Maven repository): default user name **mavenUser**. No roles are required.
    - **KIE\_SERVER\_USER**: default user name **executionUser**, roles **kie-server,rest-all,guest**
  - b. If you want to configure Red Hat Single Sign On (RH-SSO) authentication, an RH-SSO

realm that applies to Red Hat Process Automation Manager must exist. Process Server. If the client does not yet exist, the template can create it during deployment. Clients within RH-SSO must also exist for Business Central and for Process Server. If the clients do not yet exist, the template can create them during deployment.

For the user roles that you can configure in RH-SSO, see [Roles and users](#).

Use one of the following procedures:

- i. If the clients for Red Hat Process Automation Manager within RH-SSO already exist, set the following parameters in the template:

- **RH-SSO URL (SSO\_URL):** The URL for RH-SSO.
- **RH-SSO Realm name (SSO\_REALM):** The RH-SSO realm for Red Hat Process Automation Manager.
- **Business Central RH-SSO Client name (BUSINESS\_CENTRAL\_SSO\_CLIENT):** The RH-SSO client name for Business Central.
- **Business Central RH-SSO Client Secret (BUSINESS\_CENTRAL\_SSO\_SECRET):** The secret string that is set in RH-SSO for the client for Business Central.
- **KIE Server RH-SSO Client name (KIE\_SERVER\_SSO\_CLIENT):** The RH-SSO client name for Process Server.
- **KIE Server RH-SSO Client Secret (KIE\_SERVER\_SSO\_SECRET):** The secret string that is set in RH-SSO for the client for Process Server.
- **RH-SSO Disable SSL Certificate Validation (SSO\_DISABLE\_SSL\_CERTIFICATE\_VALIDATION):** Set to **true** if your RH-SSO installation does not use a valid HTTPS certificate.

- ii. To create the clients for Red Hat Process Automation Manager within RH-SSO, set the following parameters in the template:

- **RH-SSO URL (SSO\_URL):** The URL for RH-SSO.
- **RH-SSO Realm name (SSO\_REALM):** The RH-SSO realm for Red Hat Process Automation Manager.
- **Business Central RH-SSO Client name (BUSINESS\_CENTRAL\_SSO\_CLIENT):** The name of the client to create in RH-SSO for Business Central.
- **Business Central RH-SSO Client Secret (BUSINESS\_CENTRAL\_SSO\_SECRET):** The secret string to set in RH-SSO for the client for Business Central.
- **Business Central Custom http Route Hostname (BUSINESS\_CENTRAL\_HOSTNAME\_HTTP):** The fully qualified host name to use for the HTTP endpoint for Business Central. If you need to create a client in RH-SSO, you can not leave this parameter blank.
- **Business Central Custom https Route Hostname (BUSINESS\_CENTRAL\_HOSTNAME\_HTTPS):** The fully qualified host name to use for the HTTPS endpoint for Business Central. If you need to create a client in RH-SSO, you can not leave this parameter blank.

- **KIE Server RH-SSO Client name(KIE\_SERVER\_SSO\_CLIENT)**: The name of the client to create in RH-SSO for Process Server.
  - **KIE Server RH-SSO Client Secret(KIE\_SERVER\_SSO\_SECRET)**: The secret string to set in RH-SSO for the client for Process Server.
  - **KIE Server Custom http Route Hostname(KIE\_SERVER\_HOSTNAME\_HTTP)**: The fully qualified host name to use for the HTTP endpoint for Process Server. If you need to create a client in RH-SSO, you can not leave this parameter blank.
  - **KIE Server Custom https Route Hostname (KIE\_SERVER\_HOSTNAME\_HTTPS)**: The fully qualified host name to use for the HTTPS endpoint for Process Server. If you need to create a client in RH-SSO, you can not leave this parameter blank.
  - **RH-SSO Realm Admin Username (SSO\_USERNAME) and RH-SSO Realm Admin Password (SSO\_PASSWORD)**: The user name and password for the realm administrator user for the RH-SSO realm for Red Hat Process Automation Manager.
  - **RH-SSO Disable SSL Certificate Validation (SSO\_DISABLE\_SSL\_CERTIFICATE\_VALIDATION)**: Set to **true** if your RH-SSO installation does not use a valid HTTPS certificate.
- c. To configure LDAP, set the **AUTH\_LDAP\*** parameters of the template. These parameters correspond to the settings of the LdapExtended Login module of Red Hat JBoss EAP. For instructions about using these settings, see [LdapExtended Login Module](#). If the LDAP server does not define all the roles required for your deployment, you can map LDAP groups to Red Hat Process Automation Manager roles. To enable LDAP role mapping, set the following parameters:
- **RoleMapping rolesProperties file path (AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES)**: The fully qualified pathname of a file that defines role mapping, for example, **/opt/eap/standalone/configuration/rolemapping/rolemapping.properties**. You must provide this file and mount it at this path in all applicable deployment configurations; for instructions, see [Section 3.3, "Providing the LDAP role mapping file"](#).
  - **RoleMapping replaceRole property (AUTH\_ROLE\_MAPPER\_REPLACE\_ROLE)**: If set to **true**, mapped roles replace the roles defined on the LDAP server; if set to **false**, both mapped roles and roles defined on the LDAP server are set as user application roles. The default setting is **false**.
6. If you modified the template to use an external database server for the Process Server, as described in [Section 3.6, "Modifying the template for the High Availability authoring environment"](#), set the following parameters:
- **KIE Server External Database Driver(KIE\_SERVER\_EXTERNALDB\_DRIVER)**: The driver for the server, depending on the server type:
    - mysql
    - postgresql
    - mariadb
    - mssql



- db2
  - oracle
  - sybase
  - **KIE Server External Database User**(**KIE\_SERVER\_EXTERNALDB\_USER**) and **KIE Server External Database Password** (**KIE\_SERVER\_EXTERNALDB\_PWD**): The user name and password for the external database server.
  - **KIE Server External Database URL**(**KIE\_SERVER\_EXTERNALDB\_HOST**): The JDBC URL for the external database server.
  - **KIE Server External Database Dialect**(**KIE\_SERVER\_EXTERNALDB\_DIALECT**): The Hibernate dialect for the server, depending on the server type:
    - **org.hibernate.dialect.MySQL5Dialect** (used for MySQL and MariaDB)
    - **org.hibernate.dialect.PostgreSQLDialect**
    - **org.hibernate.dialect.SQLServer2012Dialect** (used for MS SQL)
    - **org.hibernate.dialect.DB2Dialect**
    - **org.hibernate.dialect.Oracle12cDialect**
    - **org.hibernate.dialect.SybaseASE15Dialect**
  - **KIE Server External Database Host**(**KIE\_SERVER\_EXTERNALDB\_HOST**): The host name of the external database server.
  - **KIE Server External Database Port**(**KIE\_SERVER\_EXTERNALDB\_PORT**): The port number of the external database server.
  - **KIE Server External Database name**(**KIE\_SERVER\_EXTERNALDB\_DB**): The database name to use on the external database server.
7. If you created a custom image for using an external database server other than MySQL or PostgreSQL, as described in [Section 3.7, "Building a custom Process Server image for an external database"](#), set the KIE Server Image Stream Name (**KIE\_SERVER\_IMAGE\_STREAM\_NAME**) parameter to the following value:
- For Microsoft SQL Server, **rhpm72-kieserver-mssql-openshift**
  - For MariaDB, **rhpm72-kieserver-mariadb-openshift**
  - For IBM DB2, **rhpm72-kieserver-db2-openshift**
  - For Oracle Database, **rhpm72-kieserver-oracle-openshift**
  - For Sybase, **rhpm72-kieserver-sybase-openshift**
8. If an AMQ 7.1 image is not available in the **openshift** namespace with default settings, set the following parameters:
- **AMQ ImageStream Namespace** (**AMQ\_IMAGE\_STREAM\_NAMESPACE**): Namespace in which the ImageStream for the AMQ image is installed. The default setting is **openshift**.

- **AMQ ImageStream Name (AMQ\_IMAGE\_STREAM\_NAME):** The name of the image stream for the AMQ broker. The default setting is **amq-broker71-openshift**.
  - **AMQ ImageStream Tag (AMQ\_IMAGE\_STREAM\_TAG):** The AMQ image stream tag. The default setting is **1.0**.
9. Complete the creation of the environment, depending on the method that you are using:
- In the OpenShift Web UI, click **Create**.
    - If the **This will create resources that may have security or project behavior implications** message appears, click **Create Anyway**.
  - Complete and run the command line.

### 3.3. PROVIDING THE LDAP ROLE MAPPING FILE

If you configure the **AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES** parameter, you must provide a file that defines the role mapping. Mount this file on all affected deployment configurations.

#### Procedure

1. Create the role mapping properties file, for example, **my-role-map**. The file must contain entries in the following format:

```
ldap_role = product_role1, product_role2...
```

For example:

```
admins = kie-server,rest-all,admin
```

2. Create an OpenShift configuration map from the file. Run the following command:

```
oc create configmap ldap_role_mapping --from-file=<new_name>=<existing_name>
```

Where **new\_name** is the name that the file is to have on the pods (it must be the same as the name specified in the **AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES** file) and **existing\_name** is the name of the file that you created. For example:

```
oc create configmap ldap_role_mapping --from-file=rolemapping.properties=my-role-map
```

3. Mount the configuration map on every deployment config that is configured for role mapping. The following deployment configs can be affected in this environment:

- **myapp-rhpamcentr:** Business Central
- **myapp-kieserver:** Process Server

Where **myapp** is the application name. Sometimes, several Process Server deployments can be present under different application names.

For every deployment configuration, run the command:

```
oc set volume dc/<deployment_config_name> --add --type configmap --configmap-name
ldap_role_mapping --mount-path=<mapping_dir> --name=ldap_role_mapping
```

Where **mapping\_dir** is the directory name (without file name) set in the **AUTH\_ROLE\_MAPPER\_ROLES\_PROPERTIES** parameter, for example, **/opt/eap/standalone/configuration/rolemapping**.

### 3.4. PROVIDING THE GIT HOOKS DIRECTORY

If you configure the **GIT\_HOOKS\_DIR** parameter, you must provide a directory of Git hooks and must mount this directory on the Business Central deployment.

The typical use of Git hooks is interaction with an upstream repository. To enable Git hooks to push commits into an upstream repository, you must also provide a secret key that corresponds to a public key configured on the upstream repository.

#### Procedure

1. If pushing commits to an upstream repository is required, complete the following steps to enable access to the repository:
  - a. Create a pair of a secret key named **id\_rsa** and public key named **id\_rsa.pub**. Use an email address that can access the upstream repository. Set an empty passphrase. For instructions, see [Generating a new SSH key](#).
  - b. Upload the public key to the upstream repository.
  - c. Create an OpenShift secret named **rhpam-centr-gitkey** from the secret key:

```
oc create secret generic --from-file=id_rsa=id_rsa rhpam-centr-gitkey
```

- d. Mount the secret in the ssh key path of the Business Central deployment:

```
oc set volume dc/<myapp>-rhpamcentr --add --type secret --secret-name rhpam-centr-
gitkey --mount-path=/home/jboss/.ssh --name=ssh-key
```

Where **<myapp>** is the application name that was set when configuring the template.

2. Create the Git hooks directory. For instructions, see the [Git hooks reference documentation](#). For example, a simple git hooks directory can provide a post-commit hook that pushes the changes upstream. If the project was imported into Business Central from a repository, this repository remains configured as the upstream repository. Create a file named **post-commit** with permission values **755** and the following content:

```
git push
```

3. Supply the Git hooks directory to the Business Central deployment. You can use a configuration map or a persistent volume.
  - a. If the Git hooks consist of one or several fixed script files, use a configuration map. Complete the following steps:
    - i. Change into the Git hooks directory that you have created.

- ii. Create an OpenShift configuration map from the files in the directory. Run the following command:

```
oc create configmap git-hooks --from-file=<file_1>=<file_1> --from-file=<file_2>=<file_2> ...
```

Where **file\_1**, **file\_2** and so on are git hook script files. For example:

```
oc create configmap git-hooks --from-file=post-commit=post-commit
```

- iii. Mount the configuration map on the Business Central deployment in the path that you have configured:

```
oc set volume dc/<myapp>-rhpamcentr --add --type configmap --configmap-name git-hooks --mount-path=<git_hooks_dir> --name=git-hooks
```

Where **<myapp>** is the application name that was set when configuring the template and **<git\_hooks\_dir>** is the value of **GIT\_HOOKS\_DIR** that was set when configuring the template.

- b. If the Git hooks consist of long files or depend on binaries, such as executable or KJAR files, use a persistence volume. You must create a persistent volume, create a persistent volume claim and associate the volume with the claim, transfer files to the volume, and mount the volume in the **myapp-rhpamcentr** deployment configuration (where *myapp* is the application name). For instructions about creating and mounting persistence volumes, see [Using persistent volumes](#). For instructions about copying files onto a persistent volume, see [Transferring files in and out of containers](#).
4. Wait a few minutes, then review the list and status of pods in your project. Because Business Central does not start until you provide the Git hooks directory, the Process Server might not start at all. To see if it has started, check the output of the following command:

```
oc get pods
```

If a working Process Server pod is not present, start it:

```
oc rollout latest dc/<myapp>-kieserver
```

Where **<myapp>** is the application name that was set when configuring the template.

### 3.5. MODIFYING THE TEMPLATE FOR THE SINGLE AUTHORIZING ENVIRONMENT

By default, the single authoring template uses the H2 database with permanent storage. If you prefer to create a MySQL or PostgreSQL pod or to use an external database server (outside the OpenShift project), you need to modify the template before deploying the environment.

An OpenShift template defines a set of objects that can be created by OpenShift. To change an environment configuration, you need to modify, add, or delete these objects. To simplify this task, comments are provided in the Red Hat Process Automation Manager templates.

Some comments mark blocks within the template, starting with **BEGIN** and ending with **END**. For example, the following block is named **Sample block**:

■

```
## Sample block BEGIN
sample line 1
sample line 2
sample line 3
## Sample block END
```


For some changes, you might need to replace a block in one template file with a block from another template file provided with Red Hat Process Automation Manager. In this case, delete the block, then paste the new block in its exact location.

## Procedure

Edit the **rhpan72-authoring.yaml** template file to make any of the following changes as necessary.

- If you want to use MySQL instead of the H2 database, you need to replace several blocks of the file, marked with comments from **BEGIN** to **END**, with blocks from the **rhpan72-kieserver-mysql.yaml** file that are also marked with comments. You also need to remove several other blocks and to add blocks in designated locations:
  1. Replace the block named **H2 database parameters** with the block named **MySQL database parameters**. (Take this block and all subsequent replacement blocks from the **rhpan72-kieserver-mysql.yaml** file.)
  2. Replace the block named **H2 driver settings** with the block named **MySQL driver settings**
  3. Replace the block named **H2 persistent volume claim** with the block named **MySQL persistent volume claim**.
  4. Remove the blocks named **H2 volume mount** and **H2 volume settings**
  5. Under the comment **Place to add database service**, add the block named **MySQL service**
  6. Under the comment **Place to add database deployment config**, add the block named **MySQL deployment config**
- If you want to use PostgreSQL instead of the H2 database, you need to replace several blocks of the file, marked with comments from **BEGIN** to **END**, with blocks from the **rhpan72-kieserver-postgresql.yaml** file that are also marked with comments. You also need to remove several other blocks and to add blocks in designated locations:
  1. Replace the block named **H2 database parameters** with the block named **PostgreSQL database parameters**. (Take this block and all subsequent replacement blocks from the **rhpan72-kieserver-postgresql.yaml** file.)
  2. Replace the block named **H2 driver settings** with the block named **PostgreSQL driver settings**
  3. Replace the block named **H2 persistent volume claim** with the block named **PostgreSQL persistent volume claim**.
  4. Remove the blocks named **H2 volume mount** and **H2 volume settings**
  5. Under the comment **Place to add database service**, add the block named **PostgreSQL service**
  6. Under the comment **Place to add database deployment config**, add the block named **PostgreSQL deployment config**

- If you want to use an external database server, replace several blocks of the file, marked with comments from **BEGIN** to **END**, with blocks from the **rhpm72-kieserver-externaldb.yaml** file, and also remove some blocks:
  1. Replace the block named **H2 database parameters** with the block named **External database parameters**. (Take this block and all subsequent replacement blocks from the **rhpm72-kieserver-externaldb.yaml** file.)
  2. Replace the block named **H2 driver settings** with the block named **External database driver settings**.
  3. Remove the following blocks of the file, marked with comments from **BEGIN** to **END**:
    - **H2 persistent volume claim**
    - **H2 volume mount**
    - **H2 volume settings**



### IMPORTANT

The standard Process Server image includes drivers for MySQL and PostgreSQL external database servers. If you want to use another database server, you must build a custom Process Server image. For instructions, see [Section 3.7, “Building a custom Process Server image for an external database”](#).

## 3.6. MODIFYING THE TEMPLATE FOR THE HIGH AVAILABILITY AUTHORIZING ENVIRONMENT

By default, the high-availability authoring template creates a MySQL pod to provide the database server for the Process Server. If you prefer to use PostgreSQL or to use an external server (outside the OpenShift project), you need to modify the template before deploying the environment.

You can also modify the High Availability authoring template to change the number of replicas initially created for Business Central.

An OpenShift template defines a set of objects that can be created by OpenShift. To change an environment configuration, you need to modify, add, or delete these objects. To simplify this task, comments are provided in the Red Hat Process Automation Manager templates.

Some comments mark blocks within the template, starting with **BEGIN** and ending with **END**. For example, the following block is named **Sample block**:


```
## Sample block BEGIN
sample line 1
sample line 2
sample line 3
## Sample block END
```

For some changes, you might need to replace a block in one template file with a block from another template file provided with Red Hat Process Automation Manager. In this case, delete the block, then paste the new block in its exact location.

### Procedure

Edit the **rhpm72-authoring-ha.yaml** template file to make any of the following changes as necessary.

- If you want to use PostgreSQL instead of MySQL, replace several blocks of the file, marked with comments from **BEGIN** to **END**, with blocks from the **rhpm72-kieserver-postgresql.yaml** file:
  1. Replace the block named **MySQL database parameters** with the block named **PosgreSQL database parameters**. (Take this block and all subsequent replacement blocks from the **rhpm72-kieserver-postgresql.yaml** file.)
  2. Replace the block named **MySQL service** with the block named **PosgreSQL service**.
  3. Replace the block named **MySQL driver settings** with the block named **PosgreSQL driver settings**.
  4. Replace the block named **MySQL deployment config** with the block named **PosgreSQL deployment config**.
  5. Replace the block named **MySQL persistent volume claim** with the block named **PosgreSQL persistent volume claim**.
- If you want to use an external database server, replace several blocks of the file, marked with comments from **BEGIN** to **END**, with blocks from the **rhpm72-kieserver-externaldb.yaml** file, and also remove some blocks:
  1. Replace the block named **MySQL database parameters** with the block named **External database parameters**. (Take this block and all subsequent replacement blocks from the **rhpm72-kieserver-externaldb.yaml** file.)
  2. Replace the block named **MySQL driver settings** with the block named **External database driver settings**.
  3. Remove the following blocks of the file, marked with comments from **BEGIN** to **END**:
    - **MySQL service**
    - **MySQL deployment config**
    - **MySQL persistent volume claim**



### IMPORTANT

The standard Process Server image includes drivers for MySQL and PostgreSQL external database servers. If you want to use another database server, you must build a custom Process Server image. For instructions, see [Section 3.7, “Building a custom Process Server image for an external database”](#).

- If you want to change the number of replicas initially created for Business Central, on the line below the comment **## Replicas for Business Central**, change the number of replicas to the desired value.

## 3.7. BUILDING A CUSTOM PROCESS SERVER IMAGE FOR AN EXTERNAL DATABASE

If you want to use an external database server for a Process Server and this server is neither MySQL nor PostgreSQL, you must build a custom Process Server image with drivers for this server before deploying your environment.

You can use this build procedure to provide drivers for the following database servers:

- Microsoft SQL Server
- MariaDB
- IBM DB2
- Oracle Database
- Sybase

For the tested versions of the database servers, see [Red Hat Process Automation Manager 7 Supported Configurations](#).

The build procedure creates a custom image that extends the existing Process Server image. It pushes this custom image into a new **ImageStream** in the **openshift** namespace with the same version tag as the original image.

### Prerequisites

- You have logged on to your project in the OpenShift environment using the **oc** command as a user with the **cluster-admin** role.
- For IBM DB2, Oracle Database, or Sybase, you have downloaded the JDBC driver from the database server vendor.

### Procedure

1. For IBM DB2, Oracle Database, or Sybase, provide the JDBC driver JAR in a local directory or on an HTTP server. Within the local directory or HTTP server, the following paths are expected:
  - For IBM DB2, **<local\_path\_or\_url>/com/ibm/db2/jcc/db2jcc4/10.5/db2jcc4-10.5.jar**
  - For Oracle Database, **<local\_path\_or\_url>/com/oracle/ojdbc7/12.1.0.1/ojdbc7-12.1.0.1.jar**
  - For Sybase, **<local\_path\_or\_url>/com/sybase/jconn4/16.0\_PL05/jconn4-16.0\_PL05.jar**  
Where **<local\_path\_or\_url>** is the path to the local directory or the URL for the HTTP server where the driver is provided.
2. To install the source code for the custom build, download the **rhpm-7.2.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page. Unzip the file and, using the command line, change to the **templates/contrib/jdbc** directory of the unzipped file.
3. Change to the following subdirectory:
  - For Microsoft SQL Server, **mssql-driver-image**
  - For MariaDB, **mariadb-driver-image**
  - For IBM DB2, **db2-driver-image**
  - For Oracle Database, **oracle-driver-image**
  - For Sybase, **sybase-driver-image**
4. Run the following command:



- For Microsoft SQL Server or MariaDB:

```
../build.sh
```

- For IBM DB2, Oracle Database, or Sybase:

```
../build.sh --artifact-repo=<local_path_or_url>
```

Where **<local\_path\_or\_url>** is the path to the local directory or the URL for the HTTP server where the driver is provided. For example:

```
../build.sh --artifact-repo=/home/builder/drivers  
../build.sh --artifact-repo=http://nexus.example.com/nexus/content/groups/public
```

If you want to configure your OpenShift docker registry address in the process, add also the **--registry=<registry\_name.domain\_name:port>** parameter to your build command.

Examples:

```
../build.sh --registry=docker-registry.custom-domain:80  
../build.sh --artifact-repo=/home/builder/drivers --registry=docker-registry.custom-domain:80
```

## CHAPTER 4. OPENSIFT TEMPLATE REFERENCE INFORMATION

Red Hat Process Automation Manager provides the following OpenShift templates. To access the templates, download and extract the **rhpmam-7.2.0-openshift-templates.zip** product deliverable file from the [Software Downloads](#) page of the Red Hat customer portal.

- **rhpmam72-authoring.yaml** provides a Business Central and a Process Server connected to the Business Central. The Process Server uses an H2 database with persistent storage. You can use this environment to author processes, services, and other business assets. For details about this template, see [Section 4.1, “rhpmam72-authoring.yaml template”](#).
- **rhpmam72-authoring-ha.yaml** provides a high-availability Business Central, a Process Server connected to the Business Central, and a MySQL instance that the Process Server uses. You can use this environment to author processes, services, and other business assets. The high-availability functionality is in technical preview. For details about this template, see [Section 4.2, “rhpmam72-authoring-ha.yaml template”](#).

### 4.1. RHPAM72-AUTHORING.YAML TEMPLATE

Application template for a non-HA persistent authoring environment, for Red Hat Process Automation Manager 7.2

#### 4.1.1. Parameters

Templates allow you to define parameters which take on a value. That value is then substituted wherever the parameter is referenced. References can be defined in any text field in the objects list field. Refer to the [Openshift documentation](#) for more information.

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPLICATION_NAME</b>	–	The name for the application.	myapp	True
<b>KIE_ADMIN_USER</b>	<b>KIE_ADMIN_USER</b>	KIE administrator username	adminUser	False
<b>KIE_ADMIN_PASSWORD</b>	<b>KIE_ADMIN_PASSWORD</b>	KIE administrator password	–	False
<b>KIE_SERVER_CONTROLLER_USERNAME</b>	<b>KIE_SERVER_CONTROLLER_USERNAME</b>	KIE server controller username (Sets the org.kie.server.controller.user system property)	controllerUser	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_CONTROLLER_PASSWORD</b>	<b>KIE_SERVER_CONTROLLER_PASSWORD</b>	KIE server controller password (Sets the org.kie.server.controller.pwd system property)	–	False
<b>KIE_SERVER_CONTROLLER_TOKEN</b>	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication (Sets the org.kie.server.controller.token system property)	–	False
<b>KIE_SERVER_USER</b>	<b>KIE_SERVER_USER</b>	KIE server username (Sets the org.kie.server.user system property)	executionUser	False
<b>KIE_SERVER_PASSWORD</b>	<b>KIE_SERVER_PASSWORD</b>	KIE server password (Sets the org.kie.server.pwd system property)	–	False
<b>KIE_SERVER_BYPASS_AUTH_USER</b>	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	KIE server bypass auth user (Sets the org.kie.server.bypass.auth.user system property)	false	False
<b>KIE_SERVER_PERSISTENCE_DS</b>	<b>RHPAM_JNDI</b>	KIE server persistence datasource (Sets the org.kie.server.persistence.ds system property)	java:/jboss/datasources/rhpam	False
KIE_SERVER_H2_USER	<b>RHPAM_USERNAME</b>	KIE server H2 database username	sa	False
KIE_SERVER_H2_PWD	<b>RHPAM_PASSWORD</b>	KIE server H2 database password	–	False

Variable name	Image Environment Variable	Description	Example value	Required
---------------	----------------------------	-------------	---------------	----------

<b>KIE_MBEANS</b>	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	enabled	False
<b>DROOLS_SERVER_FILTER_CLASSES</b>	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering (Sets the org.drools.server.filter.classes system property)	true	False
<b>BUSINESS_CENTRAL_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-rhpamcentr- <project>.<default-domain-suffix>	–	False
<b>BUSINESS_CENTRAL_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure- <application-name>-rhpamcentr- <project>.<default-domain-suffix>	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure-<application-name>-kieserver-<project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_USE_SECURE_ROUTE_NAME</b>	<b>KIE_SERVER_USE_SECURE_ROUTE_NAME</b>	If true, will use secure-APPLICATION_NAME-kieserver vs. APPLICATION_NAME-kieserver as the route name.	false	False
<b>BUSINESS_CENTRAL_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file	businesscentral-app-secret	True
<b>BUSINESS_CENTRAL_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	keystore.jks	False
<b>BUSINESS_CENTRAL_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate	jboss	False
<b>BUSINESS_CENTRAL_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	mykeystorepass	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file	kieserver-app-secret	True
<b>KIE_SERVER_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	keystore.jks	False
<b>KIE_SERVER_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate	jboss	False
<b>KIE_SERVER_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	mykeystorepass	False
<b>DB_VOLUME_CAPACITY</b>	–	Size of persistent storage for the database volume.	1Gi	True
<b>IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStreams for Red Hat Middleware images are installed. These ImageStreams are normally installed in the openshift namespace. You should only need to modify this if you installed the ImageStreams in a different namespace/project.	openshift	True
<b>KIE_SERVER_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for KIE server. Default is "rhpam72-kieserver-openshift".	rhpam72-kieserver-openshift	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>IMAGE_STREAM_TAG</b>	–	A named pointer to an image in an image stream. Default is "1.1".	1.1	True
<b>MAVEN_REPO_ID</b>	<b>MAVEN_REPO_ID</b>	The id to use for the maven repository, if set. Default is generated randomly.	my-repo-id	False
<b>MAVEN_REPO_URL</b>	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<a href="http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/">http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/</a>	False
<b>MAVEN_REPO_USERNAME</b>	<b>MAVEN_REPO_USERNAME</b>	Username to access the Maven repository, if required.	–	False
<b>MAVEN_REPO_PASSWORD</b>	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	–	False
<b>BUSINESS_CENTRAL_MAVEN_USERNAME</b>	<b>KIE_MAVEN_USERNAME</b>	Username to access the Maven service hosted by Business Central inside EAP.	mavenUser	True
<b>BUSINESS_CENTRAL_MAVEN_PASSWORD</b>	<b>KIE_MAVEN_PASSWORD</b>	Password to access the Maven service hosted by Business Central inside EAP.	–	True
<b>GIT_HOOKS_DIRECTORY</b>	<b>GIT_HOOKS_DIRECTORY</b>	The directory to use for git hooks, if required.	<b>/opt/eap/standalone/data/kie/git/hooks</b>	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>BUSINESS_CENTRAL_VOLUME_CAPACITY</b>	–	Size of the persistent storage for Business Central's runtime data.	1Gi	True
<b>BUSINESS_CENTRAL_MEMORY_LIMIT</b>	–	Business Central Container memory limit	2Gi	False
<b>KIE_SERVER_MEMORY_LIMIT</b>	–	KIE server Container memory limit	1Gi	False
<b>SSO_URL</b>	<b>SSO_URL</b>	RH-SSO URL	<a href="https://rh-sso.example.com/auth">https://rh-sso.example.com/auth</a>	False
<b>SSO_REALM</b>	<b>SSO_REALM</b>	RH-SSO Realm name	–	False
<b>BUSINESS_CENTRAL_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	Business Central RH-SSO Client name	–	False
<b>BUSINESS_CENTRAL_SSO_SECRET</b>	<b>SSO_SECRET</b>	Business Central RH-SSO Client Secret	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>KIE_SERVER_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name	–	False
<b>KIE_SERVER_SSO_SECRET</b>	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>SSO_USERNAME</b>	<b>SSO_USERNAME</b>	RH-SSO Realm Admin Username used to create the Client if it doesn't exist	–	False
<b>SSO_PASSWORD</b>	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client	–	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation	false	False
<b>SSO_PRINCIPAL_ATTRIBUTE</b>	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as username.	preferred_username	False
<b>AUTH_LDAP_URL</b>	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication	ldap://myldap.example.com	False
<b>AUTH_LDAP_BIND_DN</b>	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication	uid=admin,ou=users,ou=example,ou=com	False
<b>AUTH_LDAP_BIND_CREDENTIAL</b>	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication	Password	False
<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	–	False
<b>AUTH_LDAP_BASE_CTX_DN</b>	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	ou=users,ou=example,ou=com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_B ASE_FILTER</b>	<b>AUTH_LDAP_B ASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	(uid={0})	False
<b>AUTH_LDAP_S EARCH_SCOPE</b>	<b>AUTH_LDAP_S EARCH_SCOPE</b>	The search scope to use.	<b>SUBTREE_SCO PE</b>	False
<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	The timeout in milliseconds for user or role searches.	10000	False
<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	distinguishedNam e	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_PARSE_USERNAME</b>	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the username. If set to true, the DN is parsed for the username. If set to false the DN is not parsed for the username. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	true	False
<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_USERNAME_END_STRING</b>	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	memberOf	False
<b>AUTH_LDAP_ROLES_CTX_DN</b>	<b>AUTH_LDAP_ROLES_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	ou=groups,ou=example,ou=com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_FILTER</b>	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	(memberOf={1})	False
<b>AUTH_LDAP_ROLE_RECURSION</b>	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	1	False
<b>AUTH_LDAP_DEFAULT_ROLE</b>	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	guest	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	name	False
<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttribute ID. If set to true, the DN is checked for the roleNameAttribute ID. If set to false, the DN is not checked for the roleNameAttribute ID. This flag can improve the performance of LDAP queries.	false	False
<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeId attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_REFERRAL_USE_R_ATTRIBUTE_ID_TO_CHECK</b>	<b>AUTH_LDAP_REFERRAL_USE_R_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	–	False
<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	–	False
<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	–	False

## 4.1.2. Objects

The CLI supports various object types. A list of these object types as well as their abbreviations can be found in the [Openshift documentation](#).

### 4.1.2.1. Services

A service is an abstraction which defines a logical set of pods and a policy by which to access them. Refer to the [container-engine documentation](#) for more information.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-rhpamcentr</b>	8080	http	All the Business Central web server's ports.
	8443	https	
	8001	git-ssh	
<b>\${APPLICATION_NAME}-kieserver</b>	8080	http	All the KIE server web server's ports.
	8443	https	

### 4.1.2.2. Routes

A route is a way to expose a service by giving it an externally-reachable hostname such as **www.example.com**. A defined route and the endpoints identified by its service can be consumed by a router to provide named connectivity from external clients to your applications. Each route consists of a route name, service selector, and (optionally) security configuration. Refer to the [Openshift documentation](#) for more information.

Service	Security	Hostname
<b>\${APPLICATION_NAME}-rhpamcentr-http</b>	none	<b>\${BUSINESS_CENTRAL_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}-rhpamcentr-https</b>	TLS passthrough	<b>\${BUSINESS_CENTRAL_HOSTNAME_HTTPS}</b>
<b>\${APPLICATION_NAME}-kieserver-http</b>	none	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}-kieserver-https</b>	TLS passthrough	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>

### 4.1.2.3. Deployment Configurations

A deployment in OpenShift is a replication controller based on a user defined template called a deployment configuration. Deployments are created manually or in response to triggered events. Refer to the [Openshift documentation](#) for more information.



#### 4.1.2.3.1. Triggers

A trigger drives the creation of new deployments in response to events, both inside and outside OpenShift. Refer to the [OpenShift documentation](#) for more information.

Deployment	Triggers
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	ImageChange

#### 4.1.2.3.2. Replicas

A replication controller ensures that a specified number of pod "replicas" are running at any one time. If there are too many, the replication controller kills some pods. If there are too few, it starts more. Refer to the [container-engine documentation](#) for more information.

Deployment	Replicas
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	1
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	1

#### 4.1.2.3.3. Pod Template

##### 4.1.2.3.3.1. Service Accounts

Service accounts are API objects that exist within each project. They can be created or deleted like any other API object. Refer to the [OpenShift documentation](#) for more information.

Deployment	Service Account
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	<b><code>\${APPLICATION_NAME}-rhpamsvc</code></b>
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${APPLICATION_NAME}-rhpamsvc</code></b>

##### 4.1.2.3.3.2. Image

Deployment	Image
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	rhpam72-businesscentral-openshift
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${KIE_SERVER_IMAGE_STREAM_NAME}</code></b>

##### 4.1.2.3.3.3. Readiness Probe

**\${APPLICATION\_NAME}-rhpamcentr**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/kie-wb.jsp
```

**\${APPLICATION\_NAME}-kieserver**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/services/rest/server/readycheck
```

## 4.1.2.3.3.4. Liveness Probe

**\${APPLICATION\_NAME}-rhpamcentr**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/kie-wb.jsp
```

**\${APPLICATION\_NAME}-kieserver**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/services/rest/server/readycheck
```

## 4.1.2.3.3.5. Exposed Ports

Deployments	Name	Port	Protocol
<b>\${APPLICATION_NAME}-rhpamcentr</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>
	git-ssh	8001	<b>TCP</b>
<b>\${APPLICATION_NAME}-kieserver</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>

## 4.1.2.3.3.6. Image Environment Variables

Deployment	Variable name	Description	Example value
<b>\${APPLICATION_NAME}-rhpamcentr</b>	<b>KIE_ADMIN_USER</b>	KIE administrator username	<b>\${KIE_ADMIN_USER}</b>

Deployment	Variable name	Description	Example value
	<b>KIE_ADMIN_PWD</b>	KIE administrator password	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller username (Sets the org.kie.server.controller.user system property)	<b>\${KIE_SERVER_CONTROLLER_USER}</b>
	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password (Sets the org.kie.server.controller.pwd system property)	<b>\${KIE_SERVER_CONTROLLER_PWD}</b>
	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication (Sets the org.kie.server.controller.token system property)	<b>\${KIE_SERVER_CONTROLLER_TOKEN}</b>
	<b>KIE_SERVER_USER</b>	KIE server username (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>
	<b>KIE_SERVER_PWD</b>	KIE server password (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>
	<b>MAVEN_REPO_ID</b>	The id to use for the maven repository, if set. Default is generated randomly.	<b>\${MAVEN_REPO_ID}</b>
	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>\${MAVEN_REPO_URL}</b>
	<b>MAVEN_REPO_USERNAME</b>	Username to access the Maven repository, if required.	<b>\${MAVEN_REPO_USERNAME}</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>\${MAVEN_REPO_PASSWORD}</b>
	<b>KIE_MAVEN_USER</b>	Username to access the Maven service hosted by Business Central inside EAP.	<b>\${BUSINESS_CENTRAL_MAVEN_USERNAME}</b>
	<b>KIE_MAVEN_PWD</b>	Password to access the Maven service hosted by Business Central inside EAP.	<b>\${BUSINESS_CENTRAL_MAVEN_PASSWORD}</b>
	<b>GIT_HOOKS_DIR</b>	The directory to use for git hooks, if required.	<b>\${GIT_HOOKS_DIR}</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/businesscentral-secret-volume</b>
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	<b>\${BUSINESS_CENTRAL_HTTPS_KEYSTORE}</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate	<b>\${BUSINESS_CENTRAL_HTTPS_NAME}</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	<b>\${BUSINESS_CENTRAL_HTTPS_PASSWORD}</b>
	<b>WORKBENCH_ROUTE_NAME</b>	–	<b>\${APPLICATION_NAME}-rhpamcentr</b>
	<b>SSO_URL</b>	RH-SSO URL	<b>\${SSO_URL}</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name	<b>\${SSO_REALM}</b>
	<b>SSO_SECRET</b>	Business Central RH-SSO Client Secret	<b>\${BUSINESS_CENTRAL_SSO_SECRET}</b>

Deployment	Variable name	Description	Example value
	<b>SSO_CLIENT</b>	Business Central RH-SSO Client name	<b>\${BUSINESS_CENTRAL_SSO_CLIENT}</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm Admin Username used to create the Client if it doesn't exist	<b>\${SSO_USERNAME}</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client	<b>\${SSO_PASSWORD}</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation	<b>\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as username.	<b>\${SSO_PRINCIPAL_ATTRIBUTE}</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-rhpamcentr-<project>. <default-domain-suffix>	<b>\${BUSINESS_CENTRAL_HOSTNAME_HTTP}</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure-<application-name>-rhpamcentr-<project>. <default-domain-suffix>	<b>\${BUSINESS_CENTRAL_HOSTNAME_HTTPS}</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication	<b>\${AUTH_LDAP_URL}</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication	<b>\${AUTH_LDAP_BIND_DN}</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication	<b>\${AUTH_LDAP_BIND_CREDENTIAL}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>`\${AUTH_LDAP_BASE_FILTER}`</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>`\${AUTH_LDAP_SEARCH_SCOPE}`</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>`\${AUTH_LDAP_SEARCH_TIME_LIMIT}`</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>`\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the username. If set to true, the DN is parsed for the username. If set to false the DN is not parsed for the username. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b><code>\${AUTH_LDAP_PARSE_USERNAME}</code></b>
	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b><code>\${AUTH_LDAP_ROLE_S_CTX_DN}</code></b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>
<b>\${APPLICATION_NAME}-kieserver</b>	<b>DATASOURCES</b>	–	<b>RHPAM</b>
	<b>RHPAM_DATABASE</b>	–	rhpm7
	<b>RHPAM_JNDI</b>	KIE server persistence datasource (Sets the org.kie.server.persistence.ds system property)	<b>\${KIE_SERVER_PERSISTENCE_DS}</b>
	<b>RHPAM_JTA</b>	–	true
	<b>RHPAM_DRIVER</b>	–	h2
	<b>RHPAM_USERNAME</b>	KIE server H2 database username	<b>\${KIE_SERVER_H2_USER}</b>
	<b>RHPAM_PASSWORD</b>	KIE server H2 database password	<b>\${KIE_SERVER_H2_PWD}</b>
	<b>RHPAM_XA_CONNECTION_PROPERTY_URL</b>	–	jdbc:h2:/opt/eap/standalone/data/rhpm
	<b>RHPAM_SERVICE_HOST</b>	–	dummy_ignored

Deployment	Variable name	Description	Example value
	<b>RHPAM_SERVICE_PORT</b>	–	12345
	<b>KIE_SERVER_PERSISTENCE_DIALECT</b>	–	org.hibernate.dialect.H2Dialect
	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering (Sets the org.drools.server.filter.classess system property)	<b>\${DROOLS_SERVER_FILTER_CLASSES}</b>
	<b>KIE_ADMIN_USER</b>	KIE administrator username	<b>\${KIE_ADMIN_USER}</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	KIE server bypass auth user (Sets the org.kie.server.bypass.auth.user system property)	<b>\${KIE_SERVER_BYPASS_AUTH_USER}</b>
	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller username (Sets the org.kie.server.controller.user system property)	<b>\${KIE_SERVER_CONTROLLER_USER}</b>
	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password (Sets the org.kie.server.controller.pwd system property)	<b>\${KIE_SERVER_CONTROLLER_PWD}</b>
	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication (Sets the org.kie.server.controller.token system property)	<b>\${KIE_SERVER_CONTROLLER_TOKEN}</b>
	<b>KIE_SERVER_CONTROLLER_SERVICE</b>	–	<b>\${APPLICATION_NAME}-rhpamcentr</b>

Deployment	Variable name	Description	Example value
	<b>KIE_SERVER_CONTROLLER_PROTOCOL</b>	–	ws
	<b>KIE_SERVER_ID</b>	–	<b>\${APPLICATION_NAME}-kieserver</b>
	<b>KIE_SERVER_ROUTE_NAME</b>	–	<b>\${APPLICATION_NAME}-kieserver</b>
	<b>KIE_SERVER_USE_SECURE_ROUTE_NAME</b>	If true, will use secure-APPLICATION_NAME-kieserver vs. APPLICATION_NAME-kieserver as the route name.	<b>\${KIE_SERVER_USE_SECURE_ROUTE_NAME}</b>
	<b>KIE_SERVER_PERSISTENCE_DS</b>	KIE server persistence datasource (Sets the org.kie.server.persistence.ds system property)	<b>\${KIE_SERVER_PERSISTENCE_DS}</b>
	<b>KIE_SERVER_USER</b>	KIE server username (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>
	<b>KIE_SERVER_PWD</b>	KIE server password (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>
	<b>MAVEN_REPOS</b>	–	RHPAMCENTR,EXTERNAL
	<b>RHPAMCENTR_MAVEN_REPO_SERVICE</b>	–	<b>\${APPLICATION_NAME}-rhpamcentr</b>
	<b>RHPAMCENTR_MAVEN_REPO_PATH</b>	–	<b>/maven2/</b>
	<b>RHPAMCENTR_MAVEN_REPO_USERNAME</b>	Username to access the Maven service hosted by Business Central inside EAP.	<b>\${BUSINESS_CENTRAL_MAVEN_USERNAME}</b>

Deployment	Variable name	Description	Example value
	<b>RHPAMCENTR_MAVEN_REPO_PASSWORD</b>	Password to access the Maven service hosted by Business Central inside EAP.	<b>`\${BUSINESS_CENTRAL_MAVEN_PASSWORD}`</b>
	<b>EXTERNAL_MAVEN_REPO_ID</b>	The id to use for the maven repository, if set. Default is generated randomly.	<b>`\${MAVEN_REPO_ID}`</b>
	<b>EXTERNAL_MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>`\${MAVEN_REPO_URL}`</b>
	<b>EXTERNAL_MAVEN_REPO_USERNAME</b>	Username to access the Maven repository, if required.	<b>`\${MAVEN_REPO_USERNAME}`</b>
	<b>EXTERNAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>`\${MAVEN_REPO_PASSWORD}`</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b><code>/etc/kieserver-secret-volume</code></b>
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	<b>`\${KIE_SERVER_HTTPS_KEYSTORE}`</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate	<b>`\${KIE_SERVER_HTTPS_NAME}`</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	<b>`\${KIE_SERVER_HTTPS_PASSWORD}`</b>
	<b>SSO_URL</b>	RH-SSO URL	<b>`\${SSO_URL}`</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name	<b>`\${SSO_REALM}`</b>
	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret	<b>`\${KIE_SERVER_SSO_SECRET}`</b>

Deployment	Variable name	Description	Example value
	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name	<b>\${KIE_SERVER_SSO_CLIENT}</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm Admin Username used to create the Client if it doesn't exist	<b>\${SSO_USERNAME}</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client	<b>\${SSO_PASSWORD}</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation	<b>\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as username.	<b>\${SSO_PRINCIPAL_ATTRIBUTE}</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure-<application-name>-kieserver-<project>.<default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication	<b>\${AUTH_LDAP_URL}</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication	<b>\${AUTH_LDAP_BIND_DN}</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication	<b>\${AUTH_LDAP_BIND_CREDENTIAL}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>\${AUTH_LDAP_BASE_CTX_DN}</b>
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>\${AUTH_LDAP_BASE_FILTER}</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>\${AUTH_LDAP_SEARCH_SCOPE}</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>\${AUTH_LDAP_SEARCH_TIME_LIMIT}</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the username. If set to true, the DN is parsed for the username. If set to false the DN is not parsed for the username. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b><code>\${AUTH_LDAP_PARSE_USERNAME}</code></b>
	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b>`\${AUTH_LDAP_ROLE_S_CTX_DN}`</b>
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}</b>
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}</b>
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>

#### 4.1.2.3.3.7. Volumes

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-rhpmcentr</b>	businesscentral-keystore-volume	<b>/etc/businesscentral-secret-volume</b>	ssl certs	True

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-kieserver</b>	kieserver-keystore-volume	<b>/etc/kieserver-secret-volume</b>	ssl certs	True

#### 4.1.2.4. External Dependencies

##### 4.1.2.4.1. Volume Claims

A **PersistentVolume** object is a storage resource in an OpenShift cluster. Storage is provisioned by an administrator by creating **PersistentVolume** objects from sources such as GCE Persistent Disks, AWS Elastic Block Stores (EBS), and NFS mounts. Refer to the [OpenShift documentation](#) for more information.

Name	Access Mode
<b>\${APPLICATION_NAME}-rhpamcentr-claim</b>	ReadWriteOnce
<b>\${APPLICATION_NAME}-h2-claim</b>	ReadWriteOnce

##### 4.1.2.4.2. Secrets

This template requires the following secrets to be installed for the application to run.

businesscentral-app-secret kieserver-app-secret

## 4.2. RHPAM72-AUTHORING-HA.YAML TEMPLATE

Application template for a HA persistent authoring environment, for Red Hat Process Automation Manager 7.2

### 4.2.1. Parameters

Templates allow you to define parameters which take on a value. That value is then substituted wherever the parameter is referenced. References can be defined in any text field in the objects list field. Refer to the [OpenShift documentation](#) for more information.

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPLICATION_NAME</b>	–	The name for the application.	myapp	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_ADMIN_US ER</b>	<b>KIE_ADMIN_US ER</b>	KIE administrator username	adminUser	False
<b>KIE_ADMIN_PW D</b>	<b>KIE_ADMIN_PW D</b>	KIE administrator password	–	False
<b>KIE_SERVER_C ONTROLLER_U SER</b>	<b>KIE_SERVER_C ONTROLLER_U SER</b>	KIE server controller username (Sets the org.kie.server.cont roller.user system property)	controllerUser	False
<b>KIE_SERVER_C ONTROLLER_P WD</b>	<b>KIE_SERVER_C ONTROLLER_P WD</b>	KIE server controller password (Sets the org.kie.server.cont roller.pwd system property)	–	False
<b>KIE_SERVER_C ONTROLLER_T OKEN</b>	<b>KIE_SERVER_C ONTROLLER_T OKEN</b>	KIE server controller token for bearer authentication (Sets the org.kie.server.cont roller.token system property)	–	False
<b>KIE_SERVER_U SER</b>	<b>KIE_SERVER_U SER</b>	KIE server username (Sets the org.kie.server.user system property)	executionUser	False
<b>KIE_SERVER_P WD</b>	<b>KIE_SERVER_P WD</b>	KIE server password (Sets the org.kie.server.pwd system property)	–	False
<b>KIE_SERVER_B YPASS_AUTH_ USER</b>	<b>KIE_SERVER_B YPASS_AUTH_ USER</b>	KIE server bypass auth user (Sets the org.kie.server.bypa ss.auth.user system property)	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_PERSISTENCE_DS</b>	<b>KIE_SERVER_PERSISTENCE_DS</b>	KIE server persistence datasource (Sets the org.kie.server.persistence.ds system property)	java:/jboss/datasources/rhpam	False
<b>KIE_SERVER_MYSQL_USER</b>	<b>RHPAM_USERNAME</b>	KIE server MySQL database username	rhpam	False
<b>KIE_SERVER_MYSQL_PWD</b>	<b>RHPAM_PASSWORD</b>	KIE server MySQL database password	–	False
<b>KIE_SERVER_MYSQL_DB</b>	<b>RHPAM_DATABASE</b>	KIE server MySQL database name	rhpam7	False
<b>MYSQL_IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStream for the MySQL image is installed. The ImageStream is already installed in the openshift namespace. You should only need to modify this if you installed the ImageStream in a different namespace/project. Default is "openshift".	openshift	False
<b>MYSQL_IMAGE_STREAM_TAG</b>	–	The MySQL image version, which is intended to correspond to the MySQL version. Default is "5.7".	5.7	False
<b>DB_VOLUME_CAPACITY</b>	–	Size of persistent storage for the database volume.	1Gi	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_MBEANS</b>	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	enabled	False
<b>DROOLS_SERVER_FILTER_CLASSES</b>	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering (Sets the org.drools.server.filter.classes system property)	true	False
<b>BUSINESS_CENTRAL_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-rhpamcentr- <project>.<default-domain-suffix>	–	False
<b>BUSINESS_CENTRAL_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure- <application-name>-rhpamcentr- <project>.<default-domain-suffix>	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_HOSTNAME_HTTP</b>	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_HOSTNAME_HTTPS</b>	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure-<application-name>-kieserver-<project>.<default-domain-suffix>	–	False
<b>KIE_SERVER_USE_SECURE_ROUTE_NAME</b>	<b>KIE_SERVER_USE_SECURE_ROUTE_NAME</b>	If true, will use secure-APPLICATION_NAME-kieserver vs. APPLICATION_NAME-kieserver as the route name.	false	False
<b>BUSINESS_CENTRAL_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file	businesscentral-app-secret	True
<b>BUSINESS_CENTRAL_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	keystore.jks	False
<b>BUSINESS_CENTRAL_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate	jboss	False
<b>BUSINESS_CENTRAL_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	mykeystorepass	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>KIE_SERVER_HTTPS_SECRET</b>	–	The name of the secret containing the keystore file	kieserver-app-secret	True
<b>KIE_SERVER_HTTPS_KEYSTORE</b>	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	keystore.jks	False
<b>KIE_SERVER_HTTPS_NAME</b>	<b>HTTPS_NAME</b>	The name associated with the server certificate	jboss	False
<b>KIE_SERVER_HTTPS_PASSWORD</b>	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	mykeystorepass	False
<b>APPFORMER_ELASTIC_RETRIES</b>	<b>APPFORMER_ELASTIC_RETRIES</b>	The number of times that appformer will try to connect to the elasticsearch node before give up.	–	False
<b>APPFORMER_JMS_BROKER_PORT</b>	<b>APPFORMER_JMS_BROKER_PORT</b>	The port to connect to the JMS broker. Default is 61616	–	False
<b>APPFORMER_JMS_BROKER_USER</b>	<b>APPFORMER_JMS_BROKER_USER</b>	The username to connect in the JMS broker.	jmsBrokerUser	True
<b>APPFORMER_JMS_BROKER_PASSWORD</b>	<b>APPFORMER_JMS_BROKER_PASSWORD</b>	The password to connect to the JMS broker.	–	True
<b>ES_HOSTNAME_HTTP</b>	–	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-rhpamindex-<project>.<default-domain-suffix>	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>APPFORMER_ELASTIC_CLUSTER_NAME</b>	<b>APPFORMER_ELASTIC_CLUSTER_NAME</b>	Sets the ES cluster.name and configure it on Business Central. Defaults to kie-cluster.	–	False
<b>ES_NODE_NAME</b>	<b>ES_NODE_NAME</b>	Sets the ES node.name property. Defaults to HOSTNAME env value.	–	False
<b>ES_TRANSPORT_HOST</b>	<b>ES_TRANSPORT_HOST</b>	Sets the ES transport.host property. This will set the transport address of the main ES cluster node. Used for communication between nodes in the cluster. Defaults to container address.	–	False
<b>APPFORMER_ELASTIC_PORT</b>	<b>APPFORMER_ELASTIC_PORT</b>	Sets the ES http.host property. This will set the http address of the main ES cluster node. Used for communication between nodes in the cluster and for communication with Business Central.	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>ES_HTTP_HOST</b>	<b>ES_HTTP_HOST</b>	Sets the ES http.host property. This will set the http address of the main ES cluster node. Used to interact with cluster rest api. Defaults to the container ip address	–	False
<b>ES_HTTP_PORT</b>	<b>ES_HTTP_PORT</b>	Sets the ES http.port property. This will set the http port of the main ES cluster node. Used to interact with the cluster REST API.	–	False
<b>ES_JAVA_OPTS</b>	<b>ES_JAVA_OPTS</b>	Appends custom jvm configurations/properties to ES jvm.options configuration file.	-Xms1024m -Xmx1024m	False
<b>AMQ_IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStream for the AMQ image is installed. Default is "openshift".	openshift	True
<b>AMQ_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for the AMQ broker. Default is "amq-broker72-openshift".	amq-broker72-openshift	True
<b>AMQ_IMAGE_STREAM_TAG</b>	–	The AMQ image stream tag. Default is "1.1".	1.1	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>AMQ_ROLE</b>	<b>AMQ_ROLE</b>	User role for standard broker user.	admin	True
<b>AMQ_NAME</b>	<b>AMQ_NAME</b>	The name of the broker	broker	True
<b>AMQ_GLOBAL_MAX_SIZE</b>	<b>AMQ_GLOBAL_MAX_SIZE</b>	Maximum amount of memory which message data may consume (Default: Undefined, half of the system's memory).	100 gb	False
<b>ES_VOLUME_CAPACITY</b>	–	Size of persistent storage for Elasticsearch volume.	1Gi	True
<b>IMAGE_STREAM_NAMESPACE</b>	–	Namespace in which the ImageStreams for Red Hat Middleware images are installed. These ImageStreams are normally installed in the openshift namespace. You should only need to modify this if you installed the ImageStreams in a different namespace/project.	openshift	True
<b>KIE_SERVER_IMAGE_STREAM_NAME</b>	–	The name of the image stream to use for KIE server. Default is "rhpam72-kieserver-openshift".	rhpam72-kieserver-openshift	True

Variable name	Image Environment Variable	Description	Example value	Required
<b>IMAGE_STREAM_TAG</b>	–	A named pointer to an image in an image stream. Default is "1.1".	1.1	True
<b>MAVEN_REPO_ID</b>	<b>MAVEN_REPO_ID</b>	The id to use for the maven repository, if set. Default is generated randomly.	my-repo-id	False
<b>MAVEN_REPO_URL</b>	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<a href="http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/">http://nexus.nexus-project.svc.cluster.local:8081/nexus/content/groups/public/</a>	False
<b>MAVEN_REPO_USERNAME</b>	<b>MAVEN_REPO_USERNAME</b>	Username to access the Maven repository, if required.	–	False
<b>MAVEN_REPO_PASSWORD</b>	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	–	False
<b>BUSINESS_CENTRAL_MAVEN_USERNAME</b>	<b>KIE_MAVEN_USER</b>	Username to access the Maven service hosted by Business Central inside EAP.	mavenUser	True
<b>BUSINESS_CENTRAL_MAVEN_PASSWORD</b>	<b>KIE_MAVEN_PASSWORD</b>	Password to access the Maven service hosted by Business Central inside EAP.	–	True
<b>GIT_HOOKS_DIR</b>	<b>GIT_HOOKS_DIR</b>	The directory to use for git hooks, if required.	<b>/opt/eap/standalone/data/kie/git/hooks</b>	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>TIMER_SERVICE_DATA_STORE_REFRESH_INTERVAL</b>	<b>TIMER_SERVICE_DATA_STORE_REFRESH_INTERVAL</b>	Sets refresh-interval for the EJB timer database data-store service.	60000	True
<b>BUSINESS_CENTRAL_VOLUME_CAPACITY</b>	–	Size of the persistent storage for Business Central's runtime data.	1Gi	True
<b>BUSINESS_CENTRAL_MEMORY_LIMIT</b>	–	Business Central Container memory limit	2Gi	False
<b>KIE_SERVER_MEMORY_LIMIT</b>	–	KIE server Container memory limit	1Gi	False
<b>SSO_URL</b>	<b>SSO_URL</b>	RH-SSO URL	<a href="https://rh-sso.example.com/auth">https://rh-sso.example.com/auth</a>	False
<b>SSO_REALM</b>	<b>SSO_REALM</b>	RH-SSO Realm name	–	False
<b>BUSINESS_CENTRAL_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	Business Central RH-SSO Client name	–	False
<b>BUSINESS_CENTRAL_SSO_SECRET</b>	<b>SSO_SECRET</b>	Business Central RH-SSO Client Secret	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>KIE_SERVER_SSO_CLIENT</b>	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name	–	False
<b>KIE_SERVER_SSO_SECRET</b>	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret	252793ed-7118-4ca8-8dab-5622fa97d892	False
<b>SSO_USERNAME</b>	<b>SSO_USERNAME</b>	RH-SSO Realm Admin Username used to create the Client if it doesn't exist	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>SSO_PASSWORD</b>	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client	–	False
<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation	false	False
<b>SSO_PRINCIPAL_ATTRIBUTE</b>	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as username.	preferred_username	False
<b>AUTH_LDAP_URL</b>	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication	ldap://myldap.example.com	False
<b>AUTH_LDAP_BIND_DN</b>	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication	uid=admin,ou=users,ou=example,ou=com	False
<b>AUTH_LDAP_BIND_CREDENTIAL</b>	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication	Password	False
<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	–	False
<b>AUTH_LDAP_BASE_CTX_DN</b>	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	ou=users,ou=example,ou=com	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_B ASE_FILTER</b>	<b>AUTH_LDAP_B ASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	(uid={0})	False
<b>AUTH_LDAP_S EARCH_SCOPE</b>	<b>AUTH_LDAP_S EARCH_SCOPE</b>	The search scope to use.	<b>SUBTREE_SCO PE</b>	False
<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	<b>AUTH_LDAP_S EARCH_TIME_L IMIT</b>	The timeout in milliseconds for user or role searches.	10000	False
<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	<b>AUTH_LDAP_DI STINGUISHED_ NAME_ATTRIB UTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	distinguishedNam e	False



Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_PARSE_USERNAME</b>	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the username. If set to true, the DN is parsed for the username. If set to false the DN is not parsed for the username. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	true	False
<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_USERNAME_END_STRING</b>	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	–	False
<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	memberOf	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLES_CTX_DN</b>	<b>AUTH_LDAP_ROLES_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	ou=groups,ou=example,ou=com	False
<b>AUTH_LDAP_ROLE_FILTER</b>	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	(memberOf={1})	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_RECURSION</b>	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	1	False
<b>AUTH_LDAP_DEFAULT_ROLE</b>	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	guest	False
<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributelsDN property is set to true, this property is used to find the role object's name attribute.	name	False
<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttribute ID. If set to true, the DN is checked for the roleNameAttribute ID. If set to false, the DN is not checked for the roleNameAttribute ID. This flag can improve the performance of LDAP queries.	false	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeId attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	false	False
<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	–	False

Variable name	Image Environment Variable	Description	Example value	Required
<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	–	False
<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	–	False

## 4.2.2. Objects

The CLI supports various object types. A list of these object types as well as their abbreviations can be found in the [Openshift documentation](#).

### 4.2.2.1. Services

A service is an abstraction which defines a logical set of pods and a policy by which to access them. Refer to the [container-engine documentation](#) for more information.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-rhamcentr</b>	8080	http	All the Business Central web server's ports.
	8443	https	
	8001	git-ssh	
<b>\${APPLICATION_NAME}-ping</b>	8888	ping	The JGroups ping port for clustering.

Service	Port	Name	Description
<b>\${APPLICATION_NAME}-kieserver</b>	8080	http	All the KIE server web server's ports.
	8443	https	
<b>\${APPLICATION_NAME}-rhpamindex</b>	9200	rest	All the Business Central Indexing Elasticsearch ports.
	9300	transport	
<b>\${APPLICATION_NAME}-amq-tcp</b>	61616	–	The broker's OpenWire port.
<b>\${APPLICATION_NAME}-mysql</b>	3306	–	The MySQL server's port.

#### 4.2.2.2. Routes

A route is a way to expose a service by giving it an externally-reachable hostname such as **www.example.com**. A defined route and the endpoints identified by its service can be consumed by a router to provide named connectivity from external clients to your applications. Each route consists of a route name, service selector, and (optionally) security configuration. Refer to the [OpenShift documentation](#) for more information.

Service	Security	Hostname
<b>\${APPLICATION_NAME}-rhpamcentr-http</b>	none	<b>\${BUSINESS_CENTRAL_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}-rhpamcentr-https</b>	TLS passthrough	<b>\${BUSINESS_CENTRAL_HOSTNAME_HTTPS}</b>
<b>\${APPLICATION_NAME}-kieserver-http</b>	none	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
<b>\${APPLICATION_NAME}-kieserver-https</b>	TLS passthrough	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>
<b>\${APPLICATION_NAME}-rhpamindex-http</b>	none	<b>\${ES_HOSTNAME_HTTP}</b>

#### 4.2.2.3. Deployment Configurations

A deployment in OpenShift is a replication controller based on a user defined template called a deployment configuration. Deployments are created manually or in response to triggered events. Refer to the [OpenShift documentation](#) for more information.

##### 4.2.2.3.1. Triggers

A trigger drives the creation of new deployments in response to events, both inside and outside OpenShift. Refer to the [OpenShift documentation](#) for more information.

Deployment	Triggers
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-rhpamindex</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-amq</code></b>	ImageChange
<b><code>\${APPLICATION_NAME}-mysql</code></b>	ImageChange

#### 4.2.2.3.2. Replicas

A replication controller ensures that a specified number of pod "replicas" are running at any one time. If there are too many, the replication controller kills some pods. If there are too few, it starts more. Refer to the [container-engine documentation](#) for more information.

Deployment	Replicas
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	2
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	2
<b><code>\${APPLICATION_NAME}-rhpamindex</code></b>	1
<b><code>\${APPLICATION_NAME}-amq</code></b>	1
<b><code>\${APPLICATION_NAME}-mysql</code></b>	1

#### 4.2.2.3.3. Pod Template

##### 4.2.2.3.3.1. Service Accounts

Service accounts are API objects that exist within each project. They can be created or deleted like any other API object. Refer to the [OpenShift documentation](#) for more information.

Deployment	Service Account
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	<b><code>\${APPLICATION_NAME}-rhpamsvc</code></b>
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${APPLICATION_NAME}-rhpamsvc</code></b>

## 4.2.2.3.3.2. Image

Deployment	Image
<b><code>\${APPLICATION_NAME}-rhpamcentr</code></b>	<code>rhpam72-businesscentral-openshift</code>
<b><code>\${APPLICATION_NAME}-kieserver</code></b>	<b><code>\${KIE_SERVER_IMAGE_STREAM_NAME}</code></b>
<b><code>\${APPLICATION_NAME}-rhpamindex</code></b>	<code>rhpam72-businesscentral-indexing-openshift</code>
<b><code>\${APPLICATION_NAME}-amq</code></b>	<b><code>\${AMQ_IMAGE_STREAM_NAME}</code></b>
<b><code>\${APPLICATION_NAME}-mysql</code></b>	<code>mysql</code>

## 4.2.2.3.3.3. Readiness Probe

**`${APPLICATION_NAME}-rhpamcentr`**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/kie-wb.jsp
```

**`${APPLICATION_NAME}-kieserver`**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/services/rest/server/readychck
```

**`${APPLICATION_NAME}-rhpamindex`**

```
Http Get on http://localhost:9200/_cluster/health
```

**`${APPLICATION_NAME}-amq`**

```
/bin/bash -c /opt/amq/bin/readinessProbe.sh
```

**`${APPLICATION_NAME}-mysql`**

```
/bin/sh -i -c MYSQL_PWD="$MYSQL_PASSWORD" mysql -h 127.0.0.1 -u $MYSQL_USER -D
$MYSQL_DATABASE -e 'SELECT 1'
```

## 4.2.2.3.3.4. Liveness Probe

**`${APPLICATION_NAME}-rhpamcentr`**

```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/kie-wb.jsp
```

**`${APPLICATION_NAME}-kieserver`**



```
/bin/bash -c curl --fail --silent -u '${KIE_ADMIN_USER}:${KIE_ADMIN_PWD}'
http://localhost:8080/services/rest/server/readycheck
```

#### 4.2.2.3.3.5. Exposed Ports

Deployments	Name	Port	Protocol
<b>\${APPLICATION_NAME}-rhpamcentr</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>
	ping	8888	<b>TCP</b>
<b>\${APPLICATION_NAME}-kieserver</b>	jolokia	8778	<b>TCP</b>
	http	8080	<b>TCP</b>
	https	8443	<b>TCP</b>
<b>\${APPLICATION_NAME}-rhpamindex</b>	es	9300	<b>TCP</b>
	http	9200	<b>TCP</b>
<b>\${APPLICATION_NAME}-amq</b>	jolokia	8161	<b>TCP</b>
	amqp	5672	<b>TCP</b>
	mqtt	1883	<b>TCP</b>
	stomp	61613	<b>TCP</b>
	artemis	61616	<b>TCP</b>
<b>\${APPLICATION_NAME}-mysql</b>	–	3306	<b>TCP</b>

#### 4.2.2.3.3.6. Image Environment Variables

Deployment	Variable name	Description	Example value
<b>\${APPLICATION_NAME}-rhpamcentr</b>	<b>KIE_ADMIN_USER</b>	KIE administrator username	<b>\${KIE_ADMIN_USER}</b>

Deployment	Variable name	Description	Example value
	<b>KIE_ADMIN_PWD</b>	KIE administrator password	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller username (Sets the org.kie.server.controller.user system property)	<b>\${KIE_SERVER_CONTROLLER_USER}</b>
	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password (Sets the org.kie.server.controller.pwd system property)	<b>\${KIE_SERVER_CONTROLLER_PWD}</b>
	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication (Sets the org.kie.server.controller.token system property)	<b>\${KIE_SERVER_CONTROLLER_TOKEN}</b>
	<b>KIE_SERVER_USER</b>	KIE server username (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>
	<b>KIE_SERVER_PWD</b>	KIE server password (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>
	<b>MAVEN_REPO_ID</b>	The id to use for the maven repository, if set. Default is generated randomly.	<b>\${MAVEN_REPO_ID}</b>
	<b>MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>\${MAVEN_REPO_URL}</b>
	<b>MAVEN_REPO_USERNAME</b>	Username to access the Maven repository, if required.	<b>\${MAVEN_REPO_USERNAME}</b>

Deployment	Variable name	Description	Example value
	<b>MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>`\${MAVEN_REPO_PASSWORD}`</b>
	<b>KIE_MAVEN_USER</b>	Username to access the Maven service hosted by Business Central inside EAP.	<b>`\${BUSINESS_CENTRAL_MAVEN_USERNAME}`</b>
	<b>KIE_MAVEN_PWD</b>	Password to access the Maven service hosted by Business Central inside EAP.	<b>`\${BUSINESS_CENTRAL_MAVEN_PASSWORD}`</b>
	<b>GIT_HOOKS_DIR</b>	The directory to use for git hooks, if required.	<b>`\${GIT_HOOKS_DIR}`</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/businesscentral-secret-volume</b>
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	<b>`\${BUSINESS_CENTRAL_HTTPS_KEYSTORE}`</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate	<b>`\${BUSINESS_CENTRAL_HTTPS_NAME}`</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	<b>`\${BUSINESS_CENTRAL_HTTPS_PASSWORD}`</b>
	<b>WORKBENCH_ROUTE_NAME</b>	–	<b>`\${APPLICATION_NAME}-rhpamcentr</b>
	<b>JGROUPS_PING_PROTOCOL</b>	–	<b>openshift.DNS_PING</b>
	<b>OPENSIFT_DNS_PING_SERVICE_NAME</b>	–	<b>`\${APPLICATION_NAME}-ping</b>
	<b>OPENSIFT_DNS_PING_SERVICE_PORT</b>	–	<b>8888</b>

Deployment	Variable name	Description	Example value
	<b>APPFORMER_ELASTIC_PORT</b>	Sets the ES http.host property. This will set the http address of the main ES cluster node. Used for communication between nodes in the cluster and for communication with Business Central.	<b>\${APPFORMER_ELASTIC_PORT}</b>
	<b>APPFORMER_ELASTIC_CLUSTER_NAME</b>	Sets the ES cluster.name and configure it on Business Central. Defaults to kie-cluster.	<b>\${APPFORMER_ELASTIC_CLUSTER_NAME}</b>
	<b>APPFORMER_ELASTIC_RETRIES</b>	The number of times that appformer will try to connect to the elasticsearch node before give up.	<b>\${APPFORMER_ELASTIC_RETRIES}</b>
	<b>APPFORMER_ELASTIC_HOST</b>	–	<b>\${APPLICATION_NAME}-rhpamindex</b>
	<b>APPFORMER_JMS_BROKER_ADDRESS</b>	–	<b>\${APPLICATION_NAME}-amq-tcp</b>
	<b>APPFORMER_JMS_BROKER_PORT</b>	The port to connect to the JMS broker. Default is 61616	<b>\${APPFORMER_JMS_BROKER_PORT}</b>
	<b>APPFORMER_JMS_BROKER_USER</b>	The username to connect in the JMS broker.	<b>\${APPFORMER_JMS_BROKER_USER}</b>
	<b>APPFORMER_JMS_BROKER_PASSWORD</b>	The password to connect to the JMS broker.	<b>\${APPFORMER_JMS_BROKER_PASSWORD}</b>
	<b>SSO_URL</b>	RH-SSO URL	<b>\${SSO_URL}</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war
	<b>SSO_REALM</b>	RH-SSO Realm name	<b>\${SSO_REALM}</b>

Deployment	Variable name	Description	Example value
	<b>SSO_SECRET</b>	Business Central RH-SSO Client Secret	<b>`\${BUSINESS_CENTRAL_SSO_SECRET}`</b>
	<b>SSO_CLIENT</b>	Business Central RH-SSO Client name	<b>`\${BUSINESS_CENTRAL_SSO_CLIENT}`</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm Admin Username used to create the Client if it doesn't exist	<b>`\${SSO_USERNAME}`</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client	<b>`\${SSO_PASSWORD}`</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation	<b>`\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}`</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as username.	<b>`\${SSO_PRINCIPAL_ATTRIBUTE}`</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-rhpamcentr-<project>.<default-domain-suffix>	<b>`\${BUSINESS_CENTRAL_HOSTNAME_HTTP}`</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure-<application-name>-rhpamcentr-<project>.<default-domain-suffix>	<b>`\${BUSINESS_CENTRAL_HOSTNAME_HTTPS}`</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication	<b>`\${AUTH_LDAP_URL}`</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication	<b>`\${AUTH_LDAP_BIND_DN}`</b>
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication	<b>`\${AUTH_LDAP_BIND_CREDENTIAL}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>`\${AUTH_LDAP_BASE_FILTER}`</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>`\${AUTH_LDAP_SEARCH_SCOPE}`</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>`\${AUTH_LDAP_SEARCH_TIME_LIMIT}`</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>`\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the username. If set to true, the DN is parsed for the username. If set to false the DN is not parsed for the username. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b><code>\${AUTH_LDAP_PARSE_USERNAME}</code></b>
	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b><code>\${AUTH_LDAP_ROLE_S_CTX_DN}</code></b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>
<b>\${APPLICATION_NAME}-kieserver</b>	<b>AUTO_CONFIGURE_EJB_TIMER</b>	–	true
	<b>TIMER_SERVICE_DATA_STORE_REFRESH_INTERVAL</b>	Sets refresh-interval for the EJB timer database data-store service.	<b>\${TIMER_SERVICE_DATA_STORE_REFRESH_INTERVAL}</b>
	<b>DATASOURCES</b>	–	<b>RHPAM</b>
	<b>RHPAM_DATABASE</b>	KIE server MySQL database name	<b>\${KIE_SERVER_MYSQL_DB}</b>
	<b>RHPAM_DRIVER</b>	–	mysql
	<b>RHPAM_USERNAME</b>	KIE server MySQL database username	<b>\${KIE_SERVER_MYSQL_USER}</b>
	<b>RHPAM_PASSWORD</b>	KIE server MySQL database password	<b>\${KIE_SERVER_MYSQL_PWD}</b>
	<b>RHPAM_SERVICE_HOST</b>	–	<b>\${APPLICATION_NAME}-mysql</b>
	<b>RHPAM_SERVICE_PORT</b>	–	3306

Deployment	Variable name	Description	Example value
	<b>KIE_SERVER_PERSISTENCE_DIALECT</b>	–	org.hibernate.dialect.MySQLDialect
	<b>KIE_SERVER_PERSISTENCE_DS</b>	KIE server persistence datasource (Sets the org.kie.server.persistence.ds system property)	<b>\${KIE_SERVER_PERSISTENCE_DS}</b>
	<b>RHPAM_JNDI</b>	KIE server persistence datasource (Sets the org.kie.server.persistence.ds system property)	<b>\${KIE_SERVER_PERSISTENCE_DS}</b>
	<b>RHPAM_JTA</b>	–	true
	<b>DROOLS_SERVER_FILTER_CLASSES</b>	KIE server class filtering (Sets the org.drools.server.filter.classes system property)	<b>\${DROOLS_SERVER_FILTER_CLASSES}</b>
	<b>KIE_ADMIN_PWD</b>	KIE administrator password	<b>\${KIE_ADMIN_PWD}</b>
	<b>KIE_ADMIN_USER</b>	KIE administrator username	<b>\${KIE_ADMIN_USER}</b>
	<b>KIE_MBEANS</b>	KIE server mbeans enabled/disabled (Sets the kie.mbeans and kie.scanner.mbeans system properties)	<b>\${KIE_MBEANS}</b>
	<b>KIE_SERVER_BYPASS_AUTH_USER</b>	KIE server bypass auth user (Sets the org.kie.server.bypass.auth.user system property)	<b>\${KIE_SERVER_BYPASS_AUTH_USER}</b>
	<b>KIE_SERVER_CONTROLLER_USER</b>	KIE server controller username (Sets the org.kie.server.controller.user system property)	<b>\${KIE_SERVER_CONTROLLER_USER}</b>
	<b>KIE_SERVER_CONTROLLER_PWD</b>	KIE server controller password (Sets the org.kie.server.controller.pwd system property)	<b>\${KIE_SERVER_CONTROLLER_PWD}</b>

Deployment	Variable name	Description	Example value
	<b>KIE_SERVER_CONTROLLER_TOKEN</b>	KIE server controller token for bearer authentication (Sets the org.kie.server.controller.token system property)	<b>\${KIE_SERVER_CONTROLLER_TOKEN}</b>
	<b>KIE_SERVER_CONTROLLER_SERVICE</b>	–	<b>\${APPLICATION_NAME}-rhpamcentr</b>
	<b>KIE_SERVER_CONTROLLER_PROTOCOL</b>	–	ws
	<b>KIE_SERVER_ID</b>	–	<b>\${APPLICATION_NAME}-kieserver</b>
	<b>KIE_SERVER_ROUTE_NAME</b>	–	<b>\${APPLICATION_NAME}-kieserver</b>
	<b>KIE_SERVER_USE_SECURE_ROUTE_NAME</b>	If true, will use secure-APPLICATION_NAME-kieserver vs. APPLICATION_NAME-kieserver as the route name.	<b>\${KIE_SERVER_USE_SECURE_ROUTE_NAME}</b>
	<b>KIE_SERVER_PWD</b>	KIE server password (Sets the org.kie.server.pwd system property)	<b>\${KIE_SERVER_PWD}</b>
	<b>KIE_SERVER_USER</b>	KIE server username (Sets the org.kie.server.user system property)	<b>\${KIE_SERVER_USER}</b>
	<b>MAVEN_REPOS</b>	–	RHPAMCENTR,EXTERNAL
	<b>RHPAMCENTR_MAVEN_REPO_SERVICE</b>	–	<b>\${APPLICATION_NAME}-rhpamcentr</b>
	<b>RHPAMCENTR_MAVEN_REPO_PATH</b>	–	<b>/maven2/</b>

Deployment	Variable name	Description	Example value
	<b>RHPAMCENTR_MAVEN_REPO_USERNAME</b>	Username to access the Maven service hosted by Business Central inside EAP.	<b>\${BUSINESS_CENTRAL_MAVEN_USERNAME}</b>
	<b>RHPAMCENTR_MAVEN_REPO_PASSWORD</b>	Password to access the Maven service hosted by Business Central inside EAP.	<b>\${BUSINESS_CENTRAL_MAVEN_PASSWORD}</b>
	<b>EXTERNAL_MAVEN_REPO_ID</b>	The id to use for the maven repository, if set. Default is generated randomly.	<b>\${MAVEN_REPO_ID}</b>
	<b>EXTERNAL_MAVEN_REPO_URL</b>	Fully qualified URL to a Maven repository or service.	<b>\${MAVEN_REPO_URL}</b>
	<b>EXTERNAL_MAVEN_REPO_USERNAME</b>	Username to access the Maven repository, if required.	<b>\${MAVEN_REPO_USERNAME}</b>
	<b>EXTERNAL_MAVEN_REPO_PASSWORD</b>	Password to access the Maven repository, if required.	<b>\${MAVEN_REPO_PASSWORD}</b>
	<b>HTTPS_KEYSTORE_DIR</b>	–	<b>/etc/kieserver-secret-volume</b>
	<b>HTTPS_KEYSTORE</b>	The name of the keystore file within the secret	<b>\${KIE_SERVER_HTTPS_KEYSTORE}</b>
	<b>HTTPS_NAME</b>	The name associated with the server certificate	<b>\${KIE_SERVER_HTTPS_NAME}</b>
	<b>HTTPS_PASSWORD</b>	The password for the keystore and certificate	<b>\${KIE_SERVER_HTTPS_PASSWORD}</b>
	<b>SSO_URL</b>	RH-SSO URL	<b>\${SSO_URL}</b>
	<b>SSO_OPENIDCONNECT_DEPLOYMENTS</b>	–	ROOT.war

Deployment	Variable name	Description	Example value
	<b>SSO_REALM</b>	RH-SSO Realm name	<b>\${SSO_REALM}</b>
	<b>SSO_SECRET</b>	KIE Server RH-SSO Client Secret	<b>\${KIE_SERVER_SSO_SECRET}</b>
	<b>SSO_CLIENT</b>	KIE Server RH-SSO Client name	<b>\${KIE_SERVER_SSO_CLIENT}</b>
	<b>SSO_USERNAME</b>	RH-SSO Realm Admin Username used to create the Client if it doesn't exist	<b>\${SSO_USERNAME}</b>
	<b>SSO_PASSWORD</b>	RH-SSO Realm Admin Password used to create the Client	<b>\${SSO_PASSWORD}</b>
	<b>SSO_DISABLE_SSL_CERTIFICATE_VALIDATION</b>	RH-SSO Disable SSL Certificate Validation	<b>\${SSO_DISABLE_SSL_CERTIFICATE_VALIDATION}</b>
	<b>SSO_PRINCIPAL_ATTRIBUTE</b>	RH-SSO Principal Attribute to use as username.	<b>\${SSO_PRINCIPAL_ATTRIBUTE}</b>
	<b>HOSTNAME_HTTP</b>	Custom hostname for http service route. Leave blank for default hostname, e.g.: <application-name>-kieserver-<project>. <default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTP}</b>
	<b>HOSTNAME_HTTPS</b>	Custom hostname for https service route. Leave blank for default hostname, e.g.: secure-<application-name>-kieserver-<project>. <default-domain-suffix>	<b>\${KIE_SERVER_HOSTNAME_HTTPS}</b>
	<b>AUTH_LDAP_URL</b>	LDAP Endpoint to connect for authentication	<b>\${AUTH_LDAP_URL}</b>
	<b>AUTH_LDAP_BIND_DN</b>	Bind DN used for authentication	<b>\${AUTH_LDAP_BIND_DN}</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_BIND_CREDENTIAL</b>	LDAP Credentials used for authentication	<b>`\${AUTH_LDAP_BIND_CREDENTIAL}`</b>
	<b>AUTH_LDAP_JAAS_SECURITY_DOMAIN</b>	The JMX ObjectName of the JaasSecurityDomain used to decrypt the password.	<b>`\${AUTH_LDAP_JAAS_SECURITY_DOMAIN}`</b>
	<b>AUTH_LDAP_BASE_CTX_DN</b>	LDAP Base DN of the top-level context to begin the user search.	<b>`\${AUTH_LDAP_BASE_CTX_DN}`</b>
	<b>AUTH_LDAP_BASE_FILTER</b>	LDAP search filter used to locate the context of the user to authenticate. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. A common example for the search filter is (uid={0}).	<b>`\${AUTH_LDAP_BASE_FILTER}`</b>
	<b>AUTH_LDAP_SEARCH_SCOPE</b>	The search scope to use.	<b>`\${AUTH_LDAP_SEARCH_SCOPE}`</b>
	<b>AUTH_LDAP_SEARCH_TIME_LIMIT</b>	The timeout in milliseconds for user or role searches.	<b>`\${AUTH_LDAP_SEARCH_TIME_LIMIT}`</b>
	<b>AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE</b>	The name of the attribute in the user entry that contains the DN of the user. This may be necessary if the DN of the user itself contains special characters, backslash for example, that prevent correct user mapping. If the attribute does not exist, the entry's DN is used.	<b>`\${AUTH_LDAP_DISTINGUISHED_NAME_ATTRIBUTE}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_USERNAME</b>	A flag indicating if the DN is to be parsed for the username. If set to true, the DN is parsed for the username. If set to false the DN is not parsed for the username. This option is used together with <code>usernameBeginString</code> and <code>usernameEndString</code> .	<b><code>\${AUTH_LDAP_PARSE_USERNAME}</code></b>
	<b>AUTH_LDAP_USERNAME_BEGIN_STRING</b>	Defines the String which is to be removed from the start of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_BEGIN_STRING}</code></b>
	<b>AUTH_LDAP_USERNAME_END_STRING</b>	Defines the String which is to be removed from the end of the DN to reveal the username. This option is used together with <code>usernameEndString</code> and only taken into account if <code>parseUsername</code> is set to true.	<b><code>\${AUTH_LDAP_USERNAME_END_STRING}</code></b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_ID</b>	Name of the attribute containing the user roles.	<b><code>\${AUTH_LDAP_ROLE_ATTRIBUTE_ID}</code></b>
	<b>AUTH_LDAP_ROLE_S_CTX_DN</b>	The fixed DN of the context to search for user roles. This is not the DN where the actual roles are, but the DN where the objects containing the user roles are. For example, in a Microsoft Active Directory server, this is the DN where the user account is.	<b><code>\${AUTH_LDAP_ROLE_S_CTX_DN}</code></b>



Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_ROLE_FILTER</b>	A search filter used to locate the roles associated with the authenticated user. The input username or userDN obtained from the login module callback is substituted into the filter anywhere a {0} expression is used. The authenticated userDN is substituted into the filter anywhere a {1} is used. An example search filter that matches on the input username is (member={0}). An alternative that matches on the authenticated userDN is (member={1}).	<b>`\${AUTH_LDAP_ROLE_FILTER}`</b>
	<b>AUTH_LDAP_ROLE_RECURSION</b>	The number of levels of recursion the role search will go below a matching context. Disable recursion by setting this to 0.	<b>`\${AUTH_LDAP_ROLE_RECURSION}`</b>
	<b>AUTH_LDAP_DEFAULT_ROLE</b>	A role included for all authenticated users	<b>`\${AUTH_LDAP_DEFAULT_ROLE}`</b>
	<b>AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID</b>	Name of the attribute within the roleCtxDN context which contains the role name. If the roleAttributesDN property is set to true, this property is used to find the role object's name attribute.	<b>`\${AUTH_LDAP_ROLE_NAME_ATTRIBUTE_ID}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN</b>	A flag indicating if the DN returned by a query contains the roleNameAttributeID. If set to true, the DN is checked for the roleNameAttributeID. If set to false, the DN is not checked for the roleNameAttributeID. This flag can improve the performance of LDAP queries.	<b>`\${AUTH_LDAP_PARSE_ROLE_NAME_FROM_DN}`</b>
	<b>AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN</b>	Whether or not the roleAttributeID contains the fully-qualified DN of a role object. If false, the role name is taken from the value of the roleNameAttributeID attribute of the context name. Certain directory schemas, such as Microsoft Active Directory, require this attribute to be set to true.	<b>`\${AUTH_LDAP_ROLE_ATTRIBUTE_IS_DN}`</b>
	<b>AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK</b>	If you are not using referrals, you can ignore this option. When using referrals, this option denotes the attribute name which contains users defined for a certain role, for example member, if the role object is inside the referral. Users are checked against the content of this attribute name. If this option is not set, the check will always fail, so role objects cannot be stored in a referral tree.	<b>`\${AUTH_LDAP_REFERRAL_USER_ATTRIBUTE_ID_TO_CHECK}`</b>

Deployment	Variable name	Description	Example value
	<b>AUTH_ROLE_MAPPER_ROLES_PROPERTIES</b>	When present, the RoleMapping Login Module will be configured to use the provided file. This property defines the fully-qualified file path and name of a properties file or resource which maps roles to replacement roles. The format is original_role=role1,role2,role3	<b>\${AUTH_ROLE_MAPPER_ROLES_PROPERTIES}</b>
	<b>AUTH_ROLE_MAPPER_REPLACE_ROLE</b>	Whether to add to the current roles, or replace the current roles with the mapped ones. Replaces if set to true.	<b>\${AUTH_ROLE_MAPPER_REPLACE_ROLE}</b>
<b>\${APPLICATION_NAME}-rhpamindex</b>	<b>ES_CLUSTER_NAME</b>	Sets the ES cluster.name and configure it on Business Central. Defaults to kie-cluster.	<b>\${APPFORMER_ELASTIC_CLUSTER_NAME}</b>
	<b>ES_NODE_NAME</b>	Sets the ES node.name property. Defaults to HOSTNAME env value.	<b>\${ES_NODE_NAME}</b>
	<b>ES_TRANSPORT_HOST</b>	Sets the ES transport.host property. This will set the transport address of the main ES cluster node. Used for communication between nodes in the cluster. Defaults to container address.	<b>\${ES_TRANSPORT_HOST}</b>

Deployment	Variable name	Description	Example value
	<b>ES_TRANSPORT_TCP_PORT</b>	Sets the ES http.host property. This will set the http address of the main ES cluster node. Used for communication between nodes in the cluster and for communication with Business Central.	<b>\${APPFORMER_ELASTIC_PORT}</b>
	<b>ES_HTTP_PORT</b>	Sets the ES http.port property. This will set the http port of the main ES cluster node. Used to interact with the cluster REST API.	<b>\${ES_HTTP_PORT}</b>
	<b>ES_HTTP_HOST</b>	Sets the ES http.host property. This will set the http address of the main ES cluster node. Used to interact with cluster rest api. Defaults to the container ip address	<b>\${ES_HTTP_HOST}</b>
	<b>ES_JAVA_OPTS</b>	Appends custom jvm configurations/properties to ES jvm.options configuration file.	<b>\${ES_JAVA_OPTS}</b>
<b>\${APPLICATION_NAME}-amq</b>	<b>AMQ_USER</b>	The username to connect in the JMS broker.	<b>\${APPFORMER_JMS_BROKER_USER}</b>
	<b>AMQ_PASSWORD</b>	The password to connect to the JMS broker.	<b>\${APPFORMER_JMS_BROKER_PASSWORD}</b>
	<b>AMQ_ROLE</b>	User role for standard broker user.	<b>\${AMQ_ROLE}</b>
	<b>AMQ_NAME</b>	The name of the broker	<b>\${AMQ_NAME}</b>
	<b>AMQ_TRANSPORTS</b>	–	openwire

Deployment	Variable name	Description	Example value
	<b>AMQ_GLOBAL_MAX_SIZE</b>	Maximum amount of memory which message data may consume (Default: Undefined, half of the system's memory).	<b>\${AMQ_GLOBAL_MAX_SIZE}</b>
<b>\${APPLICATION_NAME}-mysql</b>	<b>MYSQL_USER</b>	KIE server MySQL database username	<b>\${KIE_SERVER_MYSQL_USER}</b>
	<b>MYSQL_PASSWORD</b>	KIE server MySQL database password	<b>\${KIE_SERVER_MYSQL_PWD}</b>
	<b>MYSQL_DATABASE</b>	KIE server MySQL database name	<b>\${KIE_SERVER_MYSQL_DB}</b>

#### 4.2.2.3.3.7. Volumes

Deployment	Name	mountPath	Purpose	readOnly
<b>\${APPLICATION_NAME}-rhpamcentr</b>	businesscentral-keystore-volume	<b>/etc/businesscentral-secret-volume</b>	ssl certs	True
<b>\${APPLICATION_NAME}-kieserver</b>	kieserver-keystore-volume	<b>/etc/kieserver-secret-volume</b>	ssl certs	True
<b>\${APPLICATION_NAME}-rhpamindex</b>	<b>\${APPLICATION_NAME}-rhpamindex-pvol</b>	<b>/opt/elasticsearch/data</b>	rhpamindex	false
<b>\${APPLICATION_NAME}-mysql</b>	<b>\${APPLICATION_NAME}-mysql-pvol</b>	<b>/var/lib/mysql/data</b>	mysql	false

#### 4.2.2.4. External Dependencies

##### 4.2.2.4.1. Volume Claims

A **PersistentVolume** object is a storage resource in an OpenShift cluster. Storage is provisioned by an administrator by creating **PersistentVolume** objects from sources such as GCE Persistent Disks, AWS Elastic Block Stores (EBS), and NFS mounts. Refer to the [OpenShift documentation](#) for more information.

Name	Access Mode
<code>\${APPLICATION_NAME}-rhpamcentr-claim</code>	ReadWriteMany
<code>\${APPLICATION_NAME}-mysql-claim</code>	ReadWriteOnce
<code>\${APPLICATION_NAME}-rhpamindex-claim</code>	ReadWriteOnce

#### 4.2.2.4.2. Secrets

This template requires the following secrets to be installed for the application to run.

businesscentral-app-secret kieserver-app-secret

#### 4.2.2.4.3. Clustering

Clustering in OpenShift EAP is achieved through one of two discovery mechanisms: Kubernetes or DNS. This is done by configuring the JGroups protocol stack in `standalone-openshift.xml` with either the `<openshift.KUBE_PING/>` or `<openshift.DNS_PING/>` elements. The templates are configured to use **DNS\_PING**, however ``KUBE_PING`` is the default used by the image.

The discovery mechanism used is specified by the **JGROUPS\_PING\_PROTOCOL** environment variable which can be set to either **openshift.DNS\_PING** or **openshift.KUBE\_PING**. **openshift.KUBE\_PING** is the default used by the image if no value is specified for **JGROUPS\_PING\_PROTOCOL**.

For **DNS\_PING** to work, the following steps must be taken:

1. The **OPENSIFT\_DNS\_PING\_SERVICE\_NAME** environment variable must be set to the name of the ping service for the cluster (see table above). If not set, the server will act as if it is a single-node cluster (a "cluster of one").
2. The **OPENSIFT\_DNS\_PING\_SERVICE\_PORT** environment variables should be set to the port number on which the ping service is exposed (see table above). The **DNS\_PING** protocol will attempt to discern the port from the SRV records, if it can, otherwise it will default to 8888.
3. A ping service which exposes the ping port must be defined. This service should be "headless" (ClusterIP=None) and must have the following:
  - a. The port must be named for port discovery to work.
  - b. It must be annotated with **service.alpha.kubernetes.io/tolerate-unready-endpoints** set to **"true"**. Omitting this annotation will result in each node forming their own "cluster of one" during startup, then merging their cluster into the other nodes' clusters after startup (as the other nodes are not detected until after they have started).

#### Example ping service for use with **DNS\_PING**

```
kind: Service
apiVersion: v1
spec:
  clusterIP: None
  ports:
  - name: ping
    port: 8888
```

```

selector:
  deploymentConfig: eap-app
metadata:
  name: eap-app-ping
  annotations:
    service.alpha.kubernetes.io/tolerate-unready-endpoints: "true"
    description: "The JGroups ping port for clustering."

```

For **KUBE\_PING** to work, the following steps must be taken:

1. The **OPENSIFT\_KUBE\_PING\_NAMESPACE** environment variable must be set (see table above). If not set, the server will act as if it is a single-node cluster (a "cluster of one").
2. The **OPENSIFT\_KUBE\_PING\_LABELS** environment variables should be set (see table above). If not set, pods outside of your application (albeit in your namespace) will try to join.
3. Authorization must be granted to the service account the pod is running under to be allowed to access Kubernetes' REST api. This is done on the command line.

#### Example 4.1. Policy commands

Using the default service account in the myproject namespace:

```
oc policy add-role-to-user view system:serviceaccount:myproject:default -n myproject
```

Using the eap-service-account in the myproject namespace:

```
oc policy add-role-to-user view system:serviceaccount:myproject:eap-service-account -n myproject
```

## 4.3. OPENSIFT USAGE QUICK REFERENCE

To deploy, monitor, manage, and undeploy Red Hat Process Automation Manager templates on Red Hat OpenShift Container Platform, you can use the OpenShift Web console or the **oc** command.

For instructions about using the Web console, see [Create and build an image using the Web console](#).

For detailed instructions about using the **oc** command, see [CLI Reference](#). The following commands are likely to be required:

- To create a project, use the following command:

```
$ oc new-project <project-name>
```

For more information, see [Creating a project using the CLI](#).

- To deploy a template (create an application from a template), use the following command:

```
$ oc new-app -f <template-name> -p <parameter>=<value> -p <parameter>=<value> ...
```

For more information, see [Creating an application using the CLI](#).

- To view a list of the active pods in the project, use the following command:

```
$ oc get pods
```

- To view the current status of a pod, including information whether or not the pod deployment has completed and it is now in a running state, use the following command:

```
$ oc describe pod <pod-name>
```

You can also use the **oc describe** command to view the current status of other objects. For more information, see [Application modification operations](#).

- To view the logs for a pod, use the following command:

```
$ oc logs <pod-name>
```

- To view deployment logs, look up a **DeploymentConfig** name in the template reference and run the following command:

```
$ oc logs -f dc/<deployment-config-name>
```

For more information, see [Viewing deployment logs](#).

- To view build logs, look up a **BuildConfig** name in the template reference and run the command:

```
$ oc logs -f bc/<build-config-name>
```

For more information, see [Accessing build logs](#).

- To scale a pod in the application, look up a **DeploymentConfig** name in the template reference and run the command:

```
$ oc scale dc/<deployment-config-name> --replicas=<number>
```

For more information, see [Manual scaling](#).

- To undeploy the application, you can delete the project by using the command:

```
$ oc delete project <project-name>
```

Alternatively, you can use the **oc delete** command to remove any part of the application, such as a pod or replication controller. For details, see [Application modification operations](#).



## APPENDIX A. VERSIONING INFORMATION

Documentation last updated on Tuesday, May 28, 2019.