



Red Hat Process Automation Manager 7.6

Integrating Red Hat Process Automation
Manager assets in Entando AppBuilder

Red Hat Process Automation Manager 7.6 Integrating Red Hat Process Automation Manager assets in Entando AppBuilder

Red Hat Customer Content Services
brms-docs@redhat.com

Legal Notice

Copyright © 2020 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This document describes how to integrate business assets created in Red Hat Process Automation Manager 7.6 with the Digital Experience Platform (DXP) and AppBuilder.

Table of Contents

PREFACE	3
CHAPTER 1. DIGITAL EXPERIENCE PLATFORM (DXP) AND APPBUILDER	4
CHAPTER 2. RED HAT PROCESS AUTOMATION MANAGER CONFIGURATION WITH APPBUILDER	5
APPENDIX A. VERSIONING INFORMATION	6

PREFACE

As a business processes developer, you can integrate the business assets you have created in Red Hat Process Automation Manager with AppBuilder. AppBuilder provides an open-source, low-code Digital Experience Platform (DXP) for building modern web, mobile, and IoT applications. With AppBuilder, you can create a custom user experience around your Red Hat Process Automation Manager business assets and expand your application development strategy.

Prerequisites

- Red Hat Process Automation Manager 7.6 is installed. For installation options, see [Planning a Red Hat Process Automation Manager installation](#).
- A project with business assets has been created in Red Hat Process Automation Manager and deployed to a Process Server. For instructions, see [Packaging and deploying a Red Hat Process Automation Manager project](#).
- One or more Process Servers are running and contain deployed project data. For instructions, see [Packaging and deploying a Red Hat Process Automation Manager project](#) .

CHAPTER 1. DIGITAL EXPERIENCE PLATFORM (DXP) AND APPBUILDER

Digital Experience Platform (DXP) is a low-code, component-based platform for building modern web, mobile, and IoT applications. AppBuilder is an application that provides features to help you configure and customize, with or without programming skills, any kind of modern web application built with AppBuilder. AppBuilder is a web-based administration console that you can use to build and configure your web application, manage your page data and activities, and integrate with other application tools, such as Red Hat Process Automation Manager.

Red Hat Process Automation Manager includes a rich, open-source user experience platform for building modern, process-driven applications in the cloud. AppBuilder uses the cloud native infrastructure provided by OpenShift leveraging services such as Ingress, sidecar containers, and pipelines. The user experience platform streamlines the development and enables business users to create compelling experiences for customers across a wide range of devices and channels. Business experts can quickly compose the applications by dragging and dropping the reusable user interface components to pages. Developers can freely work in the frontend frameworks of their choice. AppBuilder provides a library of out-of-the-box and micro-frontend widgets which enables the task lists, forms, and process graphs.

The basic components for building applications in AppBuilder are page models that define page layout and application widgets that define page data and functionality.

For more information about creating AppBuilder page models, pages and application widgets, see [Getting Started with AppBuilder](#).

CHAPTER 2. RED HAT PROCESS AUTOMATION MANAGER CONFIGURATION WITH APPBUILDER

In order to integrate your Red Hat Process Automation Manager data in AppBuilder, you must first configure one or more Process Servers in AppBuilder. The configured Process Servers must be the servers to which you deployed the projects that you created in Red Hat Process Automation Manager.

For instructions on getting started with AppBuilder and for configuring Red Hat Process Automation Manager with AppBuilder, see the following links:

- [Installing AppBuilder](#)
- [Getting Started with AppBuilder](#)

APPENDIX A. VERSIONING INFORMATION

Documentation last updated on Friday, May 22, 2020.