



## Red Hat Satellite 6.3

### Package Manifest

Package Listing for Red Hat Satellite 6.3

Edition 1



# Red Hat Satellite 6.3 Package Manifest

---

Package Listing for Red Hat Satellite 6.3  
Edition 1

Red Hat Satellite Documentation Team  
[satellite-doc-list@redhat.com](mailto:satellite-doc-list@redhat.com)

## Legal Notice

Copyright © 2019 Red Hat, Inc.

This document is licensed by Red Hat under the [Creative Commons Attribution-ShareAlike 3.0 Unported License](https://creativecommons.org/licenses/by-sa/3.0/). If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

The Package Manifest provides a list of all packages in this release of Red Hat Satellite.

# Table of Contents

|  |          |
|--|----------|
| <b>1. RELEASE SCHEDULE</b> .....   | <b>3</b> |
| <b>2. RED HAT SATELLITE 6.3.0</b> .....  | <b>3</b> |
| 2.1. Red Hat Enterprise Linux 7  | 3        |
| 2.1.1. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation)                                | 3        |
| 2.1.2. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Workstation)                     | 5        |
| 2.1.3. Red Hat Satellite Tools 6.3 (for RHEL 7 Server)                                     | 5        |
| 2.1.4. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server)                          | 8        |
| 2.1.5. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server)                                   | 8        |
| 2.1.6. Red Hat Satellite Capsule 6.3 - Puppet 4 (for RHEL 7 Server)                        | 17       |
| 2.1.7. Red Hat Satellite 6.3 (for RHEL 7 Server)   | 17       |
| 2.1.8. Red Hat Satellite 6.3 - Puppet 4 (for RHEL 7 Server)                                | 32       |
| 2.1.9. Red Hat Satellite Tools 6.3 (for RHEL 7 Server - EUS)                               | 32       |
| 2.1.10. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server - EUS)                   | 35       |
| 2.1.11. Red Hat Satellite Tools 6.3 (for RHEL 7 Server - AUS)                              | 36       |
| 2.1.12. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server - AUS)                   | 37       |
| 2.1.13. Red Hat Satellite Tools 6.3 (for RHEL 7 for System Z)                              | 37       |
| 2.1.14. Red Hat Satellite Tools 6.3 (for RHEL 7 for System Z - EUS)                        | 39       |
| 2.1.15. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power)                             | 41       |
| 2.1.16. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power LE)                          | 42       |
| 2.1.17. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for IBM Power LE)               | 44       |
| 2.1.18. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation)                               | 44       |
| 2.1.19. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for IBM Power LE - EUS)         | 45       |
| 2.1.20. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power - EUS)                       | 46       |
| 2.1.21. Red Hat Satellite Tools 6.3 (for RHEL 7 for Scientific Computing)                  | 47       |
| 2.1.22. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for Scientific Computing)       | 49       |
| 2.1.23. Red Hat Satellite Tools 6.3 (for RHEL 7 for Scientific Computing - EUS)            | 49       |
| 2.1.24. Red Hat Satellite Tools 6.3 (for RHEL 7 Server for ARM)                            | 50       |
| 2.1.25. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server for ARM)                 | 52       |
| 2.1.26. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation)                               | 52       |
| 2.1.27. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Desktop)                        | 54       |
| 2.2. Red Hat Enterprise Linux 6  | 54       |
| 2.2.1. Red Hat Satellite Tools 6.3 (for RHEL 6 Workstation)                                | 54       |
| 2.2.2. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Workstation)                     | 55       |
| 2.2.3. Red Hat Satellite Tools 6.3 (for RHEL 6 Server)                                     | 55       |
| 2.2.4. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server)                          | 57       |
| 2.2.5. Red Hat Satellite Tools 6.3 (for RHEL 6 Server - EUS)                               | 57       |
| 2.2.6. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server - EUS)                    | 58       |
| 2.2.7. Red Hat Satellite Tools 6.3 (for RHEL 6 Server - AUS)                               | 58       |
| 2.2.8. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server - AUS)                    | 59       |
| 2.2.9. Red Hat Satellite Tools 6.3 (for RHEL 6 for System Z)                               | 60       |
| 2.2.10. Red Hat Satellite Tools 6.3 (for RHEL 6 for System Z - EUS)                        | 61       |
| 2.2.11. Red Hat Satellite Tools 6.3 (for RHEL 6 for IBM Power) (RPMs)                      | 62       |
| 2.2.12. Red Hat Satellite Tools 6.3 (for RHEL 6 for IBM Power - EUS)                       | 63       |
| 2.2.13. Red Hat Satellite Tools 6.3 (for RHEL 6 for Scientific Computing)                  | 64       |
| 2.2.14. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 for Scientific Computing)       | 66       |
| 2.2.15. Red Hat Satellite Tools 6.3 (for RHEL 6 for Scientific Computing - EUS)            | 66       |
| 2.2.16. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 for Scientific Computing - EUS) | 67       |
| 2.2.17. Red Hat Satellite Tools 6.3 (for RHEL 6 Desktop)                                   | 67       |
| 2.2.18. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Desktop)                        | 69       |
| 2.3. Red Hat Enterprise Linux 5  | 69       |

|   |           |
|---|-----------|
| 2.3.1. Red Hat Satellite Tools 6.3 (for RHEL 5 Server - ELS)              | 69        |
| 2.3.2. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 5 Server - ELS)   | 70        |
| 2.3.3. Red Hat Satellite Tools 6.3 (for RHEL 5 Server - AUS)              | 70        |
| 2.3.4. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 5 Server - AUS)   | 71        |
| 2.3.5. Red Hat Satellite Tools 6.3 (for RHEL 5 for System Z - ELS) (RPMs) | 71        |
| <b>3. RED HAT SATELLITE 6.3.1</b> .....                                   | <b>73</b> |
| 3.1. Red Hat Enterprise Linux 7   | 73        |
| 3.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server)                          | 73        |
| 3.1.2. Red Hat Satellite 6.3 - Puppet 4 (for RHEL 7 Server)               | 75        |
| 3.1.3. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server)                  | 75        |
| 3.1.4. Red Hat Satellite Capsule 6.3 - Puppet 4 (for RHEL 7 Server)       | 76        |
| <b>4. RED HAT SATELLITE 6.3.2</b> .....                                   | <b>76</b> |
| 4.1. Red Hat Enterprise Linux 7   | 76        |
| 4.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server)                          | 76        |
| 4.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server)                  | 79        |
| <b>5. RED HAT SATELLITE 6.3.3</b> .....                                   | <b>80</b> |
| 5.1. Red Hat Enterprise Linux 7   | 80        |
| 5.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs)                   | 81        |
| 5.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs)           | 83        |
| <b>6. RED HAT SATELLITE 6.3.4</b> .....                                   | <b>85</b> |
| 6.1. Red Hat Enterprise Linux 7   | 85        |
| 6.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs)                   | 85        |
| 6.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs)           | 86        |
| <b>7. RED HAT SATELLITE 6.3.5</b> .....                                   | <b>87</b> |
| 7.1. Red Hat Enterprise Linux 7   | 87        |
| 7.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs)                   | 87        |
| 7.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs)           | 88        |

## 1. RELEASE SCHEDULE

The following table lists the dates of the Red Hat Satellite 6.3 GA, along with the dates of each subsequent asynchronous release:

**Table 1. Red Hat Satellite 6.3 release schedule**

| Release                      | Date              |
|------------------------------|-------------------|
| 6.3.0 (General Availability) | February 21, 2018 |
| 6.3.1                        | April 13, 2018    |
| 6.3.2                        | June 19, 2018     |
| 6.3.3                        | August 22, 2018   |
| 6.3.4                        | October 11, 2018  |
| 6.3.5                        | October 30, 2018  |

## 2. RED HAT SATELLITE 6.3.0

This section outlines the packages shipped in each channel released with the general availability of Red Hat Satellite 6.3.

### 2.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

#### 2.1.1. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation)

The following table outlines the packages included in the **rhel-7-workstation-satellite-tools-6.3-rpms** repository.

**Table 2. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation) Packages**

| Name   | Version        | Advisory                       |
|--------|----------------|--------------------------------|
| facter | 2.4.6-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| gofer  | 2.7.7-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| hierac | 1.3.1-2.el7sat | <a href="#">RHBA-2018:0338</a> |

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest           | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton            | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer                 | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c                 | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |



| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| rubygem-deep_merge          | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.2. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Workstation)

The following table outlines the packages included in the **rhel-7-workstation-satellite-tools-6.3-puppet4-rpms** repository.

**Table 3. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Workstation) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.3. Red Hat Satellite Tools 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-tools-6.3-rpms** repository.

**Table 4. Red Hat Satellite Tools 6.3 (for RHEL 7 Server) Packages**

| Name                           | Version            | Advisory                       |
|--------------------------------|--------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| foreman-cli                    | 1.15.6.34-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat  | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version             | Advisory                       |
|-----------------------------|---------------------|--------------------------------|
| puppet                      | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete          | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4       | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton         | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib             | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate              | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil               | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib       | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest        | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common   | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton         | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c              | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| satellite-cli               | 6.3.0-23.0.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-apipie-bindings | 0.2.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |

| Name  | Version                | Advisory                       |
|---|------------------------|--------------------------------|
| tfm-rubygem-awesome_print                         | 1.7.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-clamp                                 | 1.0.0-8.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-domain_name                           | 0.5.20160310-1.el7sat  | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-fast_gettext                          | 1.4.1-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli                            | 0.11.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_csv                        | 2.3.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman                    | 0.11.0.5-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_admin              | 0.0.8-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_bootdisk           | 0.1.3.3-2.el7sat       | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_discovery          | 1.0.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_docker             | 0.0.6-2.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_openscap           | 0.1.5-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_remote_execution   | 0.0.6-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_tasks              | 0.0.12-1.fm1_15.el7sat | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_virt_who_configure | 0.0.3-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_katello                    | 0.11.3.5-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hashie                                | 2.0.5-4.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-highline                              | 1.7.8-2.el7sat         | <a href="#">RHBA-2018:0338</a> |

| Name                              | Version           | Advisory                       |
|-----------------------------------|-------------------|--------------------------------|
| tfm-rubygem-http-cookie           | 1.0.2-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-little-plugger        | 1.1.3-21.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-locale                | 2.0.9-11.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-logging               | 1.8.2-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-netrc                 | 0.7.7-8.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-oauth                 | 0.5.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-powerbar              | 1.0.17-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-rest-client           | 1.8.0-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-unf                   | 0.1.3-5.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-unf_ext               | 0.0.6-6.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-unicode-display_width | 1.0.5-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-runtime                       | 3.2-11.el7sat     | <a href="#">RHBA-2018:0338</a> |
| tracer-common                     | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| virt-who                          | 0.20.4-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

#### 2.1.4. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-tools-6.3-puppet4-rpms** repository.

**Table 5. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

#### 2.1.5. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-rpms** repository.

**Table 6. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) Packages**

| Name                                | Version               | Advisory                       |
|-------------------------------------|-----------------------|--------------------------------|
| SOAPpy                              | 0.11.6-17.el7         | <a href="#">RHBA-2018:0337</a> |
| createrepo_c                        | 0.7.4-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| createrepo_c-libs                   | 0.7.4-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| facter                              | 2.4.6-3.el7sat        | <a href="#">RHBA-2018:0337</a> |
| foreman-bootloaders-redhat          | 201801241201-2.el7sat | <a href="#">RHSA-2018:0336</a> |
| foreman-bootloaders-redhat-tftpboot | 201801241201-2.el7sat | <a href="#">RHSA-2018:0336</a> |
| foreman-debug                       | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-discovery-image             | 3.4.4-1               | <a href="#">RHSA-2018:0336</a> |
| foreman-installer                   | 1.15.6.8-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-installer-katello           | 3.4.5.26-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-proxy                       | 1.15.6.4-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-proxy-content               | 3.4.5-15.el7sat       | <a href="#">RHSA-2018:0336</a> |
| foreman-selinux                     | 1.15.6.2-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| hiera                               | 1.3.1-2.el7sat        | <a href="#">RHBA-2018:0337</a> |
| hiera                               | 1.3.1-2.el7sat        | <a href="#">RHSA-2018:0336</a> |
| katello-certs-tools                 | 2.4.0-1.el7sat        | <a href="#">RHSA-2018:0336</a> |
| katello-client-bootstrap            | 1.5.1-1.el7sat        | <a href="#">RHSA-2018:0336</a> |
| katello-debug                       | 3.4.5-15.el7sat       | <a href="#">RHSA-2018:0336</a> |
| katello-installer-base              | 3.4.5.26-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| katello-selinux                     | 3.0.2-1.el7sat        | <a href="#">RHSA-2018:0336</a> |
| katello-service                     | 3.4.5-15.el7sat       | <a href="#">RHSA-2018:0336</a> |
| kobo                                | 0.5.1-1.el7sat        | <a href="#">RHBA-2018:0337</a> |

| Name                         | Version             | Advisory                       |
|------------------------------|---------------------|--------------------------------|
| kobo                         | 0.5.1-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| libstemmer                   | 0-2.585svn.el7sat   | <a href="#">RHBA-2018:0337</a> |
| libwebsockets                | 2.1.0-3.el7         | <a href="#">RHBA-2018:0337</a> |
| mod_passenger                | 4.0.18-23.el7sat    | <a href="#">RHBA-2018:0337</a> |
| mod_xsendfile                | 0.12-10.el7sat      | <a href="#">RHBA-2018:0337</a> |
| mongodb                      | 2.6.11-2.el7sat     | <a href="#">RHBA-2018:0337</a> |
| mongodb-server               | 2.6.11-2.el7sat     | <a href="#">RHBA-2018:0337</a> |
| ostree                       | 2017.1-2.atomic.el7 | <a href="#">RHBA-2018:0337</a> |
| pulp-admin-client            | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-docker-admin-extensions | 2.4.1-2.el7sat      | <a href="#">RHSA-2018:0336</a> |
| pulp-docker-plugins          | 2.4.1-2.el7sat      | <a href="#">RHSA-2018:0336</a> |
| pulp-katello                 | 1.0.2-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| pulp-nodes-child             | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-nodes-common            | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-nodes-parent            | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-ostree-admin-extensions | 1.2.1.1-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| pulp-ostree-plugins          | 1.2.1.1-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| pulp-puppet-admin-extensions | 2.13.4-3.el7sat     | <a href="#">RHSA-2018:0336</a> |
| pulp-puppet-plugins          | 2.13.4-3.el7sat     | <a href="#">RHSA-2018:0336</a> |
| pulp-rpm-admin-extensions    | 2.13.4.8-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-rpm-plugins             | 2.13.4.8-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-selinux                 | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-server                  | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |

| Name                          | Version                               | Advisory                       |
|-------------------------------|---------------------------------------|--------------------------------|
| puppet                        | 3.8.6-4.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| puppet-foreman_scap_client    | 0.3.16-1.el7sat                       | <a href="#">RHSA-2018:0336</a> |
| puppet-server                 | 3.8.6-4.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| puppetlabs-stdlib             | 4.2.1-<br>1.20140510git08b00d9.el7sat | <a href="#">RHBA-2018:0337</a> |
| python-amqp                   | 1.4.9-1.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-anyjson                | 0.3.3-5.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-billiard               | 3.3.0.20-2.el7sat                     | <a href="#">RHBA-2018:0337</a> |
| python-blinker                | 1.3-2.el7sat                          | <a href="#">RHBA-2018:0337</a> |
| python-bson                   | 3.2-1.el7sat                          | <a href="#">RHBA-2018:0337</a> |
| python-celery                 | 3.1.17-1.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-crane                  | 2.1.0-1.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-django                 | 1.6.11-5.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-django-bash-completion | 1.6.11-5.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-flask                  | 0.10.1-4.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-fpconst                | 0.7.3-12.el7                          | <a href="#">RHBA-2018:0337</a> |
| python-gnupg                  | 0.3.7-1.el7ui                         | <a href="#">RHBA-2018:0337</a> |
| python-gofer                  | 2.7.7-3.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-gofer-qpids            | 2.7.7-3.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-httplib2               | 0.6.0-6.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-isodate                | 0.5.0-5.pulp.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| python-itsdangerous           | 0.23-1.el7sat                         | <a href="#">RHBA-2018:0337</a> |
| python-jinja2                 | 2.7.2-2.el7sat                        | <a href="#">RHBA-2018:0337</a> |

| Name                       | Version              | Advisory                       |
|----------------------------|----------------------|--------------------------------|
| python-kid                 | 0.9.6-11.el7sat      | <a href="#">RHBA-2018:0337</a> |
| python-kombu               | 3.0.33-8.pulp.el7sat | <a href="#">RHBA-2018:0337</a> |
| python-mongoengine         | 0.10.5-2.el7sat      | <a href="#">RHBA-2018:0337</a> |
| python-nectar              | 1.5.4-3.el7sat       | <a href="#">RHBA-2018:0337</a> |
| python-oauth2              | 1.5.211-8.el7sat     | <a href="#">RHBA-2018:0337</a> |
| python-okaara              | 1.0.32-1.el7sat      | <a href="#">RHBA-2018:0337</a> |
| python-pulp-agent-lib      | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-bindings       | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-client-lib     | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-common         | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-docker-common  | 2.4.1-2.el7sat       | <a href="#">RHSA-2018:0336</a> |
| python-pulp-oid_validation | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-ostree-common  | 1.2.1.1-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| python-pulp-puppet-common  | 2.13.4-3.el7sat      | <a href="#">RHSA-2018:0336</a> |
| python-pulp-repoauth       | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-rpm-common     | 2.13.4.8-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-streamer       | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pymongo             | 3.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| python-pymongo-gridfs      | 3.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| python-qpids               | 1.35.0-5.el7         | <a href="#">RHBA-2018:0337</a> |
| python-qpids-proton        | 0.16.0-7.el7         | <a href="#">RHBA-2018:0337</a> |
| python-qpids-qmf           | 1.36.0-9.el7         | <a href="#">RHBA-2018:0337</a> |
| python-saslwrapper         | 0.22-5.el7sat        | <a href="#">RHBA-2018:0337</a> |



| Name                          | Version         | Advisory                       |
|-------------------------------|-----------------|--------------------------------|
| python-semantic_version       | 2.2.0-6.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-simplejson             | 3.2.0-1.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-twisted-core           | 12.2.0-4.el7    | <a href="#">RHBA-2018:0337</a> |
| python-twisted-web            | 12.1.0-5.el7_2  | <a href="#">RHBA-2018:0337</a> |
| python-werkzeug               | 0.9.1-1.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-zope-interface         | 4.0.5-4.el7     | <a href="#">RHBA-2018:0337</a> |
| python-zope-interface         | 4.0.5-4.el7     | <a href="#">RHSA-2018:0336</a> |
| qpid-cpp-client               | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpid-cpp-server               | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpid-cpp-server-linearstore   | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpid-dispatch-router          | 0.8.0-16.el7sat | <a href="#">RHBA-2018:0337</a> |
| qpid-dispatch-tools           | 0.8.0-16.el7sat | <a href="#">RHBA-2018:0337</a> |
| qpid-proton-c                 | 0.16.0-7.el7    | <a href="#">RHBA-2018:0337</a> |
| qpid-qmf                      | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpid-tools                    | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| redhat-access-insights-puppet | 0.0.9-2.el7sat  | <a href="#">RHBA-2018:0337</a> |
| redhat-access-insights-puppet | 0.0.9-2.el7sat  | <a href="#">RHSA-2018:0336</a> |
| repoview                      | 0.6.6-4.el7sat  | <a href="#">RHBA-2018:0337</a> |
| ruby-augeas                   | 0.5.0-1.el7     | <a href="#">RHBA-2018:0337</a> |
| ruby-rgen                     | 0.6.5-2.el7sat  | <a href="#">RHBA-2018:0337</a> |
| ruby-shadow                   | 1.4.1-21.el7    | <a href="#">RHBA-2018:0337</a> |
| rubygem-ansi                  | 1.4.3-3.el7sat  | <a href="#">RHBA-2018:0337</a> |
| rubygem-bundler_ext           | 0.4.1-3.el7sat  | <a href="#">RHBA-2018:0337</a> |

| Name                          | Version                          | Advisory                       |
|-------------------------------|----------------------------------|--------------------------------|
| rubygem-clamp                 | 1.0.0-8.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-concurrent-ruby       | 1.0.3-2.fm1_15.el7sat            | <a href="#">RHBA-2018:0337</a> |
| rubygem-fast_gettext          | 1.1.0-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-ffi                   | 1.4.0-3.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-gssapi                | 1.1.2-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-hashie                | 2.0.5-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-highline              | 1.6.21-5.el7sat                  | <a href="#">RHBA-2018:0337</a> |
| rubygem-kafo                  | 2.0.2-1.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-kafo_parsers          | 0.1.6-1.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-kafo_wizards          | 0.0.1-2.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-little-plugger        | 1.1.3-21.el7sat                  | <a href="#">RHBA-2018:0337</a> |
| rubygem-logging               | 1.8.2-7.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-mime-types            | 1.19-7.el7sat                    | <a href="#">RHBA-2018:0337</a> |
| rubygem-multi_json            | 1.10.1-3.git.1551.b3eae6f.el7sat | <a href="#">RHBA-2018:0337</a> |
| rubygem-netrc                 | 0.7.7-9.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-newt                  | 0.9.6-3.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-oauth                 | 0.5.1-1.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-openscap              | 0.4.7-1.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-passenger             | 4.0.18-23.el7sat                 | <a href="#">RHBA-2018:0337</a> |
| rubygem-passenger-native      | 4.0.18-23.el7sat                 | <a href="#">RHBA-2018:0337</a> |
| rubygem-passenger-native-libs | 4.0.18-23.el7sat                 | <a href="#">RHBA-2018:0337</a> |
| rubygem-powerbar              | 1.0.17-1.el7sat                  | <a href="#">RHBA-2018:0337</a> |
| rubygem-rack                  | 1.6.4-2.el7sat                   | <a href="#">RHBA-2018:0337</a> |

| Name                                     | Version                      | Advisory                       |
|--|------------------------------|--------------------------------|
| rubygem-rack-protection                  | 1.5.3-3.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rake                             | 0.9.2.2-41.el7sat            | <a href="#">RHBA-2018:0337</a> |
| rubygem-rb-inotify                       | 0.9.7-4.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rest-client                      | 1.6.7-7.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rkerberos                        | 0.1.3-2.2.el7sat             | <a href="#">RHBA-2018:0337</a> |
| rubygem-rubyipmi                         | 0.10.0-2.el7sat              | <a href="#">RHBA-2018:0337</a> |
| rubygem-sinatra                          | 1.4.7-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-smart_proxy_dhcp_remote_isc      | 0.0.2.1-1.fm1_15.el7sat      | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_discovery            | 1.0.4-3.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_discovery_image      | 1.0.9-1.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_dynflow              | 0.1.10-1.el7sat              | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_openscap             | 0.6.9-1.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_pulp                 | 1.3.0-1.git.0.b5c2768.el7sat | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_remote_execution_ssh | 0.1.6-1.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-tilt                             | 1.3.7-2.git.0.3b416c9.el7sat | <a href="#">RHBA-2018:0337</a> |
| rubygem-tilt                             | 1.3.7-2.git.0.3b416c9.el7sat | <a href="#">RHSA-2018:0336</a> |
| saslwrapper                              | 0.22-5.el7sat                | <a href="#">RHBA-2018:0337</a> |
| satellite-capsule                        | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-common                         | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-debug-tools                    | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-installer                      | 6.3.0.12-1.el7sat            | <a href="#">RHSA-2018:0336</a> |

| Name                                      | Version                | Advisory                       |
|---|------------------------|--------------------------------|
| tfm-rubygem-algebrick                     | 0.7.3-4.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-apipie-params                 | 0.0.5-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-bundler_ext                   | 0.4.1-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-concurrent-ruby               | 1.0.3-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-concurrent-ruby-edge          | 0.2.3-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-domain_name                   | 0.5.20160310-1.el7sat  | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-dynflow                       | 0.8.34-1.fm1_15.el7sat | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ffi                           | 1.4.0-10.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-foreman-tasks-core            | 0.1.8-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_remote_execution_core | 1.0.6-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-gssapi                        | 1.2.0-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-http-cookie                   | 1.0.2-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-scp                       | 1.1.0-7.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-ssh                       | 4.0.1-2.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-ssh-krb                   | 0.4.0-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-netrc                         | 0.7.7-8.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rest-client                   | 1.8.0-4.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-sequel                        | 4.20.0-6.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-smart_proxy_dynflow_core      | 0.1.10-1.fm1_15.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-unf                           | 0.1.3-5.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-unf_ext                       | 0.0.6-6.el7sat         | <a href="#">RHBA-2018:0337</a> |

| Name        | Version             | Advisory                       |
|-------------|---------------------|--------------------------------|
| tfm-runtime | 3.2-11.el7sat       | <a href="#">RHBA-2018:0337</a> |
| v8          | 3.14.5.10-19.el7sat | <a href="#">RHBA-2018:0337</a> |
| yaml-cpp    | 0.5.1-7.el7sat      | <a href="#">RHBA-2018:0337</a> |

### 2.1.6. Red Hat Satellite Capsule 6.3 - Puppet 4 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-puppet4-rpms** repository.

**Table 7. Red Hat Satellite Capsule 6.3 - Puppet 4 (for RHEL 7 Server) Packages**

| Name               | Version         | Advisory                       |
|--------------------|-----------------|--------------------------------|
| puppet-agent       | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0337</a> |
| puppet-agent-oauth | 0.5.1-2.el7sat  | <a href="#">RHBA-2018:0337</a> |
| puppetserver       | 2.8.0-1.el7sat  | <a href="#">RHBA-2018:0337</a> |

### 2.1.7. Red Hat Satellite 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-rpms** repository.

**Table 8. Red Hat Satellite 6.3 (for RHEL 7 Server) Packages**

| Name                       | Version               | Advisory                       |
|----------------------------|-----------------------|--------------------------------|
| SOAPpy                     | 0.11.6-17.el7         | <a href="#">RHBA-2018:0337</a> |
| candlepin                  | 2.1.14-1.el7          | <a href="#">RHSA-2018:0336</a> |
| candlepin-selinux          | 2.1.14-1.el7          | <a href="#">RHSA-2018:0336</a> |
| createrepo_c               | 0.7.4-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| createrepo_c-libs          | 0.7.4-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| facter                     | 2.4.6-3.el7sat        | <a href="#">RHBA-2018:0337</a> |
| foreman                    | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-bootloaders-redhat | 201801241201-2.el7sat | <a href="#">RHSA-2018:0336</a> |

| Name                               | Version               | Advisory                       |
|------------------------------------|-----------------------|--------------------------------|
| foreman-bootloaders-redhat-tftboot | 201801241201-2.el7sat | <a href="#">RHSA-2018:0336</a> |
| foreman-cli                        | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-compute                    | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-debug                      | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-discovery-image            | 3.4.4-1               | <a href="#">RHSA-2018:0336</a> |
| foreman-ec2                        | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-gce                        | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-installer                  | 1.15.6.8-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-installer-katello          | 3.4.5.26-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-libvirt                    | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-openstack                  | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-ovirt                      | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-postgresql                 | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-proxy                      | 1.15.6.4-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-proxy-content              | 3.4.5-15.el7sat       | <a href="#">RHSA-2018:0336</a> |
| foreman-rackspace                  | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| foreman-selinux                    | 1.15.6.2-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| foreman-vmware                     | 1.15.6.34-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| hiera                              | 1.3.1-2.el7sat        | <a href="#">RHBA-2018:0337</a> |
| hiera                              | 1.3.1-2.el7sat        | <a href="#">RHSA-2018:0336</a> |
| katello                            | 3.4.5-15.el7sat       | <a href="#">RHSA-2018:0336</a> |
| katello-certs-tools                | 2.4.0-1.el7sat        | <a href="#">RHSA-2018:0336</a> |

| Name                         | Version             | Advisory                       |
|------------------------------|---------------------|--------------------------------|
| katello-client-bootstrap     | 1.5.1-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| katello-common               | 3.4.5-15.el7sat     | <a href="#">RHSA-2018:0336</a> |
| katello-debug                | 3.4.5-15.el7sat     | <a href="#">RHSA-2018:0336</a> |
| katello-installer-base       | 3.4.5.26-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| katello-selinux              | 3.0.2-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| katello-service              | 3.4.5-15.el7sat     | <a href="#">RHSA-2018:0336</a> |
| kobo                         | 0.5.1-1.el7sat      | <a href="#">RHBA-2018:0337</a> |
| kobo                         | 0.5.1-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| libstemmer                   | 0-2.585svn.el7sat   | <a href="#">RHBA-2018:0337</a> |
| libwebsockets                | 2.1.0-3.el7         | <a href="#">RHBA-2018:0337</a> |
| liquibase                    | 3.1.0-1.el7         | <a href="#">RHBA-2018:0337</a> |
| mod_passenger                | 4.0.18-23.el7sat    | <a href="#">RHBA-2018:0337</a> |
| mod_xsendfile                | 0.12-10.el7sat      | <a href="#">RHBA-2018:0337</a> |
| mongodb                      | 2.6.11-2.el7sat     | <a href="#">RHBA-2018:0337</a> |
| mongodb-server               | 2.6.11-2.el7sat     | <a href="#">RHBA-2018:0337</a> |
| ostree                       | 2017.1-2.atomic.el7 | <a href="#">RHBA-2018:0337</a> |
| pulp-admin-client            | 2.13.4.6-1.el7sat   | <a href="#">RHSA-2018:0336</a> |
| pulp-docker-admin-extensions | 2.4.1-2.el7sat      | <a href="#">RHSA-2018:0336</a> |
| pulp-docker-plugins          | 2.4.1-2.el7sat      | <a href="#">RHSA-2018:0336</a> |
| pulp-katello                 | 1.0.2-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| pulp-ostree-admin-extensions | 1.2.1.1-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| pulp-ostree-plugins          | 1.2.1.1-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| pulp-puppet-admin-extensions | 2.13.4-3.el7sat     | <a href="#">RHSA-2018:0336</a> |

| Name                          | Version                               | Advisory                       |
|-------------------------------|---------------------------------------|--------------------------------|
| pulp-puppet-plugins           | 2.13.4-3.el7sat                       | <a href="#">RHSA-2018:0336</a> |
| pulp-puppet-tools             | 2.13.4-3.el7sat                       | <a href="#">RHSA-2018:0336</a> |
| pulp-rpm-admin-extensions     | 2.13.4.8-1.el7sat                     | <a href="#">RHSA-2018:0336</a> |
| pulp-rpm-plugins              | 2.13.4.8-1.el7sat                     | <a href="#">RHSA-2018:0336</a> |
| pulp-selinux                  | 2.13.4.6-1.el7sat                     | <a href="#">RHSA-2018:0336</a> |
| pulp-server                   | 2.13.4.6-1.el7sat                     | <a href="#">RHSA-2018:0336</a> |
| puppet                        | 3.8.6-4.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| puppet-foreman_scap_client    | 0.3.16-1.el7sat                       | <a href="#">RHSA-2018:0336</a> |
| puppet-server                 | 3.8.6-4.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| puppetlabs-stdlib             | 4.2.1-<br>1.20140510git08b00d9.el7sat | <a href="#">RHBA-2018:0337</a> |
| python-amqp                   | 1.4.9-1.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-anyjson                | 0.3.3-5.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-billiard               | 3.3.0.20-2.el7sat                     | <a href="#">RHBA-2018:0337</a> |
| python-blinker                | 1.3-2.el7sat                          | <a href="#">RHBA-2018:0337</a> |
| python-bson                   | 3.2-1.el7sat                          | <a href="#">RHBA-2018:0337</a> |
| python-celery                 | 3.1.17-1.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-crane                  | 2.1.0-1.el7sat                        | <a href="#">RHBA-2018:0337</a> |
| python-django                 | 1.6.11-5.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-django-bash-completion | 1.6.11-5.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-flask                  | 0.10.1-4.el7sat                       | <a href="#">RHBA-2018:0337</a> |
| python-fpconst                | 0.7.3-12.el7                          | <a href="#">RHBA-2018:0337</a> |
| python-gnupg                  | 0.3.7-1.el7ui                         | <a href="#">RHBA-2018:0337</a> |



| Name                       | Version              | Advisory                       |
|----------------------------|----------------------|--------------------------------|
| python-gofer               | 2.7.7-3.el7sat       | <a href="#">RHBA-2018:0337</a> |
| python-gofer-qpid          | 2.7.7-3.el7sat       | <a href="#">RHBA-2018:0337</a> |
| python-httplib2            | 0.6.0-6.el7sat       | <a href="#">RHBA-2018:0337</a> |
| python-isodate             | 0.5.0-5.pulp.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-itsdangerous        | 0.23-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| python-jinja2              | 2.7.2-2.el7sat       | <a href="#">RHBA-2018:0337</a> |
| python-kid                 | 0.9.6-11.el7sat      | <a href="#">RHBA-2018:0337</a> |
| python-kombu               | 3.0.33-8.pulp.el7sat | <a href="#">RHBA-2018:0337</a> |
| python-mongoengine         | 0.10.5-2.el7sat      | <a href="#">RHBA-2018:0337</a> |
| python-nectar              | 1.5.4-3.el7sat       | <a href="#">RHBA-2018:0337</a> |
| python-oauth2              | 1.5.211-8.el7sat     | <a href="#">RHBA-2018:0337</a> |
| python-okaara              | 1.0.32-1.el7sat      | <a href="#">RHBA-2018:0337</a> |
| python-pulp-bindings       | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-client-lib     | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-common         | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-docker-common  | 2.4.1-2.el7sat       | <a href="#">RHSA-2018:0336</a> |
| python-pulp-oid_validation | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-ostree-common  | 1.2.1.1-1.el7sat     | <a href="#">RHSA-2018:0336</a> |
| python-pulp-puppet-common  | 2.13.4-3.el7sat      | <a href="#">RHSA-2018:0336</a> |
| python-pulp-repoauth       | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-rpm-common     | 2.13.4.8-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pulp-streamer       | 2.13.4.6-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| python-pymongo             | 3.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |

| Name                          | Version         | Advisory                       |
|-------------------------------|-----------------|--------------------------------|
| python-pymongo-gridfs         | 3.2-1.el7sat    | <a href="#">RHBA-2018:0337</a> |
| python-qpidd                  | 1.35.0-5.el7    | <a href="#">RHBA-2018:0337</a> |
| python-qpidd-proton           | 0.16.0-7.el7    | <a href="#">RHBA-2018:0337</a> |
| python-qpidd-qmf              | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| python-saslwrapper            | 0.22-5.el7sat   | <a href="#">RHBA-2018:0337</a> |
| python-semantic_version       | 2.2.0-6.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-simplejson             | 3.2.0-1.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-twisted-core           | 12.2.0-4.el7    | <a href="#">RHBA-2018:0337</a> |
| python-twisted-web            | 12.1.0-5.el7_2  | <a href="#">RHBA-2018:0337</a> |
| python-werkzeug               | 0.9.1-1.el7sat  | <a href="#">RHBA-2018:0337</a> |
| python-zope-interface         | 4.0.5-4.el7     | <a href="#">RHBA-2018:0337</a> |
| python-zope-interface         | 4.0.5-4.el7     | <a href="#">RHSA-2018:0336</a> |
| qpidd-cpp-client              | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpidd-cpp-client-devel        | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpidd-cpp-server              | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpidd-cpp-server-linearstore  | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpidd-dispatch-router         | 0.8.0-16.el7sat | <a href="#">RHBA-2018:0337</a> |
| qpidd-dispatch-tools          | 0.8.0-16.el7sat | <a href="#">RHBA-2018:0337</a> |
| qpidd-proton-c                | 0.16.0-7.el7    | <a href="#">RHBA-2018:0337</a> |
| qpidd-qmf                     | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| qpidd-tools                   | 1.36.0-9.el7    | <a href="#">RHBA-2018:0337</a> |
| redhat-access-insights-puppet | 0.0.9-2.el7sat  | <a href="#">RHBA-2018:0337</a> |
| redhat-access-insights-puppet | 0.0.9-2.el7sat  | <a href="#">RHSA-2018:0336</a> |

| Name                        | Version                          | Advisory                       |
|-----------------------------|----------------------------------|--------------------------------|
| repoview                    | 0.6.6-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| ruby-augeas                 | 0.5.0-1.el7                      | <a href="#">RHBA-2018:0337</a> |
| ruby-rgen                   | 0.6.5-2.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| ruby-shadow                 | 1.4.1-21.el7                     | <a href="#">RHBA-2018:0337</a> |
| rubygem-ansi                | 1.4.3-3.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-bundler_ext         | 0.4.1-3.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-clamp               | 1.0.0-8.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-concurrent-ruby     | 1.0.3-2.fm1_15.el7sat            | <a href="#">RHBA-2018:0337</a> |
| rubygem-fast_gettext        | 1.1.0-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-ffi                 | 1.4.0-3.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-gssapi              | 1.1.2-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-hashie              | 2.0.5-4.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-highline            | 1.6.21-5.el7sat                  | <a href="#">RHBA-2018:0337</a> |
| rubygem-kafo                | 2.0.2-1.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-kafo_parsers        | 0.1.6-1.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-kafo_wizards        | 0.0.1-2.el7sat                   | <a href="#">RHSA-2018:0336</a> |
| rubygem-little-plugger      | 1.1.3-21.el7sat                  | <a href="#">RHBA-2018:0337</a> |
| rubygem-logging             | 1.8.2-7.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-mime-types          | 1.19-7.el7sat                    | <a href="#">RHBA-2018:0337</a> |
| rubygem-multi_json          | 1.10.1-3.git.1551.b3eae6f.el7sat | <a href="#">RHBA-2018:0337</a> |
| rubygem-netrc               | 0.7.7-9.el7sat                   | <a href="#">RHBA-2018:0337</a> |
| rubygem-newt                | 0.9.6-3.el7sat                   | <a href="#">RHBA-2018:0337</a> |

| Name                                    | Version                      | Advisory                       |
|---|------------------------------|--------------------------------|
| rubygem-oauth                           | 0.5.1-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-openscap                        | 0.4.7-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-passenger                       | 4.0.18-23.el7sat             | <a href="#">RHBA-2018:0337</a> |
| rubygem-passenger-native                | 4.0.18-23.el7sat             | <a href="#">RHBA-2018:0337</a> |
| rubygem-passenger-native-libs           | 4.0.18-23.el7sat             | <a href="#">RHBA-2018:0337</a> |
| rubygem-powerbar                        | 1.0.17-1.el7sat              | <a href="#">RHBA-2018:0337</a> |
| rubygem-rack                            | 1.6.4-2.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rack-protection                 | 1.5.3-3.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rake                            | 0.9.2.2-41.el7sat            | <a href="#">RHBA-2018:0337</a> |
| rubygem-rb-inotify                      | 0.9.7-4.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rest-client                     | 1.6.7-7.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-rkerberos                       | 0.1.3-2.2.el7sat             | <a href="#">RHBA-2018:0337</a> |
| rubygem-rubyipmi                        | 0.10.0-2.el7sat              | <a href="#">RHBA-2018:0337</a> |
| rubygem-sinatra                         | 1.4.7-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| rubygem-smart_proxy_dhcp_remote_isc     | 0.0.2.1-1.fm1_15.el7sat      | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_discovery           | 1.0.4-3.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_discovery_image     | 1.0.9-1.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_dynflow             | 0.1.10-1.el7sat              | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_openscap            | 0.6.9-1.el7sat               | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_pulp                | 1.3.0-1.git.0.b5c2768.el7sat | <a href="#">RHSA-2018:0336</a> |
| rubygem-smart_proxy_remote_execution_sh | 0.1.6-1.el7sat               | <a href="#">RHSA-2018:0336</a> |

| Name                                   | Version                      | Advisory                       |
|--|------------------------------|--------------------------------|
| rubygem-tilt                           | 1.3.7-2.git.0.3b416c9.el7sat | <a href="#">RHBA-2018:0337</a> |
| rubygem-tilt                           | 1.3.7-2.git.0.3b416c9.el7sat | <a href="#">RHSA-2018:0336</a> |
| saslwrapper                            | 0.22-5.el7sat                | <a href="#">RHBA-2018:0337</a> |
| satellite                              | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-capsule                      | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-cli                          | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-common                       | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-debug-tools                  | 6.3.0-23.0.el7sat            | <a href="#">RHSA-2018:0336</a> |
| satellite-installer                    | 6.3.0.12-1.el7sat            | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-activerecord-session_store | 0.1.2-2.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-addressable                | 2.3.6-4.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-algebrick                  | 0.7.3-4.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ancestry                   | 2.2.1-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-anemone                    | 0.7.2-14.el7sat              | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-angular-rails-templates    | 1.0.2-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-apipie-bindings            | 0.2.0-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-apipie-params              | 0.0.5-3.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-apipie-rails               | 0.5.6-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-audited                    | 4.4.1-2.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-autoparse                  | 0.3.3-5.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-awesome_print              | 1.7.0-1.el7sat               | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-bastion                    | 5.1.1.4-1.fm1_15.el7sat      | <a href="#">RHSA-2018:0336</a> |

| Name                             | Version                | Advisory                       |
|----------------------------------|------------------------|--------------------------------|
| tfm-rubygem-bundler_ext          | 0.4.1-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-clamp                | 1.0.0-8.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-concurrent-ruby      | 1.0.3-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-concurrent-ruby-edge | 0.2.3-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-css_parser           | 1.4.7-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-daemons              | 1.2.3-5.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-deacon               | 1.0.0-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-deep_cloneable       | 2.2.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-deface               | 1.2.0-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-diffy                | 3.0.1-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-docker-api           | 1.28.0-2.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-domain_name          | 0.5.20160310-1.el7sat  | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-dynflow              | 0.8.34-1.fm1_15.el7sat | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-excon                | 0.51.0-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-extlib               | 0.9.16-4.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-facter               | 2.4.0-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-faraday              | 0.9.1-4.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fast_gettext         | 1.4.1-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ffi                  | 1.4.0-10.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog                  | 1.38.0-2.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-aws              | 1.2.0-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-core             | 1.42.0-1.el7sat        | <a href="#">RHBA-2018:0337</a> |

| Name                                      | Version                  | Advisory                       |
|---|--------------------------|--------------------------------|
| tfm-rubygem-fog-google                    | 0.1.0-3.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-json                      | 1.0.2-6.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-libvirt                   | 0.2.0-1.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-openstack                 | 0.1.18-1.el7sat          | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-rackspace                 | 0.1.4-1.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-vmware                    | 1.7.0-1.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-xenserver                 | 0.2.3-1.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-fog-xml                       | 0.1.2-4.el7sat           | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-foreman-redhat_access         | 2.0.13-1.el7sat          | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman-tasks                 | 0.9.6.4-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman-tasks-core            | 0.1.8-1.fm1_15.el7sat    | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_bootdisk              | 10.0.2.2-1.fm1_15.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_discovery             | 9.1.5.3-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_docker                | 3.1.0.3-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_hooks                 | 0.3.14-1.fm1_15.el7sat   | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_openscap              | 0.7.11-1.fm1_15.el7sat   | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_remote_execution      | 1.3.7.2-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_remote_execution_core | 1.0.6-1.fm1_15.el7sat    | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_templates             | 5.0.1-1.fm1_15.el7sat    | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-foreman_theme_satellite       | 1.0.4.16-1.el7sat        | <a href="#">RHSA-2018:0336</a> |

| Name  | Version                | Advisory                       |
|---|------------------------|--------------------------------|
| tfm-rubygem-foreman_virt_who_configure          | 0.1.9-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-formatador                          | 0.2.1-9.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-friendly_id                         | 5.1.0-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-get_process_mem                     | 0.2.1-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-gettext_i18n_rails                  | 1.2.1-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-git                                 | 1.2.5-7.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-google-api-client                   | 0.8.2-7.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-gssapi                              | 1.2.0-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-hammer_cli                          | 0.11.0.1-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_csv                      | 2.3.0-1.el7sat         | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman                  | 0.11.0.5-1.el7sat      | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_admin            | 0.0.8-1.el7sat         | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_bootdisk         | 0.1.3.3-2.el7sat       | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_discovery        | 1.0.0-1.el7sat         | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_docker           | 0.0.6-2.el7sat         | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_openscap         | 0.1.5-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_remote_execution | 0.0.6-1.fm1_15.el7sat  | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_foreman_tasks            | 0.0.12-1.fm1_15.el7sat | <a href="#">RHSA-2018:0336</a> |



| Name  | Version           | Advisory                       |
|---|-------------------|--------------------------------|
| tfm-rubygem-hammer_cli_foreman_virt_who_configuration | 0.0.3-1.el7sat    | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hammer_cli_katello                        | 0.11.3.5-1.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-hashie                                    | 2.0.5-4.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-highline                                  | 1.7.8-2.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-http-cookie                               | 1.0.2-3.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ipaddress                                 | 0.8.0-9.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-jgrep                                     | 1.3.3-8.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-jwt                                       | 1.2.0-4.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-katello                                   | 3.4.5.58-1.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-katello_ostree                            | 3.4.5.58-1.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-launchy                                   | 2.4.3-4.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ldap_fluff                                | 0.4.7-1.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-little-plugger                            | 1.1.3-21.el7sat   | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-locale                                    | 2.0.9-11.el7sat   | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-logging                                   | 1.8.2-4.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-multipart-post                            | 1.2.0-4.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-ldap                                  | 0.15.0-1.el7sat   | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-ping                                  | 2.0.1-1.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-scp                                   | 1.1.0-7.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-ssh                                   | 4.0.1-2.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-net-ssh-krb                               | 0.4.0-1.el7sat    | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-netrc                                     | 0.7.7-8.el7sat    | <a href="#">RHBA-2018:0337</a> |

| Name                               | Version               | Advisory                       |
|------------------------------------|-----------------------|--------------------------------|
| tfm-rubygem-oauth                  | 0.5.1-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ovirt_provision_plugin | 1.0.2-1.fm1_15.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-parse-cron             | 0.1.4-2.fm1_15.el7sat | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-passenger              | 4.0.18-23.el7sat      | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-passenger-native       | 4.0.18-23.el7sat      | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-passenger-native-libs  | 4.0.18-23.el7sat      | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-pg                     | 0.15.1-3.el7sat       | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-powerbar               | 1.0.17-1.el7sat       | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-qpuid_messaging        | 1.36.0-1.el7sat       | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rabl                   | 0.12.0-5.el7sat       | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rack-jsonp             | 1.3.1-5.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rails-i18n             | 4.0.9-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rainbow                | 2.2.1-3.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rbovirt                | 0.1.4-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rbvmomi                | 1.10.0-1.el7sat       | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-redhat_access_lib      | 1.1.4-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-responders             | 2.3.0-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-rest-client            | 1.8.0-4.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-retriable              | 1.4.1-4.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-roadie                 | 3.2.1-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-roadie-rails           | 1.1.1-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-robotex                | 1.0.0-19.el7sat       | <a href="#">RHBA-2018:0337</a> |

| Name  | Version                | Advisory                       |
|---|------------------------|--------------------------------|
| tfm-rubygem-ruby-libvirt                    | 0.5.2-5.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ruby2ruby                       | 2.1.3-4.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-ruby_parser                     | 3.6.3-4.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-runcible                        | 1.12.0.3-1.el7sat      | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-safemode                        | 1.3.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-scoped_search                   | 4.1.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-secure_headers                  | 3.4.1-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-sequel                          | 4.20.0-6.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-sexp_processor                  | 4.4.4-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-signet                          | 0.6.0-5.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-smart_proxy_dynflow_core        | 0.1.10-1.fm1_15.el7sat | <a href="#">RHSA-2018:0336</a> |
| tfm-rubygem-sshkey                          | 1.9.0-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-trollop                         | 2.1.2-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-unf                             | 0.1.3-5.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-unf_ext                         | 0.0.6-6.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-unicode-display_width           | 1.0.5-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-useragent                       | 0.16.8-1.el7sat        | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-validates_lengths_from_database | 0.5.0-3.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-webpack-rails                   | 0.9.8-1.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-wicked                          | 1.1.0-4.el7sat         | <a href="#">RHBA-2018:0337</a> |
| tfm-rubygem-will_paginate                   | 3.1.5-1.el7sat         | <a href="#">RHBA-2018:0337</a> |

| Name                         | Version             | Advisory                       |
|------------------------------|---------------------|--------------------------------|
| tfm-rubygem-x-editable-rails | 1.5.5-1.el7sat      | <a href="#">RHBA-2018:0337</a> |
| tfm-runtime                  | 3.2-11.el7sat       | <a href="#">RHBA-2018:0337</a> |
| v8                           | 3.14.5.10-19.el7sat | <a href="#">RHBA-2018:0337</a> |
| yaml-cpp                     | 0.5.1-7.el7sat      | <a href="#">RHBA-2018:0337</a> |

### 2.1.8. Red Hat Satellite 6.3 - Puppet 4 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-puppet4-rpms** repository.

**Table 9. Red Hat Satellite 6.3 - Puppet 4 (for RHEL 7 Server) Packages**

| Name               | Version         | Advisory                       |
|--------------------|-----------------|--------------------------------|
| puppet-agent       | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0337</a> |
| puppet-agent-oauth | 0.5.1-2.el7sat  | <a href="#">RHBA-2018:0337</a> |
| puppetserver       | 2.8.0-1.el7sat  | <a href="#">RHBA-2018:0337</a> |

### 2.1.9. Red Hat Satellite Tools 6.3 (for RHEL 7 Server - EUS)

The following table outlines the packages included in the **rhel-7-server-eus-satellite-tools-6.3-rpms** repository.

**Table 10. Red Hat Satellite Tools 6.3 (for RHEL 7 Server - EUS) Packages**

| Name                           | Version            | Advisory                       |
|--------------------------------|--------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| foreman-cli                    | 1.15.6.34-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat     | <a href="#">RHBA-2018:0338</a> |

| Name                      | Version             | Advisory                       |
|---------------------------|---------------------|--------------------------------|
| katello-host-tools-tracer | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools         | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                    | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete        | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4     | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer              | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton       | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib           | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate            | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil             | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib     | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common        | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest      | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common    | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton       | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer            | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c            | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas               | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rngen                | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow               | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge        | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |

| Name  | Version                | Advisory                       |
|---|------------------------|--------------------------------|
| rubygem-foreman_scap_client                       | 0.3.0-2.el7sat         | <a href="#">RHBA-2018:0338</a> |
| satellite-cli                                     | 6.3.0-23.0.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-apipie-bindings                       | 0.2.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-awesome_print                         | 1.7.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-clamp                                 | 1.0.0-8.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-domain_name                           | 0.5.20160310-1.el7sat  | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-fast_gettext                          | 1.4.1-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli                            | 0.11.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_csv                        | 2.3.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman                    | 0.11.0.5-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_admin              | 0.0.8-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_bootdisk           | 0.1.3.3-2.el7sat       | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_discovery          | 1.0.0-1.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_docker             | 0.0.6-2.el7sat         | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_openscap           | 0.1.5-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_remote_execution   | 0.0.6-1.fm1_15.el7sat  | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_tasks              | 0.0.12-1.fm1_15.el7sat | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hammer_cli_foreman_virt_who_configure | 0.0.3-1.el7sat         | <a href="#">RHBA-2018:0338</a> |

| Name                              | Version           | Advisory                       |
|-----------------------------------|-------------------|--------------------------------|
| tfm-rubygem-hammer_cli_katello    | 0.11.3.5-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-hashie                | 2.0.5-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-highline              | 1.7.8-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-http-cookie           | 1.0.2-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-little-plugger        | 1.1.3-21.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-locale                | 2.0.9-11.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-logging               | 1.8.2-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-netrc                 | 0.7.7-8.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-oauth                 | 0.5.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-powerbar              | 1.0.17-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-rest-client           | 1.8.0-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-unf                   | 0.1.3-5.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-unf_ext               | 0.0.6-6.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-rubygem-unicode-display_width | 1.0.5-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tfm-runtime                       | 3.2-11.el7sat     | <a href="#">RHBA-2018:0338</a> |
| tracer-common                     | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| virt-who                          | 0.20.4-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

### 2.1.10. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server - EUS)

The following table outlines the packages included in the **rhel-7-server-eus-satellite-tools-6.3-puppet4-rpms** repository.

**Table 11. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server - EUS) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.11. Red Hat Satellite Tools 6.3 (for RHEL 7 Server - AUS)

The following table outlines the packages included in the **rhel-7-server-aus-satellite-tools-6.3-rpms** repository.

**Table 12. Red Hat Satellite Tools 6.3 (for RHEL 7 Server - AUS) Packages**

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| foreman-cli                    | 1.15.6.34-1.el7sat  | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |



| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-manifest        | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common   | 2.13.4-3.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7       | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7      | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

### 2.1.12. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server - AUS)

The following table outlines the packages included in the **rhel-7-server-aus-satellite-tools-6.3-puppet4-rpms** repository.

**Table 13. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server - AUS) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.13. Red Hat Satellite Tools 6.3 (for RHEL 7 for System Z)

The following table outlines the packages included in the **rhel-7-for-system-z-satellite-tools-6.3-rpms** repository.

**Table 14. Red Hat Satellite Tools 6.3 (for RHEL 7 for System Z) Packages**

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest           | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common      | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpid-proton             | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |

| Name                         | Version           | Advisory                       |
|------------------------------|-------------------|--------------------------------|
| python2-tracer               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c               | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                  | 0.5.0-1.el7       | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                    | 0.6.5-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                  | 1.4.1-21.el7      | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge           | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scrap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common                | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| virt-who                     | 0.20.4-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

#### 2.1.14. Red Hat Satellite Tools 6.3 (for RHEL 7 for System Z - EUS)

The following table outlines the packages included in the **rhel-7-for-system-z-eus-satellite-tools-6.3-rpms** repository.

**Table 15. Red Hat Satellite Tools 6.3 (for RHEL 7 for System Z - EUS) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat   | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version             | Advisory                       |
|-----------------------------|---------------------|--------------------------------|
| puppet                      | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete          | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4       | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton         | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib             | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate              | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil               | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib       | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest        | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common   | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton         | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c              | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el7sat     | <a href="#">RHBA-2018:0338</a> |

## 2.1.15. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power)

The following table outlines the packages included in the **rhel-7-for-power-satellite-tools-6.3-rpms** repository.

**Table 16. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power) Packages**

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest           | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-puppet-common   | 2.13.4-3.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7       | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7      | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

### 2.1.16. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power LE)

The following table outlines the packages included in the **rhel-7-for-power-le-satellite-tools-6.3-rpms** repository.

**Table 17. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power LE) Packages**

| Name                           | Version        | Advisory                       |
|--------------------------------|----------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat | <a href="#">RHBA-2018:0338</a> |

| Name                      | Version             | Advisory                       |
|---------------------------|---------------------|--------------------------------|
| katello-host-tools-tracer | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools         | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                    | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete        | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4     | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer              | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton       | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib           | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate            | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil             | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib     | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common        | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest      | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common    | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton       | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer            | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c            | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas               | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rngen                | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow               | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge        | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.17. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for IBM Power LE)

The following table outlines the packages included in the **rhel-7-for-power-le-satellite-tools-6.3-puppet4-rpms** repository.

Table 18. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for IBM Power LE) Packages

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.18. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation)

The following table outlines the packages included in the **rhel-7-for-power-le-eus-satellite-tools-6.3-rpms** repository.

Table 19. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation) Packages

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat   | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat    | <a href="#">RHBA-2018:0338</a> |



| Name                        | Version             | Advisory                       |
|-----------------------------|---------------------|--------------------------------|
| python-beautifulsoup4       | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton         | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib             | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate              | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil               | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib       | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest        | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common   | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

### 2.1.19. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for IBM Power LE - EUS)

The following table outlines the packages included in the **rhel-7-for-power-le-eus-satellite-tools-6.3-puppet4-rpms** repository.

Table 20. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for IBM Power LE - EUS) Packages

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.20. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power - EUS)

The following table outlines the packages included in the **rhel-7-for-power-eus-satellite-tools-6.3-rpms** repository.

Table 21. Red Hat Satellite Tools 6.3 (for RHEL 7 for IBM Power - EUS) Packages

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-agent-lib       | 2.13.4.6-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest        | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common   | 2.13.4-3.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7       | <a href="#">RHBA-2018:0338</a> |
| ruby-rngen                  | 0.6.5-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7      | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

### 2.1.21. Red Hat Satellite Tools 6.3 (for RHEL 7 for Scientific Computing)

The following table outlines the packages included in the **rhel-7-for-hpc-node-satellite-tools-6.3-rpms** repository.

**Table 22. Red Hat Satellite Tools 6.3 (for RHEL 7 for Scientific Computing) Packages**

| Name   | Version        | Advisory                       |
|--------|----------------|--------------------------------|
| facter | 2.4.6-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| gofer  | 2.7.7-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| hiera  | 1.3.1-2.el7sat | <a href="#">RHBA-2018:0338</a> |

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest           | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton            | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer                 | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c                 | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| rubygem-deep_merge          | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.22. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for Scientific Computing)

The following table outlines the packages included in the **rhel-7-for-hpc-node-satellite-tools-6.3-puppet4-rpms** repository.

**Table 23. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 for Scientific Computing) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.23. Red Hat Satellite Tools 6.3 (for RHEL 7 for Scientific Computing - EUS)

The following table outlines the packages included in the **rhel-7-for-hpc-node-eus-satellite-tools-6.3-rpms** repository.

**Table 24. Red Hat Satellite Tools 6.3 (for RHEL 7 for Scientific Computing - EUS) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat    | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat    | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version             | Advisory                       |
|-----------------------------|---------------------|--------------------------------|
| python-beautifulsoup4       | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton         | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib             | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate              | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil               | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib       | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest        | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton         | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer              | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c              | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |

### 2.1.24. Red Hat Satellite Tools 6.3 (for RHEL 7 Server for ARM)

The following table outlines the packages included in the **rhel-7-for-arm-satellite-tools-6.3-rpms** repository.

**Table 25. Red Hat Satellite Tools 6.3 (for RHEL 7 Server for ARM) Packages**

| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| facter                         | 2.4.6-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-puppet-tools              | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest           | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-puppet-common      | 2.13.4-3.el7sat     | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpid-proton             | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python2-tracer              | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |
| qpid-proton-c               | 0.16.0-7.el7      | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.5.0-1.el7       | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-21.el7      | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el7sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el7sat    | <a href="#">RHBA-2018:0338</a> |
| tracer-common               | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.25. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server for ARM)

The following table outlines the packages included in the **rhel-7-for-arm-satellite-tools-6.3-puppet4-rpms** repository.

**Table 26. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Server for ARM) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.26. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation)

The following table outlines the packages included in the **rhel-7-desktop-satellite-tools-6.3-rpms** repository.

**Table 27. Red Hat Satellite Tools 6.3 (for RHEL 7 Workstation) Packages**

| Name               | Version        | Advisory                       |
|--------------------|----------------|--------------------------------|
| facter             | 2.4.6-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| gofer              | 2.7.7-3.el7sat | <a href="#">RHBA-2018:0338</a> |
| hiera              | 1.3.1-2.el7sat | <a href="#">RHBA-2018:0338</a> |
| katello-agent      | 3.1.0-2.el7sat | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools | 3.1.0-2.el7sat | <a href="#">RHBA-2018:0338</a> |



| Name                           | Version             | Advisory                       |
|--------------------------------|---------------------|--------------------------------|
| katello-host-tools-fact-plugin | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-tracer      | 3.1.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-4.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-argcomplete             | 1.7.0-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-beautifulsoup4          | 4.3.2-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-html5lib                | 0.999-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-5.pulp.el7sat | <a href="#">RHBA-2018:0338</a> |
| python-psutil                  | 5.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-manifest           | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| python2-tracer                 | 0.6.13.1-1.el7sat   | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c                 | 0.16.0-7.el7        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.5.0-1.el7         | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el7sat      | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-21.el7        | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el7sat      | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client    | 0.3.0-2.el7sat      | <a href="#">RHBA-2018:0338</a> |

| Name          | Version           | Advisory                       |
|---------------|-------------------|--------------------------------|
| tracer-common | 0.6.13.1-1.el7sat | <a href="#">RHBA-2018:0338</a> |

### 2.1.27. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Desktop)

The following table outlines the packages included in the **rhel-7-desktop-satellite-tools-6.3-puppet4-rpms** repository.

**Table 28. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 7 Desktop) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el7sat | <a href="#">RHBA-2018:0338</a> |

## 2.2. Red Hat Enterprise Linux 6

This section outlines the packages released for Red Hat Enterprise Linux 6.

### 2.2.1. Red Hat Satellite Tools 6.3 (for RHEL 6 Workstation)

The following table outlines the packages included in the **rhel-6-workstation-satellite-tools-6.3-rpms** repository.

**Table 29. Red Hat Satellite Tools 6.3 (for RHEL 6 Workstation) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-isodate              | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib       | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton         | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c              | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

### 2.2.2. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Workstation)

The following table outlines the packages included in the **rhel-6-workstation-satellite-tools-6.3-puppet4-rpms** repository.

**Table 30. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Workstation) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

### 2.2.3. Red Hat Satellite Tools 6.3 (for RHEL 6 Server)

The following table outlines the packages included in the **rhel-6-server-satellite-tools-6.3-rpms** repository.

**Table 31. Red Hat Satellite Tools 6.3 (for RHEL 6 Server) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c                 | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client    | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                   | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                       | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

## 2.2.4. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server)

The following table outlines the packages included in the **rhel-6-server-satellite-tools-6.3-puppet4-rpms** repository.

**Table 32. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

## 2.2.5. Red Hat Satellite Tools 6.3 (for RHEL 6 Server - EUS)

The following table outlines the packages included in the **rhel-6-server-eus-satellite-tools-6.3-rpms** repository.

**Table 33. Red Hat Satellite Tools 6.3 (for RHEL 6 Server - EUS) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version         | Advisory                       |
|-----------------------------|-----------------|--------------------------------|
| qpid-proton-c               | 0.9-16.el6      | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.4.1-1.el6_4   | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el6sat  | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-13.el6_4  | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el6sat  | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el6sat  | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                | 1.4.6-2.el6     | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el6sat | <a href="#">RHBA-2018:0338</a> |

### 2.2.6. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server - EUS)

The following table outlines the packages included in the **rhel-6-server-eus-satellite-tools-6.3-puppet4-rpms** repository.

**Table 34. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server - EUS) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

### 2.2.7. Red Hat Satellite Tools 6.3 (for RHEL 6 Server - AUS)

The following table outlines the packages included in the **rhel-6-server-aus-satellite-tools-6.3-rpms** repository.

**Table 35. Red Hat Satellite Tools 6.3 (for RHEL 6 Server - AUS) Packages**

| Name               | Version        | Advisory                       |
|--------------------|----------------|--------------------------------|
| facter             | 2.4.6-3.el6sat | <a href="#">RHBA-2018:0338</a> |
| gofer              | 2.7.7-3.el6sat | <a href="#">RHBA-2018:0338</a> |
| hiera              | 1.3.1-2.el6sat | <a href="#">RHBA-2018:0338</a> |
| katello-agent      | 3.1.0-2.el6sat | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools | 3.1.0-2.el6sat | <a href="#">RHBA-2018:0338</a> |

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c                 | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rngen                     | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client    | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                   | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                       | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

### 2.2.8. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server - AUS)

The following table outlines the packages included in the **rhel-6-server-aus-satellite-tools-6.3-puppet4-rpms** repository.

**Table 36. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Server - AUS) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

### 2.2.9. Red Hat Satellite Tools 6.3 (for RHEL 6 for System Z)

The following table outlines the packages included in the **rhel-6-for-system-z-satellite-tools-6.3-rpms** repository.

**Table 37. Red Hat Satellite Tools 6.3 (for RHEL 6 for System Z) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c                 | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |



| Name                        | Version         | Advisory                       |
|-----------------------------|-----------------|--------------------------------|
| ruby-rgen                   | 0.6.5-2.el6sat  | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-13.el6_4  | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el6sat  | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el6sat  | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                | 1.4.6-2.el6     | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el6sat | <a href="#">RHBA-2018:0338</a> |

### 2.2.10. Red Hat Satellite Tools 6.3 (for RHEL 6 for System Z - EUS)

The following table outlines the packages included in the **rhel-6-for-system-z-eus-satellite-tools-6.3-rpms** repository.

**Table 38. Red Hat Satellite Tools 6.3 (for RHEL 6 for System Z - EUS) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-common          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

### 2.2.11. Red Hat Satellite Tools 6.3 (for RHEL 6 for IBM Power) (RPMs)

The following table outlines the packages included in the **rhel-6-for-power-satellite-tools-6.3-rpms** repository.

**Table 39. Red Hat Satellite Tools 6.3 (for RHEL 6 for IBM Power) (RPMs) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| puppet                      | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton         | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate              | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib       | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

### 2.2.12. Red Hat Satellite Tools 6.3 (for RHEL 6 for IBM Power - EUS)

The following table outlines the packages included in the **rhel-6-for-power-eus-satellite-tools-6.3-rpms** repository.

**Table 40. Red Hat Satellite Tools 6.3 (for RHEL 6 for IBM Power - EUS) Packages**

| Name   | Version        | Advisory                       |
|--------|----------------|--------------------------------|
| facter | 2.4.6-3.el6sat | <a href="#">RHBA-2018:0338</a> |
| gofer  | 2.7.7-3.el6sat | <a href="#">RHBA-2018:0338</a> |

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpidd-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpidd-proton-c                 | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client    | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                   | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                       | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

### 2.2.13. Red Hat Satellite Tools 6.3 (for RHEL 6 for Scientific Computing)

The following table outlines the packages included in the **rhel-6-for-hpc-node-satellite-tools-6.3-rpms** repository.

**Table 41. Red Hat Satellite Tools 6.3 (for RHEL 6 for Scientific Computing) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c                 | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client    | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| rubygem-json | 1.4.6-2.el6     | <a href="#">RHBA-2018:0338</a> |
| virt-who     | 0.20.4-1.el6sat | <a href="#">RHBA-2018:0338</a> |

#### 2.2.14. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 for Scientific Computing)

The following table outlines the packages included in the **rhel-6-for-hpc-node-satellite-tools-6.3-puppet4-rpms** repository.

Table 42. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 for Scientific Computing) Packages

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

#### 2.2.15. Red Hat Satellite Tools 6.3 (for RHEL 6 for Scientific Computing - EUS)

The following table outlines the packages included in the **rhel-6-for-hpc-node-eus-satellite-tools-6.3-rpms** repository.

Table 43. Red Hat Satellite Tools 6.3 (for RHEL 6 for Scientific Computing - EUS) Packages

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| facter                         | 2.4.6-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-pulp-agent-lib       | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common      | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton         | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c              | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                 | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                   | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                 | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge          | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                    | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |

## 2.2.16. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 for Scientific Computing - EUS)

The following table outlines the packages included in the **rhel-6-for-hpc-node-eus-satellite-tools-6.3-puppet4-rpms** repository.

**Table 44. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 for Scientific Computing - EUS) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

## 2.2.17. Red Hat Satellite Tools 6.3 (for RHEL 6 Desktop)

The following table outlines the packages included in the **rhel-6-desktop-satellite-tools-6.3-rpms** repository.

**Table 45. Red Hat Satellite Tools 6.3 (for RHEL 6 Desktop) Packages**

| Name   | Version        | Advisory                       |
|--------|----------------|--------------------------------|
| facter | 2.4.6-3.el6sat | <a href="#">RHBA-2018:0338</a> |

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| gofer                          | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| hiera                          | 1.3.1-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 3.8.6-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.el6sat    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el6sat | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c                 | 0.9-16.el6        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el6_4     | <a href="#">RHBA-2018:0338</a> |
| ruby-rgen                      | 0.6.5-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-13.el6_4    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-foreman_scap_client    | 0.3.0-2.el6sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-json                   | 1.4.6-2.el6       | <a href="#">RHBA-2018:0338</a> |
| virt-who                       | 0.20.4-1.el6sat   | <a href="#">RHBA-2018:0338</a> |



## 2.2.18. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Desktop)

The following table outlines the packages included in the **rhel-6-desktop-satellite-tools-6.3-puppet4-rpms** repository.

**Table 46. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 6 Desktop) Packages**

| Name         | Version         | Advisory                       |
|--------------|-----------------|--------------------------------|
| puppet-agent | 1.10.9-1.el6sat | <a href="#">RHBA-2018:0338</a> |

## 2.3. Red Hat Enterprise Linux 5

This section outlines the packages released for Red Hat Enterprise Linux 5.

### 2.3.1. Red Hat Satellite Tools 6.3 (for RHEL 5 Server - ELS)

The following table outlines the packages included in the **rhel-5-server-els-satellite-tools-6.3-rpms** repository.

**Table 47. Red Hat Satellite Tools 6.3 (for RHEL 5 Server - ELS) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| augeas-libs                    | 1.0.0-8.el5sat    | <a href="#">RHBA-2018:0338</a> |
| facter                         | 1.6.18-4.el5sat   | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el5    | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 2.7.23-2.el5sat   | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| python-hashlib                 | 20081119-7.el5sat | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.pulp.el5  | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el5    | <a href="#">RHBA-2018:0338</a> |

| Name                   | Version        | Advisory                       |
|------------------------|----------------|--------------------------------|
| python-pulp-common     | 2.13.4.6-1.el5 | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common | 2.13.4.8-1.el5 | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton    | 0.9-16.el5     | <a href="#">RHBA-2018:0338</a> |
| python-uuid            | 1.30-4.el5     | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c         | 0.9-16.el5     | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas            | 0.4.1-1.el5sat | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow            | 1.4.1-7.el5sat | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge     | 1.0.1-1.el5    | <a href="#">RHBA-2018:0338</a> |

### 2.3.2. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 5 Server - ELS)

The following table outlines the packages included in the **rhel-5-server-els-satellite-tools-6.3-puppet4-rpms** repository.

**Table 48. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 5 Server - ELS) Packages**

| Name         | Version      | Advisory                       |
|--------------|--------------|--------------------------------|
| puppet-agent | 1.10.9-1.el5 | <a href="#">RHBA-2018:0338</a> |

### 2.3.3. Red Hat Satellite Tools 6.3 (for RHEL 5 Server - AUS)

The following table outlines the packages included in the **rhel-5-server-aus-satellite-tools-6.3-rpms** repository.

**Table 49. Red Hat Satellite Tools 6.3 (for RHEL 5 Server - AUS) Packages**

| Name               | Version         | Advisory                       |
|--------------------|-----------------|--------------------------------|
| augeas-libs        | 1.0.0-8.el5sat  | <a href="#">RHBA-2018:0338</a> |
| facter             | 1.6.18-4.el5sat | <a href="#">RHBA-2018:0338</a> |
| gofer              | 2.7.7-3.el5     | <a href="#">RHBA-2018:0338</a> |
| katello-agent      | 3.1.0-2.el5     | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools | 3.1.0-2.el5     | <a href="#">RHBA-2018:0338</a> |

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| katello-host-tools-fact-plugin | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el5    | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 2.7.23-2.el5sat   | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| python-hashlib                 | 20081119-7.el5sat | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.pulp.el5  | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el5    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el5    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el5    | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.9-16.el5        | <a href="#">RHBA-2018:0338</a> |
| python-uuid                    | 1.30-4.el5        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c                 | 0.9-16.el5        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el5sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-7.el5sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el5       | <a href="#">RHBA-2018:0338</a> |

#### 2.3.4. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 5 Server - AUS)

The following table outlines the packages included in the **rhel-5-server-aus-satellite-tools-6.3-puppet4-rpms** repository.

Table 50. Red Hat Satellite Tools 6.3 - Puppet 4 (for RHEL 5 Server - AUS) Packages

| Name         | Version      | Advisory                       |
|--------------|--------------|--------------------------------|
| puppet-agent | 1.10.9-1.el5 | <a href="#">RHBA-2018:0338</a> |

#### 2.3.5. Red Hat Satellite Tools 6.3 (for RHEL 5 for System Z - ELS) (RPMs)

The following table outlines the packages included in the **rhel-5-for-system-z-els-satellite-tools-6.3-rpms** repository.

**Table 51. Red Hat Satellite Tools 6.3 (for RHEL 5 for System Z - ELS) (RPMs) Packages**

| Name                           | Version           | Advisory                       |
|--------------------------------|-------------------|--------------------------------|
| augeas-libs                    | 1.0.0-8.el5sat    | <a href="#">RHBA-2018:0338</a> |
| facter                         | 1.6.18-4.el5sat   | <a href="#">RHBA-2018:0338</a> |
| gofer                          | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| katello-agent                  | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools             | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| katello-host-tools-fact-plugin | 3.1.0-2.el5       | <a href="#">RHBA-2018:0338</a> |
| pulp-rpm-handlers              | 2.13.4.8-1.el5    | <a href="#">RHBA-2018:0338</a> |
| puppet                         | 2.7.23-2.el5sat   | <a href="#">RHBA-2018:0338</a> |
| python-gofer                   | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| python-gofer-proton            | 2.7.7-3.el5       | <a href="#">RHBA-2018:0338</a> |
| python-hashlib                 | 20081119-7.el5sat | <a href="#">RHBA-2018:0338</a> |
| python-isodate                 | 0.5.0-4.pulp.el5  | <a href="#">RHBA-2018:0338</a> |
| python-pulp-agent-lib          | 2.13.4.6-1.el5    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-common             | 2.13.4.6-1.el5    | <a href="#">RHBA-2018:0338</a> |
| python-pulp-rpm-common         | 2.13.4.8-1.el5    | <a href="#">RHBA-2018:0338</a> |
| python-qpuid-proton            | 0.9-16.el5        | <a href="#">RHBA-2018:0338</a> |
| python-uuid                    | 1.30-4.el5        | <a href="#">RHBA-2018:0338</a> |
| qpuid-proton-c                 | 0.9-16.el5        | <a href="#">RHBA-2018:0338</a> |
| ruby-augeas                    | 0.4.1-1.el5sat    | <a href="#">RHBA-2018:0338</a> |
| ruby-shadow                    | 1.4.1-7.el5sat    | <a href="#">RHBA-2018:0338</a> |
| rubygem-deep_merge             | 1.0.1-1.el5       | <a href="#">RHBA-2018:0338</a> |

## 3. RED HAT SATELLITE 6.3.1

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.3.1.

### 3.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

#### 3.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-rpms** repository.

**Table 52. Red Hat Satellite 6.3 (for RHEL 7 Server) Packages**

| Name                      | Version            | Advisory                       |
|---------------------------|--------------------|--------------------------------|
| foreman                   | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-cli               | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-compute           | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-debug             | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-ec2               | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-gce               | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-installer-katello | 3.4.5.29-2.el7sat  | <a href="#">RHBA-2018:1126</a> |
| foreman-libvirt           | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-openstack         | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-ovirt             | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-postgresql        | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-proxy-content     | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |
| foreman-rackspace         | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-vmware            | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| katello                   | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |
| katello-common            | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |
| katello-debug             | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |

| Name                                | Version                | Advisory                       |
|-------------------------------------|------------------------|--------------------------------|
| katello-installer-base              | 3.4.5.29-2.el7sat      | <a href="#">RHBA-2018:1126</a> |
| katello-service                     | 3.4.5-16.el7sat        | <a href="#">RHBA-2018:1126</a> |
| pulp-admin-client                   | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| pulp-selinux                        | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| pulp-server                         | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| python-pulp-bindings                | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| python-pulp-client-lib              | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| python-pulp-common                  | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| python-pulp-oid_validation          | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| python-pulp-repoauth                | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| python-pulp-streamer                | 2.13.4.9-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| rubygem-rkerberos                   | 0.13-5.el7sat          | <a href="#">RHBA-2018:1126</a> |
| satellite                           | 6.3.1-3.el7sat         | <a href="#">RHBA-2018:1126</a> |
| satellite-capsule                   | 6.3.1-3.el7sat         | <a href="#">RHBA-2018:1126</a> |
| satellite-cli                       | 6.3.1-3.el7sat         | <a href="#">RHBA-2018:1126</a> |
| satellite-common                    | 6.3.1-3.el7sat         | <a href="#">RHBA-2018:1126</a> |
| satellite-debug-tools               | 6.3.1-3.el7sat         | <a href="#">RHBA-2018:1126</a> |
| tfm-rubygem-foreman_openscap        | 0.7.13-1.fm1_15.el7sat | <a href="#">RHBA-2018:1126</a> |
| tfm-rubygem-foreman_theme_satellite | 1.0.4.17-1.el7sat      | <a href="#">RHBA-2018:1126</a> |
| tfm-rubygem-hammer_cli_csv          | 2.3.1-1.el7sat         | <a href="#">RHBA-2018:1126</a> |
| tfm-rubygem-katello                 | 3.4.5.64-1.el7sat      | <a href="#">RHBA-2018:1126</a> |

| Name                       | Version           | Advisory                       |
|----------------------------|-------------------|--------------------------------|
| tfm-rubygem-katello_ostree | 3.4.5.64-1.el7sat | <a href="#">RHBA-2018:1126</a> |

### 3.1.2. Red Hat Satellite 6.3 - Puppet 4 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-puppet4-rpms** repository.

**Table 53. Red Hat Satellite 6.3 - Puppet 4 (for RHEL 7 Server) Packages**

| Name               | Version        | Advisory                       |
|--------------------|----------------|--------------------------------|
| puppet-agent-oauth | 0.5.1-3.el7sat | <a href="#">RHBA-2018:1126</a> |

### 3.1.3. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-rpms** repository.

**Table 54. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) Packages**

| Name                      | Version            | Advisory                       |
|---------------------------|--------------------|--------------------------------|
| foreman-debug             | 1.15.6.36-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| foreman-installer-katello | 3.4.5.29-2.el7sat  | <a href="#">RHBA-2018:1126</a> |
| foreman-proxy-content     | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |
| katello-debug             | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |
| katello-installer-base    | 3.4.5.29-2.el7sat  | <a href="#">RHBA-2018:1126</a> |
| katello-service           | 3.4.5-16.el7sat    | <a href="#">RHBA-2018:1126</a> |
| pulp-admin-client         | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:1126</a> |
| pulp-nodes-child          | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:1126</a> |
| pulp-nodes-common         | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:1126</a> |
| pulp-nodes-parent         | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:1126</a> |
| pulp-selinux              | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:1126</a> |
| pulp-server               | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:1126</a> |

| Name                       | Version           | Advisory                       |
|----------------------------|-------------------|--------------------------------|
| python-pulp-agent-lib      | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| python-pulp-bindings       | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| python-pulp-client-lib     | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| python-pulp-common         | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| python-pulp-oid_validation | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| python-pulp-repoauth       | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| python-pulp-streamer       | 2.13.4.9-1.el7sat | <a href="#">RHBA-2018:1126</a> |
| rubygem-rkerberos          | 0.1.3-5.el7sat    | <a href="#">RHBA-2018:1126</a> |
| satellite-capsule          | 6.3.1-3.el7sat    | <a href="#">RHBA-2018:1126</a> |
| satellite-common           | 6.3.1-3.el7sat    | <a href="#">RHBA-2018:1126</a> |
| satellite-debug-tools      | 6.3.1-3.el7sat    | <a href="#">RHBA-2018:1126</a> |

### 3.1.4. Red Hat Satellite Capsule 6.3 – Puppet 4 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-puppet4-rpms** repository.

**Table 55. Red Hat Satellite Capsule 6.3 – Puppet 4 (for RHEL 7 Server) Packages**

| Name               | Version        | Advisory                       |
|--------------------|----------------|--------------------------------|
| puppet-agent-oauth | 0.5.1-3.el7sat | <a href="#">RHBA-2018:1126</a> |

## 4. RED HAT SATELLITE 6.3.2

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.3.2.

### 4.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

#### 4.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-rpms** repository.

**Table 56. Red Hat Satellite 6.3 (for RHEL 7 Server) Packages**



| Name                         | Version            | Advisory                       |
|------------------------------|--------------------|--------------------------------|
| foreman                      | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-cli                  | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-compute              | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-debug                | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-ec2                  | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-gce                  | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-installer            | 1.15.6.11-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-installer-katello    | 3.4.5.32-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| foreman-libvirt              | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-openstack            | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-ovirt                | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-postgresql           | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-proxy                | 1.15.6.6-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| foreman-proxy-content        | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| foreman-rackspace            | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-vmware               | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| katello                      | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| katello-common               | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| katello-debug                | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| katello-installer-base       | 3.4.5.32-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| katello-service              | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| pulp-docker-admin-extensions | 2.4.1.1-1.el7sat   | <a href="#">RHBA-2018:1950</a> |
| pulp-docker-plugins          | 2.4.1.1-1.el7sat   | <a href="#">RHBA-2018:1950</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| python-gofer                | 2.7.8-1.el7       | <a href="#">RHBA-2018:1950</a> |
| python-gofer-qpid           | 2.7.8-1.el7       | <a href="#">RHBA-2018:1950</a> |
| python-pulp-docker-common   | 2.4.1.1-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| python-qpid-proton          | 0.16.0-11.el7     | <a href="#">RHBA-2018:1950</a> |
| python-qpid-qmf             | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-client             | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-client-devel       | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-server             | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-server-linearstore | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-dispatch-router        | 0.8.0-19.el7      | <a href="#">RHBA-2018:1950</a> |
| qpid-dispatch-tools         | 0.8.0-19.el7      | <a href="#">RHBA-2018:1950</a> |
| qpid-proton-c               | 0.16.0-11.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-qmf                    | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-tools                  | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| rubygem-smart_proxy_dynflow | 0.1.10.1-2.el7sat | <a href="#">RHBA-2018:1950</a> |
| satellite                   | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| satellite-capsule           | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| satellite-cli               | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| satellite-common            | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| satellite-debug-tools       | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-excon           | 0.58.0-1.el7sat   | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-fog             | 1.41.0-2.el7sat   | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-fog-core        | 1.45.0-1.el7sat   | <a href="#">RHBA-2018:1950</a> |

| Name                                | Version           | Advisory                       |
|-------------------------------------|-------------------|--------------------------------|
| tfm-rubygem-fog-openstack           | 0.1.25-1.el7sat   | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-foreman_theme_satellite | 1.0.4.19-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-hammer_cli_foreman      | 0.11.0.6-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-katello                 | 3.4.5.74-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-katello_ostree          | 3.4.5.74-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-netrc                   | 0.8.0-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-rbovirt                 | 0.1.5-2.el7sat    | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-runcible                | 1.12.0.6-1.el7sat | <a href="#">RHBA-2018:1950</a> |

#### 4.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-rpms** repository.

**Table 57. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) Packages**

| Name                         | Version            | Advisory                       |
|------------------------------|--------------------|--------------------------------|
| foreman-debug                | 1.15.6.45-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-installer            | 1.15.6.11-1.el7sat | <a href="#">RHBA-2018:1950</a> |
| foreman-installer-katello    | 3.4.5.32-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| foreman-proxy                | 1.15.6.6-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| foreman-proxy-content        | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| katello-debug                | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| katello-installer-base       | 3.4.5.32-1.el7sat  | <a href="#">RHBA-2018:1950</a> |
| katello-service              | 3.4.5-18.el7sat    | <a href="#">RHBA-2018:1950</a> |
| pulp-docker-admin-extensions | 2.4.1.1-1.el7sat   | <a href="#">RHBA-2018:1950</a> |

| Name                        | Version           | Advisory                       |
|-----------------------------|-------------------|--------------------------------|
| pulp-docker-plugins         | 2.4.11-1.el7sat   | <a href="#">RHBA-2018:1950</a> |
| python-gofer                | 2.7.8-1.el7       | <a href="#">RHBA-2018:1950</a> |
| python-gofer-qpid           | 2.7.8-1.el7       | <a href="#">RHBA-2018:1950</a> |
| python-pulp-docker-common   | 2.4.11-1.el7sat   | <a href="#">RHBA-2018:1950</a> |
| python-qpid-proton          | 0.16.0-11.el7     | <a href="#">RHBA-2018:1950</a> |
| python-qpid-qmf             | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-client             | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-server             | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-cpp-server-linearstore | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-dispatch-router        | 0.8.0-19.el7      | <a href="#">RHBA-2018:1950</a> |
| qpid-dispatch-tools         | 0.8.0-19.el7      | <a href="#">RHBA-2018:1950</a> |
| qpid-proton-c               | 0.16.0-11.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-qmf                    | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| qpid-tools                  | 1.36.0-18.el7     | <a href="#">RHBA-2018:1950</a> |
| rubygem-smart_proxy_dynflow | 0.1.10.1-2.el7sat | <a href="#">RHBA-2018:1950</a> |
| satellite-capsule           | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| satellite-common            | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| satellite-debug-tools       | 6.3.2-1.el7sat    | <a href="#">RHBA-2018:1950</a> |
| tfm-rubygem-netrc           | 0.8.0-1.el7sat    | <a href="#">RHBA-2018:1950</a> |

## 5. RED HAT SATELLITE 6.3.3

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.3.3.

### 5.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

### 5.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-rpms** repository.

**Table 58. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs) Packages**

| Name                      | Version            | Advisory                       |
|---------------------------|--------------------|--------------------------------|
| candlepin                 | 2.1.18-1.el7       | <a href="#">RHBA-2018:2550</a> |
| candlepin-selinux         | 2.1.18-1.el7       | <a href="#">RHBA-2018:2550</a> |
| foreman                   | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-cli               | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-compute           | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-debug             | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-ec2               | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-gce               | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-installer-katello | 3.4.5.33-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| foreman-libvirt           | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-openstack         | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-ovirt             | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-postgresql        | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-proxy-content     | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| foreman-rackspace         | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-vmware            | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| katello                   | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| katello-common            | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| katello-debug             | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| katello-installer-base    | 3.4.5.33-1.el7sat  | <a href="#">RHBA-2018:2550</a> |

| Name                         | Version            | Advisory                       |
|------------------------------|--------------------|--------------------------------|
| katello-service              | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| pulp-admin-client            | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-maintenance             | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-rpm-admin-extensions    | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| pulp-rpm-plugins             | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| pulp-selinux                 | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-server                  | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-bindings         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-client-lib       | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-common           | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-oid_validation   | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-repoauth         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-rpm-common       | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| python-pulp-streamer         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-qpidd-qmf             | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-client             | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-client-devel       | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-server             | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-server-linearstore | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-qmf                    | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-tools                  | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| satellite                    | 6.3.3-2.el7sat     | <a href="#">RHBA-2018:2550</a> |
| satellite-capsule            | 6.3.3-2.el7sat     | <a href="#">RHBA-2018:2550</a> |

| Name                       | Version                 | Advisory                       |
|----------------------------|-------------------------|--------------------------------|
| satellite-cli              | 6.3.3-2.el7sat          | <a href="#">RHBA-2018:2550</a> |
| satellite-common           | 6.3.3-2.el7sat          | <a href="#">RHBA-2018:2550</a> |
| satellite-debug-tools      | 6.3.3-2.el7sat          | <a href="#">RHBA-2018:2550</a> |
| tfm-rubygem-foreman-tasks  | 0.9.6.5-1.fm1_15.el7sat | <a href="#">RHBA-2018:2550</a> |
| tfm-rubygem-katello        | 3.4.5.78-1.el7sat       | <a href="#">RHBA-2018:2550</a> |
| tfm-rubygem-katello_ostree | 3.4.5.78-1.el7sat       | <a href="#">RHBA-2018:2550</a> |
| tfm-rubygem-rest-client    | 2.0.0-1.el7sat          | <a href="#">RHBA-2018:2550</a> |
| tfm-rubygem-runcible       | 1.12.0.7-1.el7sat       | <a href="#">RHBA-2018:2550</a> |

### 5.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-rpms** repository.

**Table 59. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs) Packages**

| Name                      | Version            | Advisory                       |
|---------------------------|--------------------|--------------------------------|
| foreman-debug             | 1.15.6.48-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| foreman-installer-katello | 3.4.5.33-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| foreman-proxy-content     | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| katello-debug             | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| katello-installer-base    | 3.4.5.33-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| katello-service           | 3.4.5-19.el7sat    | <a href="#">RHBA-2018:2550</a> |
| pulp-admin-client         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-maintenance          | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-nodes-child          | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-nodes-common         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |

| Name                         | Version            | Advisory                       |
|------------------------------|--------------------|--------------------------------|
| pulp-nodes-parent            | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-rpm-admin-extensions    | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| pulp-rpm-plugins             | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| pulp-selinux                 | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| pulp-server                  | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-agent-lib        | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-bindings         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-client-lib       | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-common           | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-oid_validation   | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-repoauth         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-pulp-rpm-common       | 2.13.4.9-1.el7sat  | <a href="#">RHBA-2018:2550</a> |
| python-pulp-streamer         | 2.13.4.12-1.el7sat | <a href="#">RHBA-2018:2550</a> |
| python-qpidd-qmf             | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-client             | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-server             | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-cpp-server-linearstore | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-qmf                    | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| qpidd-tools                  | 1.36.0-19.el7      | <a href="#">RHBA-2018:2550</a> |
| satellite-capsule            | 6.3.3-2.el7sat     | <a href="#">RHBA-2018:2550</a> |
| satellite-common             | 6.3.3-2.el7sat     | <a href="#">RHBA-2018:2550</a> |
| satellite-debug-tools        | 6.3.3-2.el7sat     | <a href="#">RHBA-2018:2550</a> |
| tfm-rubygem-rest-client      | 2.0.0-1.el7sat     | <a href="#">RHBA-2018:2550</a> |



## 6. RED HAT SATELLITE 6.3.4

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.3.4.

### 6.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

#### 6.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-rpms** repository.

**Table 60. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs) Packages**

| Name                       | Version            | Advisory                       |
|----------------------------|--------------------|--------------------------------|
| candlepin                  | 2.1.24-1.el7       | <a href="#">RHBA-2018:2915</a> |
| candlepin-selinux          | 2.1.24-1.el7       | <a href="#">RHBA-2018:2915</a> |
| foreman-installer-katello  | 3.4.5.34-1.el7sat  | <a href="#">RHBA-2018:2915</a> |
| foreman-proxy              | 1.15.6.7-1.el7sat  | <a href="#">RHBA-2018:2915</a> |
| foreman-selinux            | 1.15.6.3-1.el7sat  | <a href="#">RHBA-2018:2915</a> |
| hfsplus-tools              | 332.14-12.el7      | <a href="#">RHBA-2018:2915</a> |
| katello-installer-base     | 3.4.5.34-1.el7sat  | <a href="#">RHBA-2018:2915</a> |
| livecd-tools               | 20.4-1.6.el7sat    | <a href="#">RHBA-2018:2915</a> |
| pulp-admin-client          | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-maintenance           | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-selinux               | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-server                | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-imgcreate           | 20.4-1.6.el7sat    | <a href="#">RHBA-2018:2915</a> |
| python-pulp-bindings       | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-client-lib     | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-common         | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-oid_validation | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |

| Name                          | Version                 | Advisory                       |
|-------------------------------|-------------------------|--------------------------------|
| python-pulp-repoauth          | 2.13.4.14-1.el7sat      | <a href="#">RHBA-2018:2915</a> |
| python-pulp-streamer          | 2.13.4.14-1.el7sat      | <a href="#">RHBA-2018:2915</a> |
| satellite                     | 6.3.4-2.el7sat          | <a href="#">RHBA-2018:2915</a> |
| satellite-capsule             | 6.3.4-2.el7sat          | <a href="#">RHBA-2018:2915</a> |
| satellite-cli                 | 6.3.4-2.el7sat          | <a href="#">RHBA-2018:2915</a> |
| satellite-common              | 6.3.4-2.el7sat          | <a href="#">RHBA-2018:2915</a> |
| satellite-debug-tools         | 6.3.4-2.el7sat          | <a href="#">RHBA-2018:2915</a> |
| tfm-rubygem-foreman-tasks     | 0.9.6.8-1.fm1_15.el7sat | <a href="#">RHBA-2018:2915</a> |
| tfm-rubygem-foreman_discovery | 9.1.5.4-1.fm1_15.el7sat | <a href="#">RHBA-2018:2915</a> |
| tfm-rubygem-katello           | 3.4.5.86-1.el7sat       | <a href="#">RHBA-2018:2915</a> |
| tfm-rubygem-katello_ostree    | 3.4.5.86-1.el7sat       | <a href="#">RHBA-2018:2915</a> |

### 6.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-rpms** repository.

**Table 61. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs) Packages**

| Name                      | Version           | Advisory                       |
|---------------------------|-------------------|--------------------------------|
| foreman-installer-katello | 3.4.5.34-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| foreman-proxy             | 1.15.6.7-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| foreman-selinux           | 1.15.6.3-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| hfsplus-tools             | 332.14-12.el7     | <a href="#">RHBA-2018:2915</a> |
| katello-installer-base    | 3.4.5.34-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| livecd-tools              | 20.4-1.6.el7sat   | <a href="#">RHBA-2018:2915</a> |

| Name                       | Version            | Advisory                       |
|----------------------------|--------------------|--------------------------------|
| pulp-admin-client          | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-maintenance           | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-nodes-child           | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-nodes-common          | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-nodes-parent          | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-selinux               | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| pulp-server                | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-imgcreate           | 20.4-1.6.el7sat    | <a href="#">RHBA-2018:2915</a> |
| python-pulp-agent-lib      | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-bindings       | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-client-lib     | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-common         | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-oid_validation | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-repoauth       | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| python-pulp-streamer       | 2.13.4.14-1.el7sat | <a href="#">RHBA-2018:2915</a> |
| satellite-capsule          | 6.3.4-2.el7sat     | <a href="#">RHBA-2018:2915</a> |
| satellite-common           | 6.3.4-2.el7sat     | <a href="#">RHBA-2018:2915</a> |
| satellite-debug-tools      | 6.3.4-2.el7sat     | <a href="#">RHBA-2018:2915</a> |

## 7. RED HAT SATELLITE 6.3.5

This section outlines the packages shipped in each channel released with Red Hat Satellite 6.3.5.

### 7.1. Red Hat Enterprise Linux 7

This section outlines the packages released for Red Hat Enterprise Linux 7.

#### 7.1.1. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the **rhel-7-server-satellite-6.3-rpms** repository.

**Table 62. Red Hat Satellite 6.3 (for RHEL 7 Server) (RPMs) Packages**

| Name                         | Version                  | Advisory                       |
|------------------------------|--------------------------|--------------------------------|
| pulp-admin-client            | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| pulp-maintenance             | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| pulp-selinux                 | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| pulp-server                  | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| python-pulp-bindings         | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| python-pulp-client-lib       | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| python-pulp-common           | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| python-pulp-oid_validation   | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| python-pulp-repoauth         | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| python-pulp-streamer         | 2.13.4.16-1.el7sat       | <a href="#">RHBA-2018:3411</a> |
| satellite                    | 6.3.5-1.el7sat           | <a href="#">RHBA-2018:3411</a> |
| satellite-capsule            | 6.3.5-1.el7sat           | <a href="#">RHBA-2018:3411</a> |
| satellite-cli                | 6.3.5-1.el7sat           | <a href="#">RHBA-2018:3411</a> |
| satellite-common             | 6.3.5-1.el7sat           | <a href="#">RHBA-2018:3411</a> |
| satellite-debug-tools        | 6.3.5-1.el7sat           | <a href="#">RHBA-2018:3411</a> |
| tfm-rubygem-foreman-tasks    | 0.9.6.10-1.fm1_15.el7sat | <a href="#">RHBA-2018:3411</a> |
| tfm-rubygem-foreman_bootdisk | 10.0.2.3-1.fm1_15.el7sat | <a href="#">RHBA-2018:3411</a> |
| tfm-rubygem-katello          | 3.4.5.87-1.el7sat        | <a href="#">RHBA-2018:3411</a> |
| tfm-rubygem-katello_ostree   | 3.4.5.87-1.el7sat        | <a href="#">RHBA-2018:3411</a> |

### 7.1.2. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs)

The following table outlines the packages included in the **rhel-7-server-satellite-capsule-6.3-rpms** repository.

Table 63. Red Hat Satellite Capsule 6.3 (for RHEL 7 Server) (RPMs) Packages

| Name                       | Version            | Advisory                       |
|----------------------------|--------------------|--------------------------------|
| pulp-admin-client          | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| pulp-maintenance           | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| pulp-nodes-child           | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| pulp-nodes-common          | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| pulp-nodes-parent          | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| pulp-selinux               | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| pulp-server                | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-agent-lib      | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-bindings       | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-client-lib     | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-common         | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-oid_validation | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-repoauth       | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| python-pulp-streamer       | 2.13.4.16-1.el7sat | <a href="#">RHBA-2018:3411</a> |
| satellite-capsule          | 6.3.5-1.el7sat     | <a href="#">RHBA-2018:3411</a> |
| satellite-common           | 6.3.5-1.el7sat     | <a href="#">RHBA-2018:3411</a> |
| satellite-debug-tools      | 6.3.5-1.el7sat     | <a href="#">RHBA-2018:3411</a> |