



OpenShift Enterprise 3.2 REST API Reference

OpenShift Enterprise 3.2 REST API for Developers

Red Hat OpenShift Documentation
Team

OpenShift Enterprise 3.2 REST API Reference

OpenShift Enterprise 3.2 REST API for Developers

Legal Notice

Copyright © 2017 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

The OpenShift Enterprise 3.2 distribution of Kubernetes includes the Kubernetes v1 REST API and the OpenShift v1 REST API. These are RESTful APIs accessible via HTTP(s) on the OpenShift Enterprise master servers. These REST APIs can be used to manage end-user applications, the cluster, and the users of the cluster.

Table of Contents

CHAPTER 1. OVERVIEW	3
1.1. AUTHENTICATION	3
1.2. EXAMPLES	4
1.3. WEBSOCKETS AND WATCHING FOR CHANGES	6
CHAPTER 2. OPENSIFT ENTERPRISE V1 REST API	7
2.1. OVERVIEW	7
2.2. PATHS	7
2.3. DEFINITIONS	412
CHAPTER 3. KUBERNETES V1 REST API	677
3.1. OVERVIEW	677
3.2. PATHS	677
3.3. DEFINITIONS	1066
CHAPTER 4. REVISION HISTORY: REST API REFERENCE	1261
4.1. TUE OCT 04 2016	1261
4.2. THU MAY 12 2016	1261

CHAPTER 1. OVERVIEW

The OpenShift Enterprise distribution of Kubernetes includes the [Kubernetes v1 REST API](#) and the [OpenShift v1 REST API](#). These are RESTful APIs accessible via HTTP(s) on the OpenShift Enterprise master servers.

These REST APIs can be used to manage end-user applications, the cluster, and the users of the cluster.

1.1. AUTHENTICATION

API calls must be authenticated with an access token or X.509 certificate. See [Authentication](#) in the Architecture documentation for an overview.

This section highlights the token authentication method. With token authentication, a bearer token must be passed in as an [HTTP Authorization header](#). There are two types of access tokens: session and service account.

1.1.1. Session Tokens

A *session token* is short-lived, expiring within 24 hours by default. It represents a [user](#). After logging in, the session token may be obtained with the `oc whoami` command:

```
$ oc login -u test_user
Using project "test".
$ oc whoami -t
dIAo76N-W-GXK3S_w_KsC6DmH3MzP79zq7jbMQvCOUo
```

1.1.2. Service Account Tokens

Service account tokens are long-lived tokens. They are [JSON Web Token \(JWT\)](#) formatted tokens and are much longer strings than session tokens. See [Using a Service Account's Credentials Externally](#) for steps on using these tokens to authenticate using the CLI.

A service account token may be obtained with these commands:

1. Create a service account in the current project (**test**) named **robot**:

```
$ oc create serviceaccount robot
serviceaccount "robot" created
```

2. Grant a role to the service account. In this example, assign the **robot** service account in the **test** project the **admin** role:

```
$ oc policy add-role-to-user admin
system:serviceaccounts:test:robot
```

3. Describe the service account to discover the secret token name:

```
$ oc describe serviceaccount robot
Name: robot
```

```

Namespace: test
Labels: <none>

Image pull secrets: robot-dockercfg-rdrpg

Mountable secrets:  robot-token-2dsne
                   robot-dockercfg-rdrpg

Tokens:             robot-token-2dsne
                   robot-token-9efwm

```

- Describe the secret token to get the token value:

```

$ oc describe secret robot-token-2dsne
Name: robot-token-2dsne
Namespace: test
Labels: <none>
Annotations: kubernetes.io/service-
account.name=robot,kubernetes.io/service-account.uid=ea70e4c7-
0663-11e6-b279-fa163e610e01

Type: kubernetes.io/service-account-token

Data
===
token: fyJhbGciOiJSUzI1NiIyInR5cCI2IkpXVCJ9...
ca.crt: 1070 bytes
namespace: 8 bytes

```

The token value may be used as an in an authorization header to [authenticate API calls](#), the [CLI](#) or in the [docker login command](#). Service accounts may be created and deleted as needed with the appropriate role(s) assigned. See [Authorization](#) in the Architecture documentation for a deeper discussion on roles.

1.2. EXAMPLES

These examples are provided as a reference to provide quick success making REST API calls. They use insecure methods. In these examples a simple **GET** call is made to [list available resources](#).

1.2.1. cURL

Example 1.1. Request (Insecure)

```

$ curl -X GET -H "Authorization: Bearer <token>"
https://openshift.redhat.com:8443/oapi/v1 --insecure

```

Example 1.2. Result (Truncated)

```

{

```



```

"kind": "APIResourceList",
"groupVersion": "v1",
"resources": [
  {
    "name": "buildconfigs",
    "namespaced": true,
    "kind": "BuildConfig"
  },
  {
    "name": "buildconfigs/instantiate",
    "namespaced": true,
    "kind": "BuildRequest"
  },
  {
    "name": "buildconfigs/instantiatebinary",
    "namespaced": true,
    "kind": "BinaryBuildRequestOptions"
  },
  {
    "name": "buildconfigs/webhooks",
    "namespaced": true,
    "kind": "Status"
  },
  {
    "name": "builds",
    "namespaced": true,
    "kind": "Build"
  },
  ...
  {
    "name": "subjectaccessreviews",
    "namespaced": true,
    "kind": "SubjectAccessReview"
  },
  {
    "name": "templates",
    "namespaced": true,
    "kind": "Template"
  },
  {
    "name": "useridentitymappings",
    "namespaced": false,
    "kind": "UserIdentityMapping"
  },
  {
    "name": "users",
    "namespaced": false,
    "kind": "User"
  }
]
}

```

1.2.2. Python

Example 1.3. Interactive Python API Call Using "requests" Module (Insecure)

```
>>> import requests
>>> url = 'https://openshift.redhat.com:8443/oapi/v1'
>>> headers = {'Authorization': 'Bearer dIAo76N-W-
G XK3S_w_KsC6DmH3MzP79zq7jbMQvCOUo'}
>>> requests.get(url, headers=headers, verify=False)
/usr/lib/python2.7/site-
packages/requests/packages/urllib3/connectionpool.py:791:
InsecureRequestWarning: Unverified HTTPS request is being made.
Adding certificate verification is strongly advised. See:
https://urllib3.readthedocs.org/en/latest/security.html
    InsecureRequestWarning)
<Response [200]>
```

1.2.3. Docker Login

The OpenShift Enterprise integrated Docker registry must be authenticated using either a [user session](#) or [service account](#) token. The value of the token must be used as the value for the `--password` argument. The user and email argument values are ignored:

```
$ docker login -p <token_value> -u unused -e unused <registry>[:<port>]
```

1.3. WEBSOCKETS AND WATCHING FOR CHANGES

The API is designed to work via the [websocket protocol](#). API requests may take the form of "one-shot" calls to list resources or by passing in query parameter `watch=true`. When watching an endpoint, changes to the system may be observed through an open endpoint. Using callbacks, dynamic systems may be developed that integrate with the API.

For more information and examples, see the Mozilla Developer Network page on [Writing WebSocket client applications](#).

CHAPTER 2. OPENSIFT ENTERPRISE V1 REST API

2.1. OVERVIEW

The OpenShift Enterprise API exposes operations for managing an enterprise Kubernetes cluster, including security and user management, application deployments, image and source builds, HTTP(s) routing, and project management.

2.1.1. Version information

Version: v1

2.1.2. URI scheme

Host: 127.0.0.1:8443 BasePath: / Schemes: HTTPS

2.2. PATHS

2.2.1. get available resources

GET /oapi/v1

2.2.1.1. Consumes

- application/json
- application/yaml

2.2.1.2. Produces

- application/json
- application/yaml

2.2.1.3. Tags

- oapiv1

2.2.2. create a BuildConfig

POST /oapi/v1/buildconfigs

2.2.2.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.14 , 'v1.BuildConf ig'	

2.2.2.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.14, "v1.BuildConfig"

2.2.2.3. Consumes

✎ /

2.2.2.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.2.5. Tags

- ✎ oapiv1

2.2.3. list or watch objects of kind BuildConfig

GET /oapi/v1/buildconfigs

2.2.3.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.3.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.15, "v1.BuildConfigList"

2.2.3.3. Consumes

✎ /

2.2.3.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.3.5. Tags

- ✎ oapiv1

2.2.4. create a Build

POST /oapi/v1/builds

2.2.4.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.13 , "v1.Build"	

2.2.4.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.13 , "v1.Build"

2.2.4.3. Consumes

✦ /

2.2.4.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.4.5. Tags

✦ oapiv1

2.2.5. list or watch objects of kind Build

GET /oapi/v1/builds

2.2.5.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.5.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.18, "v1.BuildList"

2.2.5.3. Consumes

✳ /

2.2.5.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.5.5. Tags

✳ oapiv1

2.2.6. create a ClusterNetwork

POST /oapi/v1/clusternetworks

2.2.6.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.32 , "v1.ClusterNetwork"	

2.2.6.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.32 , "v1.ClusterNetwork"

2.2.6.3. Consumes

✎ /

2.2.6.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.6.5. Tags

✎ oapiv1

2.2.7. delete collection of ClusterNetwork

DELETE /oapi/v1/clusternetworks

2.2.7.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.7.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.7.3. Consumes

✳ /

2.2.7.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.7.5. Tags

✳ oapiv1

2.2.8. list or watch objects of kind ClusterNetwork

GET /oapi/v1/clusternetworks

2.2.8.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.8.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.33, "v1.ClusterNetworkList"

2.2.8.3. Consumes

✳ /

2.2.8.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.8.5. Tags

✳ oapiv1

2.2.9. replace the specified ClusterNetwork

```
PUT /oapi/v1/clusternetworks/{name}
```

2.2.9.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.32 , "v1.ClusterNetwork"	
PathParamete r	name	name of the ClusterNetwor k	true	string	

2.2.9.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.32 , "v1.ClusterNetwork"

2.2.9.3. Consumes

✎ /

2.2.9.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.9.5. Tags

✎ oapiv1

2.2.10. delete a ClusterNetwork

```
DELETE /oapi/v1/clusternetworks/{name}
```

2.2.10.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' <code>v1.DeleteOptions</code> '	
PathParamete r	name	name of the ClusterNetwork	true	string	

2.2.10.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' <code>unversioned.Status</code> '

2.2.10.3. Consumes

✳ /

2.2.10.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.10.5. Tags

✳ oapiv1

2.2.11. partially update the specified ClusterNetwork

PATCH /oapi/v1/clusternetworks/{name}

2.2.11.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the ClusterNetwork	true	string	

2.2.11.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.32, "v1.ClusterNetwork"

2.2.11.3. Consumes

- ✘ application/json-patch+json
- ✘ application/merge-patch+json
- ✘ application/strategic-merge-patch+json

2.2.11.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.11.5. Tags

- ✘ oapiv1

2.2.12. read the specified ClusterNetwork

```
GET /oapi/v1/clusternetworks/{name}
```

2.2.12.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the ClusterNetwork	true	string	

2.2.12.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.32, "v1.ClusterNetwork"

2.2.12.3. Consumes

✳ /

2.2.12.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.12.5. Tags

✎ oapiv1

2.2.13. create a ClusterPolicy

POST /oapi/v1/clusterpolicies

2.2.13.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.34 , ' "v1.ClusterPoli cy"	

2.2.13.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.34 , "v1.ClusterPolicy"

2.2.13.3. Consumes

✎ /

2.2.13.4. Produces

✎ application/json

✎ application/yaml

2.2.13.5. Tags

✎ oapiv1

2.2.14. delete collection of ClusterPolicy

DELETE /oapi/v1/clusterpolicies

2.2.14.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.14.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.14.3. Consumes

✎ /

2.2.14.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.14.5. Tags

✎ oapiv1

2.2.15. list or watch objects of kind ClusterPolicy

GET /oapi/v1/clusterpolicies

2.2.15.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.15.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.37 , "v1.ClusterPolicyList"

2.2.15.3. Consumes

✎ /

2.2.15.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.15.5. Tags

✎ oapiv1

2.2.16. replace the specified ClusterPolicy

```
PUT /oapi/v1/clusterpolicies/{name}
```

2.2.16.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.34 , ' <code>v1.ClusterPolicy</code> '	
PathParamete r	name	name of the ClusterPolicy	true	string	

2.2.16.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.34 , ' <code>v1.ClusterPolicy</code> '

2.2.16.3. Consumes

✘ /

2.2.16.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.16.5. Tags

✘ oapiv1

2.2.17. delete a ClusterPolicy

```
DELETE /oapi/v1/clusterpolicies/{name}
```

2.2.17.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOptions'	
PathParamete r	name	name of the ClusterPolicy	true	string	

2.2.17.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.17.3. Consumes

✎ /

2.2.17.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.17.5. Tags

- ✎ oapiv1

2.2.18. partially update the specified ClusterPolicy

```
PATCH /oapi/v1/clusterpolicies/{name}
```

2.2.18.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the ClusterPolicy	true	string	

2.2.18.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.34, "v1.ClusterPolicy"

2.2.18.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.18.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.18.5. Tags

- ✦ oapiv1

2.2.19. read the specified ClusterPolicy

```
GET /oapi/v1/clusterpolicies/{name}
```

2.2.19.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the ClusterPolicy	true	string	

2.2.19.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.34, "v1.ClusterPolicy"

2.2.19.3. Consumes

✳ /

2.2.19.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.19.5. Tags

✳ oapiv1

2.2.20. create a ClusterPolicyBinding

POST /oapi/v1/clusterpolicybindings

2.2.20.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.35 , "v1.ClusterPoli cyBinding"	

2.2.20.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.35 , "v1.ClusterPolicyBinding"

2.2.20.3. Consumes

✳ /

2.2.20.4. Produces

✳ application/json

✳ application/yaml

2.2.20.5. Tags

✳ oapiv1

2.2.21. delete collection of ClusterPolicyBinding

DELETE /oapi/v1/clusterpolicybindings

2.2.21.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.21.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.21.3. Consumes

✎ /

2.2.21.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.21.5. Tags

✎ oapiv1

2.2.22. list or watch objects of kind ClusterPolicyBinding

GET /oapi/v1/clusterpolicybindings

2.2.22.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.22.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.36 , "v1.ClusterPolicyBindingList"

2.2.22.3. Consumes

✎ /

2.2.22.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.22.5. Tags

- ✎ oapiv1

2.2.23. replace the specified ClusterPolicyBinding

```
PUT /oapi/v1/clusterpolicybindings/{name}
```


2.2.23.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.35 , ' <code>v1.ClusterPolicyBinding</code> '	
PathParamete r	name	name of the ClusterPolicyBinding	true	string	

2.2.23.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.35 , ' <code>v1.ClusterPolicyBinding</code> '

2.2.23.3. Consumes

✎ /

2.2.23.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.23.5. Tags

✎ oapiv1

2.2.24. delete a ClusterPolicyBinding

```
DELETE /oapi/v1/clusterpolicybindings/{name}
```

2.2.24.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOptions'	
PathParamete r	name	name of the ClusterPolicyBinding	true	string	

2.2.24.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.24.3. Consumes

✳ /

2.2.24.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.24.5. Tags

✳ oapiv1

2.2.25. partially update the specified ClusterPolicyBinding

```
PATCH /oapi/v1/clusterpolicybindings/{name}
```

2.2.25.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the ClusterPolicyB inding	true	string	

2.2.25.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.35, "v1.ClusterPolicyBinding"

2.2.25.3. Consumes

- ✘ application/json-patch+json
- ✘ application/merge-patch+json
- ✘ application/strategic-merge-patch+json

2.2.25.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.25.5. Tags

- ✘ oapiv1

2.2.26. read the specified ClusterPolicyBinding

```
GET /oapi/v1/clusterpolicybindings/{name}
```

2.2.26.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the ClusterPolicyBinding	true	string	

2.2.26.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.35, "v1.ClusterPolicyBinding"

2.2.26.3. Consumes

✳ /

2.2.26.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.26.5. Tags

✎ oapiv1

2.2.27. create a ClusterRoleBinding

POST /oapi/v1/clusterrolebindings

2.2.27.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.39 , "v1.ClusterRol eBinding"	

2.2.27.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.39 , "v1.ClusterRoleBinding"

2.2.27.3. Consumes

✎ /

2.2.27.4. Produces

✎ application/json

✎ application/yaml

2.2.27.5. Tags

✎ oapiv1

2.2.28. list objects of kind ClusterRoleBinding

GET /oapi/v1/clusterrolebindings

2.2.28.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.28.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.40 , "v1.ClusterRoleBindingList"

2.2.28.3. Consumes

✎ /

2.2.28.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.28.5. Tags

✎ oapiv1

2.2.29. replace the specified ClusterRoleBinding

```
PUT /oapi/v1/clusterrolebindings/{name}
```

2.2.29.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.39 , ' v1.ClusterRoleBinding '	
PathParamete r	name	name of the ClusterRoleBinding	true	string	

2.2.29.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.39 , ' v1.ClusterRoleBinding '

2.2.29.3. Consumes

✳ /

2.2.29.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.29.5. Tags

✳ oapiv1

2.2.30. delete a ClusterRoleBinding

```
DELETE /oapi/v1/clusterrolebindings/{name}
```

2.2.30.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOptions'	
PathParamete r	name	name of the ClusterRoleBinding	true	string	

2.2.30.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.30.3. Consumes

✳ /

2.2.30.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.30.5. Tags

✳ oapiv1

2.2.31. partially update the specified ClusterRoleBinding

```
PATCH /oapi/v1/clusterrolebindings/{name}
```

2.2.31.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the ClusterRoleBinding	true	string	

2.2.31.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.39, "v1.ClusterRoleBinding"

2.2.31.3. Consumes

- ✘ application/json-patch+json
- ✘ application/merge-patch+json
- ✘ application/strategic-merge-patch+json

2.2.31.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.31.5. Tags

- ✘ oapiv1

2.2.32. read the specified ClusterRoleBinding

```
GET /oapi/v1/clusterrolebindings/{name}
```

2.2.32.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the ClusterRoleBinding	true	string	

2.2.32.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.39, "v1.ClusterRoleBinding"

2.2.32.3. Consumes

✎ /

2.2.32.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.32.5. Tags

✎ oapiv1

2.2.33. create a ClusterRole

POST /oapi/v1/clusterroles

2.2.33.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.38 , ' "v1.ClusterRol e"	

2.2.33.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.38 , "v1.ClusterRole"

2.2.33.3. Consumes

✎ /

2.2.33.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.33.5. Tags

✎ oapiv1

2.2.34. list objects of kind ClusterRole

GET /oapi/v1/clusterroles

2.2.34.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.34.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.41, "v1.ClusterRoleList"

2.2.34.3. Consumes

✎ /

2.2.34.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.34.5. Tags

- ✎ oapiv1

2.2.35. replace the specified ClusterRole

```
PUT /oapi/v1/clusterroles/{name}
```

2.2.35.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.38 , 'v1.ClusterRole'	
PathParamete r	name	name of the ClusterRole	true	string	

2.2.35.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.38, "v1.ClusterRole"

2.2.35.3. Consumes

✎ /

2.2.35.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.35.5. Tags

✎ oapiv1

2.2.36. delete a ClusterRole

```
DELETE /oapi/v1/clusterroles/{name}
```

2.2.36.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' <code>v1.DeleteOptions</code> '	
PathParamete r	name	name of the ClusterRole	true	string	

2.2.36.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' <code>unversioned.Status</code> '

2.2.36.3. Consumes

✎ /

2.2.36.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.36.5. Tags

✎ oapiv1

2.2.37. partially update the specified ClusterRole

```
PATCH /oapi/v1/clusterroles/{name}
```

2.2.37.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the ClusterRole	true	string	

2.2.37.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.38, "v1.ClusterRole"

2.2.37.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

2.2.37.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.37.5. Tags

- ✎ oapiv1

2.2.38. read the specified ClusterRole

```
GET /oapi/v1/clusterroles/{name}
```

2.2.38.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParameter	name	name of the ClusterRole	true	string	

2.2.38.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.38, "v1.ClusterRole"

2.2.38.3. Consumes

✳ /

2.2.38.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.38.5. Tags

✳ oapiv1

2.2.39. create a DeploymentConfigRollback

POST /oapi/v1/deploymentconfigrollbacks

2.2.39.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.53 , "v1.DeploymentConfigRollback"	

2.2.39.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.53 , "v1.DeploymentConfigRollback"

2.2.39.3. Consumes

✎ /

2.2.39.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.39.5. Tags

✎ oapiv1

2.2.40. create a DeploymentConfig

POST /oapi/v1/deploymentconfigs

2.2.40.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.51 , "v1.DeploymentConfig"	

2.2.40.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.51 , "v1.DeploymentConfig"

2.2.40.3. Consumes

✎ /

2.2.40.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.40.5. Tags

✎ oapiv1

2.2.41. list or watch objects of kind DeploymentConfig

GET /oapi/v1/deploymentconfigs

2.2.41.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.41.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.52, "v1.DeploymentConfigList"

2.2.41.3. Consumes

✳ /

2.2.41.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.41.5. Tags

✳ oapiv1

2.2.42. create a Group

POST /oapi/v1/groups

2.2.42.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.79, "v1.Group"	

2.2.42.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.79, "v1.Group"

2.2.42.3. Consumes

✎ /

2.2.42.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.42.5. Tags

✎ oapiv1

2.2.43. delete collection of Group

DELETE /oapi/v1/groups

2.2.43.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.43.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.43.3. Consumes

✎ /

2.2.43.4. Produces

✎ application/json

✎ application/yaml

2.2.43.5. Tags

✎ oapiv1

2.2.44. list or watch objects of kind Group

GET /oapi/v1/groups

2.2.44.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.44.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.80, "v1.GroupList"

2.2.44.3. Consumes

✳ /

2.2.44.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.44.5. Tags

✳ oapiv1

2.2.45. replace the specified Group

PUT /oapi/v1/groups/{name}

2.2.45.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.79, "v1.Group"	
PathParamete	name	name of the Group	true	string	

2.2.45.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.79, "v1.Group"

2.2.45.3. Consumes

✳ /

2.2.45.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.45.5. Tags

✳ oapiv1

2.2.46. delete a Group

DELETE /oapi/v1/groups/{name}

2.2.46.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' "v1.DeleteOptions" '	
PathParamete r	name	name of the Group	true	string	

2.2.46.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.46.3. Consumes

✳ /

2.2.46.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.46.5. Tags

✳ oapiv1

2.2.47. partially update the specified Group

PATCH /oapi/v1/groups/{name}

2.2.47.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.6 , “unversioned.Patch”	
PathParameter	name	name of the Group	true	string	

2.2.47.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.79, "v1.Group"

2.2.47.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

2.2.47.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.47.5. Tags

- ✳ oapiv1

2.2.48. read the specified Group

```
GET /oapi/v1/groups/{name}
```

2.2.48.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the Group	true	string	

2.2.48.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.79, "v1.Group"

2.2.48.3. Consumes

✎ /

2.2.48.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.48.5. Tags

✎ oapiv1

2.2.49. create a HostSubnet

POST /oapi/v1/hostsubnets

2.2.49.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.85 , 'v1.HostSubnet'	

2.2.49.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.85, "v1.HostSubnet"

2.2.49.3. Consumes

✳ /

2.2.49.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.49.5. Tags

- ✳ oapiv1

2.2.50. delete collection of HostSubnet

DELETE /oapi/v1/hostsubnets

2.2.50.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.50.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.50.3. Consumes

✎ /

2.2.50.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.50.5. Tags

- ✎ oapiv1

2.2.51. list or watch objects of kind HostSubnet

GET /oapi/v1/hostsubnets

2.2.51.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.51.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.86, "v1.HostSubnetList"

2.2.51.3. Consumes

✎ /

2.2.51.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.51.5. Tags

- ✎ oapiv1

2.2.52. replace the specified HostSubnet

PUT /oapi/v1/hostsubnets/{name}

2.2.52.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.85 , 'v1.HostSubn et"	
PathParamete r	name	name of the HostSubnet	true	string	

2.2.52.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.85, "v1.HostSubnet"

2.2.52.3. Consumes

✎ /

2.2.52.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.52.5. Tags

✎ oapiv1

2.2.53. delete a HostSubnet

```
DELETE /oapi/v1/hostsubnets/{name}
```

2.2.53.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' v1.DeleteOptions '	
PathParamete r	name	name of the HostSubnet	true	string	

2.2.53.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' unversioned.Status '

2.2.53.3. Consumes

✎ /

2.2.53.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.53.5. Tags

✎ oapiv1

2.2.54. partially update the specified HostSubnet

PATCH /oapi/v1/hostsubnets/{name}

2.2.54.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the HostSubnet	true	string	

2.2.54.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.85, "v1.HostSubnet"

2.2.54.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

2.2.54.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.54.5. Tags

- ✎ oapiv1

2.2.55. read the specified HostSubnet

```
GET /oapi/v1/hostsubnets/{name}
```

2.2.55.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the HostSubnet	true	string	

2.2.55.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.85, "v1.HostSubnet"

2.2.55.3. Consumes

✳ /

2.2.55.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.55.5. Tags

✎ oapiv1

2.2.56. create a Identity

POST /oapi/v1/identities

2.2.56.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.88 , "v1.Identity"	

2.2.56.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.88 , "v1.Identity"

2.2.56.3. Consumes

✎ /

2.2.56.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.56.5. Tags

✎ oapiv1

2.2.57. delete collection of Identity

DELETE /oapi/v1/identities

2.2.57.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.57.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.57.3. Consumes

✎ /

2.2.57.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.57.5. Tags

✎ oapiv1

2.2.58. list or watch objects of kind Identity

GET /oapi/v1/identities

2.2.58.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.58.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.89, "v1.IdentityList"

2.2.58.3. Consumes

✎ /

2.2.58.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.58.5. Tags

- ✎ oapiv1

2.2.59. replace the specified Identity

```
PUT /oapi/v1/identities/{name}
```

2.2.59.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.88 , "v1.Identity"	
PathParamete r	name	name of the Identity	true	string	

2.2.59.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.88 , "v1.Identity"

2.2.59.3. Consumes

✳ /

2.2.59.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.59.5. Tags

✳ oapiv1

2.2.60. delete a Identity

```
DELETE /oapi/v1/identities/{name}
```

2.2.60.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	name	name of the Identity	true	string	

2.2.60.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.60.3. Consumes

✎ /

2.2.60.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.60.5. Tags

✎ oapiv1

2.2.61. partially update the specified Identity

```
PATCH /oapi/v1/identities/{name}
```

2.2.61.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the Identity	true	string	

2.2.61.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.88, "v1.Identity"

2.2.61.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

2.2.61.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.61.5. Tags

- ✎ oapiv1

2.2.62. read the specified Identity

```
GET /oapi/v1/identities/{name}
```

2.2.62.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParamter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParameter	name	name of the Identity	true	string	

2.2.62.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.88, "v1.Identity"

2.2.62.3. Consumes

✳ /

2.2.62.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.62.5. Tags

✎ oapiv1

2.2.63. create a Image

POST /oapi/v1/images

2.2.63.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.90 , "v1.Image"	

2.2.63.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.90 , "v1.Image"

2.2.63.3. Consumes

✎ /

2.2.63.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.63.5. Tags

✎ oapiv1

2.2.64. delete collection of Image

DELETE /oapi/v1/images

2.2.64.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.64.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.64.3. Consumes

✎ /

2.2.64.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.64.5. Tags

- ✎ oapiv1

2.2.65. list or watch objects of kind Image

GET /oapi/v1/images

2.2.65.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.65.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.95, "v1.ImageList"

2.2.65.3. Consumes

✎ /

2.2.65.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.65.5. Tags

- ✎ oapiv1

2.2.66. replace the specified Image

```
PUT /oapi/v1/images/{name}
```

2.2.66.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.90 , "v1.Image"	
PathParamete r	name	name of the Image	true	string	

2.2.66.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.90 , "v1.Image"

2.2.66.3. Consumes

✳ /

2.2.66.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.66.5. Tags

✳ oapiv1

2.2.67. delete a Image

```
DELETE /oapi/v1/images/{name}
```

2.2.67.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' v1.DeleteOptions '	
PathParamete r	name	name of the Image	true	string	

2.2.67.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' unversioned.Status '

2.2.67.3. Consumes

✎ /

2.2.67.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.67.5. Tags

✎ oapiv1

2.2.68. partially update the specified Image

PATCH /oapi/v1/images/{name}

2.2.68.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the Image	true	string	

2.2.68.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.90, "v1.Image"

2.2.68.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

2.2.68.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.68.5. Tags

- ✎ oapiv1

2.2.69. read the specified Image

```
GET /oapi/v1/images/{name}
```

2.2.69.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the Image	true	string	

2.2.69.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.90, "v1.Image"

2.2.69.3. Consumes

✳ /

2.2.69.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.69.5. Tags

✳ oapiv1

2.2.70. create a ImageStreamImport

POST /oapi/v1/imagestreamimports

2.2.70.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.100 , "v1.ImageStreamImport"	

2.2.70.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.100 , "v1.ImageStreamImport"

2.2.70.3. Consumes

✳ /

2.2.70.4. Produces

✳ application/json

✳ application/yaml

2.2.70.5. Tags

✳ oapiv1

2.2.71. create a ImageStreamMapping

POST /oapi/v1/imagestreammappings

2.2.71.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.104 , "v1.ImageStreamMapping"	

2.2.71.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.104 , "v1.ImageStreamMapping"

2.2.71.3. Consumes

- ✎ /

2.2.71.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.71.5. Tags

- ✎ oapiv1

2.2.72. create a ImageStream

POST /oapi/v1/imagestreams

2.2.72.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.98 , ' "v1.ImageStre am"	

2.2.72.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.98 , "v1.ImageStream"

2.2.72.3. Consumes

✎ /

2.2.72.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.72.5. Tags

- ✎ oapiv1

2.2.73. list or watch objects of kind ImageStream

GET /oapi/v1/imagestreams

2.2.73.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.73.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.103, "v1.ImageStreamList"

2.2.73.3. Consumes

✎ /

2.2.73.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.73.5. Tags

✎ oapiv1

2.2.74. list objects of kind ImageStreamTag

GET /oapi/v1/imagestreamtags

2.2.74.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.74.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.108, "v1.ImageStreamTagList"

2.2.74.3. Consumes

✎ /

2.2.74.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.74.5. Tags

✎ oapiv1

2.2.75. create a LocalResourceAccessReview

POST /oapi/v1/localresourceaccessreviews

2.2.75.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.113 , "v1.LocalResourceAccessReview"	

2.2.75.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.113 , "v1.LocalResourceAccessReview"

2.2.75.3. Consumes

- ✳ /

2.2.75.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.75.5. Tags

- ✳ oapiv1

2.2.76. create a LocalSubjectAccessReview

POST /oapi/v1/localsubjectaccessreviews

2.2.76.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.114 , "v1.LocalSubjectAccessReview"	

2.2.76.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.114 , "v1.LocalSubjectAccessReview"

2.2.76.3. Consumes

✳ /

2.2.76.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.76.5. Tags

✳ oapiv1

2.2.77. create a BuildConfig

POST /oapi/v1/namespaces/{namespace}/buildconfigs

2.2.77.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.14 , 'v1.BuildConf ig"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.77.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.14, "v1.BuildConfig"

2.2.77.3. Consumes

✳ /

2.2.77.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.77.5. Tags

✳ oapiv1

2.2.78. delete collection of BuildConfig

DELETE /oapi/v1/namespaces/{namespace}/buildconfigs

2.2.78.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.78.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.78.3. Consumes

✳ /

2.2.78.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.78.5. Tags

✱ oapiv1

2.2.79. list or watch objects of kind BuildConfig

GET /oapi/v1/namespaces/{namespace}/buildconfigs

2.2.79.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.79.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.15, "v1.BuildConfigList"

2.2.79.3. Consumes

» /

2.2.79.4. Produces

- » application/json
- » application/yaml

2.2.79.5. Tags

» oapiv1

2.2.80. replace the specified BuildConfig

PUT /oapi/v1/namespaces/{namespace}/buildconfigs/{name}

2.2.80.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.14 , "v1.BuildConfig"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the BuildConfig	true	string	

2.2.80.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.14 , "v1.BuildConfig"

2.2.80.3. Consumes

» /

2.2.80.4. Produces

» application/json

✳ application/yaml

2.2.80.5. Tags

✳ oapiv1

2.2.81. delete a BuildConfig

DELETE /oapi/v1/namespaces/{namespace}/buildconfigs/{name}

2.2.81.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOptions'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the BuildConfig	true	string	

2.2.81.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.81.3. Consumes

✳ /

2.2.81.4. Produces

- ✧ application/json
- ✧ application/yaml

2.2.81.5. Tags

- ✧ oapiv1

2.2.82. partially update the specified BuildConfig

```
PATCH /oapi/v1/namespaces/{namespace}/buildconfigs/{name}
```

2.2.82.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the BuildConfig	true	string	

2.2.82.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.14, "v1.BuildConfig"

2.2.82.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.82.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.82.5. Tags

- ✦ oapiv1

2.2.83. read the specified BuildConfig

```
GET /oapi/v1/namespaces/{namespace}/buildconfigs/{name}
```

2.2.83.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the BuildConfig	true	string	

2.2.83.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.14, "v1.BuildConfig"

2.2.83.3. Consumes

✎ /

2.2.83.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.83.5. Tags

✎ oapiv1

2.2.84. create instantiate of a BuildRequest

```
POST /oapi/v1/namespaces/{namespace}/buildconfigs/{name}/instantiate
```

2.2.84.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.22 , "v1.BuildRequ est"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the BuildRequest	true	string	

2.2.84.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.22 , "v1.BuildRequest"

2.2.84.3. Consumes

✎ /

2.2.84.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.84.5. Tags

✎ oapiv1

2.2.85. connect POST requests to instantiate binary of BinaryBuildRequestOptions

POST

`/oapi/v1/namespaces/{namespace}/buildconfigs/{name}/instantiatebinary`

2.2.85.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	asFile	AsFile determines if the binary should be created as a file within the source rather than extracted as an archive	false	string	
QueryParamter	revision.commit	Commit is the value identifying a specific commit	false	string	
QueryParamter	revision.message	Message is the description of a specific commit	false	string	
QueryParamter	revision.authorName	AuthorName of the source control user	false	string	
QueryParamter	revision.authorEmail	AuthorEmail of the source control user	false	string	
QueryParamter	revision.committerName	CommitterName of the source control user	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	revision.committerEmail	CommitterEmail of the source control user	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the BinaryBuildRequestOptions	true	string	

2.2.85.2. Responses

HTTP Code	Description	Schema
default	success	string

2.2.85.3. Consumes

✳ /

2.2.85.4. Produces

✳ /

2.2.85.5. Tags

✳ oapiv1

2.2.86. connect POST requests to webhooks of Status

POST /oapi/v1/namespaces/{namespace}/buildconfigs/{name}/webhooks

2.2.86.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Status	true	string	

2.2.86.2. Responses

HTTP Code	Description	Schema
default	success	string

2.2.86.3. Consumes

✳ /

2.2.86.4. Produces

✳ /

2.2.86.5. Tags

✳ oapiv1

2.2.87. connect POST requests to webhooks of Status

POST
/oapi/v1/namespaces/{namespace}/buildconfigs/{name}/webhooks/{path}

2.2.87.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Status	true	string	
PathParamete r	path	path to the resource	true	string	

2.2.87.2. Responses

HTTP Code	Description	Schema
default	success	string

2.2.87.3. Consumes

✎ /

2.2.87.4. Produces

✎ /

2.2.87.5. Tags

✎ oapiv1

2.2.88. create a Build

POST /oapi/v1/namespaces/{namespace}/builds

2.2.88.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.13, "v1.Build"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.88.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.13, "v1.Build"

2.2.88.3. Consumes

✘ /

2.2.88.4. Produces

✘ application/json

✘ application/yaml

2.2.88.5. Tags

✘ oapiv1

2.2.89. delete collection of Build

```
DELETE /oapi/v1/namespaces/{namespace}/builds
```

2.2.89.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSec onds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.89.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.89.3. Consumes

✳ /

2.2.89.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.89.5. Tags

✳ oapiv1

2.2.90. list or watch objects of kind Build

GET /oapi/v1/namespaces/{namespace}/builds

2.2.90.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.90.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.18, "v1.BuildList"

2.2.90.3. Consumes

✘ /

2.2.90.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.90.5. Tags

✘ oapiv1

2.2.91. replace the specified Build

PUT /oapi/v1/namespaces/{namespace}/builds/{name}

2.2.91.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.13 , "v1.Build"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Build	true	string	

2.2.91.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.13 , "v1.Build"

2.2.91.3. Consumes

✘ /

2.2.91.4. Produces

✘ application/json

✘ application/yaml

2.2.91.5. Tags

✳ oapiv1

2.2.92. delete a Build

DELETE /oapi/v1/namespaces/{namespace}/builds/{name}

2.2.92.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.48 , "v1.DeleteOptions"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Build	true	string	

2.2.92.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.92.3. Consumes

✳ /

2.2.92.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.92.5. Tags

- ✘ oapiv1

2.2.93. partially update the specified Build

PATCH /oapi/v1/namespaces/{namespace}/builds/{name}

2.2.93.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Build	true	string	

2.2.93.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.13, "v1.Build"

2.2.93.3. Consumes

- ✘ application/json-patch+json

- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.93.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.93.5. Tags

- ✦ oapiv1

2.2.94. read the specified Build

```
GET /oapi/v1/namespaces/{namespace}/builds/{name}
```

2.2.94.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Build	true	string	

2.2.94.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.13, "v1.Build"

2.2.94.3. Consumes

✎ /

2.2.94.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.94.5. Tags

✎ oapiv1

2.2.95. create clone of a BuildRequest

POST /oapi/v1/namespaces/{namespace}/builds/{name}/clone

2.2.95.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.22 , 'v1.BuildRequ est"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the BuildRequest	true	string	

2.2.95.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.22 , 'v1.BuildRequest"

2.2.95.3. Consumes

✎ /

2.2.95.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.95.5. Tags

- ✎ oapiv1

2.2.96. replace details of the specified Build

■

PUT /oapi/v1/namespaces/{namespace}/builds/{name}/details

2.2.96.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.13, "v1.Build"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Build	true	string	

2.2.96.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.13, "v1.Build"

2.2.96.3. Consumes

✘ /

2.2.96.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.96.5. Tags

✘ oapiv1

2.2.97. read log of the specified BuildLog

```
GET /oapi/v1/namespaces/{namespace}/builds/{name}/log
```

2.2.97.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	container	The container for which to stream logs. Defaults to only container if there is one container in the pod.	false	string	
QueryParam ter	follow	Follow if true indicates that the build log should be streamed until the build terminates.	false	boolean	
QueryParam ter	previous	Return previous build logs. Defaults to false.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	sinceSeconds	A relative time in seconds before the current time from which to show logs. If this value precedes the time a pod was started, only logs since the pod start will be returned. If this value is in the future, no logs will be returned. Only one of sinceSeconds or sinceTime may be specified.	false	integer	
QueryParam ter	sinceTime	An RFC3339 timestamp from which to show logs. If this value precedes the time a pod was started, only logs since the pod start will be returned. If this value is in the future, no logs will be returned. Only one of sinceSeconds or sinceTime may be specified.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timestamps	If true, add an RFC3339 or RFC3339Nano timestamp at the beginning of every line of log output. Defaults to false.	false	boolean	
QueryParam ter	tailLines	If set, the number of lines from the end of the logs to show. If not specified, logs are shown from the creation of the container or sinceSeconds or sinceTime	false	integer	
QueryParam ter	limitBytes	If set, the number of bytes to read from the server before terminating the log output. This may not display a complete final line of logging, and may return slightly more or slightly less than the specified limit.	false	integer	

Type	Name	Description	Required	Schema	Default
QueryParameter	nowait	NoWait if true causes the call to return immediately even if the build is not available yet. Otherwise the server will wait until the build has started.	false	boolean	
QueryParameter	version	Version of the build for which to view logs.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the BuildLog	true	string	

2.2.97.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.19, "v1.BuildLog"

2.2.97.3. Consumes

✳ /

2.2.97.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.97.5. Tags

✳️ oapiv1

2.2.98. create a DeploymentConfigRollback

POST /oapi/v1/namespaces/{namespace}/deploymentconfigrollbacks

2.2.98.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.53 , ' "v1.Deployme ntConfigRollba ck"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.98.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.53 , ' "v1.DeploymentConfigRollback"

2.2.98.3. Consumes

✳️ /

2.2.98.4. Produces

✳️ application/json

✳ application/yaml

2.2.98.5. Tags

✳ oapiv1

2.2.99. create a DeploymentConfig

POST /oapi/v1/namespaces/{namespace}/deploymentconfigs

2.2.99.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.51 , "v1.Deployme ntConfig"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.99.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.51 , "v1.DeploymentConfig"

2.2.99.3. Consumes

✳ /

2.2.99.4. Produces

✱ application/json

✱ application/yaml

2.2.99.5. Tags

✱ oapiv1

2.2.100. delete collection of DeploymentConfig

```
DELETE /oapi/v1/namespaces/{namespace}/deploymentconfigs
```

2.2.100.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.100.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.100.3. Consumes

✦ /

2.2.100.4. Produces

✦ application/json

✦ application/yaml

2.2.100.5. Tags

✦ oapiv1

2.2.101. list or watch objects of kind DeploymentConfig

GET /oapi/v1/namespaces/{namespace}/deploymentconfigs

2.2.101.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.101.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.52, "v1.DeploymentConfigList"

2.2.101.3. Consumes

✦ /

2.2.101.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.101.5. Tags

✦ oapiv1

2.2.102. replace the specified DeploymentConfig

```
PUT /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}
```

2.2.102.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.51 , "v1.Deployme ntConfig"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the DeploymentC onfig	true	string	

2.2.102.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.51, "v1.DeploymentConfig"

2.2.102.3. Consumes

✘ /

2.2.102.4. Produces

✘ application/json

✘ application/yaml

2.2.102.5. Tags

✘ oapiv1

2.2.103. delete a DeploymentConfig

```
DELETE /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}
```

2.2.103.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48, "v1.DeleteOptions"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the DeploymentC onfig	true	string	

2.2.103.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.103.3. Consumes

✳ /

2.2.103.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.103.5. Tags

✳ oapiv1

2.2.104. partially update the specified DeploymentConfig

PATCH /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}

2.2.104.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the DeploymentConfig	true	string	

2.2.104.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.51, "v1.DeploymentConfig"

2.2.104.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

2.2.104.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.104.5. Tags

- ✎ oapiv1

2.2.105. read the specified DeploymentConfig

```
GET /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}
```

2.2.105.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the DeploymentC onfig	true	string	

2.2.105.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.51, "v1.DeploymentConfig"

2.2.105.3. Consumes

✘ /

2.2.105.4. Produces

✘ application/json

✘ application/yaml

2.2.105.5. Tags

✘ oapiv1

2.2.106. read log of the specified DeploymentLog

```
GET /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}/log
```

2.2.106.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	container	The container for which to stream logs. Defaults to only container if there is one container in the pod.	false	string	
QueryParam ter	follow	Follow if true indicates that the build log should be streamed until the build terminates.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	previous	Return previous deployment logs. Defaults to false.	false	boolean	
QueryParam ter	sinceSeconds	A relative time in seconds before the current time from which to show logs. If this value precedes the time a pod was started, only logs since the pod start will be returned. If this value is in the future, no logs will be returned. Only one of sinceSeconds or sinceTime may be specified.	false	integer	

Type	Name	Description	Required	Schema	Default
QueryParam ter	sinceTime	An RFC3339 timestamp from which to show logs. If this value precedes the time a pod was started, only logs since the pod start will be returned. If this value is in the future, no logs will be returned. Only one of sinceSeconds or sinceTime may be specified.	false	string	
QueryParam ter	timestamps	If true, add an RFC3339 or RFC3339Nano timestamp at the beginning of every line of log output. Defaults to false.	false	boolean	
QueryParam ter	tailLines	If set, the number of lines from the end of the logs to show. If not specified, logs are shown from the creation of the container or sinceSeconds or sinceTime	false	integer	

Type	Name	Description	Required	Schema	Default
QueryParameter	limitBytes	If set, the number of bytes to read from the server before terminating the log output. This may not display a complete final line of logging, and may return slightly more or slightly less than the specified limit.	false	integer	
QueryParameter	nowait	NoWait if true causes the call to return immediately even if the deployment is not available yet. Otherwise the server will wait until the deployment has started.	false	boolean	
QueryParameter	version	Version of the deployment for which to view logs.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the DeploymentLog	true	string	

2.2.106.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.58, "v1.DeploymentLog"

2.2.106.3. Consumes

- /

2.2.106.4. Produces

- application/json
- application/yaml

2.2.106.5. Tags

- oapiv1

2.2.107. replace scale of the specified Scale

```
PUT /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}/scale
```

2.2.107.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.197, "v1beta1.Scale"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Scale	true	string	

2.2.107.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.197, "v1beta1.Scale"

2.2.107.3. Consumes

✎ /

2.2.107.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.107.5. Tags

✎ oapiv1

2.2.108. partially update scale of the specified Scale

PATCH /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}/scale

2.2.108.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamete r	body		true	Section 2.3.6, "unversioned. Patch"	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Scale	true	string	

2.2.108.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.197, "v1beta1.Scale"

2.2.108.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.108.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.108.5. Tags

- ✦ oapiv1

2.2.109. read scale of the specified Scale

```
GET /oapi/v1/namespaces/{namespace}/deploymentconfigs/{name}/scale
```

2.2.109.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Scale	true	string	

2.2.109.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.197, "v1beta1.Scale"

2.2.109.3. Consumes

✎ /

2.2.109.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.109.5. Tags

- ✎ oapiv1

2.2.110. read the specified DeploymentConfig

```
GET /oapi/v1/namespaces/{namespace}/generateddeploymentconfigs/{name}
```

2.2.110.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the DeploymentC onfig	true	string	

2.2.110.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.51, "v1.DeploymentConfig"

2.2.110.3. Consumes

✎ /

2.2.110.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.110.5. Tags

✎ oapiv1

2.2.111. read the specified ImageStreamImage

```
GET /oapi/v1/namespaces/{namespace}/imagestreamimages/{name}
```

2.2.111.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStreaml mage	true	string	

2.2.111.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.99, "v1.ImageStreamImage"

2.2.111.3. Consumes

✳ /

2.2.111.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.111.5. Tags

✳ oapiv1

2.2.112. create a ImageStreamImport

POST /oapi/v1/namespaces/{namespace}/imagestreamimports

2.2.112.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.100 , "v1.ImageStreamImport"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.112.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.100 , "v1.ImageStreamImport"

2.2.112.3. Consumes

✎ /

2.2.112.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.112.5. Tags

✎ oapiv1

2.2.113. create a ImageStreamMapping

```
POST /oapi/v1/namespaces/{namespace}/imagestreammappings
```

2.2.113.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.104 , "v1.ImageStreamMapping"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.113.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.104 , "v1.ImageStreamMapping"

2.2.113.3. Consumes

✎ /

2.2.113.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.113.5. Tags

✎ oapiv1

2.2.114. create a ImageStream

POST /oapi/v1/namespaces/{namespace}/imagestreams

2.2.114.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.98 , 'v1.ImageStream'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.114.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.98 , 'v1.ImageStream'

2.2.114.3. Consumes

✎ /

2.2.114.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.114.5. Tags

✎ oapiv1

2.2.115. delete collection of ImageStream

```
DELETE /oapi/v1/namespaces/{namespace}/imagestreams
```

2.2.115.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.115.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.115.3. Consumes

✳ /

2.2.115.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.115.5. Tags

✳ oapiv1

2.2.116. list or watch objects of kind ImageStream

```
GET /oapi/v1/namespaces/{namespace}/imagestreams
```

2.2.116.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.116.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.103, "v1.ImageStreamList"

2.2.116.3. Consumes

✎ /

2.2.116.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.116.5. Tags

✳ oapiv1

2.2.117. replace the specified ImageStream

PUT /oapi/v1/namespaces/{namespace}/imagestreams/{name}

2.2.117.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.98 , "v1.ImageStre am"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream	true	string	

2.2.117.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.98 , "v1.ImageStream"

2.2.117.3. Consumes

✳ /

2.2.117.4. Produces

- ✘ application/json

- ✘ application/yaml

2.2.117.5. Tags

- ✘ oapiv1

2.2.118. delete a ImageStream

```
DELETE /oapi/v1/namespaces/{namespace}/imagestreams/{name}
```

2.2.118.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' "v1.DeleteOptions"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream	true	string	

2.2.118.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' "unversioned.Status"

2.2.118.3. Consumes

✎ /

2.2.118.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.118.5. Tags

- ✎ oapiv1

2.2.119. partially update the specified ImageStream

PATCH /oapi/v1/namespaces/{namespace}/imagestreams/{name}

2.2.119.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream	true	string	

2.2.119.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.98, "v1.ImageStream"

2.2.119.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.119.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.119.5. Tags

- ✦ oapiv1

2.2.120. read the specified ImageStream

```
GET /oapi/v1/namespaces/{namespace}/imagestreams/{name}
```

2.2.120.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream	true	string	

2.2.120.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.98, "v1.ImageStream"

2.2.120.3. Consumes

✎ /

2.2.120.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.120.5. Tags

✎ oapiv1

2.2.121. read secrets of the specified SecretList

GET /oapi/v1/namespaces/{namespace}/imagestreams/{name}/secrets

2.2.121.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the SecretList	true	string	

2.2.121.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.174, "v1.SecretList"

2.2.121.3. Consumes

✳ /

2.2.121.4. Produces

✳ application/json

✳ application/yaml

2.2.121.5. Tags

✳ oapiv1

2.2.122. replace status of the specified ImageStream

PUT /oapi/v1/namespaces/{namespace}/imagestreams/{name}/status

2.2.122.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.98 , "v1.ImageStre am"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream	true	string	

2.2.122.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.98 , "v1.ImageStream"

2.2.122.3. Consumes

✳ /

2.2.122.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.122.5. Tags

- ✳ oapiv1

2.2.123. list objects of kind ImageStreamTag

GET /oapi/v1/namespaces/{namespace}/imagestreamtags

2.2.123.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam eter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam eter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.123.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.108, "v1.ImageStreamTagList"

2.2.123.3. Consumes

✦ /

2.2.123.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.123.5. Tags

✦ oapiv1

2.2.124. replace the specified ImageStreamTag

PUT /oapi/v1/namespaces/{namespace}/imagestreamtags/{name}

2.2.124.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.10 7, "v1.ImageStreamTag"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream Tag	true	string	

2.2.124.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.107, "v1.ImageStreamTag"

2.2.124.3. Consumes

✎ /

2.2.124.4. Produces

✎ application/json

✎ application/yaml

2.2.124.5. Tags

✎ oapiv1

2.2.125. delete a ImageStreamTag

```
DELETE /oapi/v1/namespaces/{namespace}/imagestreamtags/{name}
```

2.2.125.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream Tag	true	string	

2.2.125.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, “unversioned.Status”

2.2.125.3. Consumes

✳ /

2.2.125.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.125.5. Tags

✳ oapiv1

2.2.126. partially update the specified ImageStreamTag

PATCH /oapi/v1/namespaces/{namespace}/imagestreamtags/{name}

2.2.126.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, “unversioned.Patch”	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the ImageStream Tag	true	string	

2.2.126.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.107, "v1.ImageStreamTag"

2.2.126.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.126.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.126.5. Tags

- ✦ oapiv1

2.2.127. read the specified ImageStreamTag

```
GET /oapi/v1/namespaces/{namespace}/imagestreamtags/{name}
```

2.2.127.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ImageStream Tag	true	string	

2.2.127.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.107, "v1.ImageStreamTag"

2.2.127.3. Consumes

✳ /

2.2.127.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.127.5. Tags

✳ oapiv1

2.2.128. create a LocalResourceAccessReview

POST /oapi/v1/namespaces/{namespace}/localresourceaccessreviews

2.2.128.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.113 , "v1.LocalResourceAccessReview"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.128.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.113 , "v1.LocalResourceAccessReview"

2.2.128.3. Consumes

✳ /

2.2.128.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.128.5. Tags

✳ oapiv1

2.2.129. create a LocalSubjectAccessReview

POST /oapi/v1/namespaces/{namespace}/localsubjectaccessreviews

2.2.129.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.114 , "v1.LocalSubj ectAccessRev iew"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.129.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.114 , "v1.LocalSubjectAccessReview"

2.2.129.3. Consumes

✎ /

2.2.129.4. Produces

✎ application/json

✎ application/yaml

2.2.129.5. Tags

✎ oapiv1

2.2.130. create a Policy

POST /oapi/v1/namespaces/{namespace}/policies

■

2.2.130.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.141, "v1.Policy"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.130.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.141, "v1.Policy"

2.2.130.3. Consumes

✳ /

2.2.130.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.130.5. Tags

✳ oapiv1

2.2.131. delete collection of Policy

DELETE /oapi/v1/namespaces/{namespace}/policies

2.2.131.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.131.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.131.3. Consumes

✎ /

2.2.131.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.131.5. Tags

✱ oapiv1

2.2.132. list or watch objects of kind Policy

GET /oapi/v1/namespaces/{namespace}/policies

2.2.132.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.132.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.144, "v1.PolicyList"

2.2.132.3. Consumes

✎ /

2.2.132.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.132.5. Tags

✎ oapiv1

2.2.133. replace the specified Policy

```
PUT /oapi/v1/namespaces/{namespace}/policies/{name}
```

2.2.133.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.14 1, "v1.Policy"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Policy	true	string	

2.2.133.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.141, "v1.Policy"

2.2.133.3. Consumes

✎ /

2.2.133.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.133.5. Tags

✳ oapiv1

2.2.134. delete a Policy

DELETE /oapi/v1/namespaces/{namespace}/policies/{name}

2.2.134.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Policy	true	string	

2.2.134.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.134.3. Consumes

✳ /

2.2.134.4. Produces

✘ application/json

✘ application/yaml

2.2.134.5. Tags

✘ oapiv1

2.2.135. partially update the specified Policy

```
PATCH /oapi/v1/namespaces/{namespace}/policies/{name}
```

2.2.135.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Policy	true	string	

2.2.135.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.141, "v1.Policy"

2.2.135.3. Consumes

✘ application/json-patch+json

- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.135.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.135.5. Tags

- ✦ oapiv1

2.2.136. read the specified Policy

```
GET /oapi/v1/namespaces/{namespace}/policies/{name}
```

2.2.136.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Policy	true	string	

2.2.136.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.141, "v1.Policy"

2.2.136.3. Consumes

✎ /

2.2.136.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.136.5. Tags

✎ oapiv1

2.2.137. create a PolicyBinding

POST /oapi/v1/namespaces/{namespace}/policybindings

2.2.137.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.142 , "v1.PolicyBindi ng"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.137.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.142 , "v1.PolicyBinding"

2.2.137.3. Consumes

✎ /

2.2.137.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.137.5. Tags

✎ oapiv1

2.2.138. delete collection of PolicyBinding

```
DELETE /oapi/v1/namespaces/{namespace}/policybindings
```

2.2.138.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.138.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.138.3. Consumes

✎ /

2.2.138.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.138.5. Tags

✱ oapiv1

2.2.139. list or watch objects of kind PolicyBinding

GET /oapi/v1/namespaces/{namespace}/policybindings

2.2.139.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.139.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.143, "v1.PolicyBindingList"

2.2.139.3. Consumes

» /

2.2.139.4. Produces

- » application/json
- » application/yaml

2.2.139.5. Tags

✳ oapiv1

2.2.140. replace the specified PolicyBinding

PUT /oapi/v1/namespaces/{namespace}/policybindings/{name}

2.2.140.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.142 , "v1.PolicyBinding"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the PolicyBinding	true	string	

2.2.140.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.142 , "v1.PolicyBinding"

2.2.140.3. Consumes

✳ /

2.2.140.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.140.5. Tags

- ✳ oapiv1

2.2.141. delete a PolicyBinding

```
DELETE /oapi/v1/namespaces/{namespace}/policybindings/{name}
```

2.2.141.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOpti ons'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PolicyBinding	true	string	

2.2.141.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.141.3. Consumes

✎ /

2.2.141.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.141.5. Tags

- ✎ oapiv1

2.2.142. partially update the specified PolicyBinding

PATCH /oapi/v1/namespaces/{namespace}/policybindings/{name}

2.2.142.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PolicyBinding	true	string	

2.2.142.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.142, "v1.PolicyBinding"

2.2.142.3. Consumes

- ✧ application/json-patch+json
- ✧ application/merge-patch+json
- ✧ application/strategic-merge-patch+json

2.2.142.4. Produces

- ✧ application/json
- ✧ application/yaml

2.2.142.5. Tags

- ✧ oapiv1

2.2.143. read the specified PolicyBinding

```
GET /oapi/v1/namespaces/{namespace}/policybindings/{name}
```

2.2.143.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PolicyBinding	true	string	

2.2.143.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.142, "v1.PolicyBinding"

2.2.143.3. Consumes

✎ /

2.2.143.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.143.5. Tags

✎ oapiv1

2.2.144. create a Template

POST /oapi/v1/namespaces/{namespace}/processedtemplates

2.2.144.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.189 , "v1.Template"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.144.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189 , "v1.Template"

2.2.144.3. Consumes

✘ /

2.2.144.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.144.5. Tags

✘ oapiv1

2.2.145. create a ResourceAccessReview

POST /oapi/v1/namespaces/{namespace}/resourceaccessreviews

2.2.145.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.156 , "v1.ResourceAccessReview"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.145.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.156 , "v1.ResourceAccessReview"

2.2.145.3. Consumes

✳ /

2.2.145.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.145.5. Tags

- ✳ oapiv1

2.2.146. create a RoleBinding

POST /oapi/v1/namespaces/{namespace}/rolebindings

2.2.146.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.159 , "v1.RoleBindin g"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.146.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.159 , "v1.RoleBinding"

2.2.146.3. Consumes

* /

2.2.146.4. Produces

- * application/json
- * application/yaml

2.2.146.5. Tags

* oapiv1

2.2.147. list objects of kind RoleBinding

GET /oapi/v1/namespaces/{namespace}/rolebindings

2.2.147.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.147.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.160, "v1.RoleBindingList"

2.2.147.3. Consumes

» /

2.2.147.4. Produces

- » application/json
- » application/yaml

2.2.147.5. Tags

✳ oapiv1

2.2.148. replace the specified RoleBinding

PUT /oapi/v1/namespaces/{namespace}/rolebindings/{name}

2.2.148.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.159 , "v1.RoleBinding"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the RoleBinding	true	string	

2.2.148.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.159 , "v1.RoleBinding"

2.2.148.3. Consumes

✳ /

2.2.148.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.148.5. Tags

- ✳ oapiv1

2.2.149. delete a RoleBinding

```
DELETE /oapi/v1/namespaces/{namespace}/rolebindings/{name}
```

2.2.149.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOpti ons'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the RoleBinding	true	string	

2.2.149.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.149.3. Consumes

✎ /

2.2.149.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.149.5. Tags

- ✎ oapiv1

2.2.150. partially update the specified RoleBinding

PATCH /oapi/v1/namespaces/{namespace}/rolebindings/{name}

2.2.150.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the RoleBinding	true	string	

2.2.150.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.159, "v1.RoleBinding"

2.2.150.3. Consumes

- ✧ application/json-patch+json
- ✧ application/merge-patch+json
- ✧ application/strategic-merge-patch+json

2.2.150.4. Produces

- ✧ application/json
- ✧ application/yaml

2.2.150.5. Tags

- ✧ oapiv1

2.2.151. read the specified RoleBinding

```
GET /oapi/v1/namespaces/{namespace}/rolebindings/{name}
```

2.2.151.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the RoleBinding	true	string	

2.2.151.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.159, "v1.RoleBinding"

2.2.151.3. Consumes

✳ /

2.2.151.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.151.5. Tags

✳ oapiv1

2.2.152. create a Role

POST /oapi/v1/namespaces/{namespace}/roles

2.2.152.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.158, "v1.Role"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.152.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.158, "v1.Role"

2.2.152.3. Consumes

✳ /

2.2.152.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.152.5. Tags

✳ oapiv1

2.2.153. list objects of kind Role

GET /oapi/v1/namespaces/{namespace}/roles

2.2.153.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.153.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.161, "v1.RoleList"

2.2.153.3. Consumes

- ✎ /

2.2.153.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.153.5. Tags

- ✎ oapiv1

2.2.154. replace the specified Role

```
PUT /oapi/v1/namespaces/{namespace}/roles/{name}
```

2.2.154.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.158, "v1.Role"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Role	true	string	

2.2.154.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.158, "v1.Role"

2.2.154.3. Consumes

✎ /

2.2.154.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.154.5. Tags

✎ oapiv1

2.2.155. delete a Role

```
DELETE /oapi/v1/namespaces/{namespace}/roles/{name}
```

2.2.155.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamete r	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Role	true	string	

2.2.155.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.155.3. Consumes

✳ /

2.2.155.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.155.5. Tags

✳ oapiv1

2.2.156. partially update the specified Role

```
PATCH /oapi/v1/namespaces/{namespace}/roles/{name}
```

2.2.156.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Role	true	string	

2.2.156.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.158, "v1.Role"

2.2.156.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

2.2.156.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.156.5. Tags

- ✳ oapiv1

2.2.157. read the specified Role

GET /oapi/v1/namespaces/{namespace}/roles/{name}

2.2.157.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Role	true	string	

2.2.157.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.158, "v1.Role"

2.2.157.3. Consumes

✘ /

2.2.157.4. Produces

✘ application/json

✘ application/yaml

2.2.157.5. Tags

✘ oapiv1

2.2.158. create a Route

POST /oapi/v1/namespaces/{namespace}/routes

2.2.158.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.163, "v1.Route"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.158.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.163, "v1.Route"

2.2.158.3. Consumes

✳ /

2.2.158.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.158.5. Tags

✳ oapiv1

2.2.159. delete collection of Route

DELETE /oapi/v1/namespaces/{namespace}/routes

2.2.159.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.159.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.159.3. Consumes

✎ /

2.2.159.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.159.5. Tags

✳ oapiv1

2.2.160. list or watch objects of kind Route

GET /oapi/v1/namespaces/{namespace}/routes

2.2.160.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.160.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.166, "v1.RouteList"

2.2.160.3. Consumes

✎ /

2.2.160.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.160.5. Tags

✎ oapiv1

2.2.161. replace the specified Route

```
PUT /oapi/v1/namespaces/{namespace}/routes/{name}
```

2.2.161.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.163, "v1.Route"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Route	true	string	

2.2.161.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.163, "v1.Route"

2.2.161.3. Consumes

✎ /

2.2.161.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.161.5. Tags

✳ oapiv1

2.2.162. delete a Route

```
DELETE /oapi/v1/namespaces/{namespace}/routes/{name}
```

2.2.162.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Route	true	string	

2.2.162.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.162.3. Consumes

✳ /

2.2.162.4. Produces

- ✘ application/json

- ✘ application/yaml

2.2.162.5. Tags

- ✘ oapiv1

2.2.163. partially update the specified Route

```
PATCH /oapi/v1/namespaces/{namespace}/routes/{name}
```

2.2.163.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Route	true	string	

2.2.163.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.163, "v1.Route"

2.2.163.3. Consumes

- ✘ application/json-patch+json

- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.163.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.163.5. Tags

- ✦ oapiv1

2.2.164. read the specified Route

```
GET /oapi/v1/namespaces/{namespace}/routes/{name}
```

2.2.164.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Route	true	string	

2.2.164.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.163, "v1.Route"

2.2.164.3. Consumes

✎ /

2.2.164.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.164.5. Tags

✎ oapiv1

2.2.165. replace status of the specified Route

```
PUT /oapi/v1/namespaces/{namespace}/routes/{name}/status
```

2.2.165.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.163, "v1.Route"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Route	true	string	

2.2.165.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.163, "v1.Route"

2.2.165.3. Consumes

✳ /

2.2.165.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.165.5. Tags

✳ oapiv1

2.2.166. create a SubjectAccessReview

POST /oapi/v1/namespaces/{namespace}/subjectaccessreviews

2.2.166.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.181 , "v1.SubjectAccessReview"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.166.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.181 , "v1.SubjectAccessReview"

2.2.166.3. Consumes

- ✘ /

2.2.166.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.166.5. Tags

- ✘ oapiv1

2.2.167. create a Template

POST /oapi/v1/namespaces/{namespace}/templates

2.2.167.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.189, "v1.Template"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.167.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189, "v1.Template"

2.2.167.3. Consumes

✳ /

2.2.167.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.167.5. Tags

✳ oapiv1

2.2.168. delete collection of Template

```
DELETE /oapi/v1/namespaces/{namespace}/templates
```

2.2.168.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.168.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.168.3. Consumes

✎ /

2.2.168.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.168.5. Tags

✳ oapiv1

2.2.169. list or watch objects of kind Template

GET /oapi/v1/namespaces/{namespace}/templates

2.2.169.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.169.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.190, "v1.TemplateList"

2.2.169.3. Consumes

» /

2.2.169.4. Produces

- » application/json
- » application/yaml

2.2.169.5. Tags

✎ oapiv1

2.2.170. replace the specified Template

PUT /oapi/v1/namespaces/{namespace}/templates/{name}

2.2.170.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.189 , "v1.Template"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Template	true	string	

2.2.170.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189 , "v1.Template"

2.2.170.3. Consumes

✎ /

2.2.170.4. Produces

✎ application/json

✎ application/yaml

2.2.170.5. Tags

✳️ oapiv1

2.2.171. delete a Template

```
DELETE /oapi/v1/namespaces/{namespace}/templates/{name}
```

2.2.171.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOpti ons'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Template	true	string	

2.2.171.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.171.3. Consumes

✳️ /

2.2.171.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.171.5. Tags

- ✦ oapiv1

2.2.172. partially update the specified Template

```
PATCH /oapi/v1/namespaces/{namespace}/templates/{name}
```

2.2.172.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Template	true	string	

2.2.172.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189, "v1.Template"

2.2.172.3. Consumes

- ✧ application/json-patch+json
- ✧ application/merge-patch+json
- ✧ application/strategic-merge-patch+json

2.2.172.4. Produces

- ✧ application/json
- ✧ application/yaml

2.2.172.5. Tags

- ✧ oapiv1

2.2.173. read the specified Template

```
GET /oapi/v1/namespaces/{namespace}/templates/{name}
```

2.2.173.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Template	true	string	

2.2.173.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189, "v1.Template"

2.2.173.3. Consumes

✳ /

2.2.173.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.173.5. Tags

✳ oapiv1

2.2.174. create a NetNamespace

POST /oapi/v1/netnamespaces

2.2.174.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.12 3, "v1.NetNames pace"	

2.2.174.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.123, "v1.NetNamespace"

2.2.174.3. Consumes

✎ /

2.2.174.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.174.5. Tags

- ✎ oapiv1

2.2.175. delete collection of NetNamespace

DELETE /oapi/v1/netnamespaces

2.2.175.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.175.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.175.3. Consumes

✎ /

2.2.175.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.175.5. Tags

✎ oapiv1

2.2.176. list or watch objects of kind NetNamespace

GET /oapi/v1/netnamespaces

2.2.176.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.176.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.124 , "v1.NetNamespaceList"

2.2.176.3. Consumes

✎ /

2.2.176.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.176.5. Tags

✎ oapiv1

2.2.177. replace the specified NetNamespace

```
PUT /oapi/v1/netnamespaces/{name}
```

2.2.177.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.123 , "v1.NetNames pace"	
PathParamete r	name	name of the NetNamespac e	true	string	

2.2.177.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.123 , "v1.NetNamespace"

2.2.177.3. Consumes

✳ /

2.2.177.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.177.5. Tags

✳ oapiv1

2.2.178. delete a NetNamespace

```
DELETE /oapi/v1/netnamespaces/{name}
```

2.2.178.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	name	name of the NetNamespac e	true	string	

2.2.178.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.178.3. Consumes

✳ /

2.2.178.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.178.5. Tags

✳ oapiv1

2.2.179. partially update the specified NetNamespace

PATCH /oapi/v1/netnamespaces/{name}

2.2.179.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the NetNamespac e	true	string	

2.2.179.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.123, "v1.NetNamespace"

2.2.179.3. Consumes

- ✘ application/json-patch+json
- ✘ application/merge-patch+json
- ✘ application/strategic-merge-patch+json

2.2.179.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.179.5. Tags

- ✘ oapiv1

2.2.180. read the specified NetNamespace

```
GET /oapi/v1/netnamespaces/{name}
```

2.2.180.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the NetNamespac e	true	string	

2.2.180.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.123, "v1.NetNamespace"

2.2.180.3. Consumes

✘ /

2.2.180.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.180.5. Tags

✳ oapiv1

2.2.181. create a OAuthAccessToken

POST /oapi/v1/oauthaccesstokens

2.2.181.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.125 , "v1.OAuthAcc essToken"	

2.2.181.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.125 , "v1.OAuthAccessToken"

2.2.181.3. Consumes

✳ /

2.2.181.4. Produces

✳ application/json

✳ application/yaml

2.2.181.5. Tags

✳ oapiv1

2.2.182. list objects of kind OAuthAccessToken

GET /oapi/v1/oauthaccesstokens

2.2.182.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.182.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.126 , "v1.OAuthAccessTokenList"

2.2.182.3. Consumes

✎ /

2.2.182.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.182.5. Tags

- ✎ oapiv1

2.2.183. delete a OAuthAccessToken

DELETE /oapi/v1/oauthaccesstokens/{name}

2.2.183.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' v1.DeleteOptions '	
PathParamete r	name	name of the OAuthAccess Token	true	string	

2.2.183.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' unversioned.Status '

2.2.183.3. Consumes

✳ /

2.2.183.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.183.5. Tags

✳ oapiv1

2.2.184. read the specified OAuthAccessToken

```
GET /oapi/v1/oauthaccesstokens/{name}
```

2.2.184.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the OAuthAccess Token	true	string	

2.2.184.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.125, "v1.OAuthAccessToken"

2.2.184.3. Consumes

✎ /

2.2.184.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.184.5. Tags

✎ oapiv1

2.2.185. create a OAuthAuthorizeToken

POST /oapi/v1/oauthauthorizetokens

2.2.185.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.127 , "v1.OAuthAuth orizeToken"	

2.2.185.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.127 , "v1.OAuthAuthorizeToken"

2.2.185.3. Consumes

✳ /

2.2.185.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.185.5. Tags

✳ oapiv1

2.2.186. list objects of kind OAuthAuthorizeToken

GET /oapi/v1/oauthauthorizetokens

2.2.186.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.186.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.128 , "v1.OAuthAuthorizeTokenList"

2.2.186.3. Consumes

✎ /

2.2.186.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.186.5. Tags

- ✎ oapiv1

2.2.187. delete a OAuthAuthorizeToken

```
DELETE /oapi/v1/oauthauthorizetokens/{name}
```

2.2.187.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOptions'	
PathParamete r	name	name of the OAuthAuthorizeToken	true	string	

2.2.187.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

2.2.187.3. Consumes

✳ /

2.2.187.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.187.5. Tags

✳ oapiv1

2.2.188. read the specified OAuthAuthorizeToken

```
GET /oapi/v1/oauthauthorizetokens/{name}
```

2.2.188.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the OAuthAuthorizeToken	true	string	

2.2.188.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.127, "v1.OAuthAuthorizeToken"

2.2.188.3. Consumes

✎ /

2.2.188.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.188.5. Tags

✎ oapiv1

2.2.189. create a OAuthClientAuthorization

POST /oapi/v1/oauthclientauthorizations

2.2.189.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.130 , "v1.OAuthClie ntAuthorizatio n"	

2.2.189.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.130 , "v1.OAuthClientAuthorization"

2.2.189.3. Consumes

✳ /

2.2.189.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.189.5. Tags

✳ oapiv1

2.2.190. delete collection of OAuthClientAuthorization

DELETE /oapi/v1/oauthclientauthorizations

2.2.190.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.190.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.190.3. Consumes

✎ /

2.2.190.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.190.5. Tags

- ✎ oapiv1

2.2.191. list or watch objects of kind OAuthClientAuthorization

GET /oapi/v1/oauthclientauthorizations

2.2.191.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.191.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.131 , "v1.OAuthClientAuthorizationList"

2.2.191.3. Consumes

✳ /

2.2.191.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.191.5. Tags

- ✳ oapiv1

2.2.192. replace the specified OAuthClientAuthorization

```
PUT /oapi/v1/oauthclientauthorizations/{name}
```

2.2.192.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.130 , "v1.OAuthClientAuthorization"	
PathParamete r	name	name of the OAuthClientA uthorization	true	string	

2.2.192.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.130 , "v1.OAuthClientAuthorization"

2.2.192.3. Consumes

✳ /

2.2.192.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.192.5. Tags

✳ oapiv1

2.2.193. delete a OAuthClientAuthorization

DELETE /oapi/v1/oauthclientauthorizations/{name}

2.2.193.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	name	name of the OAuthClientA uthorization	true	string	

2.2.193.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

2.2.193.3. Consumes

✘ /

2.2.193.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.193.5. Tags

✘ oapiv1

2.2.194. partially update the specified OAuthClientAuthorization

```
PATCH /oapi/v1/oauthclientauthorizations/{name}
```

2.2.194.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the OAuthClientA uthorization	true	string	

2.2.194.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.130, "v1.OAuthClientAuthorization"

2.2.194.3. Consumes

- ✘ application/json-patch+json
- ✘ application/merge-patch+json
- ✘ application/strategic-merge-patch+json

2.2.194.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.194.5. Tags

- ✘ oapiv1

2.2.195. read the specified OAuthClientAuthorization

```
GET /oapi/v1/oauthclientauthorizations/{name}
```

2.2.195.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the OAuthClientA uthorization	true	string	

2.2.195.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.130, "v1.OAuthClientAuthorization"

2.2.195.3. Consumes

✳ /

2.2.195.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.195.5. Tags

✎ oapiv1

2.2.196. create a OAuthClient

POST /oapi/v1/oauthclients

2.2.196.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.129 , "v1.OAuthClient"	

2.2.196.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.129 , "v1.OAuthClient"

2.2.196.3. Consumes

✎ /

2.2.196.4. Produces

✎ application/json

✎ application/yaml

2.2.196.5. Tags

✎ oapiv1

2.2.197. delete collection of OAuthClient

DELETE /oapi/v1/oauthclients

2.2.197.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.197.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.197.3. Consumes

✎ /

2.2.197.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.197.5. Tags

- ✎ oapiv1

2.2.198. list or watch objects of kind OAuthClient

GET /oapi/v1/oauthclients

2.2.198.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.198.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.132, "v1.OAuthClientList"

2.2.198.3. Consumes

✎ /

2.2.198.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.198.5. Tags

- ✎ oapiv1

2.2.199. replace the specified OAuthClient

```
PUT /oapi/v1/oauthclients/{name}
```

2.2.199.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.129 , "v1.OAuthClie nt"	
PathParamete r	name	name of the OAuthClient	true	string	

2.2.199.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.129 , "v1.OAuthClient"

2.2.199.3. Consumes

✘ /

2.2.199.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.199.5. Tags

✘ oapiv1

2.2.200. delete a OAuthClient

```
DELETE /oapi/v1/oauthclients/{name}
```

2.2.200.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' v1.DeleteOptions '	
PathParamete r	name	name of the OAuthClient	true	string	

2.2.200.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' unversioned.Status '

2.2.200.3. Consumes

✎ /

2.2.200.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.200.5. Tags

✎ oapiv1

2.2.201. partially update the specified OAuthClient

```
PATCH /oapi/v1/oauthclients/{name}
```

2.2.201.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the OAuthClient	true	string	

2.2.201.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.129, "v1.OAuthClient"

2.2.201.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

2.2.201.4. Produces

- ✦ application/json
- ✦ application/yaml

2.2.201.5. Tags

- ✦ oapiv1

2.2.202. read the specified OAuthClient

```
GET /oapi/v1/oauthclients/{name}
```

2.2.202.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParameter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParameter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParameter	name	name of the OAuthClient	true	string	

2.2.202.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.129, "v1.OAuthClient"

2.2.202.3. Consumes

✳ /

2.2.202.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.202.5. Tags

✳ oapiv1

2.2.203. create a Policy

POST /oapi/v1/policies

2.2.203.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.141, "v1.Policy"	

2.2.203.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.141, "v1.Policy"

2.2.203.3. Consumes

✳ /

2.2.203.4. Produces

✳ application/json

✳ application/yaml

2.2.203.5. Tags

✳ oapiv1

2.2.204. list or watch objects of kind Policy

GET /oapi/v1/policies

2.2.204.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.204.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.144, "v1.PolicyList"

2.2.204.3. Consumes

✎ /

2.2.204.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.204.5. Tags

- ✎ oapiv1

2.2.205. create a PolicyBinding

POST /oapi/v1/policybindings

2.2.205.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.14 2, "v1.PolicyBinding"	

2.2.205.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.142, "v1.PolicyBinding"

2.2.205.3. Consumes

✎ /

2.2.205.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.205.5. Tags

- ✎ oapiv1

2.2.206. list or watch objects of kind PolicyBinding

```
GET /oapi/v1/policybindings
```

2.2.206.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.206.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.143 , "v1.PolicyBindingList"

2.2.206.3. Consumes

✎ /

2.2.206.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.206.5. Tags

✎ oapiv1

2.2.207. create a Template

POST /oapi/v1/processedtemplates

2.2.207.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.189, "v1.Template"	

2.2.207.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189, "v1.Template"

2.2.207.3. Consumes

- ✳ /

2.2.207.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.207.5. Tags

- ✳ oapiv1

2.2.208. create a ProjectRequest

POST /oapi/v1/projectrequests

2.2.208.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.149 , "v1.ProjectRequest"	

2.2.208.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.149 , "v1.ProjectRequest"

2.2.208.3. Consumes

✎ /

2.2.208.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.208.5. Tags

- ✎ oapiv1

2.2.209. list objects of kind ProjectRequest

GET /oapi/v1/projectrequests

2.2.209.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.209.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

2.2.209.3. Consumes

✎ /

2.2.209.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.209.5. Tags

- ✎ oapiv1

2.2.210. create a Project

POST /oapi/v1/projects

2.2.210.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.147, "v1.Project"	

2.2.210.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.147, "v1.Project"

2.2.210.3. Consumes

- ✳ /

2.2.210.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.210.5. Tags

- ✳ oapiv1

2.2.211. list objects of kind Project

```
GET /oapi/v1/projects
```

2.2.211.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.211.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.148, "v1.ProjectList"

2.2.211.3. Consumes

✳ /

2.2.211.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.211.5. Tags

✳ oapiv1

2.2.212. replace the specified Project

PUT /oapi/v1/projects/{name}

2.2.212.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.147, "v1.Project"	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Project	true	string	

2.2.212.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.147, "v1.Project"

2.2.212.3. Consumes

✎ /

2.2.212.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.212.5. Tags

✎ oapiv1

2.2.213. delete a Project

DELETE /oapi/v1/projects/{name}

2.2.213.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the Project	true	string	

2.2.213.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.213.3. Consumes

✳ /

2.2.213.4. Produces

✳ application/json

✳ application/yaml

2.2.213.5. Tags

✳ oapiv1

2.2.214. partially update the specified Project

PATCH /oapi/v1/projects/{name}

2.2.214.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned.Patch"	
PathParamete r	name	name of the Project	true	string	

2.2.214.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.147, “v1.Project”

2.2.214.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

2.2.214.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.214.5. Tags

- ✎ oapiv1

2.2.215. read the specified Project

```
GET /oapi/v1/projects/{name}
```

2.2.215.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the Project	true	string	

2.2.215.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.147, "v1.Project"

2.2.215.3. Consumes

✳ /

2.2.215.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.215.5. Tags

✳ oapiv1

2.2.216. create a ResourceAccessReview

POST /oapi/v1/resourceaccessreviews

2.2.216.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.156, "v1.ResourceAccessReview"	

2.2.216.2. Responses

HTTP Code	Description	Schema
-----------	-------------	--------

HTTP Code	Description	Schema
200	success	Section 2.3.156, "v1.ResourceAccessReview"

2.2.216.3. Consumes

✳ /

2.2.216.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.216.5. Tags

✳ oapiv1

2.2.217. create a RoleBinding

POST /oapi/v1/rolebindings

2.2.217.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.159, "v1.RoleBinding"	

2.2.217.2. Responses

HTTP Code	Description	Schema
-----------	-------------	--------

HTTP Code	Description	Schema
200	success	Section 2.3.159, "v1.RoleBinding"

2.2.217.3. Consumes

✳ /

2.2.217.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.217.5. Tags

✳ oapiv1

2.2.218. list objects of kind RoleBinding

GET /oapi/v1/rolebindings

2.2.218.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.218.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.160, "v1.RoleBindingList"

2.2.218.3. Consumes

✳ /

2.2.218.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.218.5. Tags

✳ oapiv1

2.2.219. create a Role

POST /oapi/v1/roles

2.2.219.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.158, "v1.Role"	

2.2.219.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.158, "v1.Role"

2.2.219.3. Consumes

✳ /

2.2.219.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.219.5. Tags

- ✳ oapiv1

2.2.220. list objects of kind Role

GET /oapi/v1/roles

2.2.220.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.220.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.161, "v1.RoleList"

2.2.220.3. Consumes

✳ /

2.2.220.4. Produces

✳ application/json

✎ application/yaml

2.2.220.5. Tags

✎ oapiv1

2.2.221. create a Route

POST /oapi/v1/routes

2.2.221.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.16 3, "v1.Route"	

2.2.221.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.163, "v1.Route"

2.2.221.3. Consumes

✎ /

2.2.221.4. Produces

✎ application/json

✎ application/yaml

2.2.221.5. Tags

✎ oapiv1

2.2.222. list or watch objects of kind Route

GET /oapi/v1/routes

2.2.222.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.222.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.166, "v1.RouteList"

2.2.222.3. Consumes

✘ /

2.2.222.4. Produces

- ✘ application/json
- ✘ application/yaml

2.2.222.5. Tags

✘ oapiv1

2.2.223. create a SubjectAccessReview

POST /oapi/v1/subjectaccessreviews

2.2.223.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.181 , "v1.SubjectAccessReview"	

2.2.223.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.181 , "v1.SubjectAccessReview"

2.2.223.3. Consumes

✎ /

2.2.223.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.223.5. Tags

- ✎ oapiv1

2.2.224. create a Template

POST /oapi/v1/templates

2.2.224.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.189 , "v1.Template"	

2.2.224.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.189 , "v1.Template"

2.2.224.3. Consumes

✳ /

2.2.224.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.224.5. Tags

✳ oapiv1

2.2.225. list or watch objects of kind Template

GET /oapi/v1/templates

2.2.225.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.225.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.190, "v1.TemplateList"

2.2.225.3. Consumes

✳ /

2.2.225.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.225.5. Tags

✳ oapiv1

2.2.226. create a UserIdentityMapping

POST /oapi/v1/useridentitymappings

2.2.226.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.192 , "v1.UserIdentityMapping"	

2.2.226.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.192 , "v1.UserIdentityMapping"

2.2.226.3. Consumes

✎ /

2.2.226.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.226.5. Tags

✎ oapiv1

2.2.227. replace the specified UserIdentityMapping

```
PUT /oapi/v1/useridentitymappings/{name}
```

2.2.227.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.192 , "v1.UserIdentityMapping"	
PathParamete r	name	name of the UserIdentityM apping	true	string	

2.2.227.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.192 , "v1.UserIdentityMapping"

2.2.227.3. Consumes

✎ /

2.2.227.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.227.5. Tags

✎ oapiv1

2.2.228. delete a UserIdentityMapping

```
DELETE /oapi/v1/useridentitymappings/{name}
```

2.2.228.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the UserIdentityM apping	true	string	

2.2.228.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.228.3. Consumes

✎ /

2.2.228.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.228.5. Tags

✎ oapiv1

2.2.229. partially update the specified UserIdentityMapping

```
PATCH /oapi/v1/useridentitymappings/{name}
```

2.2.229.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the UserIdentityM apping	true	string	

2.2.229.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.192, "v1.UserIdentityMapping"

2.2.229.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

2.2.229.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.229.5. Tags

- ✳ oapiv1

2.2.230. read the specified UserIdentityMapping

```
GET /oapi/v1/useridentitymappings/{name}
```

2.2.230.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	name	name of the UserIdentityM apping	true	string	

2.2.230.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.192, "v1.UserIdentityMapping"

2.2.230.3. Consumes

✳ /

2.2.230.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.230.5. Tags

✳ oapiv1

2.2.231. create a User

POST /oapi/v1/users

2.2.231.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.191, "v1.User"	

2.2.231.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.191, "v1.User"

2.2.231.3. Consumes

✳ /

2.2.231.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.231.5. Tags

✳ oapiv1

2.2.232. delete collection of User

DELETE /oapi/v1/users

2.2.232.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

2.2.232.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.232.3. Consumes

✳ /

2.2.232.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.232.5. Tags

✳ oapiv1

2.2.233. list or watch objects of kind User

GET /oapi/v1/users

2.2.233.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.233.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.193, "v1.UserList"

2.2.233.3. Consumes

✳ /

2.2.233.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.233.5. Tags

✳ oapiv1

2.2.234. replace the specified User

```
PUT /oapi/v1/users/{name}
```

2.2.234.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 2.3.191, "v1.User"	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the User	true	string	

2.2.234.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.191, "v1.User"

2.2.234.3. Consumes

✎ /

2.2.234.4. Produces

- ✎ application/json
- ✎ application/yaml

2.2.234.5. Tags

✎ oapiv1

2.2.235. delete a User

DELETE /oapi/v1/users/{name}

2.2.235.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamete r	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the User	true	string	

2.2.235.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

2.2.235.3. Consumes

✎ /

2.2.235.4. Produces

✎ application/json

✎ application/yaml

2.2.235.5. Tags

✎ oapiv1

2.2.236. partially update the specified User

PATCH /oapi/v1/users/{name}

2.2.236.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParame ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.6, "unversioned. Patch"	
PathParameter	name	name of the User	true	string	

2.2.236.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.191, "v1.User"

2.2.236.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

2.2.236.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.236.5. Tags

- ✳ oapiv1

2.2.237. read the specified User

```
GET /oapi/v1/users/{name}
```

2.2.237.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParamter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParameter	name	name of the User	true	string	

2.2.237.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.191, "v1.User"

2.2.237.3. Consumes

✳ /

2.2.237.4. Produces

- ✳ application/json
- ✳ application/yaml

2.2.237.5. Tags

✳ oapiv1

2.2.238. watch individual changes to a list of BuildConfig

GET /oapi/v1/watch/buildconfigs

2.2.238.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.238.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.238.3. Consumes

✳ /

2.2.238.4. Produces

✳ application/json

2.2.238.5. Tags

✳ oapiv1

2.2.239. watch individual changes to a list of Build

GET /oapi/v1/watch/builds

2.2.239.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.239.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.239.3. Consumes

✎ /

2.2.239.4. Produces

✎ application/json

2.2.239.5. Tags

✎ oapiv1

2.2.240. watch individual changes to a list of ClusterNetwork

```
GET /oapi/v1/watch/clusternetworks
```

2.2.240.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.240.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.240.3. Consumes

✳ /

2.2.240.4. Produces

✳ application/json

2.2.240.5. Tags

✳ oapiv1

2.2.241. watch changes to an object of kind ClusterNetwork

```
GET /oapi/v1/watch/clusternetworks/{name}
```

2.2.241.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the ClusterNetwor k	true	string	

2.2.241.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.241.3. Consumes

✳ /

2.2.241.4. Produces

✳ application/json

2.2.241.5. Tags

✳ oapiv1

2.2.242. watch individual changes to a list of ClusterPolicy

■

GET /oapi/v1/watch/clusterpolicies

2.2.242.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.242.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, “json.WatchEvent”

2.2.242.3. Consumes

✎ /

2.2.242.4. Produces

✎ application/json

2.2.242.5. Tags

✎ oapiv1

2.2.243. watch changes to an object of kind ClusterPolicy

```
GET /oapi/v1/watch/clusterpolicies/{name}
```

2.2.243.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the ClusterPolicy	true	string	

2.2.243.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.243.3. Consumes

✳ /

2.2.243.4. Produces

✳ application/json

2.2.243.5. Tags

✳ oapiv1

2.2.244. watch individual changes to a list of ClusterPolicyBinding

GET /oapi/v1/watch/clusterpolicybindings

2.2.244.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.244.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.244.3. Consumes

✳ /

2.2.244.4. Produces

✳ application/json

2.2.244.5. Tags

✳ oapiv1

2.2.245. watch changes to an object of kind ClusterPolicyBinding

```
GET /oapi/v1/watch/clusterpolicybindings/{name}
```

2.2.245.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	name	name of the ClusterPolicyBinding	true	string	

2.2.245.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.245.3. Consumes

✳ /

2.2.245.4. Produces

✳ application/json

2.2.245.5. Tags

✳ oapiv1

2.2.246. watch individual changes to a list of DeploymentConfig

GET /oapi/v1/watch/deploymentconfigs

2.2.246.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

2.2.246.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.246.3. Consumes

✳ /

2.2.246.4. Produces

✳ application/json

2.2.246.5. Tags

✳ oapiv1

2.2.247. watch individual changes to a list of Group

GET /oapi/v1/watch/groups

2.2.247.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.247.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.247.3. Consumes

✎ /

2.2.247.4. Produces

✎ application/json

2.2.247.5. Tags

✎ oapiv1

2.2.248. watch changes to an object of kind Group

GET /oapi/v1/watch/groups/{name}

2.2.248.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the Group	true	string	

2.2.248.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.248.3. Consumes

✳ /

2.2.248.4. Produces

✳ application/json

2.2.248.5. Tags

✳ oapiv1

2.2.249. watch individual changes to a list of HostSubnet

GET /oapi/v1/watch/hostsubnets

2.2.249.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.249.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.249.3. Consumes

✳ /

2.2.249.4. Produces

✳ application/json

2.2.249.5. Tags

✳ oapiv1

2.2.250. watch changes to an object of kind HostSubnet

```
GET /oapi/v1/watch/hostsubnets/{name}
```

2.2.250.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the HostSubnet	true	string	

2.2.250.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.250.3. Consumes

✎ /

2.2.250.4. Produces

✎ application/json

2.2.250.5. Tags

✎ oapiv1

2.2.251. watch individual changes to a list of Identity

GET /oapi/v1/watch/identities

2.2.251.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.251.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.251.3. Consumes

✘ /

2.2.251.4. Produces

✘ application/json

2.2.251.5. Tags

✘ oapiv1

2.2.252. watch changes to an object of kind Identity

```
GET /oapi/v1/watch/identities/{name}
```

2.2.252.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the Identity	true	string	

2.2.252.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.252.3. Consumes

✎ /

2.2.252.4. Produces

✎ application/json

2.2.252.5. Tags

✎ oapiv1

2.2.253. watch individual changes to a list of Image

GET /oapi/v1/watch/images

2.2.253.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.253.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.253.3. Consumes

✘ /

2.2.253.4. Produces

✘ application/json

2.2.253.5. Tags

✘ oapiv1

2.2.254. watch changes to an object of kind Image

```
GET /oapi/v1/watch/images/{name}
```

2.2.254.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the Image	true	string	

2.2.254.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.254.3. Consumes

✎ /

2.2.254.4. Produces

✎ application/json

2.2.254.5. Tags

✎ oapiv1

2.2.255. watch individual changes to a list of ImageStream

GET /oapi/v1/watch/imagestreams

2.2.255.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.255.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.255.3. Consumes

✘ /

2.2.255.4. Produces

✘ application/json

2.2.255.5. Tags

✘ oapiv1

2.2.256. watch individual changes to a list of BuildConfig

GET /oapi/v1/watch/namespaces/{namespace}/buildconfigs

2.2.256.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.256.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.256.3. Consumes

✳ /

2.2.256.4. Produces

✳ application/json

2.2.256.5. Tags

✳ oapiv1

2.2.257. watch changes to an object of kind BuildConfia

```
GET /oapi/v1/watch/namespaces/{namespace}/buildconfigs/{name}
```

2.2.257.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the BuildConfig	true	string	

2.2.257.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.257.3. Consumes

✳ /

2.2.257.4. Produces

✳ application/json

2.2.257.5. Tags

oapiv1

2.2.258. watch individual changes to a list of Build

GET /oapi/v1/watch/namespaces/{namespace}/builds

2.2.258.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.258.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.258.3. Consumes

✎ /

2.2.258.4. Produces

✎ application/json

2.2.258.5. Tags

✎ oapiv1

2.2.259. watch changes to an object of kind Build

----- watch changes to an object or data -----

GET /oapi/v1/watch/namespaces/{namespace}/builds/{name}

2.2.259.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Build	true	string	

2.2.259.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.259.3. Consumes

✳ /

2.2.259.4. Produces

✳ application/json

2.2.259.5. Tags

oapiv1

2.2.260. watch individual changes to a list of DeploymentConfig

GET /oapi/v1/watch/namespaces/{namespace}/deploymentconfigs

2.2.260.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.260.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.260.3. Consumes

✎ /

2.2.260.4. Produces

✎ application/json

2.2.260.5. Tags

✎ oapiv1

2.2.261. watch changes to an object of kind DeploymentConfig

```
----- watch changes to an object with DeploymentConfig
```

```
GET /oapi/v1/watch/namespaces/{namespace}/deploymentconfigs/{name}
```

2.2.261.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the DeploymentConfig	true	string	

2.2.261.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.261.3. Consumes

✎ /

2.2.261.4. Produces

✎ application/json

2.2.261.5. Tags

✳ oapiv1

2.2.262. watch individual changes to a list of ImageStream

GET /oapi/v1/watch/namespaces/{namespace}/imagestreams

2.2.262.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.262.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.262.3. Consumes

✎ /

2.2.262.4. Produces

✎ application/json

2.2.262.5. Tags

✳ oapiv1

2.2.263. watch changes to an object of kind ImageStream

GET /oapi/v1/watch/namespaces/{namespace}/imagestreams/{name}

2.2.263.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the ImageStream	true	string	

2.2.263.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.263.3. Consumes

✎ /

2.2.263.4. Produces

✎ application/json

2.2.263.5. Tags

oapiv1

2.2.264. watch individual changes to a list of Policy

GET /oapi/v1/watch/namespaces/{namespace}/policies

2.2.264.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.264.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.264.3. Consumes

✳ /

2.2.264.4. Produces

✳ application/json

2.2.264.5. Tags

✳ oapiv1

2.2.265. watch changes to an object of kind Policyv

GET /oapi/v1/watch/namespaces/{namespace}/policies/{name}

2.2.265.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Policy	true	string	

2.2.265.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.265.3. Consumes

✳ /

2.2.265.4. Produces

✳ application/json

2.2.265.5. Tags

oapiv1

2.2.266. watch individual changes to a list of PolicyBinding

GET /oapi/v1/watch/namespaces/{namespace}/policybindings

2.2.266.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.266.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.266.3. Consumes

✎ /

2.2.266.4. Produces

✎ application/json

2.2.266.5. Tags

✎ oapiv1

2.2.267. watch changes to an object of kind PolicyBinding

----- watch changes to an object until it is deleted

GET /oapi/v1/watch/namespaces/{namespace}/policybindings/{name}

2.2.267.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the PolicyBinding	true	string	

2.2.267.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.267.3. Consumes

✳ /

2.2.267.4. Produces

✳ application/json

2.2.267.5. Tags

oapiv1

2.2.268. watch individual changes to a list of Route

GET /oapi/v1/watch/namespaces/{namespace}/routes

2.2.268.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.268.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.268.3. Consumes

✎ /

2.2.268.4. Produces

✎ application/json

2.2.268.5. Tags

✎ oapiv1

2.2.269. watch changes to an object of kind Route

----- watch changes to an object or kind resource

GET /oapi/v1/watch/namespaces/{namespace}/routes/{name}

2.2.269.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Route	true	string	

2.2.269.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.269.3. Consumes

✘ /

2.2.269.4. Produces

✘ application/json

2.2.269.5. Tags

oapiv1

2.2.270. watch individual changes to a list of Template

GET /oapi/v1/watch/namespaces/{namespace}/templates

2.2.270.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

2.2.270.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.270.3. Consumes

✎ /

2.2.270.4. Produces

✎ application/json

2.2.270.5. Tags

✎ oapiv1

2.2.271. watch changes to an object of kind Template

----- watch changes to an object or kind template

GET /oapi/v1/watch/namespaces/{namespace}/templates/{name}

2.2.271.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParameter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParameter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Template	true	string	

2.2.271.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.271.3. Consumes

✳ /

2.2.271.4. Produces

✳ application/json

2.2.271.5. Tags

oapiv1

2.2.272. watch individual changes to a list of NetNamespace

GET /oapi/v1/watch/netnamespaces

2.2.272.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.272.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.272.3. Consumes

✎ /

2.2.272.4. Produces

✎ application/json

2.2.272.5. Tags

✎ oapiv1

2.2.273. watch changes to an object of kind NetNamespace

```
GET /oapi/v1/watch/netnamespaces/{name}
```

2.2.273.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the NetNamespac e	true	string	

2.2.273.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.273.3. Consumes

✳ /

2.2.273.4. Produces

✳ application/json

2.2.273.5. Tags

✳ oapiv1

2.2.274. watch individual changes to a list of OAuthClientAuthorization

■

GET /oapi/v1/watch/oauthclientauthorizations

2.2.274.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.274.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.274.3. Consumes

✎ /

2.2.274.4. Produces

✎ application/json

2.2.274.5. Tags

✎ oapiv1

2.2.275. watch changes to an object of kind OAuthClientAuthorization

```
GET /oapi/v1/watch/oauthclientauthorizations/{name}
```

2.2.275.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParamete	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	name	name of the OAuthClientA uthorization	true	string	

2.2.275.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.275.3. Consumes

✳ /

2.2.275.4. Produces

✳ application/json

2.2.275.5. Tags

✳ oapiv1

2.2.276. watch individual changes to a list of OAuthClient

-

GET /oapi/v1/watch/oauthclients

2.2.276.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.276.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.276.3. Consumes

✎ /

2.2.276.4. Produces

✎ application/json

2.2.276.5. Tags

✎ oapiv1

2.2.277. watch changes to an object of kind OAuthClient

```
GET /oapi/v1/watch/oauthclients/{name}
```

2.2.277.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the OAuthClient	true	string	

2.2.277.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.277.3. Consumes

✳ /

2.2.277.4. Produces

✳ application/json

2.2.277.5. Tags

✳ oapiv1

2.2.278. watch individual changes to a list of Policy

GET /oapi/v1/watch/policies

2.2.278.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.278.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.278.3. Consumes

✳ /

2.2.278.4. Produces

✳ application/json

2.2.278.5. Tags

✳ oapiv1

2.2.279. watch individual changes to a list of PolicyBinding

GET /oapi/v1/watch/policybindings

2.2.279.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

2.2.279.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, “json.WatchEvent”

2.2.279.3. Consumes

✎ /

2.2.279.4. Produces

✎ application/json

2.2.279.5. Tags

✎ oapiv1

2.2.280. watch individual changes to a list of Route

GET /oapi/v1/watch/routes

2.2.280.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.280.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.280.3. Consumes

✳ /

2.2.280.4. Produces

✳ application/json

2.2.280.5. Tags

✳ oapiv1

2.2.281. watch individual changes to a list of Template

GET /oapi/v1/watch/templates

2.2.281.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.281.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.281.3. Consumes

✎ /

2.2.281.4. Produces

✎ application/json

2.2.281.5. Tags

✎ oapiv1

2.2.282. watch individual changes to a list of User

GET /oapi/v1/watch/users

2.2.282.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

2.2.282.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.282.3. Consumes

✳ /

2.2.282.4. Produces

✳ application/json

2.2.282.5. Tags

✳ oapiv1

2.2.283. watch changes to an object of kind User

```
GET /oapi/v1/watch/users/{name}
```

2.2.283.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParamete	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete	name	name of the User	true	string	

2.2.283.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

2.2.283.3. Consumes

✎ /

2.2.283.4. Produces

✎ application/json

2.2.283.5. Tags

✎ oapiv1

2.3. DEFINITIONS

2.3.1. integer

2.3.2. json.WatchEvent

Name	Description	Required	Schema	Default
type	the type of watch event; may be ADDED, MODIFIED, DELETED, or ERROR	false	string	
object	the object being watched; will match the type of the resource endpoint or be a Status object if the type is ERROR	false	string	

2.3.3. patch.Object

represents an object patch, which may be any of: JSON patch (RFC 6902), JSON merge patch (RFC 7396), or the Kubernetes strategic merge patch

2.3.4. runtime.RawExtension

this may be any JSON object with a 'kind' and 'apiVersion' field; and is preserved unmodified by processing

2.3.5. unversioned.ListMeta

ListMeta describes metadata that synthetic resources must have, including lists and various status objects. A resource may have only one of {ObjectMeta, ListMeta}.

Name	Description	Required	Schema	Default
selfLink	SelfLink is a URL representing this object. Populated by the system. Read-only.	false	string	

Name	Description	Required	Schema	Default
resourceVersion	String that identifies the server's internal version of this object that can be used by clients to determine when objects have changed. Value must be treated as opaque by clients and passed unmodified back to the server. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#concurrency-control-and-consistency	false	string	

2.3.6. unversioned.Patch

Patch is provided to give a concrete name and type to the Kubernetes PATCH request body.

2.3.7. unversioned.Status

Status is a return value for calls that don't return other objects.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
status	Status of the operation. One of: "Success" or "Failure". More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	string	
message	A human-readable description of the status of this operation.	false	string	
reason	A machine-readable description of why this operation is in the "Failure" status. If this value is empty there is no information available. A Reason clarifies an HTTP status code but does not override it.	false	string	

Name	Description	Required	Schema	Default
details	Extended data associated with the reason. Each reason may define its own extended details. This field is optional and the data returned is not guaranteed to conform to any schema except that defined by the reason type.	false	Section 2.3.9, "unversioned.StatusDetails"	
code	Suggested HTTP return code for this status, 0 if not set.	false	integer (int32)	

2.3.8. unversioned.StatusCause

StatusCause provides more information about an api.Status failure, including cases when multiple errors are encountered.

Name	Description	Required	Schema	Default
reason	A machine-readable description of the cause of the error. If this value is empty there is no information available.	false	string	
message	A human-readable description of the cause of the error. This field may be presented as-is to a reader.	false	string	

Name	Description	Required	Schema	Default
field	<p>The field of the resource that has caused this error, as named by its JSON serialization. May include dot and postfix notation for nested attributes. Arrays are zero-indexed. Fields may appear more than once in an array of causes due to fields having multiple errors. Optional.</p> <p>Examples: "name" - the field "name" on the current resource "items[0].name" - the field "name" on the first array entry in "items"</p>	false	string	

2.3.9. unversioned.StatusDetails

StatusDetails is a set of additional properties that MAY be set by the server to provide additional information about a response. The Reason field of a Status object defines what attributes will be set. Clients must ignore fields that do not match the defined type of each attribute, and should assume that any attribute may be empty, invalid, or under defined.

Name	Description	Required	Schema	Default
name	<p>The name attribute of the resource associated with the status StatusReason (when there is a single name which can be described).</p>	false	string	

Name	Description	Required	Schema	Default
group	The group attribute of the resource associated with the status StatusReason.	false	string	
kind	The kind attribute of the resource associated with the status StatusReason. On some operations may differ from the requested resource Kind. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
causes	The Causes array includes more details associated with the StatusReason failure. Not all StatusReasons may provide detailed causes.	false	Section 2.3.8, "unversioned.StatusCause" array	
retryAfterSeconds	If specified, the time in seconds before the operation should be retried.	false	integer (int32)	

2.3.10. v1.AWSElasticBlockStoreVolumeSource

Represents a Persistent Disk resource in AWS.

An AWS EBS disk must exist before mounting to a container. The disk must also be in the same AWS zone as the kubelet. An AWS EBS disk can only be mounted as read/write once. AWS EBS volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
volumeID	Unique ID of the persistent disk resource in AWS (Amazon EBS volume). More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	true	string	
fsType	Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	false	string	

Name	Description	Required	Schema	Default
partition	The partition in the volume that you want to mount. If omitted, the default is to mount by volume name. Examples: For volume /dev/sda1, you specify the partition as "1". Similarly, the volume partition for /dev/sda is "0" (or you can leave the property empty).	false	integer (int32)	
readOnly	Specify "true" to force and set the ReadOnly property in VolumeMounts to "true". If omitted, the default is "false". More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	false	boolean	

2.3.11. v1.AzureFileVolumeSource

AzureFile represents an Azure File Service mount on the host and bind mount to the pod.

Name	Description	Required	Schema	Default
secretName	the name of secret that contains Azure Storage Account Name and Key	true	string	

Name	Description	Required	Schema	Default
shareName	Share Name	true	string	
readOnly	Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.	false	boolean	

2.3.12. v1.BinaryBuildSource

BinaryBuildSource describes a binary file to be used for the Docker and Source build strategies, where the file will be extracted and used as the build source.

Name	Description	Required	Schema	Default
asFile	AsFile indicates that the provided binary input should be considered a single file within the build input. For example, specifying "webapp.war" would place the provided binary as /webapp.war for the builder. If left empty, the Docker and Source build strategies assume this file is a zip, tar, or tar.gz file and extract it as the source. The custom strategy receives this binary as standard input. This filename may not contain slashes or be '..' or '!'.	false	string	

2.3.13. v1.Build

Build encapsulates the inputs needed to produce a new deployable image, as well as the status of the execution and a reference to the Pod which executed the build.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec is all the inputs used to execute the build.	false	Section 2.3.24, "v1.BuildSpec"	
status	Status is the current status of the build.	false	Section 2.3.25, "v1.BuildStatus"	

2.3.14. v1.BuildConfig

Build configurations define a build process for new Docker images. There are three types of builds possible - a Docker build using a Dockerfile, a Source-to-Image build that uses a specially prepared base image that accepts source code that it can make runnable, and a custom build that can run arbitrary Docker images as a base and accept the build parameters. Builds run on the cluster and on completion are pushed to the Docker registry specified in the "output" section. A build can be triggered via a webhook, when the base image changes, or when a user manually requests a new build be created.

Each build created by a build configuration is numbered and refers back to its parent configuration. Multiple builds can be triggered at once. Builds that do not have "output" set can be used to test code or run a verification build.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
spec	Spec holds all the input necessary to produce a new build, and the conditions when to trigger them.	true	Section 2.3.16, "v1.BuildConfigSpec"	
status	Status holds any relevant information about a build config	true	Section 2.3.17, "v1.BuildConfigStatus"	

2.3.15. v1.BuildConfigList

BuildConfigList is a collection of BuildConfigs.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of build configs	true	Section 2.3.14, "v1.BuildConfig" array	

2.3.16. v1.BuildConfigSpec

BuildConfigSpec describes when and how builds are created

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
triggers	Triggers determine how new Builds can be launched from a BuildConfig. If no triggers are defined, a new build can only occur as a result of an explicit client build creation.	true	Section 2.3.27, "v1.BuildTriggerPolicy" array	
serviceAccount	ServiceAccount is the name of the ServiceAccount to use to run the pod created by this build. The pod will be allowed to use secrets referenced by the ServiceAccount	false	string	
source	Source describes the SCM in use.	false	Section 2.3.23, "v1.BuildSource"	
revision	Revision is the information from the source for a specific repo snapshot. This is optional.	false	Section 2.3.180, "v1.SourceRevision"	
strategy	Strategy defines how to perform a build.	true	Section 2.3.26, "v1.BuildStrategy"	
output	Output describes the Docker image the Strategy should produce.	false	Section 2.3.20, "v1.BuildOutput"	

Name	Description	Required	Schema	Default
resources	Compute resource requirements to execute the build	false	Section 2.3.157, "v1.ResourceRequirements"	
postCommit	PostCommit is a build hook executed after the build output image is committed, before it is pushed to a registry.	false	Section 2.3.21, "v1.BuildPostCommitSpec"	
completionDeadlineSeconds	Optional duration in seconds, counted from the time when a build pod gets scheduled in the system, that the build may be active on a node before the system actively tries to terminate the build; value must be positive integer	false	integer (int64)	

2.3.17. v1.BuildConfigStatus

BuildConfigStatus contains current state of the build config object.

Name	Description	Required	Schema	Default
lastVersion	LastVersion is used to inform about number of last triggered build.	true	integer (int32)	

2.3.18. v1.BuildList

BuildList is a collection of Builds.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of builds	true	Section 2.3.13 , "v1.Build" array	

2.3.19. v1.BuildLog

BuildLog is the (unused) resource associated with the build log redirector

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

2.3.20. v1.BuildOutput

BuildOutput is input to a build strategy and describes the Docker image that the strategy should produce.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
to	To defines an optional location to push the output of this build to. Kind must be one of 'ImageStreamTag' or 'DockerImage'. This value will be used to look up a Docker image repository to push to. In the case of an ImageStreamTag, the ImageStreamTag will be looked for in the namespace of the build unless Namespace is specified.	false	Section 2.3.135, "v1.ObjectReference"	
pushSecret	PushSecret is the name of a Secret that would be used for setting up the authentication for executing the Docker push to authentication enabled Docker Registry (or Docker Hub).	false	Section 2.3.112, "v1.LocalObjectReference"	

2.3.21. v1.BuildPostCommitSpec

A BuildPostCommitSpec holds a build post commit hook specification. The hook executes a command in a temporary container running the build output image, immediately after the last layer of the image is committed and before the image is pushed to a registry. The command is executed with the current working directory (\$PWD) set to the image's WORKDIR.

The build will be marked as failed if the hook execution fails. It will fail if the script or command return a non-zero exit code, or if there is any other error related to starting the temporary container.

There are five different ways to configure the hook. As an example, all forms below are equivalent and will execute **rake test --verbose**.

1. Shell script:

```
"postCommit": {
  "script": "rake test --verbose",
}
```

The above is a convenient form which is equivalent to:

```
"postCommit": {
  "command": ["/bin/sh", "-ic"],
  "args": ["rake test --verbose"]
}
```

2. Command as the image entrypoint:

```
"postCommit": {
  "commit": ["rake", "test", "--verbose"]
}
```

Command overrides the image entrypoint in the exec form, as documented in Docker:
<https://docs.docker.com/engine/reference/builder/#entrypoint>.

3. Pass arguments to the default entrypoint:

```
"postCommit": {
  "args": ["rake", "test", "--verbose"]
}
```

This form is only useful if the image entrypoint can handle arguments.

4. Shell script with arguments:

```
"postCommit": {
  "script": "rake test $1",
  "args": ["--verbose"]
}
```

This form is useful if you need to pass arguments that would otherwise be hard to quote properly in the shell script. In the script, \$0 will be "/bin/sh" and \$1, \$2, etc, are the positional arguments from Args.

5. Command with arguments:

```
"postCommit": {
  "command": ["rake", "test"],
  "args": ["--verbose"]
}
```

This form is equivalent to appending the arguments to the Command slice.

It is invalid to provide both Script and Command simultaneously. If none of the fields are specified, the hook is not executed.

Name	Description	Required	Schema	Default
command	Command is the command to run. It may not be specified with Script. This might be needed if the image doesn't have /bin/sh , or if you do not want to use a shell. In all other cases, using Script might be more convenient.	false	string array	
args	Args is a list of arguments that are provided to either Command, Script or the Docker image's default entrypoint. The arguments are placed immediately after the command to be run.	false	string array	

Name	Description	Required	Schema	Default
script	Script is a shell script to be run with /bin/sh -ic . It may not be specified with Command. Use Script when a shell script is appropriate to execute the post build hook, for example for running unit tests with rake test . If you need control over the image entrypoint, or if the image does not have /bin/sh , use Command and/or Args. The -i flag is needed to support CentOS and RHEL images that use Software Collections (SCL), in order to have the appropriate collections enabled in the shell. E.g., in the Ruby image, this is necessary to make ruby , bundle and other binaries available in the PATH.	false	string	

2.3.22. v1.BuildRequest

BuildRequest is the resource used to pass parameters to build generator

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
revision	Revision is the information from the source for a specific repo snapshot.	false	Section 2.3.180, "v1.SourceRevision"	
triggeredByImage	TriggeredByImage is the Image that triggered this build.	false	Section 2.3.135, "v1.ObjectReference"	
from	From is the reference to the ImageStreamTag that triggered the build.	false	Section 2.3.135, "v1.ObjectReference"	
binary	Binary indicates a request to build from a binary provided to the builder	false	Section 2.3.12, "v1.BinaryBuildSource"	
lastVersion	LastVersion (optional) is the LastVersion of the BuildConfig that was used to generate the build. If the BuildConfig in the generator doesn't match, a build will not be generated.	false	integer (int32)	

Name	Description	Required	Schema	Default
env	Env contains additional environment variables you want to pass into a builder container	false	Section 2.3.66 , "v1.EnvVar" array	

2.3.23. v1.BuildSource

BuildSource is the SCM used for the build.

Name	Description	Required	Schema	Default
type	Type of build input to accept	true	string	

Name	Description	Required	Schema	Default
binary	<p>Binary builds accept a binary as their input. The binary is generally assumed to be a tar, gzipped tar, or zip file depending on the strategy. For Docker builds, this is the build context and an optional Dockerfile may be specified to override any Dockerfile in the build context. For Source builds, this is assumed to be an archive as described above. For Source and Docker builds, if binary.asFile is set the build will receive a directory with a single file. contextDir may be used when an archive is provided. Custom builds will receive this binary as input on STDIN.</p>	false	Section 2.3.12, "v1.BinaryBuildSource"	

Name	Description	Required	Schema	Default
dockerfile	Dockerfile is the raw contents of a Dockerfile which should be built. When this option is specified, the FROM may be modified based on your strategy base image and additional ENV stanzas from your strategy environment will be added after the FROM, but before the rest of your Dockerfile stanzas. The Dockerfile source type may be used with other options like git - in those cases the Git repo will have any innate Dockerfile replaced in the context dir.	false	string	
git	Git contains optional information about git build source	false	Section 2.3.75, "v1.GitBuildSource"	
images	Images describes a set of images to be used to provide source for the build	false	Section 2.3.96, "v1.ImageSource" array	

Name	Description	Required	Schema	Default
contextDir	ContextDir specifies the sub-directory where the source code for the application exists. This allows to have buildable sources in directory other than root of repository.	false	string	
sourceSecret	SourceSecret is the name of a Secret that would be used for setting up the authentication for cloning private repository. The secret contains valid credentials for remote repository, where the data's key represent the authentication method to be used and value is the base64 encoded credentials. Supported auth methods are: ssh-privatekey.	false	Section 2.3.112, "v1.LocalObjectReference"	
secrets	Secrets represents a list of secrets and their destinations that will be used only for the build.	true	Section 2.3.172, "v1.SecretBuildSource" array	

2.3.24. v1.BuildSpec

BuildSpec encapsulates all the inputs necessary to represent a build.

Name	Description	Required	Schema	Default
serviceAccount	ServiceAccount is the name of the ServiceAccount to use to run the pod created by this build. The pod will be allowed to use secrets referenced by the ServiceAccount	false	string	
source	Source describes the SCM in use.	false	Section 2.3.23, "v1.BuildSource"	
revision	Revision is the information from the source for a specific repo snapshot. This is optional.	false	Section 2.3.180, "v1.SourceRevision"	
strategy	Strategy defines how to perform a build.	true	Section 2.3.26, "v1.BuildStrategy"	
output	Output describes the Docker image the Strategy should produce.	false	Section 2.3.20, "v1.BuildOutput"	
resources	Compute resource requirements to execute the build	false	Section 2.3.157, "v1.ResourceRequirements"	
postCommit	PostCommit is a build hook executed after the build output image is committed, before it is pushed to a registry.	false	Section 2.3.21, "v1.BuildPostCommitSpec"	

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

completionDeadlineSeconds	Optional duration in seconds, counted from the time when a build pod gets scheduled in the system, that the build may be active on a node before the system actively tries to terminate the build; value must be positive integer	false	integer (int64)	
---------------------------	---	-------	-----------------	--

2.3.25. v1.BuildStatus

BuildStatus contains the status of a build

Name	Description	Required	Schema	Default
phase	Phase is the point in the build lifecycle.	true	string	
cancelled	Cancelled describes if a cancel event was triggered for the build.	false	boolean	

Name	Description	Required	Schema	Default
reason	Reason is a brief CamelCase string that describes any failure and is meant for machine parsing and tidy display in the CLI.	false	string	
message	Message is a human-readable message indicating details about why the build has this status.	false	string	
startTimestamp	StartTimestamp is a timestamp representing the server time when this Build started running in a Pod. It is represented in RFC3339 form and is in UTC.	false	string	
completionTimestamp	CompletionTimestamp is a timestamp representing the server time when this Build was finished, whether that build failed or succeeded. It reflects the time at which the Pod running the Build terminated. It is represented in RFC3339 form and is in UTC.	false	string	

Name	Description	Required	Schema	Default
duration	Duration contains time.Duration object describing build time.	false	time.Duration	
outputDockerImageReference	OutputDockerImageReference contains a reference to the Docker image that will be built by this build. It's value is computed from Build.Spec.Output.To, and should include the registry address, so that it can be used to push and pull the image.	false	string	
config	Config is an ObjectReference to the BuildConfig this Build is based on.	false	Section 2.3.135, "v1.ObjectReference"	

2.3.26. v1.BuildStrategy

BuildStrategy contains the details of how to perform a build.

Name	Description	Required	Schema	Default
type	Type is the kind of build strategy.	true	string	
dockerStrategy	DockerStrategy holds the parameters to the Docker build strategy.	false	Section 2.3.62, "v1.DockerBuildStrategy"	

Name	Description	Required	Schema	Default
sourceStrategy	SourceStrategy holds the parameters to the Source build strategy.	false	Section 2.3.178, "v1.SourceBuildStrategy"	
customStrategy	CustomStrategy holds the parameters to the Custom build strategy	false	Section 2.3.46, "v1.CustomBuildStrategy"	

2.3.27. v1.BuildTriggerPolicy

BuildTriggerPolicy describes a policy for a single trigger that results in a new Build.

Name	Description	Required	Schema	Default
type	Type is the type of build trigger	true	string	
github	GitHubWebHook contains the parameters for a GitHub webhook type of trigger	false	Section 2.3.196, "v1.WebHookTrigger"	
generic	GenericWebHook contains the parameters for a Generic webhook type of trigger	false	Section 2.3.196, "v1.WebHookTrigger"	
imageChange	ImageChange contains parameters for an ImageChange type of trigger	false	Section 2.3.91, "v1.ImageChangeTrigger"	

2.3.28. v1.Capabilities

Adds and removes POSIX capabilities from running containers.

Name	Description	Required	Schema	Default
add	Added capabilities	false	Section 2.3.29 , "v1.Capability" array	
drop	Removed capabilities	false	Section 2.3.29 , "v1.Capability" array	

2.3.29. v1.Capability

2.3.30. v1.CephFSVolumeSource

Represents a Ceph Filesystem mount that lasts the lifetime of a pod Cephfs volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
monitors	Required: Monitors is a collection of Ceph monitors More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	true	string array	
path	Optional: Used as the mounted root, rather than the full Ceph tree, default is /	false	string	

Name	Description	Required	Schema	Default
user	Optional: User is the rados user name, default is admin More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	string	
secretFile	Optional: SecretFile is the path to key ring for User, default is /etc/ceph/user.secret More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	string	
secretRef	Optional: SecretRef is reference to the authentication secret for User, default is empty. More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	Section 2.3.112, "v1.LocalObjectReference"	

Name	Description	Required	Schema	Default
readOnly	Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts. More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	boolean	

2.3.31. v1.CinderVolumeSource

CinderVolumeSource represents a cinder volume resource in Openstack. A Cinder volume must exist before mounting to a container. The volume must also be in the same region as the kubelet.

Name	Description	Required	Schema	Default
volumeID	volume id used to identify the volume in cinder More info: http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md	true	string	

Name	Description	Required	Schema	Default
fsType	<p>Filesystem type to mount. Must be a filesystem type supported by the host operating system.</p> <p>Examples: "ext4", "xfs", "ntfs".</p> <p>Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md</p>	false	string	
readOnly	<p>Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts. More info: http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md</p>	false	boolean	

2.3.32. v1.ClusterNetwork

ClusterNetwork describes a cluster network

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
network	Network is a CIDR string to specify the global overlay network's L3 space	true	string	
hostsubnetlength	HostSubnetLength is the number of bits to allocate to each host's subnet e.g. 8 would mean a /24 network on the host	true	integer (int32)	
serviceNetwork	ServiceNetwork is the CIDR string to specify the service network	true	string	

2.3.33. v1.ClusterNetworkList

ClusterNetworkList is a collection of ClusterNetworks

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is the list of cluster networks	true	Section 2.3.32 , "v1.ClusterNetwork" array	

2.3.34. v1.ClusterPolicy

ClusterPolicy is a object that holds all the ClusterRoles for a particular namespace. There is at most one ClusterPolicy document per namespace.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
lastModified	LastModified is the last time that any part of the ClusterPolicy was created, updated, or deleted	true	string	
roles	Roles holds all the ClusterRoles held by this ClusterPolicy, mapped by ClusterRole.Name	true	Section 2.3.118, "v1.NamedClusterRole" array	

2.3.35. v1.ClusterPolicyBinding

ClusterPolicyBinding is a object that holds all the ClusterRoleBindings for a particular namespace. There is one ClusterPolicyBinding document per referenced ClusterPolicy namespace

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
lastModified	LastModified is the last time that any part of the ClusterPolicyBinding was created, updated, or deleted	true	string	
policyRef	PolicyRef is a reference to the ClusterPolicy that contains all the ClusterRoles that this ClusterPolicyBinding's RoleBindings may reference	true	Section 2.3.135, "v1.ObjectReference"	
roleBindings	RoleBindings holds all the ClusterRoleBindings held by this ClusterPolicyBinding, mapped by ClusterRoleBinding.Name	true	Section 2.3.119, "v1.NamedClusterRoleBinding" array	

2.3.36. v1.ClusterPolicyBindingList

ClusterPolicyBindingList is a collection of ClusterPolicyBindings

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of ClusterPolicyBindings	true	Section 2.3.35, "v1.ClusterPolicyBinding" array	

2.3.37. v1.ClusterPolicyList

ClusterPolicyList is a collection of ClusterPolicies

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of ClusterPolicies	true	Section 2.3.34, "v1.ClusterPolicy" array	

2.3.38. v1.ClusterRole

ClusterRole is a logical grouping of PolicyRules that can be referenced as a unit by ClusterRoleBindings.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
rules	Rules holds all the PolicyRules for this ClusterRole	true	Section 2.3.145, "v1.PolicyRule" array	

2.3.39. v1.ClusterRoleBinding

ClusterRoleBinding references a ClusterRole, but not contain it. It can reference any ClusterRole in the same namespace or in the global namespace. It adds who information via Users and Groups and namespace information by which namespace it exists in. ClusterRoleBindings in a given namespace only have effect in that namespace (excepting the master namespace which has power in all namespaces).

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
userNames	UserNames holds all the usernames directly bound to the role	true	string array	
groupNames	GroupNames holds all the groups directly bound to the role	true	string array	
subjects	Subjects hold object references to authorize with this rule	true	Section 2.3.135, "v1.ObjectReference" array	

Name	Description	Required	Schema	Default
roleRef	RoleRef can only reference the current namespace and the global namespace. If the ClusterRoleRef cannot be resolved, the Authorizer must return an error. Since Policy is a singleton, this is sufficient knowledge to locate a role.	true	Section 2.3.135, "v1.ObjectReference"	

2.3.40. v1.ClusterRoleBindingList

ClusterRoleBindingList is a collection of ClusterRoleBindings

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of ClusterRoleBindings	true	Section 2.3.39, "v1.ClusterRoleBinding" array	

2.3.41. v1.ClusterRoleList

ClusterRoleList is a collection of ClusterRoles

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of ClusterRoles	true	Section 2.3.38 , "v1.ClusterRole" array	

2.3.42. v1.ConfigMapKeySelector

Selects a key from a ConfigMap.

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
key	The key to select.	true	string	

2.3.43. v1.ConfigMapVolumeSource

Adapts a ConfigMap into a volume.

The contents of the target ConfigMap's Data field will be presented in a volume as files using the keys in the Data field as the file names, unless the items element is populated with specific mappings of keys to paths. ConfigMap volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	

Name	Description	Required	Schema	Default
items	If unspecified, each key-value pair in the Data field of the referenced ConfigMap will be projected into the volume as a file whose name is the key and content is the value. If specified, the listed keys will be projected into the specified paths, and unlisted keys will not be present. If a key is specified which is not present in the ConfigMap, the volume setup will error. Paths must be relative and may not contain the '..' path or start with '..'.	false	Section 2.3.109 , "v1.KeyToPath" array	

2.3.44. v1.Container

A single application container that you want to run within a pod.

Name	Description	Required	Schema	Default
name	Name of the container specified as a DNS_LABEL. Each container in a pod must have a unique name (DNS_LABEL). Cannot be updated.	true	string	

Name	Description	Required	Schema	Default
image	Docker image name. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md	false	string	
command	Entrypoint array. Not executed within a shell. The docker image's ENTRYPOINT is used if this is not provided. Variable references <code>\$(VAR_NAME)</code> are expanded using the container's environment. If a variable cannot be resolved, the reference in the input string will be unchanged. The <code>\$(VAR_NAME)</code> syntax can be escaped with a double <code>`, ie: <code>\$(VAR_NAME)</code>. Escaped references will never be expanded, regardless of whether the variable exists or not. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/containers.md#containers-and-commands</code>	false	string array	

Name	Description	Required	Schema	Default
args	<p>Arguments to the entrypoint. The docker image's CMD is used if this is not provided. Variable references <code>\$(VAR_NAME)</code> are expanded using the container's environment. If a variable cannot be resolved, the reference in the input string will be unchanged. The <code>\$(VAR_NAME)</code> syntax can be escaped with a double <code>`, ie: <code>\$(VAR_NAME)</code>. Escaped references will never be expanded, regardless of whether the variable exists or not. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/containers.md#containers-and-commands</code></p>	false	string array	
workingDir	<p>Container's working directory. If not specified, the container runtime's default will be used, which might be configured in the container image. Cannot be updated.</p>	false	string	

Name	Description	Required	Schema	Default
ports	List of ports to expose from the container. Exposing a port here gives the system additional information about the network connections a container uses, but is primarily informational. Not specifying a port here DOES NOT prevent that port from being exposed. Any port which is listening on the default "0.0.0.0" address inside a container will be accessible from the network. Cannot be updated.	false	Section 2.3.45 , "v1.ContainerPort" array	
env	List of environment variables to set in the container. Cannot be updated.	false	Section 2.3.66 , "v1.EnvVar" array	
resources	Compute Resources required by this container. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#resources	false	Section 2.3.157 , "v1.ResourceRequirements"	

Name	Description	Required	Schema	Default
volumeMounts	Pod volumes to mount into the container's filesystem. Cannot be updated.	false	Section 2.3.195, "v1.VolumeMount" array	
livenessProbe	Periodic probe of container liveness. Container will be restarted if the probe fails. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes	false	Section 2.3.146, "v1.Probe"	
readinessProbe	Periodic probe of container service readiness. Container will be removed from service endpoints if the probe fails. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes	false	Section 2.3.146, "v1.Probe"	
lifecycle	Actions that the management system should take in response to container lifecycle events. Cannot be updated.	false	Section 2.3.110, "v1.Lifecycle"	

Name	Description	Required	Schema	Default
terminationMessagePath	Optional: Path at which the file to which the container's termination message will be written is mounted into the container's filesystem. Message written is intended to be brief final status, such as an assertion failure message. Defaults to /dev/termination-log. Cannot be updated.	false	string	
imagePullPolicy	Image pull policy. One of Always, Never, IfNotPresent. Defaults to Always if :latest tag is specified, or IfNotPresent otherwise. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md#updating-images	false	string	

Name	Description	Required	Schema	Default
securityContext	Security options the pod should run with. More info: http://releases.k8s.io/release-1.2/docs/design/security_context.md	false	Section 2.3.177, "v1.SecurityContext"	
stdin	Whether this container should allocate a buffer for stdin in the container runtime. If this is not set, reads from stdin in the container will always result in EOF. Default is false.	false	boolean	

Name	Description	Required	Schema	Default
stdinOnce	Whether the container runtime should close the stdin channel after it has been opened by a single attach. When stdin is true the stdin stream will remain open across multiple attach sessions. If stdinOnce is set to true, stdin is opened on container start, is empty until the first client attaches to stdin, and then remains open and accepts data until the client disconnects, at which time stdin is closed and remains closed until the container is restarted. If this flag is false, a container processes that reads from stdin will never receive an EOF. Default is false	false	boolean	
tty	Whether this container should allocate a TTY for itself, also requires 'stdin' to be true. Default is false.	false	boolean	

2.3.45. v1.ContainerPort

ContainerPort represents a network port in a single container.

Name	Description	Required	Schema	Default
name	If specified, this must be an IANA_SVC_NAME and unique within the pod. Each named port in a pod must have a unique name. Name for the port that can be referred to by services.	false	string	
hostPort	Number of port to expose on the host. If specified, this must be a valid port number, $0 < x < 65536$. If HostNetwork is specified, this must match ContainerPort. Most containers do not need this.	false	integer (int32)	
containerPort	Number of port to expose on the pod's IP address. This must be a valid port number, $0 < x < 65536$.	true	integer (int32)	
protocol	Protocol for port. Must be UDP or TCP. Defaults to "TCP".	false	string	
hostIP	What host IP to bind the external port to.	false	string	

2.3.46. v1.CustomBuildStrategy

CustomBuildStrategy defines input parameters specific to Custom build.

Name	Description	Required	Schema	Default
from	From is reference to an DockerImage, ImageStreamTag, or ImageStreamImage from which the docker image should be pulled	true	Section 2.3.135, "v1.ObjectReference"	
pullSecret	PullSecret is the name of a Secret that would be used for setting up the authentication for pulling the Docker images from the private Docker registries	false	Section 2.3.112, "v1.LocalObjectReference"	
env	Env contains additional environment variables you want to pass into a builder container	false	Section 2.3.66, "v1.EnvVar" array	
exposeDockerSocket	ExposeDockerSocket will allow running Docker commands (and build Docker images) from inside the Docker container.	false	boolean	

Name	Description	Required	Schema	Default
forcePull	ForcePull describes if the controller should configure the build pod to always pull the images for the builder or only pull if it is not present locally	false	boolean	
secrets	Secrets is a list of additional secrets that will be included in the build pod	false	Section 2.3.175, "v1.SecretSpec" array	
buildAPIVersion	BuildAPIVersion is the requested API version for the Build object serialized and passed to the custom builder	false	string	

2.3.47. v1.CustomDeploymentStrategyParams

CustomDeploymentStrategyParams are the input to the Custom deployment strategy.

Name	Description	Required	Schema	Default
image	Image specifies a Docker image which can carry out a deployment.	false	string	

Name	Description	Required	Schema	Default
environment	Environment holds the environment which will be given to the container for Image.	false	Section 2.3.66 , "v1.EnvVar" array	
command	Command is optional and overrides CMD in the container Image.	false	string array	

2.3.48. v1.DeleteOptions

DeleteOptions may be provided when deleting an API object

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
gracePeriodSeconds	The duration in seconds before the object should be deleted. Value must be non-negative integer. The value zero indicates delete immediately. If this value is nil, the default grace period for the specified type will be used. Defaults to a per object value if not specified. zero means delete immediately.	true	integer (int64)	

2.3.49. v1.DeploymentCause

DeploymentCause captures information about a particular cause of a deployment.

Name	Description	Required	Schema	Default
type	Type of the trigger that resulted in the creation of a new deployment	true	string	
imageTrigger	ImageTrigger contains the image trigger details, if this trigger was fired based on an image change	false	Section 2.3.50, "v1.DeploymentCauseImageTrigger"	

2.3.50. v1.DeploymentCauseImageTrigger

DeploymentCauseImageTrigger represents details about the cause of a deployment originating from an image change trigger

Name	Description	Required	Schema	Default
from	From is a reference to the changed object which triggered a deployment. The field may have the kinds DockerImage, ImageStreamTag, or ImageStreamImage.	true	Section 2.3.135, "v1.ObjectReference"	

2.3.51. v1.DeploymentConfig

Deployment Configs define the template for a pod and manages deploying new images or configuration changes. A single deployment configuration is usually analogous to a single micro-service. Can support many different deployment patterns, including full restart, customizable rolling updates, and fully custom behaviors, as well as pre- and post- deployment hooks. Each individual deployment is represented as a replication controller.

A deployment is "triggered" when its configuration is changed or a tag in an Image Stream is changed. Triggers can be disabled to allow manual control over a deployment. The "strategy" determines how the deployment is carried out and may be changed at any time.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
spec	Spec represents a desired deployment state and how to deploy to it.	true	Section 2.3.55, "v1.DeploymentConfigSpec"	
status	Status represents the current deployment state.	true	Section 2.3.56, "v1.DeploymentConfigStatus"	

2.3.52. v1.DeploymentConfigList

DeploymentConfigList is a collection of deployment configs.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of deployment configs	true	Section 2.3.51, "v1.DeploymentConfig" array	

2.3.53. v1.DeploymentConfigRollback

DeploymentConfigRollback provides the input to rollback generation.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
spec	Spec defines the options to rollback generation.	true	Section 2.3.54, "v1.DeploymentConfigRollbackSpec"	

2.3.54. v1.DeploymentConfigRollbackSpec

DeploymentConfigRollbackSpec represents the options for rollback generation.

Name	Description	Required	Schema	Default
from	From points to a ReplicationController which is a deployment.	true	Section 2.3.135, "v1.ObjectReference"	
includeTriggers	IncludeTriggers specifies whether to include config Triggers.	true	boolean	
includeTemplate	IncludeTemplate specifies whether to include the PodTemplateSpec.	true	boolean	
includeReplicationMeta	IncludeReplicationMeta specifies whether to include the replica count and selector.	true	boolean	
includeStrategy	IncludeStrategy specifies whether to include the deployment Strategy.	true	boolean	

2.3.55. v1.DeploymentConfigSpec

DeploymentConfigSpec represents the desired state of the deployment.

Name	Description	Required	Schema	Default
strategy	Strategy describes how a deployment is executed.	true	Section 2.3.59, "v1.DeploymentStrategy"	

Name	Description	Required	Schema	Default
triggers	Triggers determine how updates to a DeploymentConfig result in new deployments. If no triggers are defined, a new deployment can only occur as a result of an explicit client update to the DeploymentConfig with a new LatestVersion.	true	Section 2.3.61 , "v1.DeploymentTriggerPolicy" array	
replicas	Replicas is the number of desired replicas.	true	integer (int32)	
test	Test ensures that this deployment config will have zero replicas except while a deployment is running. This allows the deployment config to be used as a continuous deployment test - triggering on images, running the deployment, and then succeeding or failing. Post strategy hooks and After actions can be used to integrate successful deployment with an action.	true	boolean	

Name	Description	Required	Schema	Default
selector	Selector is a label query over pods that should match the Replicas count.	false	Section 2.3.200, "any"	
template	Template is the object that describes the pod that will be created if insufficient replicas are detected.	false	Section 2.3.140, "v1.PodTemplate Spec"	

2.3.56. v1.DeploymentConfigStatus

DeploymentConfigStatus represents the current deployment state.

Name	Description	Required	Schema	Default
latestVersion	LatestVersion is used to determine whether the current deployment associated with a DeploymentConfig is out of sync.	false	integer (int32)	
details	Details are the reasons for the update to this deployment config. This could be based on a change made by the user or caused by an automatic trigger	false	Section 2.3.57, "v1.DeploymentDetails"	

2.3.57. v1.DeploymentDetails

DeploymentDetails captures information about the causes of a deployment.

Name	Description	Required	Schema	Default
message	Message is the user specified change message, if this deployment was triggered manually by the user	false	string	
causes	Causes are extended data associated with all the causes for creating a new deployment	false	Section 2.3.49, "v1.DeploymentCause" array	

2.3.58. v1.DeploymentLog

A deployment log is a virtual resource used by the OpenShift Enterprise client tool for retrieving the logs for a deployment.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

2.3.59. v1.DeploymentStrategy

DeploymentStrategy describes how to perform a deployment.

Name	Description	Required	Schema	Default
type	Type is the name of a deployment strategy.	false	string	
customParams	CustomParams are the input to the Custom deployment strategy.	false	Section 2.3.47, "v1.CustomDeploymentStrategyParams"	

Name	Description	Required	Schema	Default
recreateParams	RecreateParams are the input to the Recreate deployment strategy.	false	Section 2.3.153, "v1.RecreateDeploymentStrategyParams"	
rollingParams	RollingParams are the input to the Rolling deployment strategy.	false	Section 2.3.162, "v1.RollingDeploymentStrategyParams"	
resources	Resources contains resource requirements to execute the deployment and any hooks	false	Section 2.3.157, "v1.ResourceRequirements"	
labels	Labels is a set of key, value pairs added to custom deployer and lifecycle pre/post hook pods.	false	Section 2.3.200, "any"	
annotations	Annotations is a set of key, value pairs added to custom deployer and lifecycle pre/post hook pods.	false	Section 2.3.200, "any"	

2.3.60. v1.DeploymentTriggerImageChangeParams

DeploymentTriggerImageChangeParams represents the parameters to the ImageChange trigger.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
automatic	Automatic means that the detection of a new tag value should result in a new deployment.	false	boolean	
containerNames	ContainerNames is used to restrict tag updates to the specified set of container names in a pod.	false	string array	
from	From is a reference to an image stream tag to watch for changes. From.Name is the only required subfield - if From.Namespace is blank, the namespace of the current deployment trigger will be used.	true	Section 2.3.135, "v1.ObjectReference"	
lastTriggeredImage	LastTriggeredImage is the last image to be triggered.	false	string	

2.3.61. v1.DeploymentTriggerPolicy

DeploymentTriggerPolicy describes a policy for a single trigger that results in a new deployment.

Name	Description	Required	Schema	Default
type	Type of the trigger	false	string	
imageChangeParams	ImageChangeParams represents the parameters for the ImageChange trigger.	false	Section 2.3.60, "v1.DeploymentTriggerImageChangeParams"	

2.3.62. v1.DockerBuildStrategy

DockerBuildStrategy defines input parameters specific to Docker build.

Name	Description	Required	Schema	Default
from	From is reference to an DockerImage, ImageStreamTag, or ImageStreamImage from which the docker image should be pulled the resulting image will be used in the FROM line of the Dockerfile for this build.	false	Section 2.3.135, "v1.ObjectReference"	
pullSecret	PullSecret is the name of a Secret that would be used for setting up the authentication for pulling the Docker images from the private Docker registries	false	Section 2.3.112, "v1.LocalObjectReference"	

Name	Description	Required	Schema	Default
noCache	NoCache if set to true indicates that the docker build must be executed with the --no-cache=true flag	false	boolean	
env	Env contains additional environment variables you want to pass into a builder container	false	Section 2.3.66 , "v1.EnvVar" array	
forcePull	ForcePull describes if the builder should pull the images from registry prior to building.	false	boolean	
dockerfilePath	DockerfilePath is the path of the Dockerfile that will be used to build the Docker image, relative to the root of the context (contextDir).	false	string	

2.3.63. v1.DownwardAPIVolumeFile

DownwardAPIVolumeFile represents a single file containing information from the downward API

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
path	Required: Path is the relative path name of the file to be created. Must not be absolute or contain the '..' path. Must be utf-8 encoded. The first item of the relative path must not start with '..'	true	string	
fieldRef	Required: Selects a field of the pod: only annotations, labels, name and namespace are supported.	true	Section 2.3.133, "v1.ObjectFieldSelector"	

2.3.64. v1.DownwardAPIVolumeSource

DownwardAPIVolumeSource represents a volume containing downward API info

Name	Description	Required	Schema	Default
items	Items is a list of downward API volume file	false	Section 2.3.63, "v1.DownwardAPIVolumeFile" array	

2.3.65. v1.EmptyDirVolumeSource

Represents an empty directory for a pod. Empty directory volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
medium	What type of storage medium should back this directory. The default is "" which means to use the node's default medium. Must be an empty string (default) or Memory. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#emptydir	false	string	

2.3.66. v1.EnvVar

EnvVar represents an environment variable present in a Container.

Name	Description	Required	Schema	Default
name	Name of the environment variable. Must be a C_IDENTIFIER.	true	string	

Name	Description	Required	Schema	Default
value	Variable references <code>\$(VAR_NAME)</code> are expanded using the previous defined environment variables in the container and any service environment variables. If a variable cannot be resolved, the reference in the input string will be unchanged. The <code>\$(VAR_NAME)</code> syntax can be escaped with a double <code>,</code> ie: <code>(VAR_NAME)</code> . Escaped references will never be expanded, regardless of whether the variable exists or not. Defaults to <code>""</code> .	false	string	
valueFrom	Source for the environment variable's value. Cannot be used if value is not empty.	false	Section 2.3.67, "v1.EnvVarSource"	

2.3.67. v1.EnvVarSource

EnvVarSource represents a source for the value of an EnvVar.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
fieldRef	Selects a field of the pod; only name and namespace are supported.	false	Section 2.3.133 , "v1.ObjectFieldSelector"	
configMapKeyRef	Selects a key of a ConfigMap.	false	Section 2.3.42 , "v1.ConfigMapKeySelector"	
secretKeyRef	Selects a key of a secret in the pod's namespace	false	Section 2.3.173 , "v1.SecretKeySelector"	

2.3.68. v1.ExecAction

ExecAction describes a "run in container" action.

Name	Description	Required	Schema	Default
command	Command is the command line to execute inside the container, the working directory for the command is root (/) in the container's filesystem. The command is simply exec'd, it is not run inside a shell, so traditional shell instructions (, etc) won't work. To use a shell, you need to explicitly call out to that shell. Exit status of 0 is treated as live/healthy and non-zero is unhealthy.	false	string array	

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

2.3.69. v1.ExecNewPodHook

ExecNewPodHook is a hook implementation which runs a command in a new pod based on the specified container which is assumed to be part of the deployment template.

Name	Description	Required	Schema	Default
command	Command is the action command and its arguments.	true	string array	
env	Env is a set of environment variables to supply to the hook pod's container.	false	Section 2.3.66 , "v1.EnvVar" array	

Name	Description	Required	Schema	Default
containerName	ContainerName is the name of a container in the deployment pod template whose Docker image will be used for the hook pod's container.	true	string	
volumes	Volumes is a list of named volumes from the pod template which should be copied to the hook pod. Volumes names not found in pod spec are ignored. An empty list means no volumes will be copied.	false	string array	

2.3.70. v1.FCVolumeSource

Represents a Fibre Channel volume. Fibre Channel volumes can only be mounted as read/write once. Fibre Channel volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
targetWWNs	Required: FC target world wide names (WWNs)	true	string array	
lun	Required: FC target lun number	true	integer (int32)	

Name	Description	Required	Schema	Default
fsType	Filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.	false	string	
readOnly	Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.	false	boolean	

2.3.71. v1.FinalizerName

2.3.72. v1.FlexVolumeSource

FlexVolume represents a generic volume resource that is provisioned/attached using a exec based plug-in. This is an alpha feature and may change in future.

Name	Description	Required	Schema	Default
driver	Driver is the name of the driver to use for this volume.	true	string	

Name	Description	Required	Schema	Default
fsType	Filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". The default filesystem depends on FlexVolume script.	false	string	
secretRef	Optional: SecretRef is reference to the authentication secret for User, default is empty.	false	Section 2.3.112, "v1.LocalObjectReference"	
readOnly	Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.	false	boolean	
options	Optional: Extra command options if any.	false	Section 2.3.200, "any"	

2.3.73. v1.FlockerVolumeSource

Represents a Flocker volume mounted by the Flocker agent. Flocker volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
datasetName	Required: the volume name. This is going to be store on metadata → name on the payload for Flocker	true	string	

2.3.74. v1.GCEPersistentDiskVolumeSource

Represents a Persistent Disk resource in Google Compute Engine.

A GCE PD must exist before mounting to a container. The disk must also be in the same GCE project and zone as the kubelet. A GCE PD can only be mounted as read/write once or read-only many times. GCE PDs support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
pdName	Unique name of the PD resource in GCE. Used to identify the disk in GCE. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md #gcepersistentdisk	true	string	

Name	Description	Required	Schema	Default
fsType	<p>Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system.</p> <p>Examples: "ext4", "xfs", "ntfs".</p> <p>Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk</p>	false	string	
partition	<p>The partition in the volume that you want to mount. If omitted, the default is to mount by volume name. Examples: For volume /dev/sda1, you specify the partition as "1". Similarly, the volume partition for /dev/sda is "0" (or you can leave the property empty). More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk</p>	false	integer (int32)	

Name	Description	Required	Schema	Default
readOnly	ReadOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk	false	boolean	

2.3.75. v1.GitBuildSource

GitBuildSource defines the parameters of a Git SCM

Name	Description	Required	Schema	Default
uri	URI points to the source that will be built. The structure of the source will depend on the type of build to run	true	string	
ref	Ref is the branch/tag/ref to build.	false	string	
httpProxy	HTTPProxy is a proxy used to reach the git repository over http	false	string	
httpsProxy	HTTPSProxy is a proxy used to reach the git repository over https	false	string	

2.3.76. v1.GitRepoVolumeSource

Represents a volume that is populated with the contents of a git repository. Git repo volumes do not support ownership management. Git repo volumes support SELinux relabeling.

Name	Description	Required	Schema	Default
repository	Repository URL	true	string	
revision	Commit hash for the specified revision.	false	string	
directory	Target directory name. Must not contain or start with '..'. If '.' is supplied, the volume directory will be the git repository. Otherwise, if specified, the volume will contain the git repository in the subdirectory with the given name.	false	string	

2.3.77. v1.GitSourceRevision

GitSourceRevision is the commit information from a git source for a build

Name	Description	Required	Schema	Default
commit	Commit is the commit hash identifying a specific commit	false	string	
author	Author is the author of a specific commit	false	Section 2.3.179, "v1.SourceControl User"	

Name	Description	Required	Schema	Default
committer	Committer is the committer of a specific commit	false	Section 2.3.179, "v1.SourceControl User"	
message	Message is the description of a specific commit	false	string	

2.3.78. v1.GlusterfsVolumeSource

Represents a Glusterfs mount that lasts the lifetime of a pod. Glusterfs volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
endpoints	EndpointsName is the endpoint name that details Glusterfs topology. More info: http://releases.k8s.io/release-1.2/examples/glusterfs/README.md#create-a-pod	true	string	
path	Path is the Glusterfs volume path. More info: http://releases.k8s.io/release-1.2/examples/glusterfs/README.md#create-a-pod	true	string	

Name	Description	Required	Schema	Default
readOnly	ReadOnly here will force the Glusterfs volume to be mounted with read-only permissions. Defaults to false. More info: http://releases.k8s.io/release-1.2/examples/glusterfs/README.md#create-a-pod	false	boolean	

2.3.79. v1.Group

Group represents a referenceable set of Users

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
users	Users is the list of users in this group.	true	string array	

2.3.80. v1.GroupList

GroupList is a collection of Groups

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is the list of groups	true	Section 2.3.79 , "v1.Group" array	

2.3.81. v1.HTTPGetAction

HTTPGetAction describes an action based on HTTP Get requests.

Name	Description	Required	Schema	Default
path	Path to access on the HTTP server.	false	string	
port	Name or number of the port to access on the container. Number must be in the range 1 to 65535. Name must be an IANA_SVC_NAME.	true	string	
host	Host name to connect to, defaults to the pod IP. You probably want to set "Host" in httpHeaders instead.	false	string	
scheme	Scheme to use for connecting to the host. Defaults to HTTP.	false	string	
httpHeaders	Custom headers to set in the request. HTTP allows repeated headers.	false	Section 2.3.82 , "v1.HTTPHeader" array	

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

2.3.82. v1.HTTPHeader

HTTPHeader describes a custom header to be used in HTTP probes

Name	Description	Required	Schema	Default
name	The header field name	true	string	
value	The header field value	true	string	

2.3.83. v1.Handler

Handler defines a specific action that should be taken

Name	Description	Required	Schema	Default
exec	One and only one of the following should be specified. Exec specifies the action to take.	false	Section 2.3.68, "v1.ExecAction"	
httpGet	HTTPGet specifies the http request to perform.	false	Section 2.3.81, "v1.HTTPGetAction"	

Name	Description	Required	Schema	Default
tcpSocket	TCP socket specifies an action involving a TCP port. TCP hooks not yet supported	false	Section 2.3.182, "v1.TCP socket Action"	

2.3.84. v1.HostPathVolumeSource

Represents a host path mapped into a pod. Host path volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
path	Path of the directory on the host. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#hostpath	true	string	

2.3.85. v1.HostSubnet

HostSubnet encapsulates the inputs needed to define the container subnet network on a node

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
host	Host is the name of the host that is registered at the master. May just be an IP address, resolvable hostname or a complete DNS. A lease will be sought after this name.	true	string	
hostIP	HostIP is the IP address to be used as vtep by other hosts in the overlay network	true	string	
subnet	Subnet is the actual subnet CIDR lease assigned to the host	true	string	

2.3.86. v1.HostSubnetList

HostSubnetList is a collection of HostSubnets

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is the list of host subnets	true	Section 2.3.85, "v1.HostSubnet" array	

2.3.87. v1.ISCSIVolumeSource

Represents an iSCSI disk. iSCSI volumes can only be mounted as read/write once. iSCSI volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
targetPortal	iSCSI target portal. The portal is either an IP or ip_addr:port if the port is other than default (typically TCP ports 860 and 3260).	true	string	
iqn	Target iSCSI Qualified Name.	true	string	
lun	iSCSI target lun number.	true	integer (int32)	
iscsiInterface	Optional: Defaults to 'default' (tcp). iSCSI interface name that uses an iSCSI transport.	false	string	

Name	Description	Required	Schema	Default
fsType	<p>Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system.</p> <p>Examples: "ext4", "xfs", "ntfs".</p> <p>Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#iscsi</p>	false	string	
readOnly	<p>ReadOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false.</p>	false	boolean	

2.3.88. v1.Identity

Identity records a successful authentication of a user with an identity provider

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
providerName	ProviderName is the source of identity information	true	string	
providerUserName	ProviderUserName uniquely represents this identity in the scope of the provider	true	string	
user	User is a reference to the user this identity is associated with Both Name and UID must be set	true	Section 2.3.135, "v1.ObjectReference"	
extra	Extra holds extra information about this identity	false	Section 2.3.200, "any"	

2.3.89. v1.IdentityList

IdentityList is a collection of Identities

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is the list of identities	true	Section 2.3.88 , "v1.Identity" array	

2.3.90. v1.Image

Image is an immutable representation of a Docker image and metadata at a point in time.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
dockerImageReference	DockerImageReference is the string that can be used to pull this image.	false	string	
dockerImageMetadata	DockerImageMetadata contains metadata about this image	false	string	
dockerImageMetadataVersion	DockerImageMetadataVersion conveys the version of the object, which if empty defaults to "1.0"	false	string	

Name	Description	Required	Schema	Default
dockerImageManifest	DockerImageManifest is the raw JSON of the manifest	false	string	
dockerImageLayers	DockerImageLayers represents the layers in the image. May not be set if the image does not define that data.	true	Section 2.3.94, "v1.ImageLayer" array	

2.3.91. v1.ImageChangeTrigger

ImageChangeTrigger allows builds to be triggered when an ImageStream changes

Name	Description	Required	Schema	Default
lastTriggeredImageID	LastTriggeredImageID is used internally by the ImageChangeController to save last used image ID for build	false	string	
from	From is a reference to an ImageStreamTag that will trigger a build when updated It is optional. If no From is specified, the From image from the build strategy will be used. Only one ImageChangeTrigger with an empty From reference is allowed in a build configuration.	false	Section 2.3.135, "v1.ObjectReference"	

2.3.92. v1.ImageImportSpec

ImageImportSpec describes a request to import a specific image.

Name	Description	Required	Schema	Default
from	From is the source of an image to import; only kind DockerImage is allowed	true	Section 2.3.135, "v1.ObjectReference"	
to	To is a tag in the current image stream to assign the imported image to, if name is not specified the default tag from from.name will be used	false	Section 2.3.112, "v1.LocalObjectReference"	
importPolicy	ImportPolicy is the policy controlling how the image is imported	false	Section 2.3.187, "v1.TagImportPolicy"	
includeManifest	IncludeManifest determines if the manifest for each image is returned in the response	false	boolean	

2.3.93. v1.ImageImportStatus

ImageImportStatus describes the result of an image import.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
status	Status is the status of the image import, including errors encountered while retrieving the image	true	Section 2.3.7, "unversioned.Status"	
image	Image is the metadata of that image, if the image was located	false	Section 2.3.90, "v1.Image"	
tag	Tag is the tag this image was located under, if any	false	string	

2.3.94. v1.ImageLayer

ImageLayer represents a single layer of the image. Some images may have multiple layers. Some may have none.

Name	Description	Required	Schema	Default
name	Name of the layer as defined by the underlying store.	true	string	
size	Size of the layer as defined by the underlying store.	true	integer (int64)	

2.3.95. v1.ImageList

ImageList is a list of Image objects.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of images	true	Section 2.3.90 , "v1.Image" array	

2.3.96. v1.ImageSource

ImageSource is used to describe build source that will be extracted from an image. A reference of type ImageStreamTag, ImageStreamImage or DockerImage may be used. A pull secret can be specified

to pull the image from an external registry or override the default service account secret if pulling from the internal registry. A list of paths to copy from the image and their respective destination within the build directory must be specified in the paths array.

EXPERIMENTAL. This will be changing to an array of images in the near future and no migration/compatibility will be provided. Use at your own risk.

Name	Description	Required	Schema	Default
from	From is a reference to an ImageStreamTag, ImageStreamImage, or DockerImage to copy source from.	true	Section 2.3.135 , "v1.ObjectReference"	
paths	Paths is a list of source and destination paths to copy from the image.	true	Section 2.3.97 , "v1.ImageSourcePath" array	
pullSecret	PullSecret is a reference to a secret to be used to pull the image from a registry. If the image is pulled from the OpenShift Enterprise registry, this field does not need to be set.	false	Section 2.3.112 , "v1.LocalObjectReference"	

2.3.97. v1.ImageSourcePath

ImageSourcePath specifies the absolute path of a file or directory within a source image to be copied to a relative directory of the build home. If a source directory is specified, all files and directories under that directory are copied from the image.

Name	Description	Required	Schema	Default
sourcePath	SourcePath is the absolute path of the file or directory inside the image to copy to the build directory.	true	string	
destinationDir	DestinationDir is the relative directory within the build directory where files copied from the image are placed.	true	string	

2.3.98. v1.ImageStream

ImageStream stores a mapping of tags to images, metadata overrides that are applied when images are tagged in a stream, and an optional reference to a Docker image repository on a registry.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
spec	Spec describes the desired state of this stream	true	Section 2.3.105, "v1.ImageStream Spec"	
status	Status describes the current state of this stream	false	Section 2.3.106, "v1.ImageStream Status"	

2.3.99. v1.ImageStreamImage

ImageStreamImage represents an Image that is retrieved by image name from an ImageStream.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
image	Image associated with the ImageStream and image name.	true	Section 2.3.90, "v1.Image"	

2.3.100. v1.ImageStreamImport

The image stream import resource provides an easy way for a user to find and import Docker images from other Docker registries into the server. Individual images or an entire image repository may be imported, and users may choose to see the results of the import prior to tagging the resulting images into the specified image stream.

This API is intended for end-user tools that need to see the metadata of the image prior to import (for instance, to generate an application from it). Clients that know the desired image can continue to create spec.tags directly into their image streams.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
spec	Spec is a description of the images that the user wishes to import	true	Section 2.3.101, "v1.ImageStreamImportSpec"	
status	Status is the the result of importing the image	true	Section 2.3.102, "v1.ImageStreamImportStatus"	

2.3.101. v1.ImageStreamImportSpec

ImageStreamImportSpec defines what images should be imported.

Name	Description	Required	Schema	Default
import	Import indicates whether to perform an import - if so, the specified tags are set on the spec and status of the image stream defined by the type meta.	true	boolean	
repository	Repository is an optional import of an entire Docker image repository. A maximum limit on the number of tags imported this way is imposed by the server.	false	Section 2.3.154, "v1.RepositoryImportSpec"	
images	Images are a list of individual images to import.	false	Section 2.3.92, "v1.ImageImportSpec" array	

2.3.102. v1.ImageStreamImportStatus

ImageStreamImportStatus contains information about the status of an image stream import.

Name	Description	Required	Schema	Default
import	Import is the image stream that was successfully updated or created when 'to' was set.	false	Section 2.3.98 , "v1.ImageStream"	
repository	Repository is set if spec.repository was set to the outcome of the import	false	Section 2.3.155 , "v1.RepositoryImportStatus"	
images	Images is set with the result of importing spec.images	false	Section 2.3.93 , "v1.ImageImportStatus" array	

2.3.103. v1.ImageStreamList

ImageStreamList is a list of ImageStream objects.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of imageStreams	true	Section 2.3.98, "v1.ImageStream" array	

2.3.104. v1.ImageStreamMapping

ImageStreamMapping represents a mapping from a single tag to a Docker image as well as the reference to the Docker image stream the image came from.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
image	Image is a Docker image.	true	Section 2.3.90, "v1.Image"	
tag	Tag is a string value this image can be located with inside the stream.	true	string	

2.3.105. v1.ImageStreamSpec

ImageStreamSpec represents options for ImageStreams.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
dockerImageRepository	DockerImageRepository is optional, if specified this stream is backed by a Docker repository on this server	false	string	
tags	Tags map arbitrary string values to specific image locators	false	Section 2.3.188 , "v1.TagReference" array	

2.3.106. v1.ImageStreamStatus

ImageStreamStatus contains information about the state of this image stream.

Name	Description	Required	Schema	Default
dockerImageRepository	DockerImageRepository represents the effective location this stream may be accessed at. May be empty until the server determines where the repository is located	true	string	
tags	Tags are a historical record of images associated with each tag. The first entry in the TagEvent array is the currently tagged image.	false	Section 2.3.122 , "v1.NamedTagEventList" array	

2.3.107. v1.ImageStreamTag

ImageStreamTag represents an Image that is retrieved by tag name from an ImageStream.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
tag	Tag is the spec tag associated with this image stream tag, and it may be null if only pushes have occurred to this image stream.	true	Section 2.3.188, "v1.TagReference"	
generation	Generation is the current generation of the tagged image - if tag is provided and this value is not equal to the tag generation, a user has requested an import that has not completed, or Conditions will be filled out indicating any error.	true	integer (int64)	
conditions	Conditions is an array of conditions that apply to the image stream tag.	false	Section 2.3.185, "v1.TagEventCondition" array	
image	Image associated with the ImageStream and tag.	true	Section 2.3.90, "v1.Image"	

2.3.108. v1.ImageStreamTagList

ImageStreamTagList is a list of ImageStreamTag objects.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is the list of image stream tags	true	Section 2.3.107 , “v1.ImageStream Tag” array	

2.3.109. v1.KeyToPath

Maps a string key to a path within a volume.

Name	Description	Required	Schema	Default
key	The key to project.	true	string	
path	The relative path of the file to map the key to. May not be an absolute path. May not contain the path element '..'. May not start with the string '..'.	true	string	

2.3.110. v1.Lifecycle

Lifecycle describes actions that the management system should take in response to container lifecycle events. For the PostStart and PreStop lifecycle handlers, management of the container blocks until the action is complete, unless the container process fails, in which case the handler is aborted.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
postStart	<p>PostStart is called immediately after a container is created. If the handler fails, the container is terminated and restarted according to its restart policy. Other management of the container blocks until the hook completes. More info: http://releases.k8s.io/release-1.2/docs/user-guide/container-environment.md#hook-details</p>	false	Section 2.3.83, "v1.Handler"	

Name	Description	Required	Schema	Default
preStop	<p>PreStop is called immediately before a container is terminated. The container is terminated after the handler completes. The reason for termination is passed to the handler. Regardless of the outcome of the handler, the container is eventually terminated. Other management of the container blocks until the hook completes. More info: http://releases.k8s.io/release-1.2/docs/user-guide/container-environment.md#hook-details</p>	false	Section 2.3.83, "v1.Handler"	

2.3.111. v1.LifecycleHook

LifecycleHook defines a specific deployment lifecycle action. Only one type of action may be specified at any time.

Name	Description	Required	Schema	Default
failurePolicy	FailurePolicy specifies what action to take if the hook fails.	true	string	

Name	Description	Required	Schema	Default
execNewPod	ExecNewPod specifies the options for a lifecycle hook backed by a pod.	false	Section 2.3.69, "v1.ExecNewPod Hook"	
tagImages	TagImages instructs the deployer to tag the current image referenced under a container onto an image stream tag.	false	Section 2.3.186, "v1.TagImageHook" array	

2.3.112. v1.LocalObjectReference

LocalObjectReference contains enough information to let you locate the referenced object inside the same namespace.

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	

2.3.113. v1.LocalResourceAccessReview

Local Resource Access Reviews are objects that allow you to determine which users and groups can perform a given action in a given namespace.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
namespace	Namespace is the namespace of the action being requested. Currently, there is no distinction between no namespace and all namespaces	true	string	
verb	Verb is one of: get, list, watch, create, update, delete	true	string	
resourceAPIGroup	Group is the API group of the resource Serialized as resourceAPIGroup to avoid confusion with the 'groups' field when inlined	true	string	
resourceAPIVersion	Version is the API version of the resource Serialized as resourceAPIVersion to avoid confusion with TypeMeta.apiVersion and ObjectMeta.resourceVersion when inlined	true	string	
resource	Resource is one of the existing resource types	true	string	

Name	Description	Required	Schema	Default
resourceName	ResourceName is the name of the resource being requested for a "get" or deleted for a "delete"	true	string	
content	Content is the actual content of the request for create and update	false	string	

2.3.114. v1.LocalSubjectAccessReview

Local Subject Access Reviews are objects that allow you to determine whether a given user or group can perform a particular action in a given namespace. Leaving **user** and **groups** empty allows you determine whether the identity making the request can perform the action.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
namespace	Namespace is the namespace of the action being requested. Currently, there is no distinction between no namespace and all namespaces	true	string	
verb	Verb is one of: get, list, watch, create, update, delete	true	string	
resourceAPIGroup	Group is the API group of the resource Serialized as resourceAPIGroup to avoid confusion with the 'groups' field when inlined	true	string	

Name	Description	Required	Schema	Default
resourceAPIVersion	Version is the API version of the resource Serialized as resourceAPIVersion to avoid confusion with TypeMeta.apiVersion and ObjectMeta.resourceVersion when inlined	true	string	
resource	Resource is one of the existing resource types	true	string	
resourceName	ResourceName is the name of the resource being requested for a "get" or deleted for a "delete"	true	string	
content	Content is the actual content of the request for create and update	false	string	
user	User is optional. If both User and Groups are empty, the current authenticated user is used.	true	string	
groups	Groups is optional. Groups is the list of groups to which the User belongs.	true	string array	

2.3.115. v1.MetadataFile

MetadataFile expresses information about a file holding pod metadata. NOTE: Deprecated in favor of DownwardAPIVolumeFile

Name	Description	Required	Schema	Default
name	Name of the file to be created	true	string	
fieldRef	Selects a field of the pod. Supported fields: metadata.annotations, metadata.labels, metadata.name, metadata.namespace	true	Section 2.3.133, "v1.ObjectFieldSelector"	

2.3.116. v1.MetadataVolumeSource

MetadataVolumeSource represents a volume containing metadata about a pod. NOTE: Deprecated in favor of DownwardAPIVolumeSource

Name	Description	Required	Schema	Default
items	Items is a list of metadata file name	false	Section 2.3.115, "v1.MetadataFile" array	

2.3.117. v1.NFSVolumeSource

Represents an NFS mount that lasts the lifetime of a pod. NFS volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
server	Server is the hostname or IP address of the NFS server. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#nfs	true	string	
path	Path that is exported by the NFS server. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#nfs	true	string	
readOnly	ReadOnly here will force the NFS export to be mounted with read-only permissions. Defaults to false. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#nfs	false	boolean	

2.3.118. v1.NamedClusterRole

NamedClusterRole relates a name with a cluster role

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	Name is the name of the cluster role	true	string	
role	Role is the cluster role being named	true	Section 2.3.38, "v1.ClusterRole"	

2.3.119. v1.NamedClusterRoleBinding

NamedClusterRoleBinding relates a name with a cluster role binding

Name	Description	Required	Schema	Default
name	Name is the name of the cluster role binding	true	string	
roleBinding	RoleBinding is the cluster role binding being named	true	Section 2.3.39, "v1.ClusterRoleBinding"	

2.3.120. v1.NamedRole

NamedRole relates a Role with a name

Name	Description	Required	Schema	Default
name	Name is the name of the role	true	string	
role	Role is the role being named	true	Section 2.3.158, "v1.Role"	

2.3.121. v1.NamedRoleBinding

NamedRoleBinding relates a role binding with a name

Name	Description	Required	Schema	Default
name	Name is the name of the role binding	true	string	
roleBinding	RoleBinding is the role binding being named	true	Section 2.3.159 , "v1.RoleBinding"	

2.3.122. v1.NamedTagEventList

NamedTagEventList relates a tag to its image history.

Name	Description	Required	Schema	Default
tag	Tag is the tag for which the history is recorded	true	string	
items	Standard object's metadata.	true	Section 2.3.184 , "v1.TagEvent" array	
conditions	Conditions is an array of conditions that apply to the tag event list.	false	Section 2.3.185 , "v1.TagEventCon dition" array	

2.3.123. v1.NetNamespace

NetNamespace represents a segregated network namespace for an entire cluster. When a group of pods, or a project, or a group of projects get a NetNamespace assigned then the openshift-sdn's multitenant plug-in ensures network layer isolation of traffic from other NetNamespaces.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
netname	NetName is the name of the network namespace	true	string	
netid	NetID is the network identifier of the network namespace assigned to each overlay network packet	true	integer	

2.3.124. v1.NetNamespaceList

NetNamespaceList represents a list of NetNamespace objects. NetNamespace captures information about a segregated network namespace for an entire cluster. When a group of pods, or a project, or a group of projects get a NetNamespace assigned then the openshift-sdn's multitenant plug-in ensures network layer isolation of traffic from other NetNamespaces.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of net namespaces	true	Section 2.3.123, "v1.NetNamespace" array	

2.3.125. v1.OAuthAccessToken

OAuthAccessToken describes an OAuth access token

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
clientName	ClientName references the client that created this token.	false	string	
expiresIn	ExpiresIn is the seconds from CreationTime before this token expires.	false	integer (int64)	
scopes	Scopes is an array of the requested scopes.	false	string array	
redirectURI	RedirectURI is the redirection associated with the token.	false	string	
userName	UserName is the user name associated with this token	false	string	
userID	UserUID is the unique UID associated with this token	false	string	
authorizeToken	AuthorizeToken contains the token that authorized this token	false	string	
refreshToken	RefreshToken is the value by which this token can be renewed. Can be blank.	false	string	

2.3.126. v1.OAuthAccessTokenList

OAuthAccessTokenList is a collection of OAuth access tokens

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of OAuth access tokens	true	Section 2.3.125, "v1.OAuthAccess Token" array	

2.3.127. v1.OAuthAuthorizeToken

OAuthAuthorizeToken describes an OAuth authorization token

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
clientName	ClientName references the client that created this token.	false	string	
expiresIn	ExpiresIn is the seconds from CreationTime before this token expires.	false	integer (int64)	
scopes	Scopes is an array of the requested scopes.	false	string array	
redirectURI	RedirectURI is the redirection associated with the token.	false	string	

Name	Description	Required	Schema	Default
state	State data from request	false	string	
userName	UserName is the user name associated with this token	false	string	
userID	UserUID is the unique UID associated with this token. UserUID and UserName must both match for this token to be valid.	false	string	

2.3.128. v1.OAuthAuthorizeTokenList

OAuthAuthorizeTokenList is a collection of OAuth authorization tokens

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of OAuth authorization tokens	true	Section 2.3.127, "v1.OAuthAuthorizeToken" array	

2.3.129. v1.OAuthClient

OAuthClient describes an OAuth client

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
secret	Secret is the unique secret associated with a client	false	string	
respondWithChallenges	RespondWithChallenges indicates whether the client wants authentication needed responses made in the form of challenges instead of redirects	false	boolean	
redirectURIs	RedirectURIs is the valid redirection URIs associated with a client	false	string array	

2.3.130. v1.OAuthClientAuthorization

OAuthClientAuthorization describes an authorization created by an OAuth client

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
clientName	ClientName references the client that created this authorization	false	string	
userName	UserName is the user name that authorized this client	false	string	
userID	UserUID is the unique UID associated with this authorization. UserUID and UserName must both match for this authorization to be valid.	false	string	
scopes	Scopes is an array of the granted scopes.	false	string array	

2.3.131. v1.OAuthClientAuthorizationList

OAuthClientAuthorizationList is a collection of OAuth client authorizations

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is the list of OAuth client authorizations	true	Section 2.3.130, "v1.OAuthClientA uthorization" array	

2.3.132. v1.OAuthClientList

OAuthClientList is a collection of OAuth clients

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of OAuth clients	true	Section 2.3.129, "v1.OAuthClient" array	

2.3.133. v1.ObjectFieldSelector

ObjectFieldSelector selects an APIVersioned field of an object.

Name	Description	Required	Schema	Default
apiVersion	Version of the schema the FieldPath is written in terms of, defaults to "v1".	false	string	

Name	Description	Required	Schema	Default
fieldPath	Path of the field to select in the specified API version.	true	string	

2.3.134. v1.ObjectMeta

ObjectMeta is metadata that all persisted resources must have, which includes all objects users must create.

Name	Description	Required	Schema	Default
name	Name must be unique within a namespace. Is required when creating resources, although some resources may allow a client to request the generation of an appropriate name automatically. Name is primarily intended for creation idempotence and configuration definition. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
generateName	GenerateName is an optional prefix, used by the server, to generate a unique name ONLY IF the Name field has not been	false	string	

Name	Description	Required	Schema	Default
	<p>provided. If this field is used, the name returned to the client will be different than the name passed. This value will also be combined with a unique suffix. The provided value has the same validation rules as the Name field, and may be truncated by the length of the suffix required to make the value unique on the server.</p> <p>If this field is specified and the generated name exists, the server will NOT return a 409 - instead, it will either return 201 Created or 500 with Reason ServerTimeout indicating a unique name could not be found in the time allotted, and the client should retry (optionally after the time indicated in the Retry-After header).</p> <p>Applied only if Name is not specified. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#dempotency</p>			

Name	Description	Required	Schema	Default
namespace	<p>Namespace defines the space within each name must be unique. An empty namespace is equivalent to the "default" namespace, but "default" is the canonical representation. Not all objects are required to be scoped to a namespace - the value of this field for those objects will be empty.</p> <p>Must be a DNS_LABEL. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/namespaces.md</p>	false	string	
selfLink	<p>SelfLink is a URL representing this object. Populated by the system. Read-only.</p>	false	string	

Name	Description	Required	Schema	Default
uid	<p>UID is the unique in time and space value for this object. It is typically generated by the server on successful creation of a resource and is not allowed to change on PUT operations.</p> <p>Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#uids</p>	false	string	

Name	Description	Required	Schema	Default
resourceVersion	<p>An opaque value that represents the internal version of this object that can be used by clients to determine when objects have changed. May be used for optimistic concurrency, change detection, and the watch operation on a resource or set of resources. Clients must treat these values as opaque and passed unmodified back to the server. They may only be valid for a particular resource or set of resources.</p> <p>Populated by the system. Read-only. Value must be treated as opaque by clients and . More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#concurrency-control-and-consistency</p>	false	string	

Name	Description	Required	Schema	Default
generation	A sequence number representing a specific generation of the desired state. Populated by the system. Read-only.	false	integer (int64)	
creationTimestamp	<p>CreationTimestamp is a timestamp representing the server time when this object was created. It is not guaranteed to be set in happens-before order across separate operations. Clients may not set this value. It is represented in RFC3339 form and is in UTC.</p> <p>Populated by the system. Read-only. Null for lists. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata</p>	false	string	
deletionTimestamp	DeletionTimestamp is RFC 3339 date and time at which this resource will be deleted. This field is set by the server when a	false	string	

Name	Description	Required	Schema	Default
	<p>graceful deletion is requested by the user, and is not directly settable by a client. The resource will be deleted (no longer visible from resource lists, and not reachable by name) after the time in this field. Once set, this value may not be unset or be set further into the future, although it may be shortened or the resource may be deleted prior to this time. For example, a user may request that a pod is deleted in 30 seconds. The Kubelet will react by sending a graceful termination signal to the containers in the pod. Once the resource is deleted in the API, the Kubelet will send a hard termination signal to the container. If not set, graceful deletion of the object has not been requested.</p> <p>Populated by the system when a graceful deletion is requested.</p> <p>Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata</p>			

Name	Description	Required	Schema	Default
deletionGracePeriodSeconds	Number of seconds allowed for this object to gracefully terminate before it will be removed from the system. Only set when deletionTimestamp is also set. May only be shortened. Read-only.	false	integer (int64)	
labels	Map of string keys and values that can be used to organize and categorize (scope and select) objects. May match selectors of replication controllers and services. More info: http://releases.k8s.io/release-1.2/docs/user-guide/labels.md	false	Section 2.3.200 , "any"	
annotations	Annotations is an unstructured key value map stored with a resource that may be set by external tools to store and retrieve arbitrary metadata. They are not queryable and should be preserved when modifying objects. More info: http://releases.k8s.io/release-1.2/docs/user-guide/annotations.md	false	Section 2.3.200 , "any"	

2.3.135. v1.ObjectReference

ObjectReference contains enough information to let you inspect or modify the referred object.

Name	Description	Required	Schema	Default
kind	Kind of the referent. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
namespace	Namespace of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/namespaces.md	false	string	
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
uid	UID of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#uids	false	string	
apiVersion	API version of the referent.	false	string	

Name	Description	Required	Schema	Default
resourceVersion	Specific resourceVersion to which this reference is made, if any. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#concurrency-control-and-consistency	false	string	

Name	Description	Required	Schema	Default
fieldPath	<p>If referring to a piece of an object instead of an entire object, this string should contain a valid JSON/Go field access statement, such as <code>desiredState.manifest.containers[2]</code>. For example, if the object reference is to a container within a pod, this would take on a value like:</p> <p><code>"spec.containers{name}"</code> (where "name" refers to the name of the container that triggered the event) or if no container name is specified <code>"spec.containers[2]"</code> (container with index 2 in this pod). This syntax is chosen only to have some well-defined way of referencing a part of an object.</p>	false	string	

2.3.136. v1.Parameter

Parameter defines a name/value variable that is to be processed during the Template to Config transformation.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	Name must be set and it can be referenced in Template Items using <code>\${PARAMETER_NAME}</code> . Required.	true	string	
displayName	Optional: The name that will show in UI instead of parameter 'Name'	false	string	
description	Description of a parameter. Optional.	false	string	
value	Value holds the Parameter data. If specified, the generator will be ignored. The value replaces all occurrences of the Parameter <code>\${Name}</code> expression during the Template to Config transformation. Optional.	false	string	

Name	Description	Required	Schema	Default
generate	Generate specifies the generator to be used to generate random string from an input value specified by From field. The result string is stored into Value field. If empty, no generator is being used, leaving the result Value untouched. Optional.	false	string	
from	From is an input value for the generator. Optional.	false	string	
required	Optional: Indicates the parameter must have a value. Defaults to false.	false	boolean	

2.3.137. v1.PersistentVolumeClaimVolumeSource

PersistentVolumeClaimVolumeSource references the user's PVC in the same namespace. This volume finds the bound PV and mounts that volume for the pod. A PersistentVolumeClaimVolumeSource is, essentially, a wrapper around another type of volume that is owned by someone else (the system).

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
claimName	ClaimName is the name of a PersistentVolume Claim in the same namespace as the pod using this volume. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	true	string	
readOnly	Will force the ReadOnly setting in VolumeMounts. Default false.	false	boolean	

2.3.138. v1.PodSecurityContext

PodSecurityContext holds pod-level security attributes and common container settings. Some fields are also present in container.securityContext. Field values of container.securityContext take precedence over field values of PodSecurityContext.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
seLinuxOptions	The SELinux context to be applied to all containers. If unspecified, the container runtime will allocate a random SELinux context for each container. May also be set in SecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence for that container.	false	Section 2.3.170, "v1.SELinuxOptions"	
runAsUser	The UID to run the entrypoint of the container process. Defaults to user specified in image metadata if unspecified. May also be set in SecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence for that container.	false	integer (int64)	

Name	Description	Required	Schema	Default
runAsNonRoot	Indicates that the container must run as a non-root user. If true, the Kubelet will validate the image at runtime to ensure that it does not run as UID 0 (root) and fail to start the container if it does. If unset or false, no such validation will be performed. May also be set in SecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	boolean	
supplementalGroups	A list of groups applied to the first process run in each container, in addition to the container's primary GID. If unspecified, no groups will be added to any container.	false	Section 2.3.1 , "integer" array	

Name	Description	Required	Schema	Default
fsGroup	<p>A special supplemental group that applies to all containers in a pod. Some volume types allow the Kubelet to change the ownership of that volume to be owned by the pod:</p> <ol style="list-style-type: none"> 1. The owning GID will be the FSGroup 2. The setgid bit is set (new files created in the volume will be owned by FSGroup) 3. The permission bits are OR'd with rw-rw 	false	integer (int64)	

2.3.139. v1.PodSpec

PodSpec is a description of a pod.

Name	Description	Required	Schema	Default
volumes	<p>List of volumes that can be mounted by containers belonging to the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md</p>	false	Section 2.3.194 , "v1.Volume" array	

Name	Description	Required	Schema	Default
containers	List of containers belonging to the pod. Containers cannot currently be added or removed. There must be at least one container in a Pod. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/containers.md	true	Section 2.3.44, "v1.Container" array	
restartPolicy	Restart policy for all containers within the pod. One of Always, OnFailure, Never. Default to Always. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#restart-policy	false	string	

Name	Description	Required	Schema	Default
terminationGracePeriodSeconds	<p>Optional duration in seconds the pod needs to terminate gracefully. May be decreased in delete request. Value must be non-negative integer. The value zero indicates delete immediately. If this value is nil, the default grace period will be used instead. The grace period is the duration in seconds after the processes running in the pod are sent a termination signal and the time when the processes are forcibly halted with a kill signal. Set this value longer than the expected cleanup time for your process. Defaults to 30 seconds.</p>	false	integer (int64)	
activeDeadlineSeconds	<p>Optional duration in seconds the pod may be active on the node relative to StartTime before the system will actively try to mark it failed and kill associated containers. Value must be a positive integer.</p>	false	integer (int64)	

Name	Description	Required	Schema	Default
dnsPolicy	Set DNS policy for containers within the pod. One of 'ClusterFirst' or 'Default'. Defaults to "ClusterFirst".	false	string	
nodeSelector	NodeSelector is a selector which must be true for the pod to fit on a node. Selector which must match a node's labels for the pod to be scheduled on that node. More info: http://releases.k8s.io/release-1.2/docs/user-guide/node-selection/README.md	false	Section 2.3.200 , "any"	
host	A request to schedule this pod onto a specific node. Deprecated: Use nodeName instead.	false	string	
serviceAccountName	ServiceAccountName is the name of the ServiceAccount to use to run this pod. More info: http://releases.k8s.io/release-1.2/docs/design/service_accounts.md	false	string	

Name	Description	Required	Schema	Default
serviceAccount	DeprecatedServiceAccount is a deprecated alias for ServiceAccountName. Deprecated: Use serviceAccountName instead.	false	string	
nodeName	nodeName is a request to schedule this pod onto a specific node. If it is non-empty, the scheduler simply schedules this pod onto that node, assuming that it fits resource requirements.	false	string	
hostNetwork	Host networking requested for this pod. Use the host's network namespace. If this option is set, the ports that will be used must be specified. Default to false.	false	boolean	
hostPID	Use the host's pid namespace. Optional: Default to false.	false	boolean	
hostIPC	Use the host's ipc namespace. Optional: Default to false.	false	boolean	

Name	Description	Required	Schema	Default
securityContext	SecurityContext holds pod-level security attributes and common container settings. Optional: Defaults to empty. See type description for default values of each field.	false	Section 2.3.138, "v1.PodSecurityContext"	
imagePullSecrets	ImagePullSecrets is an optional list of references to secrets in the same namespace to use for pulling any of the images used by this PodSpec. If specified, these secrets will be passed to individual puller implementations for them to use. For example, in the case of docker, only DockerConfig type secrets are honored. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md#specifying-imagepullsecrets-on-a-pod	false	Section 2.3.112, "v1.LocalObjectReference" array	

2.3.140. v1.PodTemplateSpec

PodTemplateSpec describes the data a pod should have when created from a template

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Specification of the desired behavior of the pod. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 2.3.139, "v1.PodSpec"	

2.3.141. v1.Policy

Policy is a object that holds all the Roles for a particular namespace. There is at most one Policy document per namespace.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
lastModified	LastModified is the last time that any part of the Policy was created, updated, or deleted	true	string	
roles	Roles holds all the Roles held by this Policy, mapped by Role.Name	true	Section 2.3.120 , "v1.NamedRole" array	

2.3.142. v1.PolicyBinding

PolicyBinding is a object that holds all the RoleBindings for a particular namespace. There is one PolicyBinding document per referenced Policy namespace

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
lastModified	LastModified is the last time that any part of the PolicyBinding was created, updated, or deleted	true	string	
policyRef	PolicyRef is a reference to the Policy that contains all the Roles that this PolicyBinding's RoleBindings may reference	true	Section 2.3.135, "v1.ObjectReference"	

Name	Description	Required	Schema	Default
roleBindings	RoleBindings holds all the RoleBindings held by this PolicyBinding, mapped by RoleBinding.Name	true	Section 2.3.121, "v1.NamedRoleBinding" array	

2.3.143. v1.PolicyBindingList

PolicyBindingList is a collection of PolicyBindings

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of PolicyBindings	true	Section 2.3.142, "v1.PolicyBinding" array	

2.3.144. v1.PolicyList

PolicyList is a collection of Policies

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of Policies	true	Section 2.3.141 , "v1.Policy" array	

2.3.145. v1.PolicyRule

PolicyRule holds information that describes a policy rule, but does not contain information about who the rule applies to or which namespace the rule applies to.

Name	Description	Required	Schema	Default
verbs	Verbs is a list of Verbs that apply to ALL the ResourceKinds and AttributeRestrictions contained in this rule. VerbAll represents all kinds.	true	string array	
attributeRestrictions	AttributeRestrictions will vary depending on what the Authorizer/AuthorizationAttributeBuilder pair supports. If the Authorizer does not recognize how to handle the AttributeRestrictions, the Authorizer should report an error.	false	string	

Name	Description	Required	Schema	Default
apiGroups	<p>APIGroups is the name of the APIGroup that contains the resources. If this field is empty, then both kubernetes and origin API groups are assumed. That means that if an action is requested against one of the enumerated resources in either the kubernetes or the origin API group, the request will be allowed</p>	true	string array	
resources	<p>Resources is a list of resources this rule applies to. ResourceAll represents all resources.</p>	true	string array	
resourceNames	<p>ResourceNames is an optional white list of names that the rule applies to. An empty set means that everything is allowed.</p>	false	string array	

Name	Description	Required	Schema	Default
nonResourceURLs	NonResourceURLsSlice is a set of partial urls that a user should have access to. *s are allowed, but only as the full, final step in the path This name is intentionally different than the internal type so that the DefaultConvert works nicely and because the ordering may be different.	false	string array	

2.3.146. v1.Probe

Probe describes a health check to be performed against a container to determine whether it is alive or ready to receive traffic.

Name	Description	Required	Schema	Default
exec	One and only one of the following should be specified. Exec specifies the action to take.	false	Section 2.3.68, "v1.ExecAction"	
httpGet	HTTPGet specifies the http request to perform.	false	Section 2.3.81, "v1.HTTPGetAction"	
tcpSocket	TCPsocket specifies an action involving a TCP port. TCP hooks not yet supported	false	Section 2.3.182, "v1.TCPsocketAction"	

Name	Description	Required	Schema	Default
initialDelaySeconds	Number of seconds after the container has started before liveness probes are initiated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes	false	integer (int32)	
timeoutSeconds	Number of seconds after which the probe times out. Defaults to 1 second. Minimum value is 1. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes	false	integer (int32)	
periodSeconds	How often (in seconds) to perform the probe. Default to 10 seconds. Minimum value is 1.	false	integer (int32)	

Name	Description	Required	Schema	Default
successThreshold	Minimum consecutive successes for the probe to be considered successful after having failed. Defaults to 1. Must be 1 for liveness. Minimum value is 1.	false	integer (int32)	
failureThreshold	Minimum consecutive failures for the probe to be considered failed after having succeeded. Defaults to 3. Minimum value is 1.	false	integer (int32)	

2.3.147. v1.Project

Projects are the unit of isolation and collaboration in OpenShift Enterprise. A project has one or more members, a quota on the resources that the project may consume, and the security controls on the resources in the project. Within a project, members may have different roles - project administrators can set membership, editors can create and manage the resources, and viewers can see but not access running containers. In a normal cluster project administrators are not able to alter their quotas - that is restricted to cluster administrators.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
spec	Spec defines the behavior of the Namespace.	false	Section 2.3.150, "v1.ProjectSpec"	
status	Status describes the current status of a Namespace	false	Section 2.3.151, "v1.ProjectStatus"	

2.3.148. v1.ProjectList

ProjectList is a list of Project objects.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of projects	true	Section 2.3.147, "v1.Project" array	

2.3.149. v1.ProjectRequest

ProjecRequest is the set of options necessary to fully qualify a project request

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	true	string	
metadata	Standard object's metadata.	subfield name	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
displayName	DisplayName is the display name to apply to a project	false	string	
description	Description is the description to apply to a project	false	string	

2.3.150. v1.ProjectSpec

ProjectSpec describes the attributes on a Project

Name	Description	Required	Schema	Default
finalizers	Finalizers is an opaque list of values that must be empty to permanently remove object from storage	false	Section 2.3.71, "v1.FinalizerName" array	

2.3.151. v1.ProjectStatus

ProjectStatus is information about the current status of a Project

Name	Description	Required	Schema	Default
phase	Phase is the current lifecycle phase of the project	false	string	

2.3.152. v1.RBDVolumeSource

Represents a Ceph Rados Block Device mount that lasts the lifetime of a pod. Ceph RBD volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
monitors	A collection of Ceph monitors. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string array	
image	The rados image name. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string	
fsType	Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#rbd	false	string	
pool	The rados pool name. Default is rbd. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it .	true	string	

Name	Description	Required	Schema	Default
user	The rados user name. Default is admin. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string	
keyring	Keyring is the path to key ring for RBDUser. Default is /etc/ceph/keyring. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string	
secretRef	SecretRef is name of the authentication secret for RBDUser. If provided overrides keyring. Default is empty. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	Section 2.3.112, "v1.LocalObjectReference"	

Name	Description	Required	Schema	Default
readOnly	ReadOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	false	boolean	

2.3.153. v1.RecreateDeploymentStrategyParams

RecreateDeploymentStrategyParams are the input to the Recreate deployment strategy.

Name	Description	Required	Schema	Default
timeoutSeconds	TimeoutSeconds is the time to wait for updates before giving up. If the value is nil, a default will be used.	false	integer (int64)	
pre	Pre is a lifecycle hook which is executed before the strategy manipulates the deployment. All LifecycleHookFailurePolicy values are supported.	false	Section 2.3.111, "v1.LifecycleHook"	

Name	Description	Required	Schema	Default
mid	Mid is a lifecycle hook which is executed while the deployment is scaled down to zero before the first new pod is created. All LifecycleHookFailurePolicy values are supported.	false	Section 2.3.111, "v1.LifecycleHook"	
post	Post is a lifecycle hook which is executed after the strategy has finished all deployment logic. All LifecycleHookFailurePolicy values are supported.	false	Section 2.3.111, "v1.LifecycleHook"	

2.3.154. v1.RepositoryImportSpec

RepositoryImportSpec describes a request to import images from a Docker image repository.

Name	Description	Required	Schema	Default
from	From is the source for the image repository to import; only kind DockerImage and a name of a Docker image repository is allowed	true	Section 2.3.135, "v1.ObjectReference"	

Name	Description	Required	Schema	Default
importPolicy	ImportPolicy is the policy controlling how the image is imported	false	Section 2.3.187, "v1.TagImportPolicy"	
includeManifest	IncludeManifest determines if the manifest for each image is returned in the response	false	boolean	

2.3.155. v1.RepositoryImportStatus

RepositoryImportStatus describes the result of an image repository import

Name	Description	Required	Schema	Default
status	Status reflects whether any failure occurred during import	false	Section 2.3.7, "unversioned.Status"	
images	Images is a list of images successfully retrieved by the import of the repository.	false	Section 2.3.93, "v1.ImageImportStatus" array	
additionalTags	AdditionalTags are tags that exist in the repository but were not imported because a maximum limit of automatic imports was applied.	false	string array	

2.3.156. v1.ResourceAccessReview

ResourceAccessReview is a means to request a list of which users and groups are authorized to perform the action specified by spec

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
namespace	Namespace is the namespace of the action being requested. Currently, there is no distinction between no namespace and all namespaces	true	string	
verb	Verb is one of: get, list, watch, create, update, delete	true	string	
resourceAPIGroup	Group is the API group of the resource Serialized as resourceAPIGroup to avoid confusion with the 'groups' field when inlined	true	string	
resourceAPIVersion	Version is the API version of the resource Serialized as resourceAPIVersion to avoid confusion with TypeMeta.apiVersion and ObjectMeta.resourceVersion when inlined	true	string	
resource	Resource is one of the existing resource types	true	string	

Name	Description	Required	Schema	Default
resourceName	ResourceName is the name of the resource being requested for a "get" or deleted for a "delete"	true	string	
content	Content is the actual content of the request for create and update	false	string	

2.3.157. v1.ResourceRequirements

ResourceRequirements describes the compute resource requirements.

Name	Description	Required	Schema	Default
limits	Limits describes the maximum amount of compute resources allowed. More info: http://releases.k8s.io/release-1.2/docs/design/resources.md#resource-specifications	false	Section 2.3.200 , "any"	

Name	Description	Required	Schema	Default
requests	Requests describes the minimum amount of compute resources required. If Requests is omitted for a container, it defaults to Limits if that is explicitly specified, otherwise to an implementation-defined value. More info: http://releases.k8s.io/release-1.2/docs/design/resources.md#resource-specifications	false	Section 2.3.200 , "any"	

2.3.158. v1.Role

Role is a logical grouping of PolicyRules that can be referenced as a unit by RoleBindings.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
rules	Rules holds all the PolicyRules for this Role	true	Section 2.3.145, "v1.PolicyRule" array	

2.3.159. v1.RoleBinding

RoleBinding references a Role, but not contain it. It can reference any Role in the same namespace or in the global namespace. It adds who information via Users and Groups and namespace information by which namespace it exists in. RoleBindings in a given namespace only have effect in that namespace (excepting the master namespace which has power in all namespaces).

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
userNames	UserNames holds all the usernames directly bound to the role	true	string array	
groupNames	GroupNames holds all the groups directly bound to the role	true	string array	
subjects	Subjects hold object references to authorize with this rule	true	Section 2.3.135, "v1.ObjectReference" array	

Name	Description	Required	Schema	Default
roleRef	RoleRef can only reference the current namespace and the global namespace. If the RoleRef cannot be resolved, the Authorizer must return an error. Since Policy is a singleton, this is sufficient knowledge to locate a role.	true	Section 2.3.135, "v1.ObjectReference"	

2.3.160. v1.RoleBindingList

RoleBindingList is a collection of RoleBindings

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of RoleBindings	true	Section 2.3.159, "v1.RoleBinding" array	

2.3.161. v1.RoleList

RoleList is a collection of Roles

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of Roles	true	Section 2.3.158 , "v1.Role" array	

2.3.162. v1.RollingDeploymentStrategyParams

RollingDeploymentStrategyParams are the input to the Rolling deployment strategy.

Name	Description	Required	Schema	Default
updatePeriodSeconds	UpdatePeriodSeconds is the time to wait between individual pod updates. If the value is nil, a default will be used.	false	integer (int64)	
intervalSeconds	IntervalSeconds is the time to wait between polling deployment status after update. If the value is nil, a default will be used.	false	integer (int64)	
timeoutSeconds	TimeoutSeconds is the time to wait for updates before giving up. If the value is nil, a default will be used.	false	integer (int64)	

Name	Description	Required	Schema	Default
maxUnavailable	<p>MaxUnavailable is the maximum number of pods that can be unavailable during the update. Value can be an absolute number (ex: 5) or a percentage of total pods at the start of update (ex: 10%). Absolute number is calculated from percentage by rounding up.</p> <p>This cannot be 0 if MaxSurge is 0. By default, 25% is used.</p> <p>Example: when this is set to 30%, the old RC can be scaled down by 30% immediately when the rolling update starts. Once new pods are ready, old RC can be scaled down further, followed by scaling up the new RC, ensuring that at least 70% of original number of pods are available at all times during the update.</p>	false	string	

Name	Description	Required	Schema	Default
maxSurge	<p>MaxSurge is the maximum number of pods that can be scheduled above the original number of pods. Value can be an absolute number (ex: 5) or a percentage of total pods at the start of the update (ex: 10%). Absolute number is calculated from percentage by rounding up.</p> <p>This cannot be 0 if MaxUnavailable is 0. By default, 25% is used.</p> <p>Example: when this is set to 30%, the new RC can be scaled up by 30% immediately when the rolling update starts. Once old pods have been killed, new RC can be scaled up further, ensuring that total number of pods running at any time during the update is atmost 130% of original pods.</p>	false	string	

Name	Description	Required	Schema	Default
updatePercent	UpdatePercent is the percentage of replicas to scale up or down each interval. If nil, one replica will be scaled up and down each interval. If negative, the scale order will be down/up instead of up/down. DEPRECATED: Use MaxUnavailable/MaxSurge instead.	false	integer (int32)	
pre	Pre is a lifecycle hook which is executed before the deployment process begins. All LifecycleHookFailurePolicy values are supported.	false	Section 2.3.111, "v1.LifecycleHook"	
post	Post is a lifecycle hook which is executed after the strategy has finished all deployment logic. The LifecycleHookFailurePolicyAbort policy is NOT supported.	false	Section 2.3.111, "v1.LifecycleHook"	

2.3.163. v1.Route

A route allows developers to expose services through an HTTP(S) aware load balancing and proxy layer via a public DNS entry. The route may further specify TLS options and a certificate, or specify

a public CNAME that the router should also accept for HTTP and HTTPS traffic. An administrator typically configures their router to be visible outside the cluster firewall, and may also add additional security, caching, or traffic controls on the service content. Routers usually talk directly to the service endpoints.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata.	false	Section 2.3.134 , "v1.ObjectMeta"	
spec	Spec is the desired state of the route	true	Section 2.3.168 , "v1.RouteSpec"	
status	Status is the current state of the route	true	Section 2.3.169 , "v1.RouteStatus"	

2.3.164. v1.RouteIngress

RouteIngress holds information about the places where a route is exposed

Name	Description	Required	Schema	Default
host	Host is the host string under which the route is exposed; this value is required	false	string	
routerName	Name is a name chosen by the router to identify itself; this value is required	false	string	
conditions	Conditions is the state of the route, may be empty.	false	Section 2.3.165 , "v1.RouteIngressCondition" array	

2.3.165. v1.RouteIngressCondition

RouteIngressCondition contains details for the current condition of this pod.

Name	Description	Required	Schema	Default
type	Type is the type of the condition. Currently only Ready.	true	string	
status	Status is the status of the condition. Can be True, False, Unknown.	true	string	
reason	(brief) reason for the condition's last transition, and is usually a machine and human readable constant	false	string	
message	Human readable message indicating details about last transition.	false	string	
lastTransitionTime	RFC 3339 date and time when this condition last transitioned	false	string	

2.3.166. v1.RouteList

RouteList is a collection of Routes.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of routes	true	Section 2.3.163 , "v1.Route" array	

2.3.167. v1.RoutePort

RoutePort defines a port mapping from a router to an endpoint in the service endpoints.

Name	Description	Required	Schema	Default
targetPort	The target port on pods selected by the service this route points to. If this is a string, it will be looked up as a named port in the target endpoints port list. Required	true	string	

2.3.168. v1.RouteSpec

RouteSpec describes the route the user wishes to exist.

Name	Description	Required	Schema	Default
host	Host is an alias/DNS that points to the service. Optional Must follow DNS952 subdomain conventions.	true	string	
path	Path that the router watches for, to route traffic for to the service. Optional	false	string	

Name	Description	Required	Schema	Default
to	To is an object the route points to. Only the Service kind is allowed, and it will be defaulted to Service.	true	Section 2.3.135, "v1.ObjectReference"	
port	If specified, the port to be used by the router. Most routers will use all endpoints exposed by the service by default - set this value to instruct routers which port to use.	false	Section 2.3.167, "v1.RoutePort"	
tls	TLS provides the ability to configure certificates and termination for the route	false	Section 2.3.183, "v1.TLSConfig"	

2.3.169. v1.RouteStatus

RouteStatus provides relevant info about the status of a route, including which routers acknowledge it.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
ingress	Ingress describes the places where the route may be exposed. The list of ingress points may contain duplicate Host or RouterName values. Routes are considered live once they are Ready	true	Section 2.3.164, "v1.RouteIngress" array	

2.3.170. v1.SELinuxOptions

SELinuxOptions are the labels to be applied to the container

Name	Description	Required	Schema	Default
user	User is a SELinux user label that applies to the container.	false	string	
role	Role is a SELinux role label that applies to the container.	false	string	
type	Type is a SELinux type label that applies to the container.	false	string	
level	Level is SELinux level label that applies to the container.	false	string	

2.3.171. v1.Secret

Secret holds secret data of a certain type. The total bytes of the values in the Data field must be less than MaxSecretSize bytes.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134 , "v1.ObjectMeta"	
data	Data contains the secret data. Each key must be a valid DNS_SUBDOMAIN or leading dot followed by valid DNS_SUBDOMAIN. The serialized form of the secret data is a base64 encoded string, representing the arbitrary (possibly non-string) data value here. Described in https://tools.ietf.org/html/rfc4648#section-4	false	Section 2.3.200 , "any"	
type	Used to facilitate programmatic handling of secret data.	false	string	

2.3.172. v1.SecretBuildSource

SecretBuildSource describes a secret and its destination directory that will be used only at the build time. The content of the secret referenced here will be copied into the destination directory instead of mounting.

Name	Description	Required	Schema	Default
secret	Secret is a reference to an existing secret that you want to use in your build.	true	Section 2.3.112, "v1.LocalObjectReference"	
destinationDir	DestinationDir is the directory where the files from the secret should be available for the build time. For the Source build strategy, these will be injected into a container where the assemble script runs. Later, when the script finishes, all files injected will be truncated to zero length. For the Docker build strategy, these will be copied into the build directory, where the Dockerfile is located, so users can ADD or COPY them during docker build.	false	string	

2.3.173. v1.SecretKeySelector

SecretKeySelector selects a key of a Secret.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
key	The key of the secret to select from. Must be a valid secret key.	true	string	

2.3.174. v1.SecretList

SecretList is a list of Secret.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of secret objects. More info: http://releases.k8s.io/release-1.2/docs/user-guide/secrets.md	true	Section 2.3.171, "v1.Secret" array	

2.3.175. v1.SecretSpec

A SecretSpec specifies a secret and its corresponding mount point for a custom builder. The specified secret must be assigned to the service account that will run the build.

Name	Description	Required	Schema	Default
secretSource	SecretSource is a reference to the secret	true	Section 2.3.112, "v1.LocalObjectReference"	
mountPath	MountPath is the path at which to mount the secret	true	string	

2.3.176. v1.SecretVolumeSource

Adapts a Secret into a volume.

The contents of the target Secret's Data field will be presented in a volume as files using the keys in the Data field as the file names. Secret volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
secretName	Name of the secret in the pod's namespace to use. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#secrets	false	string	

2.3.177. v1.SecurityContext

SecurityContext holds security configuration that will be applied to a container. Some fields are present in both SecurityContext and PodSecurityContext. When both are set, the values in SecurityContext take precedence.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
capabilities	The capabilities to add/drop when running containers. Defaults to the default set of capabilities granted by the container runtime.	false	Section 2.3.28, "v1.Capabilities"	
privileged	Run container in privileged mode. Processes in privileged containers are essentially equivalent to root on the host. Defaults to false.	false	boolean	
seLinuxOptions	The SELinux context to be applied to the container. If unspecified, the container runtime will allocate a random SELinux context for each container. May also be set in PodSecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	Section 2.3.170, "v1.SELinuxOptions"	

Name	Description	Required	Schema	Default
runAsUser	The UID to run the entrypoint of the container process. Defaults to user specified in image metadata if unspecified. May also be set in PodSecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	integer (int64)	
runAsNonRoot	Indicates that the container must run as a non-root user. If true, the Kubelet will validate the image at runtime to ensure that it does not run as UID 0 (root) and fail to start the container if it does. If unset or false, no such validation will be performed. May also be set in PodSecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	boolean	

Name	Description	Required	Schema	Default
readOnlyRootFilesystem	Whether this container has a read-only root filesystem. Default is false.	false	boolean	

2.3.178. v1.SourceBuildStrategy

SourceBuildStrategy defines input parameters specific to an Source build.

Name	Description	Required	Schema	Default
from	From is reference to an DockerImage, ImageStreamTag, or ImageStreamImage from which the docker image should be pulled	true	Section 2.3.135, "v1.ObjectReference"	
pullSecret	PullSecret is the name of a Secret that would be used for setting up the authentication for pulling the Docker images from the private Docker registries	false	Section 2.3.112, "v1.LocalObjectReference"	
env	Env contains additional environment variables you want to pass into a builder container	false	Section 2.3.66, "v1.EnvVar" array	

Name	Description	Required	Schema	Default
scripts	Scripts is the location of Source scripts	false	string	
incremental	Incremental flag forces the Source build to do incremental builds if true.	false	boolean	
forcePull	ForcePull describes if the builder should pull the images from registry prior to building.	false	boolean	

2.3.179. v1.SourceControlUser

SourceControlUser defines the identity of a user of source control

Name	Description	Required	Schema	Default
name	Name of the source control user	false	string	
email	Email of the source control user	false	string	

2.3.180. v1.SourceRevision

SourceRevision is the revision or commit information from the source for the build

Name	Description	Required	Schema	Default
type	Type of the build source	true	string	

Name	Description	Required	Schema	Default
git	Git contains information about git-based build source	false	Section 2.3.77, "v1.GitSourceRevision"	

2.3.181. v1.SubjectAccessReview

SubjectAccessReview is an object for requesting information about whether a user or group can perform an action

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
namespace	Namespace is the namespace of the action being requested. Currently, there is no distinction between no namespace and all namespaces	true	string	
verb	Verb is one of: get, list, watch, create, update, delete	true	string	
resourceAPIGroup	Group is the API group of the resource Serialized as resourceAPIGroup to avoid confusion with the 'groups' field when inlined	true	string	

Name	Description	Required	Schema	Default
resourceAPIVersion	Version is the API version of the resource Serialized as resourceAPIVersion to avoid confusion with TypeMeta.apiVersion and ObjectMeta.resourceVersion when inlined	true	string	
resource	Resource is one of the existing resource types	true	string	
resourceName	ResourceName is the name of the resource being requested for a "get" or deleted for a "delete"	true	string	
content	Content is the actual content of the request for create and update	false	string	
user	User is optional. If both User and Groups are empty, the current authenticated user is used.	true	string	
groups	GroupsSlice is optional. Groups is the list of groups to which the User belongs.	true	string array	

2.3.182. v1.TCPSocketAction

TCPsocketAction describes an action based on opening a socket

Name	Description	Required	Schema	Default
port	Number or name of the port to access on the container. Number must be in the range 1 to 65535. Name must be an IANA_SVC_NAME.	true	string	

2.3.183. v1.TLSConfig

TLSConfig defines config used to secure a route and provide termination

Name	Description	Required	Schema	Default
termination	Termination indicates termination type.	true	string	
certificate	Certificate provides certificate contents	false	string	
key	Key provides key file contents	false	string	
caCertificate	CACertificate provides the cert authority certificate contents	false	string	

Name	Description	Required	Schema	Default
destinationCACertificate	DestinationCACertificate provides the contents of the ca certificate of the final destination. When using reencrypt termination this file should be provided in order to have routers use it for health checks on the secure connection	false	string	
insecureEdgeTerminationPolicy	InsecureEdgeTerminationPolicy indicates the desired behavior for insecure connections to an edge-terminated route: disable, allow or redirect	false	string	

2.3.184. v1.TagEvent

TagEvent is used by ImageStreamStatus to keep a historical record of images associated with a tag.

Name	Description	Required	Schema	Default
created	Created holds the time the TagEvent was created	true	string	
dockerImageReference	DockerImageReference is the string that can be used to pull this image	true	string	
image	Image is the image	true	string	

Name	Description	Required	Schema	Default
generation	Generation is the spec tag generation that resulted in this tag being updated	true	integer (int64)	

2.3.185. v1.TagEventCondition

TagEventCondition contains condition information for a tag event.

Name	Description	Required	Schema	Default
type	Type of tag event condition, currently only ImportSuccess	true	string	
status	Status of the condition, one of True, False, Unknown.	true	string	
lastTransitionTime	LastTransitionTime is the time the condition transitioned from one status to another.	false	string	
reason	Reason is a brief machine readable explanation for the condition's last transition.	false	string	
message	Message is a human readable description of the details about last transition, complementing reason.	false	string	

Name	Description	Required	Schema	Default
generation	Generation is the spec tag generation that this status corresponds to	true	integer (int64)	

2.3.186. v1.TagImageHook

TagImageHook is a request to tag the image in a particular container onto an ImageStreamTag.

Name	Description	Required	Schema	Default
containerName	ContainerName is the name of a container in the deployment config whose image value will be used as the source of the tag. If there is only a single container this value will be defaulted to the name of that container.	true	string	
to	To is the target ImageStreamTag to set the container's image onto.	true	Section 2.3.135, "v1.ObjectReference"	

2.3.187. v1.TagImportPolicy

TagImportPolicy describes the tag import policy

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
insecure	Insecure is true if the server may bypass certificate verification or connect directly over HTTP during image import.	false	boolean	
scheduled	Scheduled indicates to the server that this tag should be periodically checked to ensure it is up to date, and imported	false	boolean	

2.3.188. v1.TagReference

TagReference specifies optional annotations for images using this tag and an optional reference to an ImageStreamTag, ImageStreamImage, or DockerImage this tag should track.

Name	Description	Required	Schema	Default
name	Name of the tag	true	string	
annotations	Annotations associated with images using this tag	true	Section 2.3.200 , "any"	
from	From is a reference to an image stream tag or image stream this tag should track	false	Section 2.3.135 , "v1.ObjectReference"	

Name	Description	Required	Schema	Default
reference	Reference states if the tag will be imported. Default value is false, which means the tag will be imported.	false	boolean	
generation	Generation is the image stream generation that updated this tag - setting it to 0 is an indication that the generation must be updated. Legacy clients will send this as nil, which means the client doesn't know or care.	true	integer (int64)	
importPolicy	Import is information that controls how images may be imported by the server.	false	Section 2.3.187, "v1.TagImportPolicy"	

2.3.189. v1.Template

Template contains the inputs needed to produce a Config.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
objects	Objects is an array of objects to include in this template. Required.	true	Section 2.3.4 , "runtime.RawExtension" array	
parameters	Optional: Parameters is an array of Parameters used during the Template to Config transformation.	false	Section 2.3.136 , "v1.Parameter" array	
labels	Labels is a set of labels that are applied to every object during the Template to Config transformation. Optional	false	Section 2.3.200 , "any"	

2.3.190. v1.TemplateList

TemplateList is a list of Template objects.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	

Name	Description	Required	Schema	Default
items	Items is a list of templates	true	Section 2.3.189, "v1.Template" array	

2.3.191. v1.User

Upon log in, every user of the system receives a User and Identity resource. Administrators may directly manipulate the attributes of the users for their own tracking, or set groups via the API. The user name is unique and is chosen based on the value provided by the identity provider - if a user already exists with the incoming name, the user name may have a number appended to it.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	
fullName	FullName is the full name of user	false	string	
identities	Identities are the identities associated with this user	true	string array	
groups	Groups are the groups that this user is a member of	true	string array	

2.3.192. v1.UserIdentityMapping

UserIdentityMapping maps a user to an identity

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
identity	Identity is a reference to an identity	false	Section 2.3.135, "v1.ObjectReference"	
user	User is a reference to a user	false	Section 2.3.135, "v1.ObjectReference"	

2.3.193. v1.UserList

UserList is a collection of Users

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata.	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of users	true	Section 2.3.191, "v1.User" array	

2.3.194. v1.Volume

Volume represents a named volume in a pod that may be accessed by any container in the pod.

Name	Description	Required	Schema	Default
name	Volume's name. Must be a DNS_LABEL and unique within the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	true	string	

Name	Description	Required	Schema	Default
hostPath	HostPath represents a pre-existing file or directory on the host machine that is directly exposed to the container. This is generally used for system agents or other privileged things that are allowed to see the host machine. Most containers will NOT need this. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#hostpath	false	Section 2.3.84, "v1.HostPathVolumeSource"	
emptyDir	EmptyDir represents a temporary directory that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#emptydir	false	Section 2.3.65, "v1.EmptyDirVolumeSource"	

Name	Description	Required	Schema	Default
gcePersistentDisk	GCEPersistentDisk represents a GCE Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk	false	Section 2.3.74, "v1.GCEPersistentDiskVolumeSource"	
awsElasticBlockStore	AWSElasticBlockStore represents an AWS Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	false	Section 2.3.10, "v1.AWSElasticBlockStoreVolumeSource"	
gitRepo	GitRepo represents a git repository at a particular revision.	false	Section 2.3.76, "v1.GitRepoVolumeSource"	
secret	Secret represents a secret that should populate this volume. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#secrets	false	Section 2.3.176, "v1.SecretVolumeSource"	

Name	Description	Required	Schema	Default
nfs	NFS represents an NFS mount on the host that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#nfs	false	Section 2.3.117, "v1.NFSVolumeSource"	
iscsi	ISCSI represents an ISCSI Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.4/examples/volumes/iscsi/README.md	false	Section 2.3.87, "v1.ISCSIVolumeSource"	
glusterfs	Glusterfs represents a Glusterfs mount on the host that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.4/examples/volumes/glusterfs/README.md	false	Section 2.3.78, "v1.GlusterfsVolumeSource"	

Name	Description	Required	Schema	Default
persistentVolumeClaim	PersistentVolumeClaimVolumeSource represents a reference to a PersistentVolumeClaim in the same namespace. More info: http://releases.k8s.io/release-1.4/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	false	Section 2.3.137, "v1.PersistentVolumeClaimVolumeSource"	
rbd	A Ceph Rados Block Device mount on the host that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.4/examples/volumes/rbd/README.md	false	Section 2.3.152, "v1.RBDVolumeSource"	
flexVolume	FlexVolume represents a generic volume resource that is provisioned/attached using an exec based plugin. This is an alpha feature and may change in future.	false	Section 2.3.72, "v1.FlexVolumeSource"	

Name	Description	Required	Schema	Default
cinder	Cinder represents a cinder volume attached and mounted on kubelets host machine More info: http://releases.k8s.io/release-1.4/examples/mysql-cinder-pd/README.md	false	Section 2.3.31, "v1.CinderVolumeSource"	
cephfs	CephFS represents a Ceph FS mount on the host that shares a pod's lifetime	false	Section 2.3.30, "v1.CephFSVolumeSource"	
flocker	Flocker represents a Flocker volume attached to a kubelet's host machine. This depends on the Flocker control service being running	false	Section 2.3.73, "v1.FlockerVolumeSource"	
downwardAPI	DownwardAPI represents downward API about the pod that should populate this volume	false	Section 2.3.64, "v1.DownwardAPIVolumeSource"	

Name	Description	Required	Schema	Default
fc	FC represents a Fibre Channel resource that is attached to a kubelet's host machine and then exposed to the pod.	false	Section 2.3.70, "v1.FCVolumeSource"	
azureFile	AzureFile represents an Azure File Service mount on the host and bind mount to the pod.	false	Section 2.3.11, "v1.AzureFileVolumeSource"	
configMap	ConfigMap represents a configMap that should populate this volume	false	Section 2.3.43, "v1.ConfigMapVolumeSource"	
metadata	Metadata represents metadata about the pod that should populate this volume Deprecated: Use downwardAPI instead.	false	Section 2.3.116, "v1.MetadataVolumeSource"	

2.3.195. v1.VolumeMount

VolumeMount describes a mounting of a Volume within a container.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	This must match the Name of a Volume.	true	string	
readOnly	Mounted read-only if true, read-write otherwise (false or unspecified). Defaults to false.	false	boolean	
mountPath	Path within the container at which the volume should be mounted. Must not contain '.'.	true	string	

2.3.196. v1.WebHookTrigger

WebHookTrigger is a trigger that gets invoked using a webhook type of post

Name	Description	Required	Schema	Default
secret	Secret used to validate requests.	false	string	

2.3.197. v1beta1.Scale

Scale is a subresource representing the current "scale" of certain objects, such as ReplicationControllers and DeploymentConfigs. It may be checked to determine the current replica count of these objects, or updated to set the replica count of these objects.

In the case of ReplicationControllers, this directly reflects the scale the ReplicationController. For DeploymentConfigs, it reflects the scale of the deployment(s), or, if none are present, the scale of the DeploymentConfig's template.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object metadata; More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata .	false	Section 2.3.134 , "v1.ObjectMeta"	
spec	defines the behavior of the scale. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status .	false	Section 2.3.198 , "v1beta1.ScaleSpec"	
status	current status of the scale. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status . Read-only.	false	Section 2.3.199 , "v1beta1.ScaleStatus"	

2.3.198. v1beta1.ScaleSpec

describes the attributes of a scale subresource

Name	Description	Required	Schema	Default
replicas	desired number of instances for the scaled object.	false	integer (int32)	

2.3.199. v1beta1.ScaleStatus

represents the current status of a scale subresource.

Name	Description	Required	Schema	Default
replicas	actual number of observed instances of the scaled object.	true	integer (int32)	
selector	label query over pods that should match the replicas count. More info: http://releases.k8s.io/release-1.2/docs/user-guide/labels.md#label-selectors	false	Section 2.3.200 , "any"	
targetSelector	label selector for pods that should match the replicas count. This is a serialized version of both map-based and more expressive set-based selectors. This is done to avoid introspection in the clients. The string will be in the same format as the query-param syntax. If the target type only supports map-based selectors, both this field and map-based selector field are populated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/labels.md#label-selectors	false	string	

2.3.200. any

Represents an untyped JSON map - see the description of the field for more info about the structure of this object.

CHAPTER 3. KUBERNETES V1 REST API

3.1. OVERVIEW

The Kubernetes API allows you to run containerized applications, bind persistent storage, link those applications through service discovery, and manage the cluster infrastructure.

3.1.1. Version information

Version: v1

3.1.2. URI scheme

Host: 127.0.0.1:8443

BasePath: /

Schemes: HTTPS

3.2. PATHS

3.2.1. get available resources

```
GET /api/v1
```

3.2.1.1. Consumes

- ⌘ application/json
- ⌘ application/yaml

3.2.1.2. Produces

- ⌘ application/json
- ⌘ application/yaml

3.2.1.3. Tags

- ⌘ apiv1

3.2.2. create a Binding

```
POST /api/v1/bindings
```

3.2.2.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.10 , "v1.Binding"	

3.2.2.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.10 , "v1.Binding"

3.2.2.3. Consumes

✳ /

3.2.2.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.2.5. Tags

✳ apiv1

3.2.3. list objects of kind ComponentStatus

GET /api/v1/componentstatuses

3.2.3.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

3.2.3.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.17 , "v1.ComponentStatusList"

3.2.3.3. Consumes

✳ /

3.2.3.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.3.5. Tags

✳ apiv1

3.2.4. read the specified ComponentStatus

```
GET /api/v1/componentstatuses/{name}
```

3.2.4.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the ComponentSt atus	true	string	

3.2.4.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.16, "v1.ComponentStatus"

3.2.4.3. Consumes

✳ /

3.2.4.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.4.5. Tags

✳ apiv1

3.2.5. create a ConfigMap

POST /api/v1/configmaps

3.2.5.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParame ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 3.3.18 , "v1.ConfigMap"	

3.2.5.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.18, "v1.ConfigMap"

3.2.5.3. Consumes

✳ /

3.2.5.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.5.5. Tags

✳ apiv1

3.2.6. list or watch objects of kind ConfigMap

GET /api/v1/configmaps

3.2.6.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

3.2.6.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.20, "v1.ConfigMapList"

3.2.6.3. Consumes

✳ /

3.2.6.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.6.5. Tags

✳ apiv1

3.2.7. create a Endpoints

POST /api/v1/endpoints

3.2.7.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 3.3.38 , "v1.Endpoints"	

3.2.7.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.38 , "v1.Endpoints"

3.2.7.3. Consumes

✳ /

3.2.7.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.7.5. Tags

✳ apiv1

3.2.8. list or watch objects of kind Endpoints

GET /api/v1/endpoints

3.2.8.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.8.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.39, "v1.EndpointsList"

3.2.8.3. Consumes

✳ /

3.2.8.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.8.5. Tags

✳ apiv1

3.2.9. create a Event

POST /api/v1/events

3.2.9.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.42, "v1.Event"	

3.2.9.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.42, “v1.Event”

3.2.9.3. Consumes

✎ /

3.2.9.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.9.5. Tags

✎ apiv1

3.2.10. list or watch objects of kind Event

GET /api/v1/events

3.2.10.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.10.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.43, "v1.EventList"

3.2.10.3. Consumes

✎ /

3.2.10.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.10.5. Tags

- ✎ apiv1

3.2.11. create a LimitRange

POST /api/v1/limitranges

3.2.11.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.62 , "v1.LimitRang e"	

3.2.11.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.62, "v1.LimitRange"

3.2.11.3. Consumes

✎ /

3.2.11.4. Produces

✎ application/json

✎ application/yaml

3.2.11.5. Tags

✎ apiv1

3.2.12. list or watch objects of kind LimitRange

GET /api/v1/limitranges

3.2.12.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.12.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.64, "v1.LimitRangeList"

3.2.12.3. Consumes

✎ /

3.2.12.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.12.5. Tags

- ✳ apiv1

3.2.13. create a Namespace

POST /api/v1/namespaces

3.2.13.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.72 , 'v1.Namespace' "	

3.2.13.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.72, "v1.Namespace"

3.2.13.3. Consumes

- ✳ /

3.2.13.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.13.5. Tags

- ✳ apiv1

3.2.14. delete collection of Namespace

DELETE /api/v1/namespaces

3.2.14.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.14.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.14.3. Consumes

✎ /

3.2.14.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.14.5. Tags

- ✎ apiv1

3.2.15. list or watch objects of kind Namespace

GET /api/v1/namespaces

3.2.15.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.15.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.73 , "v1.NamespaceList"

3.2.15.3. Consumes

✎ /

3.2.15.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.15.5. Tags

- ✎ apiv1

3.2.16. create a Binding

POST /api/v1/namespaces/{namespace}/bindings

3.2.16.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.10 , "v1.Binding"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.16.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.10 , "v1.Binding"

3.2.16.3. Consumes

✘ /

3.2.16.4. Produces

- ✘ application/json
- ✘ application/yaml

3.2.16.5. Tags

✘ apiv1

3.2.17. create a ConfigMap

POST /api/v1/namespaces/{namespace}/configmaps

3.2.17.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.18 , "v1.ConfigMap"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.17.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.18, "v1.ConfigMap"

3.2.17.3. Consumes

✳ /

3.2.17.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.17.5. Tags

✳ apiv1

3.2.18. delete collection of ConfigMap

```
DELETE /api/v1/namespaces/{namespace}/configmaps
```

3.2.18.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.18.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.18.3. Consumes

✳ /

3.2.18.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.18.5. Tags

✱ apiv1

3.2.19. list or watch objects of kind ConfigMap

```
GET /api/v1/namespaces/{namespace}/configmaps
```

3.2.19.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.19.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.20, "v1.ConfigMapList"

3.2.19.3. Consumes

» /

3.2.19.4. Produces

- » application/json
- » application/yaml

3.2.19.5. Tags

✳ apiv1

3.2.20. replace the specified ConfigMap

PUT /api/v1/namespaces/{namespace}/configmaps/{name}

3.2.20.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.18 , "v1.ConfigMap"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ConfigMap	true	string	

3.2.20.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.18 , "v1.ConfigMap"

3.2.20.3. Consumes

✳ /

3.2.20.4. Produces

✳ application/json

✎ application/yaml

3.2.20.5. Tags

✎ apiv1

3.2.21. delete a ConfigMap

```
DELETE /api/v1/namespaces/{namespace}/configmaps/{name}
```

3.2.21.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOpti ons'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ConfigMap	true	string	

3.2.21.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

3.2.21.3. Consumes

✎ /

3.2.21.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.21.5. Tags

- ✦ apiv1

3.2.22. partially update the specified ConfigMap

```
PATCH /api/v1/namespaces/{namespace}/configmaps/{name}
```

3.2.22.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ConfigMap	true	string	

3.2.22.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.18, "v1.ConfigMap"

3.2.22.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.22.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.22.5. Tags

- ✦ apiv1

3.2.23. read the specified ConfigMap

```
GET /api/v1/namespaces/{namespace}/configmaps/{name}
```

3.2.23.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ConfigMap	true	string	

3.2.23.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.18, “v1.ConfigMap”

3.2.23.3. Consumes

✎ /

3.2.23.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.23.5. Tags

- ✎ apiv1

3.2.24. create a Endpoints

```
POST /api/v1/namespaces/{namespace}/endpoints
```

3.2.24.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.38 , ' v1.Endpoints '	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.24.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.38 , "v1.Endpoints"

3.2.24.3. Consumes

✳ /

3.2.24.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.24.5. Tags

- ✳ apiv1

3.2.25. delete collection of Endpoints

```
DELETE /api/v1/namespaces/{namespace}/endpoints
```

3.2.25.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamete	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.25.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.25.3. Consumes

✎ /

3.2.25.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.25.5. Tags

✱ apiv1

3.2.26. list or watch objects of kind Endpoints

GET /api/v1/namespaces/{namespace}/endpoints

3.2.26.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.26.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.39, "v1.EndpointsList"

3.2.26.3. Consumes

» /

3.2.26.4. Produces

- » application/json
- » application/yaml

3.2.26.5. Tags

✎ apiv1

3.2.27. replace the specified Endpoints

PUT /api/v1/namespaces/{namespace}/endpoints/{name}

3.2.27.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.38 , "v1.Endpoints"	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete	name	name of the Endpoints	true	string	

3.2.27.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.38 , "v1.Endpoints"

3.2.27.3. Consumes

✎ /

3.2.27.4. Produces

✎ application/json

✎ application/yaml

3.2.27.5. Tags

✳ apiv1

3.2.28. delete a Endpoints

DELETE /api/v1/namespaces/{namespace}/endpoints/{name}

3.2.28.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOpti ons'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Endpoints	true	string	

3.2.28.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

3.2.28.3. Consumes

✳ /

3.2.28.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.28.5. Tags

- ✦ apiv1

3.2.29. partially update the specified Endpoints

```
PATCH /api/v1/namespaces/{namespace}/endpoints/{name}
```

3.2.29.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Endpoints	true	string	

3.2.29.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.38, "v1.Endpoints"

3.2.29.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.29.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.29.5. Tags

- ✦ apiv1

3.2.30. read the specified Endpoints

GET /api/v1/namespaces/{namespace}/endpoints/{name}

3.2.30.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParamter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Endpoints	true	string	

3.2.30.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.38, "v1.Endpoints"

3.2.30.3. Consumes

✦ /

3.2.30.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.30.5. Tags

✦ apiv1

3.2.31. create a Event

POST /api/v1/namespaces/{namespace}/events

3.2.31.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.42 , "v1.Event"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.31.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.42 , "v1.Event"

3.2.31.3. Consumes

✳ /

3.2.31.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.31.5. Tags

- ✳ apiv1

3.2.32. delete collection of Event

```
DELETE /api/v1/namespaces/{namespace}/events
```

3.2.32.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamete	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.32.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.32.3. Consumes

✎ /

3.2.32.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.32.5. Tags

✱ apiv1

3.2.33. list or watch objects of kind Event

GET /api/v1/namespaces/{namespace}/events

3.2.33.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.33.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.43, "v1.EventList"

3.2.33.3. Consumes

✎ /

3.2.33.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.33.5. Tags

- ✎ apiv1

3.2.34. replace the specified Event

PUT /api/v1/namespaces/{namespace}/events/{name}

3.2.34.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.42 , "v1.Event"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Event	true	string	

3.2.34.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.42 , "v1.Event"

3.2.34.3. Consumes

✘ /

3.2.34.4. Produces

✘ application/json

✘ application/yaml

3.2.34.5. Tags

✳ apiv1

3.2.35. delete a Event

DELETE /api/v1/namespaces/{namespace}/events/{name}

3.2.35.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Event	true	string	

3.2.35.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.35.3. Consumes

✳ /

3.2.35.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.35.5. Tags

- ✦ apiv1

3.2.36. partially update the specified Event

```
PATCH /api/v1/namespaces/{namespace}/events/{name}
```

3.2.36.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Event	true	string	

3.2.36.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.42, "v1.Event"

3.2.36.3. Consumes

- ✦ application/json-patch+json

- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.36.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.36.5. Tags

- ✦ apiv1

3.2.37. read the specified Event

GET /api/v1/namespaces/{namespace}/events/{name}

3.2.37.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Event	true	string	

3.2.37.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.42, “v1.Event”

3.2.37.3. Consumes

✎ /

3.2.37.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.37.5. Tags

✎ apiv1

3.2.38. create a LimitRange

POST /api/v1/namespaces/{namespace}/limitranges

3.2.38.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.62 , 'v1.LimitRange'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.38.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.62, "v1.LimitRange"

3.2.38.3. Consumes

✎ /

3.2.38.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.38.5. Tags

✎ apiv1

3.2.39. delete collection of LimitRange

DELETE /api/v1/namespaces/{namespace}/limitranges

3.2.39.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.39.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.39.3. Consumes

✳ /

3.2.39.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.39.5. Tags

✱ apiv1

3.2.40. list or watch objects of kind LimitRange

GET /api/v1/namespaces/{namespace}/limitranges

3.2.40.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.40.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.64, "v1.LimitRangeList"

3.2.40.3. Consumes

» /

3.2.40.4. Produces

- » application/json
- » application/yaml

3.2.40.5. Tags

✳️ apiv1

3.2.41. replace the specified LimitRange

PUT /api/v1/namespaces/{namespace}/limitranges/{name}

3.2.41.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.62 , 'v1.LimitRange'	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the LimitRange	true	string	

3.2.41.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.62 , "v1.LimitRange"

3.2.41.3. Consumes

✳️ /

3.2.41.4. Produces

✳️ application/json

✎ application/yaml

3.2.41.5. Tags

✎ apiv1

3.2.42. delete a LimitRange

DELETE /api/v1/namespaces/{namespace}/limitranges/{name}

3.2.42.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the LimitRange	true	string	

3.2.42.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.42.3. Consumes

✎ /

3.2.42.4. Produces

- ✧ application/json
- ✧ application/yaml

3.2.42.5. Tags

- ✧ apiv1

3.2.43. partially update the specified LimitRange

PATCH /api/v1/namespaces/{namespace}/limitranges/{name}

3.2.43.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, “unversioned. Patch”	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the LimitRange	true	string	

3.2.43.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.62, “v1.LimitRange”

3.2.43.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.43.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.43.5. Tags

- ✦ apiv1

3.2.44. read the specified LimitRange

```
GET /api/v1/namespaces/{namespace}/limitranges/{name}
```

3.2.44.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the LimitRange	true	string	

3.2.44.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.62, "v1.LimitRange"

3.2.44.3. Consumes

✎ /

3.2.44.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.44.5. Tags

- ✎ apiv1

3.2.45. create a PersistentVolumeClaim

```
POST /api/v1/namespaces/{namespace}/persistentvolumeclaims
```

3.2.45.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.89 , ' "v1.PersistentVolumeClaim"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.45.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.89 , ' "v1.PersistentVolumeClaim"

3.2.45.3. Consumes

✎ /

3.2.45.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.45.5. Tags

✎ apiv1

3.2.46. delete collection of PersistentVolumeClaim

```
DELETE /api/v1/namespaces/{namespace}/persistentvolumeclaims
```

3.2.46.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.46.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.46.3. Consumes

✳ /

3.2.46.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.46.5. Tags

✳ apiv1

3.2.47. list or watch objects of kind PersistentVolumeClaim

```
GET /api/v1/namespaces/{namespace}/persistentvolumeclaims
```

3.2.47.1. Description

Persistent Volume Claims (PVC) represent a request to use a persistent volume (PV) with a pod. When creating a pod definition (or replication controller or deployment config) a developer may specify the amount of storage they need via a persistent volume reference. If an administrator has enabled and configured persistent volumes for use, they will be allocated on demand to pods that have similar requirements. Since volumes are created lazily, some pods may be scheduled to a node before their volume is assigned. The node will detect this situation and wait to start the pod until the volume is bound. Events will be generated (visible by using the **describe** command on the pod) that indicate the pod is waiting for volumes.

3.2.47.2. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.47.3. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.90 , "v1.PersistentVolumeClaimList"

3.2.47.4. Consumes

✦ /

3.2.47.5. Produces

✦ application/json

✦ application/yaml

3.2.47.6. Tags

✦ apiv1

3.2.48. replace the specified PersistentVolumeClaim

```
PUT /api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}
```

3.2.48.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.89 , "v1.Persistent VolumeClaim"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PersistentVolu meClaim	true	string	

3.2.48.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.89 , "v1.PersistentVolumeClaim"

3.2.48.3. Consumes

✎ /

3.2.48.4. Produces

✎ application/json

✎ application/yaml

3.2.48.5. Tags

✎ apiv1

3.2.49. delete a PersistentVolumeClaim

```
DELETE /api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}
```

3.2.49.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the PersistentVolu meClaim	true	string	

3.2.49.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.49.3. Consumes

✳ /

3.2.49.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.49.5. Tags

✳ apiv1

3.2.50. partially update the specified PersistentVolumeClaim

```
PATCH /api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}
```

3.2.50.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.6, "unversioned. Patch"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the PersistentVolumeClaim	true	string	

3.2.50.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.89, "v1.PersistentVolumeClaim"

3.2.50.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

3.2.50.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.50.5. Tags

- ✎ apiv1

3.2.51. read the specified PersistentVolumeClaim

```
GET /api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}
```

3.2.51.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PersistentVolumeClaim	true	string	

3.2.51.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.89, "v1.PersistentVolumeClaim"

3.2.51.3. Consumes

✘ /

3.2.51.4. Produces

✘ application/json

✘ application/yaml

3.2.51.5. Tags

✘ apiv1

3.2.52. replace status of the specified PersistentVolumeClaim

PUT /api/v1/namespaces/{namespace}/persistentvolumeclaims/{name}/status

3.2.52.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.89 , "v1.Persistent VolumeClaim"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PersistentVolu meClaim	true	string	

3.2.52.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.89 , "v1.PersistentVolumeClaim"

3.2.52.3. Consumes

✎ /

3.2.52.4. Produces

✎ application/json

✎ application/yaml

3.2.52.5. Tags

✎ apiv1

3.2.53. create a Pod

POST /api/v1/namespaces/{namespace}/pods

3.2.53.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.97 , "v1.Pod"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.53.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97, "v1.Pod"

3.2.53.3. Consumes

✳ /

3.2.53.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.53.5. Tags

✳ apiv1

3.2.54. delete collection of Pod

DELETE /api/v1/namespaces/{namespace}/pods

3.2.54.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.54.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.54.3. Consumes

- /

3.2.54.4. Produces

- application/json
- application/yaml

3.2.54.5. Tags

- apiv1

3.2.55. list or watch objects of kind Pod

GET /api/v1/namespaces/{namespace}/pods

3.2.55.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.55.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.99, "v1.PodList"

3.2.55.3. Consumes

- ✎ /

3.2.55.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.55.5. Tags

- ✎ apiv1

3.2.56. replace the specified Pod

```
PUT /api/v1/namespaces/{namespace}/pods/{name}
```

3.2.56.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.97, "v1.Pod"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Pod	true	string	

3.2.56.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97, “v1.Pod”

3.2.56.3. Consumes

✎ /

3.2.56.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.56.5. Tags

✎ apiv1

3.2.57. delete a Pod

DELETE /api/v1/namespaces/{namespace}/pods/{name}

3.2.57.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamete r	body		true	Section 2.3.48 , “v1.DeleteOpti ons”	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.57.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.57.3. Consumes

✳ /

3.2.57.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.57.5. Tags

✳ apiv1

3.2.58. partially update the specified Pod

```
PATCH /api/v1/namespaces/{namespace}/pods/{name}
```

3.2.58.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.58.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97, "v1.Pod"

3.2.58.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

3.2.58.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.58.5. Tags

- ✳ apiv1

3.2.59. read the specified Pod

GET /api/v1/namespaces/{namespace}/pods/{name}

3.2.59.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.59.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97, "v1.Pod"

3.2.59.3. Consumes

✳ /

3.2.59.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.59.5. Tags

✳ apiv1

3.2.60. connect POST requests to attach of Pod

POST /api/v1/namespaces/{namespace}/pods/{name}/attach

3.2.60.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	stdin	Stdin if true, redirects the standard input stream of the pod for this call. Defaults to false.	false	boolean	
QueryParam eter	stdout	Stdout if true indicates that stdout is to be redirected for the attach call. Defaults to true.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	stderr	Stderr if true indicates that stderr is to be redirected for the attach call. Defaults to true.	false	boolean	
QueryParam ter	tty	TTY if true indicates that a tty will be allocated for the attach call. This is passed through the container runtime so the tty is allocated on the worker node by the container runtime. Defaults to false.	false	boolean	
QueryParam ter	container	The container in which to execute the command. Defaults to only container if there is only one container in the pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.60.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.60.3. Consumes

✳ /

3.2.60.4. Produces

✳ /

3.2.60.5. Tags

✳ apiv1

3.2.61. connect GET requests to attach of Pod

GET /api/v1/namespaces/{namespace}/pods/{name}/attach

3.2.61.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	stdin	Stdin if true, redirects the standard input stream of the pod for this call. Defaults to false.	false	boolean	
QueryParam ter	stdout	Stdout if true indicates that stdout is to be redirected for the attach call. Defaults to true.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	stderr	Stderr if true indicates that stderr is to be redirected for the attach call. Defaults to true.	false	boolean	
QueryParam ter	tty	TTY if true indicates that a tty will be allocated for the attach call. This is passed through the container runtime so the tty is allocated on the worker node by the container runtime. Defaults to false.	false	boolean	
QueryParam ter	container	The container in which to execute the command. Defaults to only container if there is only one container in the pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.61.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.61.3. Consumes

✎ /

3.2.61.4. Produces

✎ /

3.2.61.5. Tags

✎ apiv1

3.2.62. create binding of a Binding

POST /api/v1/namespaces/{namespace}/pods/{name}/binding

3.2.62.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.10 , "v1.Binding"	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete	name	name of the Binding	true	string	

3.2.62.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.10, "v1.Binding"

3.2.62.3. Consumes

✳ /

3.2.62.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.62.5. Tags

✳ apiv1

3.2.63. connect POST requests to exec of Pod

POST /api/v1/namespaces/{namespace}/pods/{name}/exec

3.2.63.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	stdin	Redirect the standard input stream of the pod for this call. Defaults to false.	false	boolean	
QueryParam eter	stdout	Redirect the standard output stream of the pod for this call. Defaults to true.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	stderr	Redirect the standard error stream of the pod for this call. Defaults to true.	false	boolean	
QueryParam ter	tty	TTY if true indicates that a tty will be allocated for the exec call. Defaults to false.	false	boolean	
QueryParam ter	container	Container in which to execute the command. Defaults to only container if there is only one container in the pod.	false	string	
QueryParam ter	command	Command is the remote command to execute. argv array. Not executed within a shell.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.63.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.63.3. Consumes

✳ /

3.2.63.4. Produces

✳ /

3.2.63.5. Tags

✳ apiv1

3.2.64. connect GET requests to exec of Pod

GET /api/v1/namespaces/{namespace}/pods/{name}/exec

3.2.64.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	stdin	Redirect the standard input stream of the pod for this call. Defaults to false.	false	boolean	
QueryParam eter	stdout	Redirect the standard output stream of the pod for this call. Defaults to true.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	stderr	Redirect the standard error stream of the pod for this call. Defaults to true.	false	boolean	
QueryParam ter	tty	TTY if true indicates that a tty will be allocated for the exec call. Defaults to false.	false	boolean	
QueryParam ter	container	Container in which to execute the command. Defaults to only container if there is only one container in the pod.	false	string	
QueryParam ter	command	Command is the remote command to execute. argv array. Not executed within a shell.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.64.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.64.3. Consumes

✳ /

3.2.64.4. Produces

✳ /

3.2.64.5. Tags

✳ apiv1

3.2.65. read log of the specified Pod

GET /api/v1/namespaces/{namespace}/pods/{name}/log

3.2.65.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	container	The container for which to stream logs. Defaults to only container if there is one container in the pod.	false	string	
QueryParam ter	follow	Follow the log stream of the pod. Defaults to false.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	previous	Return previous terminated container logs. Defaults to false.	false	boolean	
QueryParam ter	sinceSeconds	A relative time in seconds before the current time from which to show logs. If this value precedes the time a pod was started, only logs since the pod start will be returned. If this value is in the future, no logs will be returned. Only one of sinceSeconds or sinceTime may be specified.	false	integer	

Type	Name	Description	Required	Schema	Default
QueryParam ter	sinceTime	An RFC3339 timestamp from which to show logs. If this value precedes the time a pod was started, only logs since the pod start will be returned. If this value is in the future, no logs will be returned. Only one of sinceSeconds or sinceTime may be specified.	false	string	
QueryParam ter	timestamps	If true, add an RFC3339 or RFC3339Nano timestamp at the beginning of every line of log output. Defaults to false.	false	boolean	
QueryParam ter	tailLines	If set, the number of lines from the end of the logs to show. If not specified, logs are shown from the creation of the container or sinceSeconds or sinceTime	false	integer	

Type	Name	Description	Required	Schema	Default
QueryParam ter	limitBytes	If set, the number of bytes to read from the server before terminating the log output. This may not display a complete final line of logging, and may return slightly more or slightly less than the specified limit.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.65.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97, "v1.Pod"

3.2.65.3. Consumes

✳ /

3.2.65.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.65.5. Tags

3.2.66.3. Tags

- ✎ apiv1

3.2.66. connect POST requests to portforward of Pod

POST /api/v1/namespaces/{namespace}/pods/{name}/portforward

3.2.66.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.66.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.66.3. Consumes

- ✎ /

3.2.66.4. Produces

- ✎ /

3.2.66.5. Tags

- ✎ apiv1

3.2.67. connect GET requests to portforward of Pod

GET /api/v1/namespaces/{namespace}/pods/{name}/portforward

3.2.67.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.67.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.67.3. Consumes

✳ /

3.2.67.4. Produces

✳ /

3.2.67.5. Tags

✳ apiv1

3.2.68. connect PUT requests to proxy of Pod

```
PUT /api/v1/namespaces/{namespace}/pods/{name}/proxy
```

3.2.68.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.68.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.68.3. Consumes

✎ /

3.2.68.4. Produces

✎ /

3.2.68.5. Tags

✎ apiv1

3.2.69. connect POST requests to proxy of Pod

```
POST /api/v1/namespaces/{namespace}/pods/{name}/proxy
```

3.2.69.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.69.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.69.3. Consumes

✎ /

3.2.69.4. Produces

✎ /

3.2.69.5. Tags

✎ apiv1

3.2.70. connect DELETE requests to proxy of Pod

```
DELETE /api/v1/namespaces/{namespace}/pods/{name}/proxy
```

3.2.70.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.70.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.70.3. Consumes

✎ /

3.2.70.4. Produces

✎ /

3.2.70.5. Tags

✎ apiv1

3.2.71. connect OPTIONS requests to proxy of Pod

```
OPTIONS /api/v1/namespaces/{namespace}/pods/{name}/proxy
```

3.2.71.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.71.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.71.3. Consumes

✎ /

3.2.71.4. Produces

✎ /

3.2.71.5. Tags

✎ apiv1

3.2.72. connect HEAD requests to proxy of Pod

```
HEAD /api/v1/namespaces/{namespace}/pods/{name}/proxy
```

3.2.72.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.72.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.72.3. Consumes

✎ /

3.2.72.4. Produces

✎ /

3.2.72.5. Tags

✎ apiv1

3.2.73. connect GET requests to proxy of Pod

```
GET /api/v1/namespaces/{namespace}/pods/{name}/proxy
```

3.2.73.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.73.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.73.3. Consumes

✎ /

3.2.73.4. Produces

✎ /

3.2.73.5. Tags

✎ apiv1

3.2.74. connect PUT requests to proxy of Pod

```
PUT /api/v1/namespaces/{namespace}/pods/{name}/proxy/{path}
```

3.2.74.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.74.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.74.3. Consumes

✎ /

3.2.74.4. Produces

✎ /

3.2.74.5. Tags

✎ apiv1

3.2.75. connect POST requests to proxy of Pod

```
POST /api/v1/namespaces/{namespace}/pods/{name}/proxy/{path}
```


3.2.75.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.75.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.75.3. Consumes

✎ /

3.2.75.4. Produces

✎ /

3.2.75.5. Tags

✎ apiv1

3.2.76. connect DELETE requests to proxy of Pod

DELETE /api/v1/namespaces/{namespace}/pods/{name}/proxy/{path}

3.2.76.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.76.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.76.3. Consumes

✘ /

3.2.76.4. Produces

✘ /

3.2.76.5. Tags

✘ apiv1

3.2.77. connect OPTIONS requests to proxy of Pod

OPTIONS /api/v1/namespaces/{namespace}/pods/{name}/proxy/{path}

3.2.77.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.77.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.77.3. Consumes

*/

3.2.77.4. Produces

*/

3.2.77.5. Tags

➤ apiv1

3.2.78. connect HEAD requests to proxy of Pod

HEAD /api/v1/namespaces/{namespace}/pods/{name}/proxy/{path}

3.2.78.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.78.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.78.3. Consumes

➤ /

3.2.78.4. Produces

✳ /

3.2.78.5. Tags

✳ apiv1

3.2.79. connect GET requests to proxy of Pod

GET /api/v1/namespaces/{namespace}/pods/{name}/proxy/{path}

3.2.79.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to pod.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.79.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.79.3. Consumes

✘ /

3.2.79.4. Produces

✘ /

3.2.79.5. Tags

✘ apiv1

3.2.80. replace status of the specified Pod

PUT /api/v1/namespaces/{namespace}/pods/{name}/status

3.2.80.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.97 , "v1.Pod"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.80.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97 , "v1.Pod"

3.2.80.3. Consumes

✳ /

3.2.80.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.80.5. Tags

- ✳ apiv1

3.2.81. create a PodTemplate

POST /api/v1/namespaces/{namespace}/podtemplates

3.2.81.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.103 , "v1.PodTempl ate"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.81.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.103 , "v1.PodTemplate"

3.2.81.3. Consumes

✎ /

3.2.81.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.81.5. Tags

- ✎ apiv1

3.2.82. delete collection of PodTemplate

DELETE /api/v1/namespaces/{namespace}/podtemplates

3.2.82.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.82.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, “unversioned.Status”

3.2.82.3. Consumes

✦ /

3.2.82.4. Produces

✦ application/json

✦ application/yaml

3.2.82.5. Tags

✦ apiv1

3.2.83. list or watch objects of kind PodTemplate

GET /api/v1/namespaces/{namespace}/podtemplates

3.2.83.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam eter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam eter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.83.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.104, "v1.PodTemplateList"

3.2.83.3. Consumes

✦ /

3.2.83.4. Produces

✦ application/json

✦ application/yaml

3.2.83.5. Tags

✦ apiv1

3.2.84. replace the specified PodTemplate

PUT /api/v1/namespaces/{namespace}/podtemplates/{name}

3.2.84.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.10 3, "v1.PodTempl ate"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PodTemplate	true	string	

3.2.84.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.103, "v1.PodTemplate"

3.2.84.3. Consumes

✎ /

3.2.84.4. Produces

✎ application/json

✎ application/yaml

3.2.84.5. Tags

✎ apiv1

3.2.85. delete a PodTemplate

```
DELETE /api/v1/namespaces/{namespace}/podtemplates/{name}
```

3.2.85.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' "v1.DeleteOptions"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the PodTemplate	true	string	

3.2.85.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.85.3. Consumes

✳ /

3.2.85.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.85.5. Tags

✳ apiv1

3.2.86. partially update the specified PodTemplate

PATCH /api/v1/namespaces/{namespace}/podtemplates/{name}

3.2.86.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6 , "unversioned. Patch"	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PodTemplate	true	string	

3.2.86.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.103, "v1.PodTemplate"

3.2.86.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.86.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.86.5. Tags

- ✦ apiv1

3.2.87. read the specified PodTemplate

```
GET /api/v1/namespaces/{namespace}/podtemplates/{name}
```

3.2.87.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParamter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the PodTemplate	true	string	

3.2.87.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.103, "v1.PodTemplate"

3.2.87.3. Consumes

» /

3.2.87.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.87.5. Tags

- ✦ apiv1

3.2.88. create a ReplicationController

POST /api/v1/namespaces/{namespace}/replicationcontrollers

3.2.88.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.108 , "v1.Replicatio nController"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.88.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.108 , "v1.ReplicationController"

3.2.88.3. Consumes

- ✦ /

3.2.88.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.88.5. Tags

- ✦ apiv1

3.2.89. delete collection of ReplicationController

```
DELETE /api/v1/namespaces/{namespace}/replicationcontrollers
```

3.2.89.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.89.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.89.3. Consumes

✎ /

3.2.89.4. Produces

✎ application/json

✎ application/yaml

3.2.89.5. Tags

✎ apiv1

3.2.90. list or watch objects of kind ReplicationController

GET /api/v1/namespaces/{namespace}/replicationcontrollers

3.2.90.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.90.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.109, "v1.ReplicationControllerList"

3.2.90.3. Consumes

- /

3.2.90.4. Produces

- application/json
- application/yaml

3.2.90.5. Tags

- apiv1

3.2.91. replace the specified ReplicationController

```
PUT /api/v1/namespaces/{namespace}/replicationcontrollers/{name}
```

3.2.91.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.108, "v1.ReplicationController"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the ReplicationCo ntroller	true	string	

3.2.91.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.108, "v1.ReplicationController"

3.2.91.3. Consumes

✳ /

3.2.91.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.91.5. Tags

✳ apiv1

3.2.92. delete a ReplicationController

```
DELETE /api/v1/namespaces/{namespace}/replicationcontrollers/{name}
```

3.2.92.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.48 , "v1.DeleteOptions"	
PathParamenter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamenter	name	name of the ReplicationController	true	string	

3.2.92.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.92.3. Consumes

✎ /

3.2.92.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.92.5. Tags

✎ apiv1

3.2.93. partially update the specified ReplicationController

```
PATCH /api/v1/namespaces/{namespace}/replicationcontrollers/{name}
```

3.2.93.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ReplicationCo ntroller	true	string	

3.2.93.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.108, "v1.ReplicationController"

3.2.93.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

3.2.93.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.93.5. Tags

- ✎ apiv1

3.2.94. read the specified ReplicationController

```
GET /api/v1/namespaces/{namespace}/replicationcontrollers/{name}
```

3.2.94.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam eter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam eter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ReplicationCo ntroller	true	string	

3.2.94.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.108, "v1.ReplicationController"

3.2.94.3. Consumes

✶ /

3.2.94.4. Produces

✶ application/json

✶ application/yaml

3.2.94.5. Tags

✶ apiv1

3.2.95. replace scale of the specified Scale

PUT /api/v1/namespaces/{namespace}/replicationcontrollers/{name}/scale

3.2.95.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.121, "v1.Scale"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the Scale	true	string	

3.2.95.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.121, "v1.Scale"

3.2.95.3. Consumes

✎ /

3.2.95.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.95.5. Tags

✎ apiv1

3.2.96. partially update scale of the specified Scale

PATCH

/api/v1/namespaces/{namespace}/replicationcontrollers/{name}/scale

3.2.96.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Scale	true	string	

3.2.96.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.121, “v1.Scale”

3.2.96.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

3.2.96.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.96.5. Tags

- ✎ apiv1

3.2.97. read scale of the specified Scale

```
GET /api/v1/namespaces/{namespace}/replicationcontrollers/{name}/scale
```

3.2.97.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Scale	true	string	

3.2.97.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.121, "v1.Scale"

3.2.97.3. Consumes

✎ /

3.2.97.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.97.5. Tags

✎ apiv1

3.2.98. replace status of the specified ReplicationController

```
PUT /api/v1/namespaces/{namespace}/replicationcontrollers/{name}/status
```

3.2.98.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.108 , "v1.Replicatio nController"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ReplicationCo ntroller	true	string	

3.2.98.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.108 , "v1.ReplicationController"

3.2.98.3. Consumes

✳ /

3.2.98.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.98.5. Tags

- ✳ apiv1

3.2.99. create a ResourceQuota

POST /api/v1/namespaces/{namespace}/resourcequotas

3.2.99.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.112 , "v1.ResourceQuota"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.99.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.112 , "v1.ResourceQuota"

3.2.99.3. Consumes

✎ /

3.2.99.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.99.5. Tags

- ✎ apiv1

3.2.100. delete collection of ResourceQuota

DELETE /api/v1/namespaces/{namespace}/resourcequotas

3.2.100.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.100.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.100.3. Consumes

✎ /

3.2.100.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.100.5. Tags

✱ apiv1

3.2.101. list or watch objects of kind ResourceQuota

```
GET /api/v1/namespaces/{namespace}/resourcequotas
```

3.2.101.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.101.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.113, "v1.ResourceQuotaList"

3.2.101.3. Consumes

» /

3.2.101.4. Produces

- » application/json
- » application/yaml

3.2.101.5. Tags

✳ apiv1

3.2.102. replace the specified ResourceQuota

PUT /api/v1/namespaces/{namespace}/resourcequotas/{name}

3.2.102.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.112 , "v1.ResourceQuota"	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete	name	name of the ResourceQuota	true	string	

3.2.102.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.112 , "v1.ResourceQuota"

3.2.102.3. Consumes

✳ /

3.2.102.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.102.5. Tags

- ✦ apiv1

3.2.103. delete a ResourceQuota

```
DELETE /api/v1/namespaces/{namespace}/resourcequotas/{name}
```

3.2.103.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ResourceQuot a	true	string	

3.2.103.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.103.3. Consumes

✦ /

3.2.103.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.103.5. Tags

✦ apiv1

3.2.104. partially update the specified ResourceQuota

PATCH /api/v1/namespaces/{namespace}/resourcequotas/{name}

3.2.104.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ResourceQuota	true	string	

3.2.104.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.112, "v1.ResourceQuota"

3.2.104.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

3.2.104.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.104.5. Tags

- ✎ apiv1

3.2.105. read the specified ResourceQuota

```
GET /api/v1/namespaces/{namespace}/resourcequotas/{name}
```

3.2.105.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ResourceQuota	true	string	

3.2.105.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.112, "v1.ResourceQuota"

3.2.105.3. Consumes

✎ /

3.2.105.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.105.5. Tags

- ✎ apiv1

3.2.106. replace status of the specified ResourceQuota

PUT /api/v1/namespaces/{namespace}/resourcequotas/{name}/status

3.2.106.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.112 , "v1.ResourceQuota"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ResourceQuota	true	string	

3.2.106.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.112 , "v1.ResourceQuota"

3.2.106.3. Consumes

✳ /

3.2.106.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.106.5. Tags

✳ apiv1

3.2.107. create a Secret

POST /api/v1/namespaces/{namespace}/secrets

3.2.107.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.17 1, "v1.Secret"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.107.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.171 , "v1.Secret"

3.2.107.3. Consumes

✳ /

3.2.107.4. Produces

✳ application/json

✳ application/yaml

3.2.107.5. Tags

✳ apiv1

3.2.108. delete collection of Secret

DELETE /api/v1/namespaces/{namespace}/secrets

3.2.108.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.108.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

3.2.108.3. Consumes

» /

3.2.108.4. Produces

- » application/json
- » application/yaml

3.2.108.5. Tags

✳ apiv1

3.2.109. list or watch objects of kind Secret

```
GET /api/v1/namespaces/{namespace}/secrets
```

3.2.109.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.109.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.174, "v1.SecretList"

3.2.109.3. Consumes

✎ /

3.2.109.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.109.5. Tags

- ✎ apiv1

3.2.110. replace the specified Secret

```
PUT /api/v1/namespaces/{namespace}/secrets/{name}
```

3.2.110.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.17 1, "v1.Secret"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Secret	true	string	

3.2.110.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.171, "v1.Secret"

3.2.110.3. Consumes

✎ /

3.2.110.4. Produces

✎ application/json

✎ application/yaml

3.2.110.5. Tags

✳ apiv1

3.2.111. delete a Secret

```
DELETE /api/v1/namespaces/{namespace}/secrets/{name}
```

3.2.111.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Secret	true	string	

3.2.111.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.111.3. Consumes

✳ /

3.2.111.4. Produces

- ✘ application/json
- ✘ application/yaml

3.2.111.5. Tags

- ✘ apiv1

3.2.112. partially update the specified Secret

PATCH /api/v1/namespaces/{namespace}/secrets/{name}

3.2.112.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Secret	true	string	

3.2.112.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.171, "v1.Secret"

3.2.112.3. Consumes

- ✘ application/json-patch+json

- ✧ application/merge-patch+json
- ✧ application/strategic-merge-patch+json

3.2.112.4. Produces

- ✧ application/json
- ✧ application/yaml

3.2.112.5. Tags

- ✧ apiv1

3.2.113. read the specified Secret

```
GET /api/v1/namespaces/{namespace}/secrets/{name}
```

3.2.113.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Secret	true	string	

3.2.113.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.171, "v1.Secret"

3.2.113.3. Consumes

✎ /

3.2.113.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.113.5. Tags

✎ apiv1

3.2.114. create a ServiceAccount

POST /api/v1/namespaces/{namespace}/serviceaccounts

3.2.114.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.132 , "v1.ServiceAccount"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.114.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.132 , "v1.ServiceAccount"

3.2.114.3. Consumes

✎ /

3.2.114.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.114.5. Tags

✎ apiv1

3.2.115. delete collection of ServiceAccount

```
DELETE /api/v1/namespaces/{namespace}/serviceaccounts
```

3.2.115.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.115.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.115.3. Consumes

✎ /

3.2.115.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.115.5. Tags

✳ apiv1

3.2.116. list or watch objects of kind ServiceAccount

```
GET /api/v1/namespaces/{namespace}/serviceaccounts
```

3.2.116.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.116.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.133 , "v1.ServiceAccountList"

3.2.116.3. Consumes

» /

3.2.116.4. Produces

- » application/json
- » application/yaml

3.2.116.5. Tags

✳ apiv1

3.2.117. replace the specified ServiceAccount

PUT /api/v1/namespaces/{namespace}/serviceaccounts/{name}

3.2.117.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParameter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.132 , "v1.ServiceAccount"	
PathParameter	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParameter	name	name of the ServiceAccount	true	string	

3.2.117.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.132 , "v1.ServiceAccount"

3.2.117.3. Consumes

✳ /

3.2.117.4. Produces

- ✧ application/json
- ✧ application/yaml

3.2.117.5. Tags

- ✧ apiv1

3.2.118. delete a ServiceAccount

```
DELETE /api/v1/namespaces/{namespace}/serviceaccounts/{name}
```

3.2.118.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , 'v1.DeleteOpti ons'	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ServiceAccou nt	true	string	

3.2.118.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , 'unversioned.Status'

3.2.118.3. Consumes

✎ /

3.2.118.4. Produces

✎ application/json

✎ application/yaml

3.2.118.5. Tags

✎ apiv1

3.2.119. partially update the specified ServiceAccount

PATCH /api/v1/namespaces/{namespace}/serviceaccounts/{name}

3.2.119.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ServiceAccount	true	string	

3.2.119.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.132, "v1.ServiceAccount"

3.2.119.3. Consumes

- ✎ application/json-patch+json
- ✎ application/merge-patch+json
- ✎ application/strategic-merge-patch+json

3.2.119.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.119.5. Tags

- ✎ apiv1

3.2.120. read the specified ServiceAccount

```
GET /api/v1/namespaces/{namespace}/serviceaccounts/{name}
```

3.2.120.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ServiceAccount	true	string	

3.2.120.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.132, "v1.ServiceAccount"

3.2.120.3. Consumes

✘ /

3.2.120.4. Produces

- ✘ application/json
- ✘ application/yaml

3.2.120.5. Tags

- ✘ apiv1

3.2.121. create a Service

POST /api/v1/namespaces/{namespace}/services

3.2.121.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.131, "v1.Service"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.121.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.131, "v1.Service"

3.2.121.3. Consumes

✳ /

3.2.121.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.121.5. Tags

✳ apiv1

3.2.122. list or watch objects of kind Service

GET /api/v1/namespaces/{namespace}/services

3.2.122.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.122.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.134, "v1.ServiceList"

3.2.122.3. Consumes

✳ /

3.2.122.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.122.5. Tags

- ✳ apiv1

3.2.123. replace the specified Service

```
PUT /api/v1/namespaces/{namespace}/services/{name}
```

3.2.123.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.13 1, "v1.Service"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.123.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.131, "v1.Service"

3.2.123.3. Consumes

✎ /

3.2.123.4. Produces

✎ application/json

✎ application/yaml

3.2.123.5. Tags

✎ apiv1

3.2.124. delete a Service

```
DELETE /api/v1/namespaces/{namespace}/services/{name}
```

3.2.124.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.124.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.124.3. Consumes

✎ /

3.2.124.4. Produces

✎ application/json

✎ application/yaml

3.2.124.5. Tags

✎ apiv1

3.2.125. partially update the specified Service

PATCH /api/v1/namespaces/{namespace}/services/{name}

3.2.125.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.125.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.131, "v1.Service"

3.2.125.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

3.2.125.4. Produces

- ✳ application/json

✎ application/yaml

3.2.125.5. Tags

✎ apiv1

3.2.126. read the specified Service

GET /api/v1/namespaces/{namespace}/services/{name}

3.2.126.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.126.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.131, "v1.Service"

3.2.126.3. Consumes

- ✳ /

3.2.126.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.126.5. Tags

- ✳ apiv1

3.2.127. connect PUT requests to proxy of Service

PUT /api/v1/namespaces/{namespace}/services/{name}/proxy

3.2.127.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.127.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.127.3. Consumes

» /

3.2.127.4. Produces

» /

3.2.127.5. Tags

» apiv1

3.2.128. connect POST requests to proxy of Service

POST /api/v1/namespaces/{namespace}/services/{name}/proxy

3.2.128.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.128.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.128.3. Consumes

✎ /

3.2.128.4. Produces

✎ /

3.2.128.5. Tags

✎ apiv1

3.2.129. connect DELETE requests to proxy of Service

```
DELETE /api/v1/namespaces/{namespace}/services/{name}/proxy
```

3.2.129.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.129.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.129.3. Consumes

3.2.129.3. Consumes

* /

3.2.129.4. Produces

* /

3.2.129.5. Tags

* apiv1

3.2.130. connect OPTIONS requests to proxy of Service

```
OPTIONS /api/v1/namespaces/{namespace}/services/{name}/proxy
```

3.2.130.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.130.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.130.3. Consumes

✳ /

3.2.130.4. Produces

✳ /

3.2.130.5. Tags

✳ apiv1

3.2.131. connect HEAD requests to proxy of Service

```
HEAD /api/v1/namespaces/{namespace}/services/{name}/proxy
```

3.2.131.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.131.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.131.3. Consumes

✳ /

3.2.131.4. Produces

✳ /

3.2.131.5. Tags

✳ apiv1

3.2.132. connect GET requests to proxy of Service

```
GET /api/v1/namespaces/{namespace}/services/{name}/proxy
```

3.2.132.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.132.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.132.3. Consumes

✎ /

3.2.132.4. Produces

✎ /

3.2.132.5. Tags

✎ apiv1

3.2.133. connect PUT requests to proxy of Service

```
PUT /api/v1/namespaces/{namespace}/services/{name}/proxy/{path}
```

3.2.133.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.133.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.133.3. Consumes

✘ /

3.2.133.4. Produces

✘ /

3.2.133.5. Tags

✘ apiv1

3.2.134. connect POST requests to proxy of Service

POST /api/v1/namespaces/{namespace}/services/{name}/proxy/{path}

3.2.134.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.134.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.134.3. Consumes

✳ /

3.2.134.4. Produces

✳ /

3.2.134.5. Tags

✳ apiv1

3.2.135. connect DELETE requests to proxy of Service

```
DELETE /api/v1/namespaces/{namespace}/services/{name}/proxy/{path}
```

3.2.135.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.135.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.135.3. Consumes

✳ /

3.2.135.4. Produces

✳ /

3.2.135.5. Tags

✳ apiv1

3.2.136. connect OPTIONS requests to proxy of Service

```
OPTIONS /api/v1/namespaces/{namespace}/services/{name}/proxy/{path}
```

3.2.136.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.136.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.136.3. Consumes

✳ /

3.2.136.4. Produces

✳ /

3.2.136.5. Tags

✳ apiv1

3.2.137. connect HEAD requests to proxy of Service

```
HEAD /api/v1/namespaces/{namespace}/services/{name}/proxy/{path}
```

3.2.137.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.137.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.137.3. Consumes

✳ /

3.2.137.4. Produces

✳ /

3.2.137.5. Tags

✳ apiv1

3.2.138. connect GET requests to proxy of Service

GET /api/v1/namespaces/{namespace}/services/{name}/proxy/{path}

3.2.138.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the part of URLs that include service endpoints, suffixes, and parameters to use for the current proxy request to service. For example, the whole request URL is http://localhost/api/v1/namespaces/kube-system/services/elasticsearch-logging/_search?q=user:kimchy . Path is <code>_search?q=user:kimchy</code> .	false	string	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.138.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.138.3. Consumes

✎ /

3.2.138.4. Produces

✎ /

3.2.138.5. Tags

✎ apiv1

3.2.139. replace status of the specified Service

PUT /api/v1/namespaces/{namespace}/services/{name}/status

3.2.139.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.131, "v1.Service"	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete	name	name of the Service	true	string	

3.2.139.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.131, "v1.Service"

3.2.139.3. Consumes

✳ /

3.2.139.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.139.5. Tags

✳ apiv1

3.2.140. replace the specified Namespace

PUT /api/v1/namespaces/{name}

3.2.140.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.72 , ' "v1.Namespace"	
PathParamete r	name	name of the Namespace	true	string	

3.2.140.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.72, “v1.Namespace”

3.2.140.3. Consumes

✘ /

3.2.140.4. Produces

✘ application/json

✘ application/yaml

3.2.140.5. Tags

✘ apiv1

3.2.141. delete a Namespace

```
DELETE /api/v1/namespaces/{name}
```

3.2.141.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , “v1.DeleteOpti ons”	
PathParamete r	name	name of the Namespace	true	string	

3.2.141.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.141.3. Consumes

✳ /

3.2.141.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.141.5. Tags

✳ apiv1

3.2.142. partially update the specified Namespace

PATCH /api/v1/namespaces/{name}

3.2.142.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned.Patch"	
PathParamete r	name	name of the Namespace	true	string	

3.2.142.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.72, "v1.Namespace"

3.2.142.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.142.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.142.5. Tags

- ✦ apiv1

3.2.143. read the specified Namespace

```
GET /api/v1/namespaces/{name}
```

3.2.143.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the Namespace	true	string	

3.2.143.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.72, "v1.Namespace"

3.2.143.3. Consumes

✎ /

3.2.143.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.143.5. Tags

✎ apiv1

3.2.144. replace finalize of the specified Namespace

PUT /api/v1/namespaces/{name}/finalize

3.2.144.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.72 , ' "v1.Namespace" '	
PathParamete r	name	name of the Namespace	true	string	

3.2.144.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.72, "v1.Namespace"

3.2.144.3. Consumes

✳ /

3.2.144.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.144.5. Tags

✳ apiv1

3.2.145. replace status of the specified Namespace

```
PUT /api/v1/namespaces/{name}/status
```

3.2.145.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.72 , ' "v1.Namespace"	
PathParamete r	name	name of the Namespace	true	string	

3.2.145.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.72, "v1.Namespace"

3.2.145.3. Consumes

✎ /

3.2.145.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.145.5. Tags

✎ apiv1

3.2.146. create a Node

POST /api/v1/nodes

3.2.146.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.76 , "v1.Node"	

3.2.146.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.76 , "v1.Node"

3.2.146.3. Consumes

✎ /

3.2.146.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.146.5. Tags

✎ apiv1

3.2.147. delete collection of Node

DELETE /api/v1/nodes

3.2.147.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

3.2.147.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , “unversioned.Status”

3.2.147.3. Consumes

✳ /

3.2.147.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.147.5. Tags

✳ apiv1

3.2.148. list or watch objects of kind Node

GET /api/v1/nodes

3.2.148.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.148.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.80, "v1.NodeList"

3.2.148.3. Consumes

✳ /

3.2.148.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.148.5. Tags

✳ apiv1

3.2.149. replace the specified Node

PUT /api/v1/nodes/{name}

3.2.149.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParameter	body		true	Section 3.3.76, "v1.Node"	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.149.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.76, "v1.Node"

3.2.149.3. Consumes

✎ /

3.2.149.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.149.5. Tags

✎ apiv1

3.2.150. delete a Node

DELETE /api/v1/nodes/{name}

3.2.150.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamete r	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamete r	body		true	Section 2.3.48 , "v1.DeleteOpti ons"	

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.150.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.150.3. Consumes

✎ /

3.2.150.4. Produces

✎ application/json

✎ application/yaml

3.2.150.5. Tags

✎ apiv1

3.2.151. partially update the specified Node

█ PATCH /api/v1/nodes/{name}

3.2.151.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParame ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the Node	true	string	

3.2.151.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.76, "v1.Node"

3.2.151.3. Consumes

- ✳ application/json-patch+json
- ✳ application/merge-patch+json
- ✳ application/strategic-merge-patch+json

3.2.151.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.151.5. Tags

- ✳ apiv1

3.2.152. read the specified Node

```
GET /api/v1/nodes/{name}
```

3.2.152.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the Node	true	string	

3.2.152.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.76, "v1.Node"

3.2.152.3. Consumes

✳ /

3.2.152.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.152.5. Tags

✳ apiv1

3.2.153. connect PUT requests to proxy of Node

PUT /api/v1/nodes/{name}/proxy

3.2.153.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	

3.2.153.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.153.3. Consumes

✳ /

3.2.153.4. Produces

✳ /

3.2.153.5. Tags

✳ apiv1

3.2.154. connect POST requests to proxy of Node

POST /api/v1/nodes/{name}/proxy

3.2.154.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	

3.2.154.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.154.3. Consumes

✘ /

3.2.154.4. Produces

✘ /

3.2.154.5. Tags

✘ apiv1

3.2.155. connect DELETE requests to proxy of Node

```
DELETE /api/v1/nodes/{name}/proxy
```

3.2.155.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	

3.2.155.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.155.3. Consumes

✳ /

3.2.155.4. Produces

✳ /

3.2.155.5. Tags

✳ apiv1

3.2.156. connect OPTIONS requests to proxy of Node

```
OPTIONS /api/v1/nodes/{name}/proxy
```

3.2.156.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	

3.2.156.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.156.3. Consumes

✘ /

3.2.156.4. Produces

✘ /

3.2.156.5. Tags

✘ apiv1

3.2.157. connect HEAD requests to proxy of Node

```
HEAD /api/v1/nodes/{name}/proxy
```

3.2.157.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	

3.2.157.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.157.3. Consumes

✳ /

3.2.157.4. Produces

✳ /

3.2.157.5. Tags

✳ apiv1

3.2.158. connect GET requests to proxy of Node

GET /api/v1/nodes/{name}/proxy

3.2.158.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	

3.2.158.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.158.3. Consumes

✘ /

3.2.158.4. Produces

✘ /

3.2.158.5. Tags

✘ apiv1

3.2.159. connect PUT requests to proxy of Node

```
PUT /api/v1/nodes/{name}/proxy/{path}
```

3.2.159.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.159.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.159.3. Consumes

✳ /

3.2.159.4. Produces

✳ /

3.2.159.5. Tags

✳ apiv1

3.2.160. connect POST requests to proxy of Node

POST /api/v1/nodes/{name}/proxy/{path}

3.2.160.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.160.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.160.3. Consumes

✎ /

3.2.160.4. Produces

✎ /

3.2.160.5. Tags

✎ apiv1

3.2.161. connect DELETE requests to proxy of Node

```
DELETE /api/v1/nodes/{name}/proxy/{path}
```

3.2.161.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.161.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.161.3. Consumes

✘ /

3.2.161.4. Produces

✘ /

3.2.161.5. Tags

✘ apiv1

3.2.162. connect OPTIONS requests to proxy of Node

```
OPTIONS /api/v1/nodes/{name}/proxy/{path}
```

3.2.162.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.162.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.162.3. Consumes

✎ /

3.2.162.4. Produces

✎ /

3.2.162.5. Tags

✎ apiv1

3.2.163. connect HEAD requests to proxy of Node

```
HEAD /api/v1/nodes/{name}/proxy/{path}
```

3.2.163.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.163.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.163.3. Consumes

✎ /

3.2.163.4. Produces

✎ /

3.2.163.5. Tags

✎ apiv1

3.2.164. connect GET requests to proxy of Node

```
GET /api/v1/nodes/{name}/proxy/{path}
```

3.2.164.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	path	Path is the URL path to use for the current proxy request to node.	false	string	
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.164.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.164.3. Consumes

✎ /

3.2.164.4. Produces

✎ /

3.2.164.5. Tags

✎ apiv1

3.2.165. replace status of the specified Node

```
PUT /api/v1/nodes/{name}/status
```

3.2.165.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.76 , "v1.Node"	
PathParamete r	name	name of the Node	true	string	

3.2.165.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.76 , "v1.Node"

3.2.165.3. Consumes

✳ /

3.2.165.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.165.5. Tags

✳ apiv1

3.2.166. create a PersistentVolumeClaim

POST /api/v1/persistentvolumeclaims

3.2.166.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.89 , ' "v1.PersistentVolumeClaim"	

3.2.166.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.89 , ' "v1.PersistentVolumeClaim"

3.2.166.3. Consumes

✎ /

3.2.166.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.166.5. Tags

- ✎ apiv1

3.2.167. list or watch objects of kind PersistentVolumeClaim

```
GET /api/v1/persistentvolumeclaims
```

3.2.167.1. Description

Persistent Volume Claims (PVC) represent a request to use a persistent volume (PV) with a pod. When creating a pod definition (or replication controller or deployment config) a developer may specify the amount of storage they need via a persistent volume reference. If an administrator has enabled and configured persistent volumes for use, they will be allocated on demand to pods that

have similar requirements. Since volumes are created lazily, some pods may be scheduled to a node before their volume is assigned. The node will detect this situation and wait to start the pod until the volume is bound. Events will be generated (visible by using the **describe** command on the pod) that indicate the pod is waiting for volumes.

3.2.167.2. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.167.3. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.90, "v1.PersistentVolumeClaimList"

3.2.167.4. Consumes

✎ /

3.2.167.5. Produces

✎ application/json

✎ application/yaml

3.2.167.6. Tags

✎ apiv1

3.2.168. create a PersistentVolume

POST /api/v1/persistentvolumes

3.2.168.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.87 , ' v1.Persistent Volume '	

3.2.168.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.87 , ' v1.PersistentVolume '

3.2.168.3. Consumes

» /

3.2.168.4. Produces

- » application/json
- » application/yaml

3.2.168.5. Tags

» apiv1

3.2.169. delete collection of PersistentVolume

DELETE /api/v1/persistentvolumes

3.2.169.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.169.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , "unversioned.Status"

3.2.169.3. Consumes

✎ /

3.2.169.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.169.5. Tags

- ✎ apiv1

3.2.170. list or watch objects of kind PersistentVolume

GET /api/v1/persistentvolumes

3.2.170.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.170.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.94 , "v1.PersistentVolumeList"

3.2.170.3. Consumes

✎ /

3.2.170.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.170.5. Tags

- ✎ apiv1

3.2.171. replace the specified PersistentVolume

```
PUT /api/v1/persistentvolumes/{name}
```


3.2.171.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.87 , "v1.Persistent Volume"	
PathParamete r	name	name of the PersistentVolume	true	string	

3.2.171.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.87 , "v1.PersistentVolume"

3.2.171.3. Consumes

✎ /

3.2.171.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.171.5. Tags

- ✎ apiv1

3.2.172. delete a PersistentVolume

```
DELETE /api/v1/persistentvolumes/{name}
```

3.2.172.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' v1.DeleteOptions '	
PathParamete r	name	name of the PersistentVolume	true	string	

3.2.172.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' unversioned.Status '

3.2.172.3. Consumes

✳ /

3.2.172.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.172.5. Tags

✳ apiv1

3.2.173. partially update the specified PersistentVolume

PATCH /api/v1/persistentvolumes/{name}

3.2.173.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the PersistentVolu me	true	string	

3.2.173.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.87, "v1.PersistentVolume"

3.2.173.3. Consumes

- ✦ application/json-patch+json
- ✦ application/merge-patch+json
- ✦ application/strategic-merge-patch+json

3.2.173.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.173.5. Tags

- ✦ apiv1

3.2.174. read the specified PersistentVolume

```
GET /api/v1/persistentvolumes/{name}
```

3.2.174.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the PersistentVolume	true	string	

3.2.174.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.87, "v1.PersistentVolume"

3.2.174.3. Consumes

✳ /

3.2.174.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.174.5. Tags

✳ apiv1

3.2.175. replace status of the specified PersistentVolume

PUT /api/v1/persistentvolumes/{name}/status

3.2.175.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.87 , ' "v1.Persistent Volume"	
PathParamete r	name	name of the PersistentVolume	true	string	

3.2.175.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.87 , ' "v1.PersistentVolume"

3.2.175.3. Consumes

✳ /

3.2.175.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.175.5. Tags

✎ apiv1

3.2.176. create a Pod

POST /api/v1/pods

3.2.176.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.97 , "v1.Pod"	

3.2.176.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.97 , "v1.Pod"

3.2.176.3. Consumes

✎ /

3.2.176.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.176.5. Tags

✎ apiv1

3.2.177. list or watch objects of kind Pod

GET /api/v1/pods

3.2.177.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.177.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.99, "v1.PodList"

3.2.177.3. Consumes

✎ /

3.2.177.4. Produces

✎ application/json

✎ application/yaml

3.2.177.5. Tags

✎ apiv1

3.2.178. create a PodTemplate

POST /api/v1/podtemplates

3.2.178.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.103 , "v1.PodTempl ate"	

3.2.178.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.103 , "v1.PodTemplate"

3.2.178.3. Consumes

✎ /

3.2.178.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.178.5. Tags

- ✎ apiv1

3.2.179. list or watch objects of kind PodTemplate

GET /api/v1/podtemplates

3.2.179.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.179.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.104, "v1.PodTemplateList"

3.2.179.3. Consumes

✎ /

3.2.179.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.179.5. Tags

✎ apiv1

3.2.180. proxy PUT requests to Pod

```
PUT /api/v1/proxy/namespaces/{namespace}/pods/{name}
```

3.2.180.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.180.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.180.3. Consumes

✘ /

3.2.180.4. Produces

✘ /

3.2.180.5. Tags

✘ apiv1

3.2.181. proxy POST requests to Pod

POST /api/v1/proxy/namespaces/{namespace}/pods/{name}

3.2.181.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.181.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.181.3. Consumes

✳ /

3.2.181.4. Produces

✳ /

3.2.181.5. Tags

✳ apiv1

3.2.182. proxy DELETE requests to Pod

```
DELETE /api/v1/proxy/namespaces/{namespace}/pods/{name}
```

3.2.182.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.182.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.182.3. Consumes

✎ /

3.2.182.4. Produces

✎ /

3.2.182.5. Tags

✎ apiv1

3.2.183. proxy OPTIONS requests to Pod

```
OPTIONS /api/v1/proxy/namespaces/{namespace}/pods/{name}
```

3.2.183.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.183.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.183.3. Consumes

* /

3.2.183.4. Produces

* /

3.2.183.5. Tags

* apiv1

3.2.184. proxy HEAD requests to Pod

```
HEAD /api/v1/proxy/namespaces/{namespace}/pods/{name}
```

3.2.184.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.184.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.184.3. Consumes

✎ /

3.2.184.4. Produces

✎ /

3.2.184.5. Tags

✎ apiv1

3.2.185. proxy GET requests to Pod

```
GET /api/v1/proxy/namespaces/{namespace}/pods/{name}
```

3.2.185.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.185.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.185.3. Consumes

* /

3.2.185.4. Produces

* /

3.2.185.5. Tags

* apiv1

3.2.186. proxy PUT requests to Pod

```
PUT /api/v1/proxy/namespaces/{namespace}/pods/{name}/{path}
```

3.2.186.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.186.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.186.3. Consumes

✘ /

3.2.186.4. Produces

✘ /

3.2.186.5. Tags

✘ apiv1

3.2.187. proxy POST requests to Pod

POST /api/v1/proxy/namespaces/{namespace}/pods/{name}/{path}

3.2.187.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.187.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.187.3. Consumes

✎ /

3.2.187.4. Produces

✎ /

3.2.187.5. Tags

✎ apiv1

3.2.188. proxy DELETE requests to Pod

```
DELETE /api/v1/proxy/namespaces/{namespace}/pods/{name}/{path}
```

3.2.188.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.188.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.188.3. Consumes

✘ /

3.2.188.4. Produces

✘ /

3.2.188.5. Tags

✘ apiv1

3.2.189. proxy OPTIONS requests to Pod

```
OPTIONS /api/v1/proxy/namespaces/{namespace}/pods/{name}/{path}
```

3.2.189.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.189.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.189.3. Consumes

✎ /

3.2.189.4. Produces

✎ /

3.2.189.5. Tags

✎ apiv1

3.2.190. proxy HEAD requests to Pod

```
HEAD /api/v1/proxy/namespaces/{namespace}/pods/{name}/{path}
```

3.2.190.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.190.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.190.3. Consumes

✘ /

3.2.190.4. Produces

✘ /

3.2.190.5. Tags

✘ apiv1

3.2.191. proxy GET requests to Pod

```
GET /api/v1/proxy/namespaces/{namespace}/pods/{name}/{path}
```

3.2.191.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.191.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.191.3. Consumes

✎ /

3.2.191.4. Produces

✎ /

3.2.191.5. Tags

✎ apiv1

3.2.192. proxy PUT requests to Service

```
PUT /api/v1/proxy/namespaces/{namespace}/services/{name}
```

3.2.192.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.192.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.192.3. Consumes

✎ /

3.2.192.4. Produces

✎ /

3.2.192.5. Tags

✎ apiv1

3.2.193. proxy POST requests to Service

```
POST /api/v1/proxy/namespaces/{namespace}/services/{name}
```

3.2.193.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.193.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.193.3. Consumes

✳ /

3.2.193.4. Produces

✳ /

3.2.193.5. Tags

✳ apiv1

3.2.194. proxy DELETE requests to Service

```
DELETE /api/v1/proxy/namespaces/{namespace}/services/{name}
```

3.2.194.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.194.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.194.3. Consumes

✎ /

3.2.194.4. Produces

✎ /

3.2.194.5. Tags

✎ apiv1

3.2.195. proxy OPTIONS requests to Service

```
OPTIONS /api/v1/proxy/namespaces/{namespace}/services/{name}
```

3.2.195.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.195.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.195.3. Consumes

✳ /

3.2.195.4. Produces

✳ /

3.2.195.5. Tags

✳ apiv1

3.2.196. proxy HEAD requests to Service

```
HEAD /api/v1/proxy/namespaces/{namespace}/services/{name}
```

3.2.196.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.196.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.196.3. Consumes

✎ /

3.2.196.4. Produces

✎ /

3.2.196.5. Tags

✎ apiv1

3.2.197. proxy GET requests to Service

```
GET /api/v1/proxy/namespaces/{namespace}/services/{name}
```

3.2.197.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.197.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.197.3. Consumes

✳ /

3.2.197.4. Produces

✳ /

3.2.197.5. Tags

✳ apiv1

3.2.198. proxy PUT requests to Service

```
PUT /api/v1/proxy/namespaces/{namespace}/services/{name}/{path}
```

3.2.198.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.198.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.198.3. Consumes

✘ /

3.2.198.4. Produces

✘ /

3.2.198.5. Tags

✘ apiv1

3.2.199. proxy POST requests to Service

```
POST /api/v1/proxy/namespaces/{namespace}/services/{name}/{path}
```

3.2.199.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.199.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.199.3. Consumes

✎ /

3.2.199.4. Produces

✎ /

3.2.199.5. Tags

✎ apiv1

3.2.200. proxy DELETE requests to Service

```
DELETE /api/v1/proxy/namespaces/{namespace}/services/{name}/{path}
```

3.2.200.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.200.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.200.3. Consumes

✘ /

3.2.200.4. Produces

✘ /

3.2.200.5. Tags

✘ apiv1

3.2.201. proxy OPTIONS requests to Service

```
OPTIONS /api/v1/proxy/namespaces/{namespace}/services/{name}/{path}
```

3.2.201.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.201.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.201.3. Consumes

✘ /

3.2.201.4. Produces

✘ /

3.2.201.5. Tags

✘ apiv1

3.2.202. proxy HEAD requests to Service

```
HEAD /api/v1/proxy/namespaces/{namespace}/services/{name}/{path}
```

3.2.202.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.202.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.202.3. Consumes

✘ /

3.2.202.4. Produces

✘ /

3.2.202.5. Tags

✘ apiv1

3.2.203. proxy GET requests to Service

```
GET /api/v1/proxy/namespaces/{namespace}/services/{name}/{path}
```

3.2.203.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.203.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.203.3. Consumes

✎ /

3.2.203.4. Produces

✎ /

3.2.203.5. Tags

✎ apiv1

3.2.204. proxy PUT requests to Node

```
PUT /api/v1/proxy/nodes/{name}
```

3.2.204.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.204.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.204.3. Consumes

✎ /

3.2.204.4. Produces

✎ /

3.2.204.5. Tags

✎ apiv1

3.2.205. proxy POST requests to Node

POST /api/v1/proxy/nodes/{name}

3.2.205.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.205.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.205.3. Consumes

✎ /

3.2.205.4. Produces

✎ /

3.2.205.5. Tags

✎ apiv1

3.2.206. proxy DELETE requests to Node

DELETE /api/v1/proxy/nodes/{name}

3.2.206.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.206.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.206.3. Consumes

✎ /

3.2.206.4. Produces

✎ /

3.2.206.5. Tags

✎ apiv1

3.2.207. proxy OPTIONS requests to Node

OPTIONS /api/v1/proxy/nodes/{name}

■

3.2.207.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.207.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.207.3. Consumes

✳ /

3.2.207.4. Produces

✳ /

3.2.207.5. Tags

✳ apiv1

3.2.208. proxy HEAD requests to Node

HEAD /api/v1/proxy/nodes/{name}

3.2.208.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.208.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.208.3. Consumes

✳ /

3.2.208.4. Produces

✳ /

3.2.208.5. Tags

✳ apiv1

3.2.209. proxy GET requests to Node

GET /api/v1/proxy/nodes/{name}

3.2.209.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	

3.2.209.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.209.3. Consumes

✳ /

3.2.209.4. Produces

✳ /

3.2.209.5. Tags

✳ apiv1

3.2.210. proxy PUT requests to Node

PUT /api/v1/proxy/nodes/{name}/{path}

3.2.210.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.210.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.210.3. Consumes

✳ /

3.2.210.4. Produces

✳ /

3.2.210.5. Tags

✳ apiv1

3.2.211. proxy POST requests to Node

POST /api/v1/proxy/nodes/{name}/{path}

3.2.211.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.211.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.211.3. Consumes

✎ /

3.2.211.4. Produces

✎ /

3.2.211.5. Tags

✎ apiv1

3.2.212. proxy DELETE requests to Node

DELETE /api/v1/proxy/nodes/{name}/{path}

3.2.212.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.212.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.212.3. Consumes

✳ /

3.2.212.4. Produces

✳ /

3.2.212.5. Tags

✳ apiv1

3.2.213. proxy OPTIONS requests to Node

OPTIONS /api/v1/proxy/nodes/{name}/{path}

3.2.213.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.213.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.213.3. Consumes

✳ /

3.2.213.4. Produces

✳ /

3.2.213.5. Tags

✳ apiv1

3.2.214. proxy HEAD requests to Node

HEAD /api/v1/proxy/nodes/{name}/{path}

3.2.214.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.214.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.214.3. Consumes

✳ /

3.2.214.4. Produces

✳ /

3.2.214.5. Tags

✳ apiv1

3.2.215. proxv GET requests to Node

... proxy GET request to node

GET /api/v1/proxy/nodes/{name}/{path}

3.2.215.1. Parameters

Type	Name	Description	Required	Schema	Default
PathParamete r	name	name of the Node	true	string	
PathParamete r	path	path to the resource	true	string	

3.2.215.2. Responses

HTTP Code	Description	Schema
default	success	string

3.2.215.3. Consumes

✳ /

3.2.215.4. Produces

✳ /

3.2.215.5. Tags

✳ apiv1

3.2.216. create a ReplicationController

POST /api/v1/replicationcontrollers

3.2.216.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.108 , "v1.Replicatio nController"	

3.2.216.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.108 , "v1.ReplicationController"

3.2.216.3. Consumes

✎ /

3.2.216.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.216.5. Tags

- ✎ apiv1

3.2.217. list or watch objects of kind ReplicationController

```
GET /api/v1/replicationcontrollers
```

3.2.217.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.217.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.109 , "v1.ReplicationControllerList"

3.2.217.3. Consumes

✎ /

3.2.217.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.217.5. Tags

✎ apiv1

3.2.218. create a ResourceQuota

POST /api/v1/resourcequotas

3.2.218.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.112 , "v1.ResourceQuota"	

3.2.218.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.112 , "v1.ResourceQuota"

3.2.218.3. Consumes

- /

3.2.218.4. Produces

- application/json
- application/yaml

3.2.218.5. Tags

- apiv1

3.2.219. list or watch objects of kind ResourceQuota

```
GET /api/v1/resourcequotas
```

3.2.219.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.219.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.113 , "v1.ResourceQuotaList"

3.2.219.3. Consumes

✎ /

3.2.219.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.219.5. Tags

- ✎ apiv1

3.2.220. create a Secret

POST /api/v1/secrets

3.2.220.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.171, "v1.Secret"	

3.2.220.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.171, "v1.Secret"

3.2.220.3. Consumes

- ✦ /

3.2.220.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.220.5. Tags

- ✦ apiv1

3.2.221. list or watch objects of kind Secret

```
GET /api/v1/secrets
```

3.2.221.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

3.2.221.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.174, "v1.SecretList"

3.2.221.3. Consumes

✦ /

3.2.221.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.221.5. Tags

✦ apiv1

3.2.222. create a SecurityContextConstraints

POST /api/v1/securitycontextconstraints

3.2.222.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 3.3.129 , "v1.SecurityContextConstraints"	

3.2.222.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.129 , "v1.SecurityContextConstraints"

3.2.222.3. Consumes

✎ /

3.2.222.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.222.5. Tags

- ✎ apiv1

3.2.223. delete collection of SecurityContextConstraints

```
DELETE /api/v1/securitycontextconstraints
```

3.2.223.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.223.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7, "unversioned.Status"

3.2.223.3. Consumes

✳ /

3.2.223.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.223.5. Tags

✳ apiv1

3.2.224. list or watch objects of kind SecurityContextConstraints

GET /api/v1/securitycontextconstraints

3.2.224.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

3.2.224.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.130, "v1.SecurityContextConstraintsList"

3.2.224.3. Consumes

✎ /

3.2.224.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.224.5. Tags

✎ apiv1

3.2.225. replace the specified SecurityContextConstraints

```
PUT /api/v1/securitycontextconstraints/{name}
```

3.2.225.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
BodyParameter	body		true	Section 3.3.129 , "v1.SecurityContextConstraints"	
PathParameter	name	name of the SecurityContextConstraints	true	string	

3.2.225.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.129 , "v1.SecurityContextConstraints"

3.2.225.3. Consumes

✳ /

3.2.225.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.225.5. Tags

✳ apiv1

3.2.226. delete a SecurityContextConstraints

```
DELETE /api/v1/securitycontextconstraints/{name}
```

3.2.226.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.48 , ' v1.DeleteOptions '	
PathParamete r	name	name of the SecurityConte xtConstraints	true	string	

3.2.226.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.7 , ' unversioned.Status '

3.2.226.3. Consumes

✳ /

3.2.226.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.226.5. Tags

✳ apiv1

3.2.227. partially update the specified SecurityContextConstraints

PATCH /api/v1/securitycontextconstraints/{name}

3.2.227.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 2.3.6, "unversioned. Patch"	
PathParamete r	name	name of the SecurityConte xtConstraints	true	string	

3.2.227.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.129, "v1.SecurityContextConstraints"

3.2.227.3. Consumes

- ✘ application/json-patch+json
- ✘ application/merge-patch+json
- ✘ application/strategic-merge-patch+json

3.2.227.4. Produces

- ✘ application/json
- ✘ application/yaml

3.2.227.5. Tags

- ✘ apiv1

3.2.228. read the specified SecurityContextConstraints

```
GET /api/v1/securitycontextconstraints/{name}
```

3.2.228.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	export	Should this value be exported. Export strips fields that a user can not specify.	false	boolean	
QueryParam ter	exact	Should the export be exact. Exact export maintains cluster-specific fields like 'Namespace'	false	boolean	
PathParamete r	name	name of the SecurityContextConstraints	true	string	

3.2.228.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.129, "v1.SecurityContextConstraints"

3.2.228.3. Consumes

✳ /

3.2.228.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.228.5. Tags

✎ apiv1

3.2.229. create a ServiceAccount

POST /api/v1/serviceaccounts

3.2.229.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.132 , "v1.ServiceAccount"	

3.2.229.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.132 , "v1.ServiceAccount"

3.2.229.3. Consumes

✎ /

3.2.229.4. Produces

✎ application/json

✎ application/yaml

3.2.229.5. Tags

✎ apiv1

3.2.230. list or watch objects of kind ServiceAccount

GET /api/v1/serviceaccounts

3.2.230.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.230.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.133 , "v1.ServiceAccountList"

3.2.230.3. Consumes

✎ /

3.2.230.4. Produces

- ✎ application/json
- ✎ application/yaml

3.2.230.5. Tags

- ✎ apiv1

3.2.231. create a Service

POST /api/v1/services

3.2.231.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
BodyParamet er	body		true	Section 3.3.131, "v1.Service"	

3.2.231.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.131, "v1.Service"

3.2.231.3. Consumes

- ✦ /

3.2.231.4. Produces

- ✦ application/json
- ✦ application/yaml

3.2.231.5. Tags

- ✦ apiv1

3.2.232. list or watch objects of kind Service

```
GET /api/v1/services
```

3.2.232.1. Parameters

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.232.2. Responses

HTTP Code	Description	Schema
200	success	Section 3.3.134, "v1.ServiceList"

3.2.232.3. Consumes

✳ /

3.2.232.4. Produces

- ✳ application/json
- ✳ application/yaml

3.2.232.5. Tags

✳ apiv1

3.2.233. watch individual changes to a list of ConfigMap

GET /api/v1/watch/configmaps

3.2.233.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	

3.2.233.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.233.3. Consumes

✳ /

3.2.233.4. Produces

✳ application/json

3.2.233.5. Tags

✳ apiv1

3.2.234. watch individual changes to a list of Endpoints

GET /api/v1/watch/endpoints

3.2.234.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

3.2.234.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.234.3. Consumes

✳ /

3.2.234.4. Produces

✳ application/json

3.2.234.5. Tags

✳ apiv1

3.2.235. watch individual changes to a list of Event

GET /api/v1/watch/events

3.2.235.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

3.2.235.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.235.3. Consumes

✳ /

3.2.235.4. Produces

✳ application/json

3.2.235.5. Tags

✳ apiv1

3.2.236. watch individual changes to a list of LimitRange

GET /api/v1/watch/limitranges

3.2.236.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

3.2.236.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.236.3. Consumes

✳ /

3.2.236.4. Produces

✳ application/json

3.2.236.5. Tags

✳ apiv1

3.2.237. watch individual changes to a list of Namespace

GET /api/v1/watch/namespaces

3.2.237.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

3.2.237.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.237.3. Consumes

✳ /

3.2.237.4. Produces

✳ application/json

3.2.237.5. Tags

✳ apiv1

3.2.238. watch individual changes to a list of ConfigMap

GET /api/v1/watch/namespaces/{namespace}/configmaps

3.2.238.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam eter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.238.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.238.3. Consumes

✎ /

3.2.238.4. Produces

✎ application/json

3.2.238.5. Tags

✎ apiv1

3.2.239. watch changes to an object of kind ConfigMap

GET /api/v1/watch/namespaces/{namespace}/configmaps/{name}

3.2.239.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParame ter	pretty	If 'true', then the output is pretty printed.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

Type	Name	Description	Required	Schema	Default
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ConfigMap	true	string	

3.2.239.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.239.3. Consumes

✎ /

3.2.239.4. Produces

✎ application/json

3.2.239.5. Tags

✎ apiv1

3.2.240. watch individual changes to a list of Endpoints

```
GET /api/v1/watch/namespaces/{namespace}/endpoints
```

3.2.240.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamete	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParamete	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.240.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.240.3. Consumes

✳ /

3.2.240.4. Produces

✳ application/json

3.2.240.5. Tags

✳ apiv1

3.2.241. watch changes to an object of kind Endpoints

```
GET /api/v1/watch/namespaces/{namespace}/endpoints/{name}
```

3.2.241.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Endpoints	true	string	

3.2.241.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.241.3. Consumes

✳ /

3.2.241.4. Produces

✳ application/json

3.2.241.5. Tags

» apiv1

3.2.242. watch individual changes to a list of Event

GET /api/v1/watch/namespaces/{namespace}/events

3.2.242.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.242.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.242.3. Consumes

✎ /

3.2.242.4. Produces

✎ application/json

3.2.242.5. Tags

✎ apiv1

3.2.243. watch changes to an object of kind Event

...to watch changes to an object or kind from

```
GET /api/v1/watch/namespaces/{namespace}/events/{name}
```

3.2.243.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Event	true	string	

3.2.243.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.243.3. Consumes

✳ /

3.2.243.4. Produces

✳ application/json

3.2.243.5. Tags

» apiv1

3.2.244. watch individual changes to a list of LimitRange

GET /api/v1/watch/namespaces/{namespace}/limitranges

3.2.244.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.244.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.244.3. Consumes

✎ /

3.2.244.4. Produces

✎ application/json

3.2.244.5. Tags

✎ apiv1

3.2.245. watch changes to an object of kind LimitRange

...watch changes to an object or data stream.

```
GET /api/v1/watch/namespaces/{namespace}/limitranges/{name}
```

3.2.245.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the LimitRange	true	string	

3.2.245.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.245.3. Consumes

✘ /

3.2.245.4. Produces

✘ application/json

3.2.245.5. Tags

apiv1

3.2.246. watch individual changes to a list of PersistentVolumeClaim

GET /api/v1/watch/namespaces/{namespace}/persistentvolumeclaims

3.2.246.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.246.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.246.3. Consumes

✎ /

3.2.246.4. Produces

✎ application/json

3.2.246.5. Tags

✎ apiv1

3.2.247. watch changes to an object of kind PersistentVolumeClaim

watch for changes to an object or kind. `resourceVersion`.

```
GET /api/v1/watch/namespaces/{namespace}/persistentvolumeclaims/{name}
```

3.2.247.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PersistentVolu meClaim	true	string	

3.2.247.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.247.3. Consumes

✎ /

3.2.247.4. Produces

✎ application/json

3.2.247.5. Tags

✳ apiv1

3.2.248. watch individual changes to a list of Pod

GET /api/v1/watch/namespaces/{namespace}/pods

3.2.248.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.248.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.248.3. Consumes

✎ /

3.2.248.4. Produces

✎ application/json

3.2.248.5. Tags

✱ apiv1

3.2.249. watch changes to an object of kind Pod

GET /api/v1/watch/namespaces/{namespace}/pods/{name}

3.2.249.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Pod	true	string	

3.2.249.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.249.3. Consumes

✘ /

3.2.249.4. Produces

✘ application/json

3.2.249.5. Tags

❗ [View REST API page](#)

» [apiv1](#)

3.2.250. watch individual changes to a list of PodTemplate

GET /api/v1/watch/namespaces/{namespace}/podtemplates

3.2.250.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.250.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.250.3. Consumes

✳ /

3.2.250.4. Produces

✳ application/json

3.2.250.5. Tags

✳ apiv1

3.2.251. watch changes to an object of kind PodTemplate

```
GET /api/v1/watch/namespaces/{namespace}/podtemplates/{name}
```

3.2.251.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the PodTemplate	true	string	

3.2.251.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.251.3. Consumes

✳ /

3.2.251.4. Produces

✳ application/json

3.2.251.5. Tags

apiv1

3.2.252. watch individual changes to a list of ReplicationController

GET /api/v1/watch/namespaces/{namespace}/replicationcontrollers

3.2.252.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.252.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.252.3. Consumes

✎ /

3.2.252.4. Produces

✎ application/json

3.2.252.5. Tags

✎ apiv1

3.2.253. watch changes to an object of kind ReplicationController

controller watch changes to an object of kind ReplicationController.

```
GET /api/v1/watch/namespaces/{namespace}/replicationcontrollers/{name}
```

3.2.253.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ReplicationCo ntroller	true	string	

3.2.253.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.253.3. Consumes

✎ /

3.2.253.4. Produces

✎ application/json

3.2.253.5. Tags

✳ apiv1

3.2.254. watch individual changes to a list of ResourceQuota

GET /api/v1/watch/namespaces/{namespace}/resourcequotas

3.2.254.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.254.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.254.3. Consumes

✎ /

3.2.254.4. Produces

✎ application/json

3.2.254.5. Tags

✱ apiv1

3.2.255. watch changes to an object of kind ResourceQuota

GET /api/v1/watch/namespaces/{namespace}/resourcequotas/{name}

3.2.255.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ResourceQuota	true	string	

3.2.255.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.255.3. Consumes

✳ /

3.2.255.4. Produces

✳ application/json

3.2.255.5. Tags

✳ apiv1

3.2.256. watch individual changes to a list of Secret

GET /api/v1/watch/namespaces/{namespace}/secrets

3.2.256.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.256.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.256.3. Consumes

✎ /

3.2.256.4. Produces

✎ application/json

3.2.256.5. Tags

✱ apiv1

3.2.257. watch changes to an object of kind Secret

GET /api/v1/watch/namespaces/{namespace}/secrets/{name}

3.2.257.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Secret	true	string	

3.2.257.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.257.3. Consumes

✎ /

3.2.257.4. Produces

✎ application/json

3.2.257.5. Tags

» apiv1

3.2.258. watch individual changes to a list of ServiceAccount

GET /api/v1/watch/namespaces/{namespace}/serviceaccounts

3.2.258.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.258.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.258.3. Consumes

✳ /

3.2.258.4. Produces

✳ application/json

3.2.258.5. Tags

✳ apiv1

3.2.259. watch changes to an object of kind ServiceAccount

```
GET /api/v1/watch/namespaces/{namespace}/serviceaccounts/{name}
```

3.2.259.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam eter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam eter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the ServiceAccount	true	string	

3.2.259.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.259.3. Consumes

✎ /

3.2.259.4. Produces

✎ application/json

3.2.259.5. Tags

✳ apiv1

3.2.260. watch individual changes to a list of Service

GET /api/v1/watch/namespaces/{namespace}/services

3.2.260.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	

3.2.260.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.260.3. Consumes

✎ /

3.2.260.4. Produces

✎ application/json

3.2.260.5. Tags

✱ apiv1

3.2.261. watch changes to an object of kind Service

GET /api/v1/watch/namespaces/{namespace}/services/{name}

3.2.261.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	namespace	object name and auth scope, such as for teams and projects	true	string	
PathParamete r	name	name of the Service	true	string	

3.2.261.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.261.3. Consumes

✘ /

3.2.261.4. Produces

✘ application/json

3.2.261.5. Tags

3.2.262.1. Parameters

» apiv1

3.2.262. watch changes to an object of kind Namespace

GET /api/v1/watch/namespaces/{name}

3.2.262.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the Namespace	true	string	

3.2.262.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.262.3. Consumes

✘ /

3.2.262.4. Produces

✘ application/json

3.2.262.5. Tags

✘ apiv1

3.2.263. watch individual changes to a list of Node

GET /api/v1/watch/nodes

3.2.263.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.263.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.263.3. Consumes

✳ /

3.2.263.4. Produces

✳ application/json

3.2.263.5. Tags

✳ apiv1

3.2.264. watch changes to an object of kind Node

```
GET /api/v1/watch/nodes/{name}
```

3.2.264.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	
PathParamete r	name	name of the Node	true	string	

3.2.264.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.264.3. Consumes

✘ /

3.2.264.4. Produces

✘ application/json

3.2.264.5. Tags

✘ apiv1

3.2.265. watch individual changes to a list of PersistentVolumeClaim

GET /api/v1/watch/persistentvolumeclaims

3.2.265.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.265.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.265.3. Consumes

✘ /

3.2.265.4. Produces

✘ application/json

3.2.265.5. Tags

✘ apiv1

3.2.266. watch individual changes to a list of PersistentVolume

GET /api/v1/watch/persistentvolumes

3.2.266.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.266.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.266.3. Consumes

✘ /

3.2.266.4. Produces

✘ application/json

3.2.266.5. Tags

✘ apiv1

3.2.267. watch changes to an object of kind PersistentVolume

```
GET /api/v1/watch/persistentvolumes/{name}
```

3.2.267.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	name	name of the PersistentVolume	true	string	

3.2.267.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.267.3. Consumes

✳ /

3.2.267.4. Produces

✳ application/json

3.2.267.5. Tags

✳ apiv1

3.2.268. watch individual changes to a list of Pod

-

GET /api/v1/watch/pods

3.2.268.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParam ter	resourceVersi on	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParam ter	timeoutSecon ds	Timeout for the list/watch call.	false	integer	

3.2.268.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.268.3. Consumes

✎ /

3.2.268.4. Produces

✎ application/json

3.2.268.5. Tags

✎ apiv1

3.2.269. watch individual changes to a list of PodTemplate

GET /api/v1/watch/podtemplates

3.2.269.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.269.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.269.3. Consumes

✳ /

3.2.269.4. Produces

✳ application/json

3.2.269.5. Tags

✳ apiv1

3.2.270. watch individual changes to a list of ReplicationController

GET /api/v1/watch/replicationcontrollers

3.2.270.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.270.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.270.3. Consumes

✎ /

3.2.270.4. Produces

✎ application/json

3.2.270.5. Tags

✎ apiv1

3.2.271. watch individual changes to a list of ResourceQuota

GET /api/v1/watch/resourcequotas

3.2.271.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.271.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.271.3. Consumes

✳ /

3.2.271.4. Produces

✳ application/json

3.2.271.5. Tags

✳ apiv1

3.2.272. watch individual changes to a list of Secret

GET /api/v1/watch/secrets

3.2.272.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.272.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.272.3. Consumes

✎ /

3.2.272.4. Produces

✎ application/json

3.2.272.5. Tags

✎ apiv1

3.2.273. watch individual changes to a list of SecurityContextConstraints

GET /api/v1/watch/securitycontextconstraints

3.2.273.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParam ter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.273.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.273.3. Consumes

✳ /

3.2.273.4. Produces

✳ application/json

3.2.273.5. Tags

✳ apiv1

3.2.274. watch changes to an object of kind SecurityContextConstraints

```
GET /api/v1/watch/securitycontextconstraints/{name}
```

3.2.274.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParamete	timeoutSeconds	Timeout for the list/watch call.	false	integer	
PathParameter	name	name of the SecurityContextConstraints	true	string	

3.2.274.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.274.3. Consumes

✳ /

3.2.274.4. Produces

✳ application/json

3.2.274.5. Tags

✳ apiv1

3.2.275. watch individual changes to a list of ServiceAccount

GET /api/v1/watch/serviceaccounts

3.2.275.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParam ter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParam ter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParam ter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParam ter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	

Type	Name	Description	Required	Schema	Default
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	
QueryParamter	timeoutSeconds	Timeout for the list/watch call.	false	integer	

3.2.275.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.275.3. Consumes

✳ /

3.2.275.4. Produces

✳ application/json

3.2.275.5. Tags

✳ apiv1

3.2.276. watch individual changes to a list of Service

GET /api/v1/watch/services

3.2.276.1. Parameters

Type	Name	Description	Required	Schema	Default
QueryParamter	pretty	If 'true', then the output is pretty printed.	false	string	
QueryParamter	labelSelector	A selector to restrict the list of returned objects by their labels. Defaults to everything.	false	string	
QueryParamter	fieldSelector	A selector to restrict the list of returned objects by their fields. Defaults to everything.	false	string	
QueryParamter	watch	Watch for changes to the described resources and return them as a stream of add, update, and remove notifications. Specify resourceVersion.	false	boolean	
QueryParamter	resourceVersion	When specified with a watch call, shows changes that occur after that particular version of a resource. Defaults to changes from the beginning of history.	false	string	

Type	Name	Description	Required	Schema	Default
------	------	-------------	----------	--------	---------

QueryParam ter	timeoutSeco nds	Timeout for the list/watch call.	false	integer	
-------------------	--------------------	--	-------	---------	--

3.2.276.2. Responses

HTTP Code	Description	Schema
200	success	Section 2.3.2, "json.WatchEvent"

3.2.276.3. Consumes

✎ /

3.2.276.4. Produces

✎ application/json

3.2.276.5. Tags

✎ apiv1

3.3. DEFINITIONS

3.3.1. integer

3.3.2. json.WatchEvent

Name	Description	Required	Schema	Default
type	the type of watch event; may be ADDED, MODIFIED, DELETED, or ERROR	false	string	
object	the object being watched; will match the type of the resource endpoint or be a Status object if the type is ERROR	false	string	

3.3.3. unversioned.ListMeta

ListMeta describes metadata that synthetic resources must have, including lists and various status objects. A resource may have only one of {ObjectMeta, ListMeta}.

Name	Description	Required	Schema	Default
selfLink	SelfLink is a URL representing this object. Populated by the system. Read-only.	false	string	

Name	Description	Required	Schema	Default
resourceVersion	String that identifies the server's internal version of this object that can be used by clients to determine when objects have changed. Value must be treated as opaque by clients and passed unmodified back to the server. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#concurrency-control-and-consistency	false	string	

3.3.4. unversioned.Patch

Patch is provided to give a concrete name and type to the Kubernetes PATCH request body.

3.3.5. unversioned.Status

Status is a return value for calls that don't return other objects.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
status	Status of the operation. One of: "Success" or "Failure". More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	string	
message	A human-readable description of the status of this operation.	false	string	
reason	A machine-readable description of why this operation is in the "Failure" status. If this value is empty there is no information available. A Reason clarifies an HTTP status code but does not override it.	false	string	

Name	Description	Required	Schema	Default
details	Extended data associated with the reason. Each reason may define its own extended details. This field is optional and the data returned is not guaranteed to conform to any schema except that defined by the reason type.	false	Section 2.3.9, "unversioned.StatusDetails"	
code	Suggested HTTP return code for this status, 0 if not set.	false	integer (int32)	

3.3.6. unversioned.StatusCause

StatusCause provides more information about an api.Status failure, including cases when multiple errors are encountered.

Name	Description	Required	Schema	Default
reason	A machine-readable description of the cause of the error. If this value is empty there is no information available.	false	string	
message	A human-readable description of the cause of the error. This field may be presented as-is to a reader.	false	string	

Name	Description	Required	Schema	Default
field	<p>The field of the resource that has caused this error, as named by its JSON serialization. May include dot and postfix notation for nested attributes. Arrays are zero-indexed. Fields may appear more than once in an array of causes due to fields having multiple errors. Optional.</p> <p>Examples: "\"name\" - the field "\"name\" on the current resource "\"items[0].name\" - the field \"name\" on the first array entry in \"items\"</p>	false	string	

3.3.7. unversioned.StatusDetails

StatusDetails is a set of additional properties that MAY be set by the server to provide additional information about a response. The Reason field of a Status object defines what attributes will be set. Clients must ignore fields that do not match the defined type of each attribute, and should assume that any attribute may be empty, invalid, or under defined.

Name	Description	Required	Schema	Default
name	<p>The name attribute of the resource associated with the status StatusReason (when there is a single name which can be described).</p>	false	string	

Name	Description	Required	Schema	Default
group	The group attribute of the resource associated with the status Reason.	false	string	
kind	The kind attribute of the resource associated with the status Reason. On some operations may differ from the requested resource Kind. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
causes	The Causes array includes more details associated with the Reason failure. Not all Reasons may provide detailed causes.	false	Section 2.3.8, "unversioned.StatusCause" array	
retryAfterSeconds	If specified, the time in seconds before the operation should be retried.	false	integer (int32)	

3.3.8. v1.AWSElasticBlockStoreVolumeSource

Represents a Persistent Disk resource in AWS.

An AWS EBS disk must exist before mounting to a container. The disk must also be in the same AWS zone as the kubelet. An AWS EBS disk can only be mounted as read/write once. AWS EBS volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
volumeID	Unique ID of the persistent disk resource in AWS (Amazon EBS volume). More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	true	string	
fsType	Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	false	string	

Name	Description	Required	Schema	Default
partition	The partition in the volume that you want to mount. If omitted, the default is to mount by volume name. Examples: For volume /dev/sda1, you specify the partition as "1". Similarly, the volume partition for /dev/sda is "0" (or you can leave the property empty).	false	integer (int32)	
readOnly	Specify "true" to force and set the ReadOnly property in VolumeMounts to "true". If omitted, the default is "false". More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	false	boolean	

3.3.9. v1.AzureFileVolumeSource

AzureFile represents an Azure File Service mount on the host and bind mount to the pod.

Name	Description	Required	Schema	Default
secretName	the name of secret that contains Azure Storage Account Name and Key	true	string	

Name	Description	Required	Schema	Default
shareName	Share Name	true	string	
readOnly	Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.	false	boolean	

3.3.10. v1.Binding

Binding ties one object to another. For example, a pod is bound to a node by a scheduler.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
target	The target object that you want to bind to the standard object.	true	Section 2.3.135, "v1.ObjectReference"	

3.3.11. v1.Capabilities

Adds and removes POSIX capabilities from running containers.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
add	Added capabilities	false	Section 2.3.29, "v1.Capability" array	
drop	Removed capabilities	false	Section 2.3.29, "v1.Capability" array	

3.3.12. v1.Capability

3.3.13. v1.CephFSVolumeSource

Represents a Ceph Filesystem mount that lasts the lifetime of a pod Cephfs volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
monitors	Required: Monitors is a collection of Ceph monitors More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	true	string array	
path	Optional: Used as the mounted root, rather than the full Ceph tree, default is /	false	string	

Name	Description	Required	Schema	Default
user	Optional: User is the rados user name, default is admin More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	string	
secretFile	Optional: SecretFile is the path to key ring for User, default is /etc/ceph/user.secret More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	string	
secretRef	Optional: SecretRef is reference to the authentication secret for User, default is empty. More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	Section 2.3.112, "v1.LocalObjectReference"	

Name	Description	Required	Schema	Default
readOnly	Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts. More info: http://releases.k8s.io/release-1.2/examples/cephfs/README.md#how-to-use-it	false	boolean	

3.3.14. v1.CinderVolumeSource

CinderVolumeSource represents a cinder volume resource in Openstack. A Cinder volume must exist before mounting to a container. The volume must also be in the same region as the kubelet.

Name	Description	Required	Schema	Default
volumeID	volume id used to identify the volume in cinder More info: http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md	true	string	

Name	Description	Required	Schema	Default
fsType	<p>Filesystem type to mount. Must be a filesystem type supported by the host operating system.</p> <p>Examples: "ext4", "xfs", "ntfs".</p> <p>Implicitly inferred to be "ext4" if unspecified. More info:</p> <p>http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md</p>	false	string	
readOnly	<p>Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.</p> <p>More info:</p> <p>http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md</p>	false	boolean	

3.3.15. v1.ComponentCondition

Information about the condition of a component.

Name	Description	Required	Schema	Default
type	<p>Type of condition for a component.</p> <p>Valid value: "Healthy"</p>	true	string	

Name	Description	Required	Schema	Default
status	Status of the condition for a component. Valid values for "Healthy": "True", "False", or "Unknown".	true	string	
message	Message about the condition for a component. For example, information about a health check.	false	string	
error	Condition error code for a component. For example, a health check error code.	false	string	

3.3.16. v1.ComponentStatus

ComponentStatus (and ComponentStatusList) holds the cluster validation info.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
conditions	List of component conditions observed	false	Section 3.3.15, "v1.ComponentCondition" array	

3.3.17. v1.ComponentStatusList

Status of all the conditions for the component as a list of ComponentStatus objects.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of ComponentStatus objects.	true	Section 3.3.16, "v1.ComponentStatus" array	

3.3.18. v1.ConfigMap

ConfigMap holds configuration data for pods to consume.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134 , "v1.ObjectMeta"	
data	Data contains the configuration data. Each key must be a valid DNS_SUBDOMAIN with an optional leading dot.	false	Section 2.3.200 , "any"	

3.3.19. v1.ConfigMapKeySelector

Selects a key from a ConfigMap.

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
key	The key to select.	true	string	

3.3.20. v1.ConfigMapList

ConfigMapList is a resource containing a list of ConfigMap objects.

Name	Description	Required	Schema	Default
kind	<p>Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds</p>	false	string	
apiVersion	<p>APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources</p>	false	string	

Name	Description	Required	Schema	Default
metadata	More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is the list of ConfigMaps.	false	Section 3.3.18, "v1.ConfigMap" array	

3.3.21. v1.ConfigMapVolumeSource

Adapts a ConfigMap into a volume.

The contents of the target ConfigMap's Data field will be presented in a volume as files using the keys in the Data field as the file names, unless the items element is populated with specific mappings of keys to paths. ConfigMap volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	

Name	Description	Required	Schema	Default
items	If unspecified, each key-value pair in the Data field of the referenced ConfigMap will be projected into the volume as a file whose name is the key and content is the value. If specified, the listed keys will be projected into the specified paths, and unlisted keys will not be present. If a key is specified which is not present in the ConfigMap, the volume setup will error. Paths must be relative and may not contain the '..' path or start with '..'.	false	Section 2.3.109, "v1.KeyToPath" array	

3.3.22. v1.Container

A single application container that you want to run within a pod.

Name	Description	Required	Schema	Default
name	Name of the container specified as a DNS_LABEL. Each container in a pod must have a unique name (DNS_LABEL). Cannot be updated.	true	string	

Name	Description	Required	Schema	Default
image	Docker image name. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md	false	string	
command	Entrypoint array. Not executed within a shell. The docker image's ENTRYPOINT is used if this is not provided. Variable references \$(VAR_NAME) are expanded using the container's environment. If a variable cannot be resolved, the reference in the input string will be unchanged. The \$(VAR_NAME) syntax can be escaped with a double , ie: (VAR_NAME). Escaped references will never be expanded, regardless of whether the variable exists or not. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/containers.md#containers-and-commands	false	string array	

Name	Description	Required	Schema	Default
args	<p>Arguments to the entrypoint. The docker image's CMD is used if this is not provided. Variable references <code>\$(VAR_NAME)</code> are expanded using the container's environment. If a variable cannot be resolved, the reference in the input string will be unchanged. The <code>\$(VAR_NAME)</code> syntax can be escaped with a double <code>`, ie: <code>\$(VAR_NAME)</code>. Escaped references will never be expanded, regardless of whether the variable exists or not. Cannot be updated. More info:</code></p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/containers.md#containers-and-commands</p>	false	string array	

Name	Description	Required	Schema	Default
workingDir	Container's working directory. If not specified, the container runtime's default will be used, which might be configured in the container image. Cannot be updated.	false	string	
ports	List of ports to expose from the container. Exposing a port here gives the system additional information about the network connections a container uses, but is primarily informational. Not specifying a port here DOES NOT prevent that port from being exposed. Any port which is listening on the default "0.0.0.0" address inside a container will be accessible from the network. Cannot be updated.	false	Section 2.3.45 , "v1.ContainerPort" array	
env	List of environment variables to set in the container. Cannot be updated.	false	Section 2.3.66 , "v1.EnvVar" array	

Name	Description	Required	Schema	Default
resources	<p>Compute Resources required by this container. Cannot be updated. More info:</p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#resources</p>	false	Section 2.3.157, "v1.ResourceRequirements"	
volumeMounts	<p>Pod volumes to mount into the container's filesystem. Cannot be updated.</p>	false	Section 2.3.195, "v1.VolumeMount" array	
livenessProbe	<p>Periodic probe of container liveness. Container will be restarted if the probe fails. Cannot be updated. More info:</p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes</p>	false	Section 2.3.146, "v1.Probe"	

Name	Description	Required	Schema	Default
readinessProbe	<p>Periodic probe of container service readiness. Container will be removed from service endpoints if the probe fails. Cannot be updated. More info:</p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes</p>	false	Section 2.3.146 , "v1.Probe"	
lifecycle	<p>Actions that the management system should take in response to container lifecycle events. Cannot be updated.</p>	false	Section 2.3.110 , "v1.Lifecycle"	
terminationMessagePath	<p>Optional: Path at which the file to which the container's termination message will be written is mounted into the container's filesystem. Message written is intended to be brief final status, such as an assertion failure message. Defaults to /dev/termination-log. Cannot be updated.</p>	false	string	

Name	Description	Required	Schema	Default
imagePullPolicy	Image pull policy. One of Always, Never, IfNotPresent. Defaults to Always if :latest tag is specified, or IfNotPresent otherwise. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md#updating-images	false	string	
securityContext	Security options the pod should run with. More info: http://releases.k8s.io/release-1.2/docs/design/security_context.md	false	Section 2.3.177, "v1.SecurityContext"	
stdin	Whether this container should allocate a buffer for stdin in the container runtime. If this is not set, reads from stdin in the container will always result in EOF. Default is false.	false	boolean	

Name	Description	Required	Schema	Default
stdinOnce	Whether the container runtime should close the stdin channel after it has been opened by a single attach. When stdin is true the stdin stream will remain open across multiple attach sessions. If stdinOnce is set to true, stdin is opened on container start, is empty until the first client attaches to stdin, and then remains open and accepts data until the client disconnects, at which time stdin is closed and remains closed until the container is restarted. If this flag is false, a container processes that reads from stdin will never receive an EOF. Default is false	false	boolean	
tty	Whether this container should allocate a TTY for itself, also requires 'stdin' to be true. Default is false.	false	boolean	

3.3.23. v1.ContainerImage

Describe a container image

Name	Description	Required	Schema	Default
names	Names by which this image is known. e.g. ["gcr.io/google_containers/hyperkube:v1.0.7", "dockerhub.io/google_containers/hyperkube:v1.0.7"]	true	string array	
sizeBytes	The size of the image in bytes.	false	integer (int64)	

3.3.24. v1.ContainerPort

ContainerPort represents a network port in a single container.

Name	Description	Required	Schema	Default
name	If specified, this must be an IANA_SVC_NAME and unique within the pod. Each named port in a pod must have a unique name. Name for the port that can be referred to by services.	false	string	
hostPort	Number of port to expose on the host. If specified, this must be a valid port number, $0 < x < 65536$. If HostNetwork is specified, this must match ContainerPort. Most containers do not need this.	false	integer (int32)	

Name	Description	Required	Schema	Default
containerPort	Number of port to expose on the pod's IP address. This must be a valid port number, $0 < x < 65536$.	true	integer (int32)	
protocol	Protocol for port. Must be UDP or TCP. Defaults to "TCP".	false	string	
hostIP	What host IP to bind the external port to.	false	string	

3.3.25. v1.ContainerState

ContainerState holds a possible state of container. Only one of its members may be specified. If none of them is specified, the default one is ContainerStateWaiting.

Name	Description	Required	Schema	Default
waiting	Details about a waiting container	false	Section 3.3.28, "v1.ContainerStateWaiting"	
running	Details about a running container	false	Section 3.3.26, "v1.ContainerStateRunning"	
terminated	Details about a terminated container	false	Section 3.3.27, "v1.ContainerStateTerminated"	

3.3.26. v1.ContainerStateRunning

ContainerStateRunning is a running state of a container.

Name	Description	Required	Schema	Default
startedAt	Time at which the container was last (re-)started	false	string	

3.3.27. v1.ContainerStateTerminated

ContainerStateTerminated is a terminated state of a container.

Name	Description	Required	Schema	Default
exitCode	Exit status from the last termination of the container	true	integer (int32)	
signal	Signal from the last termination of the container	false	integer (int32)	
reason	(brief) reason from the last termination of the container	false	string	
message	Message regarding the last termination of the container	false	string	
startedAt	Time at which previous execution of the container started	false	string	
finishedAt	Time at which the container last terminated	false	string	

Name	Description	Required	Schema	Default
containerID	Container's ID in the format 'docker://<container_id>'	false	string	

3.3.28. v1.ContainerStateWaiting

ContainerStateWaiting is a waiting state of a container.

Name	Description	Required	Schema	Default
reason	(brief) reason the container is not yet running.	false	string	
message	Message regarding why the container is not yet running.	false	string	

3.3.29. v1.ContainerStatus

ContainerStatus contains details for the current status of this container.

Name	Description	Required	Schema	Default
name	This must be a DNS_LABEL. Each container in a pod must have a unique name. Cannot be updated.	true	string	
state	Details about the container's current condition.	false	Section 3.3.25, "v1.ContainerState"	

Name	Description	Required	Schema	Default
lastState	Details about the container's last termination condition.	false	Section 3.3.25, "v1.ContainerState"	
ready	Specifies whether the container has passed its readiness probe.	true	boolean	
restartCount	The number of times the container has been restarted, currently based on the number of dead containers that have not yet been removed. Note that this is calculated from dead containers. But those containers are subject to garbage collection. This value will get capped at 5 by GC.	true	integer (int32)	
image	The image the container is running. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md	true	string	
imageID	ImageID of the container's image.	true	string	

Name	Description	Required	Schema	Default
containerID	Container's ID in the format 'docker://<container_id>'. More info: http://releases.k8s.io/release-1.2/docs/user-guide/container-environment.md#container-information	false	string	

3.3.30. v1.DaemonEndpoint

DaemonEndpoint contains information about a single Daemon endpoint.

Name	Description	Required	Schema	Default
Port	Port number of the given endpoint.	true	integer (int32)	

3.3.31. v1.DeleteOptions

DeleteOptions may be provided when deleting an API object

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
gracePeriodSeconds	The duration in seconds before the object should be deleted. Value must be non-negative integer. The value zero indicates delete immediately. If this value is nil, the default grace period for the specified type will be used. Defaults to a per object value if not specified. zero means delete immediately.	true	integer (int64)	

3.3.32. v1.DownwardAPIVolumeFile

DownwardAPIVolumeFile represents a single file containing information from the downward API

Name	Description	Required	Schema	Default
path	Required: Path is the relative path name of the file to be created. Must not be absolute or contain the '..' path. Must be utf-8 encoded. The first item of the relative path must not start with '..'	true	string	
fieldRef	Required: Selects a field of the pod: only annotations, labels, name and namespace are supported.	true	Section 2.3.133, "v1.ObjectFieldSelector"	

3.3.33. v1.DownwardAPIVolumeSource

DownwardAPIVolumeSource represents a volume containing downward API info

Name	Description	Required	Schema	Default
items	Items is a list of downward API volume file	false	Section 2.3.63, "v1.DownwardAPI VolumeFile" array	

3.3.34. v1.EmptyDirVolumeSource

Represents an empty directory for a pod. Empty directory volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
medium	What type of storage medium should back this directory. The default is "" which means to use the node's default medium. Must be an empty string (default) or Memory. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#emptydir	false	string	

3.3.35. v1.EndpointAddress

EndpointAddress is a tuple that describes single IP address.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
ip	The IP of this endpoint. May not be loopback (127.0.0.0/8), link-local (169.254.0.0/16), or link-local multicast ((224.0.0.0/24).	true	string	
targetRef	Reference to object providing the endpoint.	false	Section 2.3.135, "v1.ObjectReference"	

3.3.36. v1.EndpointPort

EndpointPort is a tuple that describes a single port.

Name	Description	Required	Schema	Default
name	The name of this port (corresponds to ServicePort.Name). Must be a DNS_LABEL. Optional only if one port is defined.	false	string	
port	The port number of the endpoint.	true	integer (int32)	
protocol	The IP protocol for this port. Must be UDP or TCP. Default is TCP.	false	string	

3.3.37. v1.EndpointSubset

EndpointSubset is a group of addresses with a common set of ports. The expanded set of endpoints

is the Cartesian product of Addresses x Ports. For example, given:

```
{
  Addresses: [{"ip": "10.10.1.1"}, {"ip": "10.10.2.2"}],
  Ports: [{"name": "a", "port": 8675}, {"name": "b", "port": 309}]
}
```

The resulting set of endpoints can be viewed as:

```
a: [ 10.10.1.1:8675, 10.10.2.2:8675 ],
b: [ 10.10.1.1:309, 10.10.2.2:309 ]
```

Name	Description	Required	Schema	Default
addresses	IP addresses which offer the related ports that are marked as ready. These endpoints should be considered safe for load balancers and clients to utilize.	false	Section 3.3.35, "v1.EndpointAddresses" array	
notReadyAddresses	IP addresses which offer the related ports but are not currently marked as ready because they have not yet finished starting, have recently failed a readiness check, or have recently failed a liveness check.	false	Section 3.3.35, "v1.EndpointAddresses" array	
ports	Port numbers available on the related IP addresses.	false	Section 3.3.36, "v1.EndpointPort" array	

3.3.38. v1.Endpoints

Endpoints is a collection of endpoints that implement the actual service. Example:

```
Name: "mysvc",
Subsets: [
  {
    Addresses: [{"ip": "10.10.1.1"}, {"ip": "10.10.2.2"}],
    Ports: [{"name": "a", "port": 8675}, {"name": "b", "port": 309}]
  }
]
```

```

},
{
Addresses: [{"ip": "10.10.3.3"}],
Ports: [{"name": "a", "port": 93}, {"name": "b", "port": 76}]
},
]

```

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
subsets	The set of all endpoints is the union of all subsets. Addresses are placed into subsets according to the IPs they share. A single address with multiple ports, some of which are ready and some of which are not (because they come from different containers) will result in the address being displayed in different subsets for the different ports. No address will appear in both Addresses and NotReadyAddresses in the same subset. Sets of addresses and ports that comprise a service.	true	Section 3.3.37, "v1.EndpointSubset" array	

3.3.39. v1.EndpointsList

EndpointsList is a list of endpoints.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of endpoints.	true	Section 3.3.38, "v1.Endpoints" array	

3.3.40. v1.EnvVar

EnvVar represents an environment variable present in a Container.

Name	Description	Required	Schema	Default
name	Name of the environment variable. Must be a C_IDENTIFIER.	true	string	

Name	Description	Required	Schema	Default
value	Variable references \$(VAR_NAME) are expanded using the previous defined environment variables in the container and any service environment variables. If a variable cannot be resolved, the reference in the input string will be unchanged. The \$(VAR_NAME) syntax can be escaped with a double , ie: (VAR_NAME). Escaped references will never be expanded, regardless of whether the variable exists or not. Defaults to "".	false	string	
valueFrom	Source for the environment variable's value. Cannot be used if value is not empty.	false	Section 2.3.67, "v1.EnvVarSource"	

3.3.41. v1.EnvVarSource

EnvVarSource represents a source for the value of an EnvVar.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
fieldRef	Selects a field of the pod; only name and namespace are supported.	false	Section 2.3.133 , "v1.ObjectFieldSelector"	
configMapKeyRef	Selects a key of a ConfigMap.	false	Section 2.3.42 , "v1.ConfigMapKeySelector"	
secretKeyRef	Selects a key of a secret in the pod's namespace	false	Section 2.3.173 , "v1.SecretKeySelector"	

3.3.42. v1.Event

Event is a report of an event somewhere in the cluster.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	true	Section 2.3.134, "v1.ObjectMeta"	
involvedObject	The object that this event is about.	true	Section 2.3.135, "v1.ObjectReference"	
reason	This should be a short, machine understandable string that gives the reason for the transition into the object's current status.	false	string	

Name	Description	Required	Schema	Default
message	A human-readable description of the status of this operation.	false	string	
source	The component reporting this event. Should be a short machine understandable string.	false	Section 3.3.44, "v1.EventSource"	
firstTimestamp	The time at which the event was first recorded. (Time of server receipt is in TypeMeta.)	false	string	
lastTimestamp	The time at which the most recent occurrence of this event was recorded.	false	string	
count	The number of times this event has occurred.	false	integer (int32)	
type	Type of this event (Normal, Warning), new types could be added in the future	false	string	

3.3.43. v1.EventList

EventList is a list of events.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5 , "unversioned.List Meta"	
items	List of events	true	Section 3.3.42 , "v1.Event" array	

3.3.44. v1.EventSource

EventSource contains information for an event.

Name	Description	Required	Schema	Default
component	Component from which the event is generated.	false	string	
host	Host name on which the event is generated.	false	string	

3.3.45. v1.ExecAction

ExecAction describes a "run in container" action.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
command	Command is the command line to execute inside the container, the working directory for the command is root ('/') in the container's filesystem. The command is simply exec'd, it is not run inside a shell, so traditional shell instructions (' ', etc) won't work. To use a shell, you need to explicitly call out to that shell. Exit status of 0 is treated as live/healthy and non-zero is unhealthy.	false	string array	

3.3.46. v1.FCVolumeSource

Represents a Fibre Channel volume. Fibre Channel volumes can only be mounted as read/write once. Fibre Channel volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
targetWWNs	Required: FC target world wide names (WWNs)	true	string array	
lun	Required: FC target lun number	true	integer (int32)	

Name	Description	Required	Schema	Default
fsType	Filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified.	false	string	
readOnly	Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.	false	boolean	

3.3.47. v1.FSGroupStrategyOptions

FSGroupStrategyOptions is the strategy that will dictate what fs group is used by the SecurityContext.

Name	Description	Required	Schema	Default
type	Type is the strategy that will dictate what FSGroup is used in the SecurityContext.	false	string	
ranges	Ranges are the allowed ranges of fs groups. If you would like to force a single fs group then supply a single range with the same start and end.	false	Section 3.3.58, "v1.IDRange" array	

3.3.48. v1.FinalizerName

3.3.49. v1.FlexVolumeSource

FlexVolume represents a generic volume resource that is provisioned/attached using a exec based plug-in. This is an alpha feature and may change in future.

Name	Description	Required	Schema	Default
driver	Driver is the name of the driver to use for this volume.	true	string	
fsType	Filesystem type to mount. Must be a filesystem type supported by the host operating system. Ex. "ext4", "xfs", "ntfs". The default filesystem depends on FlexVolume script.	false	string	
secretRef	Optional: SecretRef is reference to the authentication secret for User, default is empty.	false	Section 2.3.112, "v1.LocalObjectReference"	
readOnly	Optional: Defaults to false (read/write). ReadOnly here will force the ReadOnly setting in VolumeMounts.	false	boolean	
options	Optional: Extra command options if any.	false	Section 2.3.200, "any"	

3.3.50. v1.FlockerVolumeSource

Represents a Flocker volume mounted by the Flocker agent. Flocker volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
datasetName	Required: the volume name. This is going to be store on metadata → name on the payload for Flocker	true	string	

3.3.51. v1.GCEPersistentDiskVolumeSource

Represents a Persistent Disk resource in Google Compute Engine.

A GCE PD must exist before mounting to a container. The disk must also be in the same GCE project and zone as the kubelet. A GCE PD can only be mounted as read/write once or read-only many times. GCE PDs support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
pdName	Unique name of the PD resource in GCE. Used to identify the disk in GCE. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk	true	string	

Name	Description	Required	Schema	Default
fsType	<p>Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system.</p> <p>Examples: "ext4", "xfs", "ntfs".</p> <p>Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk</p>	false	string	
partition	<p>The partition in the volume that you want to mount. If omitted, the default is to mount by volume name. Examples: For volume /dev/sda1, you specify the partition as "1". Similarly, the volume partition for /dev/sda is "0" (or you can leave the property empty). More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk</p>	false	integer (int32)	

Name	Description	Required	Schema	Default
readOnly	ReadOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk	false	boolean	

3.3.52. v1.GitRepoVolumeSource

Represents a volume that is populated with the contents of a git repository. Git repo volumes do not support ownership management. Git repo volumes support SELinux relabeling.

Name	Description	Required	Schema	Default
repository	Repository URL	true	string	
revision	Commit hash for the specified revision.	false	string	
directory	Target directory name. Must not contain or start with '..'. If '.' is supplied, the volume directory will be the git repository. Otherwise, if specified, the volume will contain the git repository in the subdirectory with the given name.	false	string	

3.3.53. v1.GlusterfsVolumeSource

Represents a Glusterfs mount that lasts the lifetime of a pod. Glusterfs volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
endpoints	EndpointsName is the endpoint name that details Glusterfs topology. More info: http://releases.k8s.io/release-1.2/examples/glusterfs/README.md#create-a-pod	true	string	
path	Path is the Glusterfs volume path. More info: http://releases.k8s.io/release-1.2/examples/glusterfs/README.md#create-a-pod	true	string	
readOnly	ReadOnly here will force the Glusterfs volume to be mounted with read-only permissions. Defaults to false. More info: http://releases.k8s.io/release-1.2/examples/glusterfs/README.md#create-a-pod	false	boolean	

3.3.54. v1.HTTPGetAction

HTTPGetAction describes an action based on HTTP Get requests.

Name	Description	Required	Schema	Default
path	Path to access on the HTTP server.	false	string	
port	Name or number of the port to access on the container. Number must be in the range 1 to 65535. Name must be an IANA_SVC_NAME.	true	string	
host	Host name to connect to, defaults to the pod IP. You probably want to set "Host" in httpHeaders instead.	false	string	
scheme	Scheme to use for connecting to the host. Defaults to HTTP.	false	string	
httpHeaders	Custom headers to set in the request. HTTP allows repeated headers.	false	Section 2.3.82, "v1.HTTPHeader" array	

3.3.55. v1.HTTPHeader

HTTPHeader describes a custom header to be used in HTTP probes

Name	Description	Required	Schema	Default
name	The header field name	true	string	

Name	Description	Required	Schema	Default
value	The header field value	true	string	

3.3.56. v1.Handler

Handler defines a specific action that should be taken

Name	Description	Required	Schema	Default
exec	One and only one of the following should be specified. Exec specifies the action to take.	false	Section 2.3.68, "v1.ExecAction"	
httpGet	HTTPGet specifies the http request to perform.	false	Section 2.3.81, "v1.HTTPGetAction"	
tcpSocket	TCPsocket specifies an action involving a TCP port. TCP hooks not yet supported	false	Section 2.3.182, "v1.TCPsocketAction"	

3.3.57. v1.HostPathVolumeSource

Represents a host path mapped into a pod. Host path volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
path	Path of the directory on the host. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#hostpath	true	string	

3.3.58. v1.IDRange

IDRange provides a min/max of an allowed range of IDs.

Name	Description	Required	Schema	Default
min	Min is the start of the range, inclusive.	false	integer (int64)	
max	Max is the end of the range, inclusive.	false	integer (int64)	

3.3.59. v1.ISCSIVolumeSource

Represents an iSCSI disk. iSCSI volumes can only be mounted as read/write once. iSCSI volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
targetPortal	iSCSI target portal. The portal is either an IP or ip_addr:port if the port is other than default (typically TCP ports 860 and 3260).	true	string	
iqn	Target iSCSI Qualified Name.	true	string	

Name	Description	Required	Schema	Default
lun	iSCSI target lun number.	true	integer (int32)	
iscsiInterface	Optional: Defaults to 'default' (tcp). iSCSI interface name that uses an iSCSI transport.	false	string	
fsType	Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#iscsi	false	string	
readOnly	ReadOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false.	false	boolean	

3.3.60. v1.KeyToPath

Maps a string key to a path within a volume.

Name	Description	Required	Schema	Default
key	The key to project.	true	string	
path	The relative path of the file to map the key to. May not be an absolute path. May not contain the path element '..'. May not start with the string '..'.	true	string	

3.3.61. v1.Lifecycle

Lifecycle describes actions that the management system should take in response to container lifecycle events. For the PostStart and PreStop lifecycle handlers, management of the container blocks until the action is complete, unless the container process fails, in which case the handler is aborted.

Name	Description	Required	Schema	Default
postStart	PostStart is called immediately after a container is created. If the handler fails, the container is terminated and restarted according to its restart policy. Other management of the container blocks until the hook completes. More info: http://releases.k8s.io/release-1.2/docs/user-guide/container-environment.md#hook-details	false	Section 2.3.83, "v1.Handler"	

Name	Description	Required	Schema	Default
preStop	<p>PreStop is called immediately before a container is terminated. The container is terminated after the handler completes. The reason for termination is passed to the handler. Regardless of the outcome of the handler, the container is eventually terminated. Other management of the container blocks until the hook completes. More info: http://releases.k8s.io/release-1.2/docs/user-guide/container-environment.md#hook-details</p>	false	Section 2.3.83, "v1.Handler"	

3.3.62. v1.LimitRange

LimitRange sets resource usage limits for each kind of resource in a Namespace.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines the limits enforced. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.65, "v1.LimitRangeSpec"	

3.3.63. v1.LimitRangeItem

LimitRangeItem defines a min/max usage limit for any resource that matches on kind.

Name	Description	Required	Schema	Default
type	Type of resource that this limit applies to.	false	string	
max	Max usage constraints on this kind by resource name.	false	Section 2.3.200, "any"	
min	Min usage constraints on this kind by resource name.	false	Section 2.3.200, "any"	

Name	Description	Required	Schema	Default
default	Default resource requirement limit value by resource name if resource limit is omitted.	false	Section 2.3.200 , "any"	
defaultRequest	DefaultRequest is the default resource requirement request value by resource name if resource request is omitted.	false	Section 2.3.200 , "any"	
maxLimitRequest Ratio	MaxLimitRequest Ratio if specified, the named resource must have a request and limit that are both non-zero where limit divided by request is less than or equal to the enumerated value; this represents the max burst for the named resource.	false	Section 2.3.200 , "any"	

3.3.64. v1.LimitRangeList

LimitRangeList is a list of LimitRange items.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	Items is a list of LimitRange objects. More info: http://releases.k8s.io/release-1.2/docs/design/admission_control_limit_range.md	true	Section 3.3.62, "v1.LimitRange" array	

3.3.65. v1.LimitRangeSpec

LimitRangeSpec defines a min/max usage limit for resources that match on kind.

Name	Description	Required	Schema	Default
limits	Limits is the list of LimitRangeItem objects that are enforced.	true	Section 3.3.63, "v1.LimitRangeItem" array	

3.3.66. v1.LoadBalancerIngress

LoadBalancerIngress represents the status of a load-balancer ingress point: traffic intended for the service should be sent to an ingress point.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
ip	IP is set for load-balancer ingress points that are IP based (typically GCE or OpenStack load-balancers)	false	string	
hostname	Hostname is set for load-balancer ingress points that are DNS based (typically AWS load-balancers)	false	string	

3.3.67. v1.LoadBalancerStatus

LoadBalancerStatus represents the status of a load-balancer.

Name	Description	Required	Schema	Default
ingress	Ingress is a list containing ingress points for the load-balancer. Traffic intended for the service should be sent to these ingress points.	false	Section 3.3.66, "v1.LoadBalancerIngress" array	

3.3.68. v1.LocalObjectReference

LocalObjectReference contains enough information to let you locate the referenced object inside the same namespace.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	

3.3.69. v1.MetadataFile

MetadataFile expresses information about a file holding pod metadata. NOTE: Deprecated in favor of DownwardAPIVolumeFile

Name	Description	Required	Schema	Default
name	Name of the file to be created	true	string	
fieldRef	Selects a field of the pod. Supported fields: metadata.annotations, metadata.labels, metadata.name, metadata.namespace	true	Section 2.3.133, "v1.ObjectFieldSelector"	

3.3.70. v1.MetadataVolumeSource

MetadataVolumeSource represents a volume containing metadata about a pod. NOTE: Deprecated in favor of DownwardAPIVolumeSource

Name	Description	Required	Schema	Default
items	Items is a list of metadata file name	false	Section 2.3.115, "v1.MetadataFile" array	

3.3.71. v1.NFSVolumeSource

Represents an NFS mount that lasts the lifetime of a pod. NFS volumes do not support ownership management or SELinux relabeling.

Name	Description	Required	Schema	Default
server	Server is the hostname or IP address of the NFS server. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#nfs	true	string	
path	Path that is exported by the NFS server. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#nfs	true	string	
readOnly	ReadOnly here will force the NFS export to be mounted with read-only permissions. Defaults to false. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#nfs	false	boolean	

3.3.72. v1.Namespace

Namespace provides a scope for Names. Use of multiple namespaces is optional.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines the behavior of the Namespace. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.74, "v1.NamespaceSpec"	
status	Status describes the current status of a Namespace. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.75, "v1.NamespaceStatus"	

3.3.73. v1.NamespaceList

NamespaceList is a list of Namespaces.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5 , "unversioned.List Meta"	
items	Items is the list of Namespace objects in the list. More info: http://releases.k8s.io/release-1.2/docs/user-guide/namespaces.md	true	Section 3.3.72 , "v1.Namespace" array	

3.3.74. v1.NamespaceSpec

NamespaceSpec describes the attributes on a Namespace.

Name	Description	Required	Schema	Default
finalizers	Finalizers is an opaque list of values that must be empty to permanently remove object from storage. More info: http://releases.k8s.io/release-1.2/docs/design/namespaces.md#finalizers	false	Section 2.3.71 , "v1.FinalizerName" array	

3.3.75. v1.NamespaceStatus

NamespaceStatus is information about the current status of a Namespace.

Name	Description	Required	Schema	Default
phase	Phase is the current lifecycle phase of the namespace. More info: http://releases.k8s.io/release-1.2/docs/design/namespaces.md#phases	false	string	

3.3.76. v1.Node

Nodes represent the machines that run the pods and containers in the cluster. A node resource is typically created and modified by the software running on the node - reporting information about capacity and the current health of the node. The labels of the node can be used by pods to specify a subset of the cluster to be scheduled on. The scheduler will only assign pods to nodes that have the **schedulable** condition set and also **ready**.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines the behavior of a node. http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.81, "v1.NodeSpec"	

Name	Description	Required	Schema	Default
status	Most recently observed status of the node. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.82, "v1.NodeStatus"	

3.3.77. v1.NodeAddress

NodeAddress contains information for the node's address.

Name	Description	Required	Schema	Default
type	Node address type, one of Hostname, ExternalIP or InternalIP.	true	string	
address	The node address.	true	string	

3.3.78. v1.NodeCondition

NodeCondition contains condition information for a node.

Name	Description	Required	Schema	Default
type	Type of node condition.	true	string	
status	Status of the condition, one of True, False, Unknown.	true	string	

Name	Description	Required	Schema	Default
lastHeartbeatTime	Last time we got an update on a given condition.	false	string	
lastTransitionTime	Last time the condition transit from one status to another.	false	string	
reason	(brief) reason for the condition's last transition.	false	string	
message	Human readable message indicating details about last transition.	false	string	

3.3.79. v1.NodeDaemonEndpoints

NodeDaemonEndpoints lists ports opened by daemons running on the Node.

Name	Description	Required	Schema	Default
kubeletEndpoint	Endpoint on which Kubelet is listening.	false	Section 3.3.30, "v1.DaemonEndpoint"	

3.3.80. v1.NodeList

NodeList is the whole list of all Nodes which have been registered with master.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of nodes	true	Section 3.3.76, "v1.Node" array	

3.3.81. v1.NodeSpec

NodeSpec describes the attributes that a node is created with.

Name	Description	Required	Schema	Default
podCIDR	PodCIDR represents the pod IP range assigned to the node.	false	string	
externalID	External ID of the node assigned by some machine database (e.g. a cloud provider). Deprecated.	false	string	
providerID	ID of the node assigned by the cloud provider in the format: <code><ProviderName>:/<ProviderSpecificNodeID></code>	false	string	

Name	Description	Required	Schema	Default
unschedulable	<p>Unschedulable controls node schedulability of new pods. By default, node is schedulable.</p> <p>More info: http://releases.k8s.io/release-1.2/docs/admin/node.md#manual-node-administration</p>	false	boolean	

3.3.82. v1.NodeStatus

NodeStatus is information about the current status of a node.

Name	Description	Required	Schema	Default
capacity	<p>Capacity represents the total resources of a node. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#capacity for more details.</p>	false	Section 2.3.200 , "any"	
allocatable	<p>Allocatable represents the resources of a node that are available for scheduling. Defaults to Capacity.</p>	false	Section 2.3.200 , "any"	

Name	Description	Required	Schema	Default
phase	NodePhase is the recently observed lifecycle phase of the node. More info: http://releases.k8s.io/release-1.2/docs/admin/node.md#node-phase	false	string	
conditions	Conditions is an array of current observed node conditions. More info: http://releases.k8s.io/release-1.2/docs/admin/node.md#node-condition	false	Section 3.3.78 , “v1.NodeCondition” array	
addresses	List of addresses reachable to the node. Queried from cloud provider, if available. More info: http://releases.k8s.io/release-1.2/docs/admin/node.md#node-addresses	false	Section 3.3.77 , “v1.NodeAddress” array	
daemonEndpoints	Endpoints of daemons running on the Node.	false	Section 3.3.79 , “v1.NodeDaemonEndpoints”	

Name	Description	Required	Schema	Default
nodeInfo	Set of ids/uuids to uniquely identify the node. More info: http://releases.k8s.io/release-1.2/docs/admin/node.md#node-info	false	Section 3.3.83, "v1.NodeSystemInfo"	
images	List of container images on this node	true	Section 3.3.23, "v1.ContainerImage" array	

3.3.83. v1.NodeSystemInfo

NodeSystemInfo is a set of ids/uuids to uniquely identify the node.

Name	Description	Required	Schema	Default
machineID	Machine ID reported by the node.	true	string	
systemUUID	System UUID reported by the node.	true	string	
bootID	Boot ID reported by the node.	true	string	
kernelVersion	Kernel Version reported by the node from 'uname -r' (e.g. 3.16.0-0.bpo.4-amd64).	true	string	

Name	Description	Required	Schema	Default
osImage	OS Image reported by the node from /etc/os-release (e.g. Debian GNU/Linux 7 (wheezy)).	true	string	
containerRuntimeVersion	ContainerRuntime Version reported by the node through runtime remote API (e.g. docker://1.5.0).	true	string	
kubeletVersion	Kubelet Version reported by the node.	true	string	
kubeProxyVersion	KubeProxy Version reported by the node.	true	string	

3.3.84. v1.ObjectFieldSelector

ObjectFieldSelector selects an APIVersioned field of an object.

Name	Description	Required	Schema	Default
apiVersion	Version of the schema the FieldPath is written in terms of, defaults to "v1".	false	string	
fieldPath	Path of the field to select in the specified API version.	true	string	

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

3.3.85. v1.ObjectMeta

ObjectMeta is metadata that all persisted resources must have, which includes all objects users must create.

Name	Description	Required	Schema	Default
name	Name must be unique within a namespace. Is required when creating resources, although some resources may allow a client to request the generation of an appropriate name automatically. Name is primarily intended for creation idempotence and configuration definition. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
generateName	GenerateName is an optional prefix, used by the server, to generate a unique name ONLY IF the Name field has not been	false	string	

Name	Description	Required	Schema	Default
	<p>provided. If this field is used, the name returned to the client will be different than the name passed. This value will also be combined with a unique suffix. The provided value has the same validation rules as the Name field, and may be truncated by the length of the suffix required to make the value unique on the server.</p> <p>If this field is specified and the generated name exists, the server will NOT return a 409 - instead, it will either return 201 Created or 500 with Reason ServerTimeout indicating a unique name could not be found in the time allotted, and the client should retry (optionally after the time indicated in the Retry-After header).</p> <p>Applied only if Name is not specified. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#idempotency</p>			

Name	Description	Required	Schema	Default
namespace	<p>Namespace defines the space within each name must be unique. An empty namespace is equivalent to the "default" namespace, but "default" is the canonical representation. Not all objects are required to be scoped to a namespace - the value of this field for those objects will be empty.</p> <p>Must be a DNS_LABEL. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/namespaces.md</p>	false	string	
selfLink	<p>SelfLink is a URL representing this object. Populated by the system. Read-only.</p>	false	string	

Name	Description	Required	Schema	Default
uid	<p>UID is the unique in time and space value for this object. It is typically generated by the server on successful creation of a resource and is not allowed to change on PUT operations.</p> <p>Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#uids</p>	false	string	

Name	Description	Required	Schema	Default
resourceVersion	<p>An opaque value that represents the internal version of this object that can be used by clients to determine when objects have changed. May be used for optimistic concurrency, change detection, and the watch operation on a resource or set of resources. Clients must treat these values as opaque and passed unmodified back to the server. They may only be valid for a particular resource or set of resources.</p> <p>Populated by the system. Read-only. Value must be treated as opaque by clients and . More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#concurrency-control-and-consistency</p>	false	string	

Name	Description	Required	Schema	Default
generation	A sequence number representing a specific generation of the desired state. Populated by the system. Read-only.	false	integer (int64)	
creationTimestamp	<p>CreationTimestamp is a timestamp representing the server time when this object was created. It is not guaranteed to be set in happens-before order across separate operations. Clients may not set this value. It is represented in RFC3339 form and is in UTC.</p> <p>Populated by the system. Read-only. Null for lists. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata</p>	false	string	
deletionTimestamp	DeletionTimestamp is RFC 3339 date and time at which this resource will be deleted. This field is set by the server when a	false	string	

Name	Description	Required	Schema	Default
	<p>graceful deletion is requested by the user, and is not directly settable by a client. The resource will be deleted (no longer visible from resource lists, and not reachable by name) after the time in this field. Once set, this value may not be unset or be set further into the future, although it may be shortened or the resource may be deleted prior to this time. For example, a user may request that a pod is deleted in 30 seconds. The Kubelet will react by sending a graceful termination signal to the containers in the pod. Once the resource is deleted in the API, the Kubelet will send a hard termination signal to the container. If not set, graceful deletion of the object has not been requested.</p> <p>Populated by the system when a graceful deletion is requested.</p> <p>Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata</p>			

Name	Description	Required	Schema	Default
deletionGracePeriodSeconds	Number of seconds allowed for this object to gracefully terminate before it will be removed from the system. Only set when deletionTimestamp is also set. May only be shortened. Read-only.	false	integer (int64)	
labels	Map of string keys and values that can be used to organize and categorize (scope and select) objects. May match selectors of replication controllers and services. More info: http://releases.k8s.io/release-1.2/docs/user-guide/labels.md	false	Section 2.3.200 , "any"	
annotations	Annotations is an unstructured key value map stored with a resource that may be set by external tools to store and retrieve arbitrary metadata. They are not queryable and should be preserved when modifying objects. More info: http://releases.k8s.io/release-1.2/docs/user-guide/annotations.md	false	Section 2.3.200 , "any"	

3.3.86. v1.ObjectReference

ObjectReference contains enough information to let you inspect or modify the referred object.

Name	Description	Required	Schema	Default
kind	Kind of the referent. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
namespace	Namespace of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/namespaces.md	false	string	
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
uid	UID of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#uids	false	string	
apiVersion	API version of the referent.	false	string	

Name	Description	Required	Schema	Default
resourceVersion	Specific resourceVersion to which this reference is made, if any. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#concurrency-control-and-consistency	false	string	

Name	Description	Required	Schema	Default
fieldPath	<p>If referring to a piece of an object instead of an entire object, this string should contain a valid JSON/Go field access statement, such as <code>desiredState.manifest.containers[2]</code>. For example, if the object reference is to a container within a pod, this would take on a value like:</p> <p><code>"spec.containers{name}"</code> (where "name" refers to the name of the container that triggered the event) or if no container name is specified <code>"spec.containers[2]"</code> (container with index 2 in this pod). This syntax is chosen only to have some well-defined way of referencing a part of an object.</p>	false	string	

3.3.87. v1.PersistentVolume

A Persistent Volume (PV) is a storage device that is made available for use by applications by an administrator. When a user requests persistent storage be allocated for a pod, they create a persistent volume claim with the size and type of storage they need. The system will look for persistent volumes that match that claim and, if one is available, it will assign that persistent volume to the claim. Information about the volume (type, location, secrets necessary to use it) will be available to the claim and the claim may then be used from a pod as a volume source.

Deleting a persistent volume removes the cluster's record of the volume, and may result in automated processes destroying the underlying network store.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines a specification of a persistent volume owned by the cluster. Provisioned by an administrator. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistent-volumes	false	Section 3.3.95, "v1.PersistentVolumeSpec"	
status	Status represents the current information/status for the persistent volume. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistent-volumes	false	Section 3.3.96, "v1.PersistentVolumeStatus"	

3.3.88. v1.PersistentVolumeAccessMode

3.3.89. v1.PersistentVolumeClaim

Persistent Volume Claims (PVC) represent a request to use a persistent volume (PV) with a pod. When creating a pod definition (or replication controller or deployment config) a developer may specify the amount of storage they need via a persistent volume reference. If an administrator has

enabled and configured persistent volumes for use, they will be allocated on demand to pods that have similar requirements. Since volumes are created lazily, some pods may be scheduled to a node before their volume is assigned. The node will detect this situation and wait to start the pod until the volume is bound. Events will be generated (visible by using the **describe** command on the pod) that indicate the pod is waiting for volumes.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines the desired characteristics of a volume requested by a pod author. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	false	Section 3.3.91, "v1.PersistentVolumeClaimSpec"	
status	Status represents the current information/status of a persistent volume claim. Read-only. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	false	Section 3.3.92, "v1.PersistentVolumeClaimStatus"	

3.3.90. v1.PersistentVolumeClaimList

PersistentVolumeClaimList is a list of PersistentVolumeClaim items.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	A list of persistent volume claims. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	true	Section 3.3.89, "v1.PersistentVolumeClaim" array	

3.3.91. v1.PersistentVolumeClaimSpec

PersistentVolumeClaimSpec describes the common attributes of storage devices and allows a Source for provider-specific attributes

Name	Description	Required	Schema	Default
accessModes	AccessModes contains the desired access modes the volume should have. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#access-modes-1	false	Section 3.3.88, "v1.PersistentVolumeAccessMode" array	

Name	Description	Required	Schema	Default
resources	Resources represents the minimum resources the volume should have. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#resources	false	Section 2.3.157, "v1.ResourceRequirements"	
volumeName	VolumeName is the binding reference to the PersistentVolume backing this claim.	false	string	

3.3.92. v1.PersistentVolumeClaimStatus

PersistentVolumeClaimStatus is the current status of a persistent volume claim.

Name	Description	Required	Schema	Default
phase	Phase represents the current phase of PersistentVolume Claim.	false	string	
accessModes	AccessModes contains the actual access modes the volume backing the PVC has. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#access-modes-1	false	Section 3.3.88, "v1.PersistentVolumeAccessMode" array	

Name	Description	Required	Schema	Default
capacity	Represents the actual resources of the underlying volume.	false	Section 2.3.200 , "any"	

3.3.93. v1.PersistentVolumeClaimVolumeSource

PersistentVolumeClaimVolumeSource references the user's PVC in the same namespace. This volume finds the bound PV and mounts that volume for the pod. A PersistentVolumeClaimVolumeSource is, essentially, a wrapper around another type of volume that is owned by someone else (the system).

Name	Description	Required	Schema	Default
claimName	ClaimName is the name of a PersistentVolume Claim in the same namespace as the pod using this volume. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	true	string	
readOnly	Will force the ReadOnly setting in VolumeMounts. Default false.	false	boolean	

3.3.94. v1.PersistentVolumeList

PersistentVolumeList is a list of PersistentVolume items.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	<p>Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds</p>	false	string	
apiVersion	<p>APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources</p>	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of persistent volumes. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md	true	Section 3.3.87, "v1.PersistentVolume" array	

3.3.95. v1.PersistentVolumeSpec

PersistentVolumeSpec is the specification of a persistent volume.

Name	Description	Required	Schema	Default
capacity	A description of the persistent volume's resources and capacity. More info: http://releases.k8s.io/release-1.4/docs/user-guide/persistent-volumes.md#capacity	false	object	

Name	Description	Required	Schema	Default
<code>gcePersistentDisk</code>	GCEPersistentDisk represents a GCE Disk resource that is attached to a kubelet's host machine and then exposed to the pod. Provisioned by an admin. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#gcepersistentdisk	false	Section 2.3.74 , "v1.GCEPersistentDiskVolumeSource"	
<code>awsElasticBlockStore</code>	AWSElasticBlockStore represents an AWS Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#awselasticblockstore	false	Section 2.3.10 , "v1.AWSElasticBlockStoreVolumeSource"	

Name	Description	Required	Schema	Default
hostPath	HostPath represents a directory on the host. Provisioned by a developer or tester. This is useful for single-node development and testing only! On-host storage is not supported in any way and WILL NOT WORK in a multi-node cluster. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#hostpath	false	Section 2.3.84, "v1.HostPathVolumeSource"	
glusterfs	Glusterfs represents a Glusterfs volume that is attached to a host and exposed to the pod. Provisioned by an admin. More info: http://releases.k8s.io/release-1.4/examples/volumes/glusterfs/README.md	false	Section 2.3.78, "v1.GlusterfsVolumeSource"	
nfs	NFS represents an NFS mount on the host. Provisioned by an admin. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#nfs	false	Section 2.3.117, "v1.NFSVolumeSource"	

Name	Description	Required	Schema	Default
rbd	A Ceph Rados Block Device mount on the host that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.4/examples/volumes/rbd/README.md	false	Section 2.3.152, "v1.RBDVolumeSource"	
iscsi	ISCSI represents an ISCSI Disk resource that is attached to a kubelet's host machine and then exposed to the pod. Provisioned by an admin.	false	Section 2.3.87, "v1.ISCSIVolumeSource"	
cinder	Cinder represents a cinder volume attached and mounted on kubelets host machine More info: http://releases.k8s.io/release-1.2/examples/mysql-cinder-pd/README.md	false	Section 2.3.31, "v1.CinderVolumeSource"	
cephfs	CephFS represents a Ceph FS mount on the host that shares a pod's lifetime	false	Section 2.3.30, "v1.CephFSVolumeSource"	

Name	Description	Required	Schema	Default
fc	FC represents a Fibre Channel resource that is attached to a kubelet's host machine and then exposed to the pod.	false	Section 2.3.70, "v1.FCVolumeSource"	
flocker	Flocker represents a Flocker volume attached to a kubelet's host machine and exposed to the pod for its usage. This depends on the Flocker control service being running	false	Section 2.3.73, "v1.FlockerVolumeSource"	
flexVolume	FlexVolume represents a generic volume resource that is provisioned/attached using a exec based plug-in. This is an alpha feature and may change in future.	false	Section 2.3.72, "v1.FlexVolumeSource"	
azureFile	AzureFile represents an Azure File Service mount on the host and bind mount to the pod.	false	Section 2.3.11, "v1.AzureFileVolumeSource"	

Name	Description	Required	Schema	Default
accessModes	AccessModes contains all ways the volume can be mounted. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#access-modes	false	Section 3.3.88 , “v1.PersistentVolumeAccessMode” array	
claimRef	ClaimRef is part of a bi-directional binding between PersistentVolume and PersistentVolumeClaim. Expected to be non-nil when bound. claim.VolumeName is the authoritative binding between PV and PVC. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#binding	false	Section 2.3.135 , “v1.ObjectReference”	

Name	Description	Required	Schema	Default
persistentVolumeReclaimPolicy	What happens to a persistent volume when released from its claim. Valid options are Retain (default) and Recycle. Recycling must be supported by the volume plug-in underlying this persistent volume. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#recycling-policy	false	string	

3.3.96. v1.PersistentVolumeStatus

PersistentVolumeStatus is the current status of a persistent volume.

Name	Description	Required	Schema	Default
phase	Phase indicates if a volume is available, bound to a claim, or released by a claim. More info: http://releases.k8s.io/release-1.2/docs/user-guide/persistent-volumes.md#phase	false	string	

Name	Description	Required	Schema	Default
message	A human-readable message indicating details about why the volume is in this state.	false	string	
reason	Reason is a brief CamelCase string that describes any failure and is meant for machine parsing and tidy display in the CLI.	false	string	

3.3.97. v1.Pod

A pod corresponds to a group of containers running together on the same machine. All containers in a pod share an IP address, and may have access to shared volumes and local filesystem. Like individual application containers, pods are considered to be relatively ephemeral rather than durable entities. Pods are scheduled to nodes and remain there until termination (according to restart policy) or deletion. When a node dies, the pods scheduled to that node are deleted. Specific pods are never rescheduled to new nodes; instead, they must be replaced by a component like the replication controller.

See [the Kubernetes pod documentation](#) for more information.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134 , "v1.ObjectMeta"	
spec	Specification of the desired behavior of the pod. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 2.3.139 , "v1.PodSpec"	
status	Most recently observed status of the pod. This data may not be up to date. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.102 , "v1.PodStatus"	

3.3.98. v1.PodCondition

PodCondition contains details for the current condition of this pod.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
type	Type is the type of the condition. Currently only Ready. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#pod-conditions	true	string	
status	Status is the status of the condition. Can be True, False, Unknown. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#pod-conditions	true	string	
lastProbeTime	Last time we probed the condition.	false	string	
lastTransitionTime	Last time the condition transitioned from one status to another.	false	string	
reason	Unique, one-word, CamelCase reason for the condition's last transition.	false	string	

Name	Description	Required	Schema	Default
message	Human-readable message indicating details about last transition.	false	string	

3.3.99. v1.PodList

PodList is a list of Pods.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of pods. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pods.md	true	Section 3.3.97, "v1.Pod" array	

3.3.100. v1.PodSecurityContext

PodSecurityContext holds pod-level security attributes and common container settings. Some fields are also present in container.securityContext. Field values of container.securityContext take precedence over field values of PodSecurityContext.

Name	Description	Required	Schema	Default
seLinuxOptions	The SELinux context to be applied to all containers. If unspecified, the container runtime will allocate a random SELinux context for each container. May also be set in SecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence for that container.	false	Section 2.3.170, "v1.SELinuxOptions"	
runAsUser	The UID to run the entrypoint of the container process. Defaults to user specified in image metadata if unspecified. May also be set in SecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence for that container.	false	integer (int64)	

Name	Description	Required	Schema	Default
runAsNonRoot	Indicates that the container must run as a non-root user. If true, the Kubelet will validate the image at runtime to ensure that it does not run as UID 0 (root) and fail to start the container if it does. If unset or false, no such validation will be performed. May also be set in SecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	boolean	
supplementalGroups	A list of groups applied to the first process run in each container, in addition to the container's primary GID. If unspecified, no groups will be added to any container.	false	Section 2.3.1 , "integer" array	

Name	Description	Required	Schema	Default
fsGroup	<p>A special supplemental group that applies to all containers in a pod. Some volume types allow the Kubelet to change the ownership of that volume to be owned by the pod:</p> <ol style="list-style-type: none"> 1. The owning GID will be the FSGroup 2. The setgid bit is set (new files created in the volume will be owned by FSGroup) 3. The permission bits are OR'd with rw-rw 	false	integer (int64)	

3.3.101. v1.PodSpec

PodSpec is a description of a pod.

Name	Description	Required	Schema	Default
volumes	<p>List of volumes that can be mounted by containers belonging to the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md</p>	false	Section 2.3.194 , "v1.Volume" array	

Name	Description	Required	Schema	Default
containers	List of containers belonging to the pod. Containers cannot currently be added or removed. There must be at least one container in a Pod. Cannot be updated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/containers.md	true	Section 2.3.44 , "v1.Container" array	
restartPolicy	Restart policy for all containers within the pod. One of Always, OnFailure, Never. Default to Always. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#restart-policy	false	string	

Name	Description	Required	Schema	Default
terminationGracePeriodSeconds	Optional duration in seconds the pod needs to terminate gracefully. May be decreased in delete request. Value must be non-negative integer. The value zero indicates delete immediately. If this value is nil, the default grace period will be used instead. The grace period is the duration in seconds after the processes running in the pod are sent a termination signal and the time when the processes are forcibly halted with a kill signal. Set this value longer than the expected cleanup time for your process. Defaults to 30 seconds.	false	integer (int64)	
activeDeadlineSeconds	Optional duration in seconds the pod may be active on the node relative to StartTime before the system will actively try to mark it failed and kill associated containers. Value must be a positive integer.	false	integer (int64)	

Name	Description	Required	Schema	Default
dnsPolicy	Set DNS policy for containers within the pod. One of 'ClusterFirst' or 'Default'. Defaults to "ClusterFirst".	false	string	
nodeSelector	NodeSelector is a selector which must be true for the pod to fit on a node. Selector which must match a node's labels for the pod to be scheduled on that node. More info: http://releases.k8s.io/release-1.2/docs/user-guide/node-selection/README.md	false	Section 2.3.200 , "any"	
host	A request to schedule this pod onto a specific node. Deprecated: Use nodeName instead.	false	string	
serviceAccountName	ServiceAccountName is the name of the ServiceAccount to use to run this pod. More info: http://releases.k8s.io/release-1.2/docs/design/service_accounts.md	false	string	

Name	Description	Required	Schema	Default
serviceAccount	DeprecatedServiceAccount is a deprecated alias for ServiceAccountName. Deprecated: Use serviceAccountName instead.	false	string	
nodeName	nodeName is a request to schedule this pod onto a specific node. If it is non-empty, the scheduler simply schedules this pod onto that node, assuming that it fits resource requirements.	false	string	
hostNetwork	Host networking requested for this pod. Use the host's network namespace. If this option is set, the ports that will be used must be specified. Default to false.	false	boolean	
hostPID	Use the host's pid namespace. Optional: Default to false.	false	boolean	
hostIPC	Use the host's ipc namespace. Optional: Default to false.	false	boolean	

Name	Description	Required	Schema	Default
securityContext	SecurityContext holds pod-level security attributes and common container settings. Optional: Defaults to empty. See type description for default values of each field.	false	Section 2.3.138, "v1.PodSecurityContext"	
imagePullSecrets	ImagePullSecrets is an optional list of references to secrets in the same namespace to use for pulling any of the images used by this PodSpec. If specified, these secrets will be passed to individual puller implementations for them to use. For example, in the case of docker, only DockerConfig type secrets are honored. More info: http://releases.k8s.io/release-1.2/docs/user-guide/images.md#specifying-imagepullsecrets-on-a-pod	false	Section 2.3.112, "v1.LocalObjectReference" array	

3.3.102. v1.PodStatus

PodStatus represents information about the status of a pod. Status may trail the actual state of a system.

Name	Description	Required	Schema	Default
phase	Current condition of the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#pod-phase	false	string	
conditions	Current service state of pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#pod-conditions	false	Section 3.3.98 , "v1.PodCondition" array	
message	A human readable message indicating details about why the pod is in this condition.	false	string	
reason	A brief CamelCase message indicating details about why the pod is in this state. e.g. 'OutOfDisk'	false	string	
hostIP	IP address of the host to which the pod is assigned. Empty if not yet scheduled.	false	string	

Name	Description	Required	Schema	Default
podIP	IP address allocated to the pod. Routable at least within the cluster. Empty if not yet allocated.	false	string	
startTime	RFC 3339 date and time at which the object was acknowledged by the Kubelet. This is before the Kubelet pulled the container image(s) for the pod.	false	string	
containerStatuses	The list has one entry per container in the manifest. Each entry is currently the output of docker inspect . More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-statuses	false	Section 3.3.29, "v1.ContainerStatus" array	

3.3.103. v1.PodTemplate

PodTemplate describes a template for creating copies of a predefined pod.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
template	Template defines the pods that will be created from this pod template. http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 2.3.140, "v1.PodTemplateSpec"	

3.3.104. v1.PodTemplateList

PodTemplateList is a list of PodTemplates.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of pod templates	true	Section 3.3.103, "v1.PodTemplate" array	

3.3.105. v1.PodTemplateSpec

PodTemplateSpec describes the data a pod should have when created from a template

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Specification of the desired behavior of the pod. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 2.3.139, "v1.PodSpec"	

3.3.106. v1.Probe

Probe describes a health check to be performed against a container to determine whether it is alive or ready to receive traffic.

Name	Description	Required	Schema	Default
exec	One and only one of the following should be specified. Exec specifies the action to take.	false	Section 2.3.68, "v1.ExecAction"	
httpGet	HTTPGet specifies the http request to perform.	false	Section 2.3.81, "v1.HTTPGetAction"	
tcpSocket	TCP socket specifies an action involving a TCP port. TCP hooks not yet supported	false	Section 2.3.182, "v1.TCPSocketAction"	
initialDelaySeconds	Number of seconds after the container has started before liveness probes are initiated. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes	false	integer (int32)	

Name	Description	Required	Schema	Default
timeoutSeconds	Number of seconds after which the probe times out. Defaults to 1 second. Minimum value is 1. More info: http://releases.k8s.io/release-1.2/docs/user-guide/pod-states.md#container-probes	false	integer (int32)	
periodSeconds	How often (in seconds) to perform the probe. Default to 10 seconds. Minimum value is 1.	false	integer (int32)	
successThreshold	Minimum consecutive successes for the probe to be considered successful after having failed. Defaults to 1. Must be 1 for liveness. Minimum value is 1.	false	integer (int32)	
failureThreshold	Minimum consecutive failures for the probe to be considered failed after having succeeded. Defaults to 3. Minimum value is 1.	false	integer (int32)	

3.3.107. v1.RBDVolumeSource

Represents a Ceph Rados Block Device mount that lasts the lifetime of a pod. Ceph RBD volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
monitors	A collection of Ceph monitors. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string array	
image	The rados image name. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string	
fsType	Filesystem type of the volume that you want to mount. Tip: Ensure that the filesystem type is supported by the host operating system. Examples: "ext4", "xfs", "ntfs". Implicitly inferred to be "ext4" if unspecified. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#rbd	false	string	

Name	Description	Required	Schema	Default
pool	The rados pool name. Default is rbd. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it .	true	string	
user	The rados user name. Default is admin. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string	
keyring	Keyring is the path to key ring for RBDUser. Default is /etc/ceph/keyring. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	string	
secretRef	SecretRef is name of the authentication secret for RBDUser. If provided overrides keyring. Default is empty. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	true	Section 2.3.112, "v1.LocalObjectReference"	

Name	Description	Required	Schema	Default
readOnly	ReadOnly here will force the ReadOnly setting in VolumeMounts. Defaults to false. More info: http://releases.k8s.io/release-1.2/examples/rbd/README.md#how-to-use-it	false	boolean	

3.3.108. v1.ReplicationController

ReplicationController represents the configuration of a replication controller.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	If the Labels of a ReplicationController are empty, they are defaulted to be the same as the Pod(s) that the replication controller manages. Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
spec	Spec defines the specification of the desired behavior of the replication controller. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.110, "v1.ReplicationControllerSpec"	
status	Status is the most recently observed status of the replication controller. This data may be out of date by some window of time. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.111, "v1.ReplicationControllerStatus"	

3.3.109. v1.ReplicationControllerList

ReplicationControllerList is a collection of replication controllers.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	<p>Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds</p>	false	string	
apiVersion	<p>APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources</p>	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, “unversioned.List Meta”	
items	List of replication controllers. More info: http://releases.k8s.io/release-1.2/docs/user-guide/replication-controller.md	true	Section 3.3.108, “v1.ReplicationController” array	

3.3.110. v1.ReplicationControllerSpec

ReplicationControllerSpec is the specification of a replication controller.

Name	Description	Required	Schema	Default
replicas	Replicas is the number of desired replicas. This is a pointer to distinguish between explicit zero and unspecified. Defaults to 1. More info: http://releases.k8s.io/release-1.2/docs/user-guide/replication-controller.md#what-is-a-replication-controller	false	integer (int32)	

Name	Description	Required	Schema	Default
selector	Selector is a label query over pods that should match the Replicas count. If Selector is empty, it is defaulted to the labels present on the Pod template. Label keys and values that must match in order to be controlled by this replication controller, if empty defaulted to labels on Pod template. More info: http://releases.k8s.io/release-1.2/docs/user-guide/labels.md#label-selectors	false	Section 2.3.200 , "any"	
template	Template is the object that describes the pod that will be created if insufficient replicas are detected. This takes precedence over a TemplateRef. More info: http://releases.k8s.io/release-1.2/docs/user-guide/replication-controller.md#pod-template	false	Section 2.3.140 , "v1.PodTemplateSpec"	

3.3.111. v1.ReplicationControllerStatus

ReplicationControllerStatus represents the current status of a replication controller.

Name	Description	Required	Schema	Default
replicas	Replicas is the most recently observed number of replicas. More info: http://releases.k8s.io/release-1.2/docs/user-guide/replication-controller.md#what-is-a-replication-controller	true	integer (int32)	
fullyLabeledReplicas	The number of pods that have labels matching the labels of the pod template of the replication controller.	false	integer (int32)	
observedGeneration	ObservedGeneration reflects the generation of the most recently observed replication controller.	false	integer (int64)	

3.3.112. v1.ResourceQuota

ResourceQuota sets aggregate quota restrictions enforced per namespace

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines the desired quota. http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.115, "v1.ResourceQuotaSpec"	
status	Status defines the actual enforced quota and its current usage. http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.116, "v1.ResourceQuotaStatus"	

3.3.113. v1.ResourceQuotaList

ResourceQuotaList is a list of ResourceQuota items.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	<p>Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds</p>	false	string	
apiVersion	<p>APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources</p>	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5 , “unversioned.List Meta”	
items	Items is a list of ResourceQuota objects. More info: http://releases.k8s.io/release-1.2/docs/design/admission_control_resource_quota.md#admissioncontrol-plugin-resourcequota	true	Section 3.3.112 , “v1.ResourceQuota” array	

3.3.114. v1.ResourceQuotaScope

3.3.115. v1.ResourceQuotaSpec

ResourceQuotaSpec defines the desired hard limits to enforce for Quota.

Name	Description	Required	Schema	Default
hard	Hard is the set of desired hard limits for each named resource. More info: http://releases.k8s.io/release-1.2/docs/design/admission_control_resource_quota.md#admissioncontrol-plugin-resourcequota	false	Section 2.3.200 , “any”	

Name	Description	Required	Schema	Default
scopes	A collection of filters that must match each object tracked by a quota. If not specified, the quota matches all objects.	false	Section 3.3.114 , “v1.ResourceQuota.aScope” array	

3.3.116. v1.ResourceQuotaStatus

ResourceQuotaStatus defines the enforced hard limits and observed use.

Name	Description	Required	Schema	Default
hard	Hard is the set of enforced hard limits for each named resource. More info: http://releases.k8s.io/release-1.2/docs/design/admission_control_resource_quota.md#admissioncontrol-plugin-resourcequota	false	Section 2.3.200 , “any”	
used	Used is the current observed total usage of the resource in the namespace.	false	Section 2.3.200 , “any”	

3.3.117. v1.ResourceRequirements

ResourceRequirements describes the compute resource requirements.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
limits	Limits describes the maximum amount of compute resources allowed. More info: http://releases.k8s.io/release-1.2/docs/design/resources.md#resource-specifications	false	Section 2.3.200 , "any"	
requests	Requests describes the minimum amount of compute resources required. If Requests is omitted for a container, it defaults to Limits if that is explicitly specified, otherwise to an implementation-defined value. More info: http://releases.k8s.io/release-1.2/docs/design/resources.md#resource-specifications	false	Section 2.3.200 , "any"	

3.3.118. v1.RunAsUserStrategyOptions

RunAsUserStrategyOptions defines the strategy type and any options used to create the strategy.

Name	Description	Required	Schema	Default
type	Type is the strategy that will dictate what RunAsUser is used in the SecurityContext.	false	string	
uid	UID is the user id that containers must run as. Required for the MustRunAs strategy if not using namespace/service account allocated uids.	false	integer (int64)	
uidRangeMin	UIDRangeMin defines the min value for a strategy that allocates by range.	false	integer (int64)	
uidRangeMax	UIDRangeMax defines the max value for a strategy that allocates by range.	false	integer (int64)	

3.3.119. v1.SELinuxContextStrategyOptions

SELinuxContextStrategyOptions defines the strategy type and any options used to create the strategy.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
type	Type is the strategy that will dictate what SELinux context is used in the SecurityContext.	false	string	
seLinuxOptions	seLinuxOptions required to run as; required for MustRunAs	false	Section 2.3.170, "v1.SELinuxOptions"	

3.3.120. v1.SELinuxOptions

SELinuxOptions are the labels to be applied to the container

Name	Description	Required	Schema	Default
user	User is a SELinux user label that applies to the container.	false	string	
role	Role is a SELinux role label that applies to the container.	false	string	
type	Type is a SELinux type label that applies to the container.	false	string	
level	Level is SELinux level label that applies to the container.	false	string	

3.3.121. v1.Scale

Scale represents a scaling request for a resource.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object metadata; More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata .	false	Section 2.3.134 , "v1.ObjectMeta"	
spec	defines the behavior of the scale. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status .	false	Section 3.3.122 , "v1.ScaleSpec"	
status	current status of the scale. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status . Read-only.	false	Section 3.3.123 , "v1.ScaleStatus"	

3.3.122. v1.ScaleSpec

ScaleSpec describes the attributes of a scale subresource.

Name	Description	Required	Schema	Default
replicas	desired number of instances for the scaled object.	false	integer (int32)	

3.3.123. v1.ScaleStatus

ScaleStatus represents the current status of a scale subresource.

Name	Description	Required	Schema	Default
replicas	actual number of observed instances of the scaled object.	true	integer (int32)	
selector	label query over pods that should match the replicas count. This is same as the label selector but in the string format to avoid introspection by clients. The string will be in the same format as the query-param syntax. More info about label selectors: http://releases.k8s.io/release-1.2/docs/user-guide/labels.md#label-selectors	false	string	

3.3.124. v1.Secret

Secret holds secret data of a certain type. The total bytes of the values in the Data field must be less than MaxSecretSize bytes.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	<p>Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds</p>	false	string	
apiVersion	<p>APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources</p>	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134 , "v1.ObjectMeta"	
data	Data contains the secret data. Each key must be a valid DNS_SUBDOMAIN or leading dot followed by valid DNS_SUBDOMAIN. The serialized form of the secret data is a base64 encoded string, representing the arbitrary (possibly non-string) data value here. Described in https://tools.ietf.org/html/rfc4648#section-4	false	Section 2.3.200 , "any"	
type	Used to facilitate programmatic handling of secret data.	false	string	

3.3.125. v1.SecretKeySelector

SecretKeySelector selects a key of a Secret.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	Name of the referent. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	false	string	
key	The key of the secret to select from. Must be a valid secret key.	true	string	

3.3.126. v1.SecretList

SecretList is a list of Secret.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5 , "unversioned.List Meta"	
items	Items is a list of secret objects. More info: http://releases.k8s.io/release-1.2/docs/user-guide/secrets.md	true	Section 2.3.171 , "v1.Secret" array	

3.3.127. v1.SecretVolumeSource

Adapts a Secret into a volume.

The contents of the target Secret's Data field will be presented in a volume as files using the keys in the Data field as the file names. Secret volumes support ownership management and SELinux relabeling.

Name	Description	Required	Schema	Default
secretName	Name of the secret in the pod's namespace to use. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#secrets	false	string	

3.3.128. v1.SecurityContext

SecurityContext holds security configuration that will be applied to a container. Some fields are present in both SecurityContext and PodSecurityContext. When both are set, the values in SecurityContext take precedence.

Name	Description	Required	Schema	Default
capabilities	The capabilities to add/drop when running containers. Defaults to the default set of capabilities granted by the container runtime.	false	Section 2.3.28, "v1.Capabilities"	
privileged	Run container in privileged mode. Processes in privileged containers are essentially equivalent to root on the host. Defaults to false.	false	boolean	

Name	Description	Required	Schema	Default
seLinuxOptions	The SELinux context to be applied to the container. If unspecified, the container runtime will allocate a random SELinux context for each container. May also be set in PodSecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	Section 2.3.170, "v1.SELinuxOptions"	
runAsUser	The UID to run the entrypoint of the container process. Defaults to user specified in image metadata if unspecified. May also be set in PodSecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	integer (int64)	

Name	Description	Required	Schema	Default
runAsNonRoot	Indicates that the container must run as a non-root user. If true, the Kubelet will validate the image at runtime to ensure that it does not run as UID 0 (root) and fail to start the container if it does. If unset or false, no such validation will be performed. May also be set in PodSecurityContext. If set in both SecurityContext and PodSecurityContext, the value specified in SecurityContext takes precedence.	false	boolean	
readOnlyRootFilesystem	Whether this container has a read-only root filesystem. Default is false.	false	boolean	

3.3.129. v1.SecurityContextConstraints

SecurityContextConstraints governs the ability to make requests that affect the SecurityContext that will be applied to a container.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata		false	Section 2.3.134, "v1.ObjectMeta"	

Name	Description	Required	Schema	Default
priority	Priority influences the sort order of SCCs when evaluating which SCCs to try first for a given pod request based on access in the Users and Groups fields. The higher the int, the higher priority. If scores for multiple SCCs are equal they will be sorted by name.	true	integer (int32)	
allowPrivilegedContainer	AllowPrivilegedContainer determines if a container can request to be run as privileged.	true	boolean	
defaultAddCapabilities	DefaultAddCapabilities is the default set of capabilities that will be added to the container unless the pod spec specifically drops the capability. You may not list a capability in both DefaultAddCapabilities and RequiredDropCapabilities.	true	Section 2.3.29, "v1.Capability" array	

Name	Description	Required	Schema	Default
requiredDropCapabilities	RequiredDropCapabilities are the capabilities that will be dropped from the container. These are required to be dropped and cannot be added.	true	Section 2.3.29, "v1.Capability" array	
allowedCapabilities	AllowedCapabilities is a list of capabilities that can be requested to add to the container. Capabilities in this field maybe added at the pod author's discretion. You must not list a capability in both AllowedCapabilities and RequiredDropCapabilities.	true	Section 2.3.29, "v1.Capability" array	
allowHostDirVolumePlugin	AllowHostDirVolumePlugin determines if the policy allow containers to use the HostDir volume plug-in	true	boolean	
allowHostNetwork	AllowHostNetwork determines if the policy allows the use of HostNetwork in the pod spec.	true	boolean	

Name	Description	Required	Schema	Default
allowHostPorts	AllowHostPorts determines if the policy allows host ports in the containers.	true	boolean	
allowHostPID	AllowHostPID determines if the policy allows host pid in the containers.	true	boolean	
allowHostIPC	AllowHostIPC determines if the policy allows host ipc in the containers.	true	boolean	
seLinuxContext	SELinuxContext is the strategy that will dictate what labels will be set in the SecurityContext.	false	Section 3.3.119, "v1.SELinuxContextStrategyOptions"	
runAsUser	RunAsUser is the strategy that will dictate what RunAsUser is used in the SecurityContext.	false	Section 3.3.118, "v1.RunAsUserStrategyOptions"	
supplementalGroups	SupplementalGroups is the strategy that will dictate what supplemental groups are used by the SecurityContext.	false	Section 3.3.138, "v1.SupplementalGroupsStrategyOptions"	

Name	Description	Required	Schema	Default
fsGroup	FSGroup is the strategy that will dictate what fs group is used by the SecurityContext.	false	Section 3.3.47, "v1.FSGroupStrategyOptions"	
readOnlyRootFilesystem	ReadOnlyRootFilesystem when set to true will force containers to run with a read only root file system. If the container specifically requests to run with a non-read only root file system the SCC should deny the pod. If set to false the container may run with a read only root file system if it wishes but it will not be forced to.	true	boolean	
users	The users who have permissions to use this security context constraints	false	string array	
groups	The groups that have permission to use this security context constraints	false	string array	

3.3.130. v1.SecurityContextConstraintsList

SecurityContextConstraintsList is a list of SecurityContextConstraints objects

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata		false	Section 2.3.5, “unversioned.List Meta”	

Name	Description	Required	Schema	Default
items		true	Section 3.3.129, "v1.SecurityContextConstraints" array	

3.3.131. v1.Service

A Service is an abstraction which defines a logical set of Pods and a policy by which to access them - sometimes called a micro-service. The set of Pods targeted by a Service is (usually) determined by a Label selector. Services broadly fall into two types - those that load balance a set of Pods and hide which Pod a client talks to (clusterIP set to an IP address), and those where clients want to talk to the individual member pods directly (clusterIP set to 'None', also known as 'headless' services). The cluster IP of a service is exposed as an environment variable in each pod in the same namespace.

Services may be exposed only inside the cluster (type ClusterIP), inside the cluster and on a high port on each node (type NodePort), or exposed to a load balancer via the hosting cloud infrastructure (type LoadBalancer). Services with a ClusterIP may choose to map the ports available on the ClusterIP to different ports on the pods. Each service has a DNS entry of the form **<name>.<namespace>.svc.cluster.local** that will be valid from other pods in the cluster.

If the selector for pods is not specified, the service endpoints may be managed by the client directly. Update the endpoint resource to program the service - this can be used to inject external network services into a namespace.

See [the Kubernetes service documentation](#) for more information.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134, "v1.ObjectMeta"	
spec	Spec defines the behavior of a service. http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.136, "v1.ServiceSpec"	
status	Most recently observed status of the service. Populated by the system. Read-only. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#spec-and-status	false	Section 3.3.137, "v1.ServiceStatus"	

3.3.132. v1.ServiceAccount

ServiceAccount binds together: * a name, understood by users, and perhaps by peripheral systems, for an identity * a principal that can be authenticated and authorized * a set of secrets

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	<p>Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds</p>	false	string	
apiVersion	<p>APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources</p>	false	string	

Name	Description	Required	Schema	Default
metadata	Standard object's metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#metadata	false	Section 2.3.134 , "v1.ObjectMeta"	
secrets	Secrets is the list of secrets allowed to be used by pods running using this ServiceAccount. More info: http://releases.k8s.io/release-1.2/docs/user-guide/secrets.md	false	Section 2.3.135 , "v1.ObjectReference" array	
imagePullSecrets	ImagePullSecrets is a list of references to secrets in the same namespace to use for pulling any images in pods that reference this ServiceAccount. ImagePullSecrets are distinct from Secrets because Secrets can be mounted in the pod, but ImagePullSecrets are only accessed by the kubelet. More info: http://releases.k8s.io/release-1.2/docs/user-guide/secrets.md#manually-specifying-an-imagepullsecret	false	Section 2.3.112 , "v1.LocalObjectReference" array	

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

3.3.133. v1.ServiceAccountList

ServiceAccountList is a list of ServiceAccount objects

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	

Name	Description	Required	Schema	Default
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of ServiceAccounts. More info: http://releases.k8s.io/release-1.2/docs/design/service_accounts.md#service-accounts	true	Section 3.3.132, "v1.ServiceAccount" array	

3.3.134. v1.ServiceList

ServiceList holds a list of services.

Name	Description	Required	Schema	Default
kind	Kind is a string value representing the REST resource this object represents. Servers may infer this from the endpoint the client submits requests to. Cannot be updated. In CamelCase. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	string	

Name	Description	Required	Schema	Default
apiVersion	APIVersion defines the versioned schema of this representation of an object. Servers should convert recognized schemas to the latest internal value, and may reject unrecognized values. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#resources	false	string	
metadata	Standard list metadata. More info: http://releases.k8s.io/release-1.2/docs/devel/api-conventions.md#types-kinds	false	Section 2.3.5, "unversioned.List Meta"	
items	List of services	true	Section 3.3.131, "v1.Service" array	

3.3.135. v1.ServicePort

ServicePort contains information on service's port.

Name	Description	Required	Schema	Default
------	-------------	----------	--------	---------

Name	Description	Required	Schema	Default
name	The name of this port within the service. This must be a DNS_LABEL. All ports within a ServiceSpec must have unique names. This maps to the 'Name' field in EndpointPort objects. Optional if only one ServicePort is defined on this service.	false	string	
protocol	The IP protocol for this port. Supports "TCP" and "UDP". Default is TCP.	false	string	
port	The port that will be exposed by this service.	true	integer (int32)	

Name	Description	Required	Schema	Default
targetPort	<p>Number or name of the port to access on the pods targeted by the service. Number must be in the range 1 to 65535. Name must be an IANA_SVC_NAME. If this is a string, it will be looked up as a named port in the target Pod's container ports. If this is not specified, the value of the 'port' field is used (an identity map). This field is ignored for services with clusterIP=None, and should be omitted or set equal to the 'port' field. More info: http://releases.k8s.io/release-1.2/docs/user-guide/services.md#defining-a-service</p>	false	string	

Name	Description	Required	Schema	Default
nodePort	The port on each node on which this service is exposed when type=NodePort or LoadBalancer. Usually assigned by the system. If specified, it will be allocated to the service if unused or else creation of the service will fail. Default is to auto-allocate a port if the ServiceType of this Service requires one. More info: http://releases.k8s.io/release-1.2/docs/user-guide/services.md#type—nodeport	false	integer (int32)	

3.3.136. v1.ServiceSpec

ServiceSpec describes the attributes that a user creates on a service.

Name	Description	Required	Schema	Default
ports	The list of ports that are exposed by this service. More info: http://releases.k8s.io/release-1.2/docs/user-guide/services.md#virtual-ips-and-service-proxies	true	Section 3.3.135, “v1.ServicePort” array	

Name	Description	Required	Schema	Default
selector	<p>This service will route traffic to pods having labels matching this selector. Label keys and values that must match in order to receive traffic for this service. If empty, all pods are selected, if not specified, endpoints must be manually specified. More info:</p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/services.md#overview</p>	false	Section 2.3.200 , "any"	
portallIP	<p>The IP Address of the service.</p> <p>Deprecated: Use clusterIP instead.</p>	false	string	

Name	Description	Required	Schema	Default
clusterIP	<p>ClusterIP is usually assigned by the master and is the IP address of the service. If specified, it will be allocated to the service if it is unused or else creation of the service will fail. Valid values are None, empty string (""), or a valid IP address. 'None' can be specified for a headless service when proxying is not required. Cannot be updated. More info:</p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/services.md#virtual-ips-and-service-proxies</p>	false	string	
type	<p>Type of exposed service. Must be ClusterIP, NodePort, or LoadBalancer. Defaults to ClusterIP. More info:</p> <p>http://releases.k8s.io/release-1.2/docs/user-guide/services.md#external-services</p>	false	string	

Name	Description	Required	Schema	Default
externalIPs	<p>externalIPs is a list of IP addresses for which nodes in the cluster will also accept traffic for this service. These IPs are not managed by Kubernetes. The user is responsible for ensuring that traffic arrives at a node with this IP. A common example is external load-balancers that are not part of the Kubernetes system. A previous form of this functionality exists as the deprecatedPublicIPs field. When using this field, callers should also clear the deprecatedPublicIPs field.</p>	false	string array	

Name	Description	Required	Schema	Default
deprecatedPublicIPs	<p>deprecatedPublicIPs is deprecated and replaced by the externalIPs field with almost the exact same semantics. This field is retained in the v1 API for compatibility until at least 8/20/2016. It will be removed from any new API revisions. If both deprecatedPublicIPs and externalIPs are set, deprecatedPublicIPs is used.</p>	false	string array	
sessionAffinity	<p>Supports "ClientIP" and "None". Used to maintain session affinity. Enable client IP based session affinity. Must be ClientIP or None. Defaults to None. More info: http://releases.k8s.io/release-1.2/docs/user-guide/services.md#virtual-ips-and-service-proxies</p>	false	string	

Name	Description	Required	Schema	Default
loadBalancerIP	Only applies to Service Type: LoadBalancer. LoadBalancer will get created with the IP specified in this field. This feature depends on whether the underlying cloud-provider supports specifying the loadBalancerIP when a load balancer is created. This field will be ignored if the cloud-provider does not support the feature.	false	string	

3.3.137. v1.ServiceStatus

ServiceStatus represents the current status of a service.

Name	Description	Required	Schema	Default
loadBalancer	LoadBalancer contains the current status of the load-balancer, if one is present.	false	Section 3.3.67, "v1.LoadBalancer Status"	

3.3.138. v1.SupplementalGroupsStrategyOptions

SupplementalGroupsStrategyOptions is the strategy that will dictate what supplemental groups are used by the SecurityContext.

Name	Description	Required	Schema	Default
type	Type is the strategy that will dictate what supplemental groups is used in the SecurityContext.	false	string	
ranges	Ranges are the allowed ranges of supplemental groups. If you would like to force a single supplemental group then supply a single range with the same start and end.	false	Section 3.3.58, "v1.IDRange" array	

3.3.139. v1.TCPSocketAction

TCPSocketAction describes an action based on opening a socket

Name	Description	Required	Schema	Default
port	Number or name of the port to access on the container. Number must be in the range 1 to 65535. Name must be an IANA_SVC_NAME.	true	string	

3.3.140. v1.Volume

Volume represents a named volume in a pod that may be accessed by any container in the pod.

Name	Description	Required	Schema	Default
name	Volume's name. Must be a DNS_LABEL and unique within the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/identifiers.md#names	true	string	
hostPath	HostPath represents a pre-existing file or directory on the host machine that is directly exposed to the container. This is generally used for system agents or other privileged things that are allowed to see the host machine. Most containers will NOT need this. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#hostpath	false	Section 2.3.84, "v1.HostPathVolumeSource"	
emptyDir	EmptyDir represents a temporary directory that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#emptydir	false	Section 2.3.65, "v1.EmptyDirVolumeSource"	

Name	Description	Required	Schema	Default
gcePersistentDisk	GCEPersistentDisk represents a GCE Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#gcepersistentdisk	false	Section 2.3.74 , "v1.GCEPersistentDiskVolumeSource"	
awsElasticBlockStore	AWSElasticBlockStore represents an AWS Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.2/docs/user-guide/volumes.md#awselasticblockstore	false	Section 2.3.10 , "v1.AWSElasticBlockStoreVolumeSource"	
gitRepo	GitRepo represents a git repository at a particular revision.	false	Section 2.3.76 , "v1.GitRepoVolumeSource"	
secret	Secret represents a secret that should populate this volume. More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#secrets	false	Section 2.3.176 , "v1.SecretVolumeSource"	

Name	Description	Required	Schema	Default
nfs	NFS represents an NFS mount on the host that shares a pod's lifetime More info: http://releases.k8s.io/release-1.4/docs/user-guide/volumes.md#nfs	false	Section 2.3.117, "v1.NFSVolumeSource"	
iscsi	ISCSI represents an ISCSI Disk resource that is attached to a kubelet's host machine and then exposed to the pod. More info: http://releases.k8s.io/release-1.4/examples/volumes/iscsi/README.md	false	Section 2.3.87, "v1.ISCSIVolumeSource"	
glusterfs	Glusterfs represents a Glusterfs mount on the host that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.4/examples/volumes/glusterfs/README.md	false	Section 2.3.78, "v1.GlusterfsVolumeSource"	

Name	Description	Required	Schema	Default
persistentVolumeClaim	PersistentVolumeClaimVolumeSource represents a reference to a PersistentVolumeClaim in the same namespace. More info: http://releases.k8s.io/release-1.4/docs/user-guide/persistent-volumes.md#persistentvolumeclaims	false	Section 2.3.137, "v1.PersistentVolumeClaimVolumeSource"	
rbd	A Ceph Rados Block Device mount on the host that shares a pod's lifetime. More info: http://releases.k8s.io/release-1.4/examples/volumes/rbd/README.md	false	Section 2.3.152, "v1.RBDVolumeSource"	
flexVolume	FlexVolume represents a generic volume resource that is provisioned/attached using an exec based plugin. This is an alpha feature and may change in future.	false	Section 2.3.72, "v1.FlexVolumeSource"	

Name	Description	Required	Schema	Default
cinder	Cinder represents a cinder volume attached and mounted on kubelets host machine More info: http://releases.k8s.io/release-1.4/examples/mysql-cinder-pd/README.md	false	Section 2.3.31, "v1.CinderVolumeSource"	
cephfs	CephFS represents a Ceph FS mount on the host that shares a pod's lifetime	false	Section 2.3.30, "v1.CephFSVolumeSource"	
flocker	Flocker represents a Flocker volume attached to a kubelet's host machine. This depends on the Flocker control service being running	false	Section 2.3.73, "v1.FlockerVolumeSource"	
downwardAPI	DownwardAPI represents downward API about the pod that should populate this volume	false	Section 2.3.64, "v1.DownwardAPIVolumeSource"	
fc	FC represents a Fibre Channel resource that is attached to a kubelet's host machine and then exposed to the pod.	false	Section 2.3.70, "v1.FCVolumeSource"	

Name	Description	Required	Schema	Default
azureFile	AzureFile represents an Azure File Service mount on the host and bind mount to the pod.	false	Section 2.3.11, "v1.AzureFileVolumeSource"	
configMap	ConfigMap represents a configMap that should populate this volume	false	Section 2.3.43, "v1.ConfigMapVolumeSource"	
metadata	Metadata represents metadata about the pod that should populate this volume Deprecated: Use downwardAPI instead.	false	Section 2.3.116, "v1.MetadataVolumeSource"	

3.3.141. v1.VolumeMount

VolumeMount describes a mounting of a Volume within a container.

Name	Description	Required	Schema	Default
name	This must match the Name of a Volume.	true	string	

Name	Description	Required	Schema	Default
readOnly	Mounted read-only if true, read-write otherwise (false or unspecified). Defaults to false.	false	boolean	
mountPath	Path within the container at which the volume should be mounted. Must not contain ':'. Defaults to ''.	true	string	

3.3.142. any

Represents an untyped JSON map - see the description of the field for more info about the structure of this object.

CHAPTER 4. REVISION HISTORY: REST API REFERENCE

4.1. TUE OCT 04 2016

Affected Topic	Description of Change
Overview	Updated the <code>oc whoami --token</code> command to show the shorter flag of <code>oc whoami -t</code> .

4.2. THU MAY 12 2016

OpenShift Enterprise 3.2 initial release.