



JBoss Enterprise Application Platform 5

Cache Tutorial

for Use with JBoss Enterprise Application Platform 5

Edition 5.2.0

JBoss Enterprise Application Platform 5 Cache Tutorial

for Use with JBoss Enterprise Application Platform 5
Edition 5.2.0

Manik Surtani

Galder Zamarreño

Edited by

Eva Kopalova

Petr Penicka

Russell Dickenson

Scott Mumford

Legal Notice

Copyright © 2012 Red Hat, Inc.

This document is licensed by Red Hat under the [Creative Commons Attribution-ShareAlike 3.0 Unported License](#). If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This book is a TreeCache and JBossCache Tutorial for use with JBoss Enterprise Application Platform 5 and its patch releases. JBoss Cache is deprecated and will be removed in a future major release of JBoss Enterprise Application Platform.

Table of Contents

CHAPTER 1. INTRODUCTION	3
1.1. WHAT YOU WILL LEARN	3
CHAPTER 2. CONFIGURATION	4
CHAPTER 3. SCRIPT	5
CHAPTER 4. RUNNING THE TUTORIAL GUI	6
CHAPTER 5. TUTORIALS	7
5.1. CACHES AND NODES	7
5.2. REPLICATION	8
5.3. TRANSACTIONS	8
APPENDIX A. REVISION HISTORY	9

CHAPTER 1. INTRODUCTION

JBoss Cache is an in-memory replicated, transactional, and fine-grained cache. This tutorial focuses on the core Cache API. Please refer to the accompanying tutorial for POJO Cache, if it is the POJO Cache API you are interested in.

For details about configuration, usage and APIs, please refer to the JBoss Cache User Guide for JBoss Enterprise Application Platform 5.0, available from http://www.redhat.com/docs/en-US/JBoss_Enterprise_Application_Platform/.

1.1. WHAT YOU WILL LEARN

- Cache creation and modification
- Replication of state
- Transactions

CHAPTER 2. CONFIGURATION

First download the JBoss Cache 3.x distribution from [the download page](#). You will need the *all* distribution (`jbosscache-core-3.X.Y.GA-all.zip`). Unzip it, and you will get a directory containing the distribution, such as `jbosscache-core-3.X.Y`. For the sake of this tutorial, I will refer to this as `${JBOSSCACHE_HOME}`.

The configuration files are located in `${JBOSSCACHE_HOME}/etc`. You can modify the behavior of the cache by editing the various configuration files.

- `log4j.xml`: Logging output. You can enable logging, specify log levels or change the name and path to the log file.
- `config-samples/total-replication.xml`: Cache configuration file used for this tutorial.

CHAPTER 3. SCRIPT

The only script needed for this tutorial is the `${JBOSSCACHE_HOME}/tutorial/build.xml` ant script. You also need to have [Apache Ant](#) installed for running the tutorial GUI.

CHAPTER 4. RUNNING THE TUTORIAL GUI

The GUI is run by:

- Changing to the `${JBOSSCACHE_HOME}/tutorial` directory (e.g., `cd ${JBOSSCACHE_HOME}/tutorial`)
- And then running the ant script (e.g., `ant run`)

This will cause a GUI window to appear, giving you a tree view of the cache in the top pane and a BeanShell view of the JVM in the lower pane.


The BeanShell view is preset with the following variables:

- `cache`: a reference to the `org.jboss.cache.Cache` interface, used by the GUI instance.
- `root`: a reference to the root `org.jboss.cache.Node` instance for the above cache.
- `transactionManager`: a reference to the registered `javax.transaction.TransactionManager` instance.

The references made available to the BeanShell window point to the same cache instance used by the tree view in the GUI above.

To run the GUI as a replicated tutorial, it is useful to start another command line window and run the ant script again as you did above. Now you will have two cache instances running in two separate GUIs, replicating state to each other.

CHAPTER 5. TUTORIALS



IMPORTANT

It is recommended that you shut down and restart the GUI for each of the following tutorials, to ensure clean caches every time.

5.1. CACHES AND NODES

For this tutorial, start a single instance of the GUI. In this tutorial, we will:

- Create nodes under the root node.
- Remove nodes under the root node, both individually and recursively.
- Add and remove data from nodes.

1. Set up the Fqns you need. In the BeanShell pane, create 3 Fqn variables:

```
childFqn1 = Fqn.fromString("/child1");
childFqn2 = Fqn.fromString("/child2");
childFqn3 = Fqn.fromString("/child2/child3");
```

2. Create child nodes under the root node.

```
child1 = root.addChild(childFqn1);
child2 = root.addChild(childFqn2);
child3 = root.addChild(childFqn3);
```

3. Query the nodes.

```
root.hasChild(childFqn1); // should return true
child2.hasChild(childFqn3.getLastElement()); // should return true
child3.getParent(); // should return child2
child2.getParent(); // should return root
```

4. Put some data in the nodes. By selecting the nodes in the tree view, you should see the contents of each node.

```
child1.put("key1", "value1");
child1.put("key2", "value2");
child2.put("key3", "value3");
child2.put("key4", "value4");
child3.put("key5", "value5");
child3.put("key6", "value6");
```

5. Query some of the data.

```
child1.getKeys();
child2.getData();
```

6. Remove some data in the nodes.

■

```
child1.remove("key1");  
child2.remove("key3");  
child3.clearData();
```

7. Delete nodes

```
root.removeChild(childFqn1); // will also remove any data held under  
child1  
root.removeChild(childFqn2); // will recursively remove child3 as well
```

5.2. REPLICATION

For this tutorial, start two instances of the GUI. Repeat the exercises in the previous tutorial, only alternating between the two GUI windows when creating/removing nodes or adding/removing data. This demonstrates how the two cache instances in the two GUIs are kept in sync.

5.3. TRANSACTIONS

For this tutorial, start two instances of the GUI. Repeat the exercises in the previous tutorial, only starting transactions before creating/removing nodes or adding/removing data. This will depict how replication only occurs on transaction boundaries. Try rolling back a few transactions as well, to see how nothing gets replicated in these cases. Below is the sample code for managing transactions:

```
tm = cache.getTransactionManager();  
tm.begin();  
// do operations here  
tm.commit(); // or tm.rollback();
```

APPENDIX A. REVISION HISTORY

Revision 5.2.0-100.400 Rebuild with publican 4.0.0	2013-10-30	Rüdiger Landmann
Revision 5.2.0-100 Incorporated changes for JBoss Enterprise Application Platform 5.2.0 GA. For information about documentation changes to this guide, refer to <i>Release Notes 5.2.0</i> .	Wed 23 Jan 2013	Russell Dickenson
Revision 5.1.2-100 Incorporated changes for JBoss Enterprise Application Platform 5.1.2 GA. For information about documentation changes to this guide, refer to <i>Release Notes 5.1.2</i> .	Thu Dec 8 2011	Jared Morgan
Revision 5.1.1-100 Incorporated changes for JBoss Enterprise Application Platform 5.1.1 GA. For information about documentation changes to this guide, refer to <i>Release Notes 5.1.1</i> .	Mon Jul 18 2011	Jared Morgan
Revision 5.1.0-100 Changed version number in line with new versioning requirements. Revised for JBoss Enterprise Application Platform 5.1.0.GA.	Wed Sep 15 2010	Laura Bailey