



Red Hat JBoss Web Server 3.1

Red Hat JBoss Web Server 3.1 Service Pack 4 release notes

For Use with the Red Hat JBoss Web Server 3.1

Red Hat JBoss Web Server 3.1 Red Hat JBoss Web Server 3.1 Service Pack 4 release notes

For Use with the Red Hat JBoss Web Server 3.1

Legal Notice

Copyright © 2018 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

These release notes contain important information related to the Red Hat JBoss Web Server 3.1 Service Pack 4.

Table of Contents

RED HAT JBOSS WEB SERVER SERVICE PACK 4	2
INSTALLING THE RED HAT JBOSS WEB SERVER 3.1	2
UPGRADING RED HAT JBOSS WEB SERVER USING THIS SERVICE PACK	2
SECURITY FIXES	3
RESOLVED ISSUES	3
KNOWN ISSUES	3
UPGRADED COMPONENTS	3

Welcome to the Red Hat JBoss Web Server version 3.1 Service Pack 4 release.

The JBoss Web Server is a fully integrated and certified set of components for hosting Java web applications. It consists of:

- **Apache Tomcat:** a servlet container in accordance with the Java Servlet Specification. JBoss Web Server contains Apache Tomcat 7 and Apache Tomcat 8.
- The **Apache Tomcat Native Library:** a Tomcat library, which improves Tomcat scalability, performance, and integration with native server technologies.
- The **tomcat-vault:** an extension for the JBoss Web Server used for securely storing passwords and other sensitive information used by a JBoss Web Server.
- The **mod_cluster** library: a library that allows communication between Apache Tomcat and the Apache HTTP Server's `mod_proxy_cluster` module. This allows the Apache HTTP Server to be used as a load balancer for JBoss Web Server.

RED HAT JBOSS WEB SERVER SERVICE PACK 4

Service packs for Red Hat JBoss Web Server are produced when a set of critical bug fixes and/or security patches are required before a new full release.

These service pack releases reduce the number of individual patches that we produce and enable customers to keep up to date.

This update includes all fixes and changes from Red Hat JBoss Web Server 3.1 Service Pack 3.



NOTE

From Red Hat JBoss Web Server 3.1 Service Pack 2, all the configuration files that were changed in the patch are appended by the suffix `.zipnew` to avoid overwriting existing configuration files.

If the new or changed properties or configuration options are applicable to you, you will need to manually add or define them in their respective property or configuration file.

INSTALLING THE RED HAT JBOSS WEB SERVER 3.1

The JBoss Web Server 3.1 can be installed using one of the following sections of the installation guide:

- [Installing JBoss Web Server on Red Hat Enterprise Linux](#).
- [Installing JBoss Web Server on Microsoft Windows](#).
- [Installing JBoss Web Server on Solaris](#).

UPGRADING RED HAT JBOSS WEB SERVER USING THIS SERVICE PACK

To install this service pack:

1. Download the Red Hat JBoss Web Server 3.1 Service Pack 4 file (`.zip` format) appropriate to your platform using the download link [here](#) (subscription required).
2. Extract the `.zip` file to the Red Hat JBoss Web Server installation directory.

For Red Hat Enterprise Linux users who have installed Red Hat JBoss Web Server from RPM packages, can upgrade to the latest service pack using yum:

```
# yum upgrade
```

SECURITY FIXES

This update includes fixes for the following security related issues:

ID	Impact	Summary
CVE-2018-8014	Moderate	tomcat: Insecure defaults in CORS filter enable 'supportsCredentials' for all origins
CVE-2018-8019	Moderate	tomcat-native: Mishandled OCSP invalid response
CVE-2018-8020	Important	tomcat-native: Mishandled OCSP responses can allow clients to authenticate with revoked certificates

RESOLVED ISSUES

See the JBoss Developer bug tracking software for a list of the [resolved issues for Red Hat JBoss Web Server 3.1 Service Pack 4](#).

KNOWN ISSUES

See the JBoss Developer bug tracking software for a list of the [known issues for Red Hat JBoss Web Server 3.1 Service Pack 4](#).

UPGRADED COMPONENTS

This service pack includes upgraded versions of the following packages:

Component	Version	Comment
Apache Tomcat 7	7.0.70	Servlet container
Apache Tomcat 8	8.0.36	Servlet container
libapr	1.6.3	Apache Portable Runtime
OpenSSL	1.0.2n	Crypto libraries and openssl executable tool
tomcat-native	1.2.17	native implementation of Tomcat connectors

