



Red Hat OpenStack Platform 13

Firewall Rules for Red Hat OpenStack Platform

List of required ports and protocols.

Red Hat OpenStack Platform 13 Firewall Rules for Red Hat OpenStack Platform

List of required ports and protocols.

OpenStack Team
rhos-docs@redhat.com

Legal Notice

Copyright © 2023 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This article describes the firewall rules created by the Red Hat OpenStack Platform director.

Table of Contents

MAKING OPEN SOURCE MORE INCLUSIVE	3
CHAPTER 1. FIREWALL RULES FOR RED HAT OPENSTACK PLATFORM	4
1.1. RED HAT OPENSTACK NETWORK FLOW MATRIX	4

MAKING OPEN SOURCE MORE INCLUSIVE

Red Hat is committed to replacing problematic language in our code, documentation, and web properties. We are beginning with these four terms: master, slave, blacklist, and whitelist. Because of the enormity of this endeavor, these changes will be implemented gradually over several upcoming releases. For more details, see [our CTO Chris Wright's message](#).

CHAPTER 1. FIREWALL RULES FOR RED HAT OPENSTACK PLATFORM

This article provides a link to the Red Hat OpenStack network flow matrix. The matrix describes network flows created by the director on Red Hat OpenStack Platform. These ports are required for services running on the overcloud. Use this information to determine firewall rules.

1.1. RED HAT OPENSTACK NETWORK FLOW MATRIX

The network flow matrix is a comma separated values (CSV) file that describes flows to and from OpenStack services.

NOTE: The network flow matrix describes common traffic flows. It does not describe every possible flow. Some flows that are not described in this matrix might be critical to operation. For instance, if you block all traffic and then selectively open only the flows described here, you might unintentionally block a necessary flow. That could cause issues that are difficult to troubleshoot.

The matrix describes flows in the following columns.

Service

The OpenStack service.

Protocol

Transmission protocol.

Dest. Port

Destination port.

Source Object

Source of data.

Dest. Object

Destination of data.

Source/Dest Pairs

Valid source and destination pairs.

Dest. Network

Destination network.

ServiceNetMap Parent

Determines the network type used for each service.

Traffic Description

Notes about the traffic flow.

Download the network flow matrix file from the following location:

[Red Hat OpenStack Network Flows](#).