



Red Hat CodeReady Workspaces 2.14

Administration Guide

Administering Red Hat CodeReady Workspaces 2.14

Red Hat CodeReady Workspaces 2.14 Administration Guide

Administering Red Hat CodeReady Workspaces 2.14

Robert Kratky
rkratky@redhat.com

Fabrice Flore-Thébault
ffloreth@redhat.com

Tereza Stastna
tstastna@redhat.com

Max Leonov
mleonov@redhat.com

Legal Notice

Copyright © 2022 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

Information for administrators operating Red Hat CodeReady Workspaces.

Table of Contents

MAKING OPEN SOURCE MORE INCLUSIVE	6
CHAPTER 1. ARCHITECTURE OVERVIEW	7
1.1. CODEREADY WORKSPACES ARCHITECTURE WITH CODEREADY WORKSPACES SERVER	8
1.2. UNDERSTANDING CODEREADY WORKSPACES SERVER	9
1.2.1. CodeReady Workspaces server	9
1.2.2. CodeReady Workspaces server	10
1.2.3. CodeReady Workspaces user dashboard	10
1.2.4. CodeReady Workspaces devfile registry	10
1.2.5. CodeReady Workspaces plug-in registry	11
1.2.6. CodeReady Workspaces and PostgreSQL	11
1.2.7. CodeReady Workspaces and RH-SSO	11
1.3. UNDERSTANDING CODEREADY WORKSPACES WORKSPACES ARCHITECTURE	12
1.3.1. CodeReady Workspaces workspaces architecture	12
1.3.2. CodeReady Workspaces workspace components	13
1.3.2.1. Che Editor plug-in	13
1.3.2.2. CodeReady Workspaces user runtimes	14
1.3.2.3. CodeReady Workspaces workspace JWT proxy	14
1.3.2.4. CodeReady Workspaces plug-ins broker	14
1.3.3. CodeReady Workspaces workspace creation flow	15
1.4. CODEREADY WORKSPACES ARCHITECTURE WITH DEV WORKSPACE	16
1.5. CODEREADY WORKSPACES SERVER COMPONENTS	17
1.5.1. CodeReady Workspaces operator	19
1.5.2. Dev Workspace operator	19
1.5.3. Gateway	20
1.5.4. User dashboard	21
1.5.5. Devfile registries	23
1.5.6. CodeReady Workspaces server	24
1.5.7. PostgreSQL	25
1.5.8. Plug-in registry	27
1.6. USER WORKSPACES	28
CHAPTER 2. CALCULATING CODEREADY WORKSPACES RESOURCE REQUIREMENTS	32
2.1. CONTROLLER REQUIREMENTS	32
2.2. WORKSPACES REQUIREMENTS	32
2.3. A WORKSPACE EXAMPLE	36
CHAPTER 3. CUSTOMIZING THE REGISTRIES	38
3.1. UNDERSTANDING THE CODEREADY WORKSPACES REGISTRIES	38
3.2. BUILDING CUSTOM REGISTRY IMAGES	38
3.2.1. Building a custom devfile registry image	38
3.2.2. Building a custom plug-ins registry image	40
3.3. RUNNING CUSTOM REGISTRIES	41
3.3.1. Deploying registries in OpenShift	41
3.3.2. Adding a custom plug-in registry in an existing CodeReady Workspaces workspace	43
3.3.2.1. Adding a custom plug-in registry using Command Palette	43
3.3.2.2. Adding a custom plug-in registry using the settings.json file	44
CHAPTER 4. RETRIEVING CODEREADY WORKSPACES LOGS	45
4.1. CONFIGURING SERVER LOGGING	45
4.1.1. Configuring log levels	45
4.1.2. Logger naming	45

4.1.3. Logging HTTP traffic	45
4.2. ACCESSING OPENSIFT EVENTS ON OPENSIFT	46
4.3. VIEWING THE STATE OF THE CODEREADY WORKSPACES CLUSTER DEPLOYMENT USING OPENSIFT 4 CLI TOOLS	46
4.4. VIEWING CODEREADY WORKSPACES SERVER LOGS	47
4.4.1. Viewing the CodeReady Workspaces server logs using the OpenShift CLI	47
4.5. VIEWING EXTERNAL SERVICE LOGS	48
4.5.1. Viewing RH-SSO logs	48
4.5.1.1. Viewing the RH-SSO server logs	48
4.5.1.2. Viewing the RH-SSO client logs on Firefox	48
4.5.1.3. Viewing the RH-SSO client logs on Google Chrome	49
4.5.2. Viewing the CodeReady Workspaces database logs	49
4.6. VIEWING THE PLUG-IN BROKER LOGS	49
4.7. COLLECTING LOGS USING CRWCTL	50
CHAPTER 5. MONITORING CODEREADY WORKSPACES	51
5.1. ENABLING AND EXPOSING CODEREADY WORKSPACES METRICS	51
5.2. COLLECTING CODEREADY WORKSPACES METRICS WITH PROMETHEUS	52
CHAPTER 6. MONITORING THE DEV WORKSPACE OPERATOR	54
6.1. COLLECTING DEV WORKSPACE OPERATOR METRICS WITH PROMETHEUS	54
6.2. DEV WORKSPACE-SPECIFIC METRICS	56
CHAPTER 7. TRACING CODEREADY WORKSPACES	58
7.1. TRACING API	58
7.2. TRACING BACK END	58
7.3. INSTALLING THE JAEGER TRACING TOOL	58
7.3.1. Installing Jaeger using OperatorHub on OpenShift 4	58
7.3.2. Installing Jaeger using CLI on OpenShift 4	59
7.4. ENABLING METRICS COLLECTION	60
7.5. VIEWING CODEREADY WORKSPACES TRACES IN JAEGER UI	62
7.6. CODEREADY WORKSPACES TRACING CODEBASE OVERVIEW AND EXTENSION GUIDE	63
7.6.1. Tagging	63
CHAPTER 8. BACKUP AND DISASTER RECOVERY	64
8.1. SETTING UP A BACKUP SERVER	64
8.2. MANAGING BACKUPS USING CRWCTL	65
8.2.1. Creating a new backup	65
8.2.2. Restoring from a backup	66
8.3. CONFIGURING CRWCTL TO USE A BACKUP SERVER	66
8.4. MANAGING BACKUPS USING CUSTOM RESOURCES	67
8.4.1. Creating a new backup	68
8.4.2. Restoring from a backup	69
8.5. CONFIGURING CODEREADY WORKSPACES TO USE A BACKUP SERVER	70
8.5.1. Configuring REST server	71
8.5.2. Configuring AWS S3 or API compatible server	71
8.5.3. Configuring SFTP server	72
8.6. PERSISTENT VOLUMES BACKUPS	72
8.6.1. Recommended backup tool: Velero	72
8.7. EXTERNAL DATABASE SETUP	73
8.7.1. Configuring external PostgreSQL	74
8.7.2. Configuring CodeReady Workspaces to work with an external PostgreSQL	74
CHAPTER 9. MIGRATION FROM POSTGRESQL 9 TO POSTGRESQL 13	77

CHAPTER 10. READINESS INIT CONTAINERS	80
10.1. ENABLING AND DISABLING THE READINESS INIT CONTAINERS FOR THE OPERATOR INSTALLER	80
10.2. ENABLING THE READINESS INIT CONTAINERS FOR THE OPERATOR INSTALLER	80
10.3. DISABLING THE READINESS INIT CONTAINERS FOR THE OPERATOR INSTALLER	81
10.4. ENABLING AND DISABLING THE READINESS INIT CONTAINERS FOR THE OLM INSTALLER	81
10.5. ENABLING THE READINESS INIT CONTAINERS FOR THE OLM INSTALLER	81
10.6. DISABLING THE READINESS INIT CONTAINERS FOR THE OLM INSTALLER	82
CHAPTER 11. CACHING IMAGES FOR FASTER WORKSPACE START	84
11.1. DEFINING THE LIST OF IMAGES TO PULL	85
11.2. DEFINING THE MEMORY PARAMETERS FOR THE IMAGE PULLER	90
11.3. INSTALLING IMAGE PULLER USING THE CODEREADY WORKSPACES OPERATOR	91
11.4. INSTALLING IMAGE PULLER ON OPENSIFT 4 USING OPERATORHUB	94
11.5. INSTALLING IMAGE PULLER ON OPENSIFT USING OPENSIFT TEMPLATES	95
CHAPTER 12. MANAGING IDENTITIES AND AUTHORIZATIONS	102
12.1. AUTHENTICATING USERS	102
12.1.1. Authenticating to the CodeReady Workspaces server	102
12.1.1.1. Authenticating to the CodeReady Workspaces server using other authentication implementations	102
12.1.1.2. Authenticating to the CodeReady Workspaces server using OAuth	102
12.1.1.3. Using Swagger or REST clients to execute queries	103
12.1.2. Authenticating in a CodeReady Workspaces workspace	103
12.1.2.1. Creating secure servers	104
12.1.2.2. Workspace JWT token	104
12.1.2.3. Machine token validation	105
12.2. AUTHORIZING USERS	105
12.2.1. CodeReady Workspaces workspace permissions	105
12.2.2. CodeReady Workspaces system permissions	106
12.2.3. manageSystem permission	106
12.2.4. monitorSystem permission	107
12.2.5. Listing CodeReady Workspaces permissions	108
12.2.6. Assigning CodeReady Workspaces permissions	108
12.3. CONFIGURING AUTHORIZATION	109
12.3.1. Authorization and user management	109
12.3.2. Configuring CodeReady Workspaces to work with RH-SSO	109
12.3.3. Configuring RH-SSO tokens	109
12.3.4. Setting up user federation	110
12.3.5. Enabling authentication with social accounts and brokering	110
12.3.5.1. Configuring GitHub OAuth	110
12.3.5.2. Configuring a Bitbucket server that uses self-signed TLS certificates	111
12.3.5.3. Configuring the Bitbucket and CodeReady Workspaces integration to use OAuth1	112
12.3.5.4. Configuring GitLab servers	116
12.3.5.5. Configuring GitLab OAuth2	116
12.3.6. Using protocol-based providers	117
12.3.7. Managing users using RH-SSO	118
12.3.8. Configuring CodeReady Workspaces to use an external RH-SSO installation	118
12.3.9. Configuring SMTP and email notifications	120
12.3.10. Enabling self-registration	120
12.4. CONFIGURING OPENSIFT OAUTH	121
12.4.1. Configuring OpenShift OAuth with initial user	121
12.4.2. Configuring OpenShift OAuth without provisioning OpenShift initial OAuth user	122
12.4.3. Removing OpenShift initial OAuth user	122

12.5. REMOVING USER DATA	123
12.5.1. Removing user data according to GDPR	123

MAKING OPEN SOURCE MORE INCLUSIVE

Red Hat is committed to replacing problematic language in our code, documentation, and web properties. We are beginning with these four terms: master, slave, blacklist, and whitelist. Because of the enormity of this endeavor, these changes will be implemented gradually over several upcoming releases. For more details, see [our CTO Chris Wright's message](#).


CHAPTER 1. ARCHITECTURE OVERVIEW

CodeReady Workspaces needs a workspace engine to manage the lifecycle of the workspaces. Two workspace engines are available. The choice of a workspace engine defines the architecture.

Section 1.1, “CodeReady Workspaces architecture with CodeReady Workspaces server”

CodeReady Workspaces server is the default workspace engine.

Figure 1.1. High-level CodeReady Workspaces architecture with the CodeReady Workspaces server engine



Section 1.4, “CodeReady Workspaces architecture with Dev Workspace”

The Dev Workspace Operator is a new workspace engine.




TECHNOLOGY PREVIEW FEATURE

Managing workspaces with the Dev Workspace engine is an experimental feature. Don't use this workspace engine in production.

Known limitations

Workspaces are not secured. Whoever knows the URL of a workspace can have access to it and leak the user credentials.

Figure 1.2. High-level CodeReady Workspaces architecture with the Dev Workspace operator




Additional resources

- [Section 1.1, “CodeReady Workspaces architecture with CodeReady Workspaces server”](#)
- [Section 1.4, “CodeReady Workspaces architecture with Dev Workspace”](#)
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#enabling-dev-workspace-operator.adoc
- [Dev Workspace Operator GitHub repository](#)

1.1. CODEREADY WORKSPACES ARCHITECTURE WITH CODEREADY WORKSPACES SERVER

CodeReady Workspaces server is the default workspace engine.

Figure 1.3. High-level CodeReady Workspaces architecture with the CodeReady Workspaces server engine



Red Hat CodeReady Workspaces components are:

CodeReady Workspaces server

An always-running service that manages user workspaces with the OpenShift API.

User workspaces

Container-based IDEs running on user requests.

Additional resources

- [Section 1.2, "Understanding CodeReady Workspaces server"](#)
- [Section 1.3, "Understanding CodeReady Workspaces workspaces architecture"](#)

1.2. UNDERSTANDING CODEREADY WORKSPACES SERVER


This chapter describes the CodeReady Workspaces controller and the services that are a part of the controller.

1.2.1. CodeReady Workspaces server

The workspaces controller manages the container-based development environments: CodeReady Workspaces workspaces. To secure the development environments with authentication, the deployment is always multiuser and multitenant.

The following diagram shows the different services that are a part of the CodeReady Workspaces workspaces controller.

Figure 1.4. CodeReady Workspaces workspaces controller

**Additional resources**

- [Section 12.1, “Authenticating users”](#)

1.2.2. CodeReady Workspaces server

The CodeReady Workspaces server is the central service of CodeReady Workspaces server-side components. It is a Java web service exposing an HTTP REST API to manage CodeReady Workspaces workspaces and users. It is the default workspace engine.

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc

1.2.3. CodeReady Workspaces user dashboard

The user dashboard is the landing page of Red Hat CodeReady Workspaces. It is a React application. CodeReady Workspaces users navigate the user dashboard from their browsers to create, start, and manage CodeReady Workspaces workspaces.

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#navigating-che.adoc

1.2.4. CodeReady Workspaces devfile registry

The CodeReady Workspaces devfile registry is a service that provides a list of CodeReady Workspaces samples to create ready-to-use workspaces. This list of samples is used in the **Dashboard → Create Workspace** window. The devfile registry runs in a container and can be deployed wherever the user

dashboard can connect.

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#creating-a-workspace-from-a-code-sample.adoc
- [CodeReady Workspaces devfile registry repository](#)

1.2.5. CodeReady Workspaces plug-in registry

The CodeReady Workspaces plug-in registry is a service that provides the list of plug-ins and editors for CodeReady Workspaces workspaces. A devfile only references a plug-in that is published in a CodeReady Workspaces plug-in registry. It runs in a container and can be deployed wherever CodeReady Workspaces server connects.

1.2.6. CodeReady Workspaces and PostgreSQL

The PostgreSQL database is a prerequisite for CodeReady Workspaces server and RH-SSO.

The CodeReady Workspaces administrator can choose to:

- Connect CodeReady Workspaces to an existing PostgreSQL instance.
- Let the CodeReady Workspaces deployment start a new dedicated PostgreSQL instance.

Services use the database for the following purposes:

CodeReady Workspaces server

Persist user configurations such as workspaces metadata and Git credentials.

RH-SSO

Persist user information.

Additional resources

- [Section 8.7, “External database setup”](#)
- [quay.io/eclipse/che-postgres](#) container image
- [CodeReady Workspaces Postgres repository](#)

1.2.7. CodeReady Workspaces and RH-SSO

RH-SSO is a prerequisite to configure CodeReady Workspaces. The CodeReady Workspaces administrator can choose to connect CodeReady Workspaces to an existing RH-SSO instance or let the CodeReady Workspaces deployment start a new dedicated RH-SSO instance.

The CodeReady Workspaces server uses RH-SSO as an OpenID Connect (OIDC) provider to authenticate CodeReady Workspaces users and secure access to CodeReady Workspaces resources.

Additional resources

- [quay.io/eclipse/che-keycloak](#) container image

- [CodeReady Workspaces RH-SSO repository](#)

1.3. UNDERSTANDING CODEREADY WORKSPACES WORKSPACES ARCHITECTURE

This chapter describes the architecture and components of CodeReady Workspaces.

1.3.1. CodeReady Workspaces workspaces architecture

A CodeReady Workspaces deployment on the cluster consists of the CodeReady Workspaces server component, a database for storing user profile and preferences, and several additional deployments hosting workspaces. The CodeReady Workspaces server orchestrates the creation of workspaces, which consist of a deployment containing the workspace containers and enabled plug-ins, plus the related components, such as:


- ConfigMaps
- services
- endpoints
- ingresses or routes
- secrets
- persistent volumes (PVs)

The CodeReady Workspaces workspace is a web application. It is composed of microservices running in containers that provide all the services of a modern IDE such as an editor, language auto-completion, and debugging tools. The IDE services are deployed with the development tools, packaged in containers and user runtime applications, which are defined as OpenShift resources.

The source code of the projects of a CodeReady Workspaces workspace is persisted in a OpenShift **PersistentVolume**. Microservices run in containers that have read-write access to the source code (IDE services, development tools), and runtime applications have read-write access to this shared directory.

The following diagram shows the detailed components of a CodeReady Workspaces workspace.

Figure 1.5. CodeReady Workspaces workspace components



In the diagram, there are four running workspaces: two belonging to **User A**, one to **User B** and one to **User C**.

Use the devfile format to specify the tools and runtime applications of a CodeReady Workspaces workspace.

1.3.2. CodeReady Workspaces workspace components

This section describes the components of a CodeReady Workspaces workspace.

1.3.2.1. Che Editor plug-in

A **Che Editor** plug-in is a CodeReady Workspaces workspace plug-in. It defines the web application that is used as an editor in a workspace. The default CodeReady Workspaces workspace editor is [Che-Theia](#). It is a web-based source-code editor similar to [Visual Studio Code](#) (VS Code). It has a plug-in system that supports VS Code extensions.

Source code	Che-Theia
Container image	eclipse/che-theia
Endpoints	theia, webviews, theia-dev, theia-redirect-1, theia-redirect-2, theia-redirect-3

Additional resources

- [Che-Theia](#)
- [Eclipse Theia open-source project](#)
- [Visual Studio Code](#)

1.3.2.2. CodeReady Workspaces user runtimes

Use any non-terminating user container as a user runtime. An application that can be defined as a container image or as a set of OpenShift resources can be included in a CodeReady Workspaces workspace. This makes it easy to test applications in the CodeReady Workspaces workspace.

To test an application in the CodeReady Workspaces workspace, include the application YAML definition used in stage or production in the workspace specification. It is a 12-factor application development / production parity.

Examples of user runtimes are Node.js, SpringBoot or MongoDB, and MySQL.

1.3.2.3. CodeReady Workspaces workspace JWT proxy

The JWT proxy is responsible for securing the communication of the CodeReady Workspaces workspace services.

An HTTP proxy is used to sign outgoing requests from a workspace service to the CodeReady Workspaces server and to authenticate incoming requests from the IDE client running on a browser.

Source code	JWT proxy
Container image	eclipse/che-jwtproxy

1.3.2.4. CodeReady Workspaces plug-ins broker

Plug-in brokers are special services that, given a plug-in **meta.yaml** file:

- Gather all the information to provide a plug-in definition that the CodeReady Workspaces server knows.
- Perform preparation actions in the workspace project (download, unpack files, process configuration).


The main goal of the plug-in broker is to decouple the CodeReady Workspaces plug-ins definitions from the actual plug-ins that CodeReady Workspaces can support. With brokers, CodeReady Workspaces can support different plug-ins without updating the CodeReady Workspaces server.

The CodeReady Workspaces server starts the plug-in broker. The plug-in broker runs in the same OpenShift project as the workspace. It has access to the plug-ins and project persistent volumes.

A plug-ins broker is defined as a container image (for example, **eclipse/che-plugin-broker**). The plug-in type determines the type of the broker that is started. Two types of plug-ins are supported: **Che Plugin** and **Che Editor**.

Source code	CodeReady Workspaces Plug-in broker
Container image	quay.io/eclipse/che-plugin-artifacts-broker eclipse/che-plugin-metadata-broker

1.3.3. CodeReady Workspaces workspace creation flow



The following is a CodeReady Workspaces workspace creation flow:

1. A user starts a CodeReady Workspaces workspace defined by:
 - An editor (the default is Che-Theia)
 - A list of plug-ins (for example, Java and OpenShift tools)
 - A list of runtime applications
2. CodeReady Workspaces server retrieves the editor and plug-in metadata from the plug-in registry.

3. For every plug-in type, CodeReady Workspaces server starts a specific plug-in broker.
4. The CodeReady Workspaces plug-ins broker transforms the plug-in metadata into a Che Plugin definition. It executes the following steps:
 - a. Downloads a plug-in and extracts its content.
 - b. Processes the plug-in **meta.yaml** file and sends it back to CodeReady Workspaces server in the format of a Che Plugin.
5. CodeReady Workspaces server starts the editor and the plug-in sidecars.
6. The editor loads the plug-ins from the plug-in persistent volume.

1.4. CODEREADY WORKSPACES ARCHITECTURE WITH DEV WORKSPACE




TECHNOLOGY PREVIEW FEATURE

Managing workspaces with the Dev Workspace engine is an experimental feature. Don't use this workspace engine in production.

Known limitations

Workspaces are not secured. Whoever knows the URL of a workspace can have access to it and leak the user credentials.

Figure 1.6. High-level CodeReady Workspaces architecture with the Dev Workspace operator



When CodeReady Workspaces is running with the Dev Workspace operator, it runs on three groups of components:

CodeReady Workspaces server components

Manage User project and workspaces. The main component is the User dashboard, from which users control their workspaces.

Dev Workspace operator

Creates and controls the necessary OpenShift objects to run User workspaces. Including **Pods**, **Services**, and **PeristentVolumes**.

User workspaces

Container-based development environments, the IDE included.

The role of these OpenShift features is central:

Dev Workspace Custom Resources

Valid OpenShift objects representing the User workspaces and manipulated by CodeReady Workspaces. It is the communication channel for the three groups of components.

OpenShift role-based access control (RBAC)

Controls access to all resources.

Additional resources

- [Section 1.5, “CodeReady Workspaces server components”](#)
- [Section 1.5.2, “Dev Workspace operator”](#)
- [Section 1.6, “User workspaces”](#)
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#enabling-dev-workspace-operator.adoc
- [Dev Workspace Operator repository](#)
- [Kubernetes documentation - Custom Resources](#)

1.5. CODEREADY WORKSPACES SERVER COMPONENTS



TECHNOLOGY PREVIEW FEATURE


Managing workspaces with the Dev Workspace engine is an experimental feature. Don't use this workspace engine in production.

Known limitations

Workspaces are not secured. Whoever knows the URL of a workspace can have access to it and leak the user credentials.

The CodeReady Workspaces server components ensure multi-tenancy and workspaces management.

Figure 1.7. CodeReady Workspaces server components interacting with the Dev Workspace operator



Additional resources

- [Section 1.5.1, "CodeReady Workspaces operator"](#)
- [Section 1.5.2, "Dev Workspace operator"](#)
- [Section 1.5.3, "Gateway"](#)
- [Section 1.5.4, "User dashboard"](#)
- [Section 1.5.5, "Devfile registries"](#)
- [Section 1.5.6, "CodeReady Workspaces server"](#)
- [Section 1.5.7, "PostgreSQL"](#)

- [Section 1.5.8, “Plug-in registry”](#)

1.5.1. CodeReady Workspaces operator

The CodeReady Workspaces operator ensure full lifecycle management of the CodeReady Workspaces server components. It introduces:

CheCluster custom resource definition (CRD)

Defines the **CheCluster** OpenShift object.

CodeReady Workspaces controller

Creates and controls the necessary OpenShift objects to run a CodeReady Workspaces instance, such as pods, services, and persistent volumes.

CheCluster custom resource (CR)

On a cluster with the CodeReady Workspaces operator, it is possible to create a **CheCluster** custom resource (CR). The CodeReady Workspaces operator ensure full lifecycle management of the CodeReady Workspaces server components on this CodeReady Workspaces instance.

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#configuring-the-che-installation.adoc
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#installing-che.adoc

1.5.2. Dev Workspace operator



TECHNOLOGY PREVIEW FEATURE

Managing workspaces with the Dev Workspace engine is an experimental feature. Don't use this workspace engine in production.

Known limitations

Workspaces are not secured. Whoever knows the URL of a workspace can have access to it and leak the user credentials.

The Dev Workspace operator extends OpenShift to provide Dev Workspace support. It introduces:

Dev Workspace custom resource definition

Defines the Dev Workspace OpenShift object from the Devfile v2 specification.

Dev Workspace controller

Creates and controls the necessary OpenShift objects to run a Dev Workspace, such as pods, services, and persistent volumes.

Dev Workspace custom resource

On a cluster with the Dev Workspace operator, it is possible to create Dev Workspace custom resources (CR). A Dev Workspace CR is an OpenShift representation of a Devfile. It defines a User workspace in an OpenShift cluster.

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#enabling-dev-workspace-operator.adoc
- [Devfile API repository](#)


1.5.3. Gateway

The CodeReady Workspaces gateway is a Traefik instance applying OpenShift Role based access control (RBAC) policies to control access to any CodeReady Workspaces resource. The CodeReady Workspaces operator manages it as the **che-gateway** Deployment.

It controls access to:

- [Section 1.5.4, "User dashboard"](#)
- [Section 1.5.5, "Devfile registries"](#)
- [Section 1.5.6, "CodeReady Workspaces server"](#)
- [Section 1.5.8, "Plug-in registry"](#)
- [Section 1.6, "User workspaces"](#)

Figure 1.8. CodeReady Workspaces gateway interactions with other components



Additional resources

- [Chapter 12, *Managing identities and authorizations*](#)


1.5.4. User dashboard

The user dashboard is the landing page of Red Hat CodeReady Workspaces. CodeReady Workspaces end-users browse the user dashboard to access and manage their workspaces. It is a React application. The CodeReady Workspaces deployment starts it in the **codeready-dashboard** Deployment.

It need access to:

- [Section 1.5.5, “Devfile registries”](#)
- [Section 1.5.6, “CodeReady Workspaces server”](#)
- [Section 1.5.8, “Plug-in registry”](#)
- OpenShift API

Figure 1.9. User dashboard interactions with other components



When the user requests the user dashboard to start a workspace, the user dashboard executes this sequence of actions:

1. Collects the devfile from the [Section 1.5.5, "Devfile registries"](#), when the user is [Creating a workspace from a code sample](#).
2. Sends the repository URL to [Section 1.5.6, "CodeReady Workspaces server"](#) and expects a devfile in return, when the user is [Creating a workspace from remote devfile](#).
3. Reads the devfile describing the workspace.
4. Collects the additional metadata from the [Section 1.5.8, "Plug-in registry"](#).
5. Converts the information into a Dev Workspace Custom Resource.
6. Creates the Dev Workspace Custom Resource in the user project using the OpenShift API.
7. Watches the Dev Workspace Custom Resource status.
8. Redirects the user to the running workspace IDE.


Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#navigating-che.adoc

1.5.5. Devfile registries

The CodeReady Workspaces devfile registries are services providing a list of sample devfiles to create ready-to-use workspaces. The [Section 1.5.4, "User dashboard"](#) displays the samples list on the **Dashboard → Create Workspace** page. Each sample includes a Devfile v2. The CodeReady Workspaces deployment starts one devfile registry instance in the **devfile-registry** deployment.

Figure 1.10. Devfile registries interactions with other components



Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#creating-a-workspace-from-a-code-sample.adoc
- [Devfile v2 documentation](#)
- [devfile registry latest community version online instance](#)
- [CodeReady Workspaces devfile registry repository](#)

1.5.6. CodeReady Workspaces server


The CodeReady Workspaces server main functions are:

- Creating user namespaces.
- Provisioning user namespaces with required secrets and config maps.
- Integrating with Git services providers, to fetch and validate devfiles and authentication.

The CodeReady Workspaces server is a Java web service exposing an HTTP REST API and needs access to:

- [Section 1.5.7, "PostgreSQL"](#)
- Git service providers
- OpenShift API

Figure 1.11. CodeReady Workspaces server interactions with other components



Additional resources


- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc

1.5.7. PostgreSQL

CodeReady Workspaces server uses the PostgreSQL database to persist user configurations such as workspaces metadata.

The CodeReady Workspaces deployment starts a dedicated PostgreSQL instance in the **postgres** Deployment. You can use an external database instead.

Figure 1.12. PostgreSQL interactions with other components



Additional resources

- [Section 8.7, “External database setup”](#)
- [quay.io/eclipse/che-postgres](#) container image
- [CodeReady Workspaces Postgres repository](#)

1.5.8. Plug-in registry

Each CodeReady Workspaces workspace starts with a specific editor and set of associated extensions. The CodeReady Workspaces plug-in registry provides the list of available editors and editor extensions. A Devfile v2 describes each editor or extension.

The [Section 1.5.4, “User dashboard”](#) is reading the content of the registry.

Figure 1.13. Plug-in registries interactions with other components






Plug-in registry

Additional resources

- [Editors definitions in the CodeReady Workspaces plug-in registry repository](#)
- [Plug-ins definitions in the CodeReady Workspaces plug-in registry repository](#)
- [Plug-in registry latest community version online instance](#)

1.6. USER WORKSPACES

Figure 1.14. User workspaces interactions with other components



User workspaces are web IDEs running in containers.

A User workspace is a web application. It consists of microservices running in containers providing all the services of a modern IDE running in your browser:

- Editor
- Language auto-completion
- Language server
- Debugging tools
- Plug-ins
- Application runtimes

A workspace is one OpenShift Deployment containing the workspace containers and enabled plug-ins, plus related OpenShift components:


- Containers
- ConfigMaps
- Services
- Endpoints
- Ingresses or Routes
- Secrets
- Persistent Volumes (PVs)

A CodeReady Workspaces workspace contains the source code of the projects, persisted in a OpenShift Persistent Volume (PV). Microservices have read-write access to this shared directory.

Use the devfile v2 format to specify the tools and runtime applications of a CodeReady Workspaces workspace.

The following diagram shows one running CodeReady Workspaces workspace and its components.

Figure 1.15. CodeReady Workspaces workspace components



In the diagram, there is one running workspaces.

CHAPTER 2. CALCULATING CODEREADY WORKSPACES RESOURCE REQUIREMENTS

Additional resources

This section describes how to calculate resources, such as memory and CPU, required to run Red Hat CodeReady Workspaces.

Both the CodeReady Workspaces central controller and user workspaces consist of a set of containers. Those containers contribute to the resources consumption in terms of CPU and RAM limits and requests.

2.1. CONTROLLER REQUIREMENTS

The Workspace Controller consists of a set of five services running in five distinct containers. The following table presents the default resource requirements of each of these services.

Table 2.1. ControllerServices

Pod	Container name	Default memory limit	Default memory request
CodeReady Workspaces Server and Dashboard	che	1 GiB	512 MiB
PostgreSQL	postgres	1 GiB	512 MiB
RH-SSO	keycloak	2 GiB	512 MiB
Devfile registry	che-devfile-registry	256 MiB	16 MiB
Plug-in registry	che-plugin-registry	256 MiB	16 MiB

These default values are sufficient when the CodeReady Workspaces Workspace Controller manages a small amount of CodeReady Workspaces workspaces. For larger deployments, increase the memory limit. See the https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc article for instructions on how to override the default requests and limits. For example, the Eclipse Che hosted by Red Hat that runs on <https://workspaces.openshift.com> uses 1 GB of memory.

Additional resources

- [Section 1.2, “Understanding CodeReady Workspaces server”](#).

2.2. WORKSPACES REQUIREMENTS

This section describes how to calculate the resources required for a workspace. It is the sum of the resources required for each component of this workspace.

These examples demonstrate the necessity of a proper calculation:

- A workspace with ten active plug-ins requires more resources than the same workspace with fewer plug-ins.
- A standard Java workspace requires more resources than a standard Node.js workspace because running builds, tests, and application debugging requires more resources.

Procedure

1. Identify the workspace components explicitly specified in the **components** section of the https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#authoring-devfiles-version-2.adoc.
2. Identify the implicit workspace components:
 - a. CodeReady Workspaces implicitly loads the default **cheEditor**: **che-theia**, and the **chePlugin** that allows commands execution: **che-machine-exec-plugin**. To change the default editor, add a **cheEditor** component section in the devfile.
 - b. The JWT Proxy component is responsible for the authentication and authorization of the external communications of the workspace components.
3. Calculate the requirements for each component:
 - a. Default values:
The following table displays the default requirements for all workspace components, and the corresponding CodeReady Workspaces server properties. Use the CodeReady Workspaces server properties to modify the defaults cluster-wide.

Table 2.2. Default requirements of workspace components by type

Component types	CodeReady Workspaces server property	Default memory limit	Default memory request
chePlugin	che.workspace.sidebar.default_memory_limit_mb	128 MiB	64 MiB
cheEditor	che.workspace.sidebar.default_memory_limit_mb	128 MiB	64 MiB
kubernetes, openshift, dockerimage	che.workspace.default_memory_limit_mb, che.workspace.default_memory_request_mb	1 Gi	200 MiB

Component types	CodeReady Workspaces server property	Default memory limit	Default memory request
JWT Proxy	che.server.secure_exposer.jwtproxy.memory_limit, che.server.secure_exposer.jwtproxy.memory_request	128 MiB	15 MiB

b. Custom requirements for **chePlugins** and **cheEditors** components:

i. Custom memory limit and request:

Define the **memoryLimit** and **memoryRequest** attributes of the **containers** section of the **meta.yaml** file to configure the memory limit of the **chePlugins** or **cheEditors** components. CodeReady Workspaces automatically sets the memory request to match the memory limit if it is not specified explicitly.

Example 2.1. The **chePlugin che-incubator/typescript/latest**

meta.yaml spec section:

```
spec:
  containers:
    - image: docker.io/eclipse/che-remote-plugin-node:next
      name: vscode-typescript
      memoryLimit: 512Mi
      memoryRequest: 256Mi
```

This results in a container with the following memory limit and request:

Memory limit	512 MiB
Memory request	256 MiB



NOTE

For IBM Power Systems (ppc64le), the memory limit for some plugins has been increased by up to 1.5G to allow pods sufficient RAM to run. For example, on IBM Power Systems (ppc64le), the Theia editor pod requires 2G; the OpenShift connector pod requires 2.5G. For AMD64 and Intel 64 (x86_64) and IBM Z (s390x), memory requirements remain lower at 512M and 1500M respectively. However, some devfiles may still be configured to set the lower limit valid for AMD64 and Intel 64 (x86_64) and IBM Z (s390x), so to work around this, edit devfiles for workspaces that are crashing to increase the default memoryLimit by at least 1 - 1.5 GB.

**NOTE****How to find the meta.yaml file of chePlugin**

Community plug-ins are available in the [CodeReady Workspaces plug-ins registry repository](#) in folder **v3/plugins/\${organization}/\${name}/\${version}/**.

For non-community or customized plug-ins, the **meta.yaml** files are available on the local OpenShift cluster at **\${pluginRegistryEndpoint}/v3/plugins/\${organization}/\${name}/\${version}/meta.yaml**.

ii. Custom CPU limit and request:

CodeReady Workspaces does not set CPU limits and requests by default. However, it is possible to configure CPU limits for the **chePlugin** and **cheEditor** types in the **meta.yaml** file or in the devfile in the same way as it done for memory limits.

Example 2.2. The chePlugin che-incubator/typescript/latest**meta.yaml spec section:**

```
spec:
  containers:
    - image: docker.io/eclipse/che-remote-plugin-node:next
      name: vscode-typescript
      cpuLimit: 2000m
      cpuRequest: 500m
```

It results in a container with the following CPU limit and request:

CPU limit	2 cores
CPU request	0.5 cores

To set CPU limits and requests globally, use the following dedicated environment variables:

CPU Limit	CHE_WORKSPACE_SIDECAR_DEFAULT_CPU_LIMIT_CORES
CPU Request	CHE_WORKSPACE_SIDECAR_DEFAULT_CPU_REQUEST_CORES

See also https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc.

Note that the **LimitRange** object of the OpenShift project may specify defaults for CPU limits and requests set by cluster administrators. To prevent start errors due to resources overrun, limits on application or workspace levels must comply with those settings.

- a. Custom requirements for **dockerimage** components
Define the **memoryLimit** and **memoryRequest** attributes of the devfile to configure the memory limit of a **dockerimage** container. CodeReady Workspaces automatically sets the memory request to match the memory limit if it is not specified explicitly.

```
- alias: maven
  type: dockerimage
  image: eclipse/maven-jdk8:latest
  memoryLimit: 1536M
```

- b. Custom requirements for **kubernetes** or **openshift** components:
The referenced manifest may define the memory requirements and limits.
 1. Add all previously calculated requirements.

Additional resources

- [Section 1.3, "Understanding CodeReady Workspaces workspaces architecture"](#).

2.3. A WORKSPACE EXAMPLE

This section describes a CodeReady Workspaces workspace example.

The following devfile defines the CodeReady Workspaces workspace:

```
apiVersion: 1.0.0
metadata:
  generateName: nodejs-configmap-
projects:
  - name: nodejs-configmap
    source:
      location: "https://github.com/crw-samples/nodejs-configmap.git"
      branch: 12.x
      type: git
components:
  - id: vscode/typescript-language-features/latest
    type: chePlugin
  - mountSources: true
    type: kubernetes
  entrypoints:
    - command:
      - sleep
      args:
      - infinity
    reference: 'https://raw.githubusercontent.com/crw-samples/nodejs-mongodb-sample/master/kubernetes-manifests/guestbook-app.deployment.yaml'
    alias: guestbook-frontend
```

This table provides the memory requirements for each workspace component:

Table 2.3. Total workspace memory requirement and limit

Pod	Container name	Default memory limit	Default memory request
Workspace	theia-ide (default cheEditor)	512 MiB	512 MiB
Workspace	machine-exec (default chePlugin)	128 MiB	32 MiB
Workspace	vscode-typescript (chePlugin)	512 MiB	512 MiB
Workspace	nodejs (dockerimage)	1 GiB	512 MiB
JWT Proxy	verifier	128 MiB	128 MiB
Total		2.25 GiB	1.38 GiB

- The **theia-ide** and **machine-exec** components are implicitly added to the workspace, even when not included in the devfile.
- The resources required by **machine-exec** are the default for **chePlugin**.
- The resources for **theia-ide** are specifically set in the **cheEditor meta.yaml** to **512 MiB** as **memoryLimit**.
- The Typescript VS Code extension has also overridden the default memory limits. In its **meta.yaml** file, the limits are explicitly specified to **512 MiB**.
- CodeReady Workspaces is applying the defaults for the **dockerimage** component type: a memory limit of **1 GiB** and a memory request of **512 MiB**.
- The JWT container requires **128 MiB** of memory.

Adding all together results in **1.38 GiB** of memory requests with a **2.25 GiB** limit.

Additional resources

- [Chapter 1, Architecture overview](#)
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#configuring-the-che-installation.adoc
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#authoring-devfiles-version-2.adoc
- [Section 12.1, "Authenticating users"](#)
- [CodeReady Workspaces plug-ins registry repository](#)

CHAPTER 3. CUSTOMIZING THE REGISTRIES

This chapter describes how to build and run custom registries for CodeReady Workspaces.

3.1. UNDERSTANDING THE CODEREADY WORKSPACES REGISTRIES

CodeReady Workspaces uses two registries: the plug-ins registry and the devfile registry. They are static websites publishing the metadata of CodeReady Workspaces plug-ins and devfiles. When built in offline mode they also include artifacts.

The devfile and plug-in registries run in two separate Pods. Their deployment is part of the CodeReady Workspaces installation.

The devfile and plug-in registries

The devfile registry

The devfile registry holds the definitions of the CodeReady Workspaces stacks. Stacks are available on the CodeReady Workspaces user dashboard when selecting **Create Workspace**. It contains the list of CodeReady Workspaces technological stack samples with example projects. When built in offline mode it also contains all sample projects referenced in devfiles as **zip** files.

The plug-in registry

The plug-in registry makes it possible to share a plug-in definition across all the users of the same instance of CodeReady Workspaces. When built in offline mode it also contains all plug-in or extension artifacts.

Additional resources

- [Section 3.2, “Building custom registry images”](#)
- [Section 3.3, “Running custom registries”](#)

3.2. BUILDING CUSTOM REGISTRY IMAGES

3.2.1. Building a custom devfile registry image

This section describes how to build a custom devfile registry image. The procedure explains how to add a devfile. The image contains all sample projects referenced in devfiles.

Prerequisites

- A running installation of [podman](#) or [docker](#).
- Valid content for the devfile to add. See: https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#authoring-devfiles-version-2.adoc.

Procedure

1. Clone the devfile registry repository and check out the version to deploy:

```
$ git clone git@github.com:redhat-developer/codeready-workspaces.git
$ cd codeready-workspaces
$ git checkout crw-2.14-rhel-8
```

- In the `./dependencies/che-devfile-registry/devfiles/` directory, create a subdirectory `<devfile-name>` and add the `devfile.yaml` and `meta.yaml` files.

Example 3.1. File organization for a devfile

```
./dependencies/che-devfile-registry/devfiles/
├── <devfile-name>
│   ├── devfile.yaml
│   └── meta.yaml
```

- Add valid content in the `devfile.yaml` file. For a detailed description of the devfile format, see https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#authoring-devfiles-version-2.adoc.
- Ensure that the `meta.yaml` file conforms to the following structure:

Table 3.1. Parameters for a devfilemeta.yaml

Attribute	Description
description	Description as it appears on the user dashboard.
displayName	Name as it appears on the user dashboard.
icon	Link to an .svg file that is displayed on the user dashboard.
tags	List of tags. Tags typically include the tools included in the stack.
globalMemoryLimit	Optional parameter: the sum of the expected memory consumed by all the components launched by the devfile. This number will be visible on the user dashboard. It is informative and is not taken into account by the CodeReady Workspaces server.


Example 3.2. Example devfile meta.yaml

```
displayName: Rust
description: Rust Stack with Rust 1.39
tags: ["Rust"]
icon: https://www.eclipse.org/che/images/logo-eclipseche.svg
globalMemoryLimit: 1686Mi
```

- Build a custom devfile registry image:

```
$ cd dependencies/che-devfile-registry
$ ./build.sh --organization <my-org> \
```

```
--registry <my-registry> \  
--tag <my-tag>
```



NOTE

To display full options for the **build.sh** script, use the **--help** parameter.

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#authoring-devfiles-version-2.adoc.
- [Section 3.3, "Running custom registries"](#).

3.2.2. Building a custom plug-ins registry image

This section describes how to build a custom plug-ins registry image. The procedure explains how to add a plug-in. The image contains plug-ins or extensions metadata.

Prerequisites

- Node.js 12.x
- A running version of yarn. See: [Installing Yarn](#).
- **./node_modules/.bin** is in the **PATH** environment variable.
- A running installation of [podman](#) or [docker](#).

Procedure

1. Clone the plug-ins registry repository and check out the version to deploy:

```
$ git clone git@github.com:redhat-developer/codeready-workspaces.git  
$ cd codeready-workspaces  
$ git checkout crw-2.14-rhel-8
```

2. In the **./dependencies/che-plugin-registry/** directory, edit the **che-theia-plugins.yaml** file.
3. Add valid content to the **che-theia-plugins.yaml** file, for detailed information see: https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#adding-a-vs-code-extension-to-the-che-plugin-registry.adoc.
4. Build a custom plug-ins registry image:

```
$ cd dependencies/che-plugin-registry  
$ ./build.sh --organization <my-org> \  
--registry <my-registry> \  
--tag <my-tag>
```



NOTE

To display full options for the **build.sh** script, use the **--help** parameter. To include the plug-in binaries in the registry image, add the **--offline** parameter.

- Observe the contents of `./dependencies/che-plugin-registry/v3/plugins/` present in the container after building the registry. All **meta.yaml** files resulting from a successful plug-ins registry build will be located here.

```

./dependencies/che-plugin-registry/v3/plugins/
├── <publisher>
│   └── <plugin-name>
│       ├── latest
│       └── meta.yaml
└── latest.txt

```

Additional resources

- [Section 3.3, “Running custom registries”](#).

3.3. RUNNING CUSTOM REGISTRIES

Prerequisites

The **my-plugin-registry** and **my-devfile-registry** images used in this section are built using the **docker** command. This section assumes that these images are available on the OpenShift cluster where CodeReady Workspaces is deployed.

These images can be then pushed to:

- A public container registry such as **quay.io**, or the DockerHub.
- A private registry.

3.3.1. Deploying registries in OpenShift

Procedure

An OpenShift template to deploy the plug-in registry is available in the **deploy/openshift/** directory of the GitHub repository.

- To deploy the plug-in registry using the OpenShift template, run the following command:

```

NAMESPACE=<namespace-name> 1
IMAGE_NAME="my-plugin-registry"
IMAGE_TAG="latest"
oc new-app -f openshift/che-plugin-registry.yml \
-n "${NAMESPACE}" \
-p IMAGE="${IMAGE_NAME}" \
-p IMAGE_TAG="${IMAGE_TAG}" \
-p PULL_POLICY="Always"

```

- 1 If installed using `crwctl`, the default CodeReady Workspaces project is **openshift-workspaces**. The OperatorHub installation method deploys CodeReady Workspaces to the users current project.

- The devfile registry has an OpenShift template in the **deploy/openshift/** directory of the GitHub repository. To deploy it, run the command:

```

NAMESPACE=<namespace-name> 1
IMAGE_NAME="my-devfile-registry"
IMAGE_TAG="latest"
oc new-app -f openshift/che-devfile-registry.yml \
  -n "${NAMESPACE}" \
  -p IMAGE="${IMAGE_NAME}" \
  -p IMAGE_TAG="${IMAGE_TAG}" \
  -p PULL_POLICY="Always"

```

- 1 If installed using `crwctl`, the default CodeReady Workspaces project is **openshift-workspaces**. The OperatorHub installation method deploys CodeReady Workspaces to the users current project.

Verification steps

1. The `<plug-in>` plug-in is available in the plug-in registry.

Example 3.3. Find `<plug-in>` requesting the plug-in registry API.

```

$ URL=$(oc get route -l app=che,component=plugin-registry \
  -o 'custom-columns=URL:.spec.host' --no-headers)
$ INDEX_JSON=$(curl -sSL http://${URL}/v3/plugins/index.json)
$ echo ${INDEX_JSON} | jq '.[] | select(.name == "<plug-in>")'

```

2. The `<devfile>` devfile is available in the devfile registry.

Example 3.4. Find `<devfile>` requesting the devfile registry API.

```

$ URL=$(oc get route -l app=che,component=devfile-registry \
  -o 'custom-columns=URL:.spec.host' --no-headers)
$ INDEX_JSON=$(curl -sSL http://${URL}/v3/plugins/index.json)
$ echo ${INDEX_JSON} | jq '.[] | select(.name == "<devfile>")'

```

3. CodeReady Workspaces server points to the URL of the plug-in registry.

Example 3.5. Compare the value of the `CHE_WORKSPACE_PLUGIN_REGISTRY__URL` parameter in the `che` ConfigMap with the URL of the plug-in registry route.

Get the value of the `CHE_WORKSPACE_PLUGIN_REGISTRY__URL` parameter in the `che` ConfigMap.

```

$ oc get cm/che \
  -o "custom-columns=URL:.data['CHE_WORKSPACE_PLUGIN_REGISTRY__URL']" \
  --no-headers

```

Get the URL of the plug-in registry route.

```

$ oc get route -l app=che,component=plugin-registry \
  -o 'custom-columns=URL:.spec.host' --no-headers

```

- CodeReady Workspaces server points to the URL of the devfile registry.

Example 3.6. Compare the value of the `CHE_WORKSPACE_DEVFILE__REGISTRY__URL` parameter in the `che` ConfigMap with the URL of the devfile registry route.

Get the value of the `CHE_WORKSPACE_DEVFILE__REGISTRY__URL` parameter in the `che` ConfigMap.

```
$ oc get cm/che \
-o "custom-columns=URL:.data['CHE_WORKSPACE_DEVFILE__REGISTRY__URL']" \
--no-headers
```

Get the URL of the devfile registry route.

```
$ oc get route -l app=che,component=devfile-registry \
-o 'custom-columns=URL:.spec.host' --no-headers
```

- If the values do not match, update the ConfigMap and restart the CodeReady Workspaces server.

```
$ oc edit cm/codeready
(...)
$ oc scale --replicas=0 deployment/codeready
$ oc scale --replicas=1 deployment/codeready
```

- The plug-ins are available in the:
 - Completion to **chePlugin** components in the **Devfile** tab of a workspace details
 - Plugin** Che-Theia view of a workspace
- The devfiles are available in the **Quick Add** and **Custom Workspace** tab of the **Create Workspace** page on the user dashboard.

3.3.2. Adding a custom plug-in registry in an existing CodeReady Workspaces workspace

The following section describes two methods of adding a custom plug-in registry in an existing CodeReady Workspaces workspace:

- [Adding a custom plug-in registry using Command palette](#) - For adding a new custom plug-in registry quickly, with a use of text inputs from Command palette command. This method does not allow a user to edit already existing information, such as plug-in registry URL or name.
- [Adding a custom plug-in registry using the `settings.json` file](#) - For adding a new custom plug-in registry and editing of the already existing entries.

3.3.2.1. Adding a custom plug-in registry using Command Palette

Prerequisites

- An instance of CodeReady Workspaces

Procedure

1. In the CodeReady Workspaces IDE, press **F1** to open the Command Palette, or navigate to **View → Find Command** in the top menu.
The **command palette** can be also activated by pressing **Ctrl+Shift+p** (or **Cmd+Shift+p** on macOS).
2. Enter the **Add Registry** command into the search box and pres **Enter** once filled.
3. Enter the registry name and registry URL in next two command prompts.
 - After adding a new plug-in registry, the list of plug-ins in the **Plug-ins** view is refreshed, and if the new plug-in registry is not valid, a user is notified by a warning message.

3.3.2.2. Adding a custom plug-in registry using the `settings.json` file

The following section describes the use of the main CodeReady Workspaces Settings menu to edit and add a new plug-in registry using the `settings.json` file.

Prerequisites

- An instance of CodeReady Workspaces

Procedure

1. From the main CodeReady Workspaces screen, select **Open Preferences** by pressing **Ctrl+**, or using the gear wheel icon on the left bar.
2. Select **Che Plug-ins** and continue by **Edit in setting.json** link.
The `setting.json` file is displayed.
3. Add a new plug-in registry using the `chePlugins.repositories` attribute as shown below:

```
{  
  "application.confirmExit": "never",  
  "chePlugins.repositories": {"test": "https://test.com"}  
}
```

4. Save the changes to add a custom plug-in registry in an existing CodeReady Workspaces workspace.
 - A newly added plug-in validation tool checks the correctness of URL values set in the `chePlugins.repositories` field of the `settings.json` file.
 - After adding a new plug-in registry, the list of plug-ins in the **Plug-ins** view is refreshed, and if the new plug-in registry is not valid, a user is notified by a warning message. This check is also functional for plug-ins added using the Command palette command **Add plugin registry**.

CHAPTER 4. RETRIEVING CODEREADY WORKSPACES LOGS

For information about obtaining various types of logs in CodeReady Workspaces, see the following sections:

- [Section 4.1, “Configuring server logging”](#)
- [Section 4.2, “Accessing OpenShift events on OpenShift”](#)
- [Section 4.4, “Viewing CodeReady Workspaces server logs”](#)
- [Section 4.5, “Viewing external service logs”](#)
- [Section 4.6, “Viewing the plug-in broker logs”](#)
- [Section 4.7, “Collecting logs using crwctl”](#)

4.1. CONFIGURING SERVER LOGGING

It is possible to fine-tune the log levels of individual loggers available in the CodeReady Workspaces server.

The log level of the whole CodeReady Workspaces server is configured globally using the [cheLogLevel configuration property](#) of the Operator. To set the global log level in installations not managed by the Operator, specify the **CHE_LOG_LEVEL** environment variable in the **che** ConfigMap.

It is possible to configure the log levels of the individual loggers in the CodeReady Workspaces server using the **CHE_LOGGER_CONFIG** environment variable.

4.1.1. Configuring log levels

The format of the value of the **CHE_LOGGER_CONFIG** property is a list of comma-separated key-value pairs, where keys are the names of the loggers as seen in the CodeReady Workspaces server log output and values are the required log levels.

In Operator-based deployments, the **CHE_LOGGER_CONFIG** variable is specified under the **customCheProperties** of the custom resource.

For example, the following snippet would make the **WorkspaceManager** produce the **DEBUG** log messages.

```
...
server:
  customCheProperties:
    CHE_LOGGER_CONFIG: "org.eclipse.che.api.workspace.server.WorkspaceManager=DEBUG"
```

4.1.2. Logger naming

The names of the loggers follow the class names of the internal server classes that use those loggers.

4.1.3. Logging HTTP traffic

It is possible to log the HTTP traffic between the CodeReady Workspaces server and the API server of the Kubernetes or OpenShift cluster. To do that, one has to set the **che.infra.request-logging** logger to the **TRACE** level.

```
...
server:
  customCheProperties:
    CHE_LOGGER_CONFIG: "che.infra.request-logging=TRACE"
```

4.2. ACCESSING OPENSIFT EVENTS ON OPENSIFT

For high-level monitoring of OpenShift projects, view the OpenShift events that the project performs.

This section describes how to access these events in the OpenShift web console.

Prerequisites

- A running OpenShift web console.

Procedure

1. In the left panel of the OpenShift web console, click the **Home → Events**.
2. To view the list of all events for a particular project, select the project from the list.
3. The details of the events for the current project are displayed.

Additional resources

- For a list of OpenShift events, see [Comprehensive List of Events in OpenShift documentation](#).

4.3. VIEWING THE STATE OF THE CODEREADY WORKSPACES CLUSTER DEPLOYMENT USING OPENSIFT 4 CLI TOOLS

This section describes how to view the state of the CodeReady Workspaces cluster deployment using OpenShift 4 CLI tools.

Prerequisites

- An instance of Red Hat CodeReady Workspaces running on OpenShift.
- An installation of the OpenShift command-line tool, **oc**.

Procedure

1. Run the following commands to select the **crw** project:

```
$ oc project <project_name>
```

2. Run the following commands to get the name and status of the Pods running in the selected project:

```
$ oc get pods
```

3. Check that the status of all the Pods is **Running**.

Example 4.1. Pods with status Running

NAME	READY	STATUS	RESTARTS	AGE
codeready-8495f4946b-jrzdc	0/1	Running	0	86s
codeready-operator-578765d954-99szc	1/1	Running	0	42m
keycloak-74fbfb9654-g9vp5	1/1	Running	0	4m32s
postgres-5d579c6847-w6wx5	1/1	Running	0	5m14s

4. To see the state of the CodeReady Workspaces cluster deployment, run:

```
$ oc logs --tail=10 -f `(oc get pods -o name | grep operator)`
```

Example 4.2. Logs of the Operator:

```
time="2019-07-12T09:48:29Z" level=info msg="Exec successfully completed"
time="2019-07-12T09:48:29Z" level=info msg="Updating eclipse-che CR with status:
provisioned with OpenShift identity provider: true"
time="2019-07-12T09:48:29Z" level=info msg="Custom resource eclipse-che updated"
time="2019-07-12T09:48:29Z" level=info msg="Creating a new object: ConfigMap, name:
che"
time="2019-07-12T09:48:29Z" level=info msg="Creating a new object: ConfigMap, name:
custom"
time="2019-07-12T09:48:29Z" level=info msg="Creating a new object: Deployment,
name: che"
time="2019-07-12T09:48:30Z" level=info msg="Updating eclipse-che CR with status:
CodeReady Workspaces API: Unavailable"
time="2019-07-12T09:48:30Z" level=info msg="Custom resource eclipse-che updated"
time="2019-07-12T09:48:30Z" level=info msg="Waiting for deployment che. Default
timeout: 420 seconds"
```

4.4. VIEWING CODEREADY WORKSPACES SERVER LOGS

This section describes how to view the CodeReady Workspaces server logs using the command line.

4.4.1. Viewing the CodeReady Workspaces server logs using the OpenShift CLI

This section describes how to view the CodeReady Workspaces server logs using the OpenShift CLI (command line interface).

Procedure

1. In the terminal, run the following command to get the Pods:

```
$ oc get pods
```

Example

```
$ oc get pods
NAME          READY STATUS  RESTARTS AGE
codeready-11-j4w2b  1/1  Running  0      3m
```

- To get the logs for a deployment, run the following command:

```
$ oc logs <name-of-pod>
```

Example

```
$ oc logs codeready-11-j4w2b
```

4.5. VIEWING EXTERNAL SERVICE LOGS

This section describes how to view the logs from external services related to CodeReady Workspaces server.

4.5.1. Viewing RH-SSO logs

The RH-SSO OpenID provider consists of two parts: Server and IDE. It writes its diagnostics or error information to several logs.

4.5.1.1. Viewing the RH-SSO server logs

This section describes how to view the RH-SSO OpenID provider server logs.

Procedure

- In the OpenShift Web Console, click **Deployments**.
- In the **Filter by label** search field, type **keycloak** to see the RH-SSO logs.
- In the **Deployment Configs** section, click the **keycloak** link to open it.
 - In the **History** tab, click the **View log** link for the active RH-SSO deployment.
 - The RH-SSO logs are displayed.

Additional resources

- See the [Section 4.4, "Viewing CodeReady Workspaces server logs"](#) for diagnostics and error messages related to the RH-SSO IDE Server.

4.5.1.2. Viewing the RH-SSO client logs on Firefox

This section describes how to view the RH-SSO IDE client diagnostics or error information in the Firefox **WebConsole**.

Procedure

- Click **Menu** > **WebDeveloper** > **WebConsole**.

4.5.1.3. Viewing the RH-SSO client logs on Google Chrome

This section describes how to view the RH-SSO IDE client diagnostics or error information in the Google Chrome **Console** tab.

Procedure

1. Click **Menu > More Tools > Developer Tools**.
2. Click the **Console** tab.

4.5.2. Viewing the CodeReady Workspaces database logs

This section describes how to view the database logs in CodeReady Workspaces, such as PostgreSQL server logs.

Procedure

1. In the OpenShift Web Console, click **Deployments**.
2. In the **Find by label** search field, type:
 - **app=che** and press **Enter**
 - **component=postgres** and press **Enter**
The OpenShift Web Console is searching base on those two keys and displays PostgreSQL logs.
3. Click **postgres** deployment to open it.
4. Click the **View log** link for the active PostgreSQL deployment.
The OpenShift Web Console displays the database logs.

Additional resources

- Some diagnostics or error messages related to the PostgreSQL server can be found in the active CodeReady Workspaces deployment log. For details to access the active CodeReady Workspaces deployments logs, see the [Section 4.4, “Viewing CodeReady Workspaces server logs”](#) section.

4.6. VIEWING THE PLUG-IN BROKER LOGS

This section describes how to view the plug-in broker logs.

The **che-plugin-broker** Pod itself is deleted when its work is complete. Therefore, its event logs are only available while the workspace is starting.

Procedure

To see logged events from temporary Pods:

1. Start a CodeReady Workspaces workspace.
2. From the main OpenShift Container Platform screen, go to **Workload → Pods**.
3. Use the OpenShift terminal console located in the Pod’s **Terminal** tab

Verification step

- OpenShift terminal console displays the plug-in broker logs while the workspace is starting

4.7. COLLECTING LOGS USING CRWCTL

It is possible to get all Red Hat CodeReady Workspaces logs from a OpenShift cluster using the **crwctl** tool.

- **crwctl server:deploy** automatically starts collecting Red Hat CodeReady Workspaces servers logs during installation of Red Hat CodeReady Workspaces
- **crwctl server:logs** collects existing Red Hat CodeReady Workspaces server logs
- **crwctl workspace:logs** collects workspace logs

CHAPTER 5. MONITORING CODEREADY WORKSPACES

This chapter describes how to configure CodeReady Workspaces to expose metrics and how to build an example monitoring stack with external tools to process data exposed as metrics by CodeReady Workspaces.

5.1. ENABLING AND EXPOSING CODEREADY WORKSPACES METRICS

This section describes how to enable and expose CodeReady Workspaces metrics.

Procedure

1. Set the **CHE_METRICS_ENABLED=true** environment variable, which will expose the **8087** port as a service on the che-master host.

When Red Hat CodeReady Workspaces is installed from the OperatorHub, the environment variable is set automatically if the default **CheCluster** CR is used:

[Eclipse Che](#) > Create Che Cluster

Create Che Cluster

Create by manually entering YAML or JSON definitions, or by dragging and dropping a file into the editor.

```

1  apiVersion: org.eclipse.che/v1
2  kind: CheCluster
3  metadata:
4    name: eclipse-che
5    namespace: che-metrics
6  spec:
7    server:
8      cheImageTag: nightly
9      devfileRegistryImage: 'quay.io/eclipse/che-devfile-registry:nightly'
10     pluginRegistryImage: 'quay.io/eclipse/che-plugin-registry:nightly'
11     tlsSupport: true
12     selfSignedCert: false
13   database:
14     externalDb: false
15     chePostgresHostName: ''
16     chePostgresPort: ''
17     chePostgresUser: ''
18     chePostgresPassword: ''
19     chePostgresDb: ''
20   auth:
21     openShiftoAuth: true
22     identityProviderImage: 'quay.io/eclipse/che-keycloak:nightly'
23     externalIdentityProvider: false
24     identityProviderURL: ''
25     identityProviderRealm: ''
26     identityProviderClientId: ''
27   storage:
28     pvcStrategy: per-workspace
29     pvcClaimSize: 1Gi
30     preCreateSubPaths: true
31   metrics:
32     enable: true
33

```

```

spec:
  metrics:
    enable: true

```

5.2. COLLECTING CODEREADY WORKSPACES METRICS WITH PROMETHEUS

This section describes how to use the Prometheus monitoring system to collect, store, and query metrics about CodeReady Workspaces.

Prerequisites

- CodeReady Workspaces is exposing metrics on port **8087**. See [Enabling and exposing CodeReady Workspaces metrics](#).
- Prometheus 2.9.1 or later is running. The Prometheus console is running on port **9090** with a corresponding **service** and **route**. See [First steps with Prometheus](#).

Procedure

- Configure Prometheus to scrape metrics from the **8087** port:

Example 5.1. Prometheus configuration example

```

apiVersion: v1
kind: ConfigMap
metadata:
  name: prometheus-config
data:
  prometheus.yml: |-
    global:
      scrape_interval: 5s      1
      evaluation_interval: 5s  2
    scrape_configs:           3
      - job_name: 'che'
        static_configs:
          - targets: ['[che-host]:8087']  4
  
```

- 1 Rate, at which a target is scraped.
- 2 Rate, at which recording and alerting rules are re-checked (not used in the system at the moment).
- 3 Resources Prometheus monitors. In the default configuration, a single job called **che**, scrapes the time series data exposed by the CodeReady Workspaces server.
- 4 Scrape metrics from the **8087** port.

Verification steps

- Use the Prometheus console to query and view metrics. Metrics are available at: **http://<che-server-url>:9090/metrics**.

For more information, see [Using the expression browser](#).

Additional resources

- [First steps with Prometheus](#).
- [Configuring Prometheus](#).
- [Querying Prometheus](#).
- [Prometheus metric types](#).

CHAPTER 6. MONITORING THE DEV WORKSPACE OPERATOR

This chapter describes how to configure an example monitoring stack to process metrics exposed by the Dev Workspace operator. You must enable the Dev Workspace operator to follow the instructions in this chapter. See https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#enabling-dev-workspace-operator.adoc.

6.1. COLLECTING DEV WORKSPACE OPERATOR METRICS WITH PROMETHEUS

This section describes how to use the Prometheus to collect, store, and query metrics about the Dev Workspace operator.

Prerequisites

- The `devworkspace-controller-metrics` service is exposing metrics on port **8443**.
- The `devworkspace-webhookserver` service is exposing metrics on port **9443**. By default, the service exposes metrics on port **9443**.
- Prometheus 2.26.0 or later is running. The Prometheus console is running on port **9090** with a corresponding `service` and `route`. See [First steps with Prometheus](#).

Procedure

1. Create a **ClusterRoleBinding** to bind the **ServiceAccount** associated with Prometheus to the `devworkspace-controller-metrics-reader` **ClusterRole**. Without the **ClusterRoleBinding**, you cannot access Dev Workspace metrics because they are protected with role-based access control (RBAC).

Example 6.1. ClusterRole example

```
apiVersion: rbac.authorization.k8s.io/v1
kind: ClusterRole
metadata:
  name: devworkspace-controller-metrics-reader
rules:
- nonResourceURLs:
  - /metrics
verbs:
- get
```

Example 6.2. ClusterRoleBinding example

```
apiVersion: rbac.authorization.k8s.io/v1
kind: ClusterRoleBinding
metadata:
  name: devworkspace-controller-metrics-binding
subjects:
- kind: ServiceAccount
  name: <ServiceAccount name associated with the Prometheus Pod>
  namespace: <Prometheus namespace>
```

```

roleRef:
  apiGroup: rbac.authorization.k8s.io
  kind: ClusterRole
  name: devworkspace-controller-metrics-reader

```

2. Configure Prometheus to scrape metrics from the **8443** port exposed by the **devworkspace-controller-metrics** service, and **9443** port exposed by the **devworkspace-webhookserver** service.

Example 6.3. Prometheus configuration example

```

apiVersion: v1
kind: ConfigMap
metadata:
  name: prometheus-config
data:
  prometheus.yml: |-
    global:
      scrape_interval: 5s      1
      evaluation_interval: 5s  2
    scrape_configs:           3
      - job_name: 'DevWorkspace'
        authorization:
          type: Bearer
          credentials_file: '/var/run/secrets/kubernetes.io/serviceaccount/token'
        tls_config:
          insecure_skip_verify: true
        static_configs:
          - targets: ['devworkspace-controller-metrics:8443']  4
      - job_name: 'DevWorkspace webhooks'
        authorization:
          type: Bearer
          credentials_file: '/var/run/secrets/kubernetes.io/serviceaccount/token'
        tls_config:
          insecure_skip_verify: true
        static_configs:
          - targets: ['devworkspace-webhookserver:9443']  5

```

- 1 Rate at which a target is scraped.
- 2 Rate at which recording and alerting rules are re-checked.
- 3 Resources that Prometheus monitors. In the default configuration, two jobs (**DevWorkspace** and **DevWorkspace webhooks**), scrape the time series data exposed by the **devworkspace-controller-metrics** and **devworkspace-webhookserver** services.
- 4 Scrape metrics from the **8443** port.
- 5 Scrape metrics from the **9443** port.

Verification steps

- Use the Prometheus console to view targets and metrics. For more information, see [Using the expression browser](#).

Additional resources

- [First steps with Prometheus](#).
- [Configuring Prometheus](#).
- [Querying Prometheus](#).
- [Prometheus metric types](#).

6.2. DEV WORKSPACE-SPECIFIC METRICS

This section describes the Dev Workspace-specific metrics exposed by the **devworkspace-controller-metrics** service.

Table 6.1. Metrics

Name	Type	Description	Labels
devworkspace_start_ed_total	Counter	Number of Dev Workspace starting events.	source, routingclass
devworkspace_start_ed_success_total	Counter	Number of Dev Workspaces successfully entering the Running phase.	source, routingclass
devworkspace_fail_total	Counter	Number of failed Dev Workspaces.	source, reason
devworkspace_start_up_time	Histogram	Total time taken to start a Dev Workspace, in seconds.	source, routingclass

Table 6.2. Labels

Name	Description	Values
source	The controller.devfile.io/devworkspace-source label of the Dev Workspace.	string
routingclass	The spec.routingclass of the Dev Workspace.	"basic cluster cluster-tls web-terminal"

Name	Description	Values
reason	The workspace startup failure reason.	"BadRequest InfrastructureFailure Unknown"

Table 6.3. Startup failure reasons

Name	Description
BadRequest	Startup failure due to an invalid devfile used to create a Dev Workspace.
InfrastructureFailure	Startup failure due to the following errors: CreateContainerError, RunContainerError, FailedScheduling, FailedMount.
Unknown	Unknown failure reason.

CHAPTER 7. TRACING CODEREADY WORKSPACES

Tracing helps gather timing data to troubleshoot latency problems in microservice architectures and helps to understand a complete transaction or workflow as it propagates through a distributed system. Every transaction may reflect performance anomalies in an early phase when new services are being introduced by independent teams.

Tracing the CodeReady Workspaces application may help analyze the execution of various operations, such as workspace creations, workspace startup, breaking down the duration of sub-operations executions, helping finding bottlenecks and improve the overall state of the platform.

Tracers live in applications. They record timing and metadata about operations that take place. They often instrument libraries, so that their use is indiscernible to users. For example, an instrumented web server records when it received a request and when it sent a response. The trace data collected is called a **span**. A span has a context that contains information such as trace and span identifiers and other kinds of data that can be propagated down the line.

7.1. TRACING API

CodeReady Workspaces utilizes [OpenTracing API](#) - a vendor-neutral framework for instrumentation. This means that if a developer wants to try a different tracing back end, then rather than repeating the whole instrumentation process for the new distributed tracing system, the developer can simply change the configuration of the tracer back end.

7.2. TRACING BACK END

By default, CodeReady Workspaces uses Jaeger as the tracing back end. Jaeger was inspired by Dapper and OpenZipkin, and it is a distributed tracing system released as open source by Uber Technologies. Jaeger extends a more complex architecture for a larger scale of requests and performance.

7.3. INSTALLING THE JAEGER TRACING TOOL

The following sections describe the installation methods for the Jaeger tracing tool. Jaeger can then be used for gathering metrics in CodeReady Workspaces.

Installation methods available:

- [Section 7.3.1, "Installing Jaeger using OperatorHub on OpenShift 4"](#)
- [Section 7.3.2, "Installing Jaeger using CLI on OpenShift 4"](#)

For tracing a CodeReady Workspaces instance using Jaeger, version 1.12.0 or above is required. For additional information about Jaeger, see the [Jaeger website](#).

7.3.1. Installing Jaeger using OperatorHub on OpenShift 4

This section provide information about using Jaeger tracing tool for testing an evaluation purposes in production.

To install the Jaeger tracing tool from the OperatorHub interface in OpenShift Container Platform, follow the instructions below.

Prerequisites

- The user is logged in to the OpenShift Container Platform Web Console.
- A CodeReady Workspaces instance is available in a project.

Procedure

1. Open the OpenShift Container Platform console.
2. From the left menu of the main OpenShift Container Platform screen, navigate to **Operators → OperatorHub**.
3. In the **Search by keyword** search bar, type **Jaeger Operator**.
4. Click the **Jaeger Operator** tile.
5. Click the **Install** button in the **Jaeger Operator** pop-up window.
6. Select the installation method: **A specific project on the cluster** where the CodeReady Workspaces is deployed and leave the rest in its default values.
7. Click the **Subscribe** button.
8. From the left menu of the main OpenShift Container Platform screen, navigate to the **Operators → Installed Operators** section.
9. Red Hat CodeReady Workspaces is displayed as an Installed Operator, as indicated by the **InstallSucceeded** status.
10. Click the **Jaeger Operator** name in the list of installed Operators.
11. Navigate to the **Overview** tab.
12. In the Conditions sections at the bottom of the page, wait for this message: **install strategy completed with no errors**.
13. **Jaeger Operator** and additional **Elasticsearch Operator** is installed.
14. Navigate to the **Operators → Installed Operators** section.
15. Click **Jaeger Operator** in the list of installed Operators.
16. The **Jaeger Cluster** page is displayed.
17. In the lower left corner of the window, click **Create Instance**
18. Click **Save**.
19. OpenShift creates the Jaeger cluster **jaeger-all-in-one-inmemory**.
20. Follow the steps in [Enabling metrics collection](#) to finish the procedure.

7.3.2. Installing Jaeger using CLI on OpenShift 4

This section provide information about using Jaeger tracing tool for testing an evaluation purposes.

To install the Jaeger tracing tool from a CodeReady Workspaces project in OpenShift Container Platform, follow the instructions in this section.

Prerequisites

- The user is logged in to the OpenShift Container Platform web console.
- A instance of CodeReady Workspaces in an OpenShift Container Platform cluster.

Procedure

1. In the CodeReady Workspaces installation project of the OpenShift Container Platform cluster, use the **oc** client to create a new application for the Jaeger deployment.

```
$ oc new-app -f /${CHE_LOCAL_GIT_REPO}/deploy/openshift/templates/jaeger-all-in-one-template.yml:
```

```
--> Deploying template "<project_name>/jaeger-template-all-in-one" for "/home/user/crw-projects/crw/deploy/openshift/templates/jaeger-all-in-one-template.yml" to project <project_name>
```

```
Jaeger (all-in-one)
```

```
-----
```

```
Jaeger Distributed Tracing Server (all-in-one)
```

```
* With parameters:
```

```
* Jaeger Service Name=jaeger
```

```
* Image version=latest
```

```
* Jaeger Zipkin Service Name=zipkin
```

```
--> Creating resources ...
```

```
deployment.apps "jaeger" created
```

```
service "jaeger-query" created
```

```
service "jaeger-collector" created
```

```
service "jaeger-agent" created
```

```
service "zipkin" created
```

```
route.route.openshift.io "jaeger-query" created
```

```
--> Success
```

```
Access your application using the route: 'jaeger-query-<project_name>.apps.ci-ln-whx0352-d5d6b.origin-ci-int-aws.dev.rhcloud.com'
```

```
Run 'oc status' to view your app.
```

2. Using the **Workloads → Deployments** from the left menu of main OpenShift Container Platform screen, monitor the Jaeger deployment until it finishes successfully.
3. Select **Networking → Routes** from the left menu of the main OpenShift Container Platform screen, and click the URL link to access the Jaeger dashboard.
4. Follow the steps in [Enabling metrics collection](#) to finish the procedure.

7.4. ENABLING METRICS COLLECTION

Prerequisites

- Installed Jaeger v1.12.0 or above. See instructions at [Section 7.3, “Installing the Jaeger tracing tool”](#)

Procedure

For Jaeger tracing to work, enable the following environment variables in your CodeReady Workspaces deployment:

```
# Activating CodeReady Workspaces tracing modules
CHE_TRACING_ENABLED=true

# Following variables are the basic Jaeger client library configuration.
JAEGER_ENDPOINT="http://jaeger-collector:14268/api/traces"

# Service name
JAEGER_SERVICE_NAME="che-server"

# URL to remote sampler
JAEGER_SAMPLER_MANAGER_HOST_PORT="jaeger:5778"

# Type and param of sampler (constant sampler for all traces)
JAEGER_SAMPLER_TYPE="const"
JAEGER_SAMPLER_PARAM="1"

# Maximum queue size of reporter
JAEGER_REPORTER_MAX_QUEUE_SIZE="10000"
```

To enable the following environment variables:

1. In the **yaml** source code of the CodeReady Workspaces deployment, add the following configuration variables under **spec.server.customCheProperties**.

```
customCheProperties:
  CHE_TRACING_ENABLED: 'true'
  JAEGER_SAMPLER_TYPE: const
  DEFAULT_JAEGER_REPORTER_MAX_QUEUE_SIZE: '10000'
  JAEGER_SERVICE_NAME: che-server
  JAEGER_ENDPOINT: 'http://jaeger-collector:14268/api/traces'
  JAEGER_SAMPLER_MANAGER_HOST_PORT: 'jaeger:5778'
  JAEGER_SAMPLER_PARAM: '1'
```

2. Edit the **JAEGER_ENDPOINT** value to match the name of the Jaeger collector service in your deployment.

From the left menu of the main OpenShift Container Platform screen, obtain the value of **JAEGER_ENDPOINT** by navigation to **Networking** → **Services**. Alternatively, execute the following **oc** command:

```
$ oc get services
```

The requested value is included in the service name that contains the **collector** string.

Additional resources

- For additional information about custom environment properties and how to define them in CheCluster Custom Resource, see https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc.
- For custom configuration of Jaeger, see the list of [Jaeger client environment variables](#).

7.5. VIEWING CODEREADY WORKSPACES TRACES IN JAEGER UI

This section demonstrates how to use the Jaeger UI to overview traces of CodeReady Workspaces operations.


Procedure

In this example, the CodeReady Workspaces instance has been running for some time and one workspace start has occurred.

To inspect the trace of the workspace start:


1. In the **Search** panel on the left, filter spans by the operation name (span name), tags, or time and duration.

Figure 7.1. Using Jaeger UI to trace CodeReady Workspaces



2. Select the trace to expand it and show the tree of nested spans and additional information about the highlighted span, such as tags or durations.

Figure 7.2. Expanded tracing tree



7.6. CODEREADY WORKSPACES TRACING CODEBASE OVERVIEW AND EXTENSION GUIDE

The core of the tracing implementation for CodeReady Workspaces is in the **che-core-tracing-core** and **che-core-tracing-web** modules.

All HTTP requests to the tracing API have their own trace. This is done by **TracingFilter** from the [OpenTracing library](#), which is bound for the whole server application. Adding a **@Traced** annotation to methods causes the **TracingInterceptor** to add tracing spans for them.

7.6.1. Tagging

Spans may contain standard tags, such as operation name, span origin, error, and other tags that may help users with querying and filtering spans. Workspace-related operations (such as starting or stopping workspaces) have additional tags, including **userId**, **workspaceID**, and **stackId**. Spans created by **TracingFilter** also have an HTTP status code tag.

Declaring tags in a traced method is done statically by setting fields from the **TracingTags** class:

```
TracingTags.WORKSPACE_ID.set(workspace.getId());
```

TracingTags is a class where all commonly used tags are declared, as respective **AnnotationAware** tag implementations.

Additional resources

For more information about how to use Jaeger UI, visit Jaeger documentation: [Jaeger Getting Started Guide](#).

CHAPTER 8. BACKUP AND DISASTER RECOVERY

CodeReady Workspaces Operator can create backups of CodeReady Workspaces instances and restore them from a backup snapshot if needed. The following chapter describes ways of preparing such backups and their use in the follow-up recovery phase:

- [Section 8.2, “Managing backups using crwctl”](#)
- [Section 8.4, “Managing backups using custom resources”](#)

CAUTION

- The standard backup mechanism of CodeReady Workspaces does not back up the content of users' workspaces. To preserve local changes, see [Section 8.6, “Persistent Volumes backups”](#).
- Backup snapshots are bound to their own specific cluster and must be used only there.
- CodeReady Workspaces Operator creates a new backup on every CodeReady Workspaces update.
- [Configured](#) backup server is automatically used to store the backup.
- When a CodeReady Workspaces administrator configures more than one backup server, the CodeReady Workspaces Operator uses the server with the **che.eclipse.org/backup-before-update: true** annotation by default.
- CodeReady Workspaces Operator uses the internal backup server:
 - Every time the CodeReady Workspaces administrator does not configure the backup server.
 - When several backup servers do not have any annotation.

Additional resources

- [Section 8.7, “External database setup”](#)

8.1. SETTING UP A BACKUP SERVER

The following section describes the supported CodeReady Workspaces backup servers and provides information for their setup.




NOTE

- Red Hat CodeReady Workspaces Operator can automatically configure a backup server inside the same cluster; however, it is not recommended for production use.
- Users who agreed to the limitations coming from the decision to back up their data inside the same OpenShift project as CodeReady Workspaces installation may skip this section.

CodeReady Workspaces uses the [restic](#) tool to:

- manage backup snapshots

- push to or to pull backup data from a backup server



NOTE

The **restic** backup tool is licensed under the [BSD 2-Clause](#) license.

The backup servers currently supported for CodeReady Workspaces:

REST

The REST server is a solution designed to cooperate with the **restic** tool. See [How to set up a REST server](#) documentation.

Amazon S3 and API compatible alternatives

See [AWS S3 Simple Storage Service Documentation](#) or the docs of alternative services that have compatible API with AWS.

SFTP

See [How to configure an SFTP server](#) .

8.2. MANAGING BACKUPS USING CRWCTL

The following section describes how to create and use backups of a CodeReady Workspaces installation to perform a recovery or a rollback to a previous version using **crwctl**.



PREREQUISITES

- Red Hat CodeReady Workspaces Operator can automatically configure a backup server inside the same cluster; however, it is not recommended for production use.
- Users who agreed to the limitations coming from the decision to back up their data inside the same OpenShift project as CodeReady Workspaces installation may skip this section.

- [Set up a backup server](#) .
- [Configure crwctl to use the backup server](#)

Procedure

- [Section 8.2.1, “Creating a new backup”](#)
- [Section 8.2.2, “Restoring from a backup”](#)

8.2.1. Creating a new backup

1. To create a backup snapshot and send it to a pre-configured backup server:

```
$ crwctl server:backup --repository-url=<repository-url> --repository-password=<repository-password>
```

- You can create other backups to the same backup server using the **server:backup** command with no arguments.

- Using the **server:backup** command with no arguments for the first time will configure and use an internal backup server.

8.2.2. Restoring from a backup

A CodeReady Workspaces administrator can use an existing snapshot of a particular CodeReady Workspaces version to restore a desired state or version. The following instructions describe several variations of the restoration command. Adjust the command arguments according to your use case.

- To restore the previous functional state of the same version of CodeReady Workspaces:

```
$ crwctl server:restore --repository-url=<repository-url> --repository-password=<repository-password> --snapshot-id=<snapshot-id>
```

- To roll back to a version different from the current version of CodeReady Workspaces:

```
$ crwctl server:restore --version=<version> --snapshot-id=<snapshot-id> --repository-url=<repository-url> --repository-password=<repository-password>
```

This performs a version rollback and restores a snapshot made from a previous version of CodeReady Workspaces. The provided snapshot must be created from the version of CodeReady Workspaces to which you want to roll back.



NOTE

If you have a dedicated backup repository for each CodeReady Workspaces version and want to use the most recent backup for the version, you can provide the **latest** argument as a snapshot ID. By doing so, the **latest** argument will be converted to the latest known ID in the given repository, which will be then used by the CodeReady Workspaces Operator to recover.


- To restore a state described by an existing backup Custom Resource:

```
$ crwctl server:restore --backup-cr-name=<CheClusterBackupCRName>
```

- To roll back a version upgrade of CodeReady Workspaces:

```
$ crwctl server:restore --rollback
```

This recovers the version that CodeReady Workspaces was using before upgrading to a later version.



NOTE

CodeReady Workspaces Operator automatically creates a backup before every upgrade.

8.3. CONFIGURING CRWCTL TO USE A BACKUP SERVER

The following section describes how to define environment variables for a specific backup server using the crwctl tool.

Procedure

1. Determine [backup server type](#) and the server URL. Use the [restic repository documentation](#) as the reference.

The URL can be specified with the **-r** parameter or defined using the **BACKUP_REPOSITORY_URL** environment variable.

2. Retrieve or create a password for the backup repository.

The password can be specified with the **-p** parameter or defined using the **BACKUP_REPOSITORY_PASSWORD** environment variable.



WARNING

Backup data are encrypted with this password. The loss of the backup repository password will cause losing the data.

3. Set the following environment variables for the chosen [backup server type](#):

REST

When optional authentication is turned on, export **REST_SERVER_USERNAME** and **REST_SERVER_PASSWORD** environment variables.

AWS S3

Export the **AWS_ACCESS_KEY_ID** and **AWS_SECRET_ACCESS_KEY** environment variables with AWS user credentials.

SFTP

For login without a password, export the **SSH_KEY_FILE** environment variable that holds the path to a file with a corresponding SSH key, or provide the **--ssh-key-file** parameter. Alternatively, the **SSH_KEY** environment variable that holds an SSH key itself can be used.



NOTE

It is possible to point directly to the backup server configuration object using **--backup-server-config-name** parameter or **BACKUP_SERVER_CONFIG_NAME** environment variable. In such a case, all the configuration above is not needed. For more details, see [Section 8.4, "Managing backups using custom resources"](#)

8.4. MANAGING BACKUPS USING CUSTOM RESOURCES

The following section describes how to create backups of CodeReady Workspaces installation and recover directly using Custom Resource objects.

**NOTE**

- Red Hat CodeReady Workspaces Operator can automatically configure a backup server inside the same cluster; however, it is not recommended for production use.
- Users who agreed to the limitations coming from the decision to back up their data inside the same OpenShift project as CodeReady Workspaces installation may skip this section.

Prerequisites

- [Setting up a backup server](#)
- [Configuring Red Hat CodeReady Workspaces to use the backup server](#)

Procedure

- [Section 8.4.1, "Creating a new backup"](#)
- [Section 8.4.2, "Restoring from a backup"](#)

8.4.1. Creating a new backup

1. Create a **CheClusterBackup** object to create a new backup:

```
apiVersion: org.eclipse.che/v1
kind: CheClusterBackup
metadata:
  name: CodeReady Workspaces-backup
spec:
  backupServerConfigRef: backup-server-configuration 1
```

- 1** Name of the **CheBackupServerConfiguration** object defining what backup server to use.

- The creation of a **CheClusterBackup** object starts a new backup.
- Before reusing the same name for a new backup object, delete the old object:

```
oc delete CheClusterBackup <name> -n openshift-workspaces
```

**NOTE**

Editing the **CheClusterBackup** objects has no effect.

Alternative

To use the internal backup server, request automatic configuration from CodeReady Workspaces Operator. The preparation described above is not required.

- Configure the automatic setup and sending of the backup to the internal backup server:

```
apiVersion: org.eclipse.che/v1
```



```
kind: CheClusterBackup
metadata:
  name: CodeReady Workspaces-backup
spec:
  useInternalBackupServer: true
```

8.4.2. Restoring from a backup



NOTE

The approach described in this chapter can not be used to recover to a different version of CodeReady Workspaces. To recover CodeReady Workspaces to another version, use the **crwctl** tool. See the [Section 8.2, “Managing backups using crwctl”](#) chapter for more information.

1. Create a new object of **CheClusterRestore** to recover a CodeReady Workspaces installation from a backup:

```
apiVersion: org.eclipse.che/v1
kind: CheClusterRestore
metadata:
  name: CodeReady Workspaces-restore
spec:
  backupServerConfigRef: backup-server-configuration 1
  snapshotId: ba92c7e0 2
```

- 1** Name of the **CheBackupServerConfiguration** object that defines what backup server to use.
- 2** Optional parameter defining the Snapshot ID to restore from. The default value is the last snapshot on the backup server.

1. Create a new **CheClusterRestore** object to request a new recovery.
 - Before reusing the same name for a new backup object, delete the old object first:

```
oc delete CheClusterBackup <name> -n openshift-workspaces
```

2. Wait until the recovery process finishes.

In a case of errors occurrences in your browser after the recovery, clean up the browser data for the CodeReady Workspaces domain.



NOTE

Editing of **CheClusterRestore** objects has no effect.

Verification

1. Verify backup process state:
 - a. Read the **status** section of the **CheClusterBackup** object to check the backup process:

```
status:
```

```

message: 'Backup is in progress. Start time: <timestamp>' 1
stage: Collecting CodeReady Workspaces installation data 2
state: InProgress 3
snapshotId: ba92c7e0 4

```

- 1 Displays the overall state or error message.
- 2 Current phase of the backup process in a human-readable format.
- 3 Backup process state. One of **InProgress**, **Succeeded**, or **Failed**.
- 4 ID of the created backup snapshot. The field appears only when **state** is **Succeeded**.

2. Verify recovery process state

- a. Read the **status** section of the **CheClusterRestore** object to check the recovery process:

```

status:
  message: 'Restore is in progress. Start time: <timestamp>' 1
  stage: Restoring CodeReady Workspaces related cluster objects 2
  state: InProgress 3

```

- 1 Overall state or error message.
- 2 Current phase of the recovery process in a human-readable format.
- 3 Recovery process state. One of **InProgress**, **Succeeded**, or **Failed**.

8.5. CONFIGURING CODEREADY WORKSPACES TO USE A BACKUP SERVER

To configure a backup server for CodeReady Workspaces, a user needs to create the **CheBackupServerConfiguration** Custom Resource object in the `openshift-workspaces` namespace. The object's **spec** property is divided in several sections where each corresponds to a specific [backup server type](#):

- [REST](#)
- [AWS S3 or API compatible](#)
- [SFTP](#)



NOTE

- The Custom Resource object, stored in the **openshift-workspaces** namespace, must have only one section configured in the **spec** property.
- It is possible to configure as many backup servers as needed, but each in a separate **Custom Resource**.
- Referenced secrets for each server type must exist and have required fields specified. See the description of each secret in the corresponding server-type chapters.

8.5.1. Configuring REST server

```

apiVersion: org.eclipse.che/v1
kind: CheBackupServerConfiguration
metadata:
  name: backup-server-configuration
spec:
  rest:
    protocol: http
    hostname: my-domain.net
    port: 1234
    repositoryPath: CodeReady Workspaces-backups
    repositoryPasswordSecretRef: backup-encryption-password-secret
    credentialsSecretRef: rest-server-auth-secret

```

- 1 Optional property that specifies the protocol to be used. The default value is **https** with **http** as the second allowed option.
- 2 Backup server host name.
- 3 Optional property that specifies the port on which the backup server is running. The default value is **8000**.
- 4 Path on the backup server where the backup snapshots are stored.
- 5 Secret name containing a repository password, stored in the **repo-password** field. If the secret contains only one field, its name is arbitrary. The password is used to encrypt and decrypt backup snapshots data.
- 6 Optional property that specifies the name of the secret with the REST server user credentials, stored in the **username** and **password** fields.

8.5.2. Configuring AWS S3 or API compatible server

```

apiVersion: org.eclipse.che/v1
kind: CheBackupServerConfiguration
metadata:
  name: backup-server-configuration
spec:
  awss3:
    protocol: https
    hostname: my-domain.net
    port: 1234
    repositoryPath: CodeReady Workspaces-backups
    repositoryPasswordSecretRef: backup-encryption-password-secret
    awsAccessKeySecretRef: aws-user-credentials-secret

```

- 1 Optional property that specifies the protocol to be used. The default value is **https** with **http** as the second allowed option.
- 2 Optional property that specifies the S3 host name. The default value is **s3.amazonaws.com**.

- 3 Optional property that specifies the port on which the backup server is running.
- 4 The name of the bucket resource where the backup snapshots are stored. The bucket resource must be manually pre-created.
- 5 The name of the secret containing a repository password, stored in the **repo-password** field. If the secret contains only one field, this name is arbitrary. The password is used to encrypt and decrypt backup snapshots data.
- 6 The name of the secret containing user credentials stored in the **awsAccessKeyId** and **awsSecretAccessKey** fields.

8.5.3. Configuring SFTP server

```

apiVersion: org.eclipse.che/v1
kind: CheBackupServerConfiguration
metadata:
  name: backup-server-configuration
spec:
  awss3:
    username: user
    hostname: my-domain.net
    port: 1234
    repositoryPath: CodeReady Workspaces-backups
    repositoryPasswordSecretRef: backup-encryption-password-secret
    sshKeySecretRef: ssh-key-secret

```

- 1 User name on the remote server to login with using the SSH protocol.
- 2 Remote server host name.
- 3 Optional property that specifies the port on which an SFTP server is running. The default value is **22**.
- 4 Absolute or relative path on the server where backup snapshots are stored.
- 5 The name of the secret containing a repository password, stored in the **repo-password** field. If the secret contains only one field, this name is arbitrary. The password is used to encrypt and decrypt backup snapshots data.
- 6 The name of the secret containing a private SSH key, stored in the **ssh-privatekey** field. This SSH key can be used to perform a login without a password on an SFTP server.

8.6. PERSISTENT VOLUMES BACKUPS

Persistent Volumes (PVs) store the CodeReady Workspaces workspace data similarly to how workspace data is stored for desktop IDEs on the local hard disk drive.

To prevent data loss, back up PVs periodically. The recommended approach is to use storage-agnostic tools for backing up and restoring OpenShift resources, including PVs.

8.6.1. Recommended backup tool: Velero

Velero is an open-source tool for backing up OpenShift applications and their PVs. Velero allows you to:

- Deploy in the cloud or on premises.
- Back up the cluster and restore in case of data loss.
- Migrate cluster resources to other clusters.
- Replicate a production cluster to development and testing clusters.



NOTE

Alternatively, you can use backup solutions dependent on the underlying storage system. For example, solutions that are Gluster or Ceph-specific.

Additional resources

- [Persistent Volumes documentation](#)
- [Gluster documentation](#)
- [Ceph documentation](#)
- [Velero on GitHub](#)

8.7. EXTERNAL DATABASE SETUP

The PostgreSQL database is used by the CodeReady Workspaces server for persisting data about the state of CodeReady Workspaces. It contains information about user accounts, workspaces, preferences, and other details.

By default, the CodeReady Workspaces Operator creates and manages the database deployment.

However, the CodeReady Workspaces Operator does not support full life-cycle capabilities, such as backups and recovery.

For a business-critical setup, configure an external database with the following recommended disaster-recovery options:

- High Availability (HA)
- Point In Time Recovery (PITR)

Configure an external PostgreSQL instance on-premises or use a cloud service, such as Amazon Relational Database Service (Amazon RDS). With Amazon RDS, it is possible to deploy production databases in a Multi-Availability Zone configuration for a resilient disaster recovery strategy with daily and on-demand snapshots.

The recommended configuration of the example database is:

Parameter	Value
Instance class	db.t2.small

Parameter	Value
vCPU	1
RAM	2 GB
Multi-az	true, 2 replicas
Engine version	9.6.11
TLS	enabled
Automated backups	enabled (30 days)

8.7.1. Configuring external PostgreSQL

By configuring the external PostgreSQL, you can make the workspace metadata and the user information persistent.

Procedure

1. Define the values of the following placeholders:
 - **<database-user>** is the CodeReady Workspaces server database user name
 - **<database-password>** is the CodeReady Workspaces server database password
 - **<database>** is the CodeReady Workspaces server database name
2. Use the following SQL script to create a user and a database for the CodeReady Workspaces server to make workspace metadata persistent:

```
CREATE USER <database-user> WITH PASSWORD '<database-password>'
CREATE DATABASE <database>
GRANT ALL PRIVILEGES ON DATABASE <database> TO <database-user>
ALTER USER <database-user> WITH SUPERUSER
```

3. Define the value of the following placeholder:
 - **<identity-database-password>** is the RH-SSO database password
4. Use the following SQL script to create a database for the RH-SSO back end to make the user information persistent:

```
CREATE USER keycloak WITH PASSWORD '<identity-database-password>'
CREATE DATABASE keycloak
GRANT ALL PRIVILEGES ON DATABASE keycloak TO keycloak
```

8.7.2. Configuring CodeReady Workspaces to work with an external PostgreSQL

Prerequisites

- The **oc** tool is available.

Procedure

1. Pre-create a project for CodeReady Workspaces:

```
$ oc create namespace openshift-workspaces
```

2. Create a secret to store CodeReady Workspaces server database credentials:

```
$ oc create secret generic <server-database-credentials> \ 1
--from-literal=user=<database-user> \ 2
--from-literal=password=<database-password> \ 3
-n openshift-workspaces
```

- 1** Secret name to store CodeReady Workspaces server database credentials
- 2** CodeReady Workspaces server database username
- 3** CodeReady Workspaces server database password

3. Add the required labels to the CodeReady Workspaces server database credentials secret:

```
$ oc label secret <server-database-credentials> \ 1
app.kubernetes.io/part-of=che.eclipse.org -n openshift-workspaces
```

- 1** Secret name to store CodeReady Workspaces server database credentials

4. Create a secret to store RH-SSO database credentials:

```
$ oc create secret generic <identity-database-credentials> \ 1
--from-literal=password=<identity-database-password> \ 2
-n openshift-workspaces
```

- 1** Secret name to store RH-SSO database credentials
- 2** RH-SSO database password

5. Add the required labels to the RH-SSO database credentials secret:

```
$ oc label secret <identity-database-credentials> \ 1
app.kubernetes.io/part-of=che.eclipse.org -n openshift-workspaces
```

- 1** Secret name to store RH-SSO database credentials

6. Deploy Red Hat CodeReady Workspaces by executing the **crwctl** command with applying a patch. For example:

```
$ crwctl server:deploy --che-operator-cr-patch-yaml=patch.yaml ...
```

patch.yaml should contain the following to make the Operator skip deploying a database and pass connection details of an existing database to a CodeReady Workspaces server:

```
spec:
  database:
    externalDb: true
    chePostgresHostName: <hostname>
    chePostgresPort: <port>
    chePostgresSecret: <server-database-credentials>
    chePostgresDb: <database>
  auth:
    identityProviderPostgresSecret: <identity-database-credentials>
```

- 1 External database host name
- 2 External database port
- 3 Secret name with CodeReady Workspaces server database credentials
- 4 CodeReady Workspaces server database name
- 5 Secret name with RH-SSO database credentials

Additional resources

- [PostgreSQL](#)
- [RDS](#)

CHAPTER 9. MIGRATION FROM POSTGRESQL 9 TO POSTGRESQL 13

By the 11th of November, 2021, the PostgreSQL version 9.6 came out of support, and CodeReady Workspaces team recommends that all users undergo migrating to version 13.

Follow the procedure below to migrate to a newer version of PostgreSQL successfully without any data loss.

Prerequisites

- The **oc** tool is available.
- An instance of CodeReady Workspaces running in OpenShift.

Procedure

1. Save and push changes back to the Git repositories for all running workspaces of the CodeReady Workspaces instance.
2. Stop all workspaces in the CodeReady Workspaces instance.
3. Scale down the CodeReady Workspaces and RH-SSO deployments:

```
oc scale deployment codeready --replicas=0 -n openshift-workspaces
oc scale deployment keycloak --replicas=0 -n openshift-workspaces
```

4. Backup available databases:

```
POSTGRES_POD=$(oc get pods -n openshift-workspaces | grep postgres | awk '{print $1}')
CHE_POSTGRES_DB=$(oc get checluster/codeready-workspaces -n openshift-workspaces
-o json | jq '.spec.database.chePostgresDb')
oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "pg_dump
$CHE_POSTGRES_DB > /tmp/che.sql"
oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "pg_dump keycloak >
/tmp/keycloak.sql"
```

5. Copy the obtained backups to a local file system:

```
oc cp openshift-workspaces/$POSTGRES_POD:/tmp/che.sql che.sql
oc cp openshift-workspaces/$POSTGRES_POD:/tmp/keycloak.sql keycloak.sql
```

6. Scale down the PostgreSQL deployment:

```
oc scale deployment postgres --replicas=0 -n openshift-workspaces
```

7. Delete the corresponding PVC unit to clean up old data:

```
oc delete pvc postgres-data -n openshift-workspaces
```

After deleting the PVC from the step above, a new PVC will automatically appear in a few seconds.

- Set the version of the new PostgreSQL database to 13.3:

```
oc patch checluster codeready-workspaces -n openshift-workspaces --type=json -p [{"op":
"replace", "path": "/spec/database/postgresVersion", "value": "13.3"}]
```

- Scale up the PostgreSQL deployments:

```
oc scale deployment postgres --replicas=1 -n openshift-workspaces
oc wait --for=condition=ready pod -l app.kubernetes.io/component=postgres -n openshift-
workspaces --timeout=120s
```

- Provision a database:

```
POSTGRES_POD=$(oc get pods -n openshift-workspaces | grep postgres | awk '{print $1}')
OPERATOR_POD=$(oc get pods -n openshift-workspaces | grep codeready-operator | awk
'{print $1}')

IDENTITY_POSTGRES_SECRET=$(oc get checluster/codeready-workspaces -n openshift-
workspaces -o json | jq -r '.spec.auth.identityProviderPostgresSecret')
IDENTITY_POSTGRES_PASSWORD=$(if [ -z "$IDENTITY_POSTGRES_SECRET" ] || [
$IDENTITY_POSTGRES_SECRET = "null" ]; then oc get checluster/codeready-workspaces
-n openshift-workspaces -o json | jq -r '.spec.auth.identityProviderPostgresPassword'; else oc
get secret $IDENTITY_POSTGRES_SECRET -n openshift-workspaces -o json | jq -r
'.data.password' | base64 -d; fi)

oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "psql postgres -tAc
\CREATE USER keycloak WITH PASSWORD '$IDENTITY_POSTGRES_PASSWORD'\\"
oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "psql postgres -tAc
\CREATE DATABASE keycloak\\"
oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "psql postgres -tAc
\GRANT ALL PRIVILEGES ON DATABASE keycloak TO keycloak\\"

POSTGRES_SECRET=$(oc get checluster/codeready-workspaces -n openshift-workspaces
-o json | jq -r '.spec.database.chePostgresSecret')
CHE_USER=$(if [ -z "$POSTGRES_SECRET" ] || [ $POSTGRES_SECRET = "null" ]; then
oc get checluster/codeready-workspaces -n openshift-workspaces -o json | jq -r
'.spec.database.chePostgresUser'; else oc get secret $POSTGRES_SECRET -n openshift-
workspaces -o json | jq -r '.data.user' | base64 -d; fi)

oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "psql postgres -tAc
\ALTER USER $CHE_USER WITH SUPERUSER\\"
```

- Copy the backups to the PostgreSQL Pod:

```
oc cp che.sql openshift-workspaces/$POSTGRES_POD:/tmp/che.sql
oc cp keycloak.sql openshift-workspaces/$POSTGRES_POD:/tmp/keycloak.sql
```

- Restore the database:

```
oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "psql keycloak <
/tmp/keycloak.sql"
oc exec -it $POSTGRES_POD -n openshift-workspaces -- bash -c "psql
$CHE_POSTGRES_DB < /tmp/che.sql"
```

13. Scale up the RH-SSO and CodeReady Workspaces deployments:

```
oc scale deployment keycloak --replicas=1 -n openshift-workspaces
oc wait --for=condition=ready pod -l app.kubernetes.io/component=keycloak -n openshift-
workspaces --timeout=120s
oc scale deployment codeready --replicas=1 -n openshift-workspaces
oc wait --for=condition=ready pod -l app.kubernetes.io/component=codeready -n openshift-
workspaces --timeout=120s
```

CHAPTER 10. READINESS INIT CONTAINERS

CodeReady Workspaces Operator installs CodeReady Workspaces and starts its containers in the correct order. If a node with CodeReady Workspaces is restarted and all CodeReady Workspaces containers start simultaneously, some containers may fail because some other component they depend on is not ready. To avoid such failures, the readiness init containers queue the containers for CodeReady Workspaces components to start in the correct order.

The readiness init containers are disabled by default. If you choose to enable them, proceed according to the installation method used to install CodeReady Workspaces:

- [Section 10.1, “Enabling and disabling the readiness init containers for the Operator installer”](#)
- [Section 10.4, “Enabling and disabling the readiness init containers for the OLM installer”](#)

10.1. ENABLING AND DISABLING THE READINESS INIT CONTAINERS FOR THE OPERATOR INSTALLER

You can enable and disable the readiness init containers for the CodeReady Workspaces installed by the Operator installer:

- [Enabling the readiness init containers for the Operator installer](#)
- [Disabling the readiness init containers for the Operator installer](#)

10.2. ENABLING THE READINESS INIT CONTAINERS FOR THE OPERATOR INSTALLER

The readiness init containers are not enabled by default, so to use them you first have to enable them. To enable the readiness init containers for the CodeReady Workspaces installed by the Operator installer:

Prerequisites

- Red Hat CodeReady Workspaces installed by the Operator installer.

Procedure

1. Find the name of the CodeReady Workspaces Operator Deployment. Usually it is **codeready-workspaces-operator**:

```
$ oc get deployments -n openshift-workspaces
```

2. Edit the Deployment as follows: Under **spec.template.spec.containers[0].env** of the Operator Deployment, insert the following lines:

```
- name: ADD_COMPONENT_READINESS_INIT_CONTAINERS 1  
  value: "true"
```

1 **ADD_COMPONENT_READINESS_INIT_CONTAINERS** is an environment variable.

3. Wait while CodeReady Workspaces Operator restarts some components.

**NOTE**

Repeat these steps after each CodeReady Workspaces upgrade when a new Operator Deployment is created.

10.3. DISABLING THE READINESS INIT CONTAINERS FOR THE OPERATOR INSTALLER

To disable the previously enabled readiness init containers for the CodeReady Workspaces installed by the Operator installer:

Prerequisites

- Red Hat CodeReady Workspaces installed by the Operator installer.

Procedure

1. Find the name of the CodeReady Workspaces Operator Deployment. Usually it is **codeready-workspaces-operator**:

```
$ oc get deployments -n openshift-workspaces
```

2. Edit the Deployment as follows: Under **spec.template.spec.containers[0].env** of the Operator Deployment, remove the following lines:

```
- name: ADD_COMPONENT_READINESS_INIT_CONTAINERS 1
  value: "true"
```

- 1** **ADD_COMPONENT_READINESS_INIT_CONTAINERS** is an environment variable.

3. Wait while CodeReady Workspaces Operator restarts some components.

10.4. ENABLING AND DISABLING THE READINESS INIT CONTAINERS FOR THE OLM INSTALLER

You can enable and disable the readiness init containers for the CodeReady Workspaces installed by the OLM installer. (Available through **crwctl**, the OLM installer uses the Operator Lifecycle Manager to install CodeReady Workspaces.)

- [Enabling the readiness init containers for the OLM installer](#)
- [Disabling the readiness init containers for the OLM installer](#)

10.5. ENABLING THE READINESS INIT CONTAINERS FOR THE OLM INSTALLER

The readiness init containers are not enabled by default, so to use them you first have to enable them. To enable the readiness init containers for the CodeReady Workspaces installed by the OLM installer:

Prerequisites

- CodeReady Workspaces is installed by the OLM installer.

Procedure

1. Find the CodeReady Workspaces Operator subscription name:

```
$ oc get subscriptions -n openshift-workspaces
```

2. Get the CSV (Cluster Service Version) name from the CodeReady Workspaces Operator subscription:

```
$ oc get subscription <subscription-name> -n openshift-workspaces -o yaml | grep installedCSV
```

3. Edit the **ClusterServiceVersion** YAML manifest:

```
$ oc edit csv <csv-name> -n openshift-workspaces
```

4. Add the following environment variable to the Operator Deployment spec:

```
- name: ADD_COMPONENT_READINESS_INIT_CONTAINERS
  value: "true"
```

5. Wait for the CodeReady Workspaces Operator restart to finish. The restarted Operator will then continue with restarting some of its components.



NOTE

Repeat these steps after each CodeReady Workspaces upgrade when a new CSV is created by OLM.

10.6. DISABLING THE READINESS INIT CONTAINERS FOR THE OLM INSTALLER

To disable the previously enabled readiness init containers for the CodeReady Workspaces installed by the OLM installer:

Prerequisites

- CodeReady Workspaces is installed by the OLM installer.

Procedure

1. Find the CodeReady Workspaces Operator subscription name:

```
$ oc get subscriptions -n openshift-workspaces
```

2. Get the CSV (Cluster Service Version) name from the CodeReady Workspaces Operator subscription:

```
$ oc get subscription <subscription-name> -n openshift-workspaces -o yaml | grep installedCSV
```

3. Edit the **ClusterServiceVersion** YAML manifest:

```
$ oc edit csv <csv-name> -n openshift-workspaces
```

4. Remove the following environment variable from the Operator Deployment spec:

```
- name: ADD_COMPONENT_READINESS_INIT_CONTAINERS  
  value: "true"
```

5. Wait for the CodeReady Workspaces Operator restart to finish. The restarted Operator will then continue with restarting some of its components.

CHAPTER 11. CACHING IMAGES FOR FASTER WORKSPACE START

To improve the start time performance of CodeReady Workspaces workspaces, use the Image Puller, a CodeReady Workspaces-agnostic component that can be used to pre-pull images for OpenShift clusters. The Image Puller is an additional OpenShift deployment which creates a *DaemonSet* that can be configured to pre-pull relevant CodeReady Workspaces workspace images on each node. These images would already be available when a CodeReady Workspaces workspace starts, therefore improving the workspace start time.

The Image Puller provides the following parameters for configuration.

Table 11.1. Image Puller parameters

Parameter	Usage	Default
CACHING_INTERVAL_HOURS	DaemonSets health checks interval in hours	"1"
CACHING_MEMORY_REQUEST	The memory request for each cached image when the puller is running. See Section 11.2, "Defining the memory parameters for the Image Puller" .	10Mi
CACHING_MEMORY_LIMIT	The memory limit for each cached image when the puller is running. See Section 11.2, "Defining the memory parameters for the Image Puller" .	20Mi
CACHING_CPU_REQUEST	The processor request for each cached image when the puller is running	.05 or 50 millicores
CACHING_CPU_LIMIT	The processor limit for each cached image when the puller is running	.2 or 200 millicores
DAEMONSET_NAME	Name of DaemonSet to create	kubernetes-image-puller
DEPLOYMENT_NAME	Name of the Deployment to create	kubernetes-image-puller
NAMESPACE	OpenShift project containing DaemonSet to create	k8s-image-puller

Parameter	Usage	Default
IMAGES	Semicolon separated list of images to pull, in the format <name1>=<image1>;<name2>=<image2> See Section 11.1 , “Defining the list of images to pull”.	
NODE_SELECTOR	Node selector to apply to the Pods created by the DaemonSet	'{}'
AFFINITY	Affinity applied to pods created by the DaemonSet	'{}'
IMAGE_PULL_SECRETS	List of image pull secrets, in the format pullsecret1;... to add to pods created by the DaemonSet. Those secrets need to be in the image puller’s namespace and a cluster administrator must create them.	''''

Additional resources

- [Section 11.1, “Defining the list of images to pull”](#)
- [Section 11.2, “Defining the memory parameters for the Image Puller”](#) .
- [Section 11.3, “Installing Image Puller using the CodeReady Workspaces Operator”](#)
- [Section 11.4, “Installing Image Puller on OpenShift 4 using OperatorHub”](#)
- [Section 11.5, “Installing Image Puller on OpenShift using OpenShift templates”](#)
- [Kubernetes Image Puller source code repository](#)

11.1. DEFINING THE LIST OF IMAGES TO PULL

The Image Puller can pre-pull most images, including scratch images such as **che-machine-exec**. However, images that mount volumes in the Dockerfile, such as **traefik**, are not supported for pre-pulling on OpenShift 3.11.

Pre-pulling images involved in workspace startup will reduce workspace start times. For example:

- Che-Theia
- broker images
- plug-in sidecar images

Prerequisites

- The **curl** tool is available. See [curl homepage](#).
- The **jq** tool is available. See [jq homepage](#).
- The **yo** tool is available. See [yo homepage](#).

Procedure

1. Gather a list of relevant container images for the OpenShift platform:

Example 11.1. Getting the list of all images for CodeReady Workspaces 2.14

```
$ curl -sLo- https://raw.githubusercontent.com/redhat-developer/codeready-workspaces-
images/crw-2.14-rhel-8/codeready-workspaces-operator-metadata-
generated/manifests/codeready-workspaces.csv.yaml \
| jq -r '.spec.relatedImages[]'
```

2. Retain the images involved on the workspace startup phase:

- **eap**
- **machineexec**
- **mongodb**
- **pluginbroker**
- **plugin-**
- **stacks**
- **theia**
- **ubi-minimal**

3. Exclude from the list the container images not supported by the target platform.

- For AMD64 and Intel 64 (x86_64), exclude **openj9** images.

Example 11.2. Image list for AMD64 and Intel 64 (x86_64), excluding **openj9** images

```
che_workspace_plugin_broker_artifacts=registry.redhat.io/codeready-
workspaces/pluginbroker-artifacts-
rhel8@sha256:bde2f4c7c21d7cd7d826d4f4bbd2ee9f31b2119e2d2aa10253592099598
cf5ba;
che_workspace_plugin_broker_metadata=registry.redhat.io/codeready-
workspaces/pluginbroker-metadata-
rhel8@sha256:457dd2db3d72cc1d823e1219d657ae32e3a9da26f7dd420e0185d1cbe8
72a792;
codeready_workspaces_machineexec_plugin_registry_image_gixdcnak=registry.redhat.
io/codeready-workspaces/machineexec-
rhel8@sha256:1e25377fe0538ef380030a898fcff9493ff0bdbaa4db77d648cdcb003681
6b;
codeready_workspaces_plugin_java11_devfile_registry_image_gixdcnak=registry.redha
.io/codeready-workspaces/plugin-java11-
```

```
rhel8@sha256:2036cbb70aae5f5d507657bd4b820e340ee0bacf3d4b520d80dbd21aad85e13a;  
codeready_workspaces_plugin_java11_plugin_registry_image_gixdcnak=registry.redhat  
.io/codeready-workspaces/plugin-java11-  
rhel8@sha256:2036cbb70aae5f5d507657bd4b820e340ee0bacf3d4b520d80dbd21aad85e13a;  
codeready_workspaces_plugin_java8_devfile_registry_image_gixdcnak=registry.redhat.  
o/codeready-workspaces/plugin-java8-  
rhel8@sha256:f0ecc1812888611407c23ede1d3952dfb7b9bd597c336f22995cc4d8d9c23edd;  
codeready_workspaces_plugin_java8_plugin_registry_image_gixdcnak=registry.redhat.i  
o/codeready-workspaces/plugin-java8-  
rhel8@sha256:f0ecc1812888611407c23ede1d3952dfb7b9bd597c336f22995cc4d8d9c23edd;  
codeready_workspaces_plugin_kubernetes_plugin_registry_image_gixdcnak=registry.re  
dhat.io/codeready-workspaces/plugin-kubernetes-  
rhel8@sha256:5f40400fb032b419e90bb334c8748470eb50e9dc4662b487364e494ccf8a3f05;  
codeready_workspaces_plugin_openshift_plugin_registry_image_gixdcnak=registry.red  
hat.io/codeready-workspaces/plugin-openshift-  
rhel8@sha256:c4be840840349bb647e6ace19b519b8b3e9676da42bb094512be1fafd411ae37;  
codeready_workspaces_stacks_cpp_devfile_registry_image_gixdcnak=registry.redhat.ic  
/codeready-workspaces/stacks-cpp-  
rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eeced9c353051a7e72592837891c1;  
codeready_workspaces_stacks_cpp_plugin_registry_image_gixdcnak=registry.redhat.io,  
codeready-workspaces/stacks-cpp-  
rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eeced9c353051a7e72592837891c1;  
codeready_workspaces_stacks_dotnet_devfile_registry_image_gixdcnak=registry.redha  
.io/codeready-workspaces/stacks-dotnet-  
rhel8@sha256:88134d9fd6b7c81e237e6295183d59cfe3e546762315e93f4d6fb547ecdf  
aeba;  
codeready_workspaces_stacks_dotnet_plugin_registry_image_gixdcnak=registry.redhat  
.io/codeready-workspaces/stacks-dotnet-  
rhel8@sha256:88134d9fd6b7c81e237e6295183d59cfe3e546762315e93f4d6fb547ecdf  
aeba;  
codeready_workspaces_stacks_golang_devfile_registry_image_gixdcnak=registry.redha  
t.io/codeready-workspaces/stacks-golang-  
rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbbcf8ddb2956abf25819e82462;  
codeready_workspaces_stacks_golang_plugin_registry_image_gixdcnak=registry.redha  
.io/codeready-workspaces/stacks-golang-  
rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbbcf8ddb2956abf25819e82462;  
codeready_workspaces_stacks_php_devfile_registry_image_gixdcnak=registry.redhat.ic  
/codeready-workspaces/stacks-php-  
rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a35;  
codeready_workspaces_stacks_php_plugin_registry_image_gixdcnak=registry.redhat.io  
codeready-workspaces/stacks-php-  
rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a35;  
codeready_workspaces_theia_endpoint_plugin_registry_image_gixdcnak=registry.redha  
t.io/codeready-workspaces/theia-endpoint-
```

```

rhel8@sha256:128e281bceaccfcb3f9c3aebdd218b6bb6381f9c41cff2259eba47dd49d95
c4d;
codeready_workspaces_theia_plugin_registry_image_gixdcnak=registry.redhat.io/coder
eady-workspaces/theia-
rhel8@sha256:928f5792cc39e6b7785f4f92ec0d6a5b9cd36fb285c1f72d12239beb05d8
696e;
jboss_eap_7_eap74_openjdk8_openshift_rhel7_devfile_registry_image_g4xdilrqi_____
_=registry.redhat.io/jboss-eap-7/eap74-openjdk8-openshift-
rhel7@sha256:b4a113c4d4972d142a3c350e2006a2b297dc883f8ddb29a88db19c8923
58632d;
jboss_eap_7_eap_xp3_openjdk11_openshift_devfile_registry_image_gmxdaljzbi_____
=registry.redhat.io/jboss-eap-7/eap-xp3-openjdk11-openshift-
rhel8@sha256:3875b2ee2826a6d8134aa3b80ac0c8b5ebc4a7f718335d76dfc3461b79f
93d19;
pvc_jobs=registry.redhat.io/ubi8/ubi-
minimal@sha256:c536d4c63253318fdcf1db499f8f4bb0881db7fbd6f3d1554b4d54c812f
85cc7;
rhsc_l_mongodb_36_rhel7_devfile_registry_image_gewtkmak=registry.redhat.io/rhsc_l/mo
ngodb-36-
rhel7@sha256:9f799d356d7d2e442bde9d401b720600fd9059a3d8eefea6f3b2ffa721c0
dc73;

```

- For IBM Z and IBM Power Systems, use **openj9** version for **java8** and **java11**, and exclude **dotnet**.

Example 11.3. Image list for IBM Z and IBM Power Systems: using **openj9** version for **java8** and **java11**, and excluding **dotnet**

```

che_workspace_plugin_broker_artifacts=registry.redhat.io/codeready-
workspaces/pluginbroker-artifacts-
rhel8@sha256:bde2f4c7c21d7cd7d826d4f4bbd2ee9f31b2119e2d2aa10253592099598
cf5ba;
che_workspace_plugin_broker_metadata=registry.redhat.io/codeready-
workspaces/pluginbroker-metadata-
rhel8@sha256:457dd2db3d72cc1d823e1219d657ae32e3a9da26f7dd420e0185d1cbe8
72a792;
codeready_workspaces_machineexec_plugin_registry_image_gixdcnak=registry.redhat.
io/codeready-workspaces/machineexec-
rhel8@sha256:1e25377fe0538ef380030a898fcfcff9493ff0bdbaa4db77d648cdcb003681
6b;
codeready_workspaces_plugin_java11_openj9_devfile_registry_image_gixdcnak=regist
y.redhat.io/codeready-workspaces/plugin-java11-openj9-
rhel8@sha256:fc5e110243a8e30d23705897a1766de20ec637db4442d419ba05ace3b8
74c27f;
codeready_workspaces_plugin_java11_openj9_plugin_registry_image_gixdcnak=registr
y.redhat.io/codeready-workspaces/plugin-java11-openj9-
rhel8@sha256:fc5e110243a8e30d23705897a1766de20ec637db4442d419ba05ace3b8
74c27f;
codeready_workspaces_plugin_java8_openj9_devfile_registry_image_gixdcnak=registry
.redhat.io/codeready-workspaces/plugin-java8-openj9-
rhel8@sha256:27fe438df6cfccdfb5d1e927cfa2f360b3bed3fbc409e923e68714a1ef5864
61;
codeready_workspaces_plugin_java8_openj9_plugin_registry_image_gixdcnak=registry
redhat.io/codeready-workspaces/plugin-java8-openj9-
rhel8@sha256:27fe438df6cfccdfb5d1e927cfa2f360b3bed3fbc409e923e68714a1ef5864

```

```

61;
codeready_workspaces_plugin_kubernetes_plugin_registry_image_gixdcnak=registry.re
dhat.io/codeready-workspaces/plugin-kubernetes-
rhel8@sha256:5f40400fb032b419e90bb334c8748470eb50e9dc4662b487364e494ccf8
a3f05;
codeready_workspaces_plugin_openshift_plugin_registry_image_gixdcnak=registry.red
hat.io/codeready-workspaces/plugin-openshift-
rhel8@sha256:c4be840840349bb647e6ace19b519b8b3e9676da42bb094512be1fafd4
11ae37;
codeready_workspaces_stacks_cpp_devfile_registry_image_gixdcnak=registry.redhat.ic
/codeready-workspaces/stacks-cpp-
rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eecfed9c353051a7e72592837
891c1;
codeready_workspaces_stacks_cpp_plugin_registry_image_gixdcnak=registry.redhat.io.
codeready-workspaces/stacks-cpp-
rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eecfed9c353051a7e72592837
891c1;
codeready_workspaces_stacks_golang_devfile_registry_image_gixdcnak=registry.redha
t.io/codeready-workspaces/stacks-golang-
rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbcbcf8ddb2956abf25819e
82462;
codeready_workspaces_stacks_golang_plugin_registry_image_gixdcnak=registry.redha
.io/codeready-workspaces/stacks-golang-
rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbcbcf8ddb2956abf25819e
82462;
codeready_workspaces_stacks_php_devfile_registry_image_gixdcnak=registry.redhat.ic
/codeready-workspaces/stacks-php-
rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a
35;
codeready_workspaces_stacks_php_plugin_registry_image_gixdcnak=registry.redhat.io
codeready-workspaces/stacks-php-
rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a
35;
codeready_workspaces_theia_endpoint_plugin_registry_image_gixdcnak=registry.redha
t.io/codeready-workspaces/theia-endpoint-
rhel8@sha256:128e281bceaccfcb3f9c3aebdd218b6bb6381f9c41cff2259eba47dd49d95
c4d;
codeready_workspaces_theia_plugin_registry_image_gixdcnak=registry.redhat.io/coder
eady-workspaces/theia-
rhel8@sha256:928f5792cc39e6b7785f4f92ec0d6a5b9cd36fb285c1f72d12239beb05d8
696e;
jboss_eap_7_eap74_openjdk8_openshift_rhel7_devfile_registry_image_g4xdilrqi_____
_=registry.redhat.io/jboss-eap-7/eap74-openjdk8-openshift-
rhel7@sha256:b4a113c4d4972d142a3c350e2006a2b297dc883f8ddb29a88db19c8923
58632d;
jboss_eap_7_eap_xp3_openj9_11_openshift_devfile_registry_image_gmxdacq_=registr
y.redhat.io/jboss-eap-7/eap-xp3-openj9-11-openshift-
rhel8@sha256:44f82c43a730acfb4ce2be81ca32197099c370eeb85cedbee3d1e89e9a
c7684;
jboss_eap_7_eap_xp3_openjdk11_openshift_devfile_registry_image_gmxdaljzbi_____
_=registry.redhat.io/jboss-eap-7/eap-xp3-openjdk11-openshift-
rhel8@sha256:3875b2ee2826a6d8134aa3b80ac0c8b5ebc4a7f718335d76dfc3461b79f
93d19;
pvc_jobs=registry.redhat.io/ubi8/ubi-
minimal@sha256:c536d4c63253318fd1c1db499f8f4bb0881db7fbd6f3d1554b4d54c812f
85cc7;

```

```
rhscv_mongodb_36_rhel7_devfile_registry_image_gewtkmak=registry.redhat.io/rhscv/mo
ngodb-36-
rhel7@sha256:9f799d356d7d2e442bde9d401b720600fd9059a3d8eefea6f3b2ffa721c0
dc73;
```

- Determine images from the list for pre-pulling.
For faster workspace startup times, consider pre-pulling the workspace-related images:

- **theia-rhel8**
- **theia-endpoint-rhel8**
- **pluginbroker-artifacts-rhel8**
- **pluginbroker-metadata-rhel8**
- **stacks-*-rhel8**
- **plugin-*-rhel8**
 - The list of stacks images: [Container images - Stacks](#)
 - The list of plug-in images: [Container images - Plug-ins](#)

Additional resources

- [Section 11.2, “Defining the memory parameters for the Image Puller”](#).
- [Section 11.4, “Installing Image Puller on OpenShift 4 using OperatorHub”](#)
- [Section 11.5, “Installing Image Puller on OpenShift using OpenShift templates”](#)

11.2. DEFINING THE MEMORY PARAMETERS FOR THE IMAGE PULLER

Define the memory requests and limits parameters to ensure pulled containers and the platform have enough memory to run.

Prerequisites

- [Section 11.1, “Defining the list of images to pull”](#)

Procedure

- To define the minimal value for **CACHING_MEMORY_REQUEST** or **CACHING_MEMORY_LIMIT**, consider the necessary amount of memory required to run each of the container images to pull.
- To define the maximal value for **CACHING_MEMORY_REQUEST** or **CACHING_MEMORY_LIMIT**, consider the total memory allocated to the DaemonSet Pods in the cluster:

```
(memory limit) * (number of images) * (number of nodes in the cluster)
```

Pulling 5 images on 20 nodes, with a container memory limit of **20Mi** requires **2000Mi** of memory.

Additional resources

- [Section 11.4, “Installing Image Puller on OpenShift 4 using OperatorHub”](#)
- [Section 11.5, “Installing Image Puller on OpenShift using OpenShift templates”](#)

11.3. INSTALLING IMAGE PULLER USING THE CODEREADY WORKSPACES OPERATOR

This section describes how to use the CodeReady Workspaces Operator to install the Image Puller, which is a community-supported feature in the technology preview state.

Prerequisites

- [Section 11.1, “Defining the list of images to pull”](#)
- [Section 11.2, “Defining the memory parameters for the Image Puller”](#)
- Operator Lifecycle Manager and OperatorHub are available on the OpenShift instance. OpenShift provides them starting with version 4.2.
- The CodeReady Workspaces Operator is available. See https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#installing-che-on-openshift-4-using-operatorhub.adoc

Procedure

1. Enable Image Puller in the **CheCluster** Custom Resource by setting `.spec.imagePuller.enable` to `true`:

```
apiVersion: org.eclipse.che/v1
kind: CheCluster
metadata:
  name: codeready-workspaces
spec:
  # ...
  imagePuller:
    enable: true
```

2. Configure Image Puller in the **CheCluster** Custom Resource:

```
apiVersion: org.eclipse.che/v1
kind: CheCluster
metadata:
  name: codeready-workspaces
spec:
  ...
  imagePuller:
    enable: true
  spec:
    configMapName: <kubernetes-image-puller>
```

```
daemonsetName: <kubernetes-image-puller>
deploymentName: <kubernetes-image-puller>
images: 'che_workspace_plugin_broker_artifacts=registry.redhat.io/codeready-
workspaces/pluginbroker-artifacts-
rhel8@sha256:bde2f4c7c21d7cd7d826d4f4bbd2ee9f31b2119e2d2aa10253592099598cf5ba;c
he_workspace_plugin_broker_metadata=registry.redhat.io/codeready-
workspaces/pluginbroker-metadata-
rhel8@sha256:457dd2db3d72cc1d823e1219d657ae32e3a9da26f7dd420e0185d1cbe872a792
;codeready_workspaces_machineexec_plugin_registry_image_gixdcnak=registry.redhat.io/code
ready-workspaces/machineexec-
rhel8@sha256:1e25377fe0538ef380030a898f9493ff0bdbaa4db77d648cdcb0036816b;cod
eready_workspaces_plugin_java11_devfile_registry_image_gixdcnak=registry.redhat.io/codere
ady-workspaces/plugin-java11-
rhel8@sha256:2036cbb70aae5f5d507657bd4b820e340ee0bacf3d4b520d80dbd21aad85e13a;
codeready_workspaces_plugin_java11_plugin_registry_image_gixdcnak=registry.redhat.io/code
ready-workspaces/plugin-java11-
rhel8@sha256:2036cbb70aae5f5d507657bd4b820e340ee0bacf3d4b520d80dbd21aad85e13a;
codeready_workspaces_plugin_java8_devfile_registry_image_gixdcnak=registry.redhat.io/code
eady-workspaces/plugin-java8-
rhel8@sha256:f0ecc1812888611407c23ede1d3952dfb7b9bd597c336f22995cc4d8d9c23edd;c
odeready_workspaces_plugin_java8_plugin_registry_image_gixdcnak=registry.redhat.io/codere
ady-workspaces/plugin-java8-
rhel8@sha256:f0ecc1812888611407c23ede1d3952dfb7b9bd597c336f22995cc4d8d9c23edd;c
odeready_workspaces_plugin_kubernetes_plugin_registry_image_gixdcnak=registry.redhat.io/c
odeready-workspaces/plugin-kubernetes-
rhel8@sha256:5f40400fb032b419e90bb334c8748470eb50e9dc4662b487364e494ccf8a3f05;c
odeready_workspaces_plugin_openshift_plugin_registry_image_gixdcnak=registry.redhat.io/coc
eready-workspaces/plugin-openshift-
rhel8@sha256:c4be840840349bb647e6ace19b519b8b3e9676da42bb094512be1fafd411ae37;
codeready_workspaces_stacks_cpp_devfile_registry_image_gixdcnak=registry.redhat.io/codere
ady-workspaces/stacks-cpp-
rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eecfed9c353051a7e72592837891c1;c
odeready_workspaces_stacks_cpp_plugin_registry_image_gixdcnak=registry.redhat.io/coderea
dy-workspaces/stacks-cpp-
rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eecfed9c353051a7e72592837891c1;c
odeready_workspaces_stacks_dotnet_devfile_registry_image_gixdcnak=registry.redhat.io/code
eady-workspaces/stacks-dotnet-
rhel8@sha256:88134d9fd6b7c81e237e6295183d59cfe3e546762315e93f4d6fb547ecdfaeba;co
deready_workspaces_stacks_dotnet_plugin_registry_image_gixdcnak=registry.redhat.io/codere
ady-workspaces/stacks-dotnet-
rhel8@sha256:88134d9fd6b7c81e237e6295183d59cfe3e546762315e93f4d6fb547ecdfaeba;co
deready_workspaces_stacks_golang_devfile_registry_image_gixdcnak=registry.redhat.io/coder
eady-workspaces/stacks-golang-
rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbcbcf8ddb2956abf25819e82462;c
odeready_workspaces_stacks_golang_plugin_registry_image_gixdcnak=registry.redhat.io/code
eady-workspaces/stacks-golang-
rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbcbcf8ddb2956abf25819e82462;c
odeready_workspaces_stacks_php_devfile_registry_image_gixdcnak=registry.redhat.io/codere
ady-workspaces/stacks-php-
rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a35;cod
eready_workspaces_stacks_php_plugin_registry_image_gixdcnak=registry.redhat.io/codeready
-workspaces/stacks-php-
rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a35;cod
eready_workspaces_theia_endpoint_plugin_registry_image_gixdcnak=registry.redhat.io/codere
ady-workspaces/theia-endpoint-
rhel8@sha256:128e281bceaccfb3f9c3aebdd218b6bb6381f9c41cff2259eba47dd49d95c4d;co
```



```
deready_workspaces_theia_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-
workspaces/theia-
rhel8@sha256:928f5792cc39e6b7785f4f92ec0d6a5b9cd36fb285c1f72d12239beb05d8696e;jb
oss_eap_7_eap74_openjdk8_openshift_rhel7_devfile_registry_image_g4xdilrqi_____ =registr
y.redhat.io/jboss-eap-7/eap74-openjdk8-openshift-
rhel7@sha256:b4a113c4d4972d142a3c350e2006a2b297dc883f8ddb29a88db19c892358632d;
jboss_eap_7_eap_xp3_openjdk11_openshift_devfile_registry_image_gmxdaljzbi_____ =registr
y.redhat.io/jboss-eap-7/eap-xp3-openjdk11-openshift-
rhel8@sha256:3875b2ee2826a6d8134aa3b80ac0c8b5ebc4a7f718335d76dfc3461b79f93d19;p
vc_jobs=registry.redhat.io/ubi8/ubi-
minimal@sha256:c536d4c63253318fd1db499f8f4bb0881db7fbd6f3d1554b4d54c812f85cc7;r
hsc_l_mongodb_36_rhel7_devfile_registry_image_gewtkmak=registry.redhat.io/rhsc_l/mongodb-
36-
rhel7@sha256:9f799d356d7d2e442bde9d401b720600fd9059a3d8eefea6f3b2ffa721c0dc73;'
```

NOTE

To use the supported Image Puller, install it separately from the KubernetesImagePuller Operator. Red Hat official build benefits from extra testing and validation provided by Red Hat.

Enabling the use of KubernetesImagePuller in Operator Hub during CodeReady Workspaces installation, sets the Community supported version for use.

- [Community build](#)
- [Red Hat official build](#)

Default images

- The CodeReady Workspaces Operator populates the **.spec.imagePuller.spec.images** field with default images used for workspace startup (Theia images, plugin broker images, sidecar plugin images), provided that no images were added to this field before creating the **CheCluster** Custom Resource. The CodeReady Workspaces Operator updates the default images in the **.spec.imagePuller.spec.images** field after every rollout update of CodeReady Workspaces. However, if images were added to the **.spec.imagePuller.spec.images** field before creating the **CheCluster** Custom Resource, the CodeReady Workspaces Operator will not add default images.
- If user-provided images are added to the **.spec.imagePuller.spec.images** field **after** creating the **CheCluster** Custom Resource, the CodeReady Workspaces Operator will still update default images on subsequent CodeReady Workspaces rollout updates. Non-default images remain unchanged in the **.spec.imagePuller.spec.images** field after rollout updates.

Verification

- OpenShift creates a **kubernetes-image-puller-operator** Subscription.
- The **eclipse-che namespace** contains a **community supported Kubernetes Image Puller Operator ClusterServiceVersion**:

```
$ oc get clusterserviceversions
```

- The **eclipse-che namespace** contains these deployments: **kubernetes-image-puller** and **kubernetes-image-puller-operator**.

```
$ oc get deployments
```

- The community supported Kubernetes Image Puller Operator creates a **KubernetesImagePuller** Custom Resource:

```
$ oc get kubernetesimagepullers
```

Uninstalling Image Puller using CodeReady Workspaces Operator

1. Edit the **CheCluster** Custom Resource and set **.spec.imagePuller.enable** to **false**.
2. Edit the **CheCluster** Custom Resource and set the **.spec.imagePuller.spec** to configure the optional Image Puller parameters for the CodeReady Workspaces Operator.

11.4. INSTALLING IMAGE PULLER ON OPENSIFT 4 USING OPERATORHUB

This procedure describes how to install the community supported Kubernetes Image Puller Operator on OpenShift 4 using the Operator.

Prerequisites

- An administrator account on a running instance of OpenShift 4.
- [Section 11.1, “Defining the list of images to pull”](#)
- [Section 11.2, “Defining the memory parameters for the Image Puller”](#).

Procedure

1. To create an OpenShift project `<kubernetes-image-puller>` to host the Image Puller, open the OpenShift web console, navigate to the **Home** → **Projects** section and click **Create Project**.
2. Specify the project details:
 - **Name:** `<kubernetes-image-puller>`
 - **Display Name:** `<Image Puller>`
 - **Description:** `<Kubernetes Image Puller>`
3. Navigate to **Operators** → **OperatorHub**.
4. Use the **Filter by keyword** box to search for **community supported Kubernetes Image Puller Operator**. Click the **community supported Kubernetes Image Puller Operator**.
5. Read the description of the Operator. Click **Continue** → **Install**.
6. Select **A specific project on the cluster** for the **Installation Mode**. In the drop-down find the OpenShift project `<kubernetes-image-puller>`. Click **Subscribe**.
7. Wait for the community supported Kubernetes Image Puller Operator to install. Click the **KubernetesImagePuller** → **Create instance**.

8. In a redirected window with a YAML editor, make modifications to the **KubernetesImagePuller** Custom Resource and click **Create**.
9. Navigate to the **Workloads** and **Pods** menu in the `<kubernetes-image-puller>` OpenShift project. Verify that the Image Puller is available.

11.5. INSTALLING IMAGE PULLER ON OPENSIFT USING OPENSIFT TEMPLATES

This procedure describes how to install the Kubernetes Image Puller on OpenShift using OpenShift templates.

Prerequisites

- A running OpenShift cluster.
- The **oc** tool is available.
- [Section 11.1, “Defining the list of images to pull”](#) .
- [Section 11.2, “Defining the memory parameters for the Image Puller”](#) .

Procedure

1. Clone the Image Puller repository and get in the directory containing the OpenShift templates:

```
$ git clone https://github.com/che-incubator/kubernetes-image-puller
$ cd kubernetes-image-puller/deploy/openshift
```

2. Configure the **app.yaml**, **configmap.yaml** and **serviceaccount.yaml** OpenShift templates using following parameters:

Table 11.2. Image Puller OpenShift templates parameters inapp.yaml

Value	Usage	Default
DEPLOYMENT_NAME	The value of DEPLOYMENT_NAME in the ConfigMap	kubernetes-image-puller
IMAGE	Image used for the kubernetes-image-puller deployment	registry.redhat.io/codeready-workspaces/imagepuller-rhel8:2.14
IMAGE_TAG	The image tag to pull	latest
SERVICEACCOUNT_NAME	The name of the ServiceAccount created and used by the deployment	kubernetes-image-puller

Table 11.3. Image Puller OpenShift templates parameters inconfigmap.yaml

Value	Usage	Default
CACHING_CPU_LIMIT	The value of CACHING_CPU_LIMIT in the ConfigMap	.2
CACHING_CPU_REQUEST	The value of CACHING_CPU_REQUEST in the ConfigMap	.05
CACHING_INTERVAL_HOURS	The value of CACHING_INTERVAL_HOURS in the ConfigMap	"1"
CACHING_MEMORY_LIMIT	The value of CACHING_MEMORY_LIMIT in the ConfigMap	"20Mi"
CACHING_MEMORY_REQUEST	The value of CACHING_MEMORY_REQUEST in the ConfigMap	"10Mi"
DAEMONSET_NAME	The value of DAEMONSET_NAME in the ConfigMap	kubernetes-image-puller
DEPLOYMENT_NAME	The value of DEPLOYMENT_NAME in the ConfigMap	kubernetes-image-puller
IMAGES	The value of IMAGES in the ConfigMap	'che_workspace_plugin_broker_artifacts=registry.redhat.io/codeready-workspaces/pluginbroker-artifacts-rhel8@sha256:bde2f4c7c21d7cd7d826d4f4bbd2ee9f31b2119e2d2aa10253592099598cf5ba;che_workspace_plugin_broker_metadata=registry.redhat.io/codeready-workspaces/pluginbroker-metadata-rhel8@sha256:457dd2db3d72cc1d823e1219d657ae32e3a9da26f7dd420e0185d1cbe872a792;codeready_workspaces_machineexec_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/machineexec-

Value	Usage	Default
		<p>rhel8@sha256:1e25377fe0336e1580030a898fcfcff9493ff0bdbaa4db77d648cdcb0036816b;codeready_workspaces_plugin_java11_devfile_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/plugin-java11-rhel8@sha256:2036cbb70aae5f5d507657bd4b820e340ee0bacf3d4b520d80dbd21aad85e13a;codeready_workspaces_plugin_java11_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/plugin-java11-rhel8@sha256:2036cbb70aae5f5d507657bd4b820e340ee0bacf3d4b520d80dbd21aad85e13a;codeready_workspaces_plugin_java8_devfile_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/plugin-java8-rhel8@sha256:f0ecc1812888611407c23ede1d3952dfb7b9bd597c336f22995cc4d8d9c23edd;codeready_workspaces_plugin_java8_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/plugin-java8-rhel8@sha256:f0ecc1812888611407c23ede1d3952dfb7b9bd597c336f22995cc4d8d9c23edd;codeready_workspaces_plugin_kubernetes_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/plugin-kubernetes-rhel8@sha256:5f40400fb032b419e90bb334c8748470eb50e9dc4662b487364e494ccf8a3f05;codeready_workspaces_plugin_openshift_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-</p>

Value	Usage	workspaces/plugin- Default
		Openshift- rhel8@sha256:c4be840840349bb647e6ace19b519b8b3e9676da42bb094512be1fafe411ae37;codeready_workspaces_stacks_cpp_devfile_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/stacks-cpp-rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eecfed9c353051a7e72592837891c1;codeready_workspaces_stacks_cpp_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/stacks-cpp-rhel8@sha256:fc621b59be72465ab82cfa293b5b190521eecfed9c353051a7e72592837891c1;codeready_workspaces_stacks_dotnet_devfile_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/stacks-dotnet-rhel8@sha256:88134d9fd6b7c81e237e6295183d59cfe3e546762315e93f4d6fb547ecdfeba;codeready_workspaces_stacks_dotnet_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/stacks-dotnet-rhel8@sha256:88134d9fd6b7c81e237e6295183d59cfe3e546762315e93f4d6fb547ecdfeba;codeready_workspaces_stacks_golang_devfile_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/stacks-golang-rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbcbf8ddb2956abf25819e82462;codeready_workspaces_stacks_golang_plugin_registry_image_gi

Value	Usage	Default
		<p> <code>xdcnak=registry.redhat.io/codeready-workspaces/stacks-golang-rhel8@sha256:ef135a05399a4d5f58bcb059b6634498bee5adbcbcf8ddb2956abf25819e82462;codeready_workspaces_stacks_php_devfile_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/stacks-php-rhel8@sha256:f2ee2cf24f649092568f932977193f585caac19ef23892968d0fe4dbc90f4a35;codeready_workspaces_stacks_php_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/theia-endpoint-rhel8@sha256:128e281bceaccfcb3f9c3aebdd218b6bb6381f9c41cff2259eba47dd49d95c4d;codeready_workspaces_theia_plugin_registry_image_gixdcnak=registry.redhat.io/codeready-workspaces/theia-eap74-openjdk8_openshift_rhel7_devfile_registry_image_g4xdilrqi_____registry.redhat.io/jboss-eap-7/eap74-openjdk8_openshift-rhel7@sha256:b4a113c4d4972d142a3c350e2006a2b297dc883f8ddb29a88db19c892358632d;jboss_eap_7_eap_xp3_openjdk11_openshift_devfile_registry_image_gmxdaljzbi_____re</code> </p>

Value	Usage	Default
		<code>gistry.redhat.io/jboss-eap-7/eap-mp3-openjdk11-openshift-rhel8@sha256:3875b2ee2826a6d8134aa3b80ac0c8b5ebc4a7f718335d76dfc3461b79f93d19;pvc_jobs=registry.redhat.io/ubi8/ubi-minimal@sha256:c536d4c63253318fdc1db499f8f4bb0881db7fbd6f3d1554b4d54c812f85cc7;rhsc MongoDB_36_rhel7_devfile_registry_image_gewtkmak=registry.redhat.io/rhsc/mongodb-36-rhel7@sha256:9f799d356d7d2e442bde9d401b720600fd9059a3d8eefea6f3b2ffa721c0dc73;</code>
NAMESPACE	The value of NAMESPACE in the ConfigMap	k8s-image-puller
NODE_SELECTOR	The value of NODE_SELECTOR in the ConfigMap	<code>"{}"</code>

Table 11.4. Image Puller OpenShift templates parameters `in-serviceaccount.yaml`

Value	Usage	Default
SERVICEACCOUNT_NAME	The name of the ServiceAccount created and used by the deployment	kubernetes-image-puller

3. Create an OpenShift project to host the Image Puller:

```
$ oc new-project <k8s-image-puller>
```

4. Process and apply the templates to install the puller:

```
$ oc process -f serviceaccount.yaml | oc apply -f -
$ oc process -f configmap.yaml | oc apply -f -
$ oc process -f app.yaml | oc apply -f -
```

Verification steps

1. Verify the existence of a `<kubernetes-image-puller>` deployment and a `<kubernetes-image-puller>` DaemonSet. The DaemonSet needs to have a Pod for each node in the cluster:


```
$ oc get deployment,daemonset,pod --namespace <k8s-image-puller>
```

2. Verify the values of the <kubernetes-image-puller> **ConfigMap**.

```
$ oc get configmap <kubernetes-image-puller> --output yaml
```

CHAPTER 12. MANAGING IDENTITIES AND AUTHORIZATIONS

This section describes different aspects of managing identities and authorizations of Red Hat CodeReady Workspaces.

- [Section 12.1, "Authenticating users"](#)
- [Section 12.2, "Authorizing users"](#)
- [Section 12.3, "Configuring authorization"](#)
- [Section 12.5, "Removing user data"](#)
- [Section 12.4, "Configuring OpenShift OAuth"](#)

12.1. AUTHENTICATING USERS

This document covers all aspects of user authentication in Red Hat CodeReady Workspaces, both on the CodeReady Workspaces server and in workspaces. This includes securing all REST API endpoints, WebSocket or JSON RPC connections, and some web resources.

All authentication types use the [JWT open standard](#) as a container for transferring user identity information. In addition, CodeReady Workspaces server authentication is based on the [OpenID Connect](#) protocol implementation, which is provided by default by [RH-SSO](#).

Authentication in workspaces implies the issuance of self-signed per-workspace JWT tokens and their verification on a dedicated service based on [JWTProxy](#).

12.1.1. Authenticating to the CodeReady Workspaces server

12.1.1.1. Authenticating to the CodeReady Workspaces server using other authentication implementations

This procedure describes how to use an OpenID Connect (OIDC) authentication implementation other than RH-SSO.

Procedure

1. Update the authentication configuration parameters that are stored in the **multiuser.properties** file (such as client ID, authentication URL, realm name).
2. Write a single filter or a chain of filters to validate tokens, create the user in the CodeReady Workspaces dashboard, and compose the **subject** object.
3. If the new authorization provider supports the OpenID protocol, use the OIDC JS client library available at the settings endpoint because it is decoupled from specific implementations.
4. If the selected provider stores additional data about the user (first and last name, job title), it is recommended to write a provider-specific **ProfileDao** implementation that provides this information.

12.1.1.2. Authenticating to the CodeReady Workspaces server using OAuth

For easy user interaction with third-party services, the CodeReady Workspaces server supports OAuth authentication. OAuth tokens are also used for GitHub-related plug-ins.

OAuth authentication has two main flows:

delegated

Default. Delegates OAuth authentication to RH-SSO server.

embedded

Uses built-in CodeReady Workspaces server mechanism to communicate with OAuth providers.

To switch between the two implementations, use the **che.oauth.service_mode=<embedded/delegated>** configuration property.

The main REST endpoint in the OAuth API is **/api/oauth**, which contains:

- An authentication method, **/authenticate**, that the OAuth authentication flow can start with.
- A callback method, **/callback**, to process callbacks from the provider.
- A token GET method, **/token**, to retrieve the current user's OAuth token.
- A token DELETE method, **/token**, to invalidate the current user's OAuth token.
- A GET method, **/**, to get the list of configured identity providers.

12.1.1.3. Using Swagger or REST clients to execute queries

The user's RH-SSO token is used to execute queries to the secured API on the user's behalf through REST clients. A valid token must be attached as the **Request** header or the **?token=\$token** query parameter.


Access the CodeReady Workspaces Swagger interface at **https://codeready-<openshift_deployment_name>.<domain_name>/swagger**. The user must be signed in through RH-SSO, so that the access token is included in the **Request** header.

12.1.2. Authenticating in a CodeReady Workspaces workspace

Workspace containers may contain services that must be protected with authentication. Such protected services are called **secure**. To secure these services, use a machine authentication mechanism.

JWT tokens avoid the need to pass RH-SSO tokens to workspace containers (which can be insecure). Also, RH-SSO tokens may have a relatively shorter lifetime and require periodic renewals or refreshes, which is difficult to manage and keep in sync with the same user session tokens on clients.

Figure 12.1. Authentication inside a workspace



12.1.2.1. Creating secure servers

To create secure servers in CodeReady Workspaces workspaces, set the **secure** attribute of the endpoint to **true** in the **dockerimage** type component in the devfile.

Devfile snippet for a secure server

```
components:
- type: dockerimage
  endpoints:
  - attributes:
    secure: 'true'
```

12.1.2.2. Workspace JWT token

Workspace tokens are JSON web tokens ([JWT](#)) that contain the following information in their claims:

- **uid**: The ID of the user who owns this token
- **uname**: The name of the user who owns this token
- **wsid**: The ID of a workspace which can be queried with this token

Every user is provided with a unique personal token for each workspace. The structure of a token and the signature are different than they are in RH-SSO. The following is an example token view:

```
# Header
{
  "alg": "RS512",
  "kind": "machine_token"
}
# Payload
{
  "wsid": "workspacekrh99xjenek3h571",
  "uid": "b07e3a58-ed50-4a6e-be17-fcf49ff8b242",
  "uname": "john",
  "jti": "06c73349-2242-45f8-a94c-722e081bb6fd"
}
# Signature
{
  "value": "RSASHA256(base64UrlEncode(header) + . + base64UrlEncode(payload))"
}
```

The SHA-256 cipher with the RSA algorithm is used for signing JWT tokens. It is not configurable. Also, there is no public service that distributes the public part of the key pair with which the token is signed.

12.1.2.3. Machine token validation

The validation of machine tokens (JWT tokens) is performed using a dedicated per-workspace service with **JWTProxy** running on it in a separate Pod. When the workspace starts, this service receives the public part of the SHA key from the CodeReady Workspaces server. A separate verification endpoint is created for each secure server. When traffic comes to that endpoint, **JWTProxy** tries to extract the token from the cookies or headers and validates it using the public-key part.

To query the CodeReady Workspaces server, a workspace server can use the machine token provided in the **CHE_MACHINE_TOKEN** environment variable. This token is the user's who starts the workspace. The scope of such requests is restricted to the current workspace only. The list of allowed operations is also strictly limited.

12.2. AUTHORIZING USERS

User authorization in CodeReady Workspaces is based on the permissions model. Permissions are used to control the allowed actions of users and establish a security model. Every request is verified for the presence of the required permission in the current user subject after it passes authentication. You can control resources managed by CodeReady Workspaces and allow certain actions by assigning permissions to users.

Permissions can be applied to the following entities:

- Workspace
- System

All permissions can be managed using the provided REST API. The APIs are documented using Swagger at [https://codeready-`openshift_deployment_name`.`domain_name`/swagger/#!/permissions](https://codeready-<code>openshift_deployment_name</code>.<code>domain_name</code>/swagger/#!/permissions).

12.2.1. CodeReady Workspaces workspace permissions

The user who creates a workspace is the workspace owner. By default, the workspace owner has the following permissions: **read**, **use**, **run**, **configure**, **setPermissions**, and **delete**. Workspace owners can invite users into the workspace and control workspace permissions for other users.

The following permissions are associated with workspaces:

Table 12.1. CodeReady Workspaces workspace permissions

Permission	Description
read	Allows reading the workspace configuration.
use	Allows using a workspace and interacting with it.
run	Allows starting and stopping a workspace.
configure	Allows defining and changing the workspace configuration.
setPermissions	Allows updating the workspace permissions for other users.
delete	Allows deleting the workspace.

12.2.2. CodeReady Workspaces system permissions

CodeReady Workspaces system permissions control aspects of the whole CodeReady Workspaces installation. The following permissions are applicable to the system:

Table 12.2. CodeReady Workspaces system permission

Permission	Description
manageSystem	Allows control of the system and workspaces.
setPermissions	Allows updating the permissions for users on the system.
manageUsers	Allows creating and managing users.
monitorSystem	Allows accessing endpoints used for monitoring the state of the server.

All system permissions are granted to the administrative user. To configure the administrative user, use the **CHE_SYSTEM_ADMIN_NAME** property. The default value is **admin**. The system permissions are granted when the CodeReady Workspaces server starts. If the record of the user is not in the CodeReady Workspaces user database, the permissions are granted after the first login of the user.

12.2.3. manageSystem permission

Users with the **manageSystem** permission have access to the following services:

Path	HTTP Method	Description
/resource/free/	GET	Get free resource limits.
/resource/free/{accountId}	GET	Get free resource limits for the given account.
/resource/free/{accountId}	POST	Edit free resource limit for the given account.
/resource/free/{accountId}	DELETE	Remove free resource limit for the given account.
/installer/	POST	Add installer to the registry.
/installer/{key}	PUT	Update installer in the registry.
/installer/{key}	DELETE	Remove installer from the registry.
/logger/	GET	Get logging configurations in the CodeReady Workspaces server.
/logger/{name}	GET	Get configurations of logger by its name in the CodeReady Workspaces server.
/logger/{name}	PUT	Create logger in the CodeReady Workspaces server.
/logger/{name}	POST	Edit logger in the CodeReady Workspaces server.
/resource/{accountId}/details	GET	Get detailed information about resources for the given account.
/system/stop	POST	Shutdown all system services, prepare CodeReady Workspaces to stop.

12.2.4. monitorSystem permission

Users with the **monitorSystem** permission have access to the following services.

Path	HTTP Method	Description
/activity	GET	Get workspaces in a certain state for a certain amount of time.

12.2.5. Listing CodeReady Workspaces permissions

To list CodeReady Workspaces permissions that apply to a specific **resource**, perform the **GET /permissions** request.

To list the permissions that apply to a **user**, perform the **GET /permissions/{domain}** request.

To list the permissions that apply to **all users**, perform the **GET /permissions/{domain}/all** request. The user must have **manageSystem** permissions to see this information.

The suitable domain values are:

- system
- organization
- workspace



NOTE

The domain is optional. If no domain is specified, the API returns all possible permissions for all the domains.

12.2.6. Assigning CodeReady Workspaces permissions

To assign permissions to a resource, perform the **POST /permissions** request. The suitable domain values are:

- system
- organization
- workspace

The following is a message body that requests permissions for a user with a **userId** to a workspace with a **workspaceID**:

Requesting CodeReady Workspaces user permissions

```
{
  "actions": [
    "read",
    "use",
    "run",
    "configure",
    "setPermissions"
  ],
}
```



```

"userId": "userID",      1
"domainId": "workspace",
"instanceId": "workspaceID"  2
}

```

- 1 The **userId** parameter is the ID of the user that has been granted certain permissions.
- 2 The **instanceId** parameter is the ID of the resource that retrieves the permission for all users.

12.3. CONFIGURING AUTHORIZATION

CodeReady Workspaces uses the permissions model for user authorization.

12.3.1. Authorization and user management

Red Hat CodeReady Workspaces uses [RH-SSO](#) to create, import, manage, delete, and authenticate users. RH-SSO uses built-in authentication mechanisms and user storage. It can use third-party identity management systems to create and authenticate users. Red Hat CodeReady Workspaces requires a RH-SSO token when you request access to CodeReady Workspaces resources.

Local users and imported federation users must have an email address in their profile.

The default RH-SSO credentials are **admin:admin**. You can use the **admin:admin** credentials when logging into Red Hat CodeReady Workspaces for the first time. It has system privileges.

Identifying the RH-SSO URL

Go to the OpenShift web console and to the **RH-SSO** project.

12.3.2. Configuring CodeReady Workspaces to work with RH-SSO

The deployment script configures RH-SSO. It creates a **codeready-public** client with the following fields:

- **Valid Redirect URIs:** Use this URL to access CodeReady Workspaces.
- **Web Origins**

The following are common errors when configuring CodeReady Workspaces to work with RH-SSO:

Invalid redirectURI error

Occurs when you access CodeReady Workspaces at **myhost**, which is an alias, and your original **CHE_HOST** is **1.1.1.1**. If this error occurs, go to the RH-SSO administration console and ensure that the valid redirect URIs are configured.

CORS error

Occurs when you have an invalid web origin.

12.3.3. Configuring RH-SSO tokens

A user token expires after 30 minutes by default.

You can change the following RH-SSO token settings:

Che 

General

Login

Keys

Email


Themes

Cache

Tokens

Client Registration

Security Defenses

Revoke Refresh Token  OFFSSO Session Idle  SSO Session Max  Offline Session Idle  Access Token Lifespan  Access Token Lifespan For Implicit Flow  Client login timeout  Login timeout  Login action timeout  User-Initiated Action Lifespan  Default Admin-Initiated Action Lifespan 

12.3.4. Setting up user federation

RH-SSO federates external user databases and supports LDAP and Active Directory. You can test the connection and authenticate users before choosing a storage provider.

See the [User storage federation](#) page in RH-SSO documentation to learn how to add a provider.

See the [LDAP and Active Directory](#) page in RH-SSO documentation to specify multiple LDAP servers.

12.3.5. Enabling authentication with social accounts and brokering

RH-SSO provides built-in support for GitHub, OpenShift, and most common social networks such as Facebook and Twitter. See RH-SSO documentation to learn how to [enable Login with GitHub](#).

12.3.5.1. Configuring GitHub OAuth

OAuth for GitHub allows for automatic SSH key upload to GitHub.

Prerequisites

- The **oc** tool is available.

Procedure

- Create a [OAuth application in GitHub](#) using CodeReady Workspaces URL as the value for the application **Homepage URL** and RH-SSO GitHub endpoint URL as the value for Authorization

callback URL. The default values are **https://codeready-openshift-workspaces.<DOMAIN>/** and **https://keycloak-openshift-workspaces.<DOMAIN>/auth/realms/codeready/broker/github/endpoint** respectively, where **<DOMAIN>** is OpenShift cluster domain.

1. Create a new secret in the project where CodeReady Workspaces is deployed.

```
$ oc apply -f - <<EOF
kind: Secret
apiVersion: v1
metadata:
  name: github-oauth-config
  namespace: <...> ❶
labels:
  app.kubernetes.io/part-of: che.eclipse.org
  app.kubernetes.io/component: oauth-scm-configuration
annotations:
  che.eclipse.org/oauth-scm-server: github
type: Opaque
data:
  id: <...> ❷
  secret: <...> ❸
EOF
```

- ❶ CodeReady Workspaces namespace. The default is openshift-workspaces
- ❷ base64 encoded GitHub OAuth Client ID
- ❸ base64 encoded GitHub OAuth Client Secret

2. If CodeReady Workspaces was already installed wait until rollout of RH-SSO component finishes.

12.3.5.2. Configuring a Bitbucket server that uses self-signed TLS certificates

The following chapter describes how to configure a Bitbucket (BB) server that uses self-signed TLS certificates so that the CodeReady Workspaces server and workspace components can establish a trusted connection with BB.

- Creating ConfigMaps for additional TLS and **gitSelfSign** certificates. This enables:
 - Launching a factory using a devfile URL.
 - Importing and cloning a project.



NOTE

- Configure the OAuth 1 authentication on the BB server side. For more information, see [Configuring Bitbucket Server OAuth 1](#)
- Creating a ConfigMap for importing additional certificates is necessary only if a BB server is setup with self-signed TLS certificates. These certificates are needed for the proper functionality of CodeReady Workspaces server and tools inside of a workspace, which use them for performing Git operations related to a specific repository.

Prerequisites

- A value of the BB server certification authority (CA) exported in the Base64 ASCII format and stored in a **ca.crt** file.
- An instance of CodeReady Workspaces.

Procedure

1. Provision the CA of the BB server to the CodeReady Workspaces server to enable it to read the devfiles stored in the BB server. To do so, add the following ConfigMap to the **openshift-workspaces** project:

```
$ oc create configmap bitbucket-ca-cert-for-factory --from-file=ca.crt -n openshift-workspaces
```

```
$ oc label configmap bitbucket-ca-cert-for-factory app.kubernetes.io/part-of=che.eclipse.org
app.kubernetes.io/component=ca-bundle -n openshift-workspaces
```

2. Provision the CA of the BB server to the CodeReady Workspaces server to be able to use Git operations. To do so, add a new ConfigMap to the **openshift-workspaces** project:

```
$ oc create configmap che-git-self-signed-cert --from-file=ca.crt --from-literal=githost=<bitbucket_server_url> -n openshift-workspaces
```

3. Edit the CheCluster Custom Resource (CR) to configure the CodeReady Workspaces server.

```
spec:
  server:
    # ...
    gitSelfSignedCert: <boolean> 1
```

- 1** Use **true** for a BB server that use a self-signed cert. Default value: **false**.

- For more information, see https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc.

Reference

- For adding a Bitbucket CA certificate into CodeReady Workspaces, see https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#importing-untrusted-tls-certificates.adoc.

12.3.5.3. Configuring the Bitbucket and CodeReady Workspaces integration to use OAuth1

The following section describes the configuration of the OAuth 1 authentication that is needed for performing read and write operations with Bitbucket (BB) repositories. To use BB repositories with allowed Git operations, such as **clone** and **push**, register a BB endpoint with CodeReady Workspaces first, and configure the OAuth 1 authentication.



NOTE

This procedure requires:

- generating RSA key pairs
- generating a consumer key-secret pair
- creating an application link on the BB side
- configuring BB on the CodeReady Workspaces-server side

This procedure also describes how to activate OAuth 1 for Bitbucket Server to:

- Use devfiles hosted on a Bitbucket Server.
- Enable CodeReady Workspaces to obtain and renew [Bitbucket Server Personal access tokens](#).

Prerequisites

- The **oc** tool is available.
- Bitbucket Server is available from CodeReady Workspaces server.
- An instance of CodeReady Workspaces.

Procedure

1. Generate an RSA key pair and a stripped-down version of the public key:

```
$ openssl genrsa -out <private.pem> 2048
```

```
$ openssl rsa -in <private.pem> -pubout > <public.pub>
```

```
$ openssl pkcs8 -topk8 -inform pem -outform pem -nocrypt -in <private.pem> -out <privatepkcs8.pem>
```

```
$ cat <public.pub> | sed 's/-----BEGIN PUBLIC KEY-----//g' | sed 's/-----END PUBLIC KEY-----//g' | tr -d '\n' > <public-stripped.pub>
```

2. Generate a consumer key and a shared secret.

```
$ openssl rand -base64 24 > <bitbucket_server_consumer_key>
```

```
$ openssl rand -base64 24 > <bitbucket_shared_secret>
```

3. Configure an [Application Link](#) in Bitbucket to enable the communication from CodeReady Workspaces to Bitbucket Server.

- a. In Bitbucket Server, click the cog in the top navigation bar to navigate to **Administration > Application Links**.

- b. Enter the application URL: `https://codeready-<openshift_deployment_name>.<domain_name>` and click the **Create new link** button.
- c. In the warning message stating **No response was received from the URL** click the **Continue** button.
- d. Complete the **Link Applications** form and click the **Continue** button.

Application Name**<CodeReady Workspaces>****Application Type**

Generic Application.

Service Provider Name**<CodeReady Workspaces>****Consumer Key**Paste the content of the **<bitbucket_server_consumer_key>** file.**Shared secret**Paste the content of the **<bitbucket_shared_secret>** file.**Request Token URL****<Bitbucket Server URL>/plugins/servlet/oauth/request-token****Access token URL****<Bitbucket Server URL>/plugins/servlet/oauth/access-token****Authorize URL****<Bitbucket Server URL>/plugins/servlet/oauth/access-token****Create incoming link**

Enabled.

- e. Complete the **Link Applications** form and click the **Continue** button.

Consumer KeyPaste the content of the **<bitbucket_server_consumer_key>** file.**Consumer name****<CodeReady Workspaces>****Public Key**Paste the content of the **<public-stripped.pub>** file.

4. Create a OpenShift Secret in CodeReady Workspaces project containing the consumer and private keys.

```
$ oc apply -f - <<EOF
kind: Secret
apiVersion: v1
metadata:
  name: bitbucket-oauth-config
  namespace: <CodeReady Workspaces-namespace> 1
  labels:
    app.kubernetes.io/component: oauth-scm-configuration
    app.kubernetes.io/part-of: che.eclipse.org
  annotations:
```

```

che.eclipse.org/oauth-scm-server: bitbucket
che.eclipse.org/scm-server-endpoint: '<scm-server-endpoint>' ❷
type: Opaque
data:
  private.key: '<user-private-key>' ❸
  consumer.key: '<bitbucket_server_consumer_key>' ❹
EOF

```

- ❶ CodeReady Workspaces namespace. The default is openshift-workspaces
- ❷ Bitbucket Server URL
- ❸ base64 encoded content of the `<privatepkcs8.pem>` file without first and last lines.
- ❹ base64 encoded content of the `<bitbucket_server_consumer_key>` file.

Example

```

#!/usr/bin/env bash

NS=${1:-eclipse-che}
CONSUMER_KEY=$(cat ./certs/bitbucket_server_consumer_key)
PRIVATE_KEY=$(cat ./certs/privatepkcs8.pem | sed 's/-----BEGIN PRIVATE KEY-----//g' |
sed 's/-----END PRIVATE KEY-----//g' | tr -d '\n')
BITBUCKET_HOST='<your-bitbucket-host-here>'
unameOut="$(uname -s)"

case "$unameOut" in
  Linux*)    BASE64_FUNC='base64 -w 0';;
  Darwin*)  BASE64_FUNC='base64';;
  CYGWIN*)  BASE64_FUNC='base64 -w 0';;
  MINGW*)   BASE64_FUNC='base64 -w 0';;
  *)        BASE64_FUNC='base64 -w 0'
esac

cat <<EOF | oc apply -n $NS -f -
kind: Secret
apiVersion: v1
metadata:
  name: bitbucket-oauth-config
  labels:
    app.kubernetes.io/part-of: che.eclipse.org
    app.kubernetes.io/component: oauth-scm-configuration
  annotations:
    che.eclipse.org/oauth-scm-server: bitbucket
    che.eclipse.org/scm-server-endpoint: https://$BITBUCKET_HOST
type: Opaque
data:
  private.key: $(echo -n $PRIVATE_KEY | $BASE64_FUNC)
  consumer.key: $(echo -n $CONSUMER_KEY | $BASE64_FUNC)
EOF

```

- See the whole script in this [GitHub example](#).

Additional resources

- [Bitbucket Server overview](#)
- [Download Bitbucket Server](#)
- [Bitbucket Server Personal access tokens](#)
- [How to generate public key to application link 3rd party applications](#)
- [Using AppLinks to link to other applications](#)
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#authenticating-on-scm-server-with-a-personal-access-token.adoc.

12.3.5.4. Configuring GitLab servers

To use a GitLab server as a project sources supplier, register the GitLab server URL with CodeReady Workspaces using the **CHE_INTEGRATION_GITLAB_SERVER__ENDPOINTS** property and specify the host name of the server to register.

Example

```
https://gitlab.apps.cluster-2ab2.2ab2.example.opentlc.com/
```

For additional examples of configuring GitLab servers see [Understanding CodeReady Workspaces server advanced configuration using the Operator](#)

Additional resources

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#advanced-configuration-options-for-the-che-server-component.adoc

12.3.5.5. Configuring GitLab OAuth2

OAuth2 for GitLab allows accepting factories from private GitLab repositories.

Prerequisites

- GitLab server is running and available from CodeReady Workspaces

Procedure

- Create a [Authorized OAuth2 application in GitLab](#) using CodeReady Workspaces as the application **Name** and RH-SSO GitLab endpoint URL as the value for **Redirect URI**. The callback URL default value is **https://keycloak-openshift-workspaces.<DOMAIN>/auth/realms/codeready/broker/gitlab/endpoint**, where **<DOMAIN>** is OpenShift cluster domain. Store the **Application ID** and **Secret** values. All three types of GitLab OAuth 2 applications are supported: User owned, Group owned and Instance-wide.
 1. Create a custom OIDC provider link on RH-SSO pointing to GitLab server. Fill the following fields:

Client ID

a value from the **Application ID** field provided by GitLab server in previous step;

Client Secret

a value from **Secret** field provided by GitLab server in previous step;

Authorization URL

a URL which have a **https://<GITLAB_DOMAIN>/oauth/authorize** format;

Token URL

a URL which have a **https://<GITLAB_DOMAIN>/oauth/token** format;

Scopes

set of scopes which must contain (but not limited to) the following set: **api write_repository openid**;

Store Tokens

needs to be enabled;

Store Tokens Readable

needs to be enabled

**NOTE**

- Substitute **<GITLAB_DOMAIN>** with the URL and port of the GitLab installation.

2. Register the GitLab instance URL with the enabled OAuth 2 support in CodeReady Workspaces using the **CHE_INTEGRATION_GITLAB_OAUTH__ENDPOINT** property.

**WARNING**

- The GitLab instance URL must be present in the list of configured GitLab integration endpoints, set by the **CHE_INTEGRATION_GITLAB_SERVER__ENDPOINTS** property.

Additional resources

In case of having issues CodeReady Workspaces accessing GitLab related to TLS keys, consult with the following docs:

- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#importing-untrusted-tls-certificates.adoc.
- https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#deploying-che-with-support-for-git-repositories-with-self-signed-certificates.adoc.

12.3.6. Using protocol-based providers

RH-SSO supports [SAML v2.0](#) and [OpenID Connect v1.0](#) protocols.

12.3.7. Managing users using RH-SSO

You can add, delete, and edit users in the user interface. See [RH-SSO User Management](#) for more information.

12.3.8. Configuring CodeReady Workspaces to use an external RH-SSO installation

By default, CodeReady Workspaces installation includes the deployment of a dedicated RH-SSO instance. However, using an external RH-SSO is also possible. This option is useful when a user has an existing RH-SSO instance with already-defined users, for example, a company-wide RH-SSO server used by several applications.

Table 12.3. Placeholders used in examples

<provider-realm-name>	RH-SSO realm name intended for use by CodeReady Workspaces
<oidc-client-name>	Name of the oidc client defined in <provider-realm-name>
<auth-base-url>	Base URL of the external RH-SSO server

Prerequisites

- In the administration console of the external installation of RH-SSO, define a [realm](#) that contains the users to connect to CodeReady Workspaces:

The screenshot shows the RH-SSO administration console interface. On the left is a dark sidebar with navigation options: Realm, Settings, Clients, Client Scopes, Roles, Identity, Providers, User, Federation, Authentication, and Manage. The main content area is titled 'Realm-for-users' and has a trash icon. Below the title are tabs for 'General', 'Login', 'Keys', 'Email', 'Themes', 'Cache', 'Tokens', 'Client Registration', and 'Security Defenses'. The 'General' tab is active, showing the following configuration fields:

- Name:** realm-for-users
- Display name:** (empty field)
- HTML Display name:** (empty field)
- Frontend URL:** (empty field)
- Enabled:** ON (toggle switch)
- User-Managed Access:** OFF (toggle switch)
- Endpoints:** OpenID Endpoint Configuration, SAML 2.0 Identity Provider Metadata

At the bottom of the configuration area are 'Save' and 'Cancel' buttons.

- In this **realm**, define an [OIDC client](#) that CodeReady Workspaces will use to authenticate the users. This is an example of such a client with the correct settings:

Realm-for-users > Clients > public-client

Public-client

Settings Roles Client Scopes Mappers Scope Revocation Sessions

Client ID public-client

Name

Description

Enabled ON

Consent Required OFF

Login Theme

Client Protocol openid-connect

Access Type public

Standard Flow Enabled ON

Implicit Flow Enabled OFF

Direct Access Grants Enabled ON

Root URL

* Valid Redirect URIs

http://che-eclipse-che.apps-crc.testing/*	-
https://che-eclipse-che.apps-crc.testing/*	-
	+

Base URL

Admin URL

Web Origins

http://che-eclipse-che.apps-crc.testing	-
https://che-eclipse-che.apps-crc.testing	-

NOTE

- Client Protocol must be **openid-connect**.
- Access Type must be **public**. CodeReady Workspaces only supports the **public** access type.
- Valid Redirect URIs must contain at least two URIs related to the CodeReady Workspaces server, one using the **http** protocol and the other **https**. These URIs must contain the base URL of the CodeReady Workspaces server, followed by /* wildcards.
- Web Origins must contain at least two URIs related to the CodeReady Workspaces server, one using the **http** protocol and the other **https**. These URIs must contain the base URL of the CodeReady Workspaces server, without any path after the host.
The number of URIs depends on the number of installed product tools.

- With CodeReady Workspaces that uses the default OpenShift OAuth support, user authentication relies on the integration of RH-SSO with OpenShift OAuth. This allows users to

log in to CodeReady Workspaces with their OpenShift login and have their workspaces created under personal OpenShift projects.

This requires setting up an OpenShift "RH-SSO Identity Provider". When using an external RH-SSO, configure the RH-SSO manually. For instructions, see the appropriate RH-SSO documentations for either [OpenShift 3](#) or [OpenShift 4](#).

- The configured RH-SSO has the options **Store Tokens** and **Stored Tokens Readable** enabled.

Procedure

1. Set the following properties in the **CheCluster** Custom Resource (CR):

```
spec:
  auth:
    externalIdentityProvider: true
    identityProviderURL: <auth-base-url>
    identityProviderRealm: <provider-realm-name>
    identityProviderClientId: <oidc-client-name>
```

2. When installing CodeReady Workspaces with OpenShift OAuth support enabled, set the following properties in the **CheCluster** Custom Resource (CR):

```
spec:
  auth:
    openShiftoAuth: true
  # Note: only if the OpenShift "RH-SSO Identity Provider" alias is different from 'openshift-v3'
  # or 'openshift-v4'
  server:
    customCheProperties:
      CHE_INFRA_OPENSHIFT_OAUTHIDENTITYPROVIDER: <OpenShift "RH-SSO Identity
      Provider" alias>
```

12.3.9. Configuring SMTP and email notifications

Red Hat CodeReady Workspaces does not provide any pre-configured MTP servers.

To enable SMTP servers in RH-SSO:

1. Go to **che realm settings > Email**.
2. Specify the host, port, username, and password.

Red Hat CodeReady Workspaces uses the default theme for email templates for registration, email confirmation, password recovery, and failed login.

12.3.10. Enabling self-registration

Self-registration allows users to register themselves in a CodeReady Workspaces instance by accessing the CodeReady Workspaces server URL.

For CodeReady Workspaces installed without OpenShift OAuth support, self-registration is disabled by default, therefore the option to register a new user is not available on the login page.

Prerequisites

- You are logged in as an administrator.

Procedure

To enable self-registration of users:

1. Navigate to the **Realm Settings** menu on the left and open the **Login** tab.
2. Set **User registration** option to **On**.

12.4. CONFIGURING OPENSIFT OAUTH

For users to interact with OpenShift, they must first authenticate to the OpenShift cluster. OpenShift OAuth is a process in which users prove themselves to a cluster through an API with obtained OAuth access tokens.

Authentication with the https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/end-user_guide/index#openshift-connector-overview.adoc is a possible way for CodeReady Workspaces users to authenticate with an OpenShift cluster.

The following section describes the OpenShift OAuth configuration options and its use with a CodeReady Workspaces.

12.4.1. Configuring OpenShift OAuth with initial user

Prerequisites

- The **oc** tool is available.
- **crwctl** management tool is available. See https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#using-the-checkctl-management-tool.adoc.

Procedure

- Configure OpenShift identity providers on the cluster. See the [Understanding identity provider configuration](#).

When a user skips the Configuring step of OpenShift "RH-SSO Identity Provider", and the OpenShift cluster does not already contain a configured RH-SSO, CodeReady Workspaces creates an initial OpenShift user for the **HTPasswd** identity provider. Credentials of this user are stored in the **openshift-oauth-user-credentials** secret, located in the **openshift-config** namespace.

Obtain the credentials for logging in to an OpenShift cluster and CodeReady Workspaces instance:

1. Obtain OpenShift user name:

```
$ oc get secret openshift-oauth-user-credentials -n openshift-config -o json | jq -r '.data.user' | base64 -d
```

2. Obtain OpenShift user password:

```
$ oc get secret openshift-oauth-user-credentials -n openshift-config -o json | jq -r
'.data.password' | base64 -d
```

- Deploy CodeReady Workspaces using [OperatorHub](#) or the `crwctl`, see the [crwctl server:deploy specification](#) chapter. OpenShift OAuth will be enabled by default.

12.4.2. Configuring OpenShift OAuth without provisioning OpenShift initial OAuth user

The following procedure describes how to configure OpenShift OAuth without provisioning the initial OAuth user.

Prerequisites

- **crwctl** management tool is available. See https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#using-the-checkctl-management-tool.adoc.

Procedure

1. If you have installed CodeReady Workspaces by using the Operator, configure the following values in the `codeready-workspaces` Custom Resource:

```
spec:
  auth:
    openShiftoAuth: true
    initialOpenShiftOAuthUser: "
```

2. If you have installed CodeReady Workspaces by using the **crwctl** tool, use the **--che-operator-cr-patch-yaml** flag:

```
$ crwctl server:deploy --che-operator-cr-patch-yaml=patch.yaml ...
```

The **patch.yaml** file must contain the following:

```
spec:
  auth:
    openShiftoAuth: true
    initialOpenShiftOAuthUser: "
```

12.4.3. Removing OpenShift initial OAuth user

The following procedure describes how to remove OpenShift initial OAuth user provisioned by Red Hat CodeReady Workspaces.

Prerequisites

- The **oc** tool installed.
- An instance of Red Hat CodeReady Workspaces running on OpenShift.
- Logged in to OpenShift cluster using the **oc** tool.

Procedure

1. Update codeready-workspaces custom resource:


```
$ oc patch checluster/codeready-workspaces -n openshift-workspaces --type=json -p \
'[{ "op": "replace", "path": "/spec/auth/initialOpenShiftOAuthUser", "value": false}]'
```

12.5. REMOVING USER DATA

12.5.1. Removing user data according to GDPR

The General Data Protection Regulation ([GDPR](#)) law enforces the right for individuals to have personal data erased.

The following procedure describes how to remove a user's data from a cluster and the RH-SSO database.



NOTE

The following commands use the default OpenShift project, **openshift-workspaces**, as a user's example for the **-n** option.

Prerequisites

- A user or an administrator authorization token. To delete any other data except the data bound to a user account, **admin** privileges are required. The **admin** is a special CodeReady Workspaces administrator account pre-created and enabled using the **CHE_SYSTEM_ADMIN__NAME** and **CHE_SYSTEM_SUPER__PRIVILEGED__MODE = true** Custom Resource definitions.

```
spec:
  server:
    customCheProperties:
      CHE_SYSTEM_SUPER__PRIVILEGED__MODE: 'true'
      CHE_SYSTEM_ADMIN__NAME: '<admin-name>'
```

If needed, use commands below for creating the **admin** user:

```
$ oc patch checluster/codeready-workspaces \
  --type merge \
  -p '{ "spec": { "server": {"customCheProperties":
{"CHE_SYSTEM_SUPER__PRIVILEGED__MODE": "true"} } } }' \
  -n openshift-workspaces
```

```
$ oc patch checluster/codeready-workspaces \
  --type merge \
  -p '{ "spec": { "server": {"customCheProperties": {"CHE_SYSTEM_ADMIN__NAME":
"<admin-name>"} } } }' \
  -n openshift-workspaces
```



NOTE

All system permissions are granted to the administrative user. To configure the administrative user, use the **CHE_SYSTEM_ADMIN__NAME** property. The default value is **admin**. The system permissions are granted when the CodeReady Workspaces server starts. If the user record is not in the CodeReady Workspaces user database, the permissions are granted after the first login of the user.

Authorization token privileges:

- **admin** - Can delete all personal data of all users
 - **user** - Can delete only the data related to the user
- A user or an administrator is logged in the OpenShift cluster with deployed CodeReady Workspaces.
 - A user ID is obtained. Get the user ID using the commands below:
 - For the current user:

```
$ curl -X GET \
  --header 'Authorization: Bearer <user-token>' \
  'https://<codeready-<openshift_deployment_name>.<domain_name>/api/user'
```

- To find a user by name:

```
$ curl -X GET \
  --header 'Authorization: Bearer <user-token>' \
  'https://<codeready-<openshift_deployment_name>.<domain_name>/api/user/find?
  name=<username>'
```

- To find a user by email:

```
$ curl -X GET \
  --header 'Authorization: Bearer <user-token>' \
  'https://<codeready-<openshift_deployment_name>.<domain_name>/api/user/find?
  email=<email>'
```

Example of obtaining a user ID

This example uses **vparfono** as a local user name.

```
$ curl -X GET \
  --header 'Authorization: Bearer <user-token>' \
  'https://che-vp-che.apps.che-dev.x6e0.p1.openshiftapps.com/api/user/find?
  name=vparfono'
```

The user ID is at the bottom of the curl command output.

```
{
  "name": "vparfono",
  "links": [
    {
      .
```



```
.
.
}
],
"email": "vparfono@redhat.com",
"id": "921b6f33-2657-407e-93a6-fb14cf2329ce"
}
```

Procedure

1. Update the **codeready-workspaces CheCluster Custom** Resource (CR) definition to permit the removal of a user's data from the RH-SSO database:

```
$ oc patch checluster/codeready-workspaces \
  --patch '{"spec":{"server":{"customCheProperties":
{"CHE_KEYCLOAK_CASCADE__USER__REMOVAL__ENABLED": "true"}}}}' \
  --type=merge -n openshift-workspaces
```

2. Remove the data using the API:

```
$ curl -i -X DELETE \
  --header 'Authorization: Bearer <user-token>' \
  https://<codeready-<openshift_deployment_name>.<domain_name>/api/user/<user-id>
```

Verification

Running the following command returns code **204** as the API response:

```
$ curl -i -X DELETE \
  --header 'Authorization: Bearer <user-token>' \
  https://<codeready-<openshift_deployment_name>.<domain_name>/api/user/<user-id>
```

Additional resources

To remove the data of all users, follow the instructions for https://access.redhat.com/documentation/en-us/red_hat_codeready_workspaces/2.14/html-single/installation_guide/index#uninstalling-che.adoc.