



Red Hat OpenStack Platform 12

コンピュートインスタンスの高可用性

コンピュートインスタンスの高可用性構成

Red Hat OpenStack Platform 12 コンピュートインスタンスの高可用性

コンピュートインスタンスの高可用性構成

OpenStack Team

rhos-docs@redhat.com

法律上の通知

Copyright © 2018 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution-Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

概要

Red Hat OpenStack Platform でコンピュートインスタンスの高可用性 (インスタンス HA) を構成するためのガイドです。本書では、**Ansible** を使用したインスタンス HA の有効化を中心に記載しています。

目次

前書き 3

前書き



警告

コンピュータインスタンスの高可用性ガイドに記載していた内容は非推奨となり、**Red Hat OpenStack Platform director** を使用したデプロイメント向けの内容を現在レビューしています。