



Red Hat Satellite 6.11

Hammer CLI ガイド

Satellite の CLI ツール、Hammer の使用ガイド

Red Hat Satellite 6.11 Hammer CLI ガイド

Satellite の CLI ツール、Hammer の使用ガイド

Red Hat Satellite Documentation Team
satellite-doc-list@redhat.com

法律上の通知

Copyright © 2023 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

概要

本ガイドは、Hammer CLI ツールを使用して Red Hat Satellite を設定/管理する方法を説明します。

目次

RED HAT ドキュメントへのフィードバック (英語のみ)	4
第1章 HAMMER の概要	5
1.1. ヘルプ	5
1.2. 認証	5
1.3. スタンドアロンの HAMMER の使用	7
1.4. デフォルトの組織およびロケーションの設定	8
1.5. HAMMER の設定	9
1.6. HAMMER ログインの設定	10
1.7. HAMMER シェルの呼び出し	10
1.8. フォーマット済みの出力の生成	10
1.9. HAMMER コマンドのヘッダー出力の非表示	11
1.10. 複雑なパラメーターへの JSON の使用	11
1.11. HAMMER でのトラブルシューティング	12
第2章 参照	13
2.1. HAMMER	13
2.2. HAMMER ACTIVATION-KEY	15
2.3. HAMMER ADMIN	28
2.4. HAMMER ANSIBLE	29
2.5. HAMMER ARCHITECTURE	44
2.6. HAMMER ARF-REPORT	49
2.7. HAMMER AUDIT	54
2.8. HAMMER AUTH	57
2.9. HAMMER AUTH-SOURCE	60
2.10. HAMMER BOOKMARK	69
2.11. HAMMER BOOTDISK	74
2.12. HAMMER CAPSULE	76
2.13. HAMMER COMPUTE-PROFILE	88
2.14. HAMMER COMPUTE-RESOURCE	108
2.15. HAMMER CONFIG-REPORT	133
2.16. HAMMER CONTENT-CREDENTIALS	137
2.17. HAMMER CONTENT-EXPORT	141
2.18. HAMMER CONTENT-IMPORT	149
2.19. HAMMER コンテンツユニット	152
2.20. HAMMER CONTENT-VIEW	155
2.21. HAMMER DEB-PACKAGE	188
2.22. HAMMER DEFAULTS	191
2.23. HAMMER DISCOVERY	193
2.24. HAMMER DISCOVERY-RULE	201
2.25. HAMMER DOCKER	206
2.26. HAMMER DOMAIN	211
2.27. HAMMER ERRATUM	217
2.28. HAMMER EXPORT-TEMPLATES	220
2.29. HAMMER FACT	221
2.30. HAMMER FILE	222
2.31. HAMMER FILTER	225
2.32. HAMMER FOREIGN-INPUT-SET	232
2.33. HAMMER FULL-HELP	236
2.34. HAMMER GLOBAL-PARAMETER	237
2.35. HAMMER HOST	240

2.36. HAMMER HOST-COLLECTION	297
2.37. HAMMER HOST-REGISTRATION	313
2.38. HAMMER HOSTGROUP	314
2.39. HAMMER HTTP-PROXY	326
2.40. HAMMER IMPORT-TEMPLATES	331
2.41. HAMMER JOB-INVOCATION	332
2.42. HAMMER JOB-TEMPLATE	338
2.43. HAMMER LIFECYCLE-ENVIRONMENT	345
2.44. HAMMER LOCATION	350
2.45. HAMMER MAIL-NOTIFICATION	369
2.46. HAMMER MEDIUM	371
2.47. HAMMER MODEL	377
2.48. HAMMER MODULE-STREAM	382
2.49. HAMMER ORGANIZATION	384
2.50. HAMMER OS	404
2.51. HAMMER PACKAGE	416
2.52. HAMMER PACKAGE-GROUP	419
2.53. HAMMER PARTITION-TABLE	421
2.54. HAMMER PING	428
2.55. HAMMER POLICY	429
2.56. HAMMER PREBUILD-BASH-COMPLETION	438
2.57. HAMMER PRODUCT	438
2.58. HAMMER PROXY	446
2.59. HAMMER REALM	458
2.60. HAMMER RECURRING-LOGIC	463
2.61. HAMMER REMOTE-EXECUTION-FEATURE	466
2.62. HAMMER REPORT	469
2.63. HAMMER REPORT-TEMPLATE	473
2.64. HAMMER REPOSITORY	483
2.65. HAMMER REPOSITORY-SET	495
2.66. HAMMER ROLE	500
2.67. HAMMER SCAP-CONTENT	506
2.68. HAMMER SCAP-CONTENT-PROFILE	512
2.69. HAMMER SETTINGS	513
2.70. HAMMER SHELL	516
2.71. HAMMER SIMPLE-CONTENT-ACCESS	516
2.72. HAMMER SRPM	518
2.73. HAMMER STATUS	520
2.74. HAMMER SUBNET	521
2.75. HAMMER SUBSCRIPTION	529
2.76. HAMMER SYNC-PLAN	533
2.77. HAMMER TAILORING-FILE	538
2.78. HAMMER TASK	543
2.79. HAMMER TEMPLATE	546
2.80. HAMMER TEMPLATE-INPUT	560
2.81. HAMMER USER	565
2.82. HAMMER USER-GROUP	584
2.83. HAMMER VIRT-WHO-CONFIG	598
2.84. HAMMER WEBHOOK	606
2.85. HAMMER WEBHOOK-TEMPLATE	612

RED HAT ドキュメントへのフィードバック (英語のみ)

Red Hat ドキュメントに対するご意見をお聞かせください。ドキュメントの改善点があればお知らせください。

Bugzilla でチケットを作成することでフィードバックを送信できます。

1. [Bugzilla](#) のWeb サイトに移動します。
2. **Component** フィールドで、**Documentation** を使用します。
3. **Description** フィールドに、ドキュメントの改善に関するご意見を記入してください。ドキュメントの該当部分へのリンクも追加してください。
4. **Submit Bug** をクリックします。

第1章 HAMMER の概要

Hammer は、Red Hat Satellite 6 で提供される強力なコマンドラインツールです。Hammer を使用して、CLI コマンド、またはシェルスクリプトによる自動化により、Red Hat Satellite Server を設定/管理することができます。Hammer は対話式のシェルも提供します。

Hammer と Satellite Web UI の比較

Web UI の操作感と比較すると、Hammer を使用する場合には環境変数やエイリアスなどのシェル機能が自由に使えるため、Satellite Server との対話をはるかに速くなります。また、Hammer のコマンドを再利用可能なスクリプトに組み込み、あらゆるレベルで複雑なタスクを自動化することもできます。Hammer コマンドからの出力を他のツールにリダイレクトして、既存の環境と統合することができます。Hammer コマンドは、Red Hat Satellite を稼働するベースオペレーティングシステムで直接実行できます。

Hammer コマンドを発行するには、Satellite Server のベースのオペレーティングシステムにアクセスする必要があります。そのため、Web UI と比較すると、潜在的なユーザー数が限定されてしまいます。Hammer と Web UI の違いはほぼありませんが、Web UI の開発の優先度は高く、特に新しく導入される機能についてはこちらが優先されることがあります。

Hammer と Satellite API の比較

多くのタスクで、Hammer も Satellite API も同等に利用可能です。Hammer は、スクリプトに適用する前に API の呼び出しの応答をテストするなど、Satellite API よりも使いやすいインターフェイスとして利用できます (**hammer -d organization list** など、Hammer で発行した API の呼び出しを検査するには **-d** オプションを使用します)。API での変更は自動的に Hammer に適用されますが、API を直接使用するスクリプトは手動で更新する必要があります。

バックグラウンドで、各 Hammer コマンドは最初に API へのバインドを確立し、要求を送信します。この動作は、大量の Hammer コマンドを順に実行する場合に、パフォーマンスに影響を与える可能性があります。反対に、API で直接通信するスクリプトではバインドを確立するのは一度で済みます。詳細は、[API ガイド](#) を参照してください。

1.1. ヘルプ

hammer オプションおよびサブコマンドの完全なリストを表示するには以下を実行します。

```
$ hammer --help
```

以下のように **--help** を使用してサブコマンドを確認します。

```
$ hammer organization --help
```

以下のように **grep** を使用して help の出力を検索するか、テキストビューワーにリダイレクトすることができます。

```
$ hammer | less
```

1.2. 認証

hammer コマンドを使用する場合は Red Hat Satellite に ID を証明する必要があります。hammer コマンドは手動または自動で実行できます。いずれの場合も、認証には Satellite 認証情報が必要です。hammer 認証には 3 つの方法があります。

- Hammer 認証セッション
- hammer 設定ファイルに認証情報を保存
- hammer コマンドを使用するたびに認証情報を指定

自動でコマンドを実行する場合は、hammer 設定ファイルを使用することが推奨されます。たとえば、cron ジョブから Satellite メンテナンスコマンドを実行する場合は、コマンドを手動で実行する場合は、Red Hat は、hammer 認証セッションを使用して、コマンドを実行するたびに認証情報を提供する方法を推奨します。

1.2.1. Hammer 認証セッション

Hammer 認証セッションでは、認証情報をキャッシュで保存するので、セッションの最初に一度だけ認証情報を入力する必要があります。この手法は、複数の Hammer コマンドを含むスクリプトなど、複数の Hammer コマンドを順次実行する場合に適して言います。このようなシナリオでは Satellite の認証情報を一度入力すると、スクリプトは想定通りに実行されます。Hammer の認証セッションを使用する場合は、スクリプト自体に認証情報を保存せず、`~/.hammer/cli.modules.d/foreman.yml` の hammer 設定ファイルに保存します。

セッションの使用方法は以下のようになります。

- セッションを有効にするには、`:use_sessions: true` を `~/.hammer/cli.modules.d/foreman.yml` ファイルに追加します。

```
:foreman:
:use_sessions: true
```

セッションを有効にすると、設定ファイルに保存している認証情報は無視されます。

- セッションを開始するには、以下のコマンドを入力します。

```
# hammer auth login
```

Satellite 認証情報が求められ、ログインします。その認証情報は、セッションの有効期限が切れるまで持続するため、再要求はされません。

- セッションのデフォルトの長さは 60 分ですが、自由に変更できます。ニーズに合わせて時間を変更できます。たとえば、これを 30 分に変更するには、以下のコマンドを入力します。

```
# hammer settings set --name idle_timeout --value 30
Setting [idle_timeout] updated to [30]
```

- セッションの現在のステータスを表示するには、以下のコマンドを実行します。

```
# hammer auth status
```

- セッションを終了するには、以下のコマンドを入力します。

```
# hammer auth logout
```

1.2.2. Hammer 設定ファイル

`--foreman-initial-admin-username` および `--foreman-initial-admin-password` オプションを使用して Satellite のインストールを実行すると、入力した認証情報が `~/.hammer/cli.modules.d/foreman.yml` に保存され、hammer により認証情報の入力が求められます。

認証情報は、手動で `~/.hammer/cli.modules.d/foreman.yml` 設定ファイルに追加することもできます。

```
:foreman:
:username: 'username'
:password: 'password'
```



重要

hammer 設定ファイルのインデントには、スペースのみを使用するようにしてください。タブは使用しないでください。

1.2.3. コマンドライン

Satellite 認証情報を `~/.hammer/cli.modules.d/foreman.yml` 設定ファイルに保存しないと、コマンドを入力するたびに hammer によって認証情報が求められます。以下のように、コマンドの実行時に認証情報を指定できます。

```
$ hammer -u username -p password subcommands
```



注記

本ガイドの例は、設定ファイルの認証情報が保存されているか、hammer 認証セッションを使用していることを前提としています。

1.3. スタンドアロンの HAMMER の使用

Red Hat Enterprise Linux 8 または Red Hat Enterprise Linux 7 が実行されていて、Satellite Server がインストールされていないホストに **Hammer** をインストールし、それを使用してホストをリモートの Satellite に接続できます。

前提条件

- Satellite Server または Capsule Server にホストを登録しておく。詳細は、[ホストの管理のホストの登録](#) を参照してください。
- Satellite Server または Capsule Server で以下のリポジトリを同期しておく。詳細は、[コンテンツの管理のRed Hat リポジトリの同期](#) を参照してください。
 - Red Hat Enterprise Linux 8 の場合:
 - `rhel-8-for-x86_64-baseos-rpms`
 - `rhel-8-for-x86_64-appstream-rpms`
 - `satellite-utils-6.11-for-rhel-8-x86_64-rpms`
 - Red Hat Enterprise Linux 7 の場合:
 - `rhel-7-server-rpms`

- rhel-7-server-satellite-utils-6.11-rpms
- rhel-server-rhscl-7-rpms

手順

ホストで、以下の手順を実行して **hammer** をインストールします。

1. 必要なりポジトリを有効にします。

- Red Hat Enterprise Linux 8 の場合:

```
# subscription-manager repos --enable=rhel-8-for-x86_64-baseos-rpms \  
--enable=rhel-8-for-x86_64-appstream-rpms \  
--enable=satellite-utils-6.11-for-rhel-8-x86_64-rpms
```

- Red Hat Enterprise Linux 7 の場合:

```
# subscription-manager repos --enable=rhel-7-server-rpms \  
--enable=rhel-7-server-satellite-utils-6.11-rpms \  
--enable=rhel-server-rhscl-7-rpms
```

2. ホストが Red Hat Enterprise Linux 8 を実行している場合は、Satellite Utils モジュールを有効にします。

```
# dnf module enable satellite-utils:el8
```

3. **hammer** をインストールします。

- Red Hat Enterprise Linux 8 の場合:

```
# dnf install rubygem-hammer_cli_katello
```

- Red Hat Enterprise Linux 7 の場合:

```
# yum install tfm-rubygem-hammer_cli_katello
```

4. Satellite の IP アドレスまたは FQDN を含めるように、`/etc/hammer/cli.modules.d/foreman.yml` ファイルの `:host:` エントリーを編集します。

```
:host: 'https://satellite.example.com'
```

1.4. デフォルトの組織およびロケーションの設定

hammer コマンドの多くは、組織固有のものです。 `--organization` および `--location` オプションで毎回指定する必要がないように、**hammer** コマンドにデフォルトの組織とロケーションを設定できます。

組織を1つ管理することが多い場合には、入力するコマンドが短くなるので、デフォルトの組織を指定すると便利です。ただし、別の組織に切り替える場合には、**hammer** コマンドを使用して、`--organization` オプションで切り替える組織を指定します。

手順

デフォルトの組織と場所を設定するには、次の手順を実行します。

1. デフォルトの組織を設定するには、以下のコマンドを入力します。

```
# hammer defaults add --param-name organization \  
--param-value "Your_Organization"
```

hammer organization list コマンドを使用して、組織の名前を検索します。

2. オプション: デフォルトのロケーションを設定するには、以下のコマンドを入力します。

```
# hammer defaults add --param-name location \  
--param-value "Your_Location"
```

hammer location list コマンドを使用して、ロケーションの名前を検索します。

3. 現在指定しているデフォルトの設定を確認するには、以下のコマンドを実行します。

```
# hammer defaults list
```

1.5. HAMMER の設定

デフォルトでは、グローバルの **hammer** 設定は以下の場所に配置されています。

- 一般的な **hammer** の設定: `/etc/hammer/cli_config.yml`
- CLI モジュールの設定ファイル: `/etc/hammer/cli.modules.d/`

hammer (`~/hammer/cli_config.yml`) または CLI モジュール (`~/hammer/cli.modules.d/` の適切な `.yml` ファイル) にユーザー固有のディレクティブを設定できます。

設定ファイルの読み込み順と、読み込んだモジュールのバージョンを表示するには、以下を実行します。

```
$ hammer -d --version
```



注記

多くの CLI モジュールの設定を読み込むと、**hammer** コマンドの実行の速度が遅くなる可能性があります。このような場合に、あまり使用しない CLI モジュールを無効化することを検討してください。

「[認証](#)」に記載されているような認証情報を保存する以外に、`~/hammer/` 設定ディレクトリーに他の複数のオプションを設定できます。たとえば、`~/hammer/cli_config.yml` でデフォルトのログレベルを変更して、以下のディレクティブを使用してログのローテーションを設定することができます。これらのディレクティブは、現在のユーザーにのみ影響を及ぼし、グローバルには適用されません。

```
:log_level: 'warning'  
:log_size: 5 #in MB
```

同様に、ユーザーインターフェイスの設定を行います。たとえば、Hammer 出力で、要求ごとに表示するエントリー数を設定するには、以下の行を変更します。

```
:per_page: 30
```

この設定は、**--per-page** Hammer オプションと同等です。

1.6. HAMMER ロギングの設定

hammer を設定して、さまざまな Satellite コンポーネントのデバッグ情報をロギングすることができます。

全 Satellite コンポーネントに対してデバッグまたは通常の設定オプションを設定できます。



注記

hammer のロギング動作を変更したら、Satellite サービスを再起動する必要があります。

```
# satellite-maintain service restart
```

- 全コンポーネントのデバッグレベルを設定するには、以下のコマンドを使用します。

```
# hammer admin logging --all --level-debug  
# satellite-maintain service restart
```

- 実稼働レベルのロギングを設定するには、以下のコマンドを使用します。

```
# hammer admin logging --all --level-production  
# satellite-maintain service restart
```

- ロギングが設定可能なコンポーネントで現在認識されているものを表示するには、以下のコマンドを使用します。

```
# hammer admin logging --list
```

- 利用可能なロギングオプションをリスト表示するには、以下のコマンドを使用します。

```
# hammer admin logging --help  
  
Usage:  
hammer admin logging [OPTIONS]
```

1.7. HAMMER シェルの呼び出し

対話型シェルで **hammer** コマンドを発行することができます。このシェルを呼び出すには、以下のコマンドを発行します。

```
$ hammer shell
```

このシェルでは、hammer と入力せずに直接サブコマンドを入力できるので、スクリプトで使用する前にコマンドをテストする際に便利です。このシェルを終了するには、**exit** と入力するか、**Ctrl + D** を押してください。

1.8. フォーマット済みの出力の生成

hammer コマンドのデフォルトの出力形式を変更して、他のコマンドラインツールやアプリケーションでこの出力結果を処理しやすくすることができます。たとえば、CSV 形式で、カスタムの区切り文字を利用して（ここではセミコロンを使用）組織を表示するには、以下のコマンドを実行します。

```
$ hammer --csv --csv-separator ";" organization list
```

CSV 形式の出力は、ID を解析して **for** ループで使用する必要がある場合などに便利です。

--output オプションには、他に複数のフォーマットオプションがあります。

```
$ hammer --output output_format organization list
```

output_format を、以下のいずれかに置き換えます。

- **table**: 人間が判読できる表形式 (デフォルト) で出力を生成します。
- **base**: キーと値のペアの形式で出力を生成します。
- **yaml**: YAML 形式で出力を生成します。
- **csv**: コンマ区切りの値形式で出力を生成します。カスタムの区切り文字を定義するには、代わりに **--csv** および **--csv-separator** オプションを使用してください。
- **json**: JavaScript Object Notation (JSON) 形式の出力を生成します。
- **silent**: 出力を表示しません。

1.9. HAMMER コマンドのヘッダー出力の非表示

hammer コマンドの使用時には、出力からヘッダーを隠すオプションがあります。カスタムスクリプトでパイプを使用するまたは出力を使用する場合は、出力の非表示が便利です。

- ヘッダー出力を隠すには、**--no-headers** オプションを hammer コマンドに追加します。

1.10. 複雑なパラメーターへの JSON の使用

JSON は、複雑なパラメーターを記述するのに推奨される方法です。

JSON 形式のコンテンツの例を以下に示します。

```
# hammer compute-profile values create --compute-profile-id 22 --compute-resource-id 1 --compute-attributes=
{
  "cpus": 2,
  "corespersocket": 2,
  "memory_mb": 4096,
  "firmware": "efi",
  "resource_pool": "Resources",
  "cluster": "Example_Cluster",
  "guest_id": "rhel8",
  "path": "/Datacenters/EXAMPLE/vm/",
  "hardware_version": "Default",
  "memoryHotAddEnabled": 0,
  "cpuHotAddEnabled": 0,
```

```
"add_cdrom": 0,
"boot_order": [
  "disk",
  "network"
],
"scsi_controllers":[
  {
    "type": "ParaVirtualSCSIController",
    "key":1000
  },
  {
    "type": "ParaVirtualSCSIController",
    "key":1001
  }it
]
}'
```

1.11. HAMMER でのトラブルシューティング

hammer ping コマンドを使用して、コアの Satellite サービスのステータスを確認できます。**satellite-maintain service status** コマンドと併用すると、Satellite の問題の診断、トラブルシューティングに役立ちます。すべてのサービスが想定どおりに実行されている場合は、出力は以下のようになります。

```
$ hammer ping
candlepin:
  Status:      ok
  Server Response: Duration: 22ms
candlepin_auth:
  Status:      ok
  Server Response: Duration: 17ms
pulp:
  Status:      ok
  Server Response: Duration: 41ms
pulp_auth:
  Status:      ok
  Server Response: Duration: 23ms
foreman_tasks:
  Status:      ok
  Server Response: Duration: 33ms
```


第2章 参照

本章では、Hammer の使用方法の説明をリストで紹介します。以下の使用法は、Hammer の複数バージョンおよび、Satellite 6.11 向けにリリースされた Hammer のコンポーネントに対して最新の説明です。

2.1. HAMMER

Usage:

```
hammer [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

activation-key	Manipulate activation keys
admin	Administrative server-side tasks
ansible	Manage foreman ansible
architecture	Manipulate architectures
arf-report	Manipulate compliance reports
audit	Search audit trails.
auth	Foreman connection login/logout
auth-source	Manipulate auth sources
bookmark	Manage bookmarks
bootdisk	Download boot disks
capsule	Manipulate capsule
compute-profile	Manipulate compute profiles
compute-resource	Manipulate compute resources
config-report	Browse and read reports
content-credentials	Manipulate content credentials on the server
content-export	Prepare content for export to a disconnected Katello
content-import	Import content from an upstream archive.
content-units	Manipulate content units
content-view	Manipulate content views
deb-package	Manipulate deb packages
defaults	Defaults management
discovery	Manipulate discovered hosts.
discovery-rule	Manipulate discovered rules.
docker	Manipulate docker content
domain	Manipulate domains
erratum	Manipulate errata
export-templates	Export templates to a git repo or a directory on the server
fact	Search facts
file	Manipulate files
filter	Manage permission filters
foreign-input-set	Manage foreign input sets
full-help	Print help for all hammer commands
global-parameter	Manipulate global parameters
host	Manipulate hosts
host-collection	Manipulate host collections
host-registration	Host Registration
hostgroup	Manipulate hostgroups
http-proxy	Manipulate http proxies
import-templates	Import templates from a git repo or a directory on the server

job-invocation	Manage job invocations
job-template	Manage job templates
lifecycle-environment	Manipulate lifecycle_environments on the server
location	Manipulate locations
mail-notification	Manage mail notifications
medium	Manipulate installation media
model	Manipulate hardware models
module-stream	View Module Streams
organization	Manipulate organizations
os	Manipulate operating system
package	Manipulate packages
package-group	Manipulate package groups
partition-table	Manipulate partition tables
ping	Get the status of the server and/or it's subcomponents
policy	Manipulate policies
prebuild-bash-completion	Prepare map of options and subcommands for Bash completion
product	Manipulate products
proxy	Manipulate smart proxies
realm	Manipulate realms
recurring-logic	Recurring logic related actions
remote-execution-feature	Manage remote execution features
report	Browse and read reports
report-template	Manipulate report templates
repository	Manipulate repositories
repository-set	Manipulate repository sets on the server
role	Manage user roles
scap-content	Manipulate SCAP contents
scap-content-profile	Manipulate Scap Content Profiles
settings	Change server settings
shell	Interactive shell
simple-content-access	Simple content access commands
srpm	Manipulate source RPMs
status	Get the complete status of the server and/or it's subcomponents
subnet	Manipulate subnets
subscription	Manipulate subscriptions
sync-plan	Manipulate sync plans
tailoring-file	Manipulate Tailoring files
task	Tasks related actions.
template	Manipulate provisioning templates
template-input	Manage template inputs
user	Manipulate users
user-group	Manage user groups
virt-who-config	Manage Virt Who configurations
webhook	Manage webhooks
webhook-template	Manipulate webhook templates

Options:

--[no-]use-defaults	Enable/disable stored defaults. Enabled by default
--autocomplete VALUE	Get list of possible endings
--csv	Output as CSV (same as --output=csv)
--csv-separator VALUE	Character to separate the values
--fetch-ca-cert VALUE	Fetch CA certificate from server and exit
--interactive BOOLEAN	Explicitly turn interactive mode on/off
--no-headers	Hide headers from output
--output ENUM	Set output format
	Possible value(s): 'base', 'table', 'silent', 'csv', 'yaml', 'json'

```

--output-file VALUE      Path to custom output file
--show-ids               Show ids of associated resources
--ssl-ca-file VALUE     Configure the file containing the CA certificates
--ssl-ca-path VALUE     Configure the directory containing the CA certificates
--ssl-client-cert VALUE Configure the client's public certificate
--ssl-client-key VALUE  Configure the client's private key
--ssl-with-basic-auth   Use standard authentication in addition to client certificate authentication
--verify-ssl BOOLEAN    Configure SSL verification of remote system
--version               Show version
-c, --config VALUE     Path to custom config file
-d, --debug             Show debugging output
-h, --help              Print help
-p, --password VALUE   Password to access the remote system
-q, --quiet             Completely silent
-r, --reload-cache     Force reload of Apipie cache
-s, --server VALUE     Remote system address
-u, --username VALUE   Username to access the remote system
-v, --[no-]verbose     Be verbose (or not). True by default

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.2. HAMMER ACTIVATION-KEY

アクティベーションキーを操作します

Usage:

```
hammer activation-key [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

add-host-collection  Associate a resource
add-subscription     Add subscription
content-override     Override product content defaults
copy                 Copy an activation key
create               Create an activation key
delete, destroy      Destroy an activation key

```

host-collections	List associated host collections
info, show	Show an activation key
list, index	List activation keys
product-content	List associated products
remove-host-collection	Disassociate a resource
remove-subscription	Remove subscription
subscriptions	List associated subscriptions
update	Update an activation key

Options:

-h, --help	Print help
------------	------------

2.2.1. hammer activation-key add-host-collection

リソースを関連付けます。

Usage:

```
hammer activation-key add-host-collection [OPTIONS]
```

Options:

--host-collection VALUE	Host collection name to search by
--host-collection-id NUMBER	Id of the host collection
--id VALUE	ID of the activation key
--name VALUE	Activation key name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.2. hammer activation-key add-subscription

サブスクリプションを追加します。

Usage:

```
hammer activation-key add-subscription [OPTIONS]
```

Options:

```
--id NUMBER          ID of the activation key
--name VALUE         Activation key name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--quantity NUMBER   Quantity of this subscription to add
--subscription VALUE Subscription name to search by
--subscription-id NUMBER Subscription identifier
--subscriptions SCHEMA Array of subscriptions to add
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--subscriptions "id=<string>\,quantity=<numeric>, ... "
```

2.2.3. hammer activation-key content-override

製品コンテンツのデフォルトを上書きします。

Usage:

```
hammer activation-key content-override [OPTIONS]
```

Options:

```
--content-label VALUE Label of the content
--id NUMBER           ID of the activation key
--name VALUE         Activation key name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--override-name VALUE Override parameter key or name.
                       To enable or disable a repo select 'enabled'.
                       Default value: enabled
```

```

                Default: "enabled"
--remove          Remove a content override
--value VALUE     Override value. Note for repo enablement you can use a boolean value
-h, --help       Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.2.4. hammer activation-key copy

アクティベーションキーをコピーします。

Usage:

```
hammer activation-key copy [OPTIONS]
```

Options:

```

--id NUMBER          ID of the activation key
--name VALUE         Activation key name to search by
--new-name VALUE     Name of new activation key
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.5. hammer activation-key create

アクティベーションキーを作成します。

Usage:

```
hammer activation-key create [OPTIONS]
```

Options:

```
--auto-attach BOOLEAN      Auto attach subscriptions upon registration
--content-view VALUE       Content view name to search by
--content-view-id NUMBER   Content view id
--description VALUE        Description
--environment VALUE        Lifecycle environment name to search by (--environment is
deprecated: Use
--lifecycle-environment instead)
--environment-id NUMBER    (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment id
--max-hosts NUMBER         Maximum number of registered content hosts
--name VALUE               Name
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--purpose-addons LIST      Sets the system add-ons
--purpose-role VALUE       Sets the system purpose usage
--purpose-usage VALUE      Sets the system purpose usage
--release-version VALUE    Content release version
--service-level VALUE      Service level
--unlimited-hosts           Set hosts max to unlimited
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.6. hammer activation-key delete

アクティベーションキーを破棄します。

Usage:

```
hammer activation-key <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER           ID of the activation key
--name VALUE          Activation key name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.2.7. hammer activation-key host-collections

関連付けられているホストコレクションをリスト表示します。

Usage:

```
hammer activation-key host-collections [OPTIONS]
```

Options:

```
--available-for VALUE  Interpret specified object to return only Host Collections that can be
                       associated with specified object. The value 'host' is supported.
--fields LIST          Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN  Whether or not to show all results
--host-id NUMBER       Filter products by host id
--id VALUE             ID of activation key
--name VALUE           Name of activation key
--organization VALUE   Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--sort-by VALUE        Field to sort the results on
--sort-order VALUE     How to order the sorted results (e.g. ASC for ascending)
```


-h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.2.8. hammer activation-key info

アクティベーションキーを表示します。

Usage:

```
hammer activation-key <info|show> [OPTIONS]
```

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
 --id NUMBER ID of the activation key
 --name VALUE Activation key name to search by
 --organization VALUE Organization name to search by
 --organization-id NUMBER Organization identifier
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 -h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS                 | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name                   | x | x   | x
Id                     | x | x   | x
Description            | x | x   |
Host limit             | x | x   |
Auto attach            | x | x   |
Release version        | x | x   |
```

Lifecycle environment	x x
Content view	x x
Host collections/id	x x
Host collections/name	x x
System purpose/service level	x x
System purpose/purpose usage	x x
System purpose/purpose role	x x
System purpose/purpose addons	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.9. hammer activation-key list

アクティベーションキーをリスト表示します。

Usage:

```
hammer activation-key <list|index> [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view identifier
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	Environment identifier
--name VALUE	Activation key name to filter by
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return

```
--search VALUE      Search string
-h, --help          Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Name         | x  | x      | x
Host limit   | x  | x      |
Lifecycle environment | x  | x      |
Content view | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
addon        string
content_view string
content_view_id integer
description   text
environment   string
name          string
organization_id integer
role          string
subscription_id string
subscription_name string
usage        string
```

2.2.10. hammer activation-key product-content

関連付けられた製品をリスト表示します。

Usage:

```
hammer activation-key product-content [OPTIONS]
```

Options:

```
--content-access-mode-all BOOLEAN Get all content available, not just that provided by
subscriptions
```

--content-access-mode-env BOOLEAN Limit content to just that available in the activation key's content view

```

                                version
--fields LIST                    Show specified fields or predefined field sets only. (See below)
--id VALUE                       ID of the activation key
--name VALUE                     Activation key name to search by
--organization VALUE            Organization name to search by
--organization-id NUMBER
--organization-label VALUE      Organization label to search by
--organization-title VALUE      Organization title
-h, --help                       Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Type    | x | x   |
Url     | x | x   |
Gpg key | x | x   |
Label   | x | x   |
Default enabled? | x | x   |
Override | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.2.11. hammer activation-key remove-host-collection

リソースの関連付けを解除します。

Usage:

```
hammer activation-key remove-host-collection [OPTIONS]
```

Options:

```

--host-collection VALUE      Host collection name to search by
--host-collection-id NUMBER  Id of the host collection
--id VALUE                   ID of the activation key

```

```

--name VALUE           Activation key name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help             Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.2.12. hammer activation-key remove-subscription

サブスクリプションを削除します。

Usage:

```
hammer activation-key remove-subscription [OPTIONS]
```

Options:

```

--id NUMBER           ID of the activation key
--name VALUE          Activation key name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--subscription-id VALUE ID of subscription
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description

```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.13. hammer activation-key subscriptions

関連付けられたサブスクリプションをリスト表示します。

Usage:

```
hammer activation-key subscriptions [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id VALUE   Activation key ID
--available-for VALUE      Object to show subscriptions available for, either 'host' or 'activation_key'
--fields LIST              Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN      Whether or not to show all results
--host VALUE               Host name
--host-id VALUE            Id of a host
--id VALUE                 ID of the activation key
--match-host BOOLEAN      Ignore subscriptions that are unavailable to the specified host
--match-installed BOOLEAN  Return subscriptions that match installed products of the specified
host
--name VALUE               Activation key name to search by
--no-overlap BOOLEAN       Return subscriptions which do not overlap with a currently-attached
subscription
--order VALUE              Sort field and order, eg. 'id DESC'
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--page NUMBER              Page number, starting at 1
--per-page NUMBER          Number of results per page to return
--search VALUE             Search string
-h, --help                 Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id      | x | x
Name    | x | x
Attached | x | x
Quantity | x | x
Start date | x | x
End date | x | x
Support | x | x
Contract | x | x
Account | x | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.14. hammer activation-key update

アクティベーションキーを更新します。

Usage:

```
hammer activation-key update [OPTIONS]
```

Options:

```
--auto-attach BOOLEAN      Auto attach subscriptions upon registration
--content-view VALUE       Content view name to search by
--content-view-id NUMBER   Content view id
--description VALUE        Description
--environment VALUE        Lifecycle environment name to search by (--environment is
deprecated: Use
--lifecycle-environment instead)
--environment-id NUMBER    (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER                 ID of the activation key
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment id
--max-hosts NUMBER         Maximum number of registered content hosts
--name VALUE                Name
--new-name VALUE            Name
--organization VALUE        Organization name to search by
--organization-id NUMBER    Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--purpose-addons LIST       Sets the system add-ons
--purpose-role VALUE        Sets the system purpose usage
--purpose-usage VALUE       Sets the system purpose usage
--release-version VALUE     Content release version
--service-level VALUE       Service level
--unlimited-hosts           Set hosts max to unlimited
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.3. HAMMER ADMIN

サーバー側の管理タスクです。

```
Usage:
  hammer admin [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  logging             Logging verbosity level setup

Options:
  -h, --help          Print help
```

2.3.1. hammer admin logging

ロギングの詳細レベルを設定します。

```
Usage:
  hammer admin logging [OPTIONS]

Options:
  --no-backup          Skip configuration backups creation.
  --prefix VALUE       Operate on prefixed environment (e.g. chroot).
  -a, --all            Apply to all components.
  -c, --components LIST Components to apply, use --list to get them.
  -d, --level-debug    Increase verbosity level to debug.
  -h, --help          Print help
  -l, --list           List available components.
  -n, --dry-run        Do not apply specified changes.
  -p, --level-production Decrease verbosity level to standard.
```

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4. HAMMER ANSIBLE

foreman ansible を管理します。

Usage:

```
hammer ansible [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

roles	Manage ansible roles
variables	Manage ansible variables

Options:

-h, --help	Print help
------------	------------

2.4.1. hammer ansible roles

Ansible ロールを管理します。

Usage:

```
hammer ansible roles [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete, destroy	Deletes Ansible role
fetch	Fetch Ansible roles available to be synced
import	DEPRECATED: Import Ansible roles
info, show	Show role
list, index	List Ansible roles
obsolete	DEPRECATED: Obsolete Ansible roles
play-hostgroups	Runs all Ansible roles on hostgroups
play-hosts	Runs all Ansible roles on hosts
sync	Sync Ansible roles

Options:

-h, --help	Print help
------------	------------

2.4.1.1. hammer ansible roles delete

Ansible ロールを削除します。

Usage:

```
hammer ansible roles <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.4.1.2. hammer ansible roles fetch

同期可能な Ansible ロールを取得します。

Usage:

```
hammer ansible roles fetch [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE         Capsule to fetch from
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.3. hammer ansible roles import

非推奨: Ansible ロールをインポートします。

Usage:

```
hammer ansible roles import [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE          Capsule to import from
--role-names LIST         Ansible role names to be imported
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.4. hammer ansible roles info

ロールを表示します。

Usage:

```
hammer ansible roles <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Imported at | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.4.1.5. hammer ansible roles list

Ansible ロールをリスト表示します。

Usage:

```
hammer ansible roles <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
```

```

--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER             Page number, starting at 1
--per-page VALUE         Number of results per page to return, 'all' to return all results
--search VALUE           Filter results
-h, --help               Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Imported at | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

host        string
host_id     integer
hostgroup   string
hostgroup_id integer
id          integer
name        string
updated_at  datetime

```

2.4.1.6. hammer ansible roles obsolete

非推奨: Ansible ロールを使用停止します。

Usage:

```
hammer ansible roles obsolete [OPTIONS]
```

Options:

```

--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request

```

```
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE          Capsule to import from
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.4.1.7. hammer ansible roles play-hostgroups

ホストグループに対して Ansible ロールを実行します。

Usage:

```
hammer ansible roles play-hostgroups [OPTIONS]
```

Options:

```
--hostgroup-ids LIST      IDs of hostgroups to play roles on
--hostgroup-titles LIST
--hostgroups LIST
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.8. hammer ansible roles play-hosts

ホストに対して Ansible ロールを実行します。

Usage:

```
hammer ansible roles play-hosts [OPTIONS]
```

Options:

```
--host-ids LIST          IDs of hosts to play roles on
--hosts LIST
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.9. hammer ansible roles sync

Ansible ロールの同期

Usage:

```
hammer ansible roles sync [OPTIONS]
```

Options:

```
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
```

```

--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--proxy-id VALUE           Capsule to sync from
--role-names LIST          Ansible role names to be synced
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.4.2. hammer ansible variables

Ansible 変数を管理します。

Usage:

```
hammer ansible variables [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

add-matcher     Create an override value for a specific ansible variable
create          Create Ansible variable
delete, destroy Deletes Ansible variable
import          DEPRECATED: Import Ansible variables. This will only import variables for
                already existing roles, it will not import any new roles
info, show      Show variable
list, index     List Ansible variables
obsolete        DEPRECATED: Obsolete Ansible variables. This will only obsolete variables
for             already existing roles, it will not delete any old roles
remove-matcher  Destroy an override value
update          Updates Ansible variable

```

Options:

```
-h, --help      Print help
```

2.4.2.1. hammer ansible variables add-matcher

特定の Ansible 変数のオーバーライド値を作成します。

Usage:

```
hammer ansible variables add-matcher [OPTIONS]
```

Options:

```
--ansible-variable VALUE    Name to search by
--ansible-variable-id VALUE
--location VALUE            Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--match VALUE              Override match
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--value VALUE              Override value, required if omit is false
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
           JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
           escaped with backslash.
           JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
           JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string
```

2.4.2.2. hammer ansible variables create

Ansible 変数を作成します。

Usage:

```
hammer ansible variables create [OPTIONS]
```

Options:

```
--ansible-role VALUE    Name to search by
--ansible-role-id NUMBER Role ID
--avoid-duplicates BOOLEAN Remove duplicate values (only array type)
--default-value VALUE   Default value of variable
--description VALUE     Description of variable
--hidden-value BOOLEAN  When enabled the parameter is hidden in the UI
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--merge-default BOOLEAN Include default value when merging all matching values
--merge-overrides BOOLEAN Merge all matching values (only array/hash type)
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```

--organization-title VALUE  Set the current organization context for the request
--override BOOLEAN          Whether to override variable or not
--override-value-order VALUE The order in which values are resolved
--validator-rule VALUE      Used to enforce certain values for the parameter values
--validator-type ENUM       Types of validation values
                             Possible value(s): 'regexp', 'list'
--variable VALUE            Name of variable
--variable-type ENUM        Types of variable values
                             Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                             'yaml', 'json'
-h, --help                  Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
             escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.4.2.3. hammer ansible variables delete

Ansible 変数を削除します。

Usage:

```
hammer ansible variables <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file

```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.2.4. hammer ansible variables import

非推奨: Ansible 変数をインポートします。既存のロールの変数のみをインポートし、新規ロールはインポートしません。

Usage:

```
hammer ansible variables import [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE          Capsule to import from
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.2.5. hammer ansible variables info

変数を表示します。

Usage:

```
hammer ansible variables <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Id              | x  | x
Variable        | x  | x
Default value   | x  | x
Type            | x  | x
Role            | x  | x
Role id         | x  | x
Description     | x  | x
Hidden value?   | x  | x
Validator/type  | x  | x
Validator/rule  | x  | x
Override values/override | x  | x
Override values/merge overrides | x  | x
Override values/merge default value | x  | x
Override values/avoid duplicates | x  | x
Override values/order | x  | x
Override values/values/id | x  | x
Override values/values/match | x  | x
Override values/values/value | x  | x
Created at     | x  | x
Updated at     | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME        Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.4.2.6. hammer ansible variables list

Ansible 変数をリスト表示します。

Usage:

```
hammer ansible variables <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS  | ALL | DEFAULT
-----|----|-----
Id      | x  | x
Variable | x  | x
Default value | x  | x
Type    | x  | x
Role    | x  | x
Role id | x  | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
ansible_role    string
avoid_duplicates Values: true, false
imported        Values: true, false
key             string
```

```

merge_default    Values: true, false
merge_overrides  Values: true, false
name             string
override         Values: true, false
parameter        string

```

2.4.2.7. hammer ansible variables obsolete

非推奨: 廃止された Ansible 変数です。既存のロールの変数のみを使用されないようにするだけで、古くなったロールを削除するわけではありません。

Usage:

```
hammer ansible variables obsolete [OPTIONS]
```

Options:

```

--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE          Capsule to import from
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.4.2.8. hammer ansible variables remove-matcher

オーバーライド値を破棄します。

Usage:

```
hammer ansible variables remove-matcher [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request

```

```

--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.4.2.9. hammer ansible variables update

Ansible 変数を更新します。

Usage:

```
hammer ansible variables update [OPTIONS]
```

Options:

```

--ansible-role VALUE      Name to search by
--ansible-role-id NUMBER  Role ID
--avoid-duplicates BOOLEAN  Remove duplicate values (only array type)
--default-value VALUE     Default value of variable
--description VALUE       Description of variable
--hidden-value BOOLEAN    When enabled the parameter is hidden in the UI
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--merge-default BOOLEAN   Include default value when merging all matching values
--merge-overrides BOOLEAN Merge all matching values (only array/hash type)
--name VALUE              Name to search by
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--override BOOLEAN        Whether to override variable or not
--override-value-order LIST  The order in which values are resolved
--validator-rule VALUE     Used to enforce certain values for the parameter values
--validator-type ENUM      Types of validation values
                          Possible value(s): 'regexp', 'list'
--variable VALUE          Name of variable

```

```
--variable-type ENUM      Types of variable values
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.5. HAMMER ARCHITECTURE

アーキテクチャーを操作します。

Usage:

```
hammer architecture [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
add-operatingsystem  Associate an operating system
create               Create an architecture
delete, destroy      Delete an architecture
info, show           Show an architecture
list, index          List all architectures
remove-operatingsystem  Disassociate an operating system
update              Update an architecture
```

Options:

```
-h, --help        Print help
```

2.5.1. hammer architecture add-operatingsystem

オペレーティングシステムを関連付けます。

Usage:

```
hammer architecture add-operatingsystem [OPTIONS]
```

Options:


```
--id VALUE
--name VALUE          Architecture name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
             JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
             JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
             JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string
```

2.5.2. hammer architecture create

アーキテクチャーを作成します。

Usage:

```
hammer architecture create [OPTIONS]
```

Options:

```
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--operatingsystem-ids LIST  Operating system IDs
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
             JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
             JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.5.3. hammer architecture delete

アーキテクチャーを削除します。

Usage:

```
hammer architecture <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Architecture name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.5.4. hammer architecture info

アーキテクチャーを表示します。

Usage:

```
hammer architecture <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
```

```

--location-title VALUE    Set the current location context for the request
--name VALUE             Architecture name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Operating systems/ | x  | x      |
Locations/  | x  | x      |
Organizations/ | x  | x      |
Created at  | x  | x      |
Updated at  | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.5.5. hammer architecture list

アーキテクチャーのリストを表示します。

Usage:

```
hammer architecture <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request

```

```
--organization-title VALUE  Set the current organization context for the request
--page NUMBER              Page number, starting at 1
--per-page VALUE           Number of results per page to return, 'all' to return all results
--search VALUE             Filter results
-h, --help                 Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
name        string
```

2.5.6. hammer architecture remove-operatingsystem

オペレーティングシステムの関連付けを解除します。

Usage:

```
hammer architecture remove-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Architecture name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.5.7. hammer architecture update

アーキテクチャーを更新します。

Usage:

```
hammer architecture update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--operatingsystem-ids LIST Operating system IDs
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.6. HAMMER ARF-REPORT

コンプライアンスレポートを操作します。

Usage:

```
hammer arf-report [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
delete, destroy     Delete an ARF Report
download            Download bziped ARF report
download-html       Download ARF report in HTML
info, show          Show an ARF report
list, index         List ARF reports
```

Options:

```
-h, --help          Print help
```

2.6.1. hammer arf-report delete

ARF レポートを削除します。

Usage:

```
hammer arf-report <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.6.2. hammer arf-report download

bzip された ARF レポートをダウンロードします。

Usage:

```
hammer arf-report download [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.6.3. hammer arf-report download-html

HTML 形式で ARF レポートをダウンロードします。

Usage:

```
hammer arf-report download-html [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
```

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.6.4. hammer arf-report info

ARF レポートを表示します。

Usage:

```
hammer arf-report <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x  | x
Reported at | x  | x  |
Host name   | x  | x  | x
Openscap proxy name | x | x  |
Policy name | x  | x  |
Passed      | x  | x  |
Failed      | x  | x  |
Othered     | x  | x  |
Host id     | x  | x  |
Openscap proxy id | x | x  |
Policy id   | x  | x  |
Locations/  | x  | x  |
Organizations/ | x | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.6.5. hammer arf-report list

ARF レポートをリスト表示します。

Usage:

```
hammer arf-report <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Reported at	x	x	
Host name	x	x	x
Openscap proxy name	x	x	
Policy name	x	x	
Passed	x	x	
Failed	x	x	
Othered	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

compliance_policy	string
compliance_status	Values: compliant, noncompliant, inconclusive
comply_with	string
eventful	Values: true, false
host	string
host_collection	string
host_id	integer
host_owner_id	integer
hostgroup	string
hostgroup_fullname	string
hostgroup_title	string
inconclusive_with	string
last_for	Values: host, policy
last_report	datetime
lifecycle_environment	string
location	string
location_id	integer
log	text
not_comply_with	string
openscap_proxy	string
organization	string
organization_id	integer
origin	string
policy	string
reported	datetime
resource	text
xccdf_rule_failed	string
xccdf_rule_name	text
xccdf_rule_othered	string
xccdf_rule_passed	string

2.7. HAMMER AUDIT

監査証跡を検索します。

Usage:

```
hammer audit [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show an audit
list, index	List all audits

Options:

-h, --help	Print help
------------	------------

2.7.1. hammer audit info

監査を表示します。

Usage:

```
hammer audit <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
At           | x  | x      |
Ip           | x  | x      |
User         | x  | x      |
Action       | x  | x      |
Audit type   | x  | x      |
Audit record | x  | x      |
Request uuid | x  | x      |
Audited changes/attribute | x  | x      |
Audited changes/value | x  | x      |
Audited changes/old | x  | x      |
Audited changes/new | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.7.2. hammer audit list

すべての監査をリスト表示します。

Usage:

```
hammer audit <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
At      | x  | x      |
Ip      | x  | x      |
User    | x  | x      |
Action  | x  | x      |
Audit type | x  | x      |
Audit record | x  | x      |
Request uuid | x  |        |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
action        string
auditable_id  integer
authored_by_user string
authored_by_user.id integer
```

```

changes          text
comment         string
host            string
hostgroup       string
hostgroup_title string
id              integer
interface_fqdn  string
interface_ip    string
interface_mac   string
location        string
location_id     integer
organization    string
organization_id integer
os              string
os_title        string
parameter       string
partition_table string
provisioning_template string
puppetclass
remote_address  string
request_uuid    string
setting         string
time            datetime
type            Values: role, ptable, provisioning_template, user, filter, architecture, bookmark,
compute_profile, domain, hostgroup, http_proxy, image, key_pair, medium, model,
personal_access_token, report_template, realm, smart_proxy, ssh_key, subnet, usergroup,
job_template, remote_execution_feature, job_invocation, ansible_role, discovery_rule,
katello/activation_key, katello/content_view, katello/content_credential, katello/host_collection,
katello/kt_environment, katello/product, katello/sync_plan, foreman_virt_who_configure/config,
foreman_openscap/policy, foreman_openscap/scap_content, foreman_openscap/tailoring_file,
foreman_openscap/oval_content, foreman_openscap/oval_policy, compute_attribute, lookup_value,
katello/repository, katello/host/content_facet, katello/hostgroup/content_facet,
katello/host/subscription_facet, katello/root_repository, auth_source, compute_resource, host,
interface, location, organization, os, override_value, parameter, partition_table, setting,
smart_class_parameter
user            string
username       string

```

2.8. HAMMER AUTH

Foreman 接続をログイン/ログアウトします。

Usage:

```
hammer auth [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

login              Set credentials
logout             Wipe your credentials
status             Information about current connections

```

Options:
 -h, --help Print help

2.8.1. hammer auth login

認証情報を設定します。

Usage:
 hammer auth login [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
 SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:
 basic Provide username and password
 oauth Supports for both with/without 2fa

Options:
 -h, --help Print help

2.8.1.1. hammer auth login basic

ユーザー名とパスワードを指定します。

Usage:
 hammer auth login basic [OPTIONS]

Options:
 -h, --help Print help
 -p, --password VALUE Password to access the remote system
 -u, --username VALUE Username to access the remote system

Option details:
 Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.8.1.2. hammer auth login oauth

2fa ある場合、ない場合の両方をサポートします。

Usage:

```
hammer auth login oauth [OPTIONS]
```

Options:

```
-a, --oidc-authorization-endpoint VALUE Openidc provider URL which issues authentication code
(two factor only)
-c, --oidc-client-id VALUE           Client id used in the Openidc provider
-f, --two-factor                     Authenticate with two factor
-h, --help                           Print help
-p, --password VALUE                 Password to access the remote system
-r, --oidc-redirect-uri VALUE        Redirect URI for the authentication code grant flow
-t, --oidc-token-endpoint VALUE      Openidc provider URL which issues access token
-u, --username VALUE                 Username to access the remote system
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.8.2. hammer auth logout

認証情報を消去します。

Usage:

```
hammer auth logout [OPTIONS]
```

Options:

```
-h, --help           Print help
```

2.8.3. hammer auth status

現在の接続に関する情報

Usage:

```
hammer auth status [OPTIONS]
```

Options:

```
-h, --help           Print help
```

2.9. HAMMER AUTH-SOURCE

認証ソースを操作します。

```
Usage:
  hammer auth-source [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  external            Manage external auth sources
  ldap               Manage LDAP auth sources
  list, index        List all auth sources

Options:
  -h, --help         Print help
```

2.9.1. hammer auth-source external

外部認証ソースを管理します。

```
Usage:
  hammer auth-source external [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  info, show         Show an external authentication source
  list, index        List external authentication sources
  update            Update organization and location for Auth Source

Options:
  -h, --help         Print help
```

2.9.1.1. hammer auth-source external info

外部認証ソースを表示します。

```
Usage:
  hammer auth-source external <info|show> [OPTIONS]

Options:
  --fields LIST      Show specified fields or predefined field sets only. (See below)
  --id VALUE         Set the current location context for the request
  --location VALUE   Set the current location context for the request
  --location-id NUMBER Set the current location context for the request
  --location-title VALUE Set the current location context for the request
  --name VALUE       Name to search by
  --organization VALUE Set the current organization context for the request
  --organization-id NUMBER Set the current organization context for the request
```



```
--organization-title VALUE  Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Locations/ | x | x   |
Organizations/ | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.9.1.2. hammer auth-source external list

外部認証ソースをリスト表示します。

Usage:

```
hammer auth-source external <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Scope by locations
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
```

```

-----|-----|-----|-----
Id      | x  | x  | x
Name    | x  | x  | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

location      string
location_id   integer
name          string
organization   string
organization_id integer

```

2.9.1.3. hammer auth-source external update

認証ソースの組織と場所を更新します。

Usage:

```
hammer auth-source external update [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE            Set the current location context for the request
--location-id NUMBER        Set the current location context for the request
--location-ids LIST         REPLACE locations with given ids
--location-title VALUE      Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE        Set the current organization context for the request
--organization-id NUMBER    Set the current organization context for the request
--organization-ids LIST     REPLACE organizations with given ids.
--organization-title VALUE   Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help                  Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.9.2. hammer auth-source ldap

LDAP 認証ソースを管理します。

Usage:

```
hammer auth-source ldap [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create an LDAP authentication source
delete, destroy	Delete an LDAP authentication source
info, show	Show an LDAP authentication source
list, index	List all LDAP authentication sources
update	Update an LDAP authentication source

Options:

-h, --help	Print help
------------	------------

2.9.2.1. hammer auth-source ldap create

LDAP 認証ソースを作成します。

Usage:

```
hammer auth-source ldap create [OPTIONS]
```

Options:

--account VALUE	
--account-password VALUE	Required if onthefly_register is true
--attr-firstname VALUE	Required if onthefly_register is true
--attr-lastname VALUE	Required if onthefly_register is true
--attr-login VALUE	Required if onthefly_register is true
--attr-mail VALUE	Required if onthefly_register is true
--attr-photo VALUE	

```

--base-dn VALUE
--groups-base VALUE      Groups base DN
--host VALUE             The hostname of the LDAP server
--ldap-filter VALUE      LDAP filter
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--onthe-fly-register BOOLEAN
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--port NUMBER            Defaults to 389
--server-type ENUM       Type of the LDAP server
                        Possible value(s): 'free_ipa', 'active_directory', 'posix'
--tls BOOLEAN
--use-netgroups BOOLEAN  Use NIS netgroups instead of posix groups, applicable only when
server_type is
                        posix or free_ipa
--usergroup-sync BOOLEAN Sync external user groups on login
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.9.2.2. hammer auth-source ldap delete

LDAP 認証ソースを削除します。

Usage:

```
hammer auth-source ldap <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
```

```

--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.9.2.3. hammer auth-source ldap info

LDAP 認証ソースを表示します。

Usage:

```
hammer auth-source ldap <info|show> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Server/id       | x  | x
Server/name     | x  | x
Server/server   | x  | x
Server/ldaps    | x  | x
Server/port     | x  | x

```

```

Server/server type           | x | x
Account/account username    | x | x
Account/base dn             | x | x
Account/groups base dn     | x | x
Account/use netgroups       | x | x
Account/ldap filter         | x | x
Account/automatically create accounts? | x | x
Account/usergroup sync      | x | x
Attribute mappings/login name attribute | x | x
Attribute mappings/first name attribute | x | x
Attribute mappings/last name attribute | x | x
Attribute mappings/email address attribute | x | x
Attribute mappings/photo attribute | x | x
Locations/                  | x | x
Organizations/              | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.9.2.4. hammer auth-source ldap list

LDAP 認証ソースのリストを表示します。

Usage:

```
hammer auth-source ldap <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER  Scope by locations
--location-title VALUE  Set the current location context for the request
--order VALUE      Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER  Scope by organizations
--organization-title VALUE  Set the current organization context for the request
--page NUMBER      Page number, starting at 1
--per-page VALUE    Number of results per page to return, 'all' to return all results
--search VALUE      Filter results
-h, --help         Print help

```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
Server | x | x   |
Port  | x | x   |
Ldaps? | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```
location        string
location_id    integer
name            string
organization   string
organization_id integer
```

2.9.2.5. hammer auth-source ldap update

LDAP 認証ソースを更新します。

Usage:

```
hammer auth-source ldap update [OPTIONS]
```

Options:

```
--account VALUE
--account-password VALUE    Required if onthefly_register is true
--attr-firstname VALUE      Required if onthefly_register is true
--attr-lastname VALUE       Required if onthefly_register is true
--attr-login VALUE          Required if onthefly_register is true
--attr-mail VALUE           Required if onthefly_register is true
--attr-photo VALUE
--base-dn VALUE
--groups-base VALUE         Groups base DN
--host VALUE                The hostname of the LDAP server
```

```

--id VALUE
--ldap-filter VALUE      LDAP filter
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--onthe-fly-register BOOLEAN
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--port NUMBER            Defaults to 389
--server-type ENUM       Type of the LDAP server
                        Possible value(s): 'free_ipa', 'active_directory', 'posix'
--tls BOOLEAN
--use-netgroups BOOLEAN  Use NIS netgroups instead of posix groups, applicable only when
server_type is
                        posix or free_ipa
--usergroup-sync BOOLEAN Sync external user groups on login
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.9.3. hammer auth-source list

すべての認証ソースをリスト表示します。

Usage:

```
hammer auth-source <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request

```



```

--location-id NUMBER      Scope by locations
--location-title VALUE   Set the current location context for the request
--order VALUE            Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER            Page number, starting at 1
--per-page VALUE         Number of results per page to return, 'all' to return all results
--search VALUE           Filter results
-h, --help               Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Type of auth source | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

location      string
location_id   integer
name          string
organization  string
organization_id integer

```

2.10. HAMMER BOOKMARK

ブックマークを管理します。

Usage:

```
hammer bookmark [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

create	Create a bookmark
delete, destroy	Delete a bookmark
info, show	Show a bookmark
list, index	List all bookmarks
update	Update a bookmark

Options:

-h, --help	Print help
------------	------------

2.10.1. hammer bookmark create

ブックマークを作成します。

Usage:
hammer bookmark create [OPTIONS]

Options:

--controller VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--public BOOLEAN	
--query VALUE	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.10.2. hammer bookmark delete

ブックマークを削除します。

Usage:

```
hammer bookmark <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.10.3. hammer bookmark info

ブックマークを表示します。

Usage:

```
hammer bookmark <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
ld      | x  | x      | x
```

```

Name      | x | x | x
Controller | x | x |
Search query | x | x |
Public    | x | x |
Owner id   | x | x |
Owner type | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.10.4. hammer bookmark list

すべてのブックマークをリスト表示します。

Usage:

```
hammer bookmark <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE     Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER     Page number, starting at 1
--per-page VALUE  Number of results per page to return, 'all' to return all results
--search VALUE    Filter results
-h, --help       Print help

```

Predefined field sets:

```

-----|---|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|---|-----|-----
Id      | x | x | x
Name    | x | x | x
Controller | x | x |
Search query | x | x |

```

```

Public      | x | x |
Owner id    | x | x |
Owner type  | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

controller    string
name          string

```

2.10.5. hammer bookmark update

ブックマークを更新します。

Usage:

```
hammer bookmark update [OPTIONS]
```

Options:

```

--controller VALUE
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--public BOOLEAN
--query VALUE
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description

```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.11. HAMMER BOOTDISK

ブートディスクをダウンロードします。

Usage:
hammer bootdisk [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

generic	Download generic image
host	Download host image
subnet	Download subnet generic image

Options:

-h, --help	Print help
------------	------------

2.11.1. hammer bootdisk generic

汎用イメージをダウンロードします。

Usage:
hammer bootdisk generic [OPTIONS]

Options:

--file VALUE	File or device to write image to
--force	Force writing to existing destination (device etc.)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--sudo	Use sudo to write to device
-h, --help	Print help

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.11.2. hammer bootdisk host

ホストイメージをダウンロードします。

Usage:

hammer bootdisk host [OPTIONS]

Options:

--file VALUE	File or device to write image to
--force	Force writing to existing destination (device etc.)
--full BOOLEAN	True for full, false for basic reusable image
--host VALUE	Host name
--host-id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--sudo	Use sudo to write to device
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.11.3. hammer bootdisk subnet

サブネット汎用イメージをダウンロードします。

Usage:

```
hammer bootdisk subnet [OPTIONS]
```

Options:

```
--file VALUE           File or device to write image to
--force                Force writing to existing destination (device etc.)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--subnet VALUE         Subnet name
--subnet-id VALUE
--sudo                 Use sudo to write to device
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN       One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.12. HAMMER CAPSULE

Capsule を操作します。

Usage:

```
hammer capsule [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND       Subcommand
[ARG] ...        Subcommand arguments
```

Subcommands:

```
content          Manage the capsule content
create           Create a capsule
delete, destroy  Delete a capsule
info, show       Show a capsule
```


list, index	List all capsules
refresh-features	Refresh capsule features
update	Update a capsule
Options:	
-h, --help	Print help

2.12.1. hammer capsule content

Capsule コンテンツを管理します。

Usage:
hammer capsule content [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
add-lifecycle-environment Add lifecycle environments to the capsule
available-lifecycle-environments List the lifecycle environments not attached to the capsule
cancel-synchronization Cancel running capsule synchronization
info Get current capsule synchronization status
lifecycle-environments List the lifecycle environments attached to the capsule
remove-lifecycle-environment Remove lifecycle environments from the capsule
synchronization-status Get current capsule synchronization status
synchronize Synchronize the content to the capsule

Options:
-h, --help Print help

2.12.1.1. hammer capsule content add-lifecycle-environment

ライフサイクル環境を Capsule に追加します。

Usage:
hammer capsule content add-lifecycle-environment [OPTIONS]

Options:
--environment VALUE Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the lifecycle environment
--name VALUE Name to search by
--organization VALUE Organization name
--organization-id VALUE Organization ID
-h, --help Print help

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.2. hammer capsule content available-lifecycle-environments

Capsule に割り当てられていないライフサイクル環境をリスト表示します。

Usage:

```
hammer capsule content available-lifecycle-environments [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the capsule
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Id of the organization to limit environments on
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Name    | x | x   | x
Organization | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.3. hammer capsule content cancel-synchronization

実行中の Capsule 同期をキャンセルします。

Usage:

```
hammer capsule content cancel-synchronization [OPTIONS]
```

Options:

```
--id NUMBER          Id of the capsule
--name VALUE         Name to search by
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.4. hammer capsule content info

現在の Capsule 同期ステータスを取得します。

Usage:

```
hammer capsule content info [OPTIONS]
```

Options:

```
--fields LIST        Show specified fields or predefined field sets only. (See below)
--id NUMBER          Id of the capsule
--name VALUE         Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Id of the organization to get the status for
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Predefined field sets:

```
-----|-----|-----
```

FIELDS	ALL	DEFAULT
Lifecycle environments/name	x	x
Lifecycle environments/organization	x	x
Lifecycle environments/content views/name	x	x
Lifecycle environments/content views/composite	x	x
Lifecycle environments/content views/last published	x	x
Lifecycle environments/content views/content/hosts	x	x
Lifecycle environments/content views/content/products	x	x
Lifecycle environments/content views/content/yum repos	x	x
Lifecycle environments/content views/content/container image repos	x	x
Lifecycle environments/content views/content/packages	x	x
Lifecycle environments/content views/content/package groups	x	x
Lifecycle environments/content views/content/errata	x	x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.5. hammer capsule content lifecycle-environments

Capsule に割り当てられたライフサイクル環境をリスト表示します。

Usage:

```
hammer capsule content lifecycle-environments [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	Id of the capsule
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Id of the organization to limit environments on
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN

```

Id      | x | x | x
Name    | x | x | x
Organization | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.12.1.6. hammer capsule content remove-lifecycle-environment

ライフサイクル環境を Capsule から削除します。

Usage:

```
hammer capsule content remove-lifecycle-environment [OPTIONS]
```

Options:

```

--environment VALUE      Lifecycle environment name to search by (--environment is
deprecated: Use
                          --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER              Id of the capsule
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER  Id of the lifecycle environment
--name VALUE             Name to search by
--organization VALUE     Organization name
--organization-id VALUE  Organization ID
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.7. hammer capsule content synchronization-status

現在の Capsule 同期ステータスを取得します。

Usage:

```
hammer capsule content synchronization-status [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	Id of the capsule
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Id of the organization to get the status for
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT
Last sync	x	x
Status	x	x
Currently running sync tasks/task id	x	x
Currently running sync tasks/progress	x	x
Last failure/task id	x	x
Last failure/messages	x	x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.8. hammer capsule content synchronize

コンテンツと Capsule を同期します。

Usage:

```
hammer capsule content synchronize [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--content-view VALUE   Content view name to search by
--content-view-id NUMBER Id of the content view to limit the synchronization on
--environment VALUE    Lifecycle environment name to search by (--environment is
deprecated: Use
                        --lifecycle-environment instead)
--environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER            Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the environment to limit the synchronization on
--name VALUE          Name to search by
--organization VALUE   Organization name
--organization-id VALUE Organization ID
--repository VALUE     Repository name to search by
--repository-id NUMBER Id of the repository to limit the synchronization on
--skip-metadata-check BOOLEAN Skip metadata check on each repository on the capsule
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.12.2. hammer capsule create

Capsule を作成します。

Usage:

```
hammer capsule create [OPTIONS]
```

Options:

```
--download-policy VALUE Download Policy of the capsule, must be one of on_demand,
immediate, inherit
```

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.12.3. hammer capsule delete

Capsule を削除します。

Usage:

```
hammer capsule <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.4. hammer capsule info

Capsule を表示します。

Usage:

```
hammer capsule <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--include-status BOOLEAN  Flag to indicate whether to include status or not
--include-version BOOLEAN  Flag to indicate whether to include version or not
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Status  | x  | x      |
Url     | x  | x      |
Features| x  | x      |
Version | x  | x      |
Host_count | x | x      |
Features/name | x | x      |
Features/version | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
Created at | x | x      |
Updated at | x | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.5. hammer capsule list

Capsule をリスト表示します。

Usage:

```
hammer capsule <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--include-status BOOLEAN	Flag to indicate whether to include status or not
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Status | x | x   |
Url    | x | x   |
Features | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

feature string
 location string
 location_id integer
 name string
 organization string
 organization_id integer
 url string

2.12.6. hammer capsule refresh-features

Capsule 機能をリフレッシュします。

Usage:

hammer capsule refresh-features [OPTIONS]

Options:

--id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Name to search by
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.7. hammer capsule update

Capsule を更新します。

Usage:

```
hammer capsule update [OPTIONS]
```

Options:

```
--download-policy VALUE    Download Policy of the capsule, must be one of on_demand,
immediate, inherit
--id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13. HAMMER COMPUTE-PROFILE

コンピュータプロファイルを操作します。

Usage:

```
hammer compute-profile [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a compute profile
delete, destroy    Delete a compute profile
info, show         Show a compute profile
list, index        List of compute profiles
update            Update a compute profile
values            Create update and delete Compute profile values
```

Options:

```
-h, --help        Print help
```

2.13.1. hammer compute-profile create

コンピュータプロファイルを作成します。

Usage:

```
hammer compute-profile create [OPTIONS]
```

Options:

```
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.13.2. hammer compute-profile delete

コンピュータプロファイルを削除します。

Usage:

```
hammer compute-profile <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Compute profile name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string
```

2.13.3. hammer compute-profile info

コンピュータプロファイルを表示します。

Usage:

```
hammer compute-profile <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Compute profile name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
```

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Locations/	x	x	
Organizations/	x	x	
Created at	x	x	
Updated at	x	x	
Compute attributes/id	x	x	
Compute attributes/name		x	x
Compute attributes/compute resource	x	x	
Compute attributes/vm attributes	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.4. hammer compute-profile list

コンピュートプロファイルをリスト表示します。

Usage:

```
hammer compute-profile <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
```

```
FIELDS | ALL | DEFAULT | THIN
```

```
-----|-----|-----|-----
Id      | x  | x  | x
Name    | x  | x  | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
name        string
```

2.13.5. hammer compute-profile update

コンピュータプロファイルを更新します。

Usage:

```
hammer compute-profile update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
```


LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.6. hammer compute-profile values

コンピュータプロファイルの値を作成、更新、削除します。

Usage:

```
hammer compute-profile values [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-interface	Add interface for Compute Profile
add-volume	Add volume for Compute Profile
create	Create compute profile set of values
remove-interface	Remove compute profile interface
remove-volume	Remove compute profile volume
update	Update compute profile values
update-interface	Update compute profile interface
update-volume	Update compute profile volume

Options:

-h, --help	Print help
------------	------------

2.13.6.1. hammer compute-profile values add-interface

コンピュータプロファイルのインターフェイスを追加します。

Usage:

```
hammer compute-profile values add-interface [OPTIONS]
```

Options:

--compute-profile VALUE	Compute profile name
--compute-profile-id VALUE	
--compute-resource VALUE	Compute resource name
--compute-resource-id VALUE	
--interface KEY_VALUE_LIST	Interface parameters, should be comma separated list of values
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--interface:

GCE:

--interface:

Libvirt:

--interface:

compute_type	Possible values: bridge, network
compute_bridge	Name of interface according to type
compute_model	Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
compute_network	Libvirt instance network, e.g. default

OpenStack:

--interface:

oVirt:

--interface:

compute_name	Compute name, e.g. eth0
compute_network	Select one of available networks for a cluster, must be an ID or a name
compute_interface	Interface type
compute_vnic_profile	Vnic Profile

Rackspace:

--interface:

VMware:

--interface:

compute_type	Type of the network adapter, for example one of: VirtualVmxnet3 VirtualE1000
--------------	--

See documentation center for your version of vSphere to find more details about

available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

AzureRM:

--interface:

compute_network Select one of available Azure Subnets, must be an ID
 compute_public_ip Public IP (None, Static, Dynamic)
 compute_private_ip Static Private IP (expressed as true or false)

2.13.6.2. hammer compute-profile values add-volume

コンピュートプロファイルのボリュームを追加します。

Usage:

hammer compute-profile values add-volume [OPTIONS]

Options:

--compute-profile VALUE Compute profile name
 --compute-profile-id VALUE
 --compute-resource VALUE Compute resource name
 --compute-resource-id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 --volume KEY_VALUE_LIST Volume parameters, should be comma separated list of values
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

GCE:

--volume:

size_gb Volume size in GB, integer value

Libvirt:

--volume:

pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

OpenStack:

--volume:

oVirt:

--volume:

size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

Rackspace:

--volume:

VMware:

--volume:

name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

AzureRM:

--volume:

disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

2.13.6.3. hammer compute-profile values create

コンピュータプロファイルの値セットを作成します。

Usage:

hammer compute-profile values create [OPTIONS]

Options:

--compute-attributes KEY_VALUE_LIST Compute resource attributes
 --compute-profile VALUE Compute profile name
 --compute-profile-id VALUE
 --compute-resource VALUE Compute resource name
 --compute-resource-id VALUE
 --interface KEY_VALUE_LIST Interface parameters, should be comma separated list of values

Can be specified multiple times.

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--volume KEY_VALUE_LIST Volume parameters, should be comma separated list of values
Can be specified multiple times.

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

--interface:

--compute-attributes:

availability_zone
flavor_id
groups
security_group_ids
managed_ip

GCE:

--volume:

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:

machine_type
network

associate_external_ip

Libvirt:

--volume:

pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:

compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:

cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough

OpenStack:

--volume:

--interface:

--compute-attributes:

availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:

--volume:

size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use

cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes
 ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name

storage_pod Storage Pod ID from VMware

datastore Datastore ID from VMware

mode persistent/independent_persistent/independent_nonpersistent

size_gb Integer number, volume size in GB

thin true/false

eager_zero true/false

controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:

VirtualVmxnet3

VirtualE1000

See documentation center for your version of vSphere to find more details about

available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware

corespersocket Number of cores per socket (applicable to hardware versions < 10 only)

cpus CPU count

memory_mb Integer number, amount of memory in MB

path Path to folder

resource_pool Resource Pool ID from VMware

firmware automatic/bios/efi

guest_id Guest OS ID from VMware

hardware_version Hardware version ID from VMware

memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is on

cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on

add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine

annotation Annotation Notes

scsi_controllers List with SCSI controllers definitions

type - ID of the controller from VMware

key - Key of the controller (e.g. 1000)

AzureRM:

--volume:

disk_size_gb Volume Size in GB (integer value)
data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:

compute_network Select one of available Azure Subnets, must be an ID
compute_public_ip Public IP (None, Static, Dynamic)
compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:

resource_group Existing Azure Resource Group of user
vm_size VM Size, eg. Standard_A0 etc.
username The Admin username
password The Admin password
platform OS type eg. Linux
ssh_key_data SSH key for passwordless authentication
os_disk_caching OS disk caching
premium_os_disk Premium OS Disk, Boolean as 0 or 1
script_command Custom Script Command
script_uris Comma seperated file URIs

2.13.6.4. hammer compute-profile values remove-interface

コンピュータプロファイルのインターフェイスを削除します。

Usage:

hammer compute-profile values remove-interface [OPTIONS]

Options:

--compute-profile VALUE Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE Compute resource name
--compute-resource-id VALUE
--interface-id NUMBER Interface id
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.6.5. hammer compute-profile values remove-volume

コンピュートプロファイルのボリュームを削除します。

Usage:

```
hammer compute-profile values remove-volume [OPTIONS]
```

Options:

```
--compute-profile VALUE    Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE   Compute resource name
--compute-resource-id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--volume-id NUMBER        Volume id
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.6.6. hammer compute-profile values update

コンピュートプロファイルの値を更新します。

Usage:

```
hammer compute-profile values update [OPTIONS]
```

Options:

```

--compute-attributes KEY_VALUE_LIST Compute resource attributes, should be comma separated
list of values
--compute-profile VALUE          Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE          Compute resource name
--compute-resource-id VALUE
--interface KEY_VALUE_LIST       Interface parameters, should be comma separated list of values
                                   Can be specified multiple times.
--location VALUE                  Set the current location context for the request
--location-id NUMBER              Set the current location context for the request
--location-title VALUE            Set the current location context for the request
--organization VALUE              Set the current organization context for the request
--organization-id NUMBER          Set the current organization context for the request
--organization-title VALUE        Set the current organization context for the request
--volume KEY_VALUE_LIST           Volume parameters, should be comma separated list of values
                                   Can be specified multiple times.
-h, --help                        Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Provider specific options:

NOTE: Bold attributes are required.

EC2:

```
--volume:
```

```
--interface:
```

```
--compute-attributes:
```

```

availability_zone
flavor_id
groups
security_group_ids
managed_ip

```

GCE:

```
--volume:
```

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:
 machine_type
 network
 associate_external_ip

Libvirt:

--volume:
 pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:
 compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:
 cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough

OpenStack:

--volume:

--interface:

--compute-attributes:
 availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:

--volume:
 size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use
 cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes
 ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:
 VirtualVmxnet3
 VirtualE1000

See documentation center for your version of vSphere to find more details about available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware
 corespersocket Number of cores per socket (applicable to hardware versions < 10 only)
 cpus CPU count
 memory_mb Integer number, amount of memory in MB
 path Path to folder
 resource_pool Resource Pool ID from VMware
 firmware automatic/bios/efi
 guest_id Guest OS ID form VMware

hardware_version Hardware version ID from VMware
 memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is on
 on
 cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on
 add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine
 annotation Annotation Notes
 scsi_controllers List with SCSI controllers definitions
 type - ID of the controller from VMware
 key - Key of the controller (e.g. 1000)

AzureRM:

--volume:

disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:

compute_network Select one of available Azure Subnets, must be an ID
 compute_public_ip Public IP (None, Static, Dynamic)
 compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:

resource_group Existing Azure Resource Group of user
 vm_size VM Size, eg. Standard_A0 etc.
 username The Admin username
 password The Admin password
 platform OS type eg. Linux
 ssh_key_data SSH key for passwordless authentication
 os_disk_caching OS disk caching
 premium_os_disk Premium OS Disk, Boolean as 0 or 1
 script_command Custom Script Command
 script_uris Comma seperated file URIs

2.13.6.7. hammer compute-profile values update-interface

コンピュータプロファイルのインターフェイスを更新します。

Usage:

hammer compute-profile values update-interface [OPTIONS]

Options:

--compute-profile VALUE Compute profile name
 --compute-profile-id VALUE
 --compute-resource VALUE Compute resource name
 --compute-resource-id VALUE
 --interface KEY_VALUE_LIST Interface parameters, should be comma separated list of values
 --interface-id NUMBER Interface id
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--interface:

GCE:

--interface:

Libvirt:

--interface:

compute_type	Possible values: bridge, network
compute_bridge	Name of interface according to type
compute_model	Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
compute_network	Libvirt instance network, e.g. default

OpenStack:

--interface:

oVirt:

--interface:

compute_name	Compute name, e.g. eth0
compute_network	Select one of available networks for a cluster, must be an ID or a name
compute_interface	Interface type
compute_vnic_profile	Vnic Profile

Rackspace:

--interface:

VMware:

--interface:

compute_type	Type of the network adapter, for example one of: VirtualVmxnet3 VirtualE1000
--------------	--

See documentation center for your version of vSphere to find more details about available adapter types:

compute_network	Network ID or Network Name from VMware
-----------------	--

AzureRM:

```
--interface:
  compute_network  Select one of available Azure Subnets, must be an ID
  compute_public_ip Public IP (None, Static, Dynamic)
  compute_private_ip Static Private IP (expressed as true or false)
```

2.13.6.8. hammer compute-profile values update-volume

コンピュータプロファイルのボリュームを更新します。

Usage:

```
hammer compute-profile values update-volume [OPTIONS]
```

Options:

```
--compute-profile VALUE    Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--location VALUE            Set the current location context for the request
--location-id NUMBER        Set the current location context for the request
--location-title VALUE      Set the current location context for the request
--organization VALUE        Set the current organization context for the request
--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--volume KEY_VALUE_LIST     Volume parameters, should be comma separated list of values
--volume-id NUMBER          Volume id
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME    Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

Provider specific options:

NOTE: Bold attributes are required.

EC2:

```
--volume:
```

GCE:

```
--volume:
```

size_gb Volume size in GB, integer value

Libvirt:

--volume:
 pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

OpenStack:

--volume:

oVirt:

--volume:
 size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

Rackspace:

--volume:

VMware:

--volume:
 name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

AzureRM:

--volume:
 disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

2.14. HAMMER COMPUTE-RESOURCE

コンピュータリソースを操作します。

Usage:

hammer compute-resource [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:

associate-vms Associate VMs to Hosts
 clusters List available clusters for a compute resource

create	Create a compute resource
delete, destroy	Delete a compute resource
flavors	List available flavors for a compute resource
folders	List available folders for a compute resource
image	View and manage compute resource's images
images	List available images for a compute resource
info, show	Show a compute resource
list, index	List all compute resources
networks	List available networks for a compute resource
resource-pools	List resource pools for a compute resource cluster
security-groups	List available security groups for a compute resource
storage-domains	List storage domains for a compute resource
storage-pods	List storage pods for a compute resource
update	Update a compute resource
virtual-machine	View and manage compute resource's virtual machines
virtual-machines	List available virtual machines for a compute resource
vnic-profiles	List available vnic profiles for a compute resource, for RHEV only
zones	List available zone for a compute resource
Options:	
-h, --help	Print help

2.14.1. hammer compute-resource associate-vm

VM のホストへの関連付け

Usage:

```
hammer compute-resource associate-vm [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Compute resource name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--vm-id VALUE	Associate a specific VM
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.2. hammer compute-resource clusters

コンピューティングリソースで利用可能なクラスターをリスト表示します。

Usage:

```
hammer compute-resource clusters [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.3. hammer compute-resource create

コンピュートリソースを作成します。

Usage:

hammer compute-resource create [OPTIONS]

Options:

--app-ident VALUE Client ID for AzureRm
 --caching-enabled BOOLEAN Enable caching, for VMware only
 --cloud VALUE Cloud
 --datacenter VALUE For RHEV, VMware Datacenter
 --description VALUE
 --display-type ENUM For Libvirt and RHEV only
 Possible value(s): 'VNC', 'SPICE'
 --domain VALUE For RHEL OpenStack Platform (v3) only
 --email VALUE Email for GCE only
 --key-path VALUE Certificate path for GCE only
 --keyboard-layout ENUM For RHEV only
 Possible value(s): 'ar', 'de-ch', 'es', 'fo', 'fr-ca', 'hu', 'ja', 'mk', 'no',
 'pt-br', 'sv', 'da', 'en-gb', 'et', 'fr', 'fr-ch', 'is', 'lt', 'nl', 'pl', 'ru',
 'th', 'de', 'en-us', 'fi', 'fr-be', 'hr', 'it', 'lv', 'nl-be', 'pt', 'sl', 'tr'
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-ids LIST REPLACE locations with given ids
 --location-title VALUE Set the current location context for the request
 --location-titles LIST
 --locations LIST
 --name VALUE
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-ids LIST REPLACE organizations with given ids.
 --organization-title VALUE Set the current organization context for the request
 --organization-titles LIST
 --organizations LIST
 --ovirt-quota VALUE For RHEV only, ID or Name of quota to use
 --password VALUE Password for RHEV, EC2, VMware, RHEL OpenStack Platform. Secret
 key for EC2
 --project VALUE Project id for GCE only
 --project-domain-id VALUE For RHEL OpenStack Platform (v3) only
 --project-domain-name VALUE For RHEL OpenStack Platform (v3) only
 --provider VALUE Providers include Libvirt, Ovirt, EC2, VMware, Openstack, GCE,
 AzureRm
 --public-key VALUE For RHEV only
 --public-key-path FILE Path to a file that contains oVirt public key (For oVirt only)
 --region VALUE For AzureRm eg. 'eastus' and for EC2 only. Use 'us-gov-west-1' for EC2
 GovCloud
 region
 --secret-key VALUE Client Secret for AzureRm
 --server VALUE For VMware
 --set-console-password BOOLEAN For Libvirt and VMware only
 --sub-id VALUE Subscription ID for AzureRm
 --tenant VALUE For RHEL OpenStack Platform and AzureRm only
 --url VALUE URL for Libvirt, RHEV and RHEL OpenStack Platform
 --user VALUE Username for RHEV, EC2, VMware, RHEL OpenStack Platform. Access
 Key for EC2.
 --zone VALUE For GCE only
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.4. hammer compute-resource delete

コンピュータリソースを削除します。

Usage:

```
hammer compute-resource <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Compute resource name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.5. hammer compute-resource flavors

コンピューティングリソースで利用可能なフレーバーをリスト表示します。

Usage:

```
hammer compute-resource flavors [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.14.6. hammer compute-resource folders

コンピューティングリソースで利用可能なフォルダーをリスト表示します。

Usage:

```
hammer compute-resource folders [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
```

```

--location-title VALUE    Set the current location context for the request
--name VALUE             Compute resource name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.14.7. hammer compute-resource image

コンピュータリソースのイメージを表示および管理します。

Usage:

```
hammer compute-resource image [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

available      Show images available for addition
create         Create an image
delete, destroy Delete an image
info, show     Show an image
list, index    List all images for a compute resource
update        Update an image

```

Options:

```
-h, --help      Print help
```

2.14.7.1. hammer compute-resource image available

追加できるイメージを表示します。

Usage:

```
hammer compute-resource image available [OPTIONS]
```

Options:

```
--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--fields LIST                Show specified fields or predefined field sets only. (See below)
--location VALUE             Set the current location context for the request
--location-id NUMBER         Set the current location context for the request
--location-title VALUE       Set the current location context for the request
--organization VALUE         Set the current organization context for the request
--organization-id NUMBER     Set the current organization context for the request
--organization-title VALUE   Set the current organization context for the request
-h, --help                   Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
Uuid   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.14.7.2. hammer compute-resource image create

イメージを作成する

Usage:

```
hammer compute-resource image create [OPTIONS]
```

Options:

```
--architecture VALUE    Architecture name
--architecture-id VALUE  ID of architecture
```

```

--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--name VALUE
--operatingsystem VALUE    Operating system title
--operatingsystem-id NUMBER ID of operating system
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--password VALUE
--user-data BOOLEAN        Whether or not the image supports user data
--username VALUE
--uuid VALUE               Template ID in the compute resource
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string

```

2.14.7.3. hammer compute-resource image delete

イメージを削除します。

Usage:

```
hammer compute-resource image <delete|destroy> [OPTIONS]
```

Options:

```

--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--name VALUE               Name to search by
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                 Print help

```


Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.7.4. hammer compute-resource image info

イメージを表示します。

Usage:

```
hammer compute-resource image <info|show> [OPTIONS]
```

Options:

```
--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--compute-resource VALUE  Compute resource name
--compute-resource-id VALUE ID of compute resource
--fields LIST             Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE              Name to search by
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER ID of operating system
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Operating system | x | x |
Username | x | x |
Uuid    | x | x |
User data | x | x |
Architecture | x | x |
lam role | x | x |
```

```

Created at   | x | x   |
Updated at  | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.14.7.5. hammer compute-resource image list

コンピュータリソースのイメージをリスト表示します。

Usage:

```
hammer compute-resource image <list|index> [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--compute-resource VALUE   Compute resource name
--compute-resource-id VALUE ID of compute resource
--fields LIST             Show specified fields or predefined field sets only. (See below)
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE             Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER             Page number, starting at 1
--per-page VALUE          Number of results per page to return, 'all' to return all results
--search VALUE            Filter results
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x

```

```

Operating system | x | x |
Username         | x | x |
Uuid            | x | x |
User data       | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE             Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

architecture     integer
compute_resource string
name             string
operatingsystem  integer
user_data       Values: true, false
username        string

```

2.14.7.6. hammer compute-resource image update

イメージを更新します。

Usage:

```
hammer compute-resource image update [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--compute-resource VALUE  Compute resource name
--compute-resource-id VALUE
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER ID of operating system
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request

```

```

--password VALUE
--user-data BOOLEAN      Whether or not the image supports user data
--username VALUE
--uuid VALUE            Template ID in the compute resource
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.8. hammer compute-resource images

コンピューティングリソースで利用可能なイメージを表示します。

Usage:

```
hammer compute-resource images [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Uuid   | x | x   |
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0

```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.9. hammer compute-resource info

コンピュータリソースを表示します。

Usage:

```
hammer compute-resource <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Provider | x  | x      |
Description | x  | x      |
User    | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
Created at | x  | x      |
Updated at | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.10. hammer compute-resource list

コンピュータリソースのリストを表示します。

Usage:

```
hammer compute-resource <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Provider | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
 VALUE JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

id integer
 location string
 location_id integer
 name string
 organization string
 organization_id integer
 type string

2.14.11. hammer compute-resource networks

コンピューティングリソースで利用可能なネットワークをリスト表示します。

Usage:

hammer compute-resource networks [OPTIONS]

Options:

--cluster-id VALUE
 --fields LIST Show specified fields or predefined field sets only. (See below)
 --id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Compute resource name
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.12. hammer compute-resource resource-pools

コンピュートリソースクラスターのリソースプールをリスト表示します。

Usage:

```
hammer compute-resource resource-pools [OPTIONS]
```

Options:

--cluster-id VALUE	
--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Compute resource name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.13. hammer compute-resource security-groups

コンピューティングリソースで利用可能なセキュリティーグループをリスト表示します。

Usage:

```
hammer compute-resource security-groups [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.14.14. hammer compute-resource storage-domains

コンピューティングリソースのストレージドメインをリスト表示します。

Usage:

```
hammer compute-resource storage-domains [OPTIONS]
```

Options:

```
--cluster-id VALUE
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
```

```

--name VALUE          Compute resource name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--storage-domain VALUE
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.15. hammer compute-resource storage-pods

コンピューティングリソースのストレージ Pod をリスト表示します。

Usage:

```
hammer compute-resource storage-pods [OPTIONS]
```

Options:

```

--cluster-id VALUE
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Compute resource name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--storage-pod VALUE
-h, --help       Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.16. hammer compute-resource update

コンピュータリソースを更新します。

Usage:

```
hammer compute-resource update [OPTIONS]
```

Options:

```

--app-ident VALUE          Client ID for AzureRm
--caching-enabled BOOLEAN  Enable caching, for VMware only
--cloud VALUE              Cloud
--datacenter VALUE         For RHEV, VMware Datacenter
--description VALUE
--display-type ENUM        For Libvirt and RHEV only
                           Possible value(s): 'VNC', 'SPICE'
--domain VALUE             For RHEL OpenStack Platform (v3) only
--email VALUE              Email for GCE only
--id VALUE
--key-path VALUE           Certificate path for GCE only
--keyboard-layout ENUM     For RHEV only
                           Possible value(s): 'ar', 'de-ch', 'es', 'fo', 'fr-ca', 'hu', 'ja', 'mk', 'no',
                           'pt-br', 'sv', 'da', 'en-gb', 'et', 'fr', 'fr-ch', 'is', 'lt', 'nl', 'pl', 'ru',
                           'th', 'de', 'en-us', 'fi', 'fr-be', 'hr', 'it', 'lv', 'nl-be', 'pt', 'sl', 'tr'
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-ids LIST        REPLACE locations with given ids
--location-title VALUE     Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE               Compute resource name

```

```

--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--ovirt-quota VALUE        For RHEV only, ID or Name of quota to use
--password VALUE          Password for RHEV, EC2, VMware, RHEL OpenStack Platform. Secret
key for EC2
--project VALUE           Project id for GCE only
--project-domain-id VALUE For RHEL OpenStack Platform (v3) only
--project-domain-name VALUE For RHEL OpenStack Platform (v3) only
--provider VALUE          Providers include Libvirt, Ovirt, EC2, VMware, Openstack, GCE,
AzureRm
--public-key VALUE        For RHEV only
--public-key-path FILE    Path to a file that contains oVirt public key (For oVirt only)
--region VALUE            For AzureRm eg. 'eastus' and for EC2 only. Use 'us-gov-west-1' for EC2
GovCloud
                        region
--secret-key VALUE        Client Secret for AzureRm
--server VALUE            For VMware
--set-console-password BOOLEAN For Libvirt and VMware only
--sub-id VALUE            Subscription ID for AzureRm
--tenant VALUE            For RHEL OpenStack Platform and AzureRm only
--url VALUE               URL for Libvirt, RHEV and RHEL OpenStack Platform
--user VALUE              Username for RHEV, EC2, VMware, RHEL OpenStack Platform. Access
Key for EC2.
--zone VALUE              For GCE only
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.17. hammer compute-resource virtual-machine

コンピュータリソースの仮想マシンを表示および管理します。

Usage:

```
hammer compute-resource virtual-machine [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete, destroy	Delete a Virtual Machine
info, show	Show a virtual machine
power	Power a Virtual Machine

Options:

-h, --help	Print help
------------	------------

2.14.17.1. hammer compute-resource virtual-machine delete

仮想マシンを削除します。

Usage:
hammer compute-resource virtual-machine <delete|destroy> [OPTIONS]

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Compute resource name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--vm-id VALUE	Virtual machine id, for gce use virtual machine name
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.17.2. hammer compute-resource virtual-machine info

仮想マシンを表示します。

Usage:

```
hammer compute-resource virtual-machine <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vm-id VALUE          Virtual machine id, for gce use virtual machine name
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.14.17.3. hammer compute-resource virtual-machine power

仮想マシンの電源を入れます。

Usage:

```
hammer compute-resource virtual-machine power [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
```

```
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vm-id VALUE             Virtual machine id, for gce use virtual machine name
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.14.18. hammer compute-resource virtual-machines

コンピュータリソースで利用可能な仮想マシンを表示します。

Usage:

```
hammer compute-resource virtual-machines [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.19. hammer compute-resource vnic-profiles

コンピューティングリソースに利用可能な vnic プロファイルをリスト表示します (RHEV 専用)。

Usage:

```
hammer compute-resource vnic-profiles [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Vnic profile id | x  | x    | x
Name           | x  | x    | x
Network id     | x  | x    |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.20. hammer compute-resource zones

コンピューティングリソースで利用可能なゾーンを表示します。

Usage:

```
hammer compute-resource zones [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.15. HAMMER CONFIG-REPORT

レポートを参照および読み込みます。

Usage:

```
hammer config-report [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
delete, destroy     Delete a report
info, show          Show a report
list, index         List all reports
```

Options:

```
-h, --help          Print help
```

2.15.1. hammer config-report delete

レポートを削除します。

Usage:

```
hammer config-report <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.15.2. hammer config-report info

レポートを表示します。

Usage:

```
hammer config-report <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x      | x
Host            | x  | x      |
Reported at     | x  | x      |
Origin          | x  | x      |
Report status/applied      | x  | x      |
Report status/restarted    | x  | x      |
Report status/failed      | x  | x      |
Report status/restart failures | x  | x      |
Report status/skipped     | x  | x      |
Report status/pending     | x  | x      |
Report metrics/config_retrieval | x  | x      |
Report metrics/exec       | x  | x      |
Report metrics/file       | x  | x      |
Report metrics/package    | x  | x      |
Report metrics/service    | x  | x      |
Report metrics/user       | x  | x      |
Report metrics/yumrepo    | x  | x      |
Report metrics/filebucket | x  | x      |
Report metrics/cron       | x  | x      |
Report metrics/total      | x  | x      |
Logs/resource            | x  | x      |
Logs/message            | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.15.3. hammer config-report list

レポートのリストを表示します。

Usage:

```
hammer config-report <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Host	x	x	
Last report	x	x	
Origin	x	x	
Applied	x	x	
Restarted	x	x	
Failed	x	x	
Restart failures	x	x	
Skipped	x	x	
Pending	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
 VALUE JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

applied integer
 eventful Values: true, false
 failed integer
 failed_restarts integer
 host string
 host_id integer
 host_owner_id integer
 hostgroup string
 hostgroup_fullname string
 hostgroup_title string
 last_report datetime
 location string
 log text
 organization string
 origin string
 pending integer
 reported datetime
 resource text
 restarted integer
 skipped integer

2.16. HAMMER CONTENT-CREDENTIALS

サーバーでコンテンツの認証情報を操作します。

Usage:

hammer content-credentials [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:

create Create a Content Credential
 delete, destroy Destroy a Content Credential
 info, show Show a Content Credential
 list, index List Content Credentials
 update Update a Content Credential

Options:

-h, --help Print help

2.16.1. hammer content-credentials create

コンテンツ認証情報を作成します。

Usage:

hammer content-credentials create [OPTIONS]

Options:

```

--content-type VALUE      Type of content: "cert", "gpg_key"
--name VALUE              Name of the Content Credential
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--path FILE               Key file
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.16.2. hammer content-credentials delete

コンテンツ認証情報を破棄します。

Usage:

```
hammer content-credentials <delete|destroy> [OPTIONS]
```

Options:

```

--id NUMBER          Content Credential ID
--name VALUE         Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.16.3. hammer content-credentials info

コンテンツ認証情報を表示します。

Usage:

```
hammer content-credentials <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Content Credential numeric identifier
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x    | x
Name            | x  | x    | x
Organization    | x  | x    |
Repositories/id | x  | x    |
Repositories/name | x  | x    |
Repositories/content type | x  | x    |
Repositories/product | x  | x    |
Content         | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.16.4. hammer content-credentials list

コンテンツの認証情報をリスト表示します。

Usage:

```
hammer content-credentials <list|index> [OPTIONS]
```

Options:

```
--content-type VALUE      Type of content
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN    Whether or not to show all results
--name VALUE             Name of the Content Credential
--order VALUE            Sort field and order, eg. 'id DESC'
--organization VALUE     Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER            Page number, starting at 1
--per-page NUMBER        Number of results per page to return
--search VALUE           Search string
-h, --help               Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Name    | x | x   | x
Content type | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.16.5. hammer content-credentials update

コンテンツ認証情報を更新します。

Usage:

```
hammer content-credentials update [OPTIONS]
```


Options:

```
--content-type VALUE      Type of content: "cert", "gpg_key"
--id NUMBER               Content Credential ID
--name VALUE              Name of the Content Credential
--new-name VALUE          Name of the Content Credential
--organization VALUE      Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--path FILE                Key file
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.17. HAMMER CONTENT-EXPORT

切断された Katello にエクスポートするコンテンツを準備します。

Usage:

```
hammer content-export [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
complete        Prepare content for a full export to a disconnected Katello
generate-metadata Writes export metadata to disk for use by the importing Katello. This
command
                  only needs to be used if the export was performed asynchronously or if the
                  metadata was lost
incremental      Prepare content for an incremental export to a disconnected Katello
list, index     View content view export histories
```

Options:

```
-h, --help      Print help
```

2.17.1. hammer content-export complete

切断された Katello に完全にエクスポートするコンテンツを準備します。

Usage:

```
hammer content-export complete [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
library             Performs a full export of the organization's library environment
repository          Performs a full export of a repository
version             Performs a full export a content view version
```

Options:

```
-h, --help          Print help
```

2.17.1.1. hammer content-export complete library

組織のライブラリー環境への完全エクスポートを実行します。

Usage:

```
hammer content-export complete library [OPTIONS]
```

Options:

```
--async             Do not wait for the task
--chunk-size-gb NUMBER Split the exported content into archives no greater than the specified
size in
                    gigabytes.
--destination-server VALUE Destination Server name
--fail-on-missing-content Fails if any of the repositories belonging to this organization are
unexportable.
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.1.2. hammer コンテンツエクスポートの完全なリポジトリ

リポジトリの完全なエクスポートを実行します

Usage:

```
hammer content-export complete repository [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--chunk-size-gb NUMBER  Split the exported content into archives no greater than the specified
size in
                    gigabytes.
--id NUMBER          Repository identifier
--name VALUE         Filter repositories by name.
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--product VALUE      Product name to search by
--product-id NUMBER  Product numeric identifier
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                    JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                    JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                    JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.17.1.3. hammer content-export complete version

コンテンツビューバージョンを完全にエクスポートします。

Usage:

```
hammer content-export complete version [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--chunk-size-gb NUMBER  Split the exported content into archives no greater than the
```

specified size in

gigabytes.

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--destination-server VALUE Destination Server name
--fail-on-missing-content  Fails if any of the repositories belonging to this version are
unexportable.
--id NUMBER               Content view version identifier
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of the environment
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--version VALUE           Filter versions by version number.
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.17.2. hammer content-export generate-metadata

Katello のインポートで使用するためにエクスポートメタデータをディスクに書き込みます。このコマンドは、エクスポートが非同期的に実行されたか、メタデータが失われた場合にのみ使用する必要があります。

Usage:

```
hammer content-export generate-metadata [OPTIONS]
```

Options:

```
--id VALUE          Generate metadata based on specified export history
--task-id VALUE     Generate metadata based on output of the specified export task
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.3. hammer content-export incremental

切断された Katello への増分エクスポート用のコンテンツを準備します。

Usage:

```
hammer content-export incremental [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
library             Performs an incremental export of the organization's library environment
repository          Performs an incremental export of a repository
version             Performs an incremental export of a content view version
```

Options:

```
-h, --help          Print help
```

2.17.3.1. hammer content-export incremental library

組織のライブラリー環境の増分エクスポートを実行します。

Usage:

```
hammer content-export incremental library [OPTIONS]
```

Options:

```
--async             Do not wait for the task
--chunk-size-gb NUMBER Split the exported content into archives no greater than the specified size in gigabytes.
--destination-server VALUE Destination Server name
--fail-on-missing-content Fails if any of the repositories belonging to this organization are unexportable.
--from-history-id NUMBER Export history identifier used for incremental export. If not provided the most recent export history will be used.
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.3.2. hammer コンテンツエクスポートの増分リポジトリ

リポジトリの増分エクスポートを実行します

Usage:

```
hammer content-export incremental repository [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--chunk-size-gb NUMBER Split the exported content into archives no greater than the specified
size in
                        gigabytes.
--from-history-id NUMBER Export history identifier used for incremental export. If not provided the
most
                        recent export history will be used.
--id NUMBER            Repository identifier
--name VALUE           Filter repositories by name.
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE        Product name to search by
--product-id NUMBER    Product numeric identifier
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.3.3. hammer content-export incremental version

コンテンツビューバージョンの増分エクスポートを実行します。

Usage:

```
hammer content-export incremental version [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--chunk-size-gb NUMBER  Split the exported content into archives no greater than the
                        specified size in
                        gigabytes.
--content-view VALUE    Content view name to search by
--content-view-id NUMBER Content view numeric identifier
--destination-server VALUE Destination Server name
--fail-on-missing-content Fails if any of the repositories belonging to this version are
                        unexportable.
--from-history-id NUMBER Export history identifier used for incremental export. If not provided
                        the most
                        recent export history will be used.
--id NUMBER             Content view version identifier
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of the environment
--organization VALUE    Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--version VALUE         Filter versions by version number.
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.4. hammer content-export list

コンテンツビューのエクスポート履歴を表示します。

Usage:

```
hammer content-export <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--destination-server VALUE  Destination Server name
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN     Whether or not to show all results
--id NUMBER               Content view version export history identifier
--order VALUE             Sort field and order, eg. 'id DESC'
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER             Page number, starting at 1
--per-page NUMBER         Number of results per page to return
--search VALUE            Search string
--type ENUM                Export Types
                           Possible value(s): 'complete', 'incremental'
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Destination server | x  | x      |
Path         | x  | x      |
Type         | x  | x      |
Content view version | x  | x      |
Content view version id | x  | x      |
Created at   | x  | x      |
Updated at   | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```


SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

content_view_id integer
content_view_version_id integer
id integer
type string

2.18. HAMMER CONTENT-IMPORT

アップストリームアーカイブからコンテンツをインポートします。

Usage:

hammer content-import [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:

library Imports a content archive to an organization's library lifecycle environment
list, index View content view import histories
repository Imports a repository
version Imports a content archive to a content view version

Options:

-h, --help Print help

2.18.1. hammer content-import library

コンテンツのライブラリーライフサイクル環境にコンテンツアーカイブをインポートします。

Usage:

hammer content-import library [OPTIONS]

Options:

--async Do not wait for the task
--metadata-file VALUE Location of the metadata.json file. This is not required if the metadata.json file is already in the archive directory.
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--path VALUE Directory containing the exported Content View Version
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.18.2. hammer content-import list

コンテンツビューのインポート履歴を表示します。

Usage:

```
hammer content-import <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--content-view-version VALUE Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN     Whether or not to show all results
--id NUMBER               Content view version import history identifier
--order VALUE             Sort field and order, eg. 'id DESC'
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER             Page number, starting at 1
--per-page NUMBER         Number of results per page to return
--search VALUE            Search string
--type ENUM               Import Types
                          Possible value(s): 'complete', 'incremental'
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Path         | x  | x      |
Type         | x  | x      |
Content view version | x  | x      |
Content view version id | x  | x      |
Created at   | x  | x      |
Updated at   | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

content_view_id integer
 content_view_version_id integer
 id integer
 type string

2.18.3. hammer コンテンツインポートリポジトリ

リポジトリをインポートします

Usage:

hammer content-import repository [OPTIONS]

Options:

--async Do not wait for the task
 --metadata-file VALUE Location of the metadata.json file. This is not required if the
 metadata.json
 file is already in the archive directory.
 --organization VALUE Organization name to search by
 --organization-id NUMBER Organization identifier
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 --path VALUE Directory containing the exported Content View Version
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.18.4. hammer content-import version

コンテンツアーカイブをコンテンツビューバージョンにインポートします。

Usage:

```
hammer content-import version [OPTIONS]
```

Options:

--async	Do not wait for the task
--metadata-file VALUE	Location of the metadata.json file. This is not required if the metadata.json file is already in the archive directory.
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--path VALUE	Directory containing the exported Content View Version
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.19. HAMMER コンテンツユニット

コンテンツユニットを操作する

Usage:

```
hammer content-units [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show a content unit
------------	---------------------

list, index List content_units

Options:

-h, --help Print help

2.19.1. hammer コンテンツユニット情報

コンテンツユニットを表示する

Usage:

hammer content-units <info|show> [OPTIONS]

Options:

--content-type VALUE	Possible values:
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--content-view-version VALUE	Content view version number
--content-view-version-id NUMBER	Content view version identifier
--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	A content unit identifier
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x  | x    | x
Name   | x  | x    | x
Version | x  | x    |
Filename | x  | x    |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.19.2. hammer コンテンツユニットリスト

content_units の一覧表示

Usage:

```
hammer content-units <list|index> [OPTIONS]
```

Options:

--content-type VALUE	Possible values:
--content-view VALUE	Content view name to search by
--content-view-filter VALUE	Name to search by
--content-view-filter-id NUMBER	Content view filter identifier
--content-view-filter-rule VALUE	Name to search by
--content-view-filter-rule-id NUMBER	Content view filter rule identifier
--content-view-id NUMBER	Content view numeric identifier
--content-view-version VALUE	Content view version number
--content-view-version-id NUMBER	Content view version identifier
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--ids LIST	Ids to filter content by
--include-filter-ids BOOLEAN	Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER	Environment identifier
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
--search VALUE	Search string
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Version | x | x   |
Filename | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20. HAMMER CONTENT-VIEW

コンテンツビューを操作します。

Usage:

```
hammer content-view [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
add-repository      Associate a resource
add-version         Add a content view version to a composite view
component           View and manage components
copy                Copy a content view
create              Create a content view
delete              Delete a content view
filter              View and manage filters
info, show          Show a content view
list, index         List content views
publish             Publish a content view
purge               Delete old versions of a content view
remove              Remove versions and/or environments from a content view and reassign
systems and keys
remove-from-environment  Remove a content view from an environment
remove-repository      Disassociate a resource
remove-version         Remove a content view version from a composite view
update                Update a content view
version              View and manage content view versions
```

Options:

```
-h, --help          Print help
```

2.20.1. hammer content-view add-repository

リソースを関連付けます。

Usage:

```
hammer content-view add-repository [OPTIONS]
```

Options:

```

--id VALUE          Content view numeric identifier
--name VALUE        Content view name to search by
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE     Product name to search by
--product-id NUMBER Product numeric identifier
--repository VALUE  Repository name to search by
--repository-id NUMBER Repository ID
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.20.2. hammer content-view add-version

コンテンツビューバージョンを複合ビューに追加します。

Usage:

```
hammer content-view add-version [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view id to search by
--content-view-version VALUE Content view version number
--content-view-version-id NUMBER Content view version identifier
--id VALUE                Content view numeric identifier
--name VALUE              Content view name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```


ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.3. hammer content-view component

コンポーネントを表示および管理します。

Usage:

```
hammer content-view component [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add	Add components to the content view
list, index	List components attached to this content view
remove	Remove components from the content view
update	Update a component associated with the content view

Options:

-h, --help	Print help
------------	------------

2.20.3.1. hammer content-view component add

コンポーネントをコンテンツビューに追加します。

Usage:

```
hammer content-view component add [OPTIONS]
```

Options:

--component-content-view VALUE	Content View name of the component who's latest version is desired
--component-content-view-id VALUE	Content View identifier of the component who's latest version is desired
--component-content-view-version VALUE	Content View Version number of the component. Either use this or --component-content-view-version-id option
--component-content-view-version-id VALUE	Content View Version identifier of the component
--composite-content-view VALUE	Name of the composite content view
--composite-content-view-id NUMBER	Composite content view identifier
--latest	Select the latest version of the components content view is desired
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by

```
--organization-label VALUE      Organization label to search by
-h, --help                      Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.20.3.2. hammer content-view component list

このコンテンツビューに割り当てられたコンポーネントのリストを表示します。

Usage:

```
hammer content-view component <list|index> [OPTIONS]
```

Options:

```
--composite-content-view VALUE  Name of the composite content view
--composite-content-view-id NUMBER Composite content view identifier
--fields LIST                   Show specified fields or predefined field sets only. (See below)
--organization VALUE            Organization name to search by
--organization-id VALUE         Organization ID to search by
--organization-label VALUE      Organization label to search by
-h, --help                      Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x |
Version | x | x |
Current version | x | x |
Version id | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.3.3. hammer content-view component remove

コンテンツビューからコンポーネントを削除します。

Usage:

```
hammer content-view component remove [OPTIONS]
```

Options:

```
--component-content-view-ids VALUE Array of component content view identifiers to remove.
Comma separated list of
    values
--component-content-views VALUE Array of component content view names to remove. Comma
separated list of values
--component-ids LIST Array of content view component IDs to remove. Identifier of the
component
    association
--composite-content-view VALUE Name of the composite content view
--composite-content-view-id NUMBER Composite content view identifier
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.3.4. hammer content-view component update

コンテンツビューに関連付けられたコンポーネントを更新します。

Usage:

```
hammer content-view component update [OPTIONS]
```

Options:

```
--component-content-view VALUE      Content View name of the component who's latest version
is desired
--component-content-view-id VALUE    Content View identifier of the component who's latest
version is desired
--component-content-view-version VALUE Content View Version number of the component. Either
use this or
                                     --component-content-view-version-id option
--component-content-view-version-id VALUE Content View Version identifier of the component
--composite-content-view VALUE       Name of the composite content view
--composite-content-view-id NUMBER   Composite content view identifier
--id NUMBER                           Content view component ID. Identifier of the component association
--latest                               Select the latest version of the components content view is desired
--organization VALUE                 Organization name to search by
--organization-id VALUE              Organization ID to search by
--organization-label VALUE           Organization label to search by
-h, --help                            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.20.4. hammer content-view copy

コンテンツビューをコピーします。

Usage:

```
hammer content-view copy [OPTIONS]
```

Options:

```
--id NUMBER          Content view numeric identifier
--name VALUE         Content view name to search by
--new-name VALUE     New content view name
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.5. hammer content-view create

コンテンツビューを作成します。

Usage:

```
hammer content-view create [OPTIONS]
```

Options:

```
--auto-publish BOOLEAN    Enable/Disable auto publish of composite view
--component-ids LIST      List of component content view version ids for composite views
--composite               Create a composite content view
--description VALUE       Description for the content view
--import-only             Designate this Content View for importing from upstream servers only.
--label VALUE             Content view label
--name VALUE              Name of the content view
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository-ids LIST     List of repository ids
--solve-dependencies BOOLEAN Solve RPM dependencies by default on Content View publish,
defaults to false
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.6. hammer content-view delete

コンテンツビューを削除します。

Usage:

```
hammer content-view delete [OPTIONS]
```

Options:

--async	Do not wait for the task
--id NUMBER	Content view numeric identifier
--name VALUE	Content view name to search by
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7. hammer content-view filter

フィルターを表示および管理します。

Usage:

```
hammer content-view filter [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-repository	Associate a resource
create	Create a filter for a content view
delete, destroy	Delete a filter

info, show	Show filter info
list, index	List filters
remove-repository	Disassociate a resource
rule	View and manage filter rules
update	Update a filter
Options:	
-h, --help	Print help

2.20.7.1. hammer content-view filter add-repository

リソースを関連付けます。

Usage:

```
hammer content-view filter add-repository [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--id VALUE	Filter identifier
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository ID
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.2. hammer content-view filter create

コンテンツビューのフィルターを作成します。

Usage:

```
hammer content-view filter create [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--description VALUE       Description of the filter
--inclusion BOOLEAN        Specifies if content should be included or excluded, default:
inclusion=false
--name VALUE              Name of the filter
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--original-module-streams BOOLEAN Add all module streams without errata to the
included/excluded list. (module
                           stream filter only)
--original-packages BOOLEAN Add all packages without errata to the included/excluded list.
(package filter
                           only)
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--repositories LIST
--repository-ids LIST     List of repository ids
--type VALUE              Type of filter (e.g. rpm, package_group, erratum, erratum_id,
erratum_date,
                           docker, modulemd)
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.20.7.3. hammer content-view filter delete

フィルターを削除します。

Usage:

```
hammer content-view filter <delete|destroy> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--id NUMBER               Filter identifier

```



```
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.20.7.4. hammer content-view filter info

フィルター情報を表示します。

Usage:

```
hammer content-view filter <info|show> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--fields LIST             Show specified fields or predefined field sets only. (See below)
--id NUMBER               Filter identifier
--name VALUE              Name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Filter id   | x  | x      | x
Name        | x  | x      | x
Type        | x  | x      |
Inclusion     | x  | x      |
Description | x  | x      |
Repositories/id | x  | x      |
Repositories/name | x  | x      |
Repositories/label | x  | x      |
Rules/id    | x  | x      |
```

```

Rules/name          | x | x |
Rules/version       | x | x |
Rules/minimum version | x | x |
Rules/maximum version | x | x |
Rules/errata id     | x | x |
Rules/start date    | x | x |
Rules/end date      | x | x |
Rules/types         | x | x |
Rules/created       | x | x |
Rules/updated       | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.20.7.5. hammer content-view filter list

フィルターのリストを表示します。

Usage:

```
hammer content-view filter <list|index> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--fields LIST            Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN    Whether or not to show all results
--name VALUE             Filter content view filters by name
--order VALUE           Sort field and order, eg. 'id DESC'
--organization VALUE     Organization name to search by
--organization-id VALUE  Organization ID to search by
--organization-label VALUE Organization label to search by
--page NUMBER           Page number, starting at 1
--per-page NUMBER       Number of results per page to return
--search VALUE          Search string
--types LIST            Types of filters
-h, --help             Print help

```

Predefined field sets:

```
-----|-----|-----|-----
```

```

FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----

```

```

Filter id | x | x | x
Name      | x | x | x
Description | x | x |
Type      | x | x |
Inclusion  | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

content_type  Values: rpm, package_group, erratum, docker, modulemd
inclusion_type Values: include, exclude
name          string

```

2.20.7.6. hammer content-view filter remove-repository

リソースの関連付けを解除します。

Usage:

```
hammer content-view filter remove-repository [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--id VALUE                Filter identifier
--name VALUE              Name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--repository VALUE        Repository name to search by
--repository-id NUMBER    Repository ID
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.7. hammer content-view filter rule

フィルタールールを表示および管理します。

Usage:

```
hammer content-view filter rule [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a filter rule. The parameters included should be based upon the filter
                    type.
delete, destroy     Delete a filter rule
info, show          Show filter rule info
list, index         List filter rules
update              Update a filter rule. The parameters included should be based upon the filter
                    type.
```

Options:

```
-h, --help          Print help
```

2.20.7.7.1. hammer content-view filter rule create

フィルタールールを作成します。組み込まれるパラメーターはフィルタータイプに基づくものでなければなりません。

Usage:

```
hammer content-view filter rule create [OPTIONS]
```

Options:

```
--architecture VALUE      Package: architecture
--content-view VALUE       Content view name to search by
--content-view-filter VALUE Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--date-type VALUE          Erratum: search using the 'Issued On' or 'Updated On' column of the
```

errata.

Values are 'issued'/'updated'

```
--end-date VALUE      Erratum: end date (YYYY-MM-DD)
--errata-id VALUE     Erratum: id
--errata-ids LIST     Erratum: IDs or a select all object
--max-version VALUE   Package: maximum version
--min-version VALUE   Package: minimum version
--module-stream-ids LIST  Module stream ids
--name LIST           Package, package group, or docker tag names
--names VALUE         Package and package group names
--organization VALUE   Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--start-date VALUE    Erratum: start date (YYYY-MM-DD)
--types LIST          Erratum: types (enhancement, bugfix, security)
--uuid VALUE          Package group: uuid
--version VALUE       Package: version
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.20.7.7.2. hammer content-view filter rule delete

フィルタールールを削除します。

Usage:

```
hammer content-view filter rule <delete|destroy> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-filter VALUE  Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--id NUMBER               Rule identifier
--name VALUE              Name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.7.3. hammer content-view filter rule info

フィルタールール情報を表示します。

Usage:

```
hammer content-view filter rule <info|show> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-filter VALUE  Name to search by
--content-view-filter-id NUMBER  Filter identifier
--content-view-id NUMBER
--fields LIST              Show specified fields or predefined field sets only. (See below)
--id NUMBER                Rule identifier
--name VALUE               Name to search by
--organization VALUE       Organization name to search by
--organization-id VALUE    Organization ID to search by
--organization-label VALUE  Organization label to search by
-h, --help                 Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Rule id  | x  | x      | x
Filter id | x  | x      |
Name     | x  | x      | x
Version  | x  | x      |
Minimum version | x  | x      |
Maximum version | x  | x      |
Architecture | x  | x      |
Errata id | x  | x      |
Start date | x  | x      |
End date  | x  | x      |
Date type | x  | x      |
Types    | x  | x      |
```

```

Created      | x | x |
Updated     | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.20.7.7.4. hammer content-view filter rule list

フィルタールールをリスト表示します。

Usage:

```
hammer content-view filter rule <list|index> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-filter VALUE Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--errata-id VALUE         Errata_id of the content view filter rule
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN    Whether or not to show all results
--name VALUE              Name of the content view filter rule
--order VALUE             Sort field and order, eg. 'id DESC'
--organization VALUE     Organization name to search by
--organization-id VALUE  Organization ID to search by
--organization-label VALUE Organization label to search by
--page NUMBER            Page number, starting at 1
--per-page NUMBER        Number of results per page to return
--search VALUE           Search string
-h, --help               Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Rule id  | x | x | x
Filter id | x | x |
Name     | x | x | x
Version  | x | x |

```

```

Minimum version | x | x |
Maximum version | x | x |
Architecture   | x | x |
Errata id      | x | x |
Start date     | x | x |
End date       | x | x |
-----|-----|-----|

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.20.7.7.5. hammer content-view filter rule update

フィルタールールを更新します。組み込まれるパラメーターはフィルタータイプに基づくものでなければなりません。

Usage:

```
hammer content-view filter rule update [OPTIONS]
```

Options:

```

--architecture VALUE      Package: architecture
--content-view VALUE       Content view name to search by
--content-view-filter VALUE Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--end-date VALUE           Erratum: end date (YYYY-MM-DD)
--errata-id VALUE          Erratum: id
--id NUMBER                Rule identifier
--max-version VALUE        Package: maximum version
--min-version VALUE        Package: minimum version
--name VALUE               Package, package group, or docker tag: name
--new-name VALUE           Package, package group, or docker tag: name
--organization VALUE       Organization name to search by
--organization-id VALUE    Organization ID to search by
--organization-label VALUE Organization label to search by
--start-date VALUE         Erratum: start date (YYYY-MM-DD)
--types LIST               Erratum: types (enhancement, bugfix, security)
--version VALUE            Package: version
-h, --help                 Print help

```


Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.8. hammer content-view filter update

フィルターを更新します。

Usage:

```
hammer content-view filter update [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--description VALUE       Description of the filter
--id NUMBER               Filter identifier
--inclusion BOOLEAN        Specifies if content should be included or excluded, default:
inclusion=false
--name VALUE              New name for the filter
--new-name VALUE          New name for the filter
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--original-module-streams BOOLEAN Add all module streams without errata to the
included/excluded list. (module
stream filter only)
--original-packages BOOLEAN Add all packages without errata to the included/excluded list.
(package filter
only)
--repositories LIST
--repository-ids LIST     List of repository ids
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.8. hammer content-view info

コンテンツビューを表示します。

Usage:

```
hammer content-view <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Content view numeric identifier
--name VALUE          Content view name to search by
--organization VALUE  Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help            Print help
```

Predefined field sets:

----- ---- ----- -----				
FIELDS	ALL	DEFAULT	THIN	
----- ---- ----- -----				
Id	x	x	x	
Name	x	x	x	
Label	x	x		
Composite	x	x		
Description	x	x		
Content host count	x	x		
Solve dependencies	x	x		
Organization	x	x		
Yum repositories/id	x	x		
Yum repositories/name	x	x		
Yum repositories/label	x	x		
Container image repositories/id	x	x		
Container image repositories/name	x	x		
Container image repositories/label	x	x		
Ostree repositories/id	x	x		
Ostree repositories/name	x	x		
Ostree repositories/label	x	x		
Lifecycle environments/id	x	x		
Lifecycle environments/name	x	x		
Versions/id	x	x		
Versions/version	x	x		
Versions/published	x	x		
Components/id	x	x		
Components/name	x	x		
Activation keys/	x	x		

-----|----|-----|-----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.9. hammer content-view list

コンテンツビューのリストを表示します。

Usage:

```
hammer content-view <list|index> [OPTIONS]
```

Options:

--composite	BOOLEAN	Filter only composite content views
--environment	VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id	NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--fields	LIST	Show specified fields or predefined field sets only. (See below)
--full-result	BOOLEAN	Whether or not to show all results
--include-generated	BOOLEAN	Include content views generated by imports/exports. Defaults to false
--label	VALUE	Label of the content view
--lifecycle-environment	VALUE	Lifecycle environment name to search by
--lifecycle-environment-id	NUMBER	Environment identifier
--name	VALUE	Name of the content view
--noncomposite	BOOLEAN	Filter out composite content views
--nondefault	BOOLEAN	Filter out default content views
--order	VALUE	Sort field and order, eg. 'id DESC'
--organization	VALUE	Organization name to search by
--organization-id	NUMBER	Organization identifier
--organization-label	VALUE	Organization label to search by
--organization-title	VALUE	Organization title
--page	NUMBER	Page number, starting at 1
--per-page	NUMBER	Number of results per page to return
--search	VALUE	Search string
--without	LIST	Do not include this array of content views
-h, --help		Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Content view id | x | x | x
Name         | x | x | x
Label        | x | x |
Composite    | x | x |
Last published | x | x |
Repository ids | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

composite      boolean
generated_for  integer
label          string
name           string
organization_id integer

```

2.20.10. hammer content-view publish

コンテンツビューを公開します。

Usage:

```
hammer content-view publish [OPTIONS]
```

Options:

```

--async          Do not wait for the task
--description VALUE Description for the new published content view version
--id NUMBER      Content view identifier
--is-force-promote BOOLEAN Force content view promotion and bypass lifecycle environment
restriction
--lifecycle-environment-ids LIST Identifiers for Lifecycle Environment
--lifecycle-environments LIST Names for Lifecycle Environment
--major NUMBER   Override the major version number
--minor NUMBER   Override the minor version number
--name VALUE     Content view name to search by

```

```
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--repos-units SCHEMA      Specify the list of units in each repo
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--repos-units "label=<string>\,rpm_filenames=<array>, ... "
```

2.20.11. hammer content-view purge

古いバージョンのコンテンツビューを削除します。

Usage:

```
hammer content-view purge [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--count NUMBER   Count of unused versions to keep
                  Default: 3
--id VALUE       Content View numeric identifier
--name VALUE     Content View name
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help      Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
```

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.12. hammer content-view remove

コンテンツビューからバージョンや環境を削除し、システムおよびキーを再度割り当てます。

Usage:

```
hammer content-view remove [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--content-view-version-ids LIST  Content view version identifiers to be deleted
--content-view-versions LIST
--destroy-content-view BOOLEAN  Delete the content view with all the versions and environments
--environment-ids LIST          (--environment-ids is deprecated: Use --lifecycle-environment-ids
instead)
--environments LIST           (--environments is deprecated: Use --lifecycle-environments instead)
--id NUMBER                   Content view numeric identifier
--key-content-view-id NUMBER   Content view to reassign orphaned activation keys to
--key-environment-id NUMBER    Environment to reassign orphaned activation keys to
--lifecycle-environment-ids LIST Environment numeric identifiers to be removed
--name VALUE                   Content view name to search by
--organization VALUE          Organization name to search by
--organization-id VALUE       Organization ID to search by
--organization-label VALUE     Organization label to search by
--system-content-view-id NUMBER Content view to reassign orphaned systems to
--system-environment-id NUMBER Environment to reassign orphaned systems to
-h, --help                    Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.13. hammer content-view remove-from-environment

環境からコンテンツビューを削除します。

Usage:

```
hammer content-view remove-from-environment [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--environment VALUE      Lifecycle environment name to search by (--environment is
deprecated: Use
                    --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER            Content view numeric identifier
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment numeric identifier
--name VALUE          Content view name to search by
--organization VALUE   Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE  Organization label to search by
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.20.14. hammer content-view remove-repository

リソースの関連付けを解除します。

Usage:

```
hammer content-view remove-repository [OPTIONS]
```

Options:

```
--id VALUE          Content view numeric identifier
--name VALUE        Content view name to search by
--organization VALUE  Organization name to search by
--organization-id VALUE  Organization ID to search by
--organization-label VALUE  Organization label to search by
--product VALUE      Product name to search by
```

```
--product-id NUMBER      Product numeric identifier
--repository VALUE       Repository name to search by
--repository-id NUMBER   Repository ID
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.20.15. hammer content-view remove-version

複合ビューからコンテンツビューのバージョンを削除します。

Usage:

```
hammer content-view remove-version [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--id VALUE                Content view numeric identifier
--name VALUE              Content view name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
```


NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.16. hammer content-view update

コンテンツビューを更新します。

Usage:

```
hammer content-view update [OPTIONS]
```

Options:

```
--auto-publish BOOLEAN    Enable/Disable auto publish of composite view
--component-ids LIST      List of component content view version ids for composite views
--description VALUE       Description for the content view
--id NUMBER               Content view identifier
--import-only BOOLEAN     Designate this Content View for importing from upstream servers only.
```

Defaults

```
                                to false
--name VALUE                 New name for the content view
--new-name VALUE             New name for the content view
--organization VALUE        Organization name to search by
--organization-id VALUE     Organization ID to search by
--organization-label VALUE  Organization label to search by
--repository-ids LIST       List of repository ids
--solve-dependencies BOOLEAN Solve RPM dependencies by default on Content View publish,
defaults to false
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                                JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                                JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
                                JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string
```

2.20.17. hammer content-view version

コンテンツビューのバージョンを表示および管理します。

Usage:

```
hammer content-view version [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete	Remove content view version
incremental-update	Perform an Incremental Update on one or more Content View Versions
info, show	Show content view version
list, index	List content view versions
promote	Promote a content view version
republish-repositories	Forces a republish of the version's repositories' metadata
update	Update a content view version

Options:

-h, --help	Print help
------------	------------

2.20.17.1. hammer content-view version delete

コンテンツビューバージョンを削除します。

Usage:

```
hammer content-view version delete [OPTIONS]
```

Options:

--async	Do not wait for the task
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER	Content view version identifier
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	ID of the environment
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.2. hammer content-view version incremental-update

1つ以上のコンテンツビューバージョンで増分更新を実行します。

Usage:

```
hammer content-view version incremental-update [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER  Content View Version Ids to perform an incremental update on.
```

May contain

```

                                composites as well as one or more components to update.
--deb-ids LIST          Deb Package ids to copy into the new versions
--debs LIST
--description VALUE    The description for the new generated Content View Versions
--errata-ids LIST      Errata ids to copy into the new versions
--host-ids LIST        IDs of hosts to update
--lifecycle-environment-ids LIST  List of lifecycle environment IDs to update the content view version
in
--lifecycle-environments LIST  List of lifecycle environment names to update the content view
version in
--organization VALUE    Organization name for resolving lifecycle environment names
--organization-id VALUE  Organization id for resolving lifecycle environment names
--package-ids LIST      Package ids to copy into the new versions
--packages LIST
--propagate-all-composites BOOLEAN If true, will publish a new composite version using any
specified
                                content_view_version_id that has been promoted to a lifecycle environment
--resolve-dependencies BOOLEAN  If true, when adding the specified errata or packages, any
needed dependencies
                                will be copied as well. Defaults to true
--update-all-hosts BOOLEAN  Update all editable and applicable hosts within the specified
Content View and \
                                Lifecycle Environments
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                                JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.3. hammer content-view version info

コンテンツビューバージョンを表示します。

Usage:

```
hammer content-view version <info|show> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--environment VALUE      Lifecycle environment name to search by (--environment is
depreciated: Use
                        --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is depreciated: Use --lifecycle-environment-id
instead)
--fields LIST            Show specified fields or predefined field sets only. (See below)
--id NUMBER              Content view version identifier
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of the environment
--organization VALUE     Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--version VALUE          Content view version number
-h, --help               Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      |
Version     | x  | x      | x
Description | x  | x      |
Content view id      | x  | x      |
Content view name    | x  | x      |
Content view label   | x  | x      |
Lifecycle environments/id | x  | x      |
Lifecycle environments/name | x  | x      |
Lifecycle environments/label | x  | x      |
Repositories/id     | x  | x      |
Repositories/name   | x  | x      |
Repositories/label  | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.4. hammer content-view version list

コンテンツビューのバージョンをリスト表示します。

Usage:

```
hammer content-view version <list|index> [OPTIONS]
```

Options:

```
--composite-version-id NUMBER  Filter versions that are components in the specified composite
version
--content-view VALUE           Content view name to search by
--content-view-id NUMBER       Content view identifier
--environment VALUE           Lifecycle environment name to search by (--environment is
deprecated: Use
                               --lifecycle-environment instead)
--environment-id NUMBER       (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Filter versions by environment
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Organization identifier
--organization-label VALUE    Organization label to search by
--organization-title VALUE    Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--search VALUE                Search string
--triggered-by-id NUMBER      Filter composite versions whose publish was triggered by the
specified component
                               version
--version VALUE               Filter versions by version number
-h, --help                    Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name       | x  | x      |
```

Version	x x x
Description	x x
Lifecycle environments	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

content_view_id	integer
repository	string
version	string

2.20.17.5. hammer content-view version promote

コンテンツビューバージョンをプロモートします。

Usage:

```
hammer content-view version promote [OPTIONS]
```

Options:

--async	Do not wait for the task
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--description VALUE	The description for the content view version promotion
--force	Force content view promotion and bypass lifecycle environment restriction
--from-lifecycle-environment VALUE	Environment name from where to promote its version from (if version is unknown)
--from-lifecycle-environment-id VALUE	Id of the environment from where to promote its version from (if version is unknown)
--id NUMBER	Content view version identifier
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--to-lifecycle-environment VALUE	Name of the target environment
--to-lifecycle-environment-id VALUE	Id of the target environment
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.6. hammer content-view version republish-repositories

バージョンのリポジトリのメタデータを強制的に再公開します。

Usage:

```
hammer content-view version republish-repositories [OPTIONS]
```

Options:

--async	Do not wait for the task
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--force BOOLEAN	Force metadata regeneration to proceed. Dangerous when repositories use the 'Complete Mirroring' mirroring policy
--id NUMBER	Content view version identifier
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.7. hammer content-view version update

コンテンツビューのバージョンを更新します。

Usage:

```
hammer content-view version update [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--description VALUE	The description for the content view version
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER	Content view version identifier
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	ID of the environment
--new-version VALUE	
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.21. HAMMER DEB-PACKAGE

deb パッケージを操作します。

Usage:


```
hammer deb-package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
info, show          Show a deb package
list, index         List deb packages
```

Options:

```
-h, --help         Print help
```

2.21.1. hammer deb-package info

deb パッケージを表示

Usage:

```
hammer deb-package <info|show> [OPTIONS]
```

Options:

```
--fields LIST       Show specified fields or predefined field sets only. (See below)
--id VALUE          A deb package identifier
--name VALUE        Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE  Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help         Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Pulp id | x  | x    |
Uuid    | x  | x    |
Name    | x  | x    | x
Version | x  | x    |
Checksum | x  | x    |
Architecture | x  | x    |
Nav     | x  | x    |
Nva     | x  | x    |
Filename | x  | x    |
Available host count | x  | x    |
Applicable host count | x  | x    |
Description | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.21.2. hammer deb-package list

deb パッケージを一覧表示する

Usage:

```
hammer deb-package <list|index> [OPTIONS]
```

Options:

```
--available-for VALUE          Return deb packages that can be added to the specified object.
Only the value
                                'content_view_version' is supported.
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content View Filter identifier
--content-view-id NUMBER     Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content View Version identifier
--environment VALUE          Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER      (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN        Whether or not to show all results
--host VALUE                 Host name
--host-id NUMBER             Host id to list applicable deb packages for
--ids LIST                   Deb package identifiers to filter content by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                Sort field and order, eg. 'id DESC'
--organization VALUE         Organization name to search by
--organization-id NUMBER     Organization identifier
--organization-label VALUE   Organization label to search by
--organization-title VALUE   Organization title
--packages-restrict-applicable BOOLEAN Return deb packages that are applicable to one or more
hosts (defaults to true
                                if host_id is specified)
--packages-restrict-upgradable BOOLEAN Return deb packages that are upgradable on one or more
hosts
--page NUMBER                Page number, starting at 1
--per-page NUMBER            Number of results per page to return
--product VALUE              Product name to search by
```

```

--product-id NUMBER      Product numeric identifier
--repository VALUE       Repository name to search by
--repository-id NUMBER   Repository identifier
--search VALUE           Search string
-h, --help               Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x | x
Filename | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.22. HAMMER DEFAULTS

デフォルト設定を管理します。

Usage:

```
hammer defaults [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

add             Add a default parameter to config
delete          Delete a default param
list            List all the default parameters
providers       List all the providers

```

Options:

```
-h, --help      Print help
```

2.22.1. hammer defaults add

デフォルトパラメーターを設定に追加します。

Usage:

```
hammer defaults add [OPTIONS]
```

Options:

```
--param-name VALUE      The name of the default option (e.g. organization_id)
--param-value VALUE     The value for the default option
--provider VALUE        The name of the provider providing the value. For list available providers
see
                        `hammer defaults providers`
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.22.2. hammer defaults delete

デフォルトパラメーターを削除します。

Usage:

```
hammer defaults delete [OPTIONS]
```

Options:

```
--param-name VALUE      The name of the default option
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.22.3. hammer defaults list

デフォルトパラメーターのリストを表示します。

Usage:
hammer defaults list [OPTIONS]

Options:
-h, --help Print help

2.22.4. hammer defaults providers

プロバイダーのリストを表示します。

Usage:
hammer defaults providers [OPTIONS]

Options:
-h, --help Print help

2.23. HAMMER DISCOVERY

検出されたホストを操作します。

Usage:
hammer discovery [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
auto-provision Auto provision a host
delete, destroy Delete a discovered host
facts List all fact values
info, show Show a discovered host
list, index List all discovered hosts
provision Provision a discovered host
reboot Reboot a host
refresh-facts Refresh the facts of a host

Options:
-h, --help Print help

2.23.1. hammer discovery auto-provision

ホストの自動プロビジョニングを行います。

Usage:

```
hammer discovery auto-provision [OPTIONS]
```

Options:

```
--all                Auto provision all discovered hosts
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.23.2. hammer discovery delete

検出されたホストを削除します。

Usage:

```
hammer discovery <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.23.3. hammer discovery facts

ファクト値のリストを表示します。

Usage:

hammer discovery facts [OPTIONS]

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Fact   | x  | x
Value  | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

fact	string
fact_short_name	string
facts	string
host	string
host.hostgroup	string
host_id	integer
location	string
location_id	integer
name	string
organization	string
organization_id	integer
origin	string
reported_at	datetime
short_name	string
type	string
value	string

2.23.4. hammer discovery info

検出されたホストを表示します。

Usage:

```
hammer discovery <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----	
FIELDS	ALL DEFAULT THIN
----- ----- ----- -----	
Id	x x x
Name	x x x
Mac	x x
Cpus	x x
Memory	x x
Disk count	x x


```

Disks size | x | x |
Subnet     | x | x |
Last report | x | x |
Ip         | x | x |
Model      | x | x |
Organization | x | x |
Location   | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.23.5. hammer discovery list

検出されたホストのリストを表示します。

Usage:

```
hammer discovery <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE      Sort results
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page VALUE       Paginate results
--per-page VALUE   Number of entries per request
--search VALUE     Filter results
-h, --help        Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Mac     | x | x |

```

```

Cpus      | x | x |
Memory   | x | x |
Disk count | x | x |
Disks size | x | x |
Subnet    | x | x |
Last report | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.23.6. hammer discovery provision

検出されたホストをプロビジョニングします。

Usage:

```
hammer discovery provision [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id NUMBER  Required if host is managed and value is not inherited from host group
--ask-root-password BOOLEAN
--build BOOLEAN
--capabilities VALUE
--domain VALUE            Domain name
--domain-id NUMBER       Required if host is managed and value is not inherited from host group
--enabled BOOLEAN
--hostgroup VALUE        Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE  Hostgroup title
--id VALUE
--image VALUE            Name to search by
--image-id NUMBER
--interface KEY_VALUE_LIST  Interface parameters
                          Can be specified multiple times.
--ip VALUE               Not required if using a subnet with DHCP Capsule
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--mac VALUE              Not required if it's a virtual machine

```

```

--managed BOOLEAN
--medium VALUE          Medium name
--medium-id VALUE       Required if not imaged based provisioning and host is managed and
value is not
                        inherited from host group
--model VALUE           Model name
--model-id NUMBER
--name VALUE
--new-name VALUE
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER Required if host is managed and value is not inherited from host
group
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--overwrite BOOLEAN
--owner-id NUMBER
--owner-type ENUM       Host's owner type
                        Possible value(s): 'User', 'Usergroup'
--parameters KEY_VALUE_LIST Host parameters
--partition-table VALUE Partition table name
--partition-table-id NUMBER
--progress-report-id VALUE UUID to track orchestration tasks status, GET
/api/orchestration/:UUID/tasks
--provision-method ENUM Possible value(s): 'build', 'image'
--pxe-loader ENUM       DHCP filename option (Grub2 or PXELinux by default)
                        Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI', 'Grub2
BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI HTTP',
'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded', 'iPXE
UEFI
                        HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--root-password VALUE
--sp-subnet-id NUMBER
--subnet VALUE          Subnet name
--subnet-id NUMBER      Required if host is managed and value is not inherited from host group
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.23.7. hammer discovery reboot

ホストを再起動します。

Usage:

```
hammer discovery reboot [OPTIONS]
```

Options:

```
--all                Reboot all discovered hosts
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA           Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.23.8. hammer discovery refresh-facts

ホストのファクトをリフレッシュします。

Usage:

```
hammer discovery refresh-facts [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24. HAMMER DISCOVERY-RULE

検出されたルールを操作します。

Usage:

```
hammer discovery-rule [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a discovery rule
delete, destroy	Delete a rule
info, show	Show a discovery rule
list, index	List all discovery rules
update	Update a rule

Options:

-h, --help	Print help
------------	------------

2.24.1. hammer discovery-rule create

検出ルールを作成します。

Usage:

```
hammer discovery-rule create [OPTIONS]
```

Options:

--enabled BOOLEAN	Flag is used for temporary shutdown of rules
--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	The hostgroup that is used to auto provision a host
--hostgroup-title VALUE	Hostgroup title
--hostname VALUE	Defines a pattern to assign human-readable hostnames to the matching hosts
--hosts-limit VALUE	Enables to limit maximum amount of provisioned hosts per rule

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      Location ID for provisioned hosts
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             Represents rule name shown to the users
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  Organization ID for provisioned hosts
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--priority NUMBER        Puts the rules in order, low numbers go first. Must be greater then zero
--search VALUE           Query to match discovered hosts for the particular rule
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.24.2. hammer discovery-rule delete

ルールを削除します。

Usage:

```
hammer discovery-rule <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24.3. hammer discovery-rule info

検出ルールを表示します。

Usage:

```
hammer discovery-rule <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Priority | x  | x      |
Search  | x  | x      |
Host group | x  | x      |
Hosts limit | x  | x      |
Enabled  | x  | x      |
Hostname template | x  | x      |
Hosts/   | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24.4. hammer discovery-rule list

検出ルールの一覧を表示します。

Usage:

```
hammer discovery-rule <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort results
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page VALUE           Paginate results
--per-page VALUE       Number of entries per request
--search VALUE         Filter results
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Priority | x | x |
Search  | x | x |
Host group | x | x |
Hosts limit | x | x |
Enabled  | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24.5. hammer discovery-rule update

ルールを更新します。

Usage:

```
hammer discovery-rule update [OPTIONS]
```

Options:

--enabled	BOOLEAN	Flag is used for temporary shutdown of rules
--hostgroup	VALUE	Hostgroup name
--hostgroup-id	NUMBER	The hostgroup that is used to auto provision a host
--hostgroup-title	VALUE	Hostgroup title
--hostname	VALUE	Defines a pattern to assign human-readable hostnames to the matching hosts
--hosts-limit	VALUE	Enables to limit maximum amount of provisioned hosts per rule
--id	VALUE	
--location	VALUE	Set the current location context for the request
--location-id	NUMBER	Set the current location context for the request
--location-ids	LIST	Location ID for provisioned hosts
--location-title	VALUE	Set the current location context for the request
--location-titles	LIST	
--locations	LIST	
--name	VALUE	Represents rule name shown to the users
--new-name	VALUE	Represents rule name shown to the users
--organization	VALUE	Set the current organization context for the request
--organization-id	NUMBER	Set the current organization context for the request
--organization-ids	LIST	Organization ID for provisioned hosts
--organization-title	VALUE	Set the current organization context for the request
--organization-titles	LIST	
--organizations	LIST	
--priority	NUMBER	Puts the rules in order, low numbers go first. Must be greater than zero
--search	VALUE	Query to match discovered hosts for the particular rule
-h, --help		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.25. HAMMER DOCKER

Docker コンテナを操作します。

```
Usage:
  hammer docker [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  manifest            Manage docker manifests
  tag                 Manage docker tags

Options:
  -h, --help          Print help
```

2.25.1. hammer docker manifest

docker マニフェストを管理します。

```
Usage:
  hammer docker manifest [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  info, show          Show a docker manifest
  list, index         List docker_manifests

Options:
  -h, --help          Print help
```

2.25.1.1. hammer docker manifest info

docker マニフェストを表示します。

```
Usage:
  hammer docker manifest <info|show> [OPTIONS]

Options:
```

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE            A docker manifest identifier
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE    Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Schema version | x | x   |
Digest  | x | x   |
Downloaded | x | x   |
Tags/name | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.25.1.2. hammer docker manifest list

docker マニフェストのリストを表示します。

Usage:

```
hammer docker manifest <list|index> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-filter VALUE Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER  Content view numeric identifier

```

```

--content-view-version VALUE      Content view version number
--content-view-version-id NUMBER  Content view version identifier
--environment VALUE               Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER           (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                     Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN             Whether or not to show all results
--ids LIST                         Ids to filter content by
--include-filter-ids BOOLEAN      Includes associated content view filter ids in response
--lifecycle-environment VALUE     Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                     Sort field and order, eg. 'id DESC'
--organization VALUE              Organization name to search by
--organization-id NUMBER          Organization identifier
--organization-label VALUE        Organization label to search by
--organization-title VALUE        Organization title
--page NUMBER                     Page number, starting at 1
--per-page NUMBER                 Number of results per page to return
--product VALUE                   Product name to search by
--product-id NUMBER               Product numeric identifier
--repository VALUE                Repository name to search by
--repository-id NUMBER            Repository identifier
--search VALUE                    Search string
-h, --help                        Print help

```

Predefined field sets:

```

-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Schema version | x  | x      |
Digest  | x  | x      |
Downloaded | x  | x      |
Tags    | x  | x      |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.25.2. hammer docker tag

Docker Tags を管理します。

Usage:
hammer docker tag [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
info, show Show a docker tag
list, index List docker_tags

Options:
-h, --help Print help

2.25.2.1. hammer docker tag info

docker タグを表示します。

Usage:
hammer docker tag <info|show> [OPTIONS]

Options:
--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE A docker tag identifier
--name VALUE Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Tag         | x  | x      | x
Repository id | x  | x      |
Docker manifest id | x  | x      |
Docker manifest name | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.25.2.2. hammer docker tag list

docker タグをリスト表示します。

Usage:

```
hammer docker tag <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER Content view version identifier
--environment VALUE           Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER       (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                  Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN          Whether or not to show all results
--ids LIST                      Ids to filter content by
--include-filter-ids BOOLEAN    Includes associated content view filter ids in response
--lifecycle-environment VALUE   Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                  Sort field and order, eg. 'id DESC'
--organization VALUE           Organization name to search by
--organization-id NUMBER       Organization identifier
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                  Page number, starting at 1
--per-page NUMBER              Number of results per page to return
--product VALUE                Product name to search by
--product-id NUMBER            Product numeric identifier
--repository VALUE             Repository name to search by
--repository-id NUMBER         Repository identifier
--search VALUE                  Search string
-h, --help                      Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
```

```

-----|-----|-----|-----
Id      | x | x | x
Tag     | x | x | x
Repository id | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.26. HAMMER DOMAIN

ドメインを操作します。

Usage:

```
hammer domain [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a domain
delete, destroy	Delete a domain
delete-parameter	Delete parameter for a domain
info, show	Show a domain
list, index	List of domains
set-parameter	Create or update parameter for a domain
update	Update a domain

Options:

-h, --help	Print help
------------	------------

2.26.1. hammer domain create

ドメインを作成します。

Usage:

```
hammer domain create [OPTIONS]
```

Options:

```

--description VALUE      Full name describing the domain
--dns VALUE              Name of DNS proxy to use within this domain
--dns-id VALUE           ID of DNS proxy to use within this domain
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             The full DNS domain name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.26.2. hammer domain delete

ドメインを削除します。

Usage:

```
hammer domain <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Domain name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```


Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.26.3. hammer domain delete-parameter

ドメインのパラメーターを削除します。

Usage:

```
hammer domain delete-parameter [OPTIONS]
```

Options:

```
--domain VALUE          Domain name
--domain-id NUMBER      Numerical ID or domain name
--name VALUE            Parameter name
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.26.4. hammer domain info

ドメインを表示します。

Usage:

```
hammer domain <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Numerical ID or domain name
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Domain name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Description | x | x      |
Dns id  | x  | x      |
Subnets/ | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
Parameters/ | x | x      |
Created at | x | x      |
Updated at | x | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.26.5. hammer domain list

ドメインをリスト表示します。

Usage:

```
hammer domain <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Scope by locations
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--subnet VALUE         Subnet name
--subnet-id VALUE      ID of subnet
-h, --help             Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

fullname     string
location     string
location_id  integer
name         string
organization string
organization_id integer
params       string

```

2.26.6. hammer domain set-parameter

ドメインのパラメーターを作成または更新します。

-

Usage:

```
hammer domain set-parameter [OPTIONS]
```

Options:

```
--domain VALUE          Domain name
--domain-id NUMBER      Numerical ID or domain name
--hidden-value BOOLEAN  Should the value be hidden
--name VALUE           Parameter name
--parameter-type ENUM   Type of the parameter
                        Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                        'yaml', 'json'
                        Default: "string"
--value VALUE          Parameter value
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.26.7. hammer domain update

ドメインを更新します。

Usage:

```
hammer domain update [OPTIONS]
```

Options:

```
--description VALUE      Full name describing the domain
--dns VALUE              Name of DNS proxy to use within this domain
--dns-id VALUE          ID of DNS proxy to use within this domain
--id VALUE
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE            The full DNS domain name
--new-name VALUE        The full DNS domain name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```

--organization-ids LIST    REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.27. HAMMER ERRATUM

エラータを操作します。

Usage:

```
hammer erratum [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

info           Show an erratum
list, index    List errata

```

Options:

```
-h, --help      Print help
```

2.27.1. hammer erratum info

エラータを表示します。

Usage:

```
hammer erratum info [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE         An erratum identifier
--name VALUE       Name to search by
--organization VALUE Organization name to search by

```

```

--organization-id NUMBER   Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE        Repository name to search by
--repository-id NUMBER    Repository identifier
-h, --help                 Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Title           | x  | x
Version         | x  | x
Description     | x  | x
Status          | x  | x
Id              | x  | x
Errata id       | x  | x
Reboot suggested | x  | x
Updated        | x  | x
Issued         | x  | x
Release        | x  | x
Solution       | x  | x
Packages       | x  | x
Module streams/name | x  | x
Module streams/stream | x  | x
Module streams/packages | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
               escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.27.2. hammer erratum list

エラータをリスト表示します。

Usage:

```
hammer erratum <list|index> [OPTIONS]
```

Options:

```
--available-for VALUE      Return errata that can be added to the specified object. The values
```

```

        'content_view_version' and 'content_view_filter' are supported.
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content View Filter identifier
--content-view-id NUMBER     Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content View Version identifier
--cve VALUE                   CVE identifier
--errata-restrict-applicable BOOLEAN Return errata that are applicable to one or more hosts
(defaults to true if
        host_id is specified)
--errata-restrict-installable BOOLEAN Return errata that are upgradable on one or more hosts
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN        Whether or not to show all results
--host VALUE                  Host name
--host-id NUMBER              Host id to list applicable errata for
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE         Organization name to search by
--organization-id NUMBER     Organization identifier
--organization-label VALUE   Organization label to search by
--organization-title VALUE   Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--product VALUE               Product name to search by
--product-id NUMBER           Product numeric identifier
--repository VALUE            Repository name to search by
--repository-id NUMBER        Repository identifier
--search VALUE                Search string
-h, --help                    Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x | x
Errata id | x | x
Type   | x | x
Title  | x | x
Issued  | x | x
Updated | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description

```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

bug	string
cve	string
errata_id	string
errata_type	string
id	string
issued	date
modular	Values: true, false
package	string
package_name	string
reboot_suggested	boolean
repository	string
severity	string
synopsis	string
title	string
type	string
updated	date

2.28. HAMMER EXPORT-TEMPLATES

テンプレートを git repo またはサーバー上のディレクトリーにエクスポートします。

Usage:

```
hammer export-templates [OPTIONS]
```

Options:

--branch VALUE	Branch in Git repo.
--commit-msg VALUE	Custom commit message for templates export
--dirname VALUE	The directory within Git repo containing the templates
--filter VALUE	Export templates with names matching this regex (case-insensitive; snippets are not filtered).
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--metadata-export-mode ENUM	Specify how to handle metadata Possible value(s): 'refresh', 'keep', 'remove'
--negate BOOLEAN	Negate the prefix (for purging).
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--repo VALUE	Override the default repo from settings.
--verbose BOOLEAN	Be verbose
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.29. HAMMER FACT

fact を検索します。

Usage:

```
hammer fact [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

list, index	List all fact values
-------------	----------------------

Options:

-h, --help	Print help
------------	------------

2.29.1. hammer fact list

ファクト値のリストを表示します。

Usage:

```
hammer fact <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results

```
--search VALUE      Filter results
-h, --help          Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Host   | x | x
Fact   | x | x
Value  | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
fact          string
fact_short_name string
facts         string
host          string
host.hostgroup string
host_id       integer
location      string
location_id   integer
name          string
organization  string
organization_id integer
origin        string
reported_at   datetime
short_name    string
type          string
value         string
```

2.30. HAMMER FILE

ファイルを操作します。

Usage:

```
hammer file [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:
 SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:
 info, show Show a file
 list, index List files

Options:
 -h, --help Print help

2.30.1. hammer file info

ファイルを表示します。

Usage:
 hammer file <info|show> [OPTIONS]

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--content-view-version VALUE	Content view version number
--content-view-version-id NUMBER	Content view version identifier
--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	A file identifier
--name VALUE	File name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   |
Name   | x | x   | x
Path   | x | x   |
Uuid   | x | x   |
Checksum | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.30.2. hammer file list

ファイルをリスト表示します。

Usage:

```
hammer file <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--ids LIST                    Ids to filter content by
--include-filter-ids BOOLEAN  Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Organization identifier
--organization-label VALUE    Organization label to search by
--organization-title VALUE    Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--product VALUE               Product name to search by
--product-id NUMBER           Product numeric identifier
--repository VALUE            Repository name to search by
--repository-id NUMBER        Repository identifier
--search VALUE                 Search string
-h, --help                    Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   |
Name   | x | x   | x
Path   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31. HAMMER FILTER

パーミッションフィルターを管理します。

Usage:

```
hammer filter [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

available-permissions	List all permissions
available-resources	List available resource types
create	Create a filter
delete, destroy	Delete a filter
info, show	Show a filter
list, index	List all filters
update	Update a filter

Options:

-h, --help	Print help
------------	------------

2.31.1. hammer filter available-permissions

パーミッションのリストを表示します。

Usage:

```
hammer filter available-permissions [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request

```

--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--page NUMBER               Page number, starting at 1
--per-page VALUE            Number of results per page to return, 'all' to return all results
--search VALUE              Filter results
-h, --help                  Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Resource | x | x   |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

name         string
resource_type string

```

2.31.2. hammer filter available-resources

利用可能なリソースタイプをリスト表示します。

Usage:

```
hammer filter available-resources [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help

```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31.3. hammer filter create

フィルターを作成します。

Usage:

```
hammer filter create [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--override BOOLEAN
--permission-ids LIST
--permissions LIST
--role VALUE              User role name
--role-id VALUE
--search VALUE
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Overriding organizations and locations:

Filters inherit organizations and locations from its role by default. This behavior can be changed by setting `--override=true`.

Therefore options `--organization[s]-ids` and `--location[s]-ids` are applicable only when the override flag is set.

2.31.4. hammer filter delete

フィルターを削除します。

Usage:

```
hammer filter <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31.5. hammer filter info

フィルターを表示します。

Usage:

```
hammer filter <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Resource type | x  | x      |
Search  | x  | x      |
Unlimited? | x  | x      |
Override? | x  | x      |
Role    | x  | x      |
Permissions | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
Created at | x  | x      |
Updated at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31.6. hammer filter list

すべてのフィルターのリストを表示します。

Usage:

```
hammer filter <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----
FIELDS ALL DEFAULT THIN
----- ----- ----- -----
Id x x x
Resource type x x
Search x x
Unlimited? x x
Override? x x
Role x x
Permissions x x
----- ----- ----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

limited	Values: true, false
location	string
location_id	integer
organization	string
organization_id	integer
override	Values: true, false
permission	string
resource	string
role	string
role_id	integer
search	text
unlimited	Values: true, false

2.31.7. hammer filter update

フィルターを更新します。

Usage:

```
hammer filter update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--override BOOLEAN
--permission-ids LIST
--permissions LIST
--role VALUE             User role name
--role-id VALUE
--search VALUE
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Overriding organizations and locations:

Filters inherit organizations and locations from its role by default. This behavior can be changed by setting `--override=true`.

Therefore options `--organization[s]-ids` and `--location[s]-ids` are applicable only when the override flag is set.

2.32. HAMMER FOREIGN-INPUT-SET

外部入力セットを管理します。

Usage:

```
hammer foreign-input-set [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a foreign input set
delete, destroy	Delete a foreign input set
info, show	Show foreign input set details
list, index	List foreign input sets
update	Update a foreign input set

Options:

-h, --help	Print help
------------	------------

2.32.1. hammer foreign-input-set create

外部入力セットを作成します。

Usage:

```
hammer foreign-input-set create [OPTIONS]
```

Options:

--description VALUE	Input set description
--exclude VALUE	A comma separated list of input names to be included from the foreign template.
--include VALUE	A comma separated list of input names to be included from the foreign template.
--include-all BOOLEAN	Include all inputs from the foreign template
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request

```
--target-template-id VALUE  Target template ID
--template-id VALUE
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.32.2. hammer foreign-input-set delete

外部入力セットを削除します。

Usage:

```
hammer foreign-input-set <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.32.3. hammer foreign-input-set info

外部入力セット詳細を表示します。

Usage:

```
hammer foreign-input-set <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--template-id VALUE	
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Target template id	x	x	
Target template name	x	x	
Include all	x	x	
Include	x	x	
Exclude	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.32.4. hammer foreign-input-set list

外部入力セットをリスト表示します。

Usage:

```
hammer foreign-input-set <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--template-id VALUE
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS      | ALL | DEFAULT
-----|-----|-----
Id          | x  | x
Target template id | x  | x
Target template name | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.32.5. hammer foreign-input-set update

外部入力セットを更新します。

Usage:

```
hammer foreign-input-set update [OPTIONS]
```

Options:

```

--description VALUE      Input set description
--exclude VALUE          A comma separated list of input names to be included from the foreign
template.
--id VALUE
--include VALUE          A comma separated list of input names to be included from the foreign
template.
--include-all BOOLEAN    Include all inputs from the foreign template
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--target-template-id VALUE Target template ID
--template-id VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.33. HAMMER FULL-HELP

全 hammer コマンドの help の表示します。

Usage:

```
hammer full-help [OPTIONS]
```

Options:

```

--md            Format output in markdown
-h, --help     Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```


ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.34. HAMMER GLOBAL-PARAMETER

グローバルパラメーターを操作します。

Usage:

```
hammer global-parameter [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
delete, destroy     Delete a global parameter
list, index         List all global parameters
set                 Set a global parameter
```

Options:

```
-h, --help          Print help
```

2.34.1. hammer global-parameter delete

グローバルパラメーターを削除します。

Usage:

```
hammer global-parameter <delete|destroy> [OPTIONS]
```

Options:

```
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Common parameter name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN             One of true/false, yes/no, 1/0
DATETIME             Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.34.2. hammer global-parameter list

グローバルパラメーターをリスト表示します。

Usage:

```
hammer global-parameter <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--show-hidden BOOLEAN  Display hidden values
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
Value  | x | x   |
Type   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

domain_name	string
host_group_name	string
host_name	string
key_type	string
location_name	string
name	string
organization_name	string
os_name	string
parameter_type	string
subnet_name	text
type	string
value	text

2.34.3. hammer global-parameter set

グローバルパラメーターを設定します。

Usage:

```
hammer global-parameter set [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35. HAMMER HOST

ホストを操作します。

Usage:

```
hammer host [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
ansible-roles      Manage Ansible roles on a host
boot               Boot host from specified device
config-reports     List all reports
create             Create a host
deb-package        Manage deb packages on your hosts
delete, destroy    Delete a host
delete-parameter   Delete parameter for a host
disassociate       Disassociate a host
enc-dump           Dump host's ENC YAML
errata             Manage errata on your hosts
facts              List all fact values
info, show         Show a host
interface          View and manage host's network interfaces
list, index        List all hosts
package            Manage packages on your hosts
package-group      Manage package-groups on your hosts
policies-enc       View policies ENC for host
reboot             Reboot a host
rebuild-config     Rebuild orchestration related configurations for host
reports            List all reports
reset              Reset a host
set-parameter      Create or append a parameter for a host
start              Power a host on
status             Get status of host
stop               Power a host off
subscription       Manage subscription information on your hosts
traces             List traces on your hosts
update             Update a host
```

Options:

```
-h, --help         Print help
```

2.35.1. hammer host ansible-roles

ホストで Ansible ロールを実行します。

Usage:

```
hammer host ansible-roles [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

```

Subcommands:
assign          Assigns Ansible roles to a host
list, index    List all Ansible roles for a host
play           Runs all Ansible roles on a host

Options:
-h, --help     Print help

```

2.35.1.1. hammer host ansible-roles assign

Ansible ロールをホストに割り当てます。

```

Usage:
  hammer host ansible-roles assign [OPTIONS]

Options:
--ansible-role-ids LIST  Ansible roles to assign to a host
--ansible-roles LIST
--id VALUE
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE            Host name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.35.1.2. hammer host ansible-roles list

ホストの Ansible ロールをすべてリスト表示します。

```

Usage:
  hammer host ansible-roles <list|index> [OPTIONS]

Options:

```

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Imported at | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.1.3. hammer host ansible-roles play

ホストに対して全 Ansible ロールを実行します。

Usage:

```
hammer host ansible-roles play [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.2. hammer host boot

指定されたデバイスからホストを起動します。

Usage:

```
hammer host boot [OPTIONS]
```

Options:

--device VALUE	Boot device, valid devices are disk, cdrom, pxe, bios
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.3. hammer host config-reports

レポートのリストを表示します。

Usage:

```
hammer host config-reports [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Host id
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Host    | x | x |
Last report | x | x |
Origin  | x | x |
Applied  | x | x |
Restarted | x | x |
Failed   | x | x |
Restart failures | x | x |
Skipped  | x | x |
Pending  | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```


Search / Order fields:

```

applied          integer
eventful         Values: true, false
failed           integer
failed_restarts  integer
host             string
host_id          integer
host_owner_id    integer
hostgroup        string
hostgroup_fullname string
hostgroup_title  string
last_report      datetime
location         string
log              text
organization     string
origin           string
pending          integer
reported         datetime
resource         text
restarted        integer
skipped          integer

```

2.35.4. hammer host create

ホストを作成します。

Usage:

```
hammer host create [OPTIONS]
```

Options:

```

--ansible-role-ids LIST          IDs of associated ansible roles
--ansible-roles LIST
--architecture VALUE            Architecture name
--architecture-id NUMBER        Required if host is managed and value is not inherited from host
group
--ask-root-password BOOLEAN
--autoheal BOOLEAN              Sets whether the Host will autoheal subscriptions upon checkin
--build BOOLEAN
--comment VALUE                 Additional information about this host
--compute-attributes KEY_VALUE_LIST Compute resource attributes
--compute-profile VALUE         Compute profile name
--compute-profile-id NUMBER
--compute-resource VALUE        Compute resource name
--compute-resource-id NUMBER    Nil means host is bare metal
--content-source VALUE          Content Source name
--content-source-id NUMBER
--content-view VALUE            Name to search by
--content-view-id NUMBER
--domain VALUE                  Domain name
--domain-id NUMBER              Required if host is managed and value is not inherited from host
group
--enabled BOOLEAN               Include this host within Satellite reporting
--hostgroup VALUE               Hostgroup name
--hostgroup-id NUMBER

```

--hostgroup-title VALUE Hostgroup title
 --hypervisor-guest-uuids LIST List of hypervisor guest uuids
 --image VALUE Name to search by
 --image-id NUMBER
 --installed-products-attributes SCHEMA List of products installed on the host
 --interface KEY_VALUE_LIST Interface parameters
 Can be specified multiple times.
 --ip VALUE Not required if using a subnet with DHCP Capsule
 --kickstart-repository VALUE Kickstart repository name
 --kickstart-repository-id NUMBER Repository Id associated with the kickstart repo used for provisioning
 --lifecycle-environment VALUE Name to search by
 --lifecycle-environment-id NUMBER
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --mac VALUE Required for managed host that is bare metal, not required if it's a virtual machine
 --managed BOOLEAN True/False flag whether a host is managed or unmanaged.
 Note: this value also determines whether several parameters are required or not
 --medium VALUE Medium name
 --medium-id VALUE Required if not imaged based provisioning and host is managed and value is not inherited from host group
 --model VALUE Model name
 --model-id NUMBER
 --name VALUE
 --opencap-proxy-id NUMBER ID of OpenSCAP Capsule
 --operatingsystem VALUE Operating system title
 --operatingsystem-id NUMBER Required if host is managed and value is not inherited from host group
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 --overwrite BOOLEAN Default: "true"
 --owner VALUE Login of the owner
 --owner-id VALUE ID of the owner
 --owner-type ENUM Host's owner type
 Possible value(s): 'User', 'Usergroup'
 --parameters KEY_VALUE_LIST Replaces with new host parameters
 --partition-table VALUE Partition table name
 --partition-table-id NUMBER Required if host is managed and custom partition has not been defined
 --product VALUE Name to search by
 --product-id NUMBER Product id as listed from a host's installed products, this is not the same product id as the products api returns
 --progress-report-id VALUE UUID to track orchestration tasks status, GET /api/orchestration/:UUID/tasks
 --provision-method ENUM The method used to provision the host.
 Possible value(s): 'build', 'image', 'bootdisk'
 --puppet-ca-proxy-id NUMBER Puppet CA Capsule ID
 --puppet-proxy-id NUMBER Puppet Capsule ID
 --purpose-addons LIST Sets the system add-ons

```

--purpose-role VALUE          Sets the system purpose usage
--purpose-usage VALUE        Sets the system purpose usage
--pxe-loader ENUM            DHCP filename option (Grub2/PXELinux by default)
                              Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2
                              BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                              'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                              HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--realm VALUE                Name to search by
--realm-id NUMBER
--release-version VALUE      Release version for this Host to use (7Server, 7.1, etc)
--root-password VALUE        Required if host is managed and value is not inherited from host
group or
                              default password in settings
--service-level VALUE        Service level to be used for autoheal
--subnet VALUE                Subnet name
--subnet-id NUMBER           Required if host is managed and value is not inherited from host
group
--typed-parameters SCHEMA    Replaces with new host parameters (with type support)
--volume KEY_VALUE_LIST      Volume parameters
                              Can be specified multiple times.
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--typed-parameters "name=<string>\,value=<string>\,parameter_type=
[string|boolean|integer|real|array|hash|yaml|json],hidden_value=[true|false|1|0], ... "
```

```
--installed-products-attributes "product_id=<string>\,product_name=<string>\,arch=
<string>\,version=<string>, ... "
```

Available keys for --interface:

```

mac
ip
type          Possible values: interface, bmc, bond, bridge

```

name
 subnet_id
 domain_id
 identifier
 managed true/false
 primary true/false, each managed hosts needs to have one primary interface.
 provision true/false
 virtual true/false

For virtual=true:

tag VLAN tag, this attribute has precedence over the subnet VLAN ID. Only for virtual interfaces.

attached_to Identifier of the interface to which this interface belongs, e.g. eth1.

For type=bond:

mode Possible values: balance-rr, active-backup, balance-xor, broadcast, 802.3ad, balance-tlb, balance-alb

attached_devices Identifiers of slave interfaces, e.g. [eth1,eth2]

bond_options

For type=bmc:

provider always IPMI

username

password

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

--interface:

--compute-attributes:

availability_zone

flavor_id

groups

security_group_ids

managed_ip

GCE:

--volume:

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:

machine_type

network

associate_external_ip

Libvirt:

--volume:

pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:

compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:

cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough
 start Boolean (expressed as 0 or 1), whether to start the machine or not

OpenStack:

--volume:

--interface:

--compute-attributes:

availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:

--volume:

size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use
 cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes

ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.
 start Boolean, set 1 to start the vm

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name

storage_pod Storage Pod ID from VMware

datastore Datastore ID from VMware

mode persistent/independent_persistent/independent_nonpersistent

size_gb Integer number, volume size in GB

thin true/false

eager_zero true/false

controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:

VirtualVmxnet3

VirtualE1000

See documentation center for your version of vSphere to find more details about

available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware

corespersocket Number of cores per socket (applicable to hardware versions < 10 only)

cpus CPU count

memory_mb Integer number, amount of memory in MB

path Path to folder

resource_pool Resource Pool ID from VMware

firmware automatic/bios/efi

guest_id Guest OS ID from VMware

hardware_version Hardware version ID from VMware

memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is

on

cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on

add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine

annotation Annotation Notes

scsi_controllers List with SCSI controllers definitions

type - ID of the controller from VMware

key - Key of the controller (e.g. 1000)

start Must be a 1 or 0, whether to start the machine or not

AzureRM:

```

--volume:
  disk_size_gb      Volume Size in GB (integer value)
  data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:
  compute_network  Select one of available Azure Subnets, must be an ID
  compute_public_ip Public IP (None, Static, Dynamic)
  compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:
  resource_group  Existing Azure Resource Group of user
  vm_size         VM Size, eg. Standard_A0 etc.
  username        The Admin username
  password        The Admin password
  platform        OS type eg. Linux
  ssh_key_data    SSH key for passwordless authentication
  os_disk_caching OS disk caching
  premium_os_disk Premium OS Disk, Boolean as 0 or 1
  script_command  Custom Script Command
  script_uris     Comma seperated file URIs

```

2.35.5. hammer host deb-package

ホストの deb パッケージを管理します。

Usage:

```
hammer host deb-package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```
list, index        List deb packages installed on the host
```

Options:

```
-h, --help        Print help
```

2.35.5.1. hammer host deb-package list

ホストにインストールされている deb パッケージのリストを表示します。

Usage:

```
hammer host deb-package <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN Whether or not to show all results
--host VALUE       Host name
--host-id NUMBER   ID of the host
--order VALUE      Sort field and order, eg. 'id DESC'
--page NUMBER      Page number, starting at 1

```

```
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Version | x | x   |
Arch   | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.35.6. hammer host delete

ホストを削除します。

Usage:

```
hammer host <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```


ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.7. hammer host delete-parameter

ホストのパラメーターを削除します。

Usage:

```
hammer host delete-parameter [OPTIONS]
```

Options:

```
--host VALUE          Host name
--host-id NUMBER
--name VALUE          Parameter name
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.8. hammer host disassociate

ホストの関連付けを解除します。

Usage:

```
hammer host disassociate [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
```

```

--location-id NUMBER      Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.35.9. hammer host enc-dump

ホストの ENC YAML をダンプします。

Usage:

```
hammer host enc-dump [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.10. hammer host errata

お使いのホストに関するエラータを管理します。

Usage:

```
hammer host errata [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
apply              Schedule errata for installation using katello-agent. NOTE: Katello-agent is
                  deprecated and will be removed in a future release. Consider using remote
                  execution instead.
info              Retrieve a single errata for a host
list              List errata available for the content host
recalculate       Force regenerate applicability.
```

Options:

```
-h, --help        Print help
```

2.35.10.1. hammer host errata apply

katello-agent を使用してインストール用のエラータをスケジュールします。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

Usage:

```
hammer host errata apply [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--errata-ids LIST  List of Errata ids to install. Will be removed in a future release
--full-result BOOLEAN  Whether or not to show all results
--host VALUE      Host name
--host-id NUMBER  Host ID
--order VALUE     Sort field and order, eg. 'id DESC'
--page NUMBER     Page number, starting at 1
--per-page NUMBER Number of results per page to return
--search VALUE    Search string for erratum to perform an action on
--sort-by VALUE   Field to sort the results on
--sort-order VALUE How to order the sorted results (e.g. ASC for ascending)
-h, --help       Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.10.2. hammer host errata info

ホストに関するエラータを1つ取得します。

Usage:

```
hammer host errata info [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--host VALUE           Host name
--host-id NUMBER       Host ID
--id VALUE              Errata id of the erratum (RHSA-2012:108)
--name VALUE           Name to search by
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS      | ALL | DEFAULT
-----|-----|-----
Title       | x  | x
Version     | x  | x
Description | x  | x
Status      | x  | x
Id          | x  | x
Errata id   | x  | x
Reboot suggested | x  | x
Updated     | x  | x
Issued      | x  | x
Release     | x  | x
Solution    | x  | x
Packages    | x  | x
Module streams/name | x  | x
Module streams/stream | x  | x
Module streams/packages | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.10.3. hammer host errata list

コンテンツホストに利用可能なエラータをリスト表示します。

Usage:

hammer host errata list [OPTIONS]

Options:

--content-view VALUE Content view name to search by
 --content-view-id NUMBER Calculate Applicable Errata based on a particular Content View
 --environment VALUE Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
 --environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id instead)
 --fields LIST Show specified fields or predefined field sets only. (See below)
 --full-result BOOLEAN Whether or not to show all results
 --host VALUE Host name
 --host-id NUMBER UUID of the content host
 --include-applicable BOOLEAN Return errata that are applicable to this host. Defaults to false)
 --lifecycle-environment VALUE Lifecycle environment name to search by
 --lifecycle-environment-id NUMBER Calculate Applicable Errata based on a particular Environment
 --order VALUE Sort field and order, eg. 'id DESC'
 --organization VALUE Organization name to search by
 --organization-id VALUE Organization ID to search by
 --organization-label VALUE Organization label to search by
 --page NUMBER Page number, starting at 1
 --per-page NUMBER Number of results per page to return
 --search VALUE Search string
 --severity VALUE Return only errata of a particular severity (None, Low, Moderate, Important, Critical)
 --type VALUE Return only errata of a particular type (security, bugfix, enhancement)
 -h, --help Print help

Predefined field sets:

```

-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Id      | x  | x

```

```

Erratum id | x | x
Type       | x | x
Title      | x | x
Installable | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.35.10.4. hammer host errata recalculate

適用可能なエラーを強制的に再生成します。

Usage:

```
hammer host errata recalculate [OPTIONS]
```

Options:

```

--host VALUE      Host name
--host-id NUMBER  Host ID
-h, --help        Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.35.11. hammer host facts

ファクト値のリストを表示します。

Usage:

```
hammer host facts [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Host name
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Fact   | x  | x
Value  | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
fact         string
fact_short_name string
facts        string
host         string
host.hostgroup string
host_id      integer
```

```

location      string
location_id   integer
name          string
organization  string
organization_id integer
origin       string
reported_at   datetime
short_name    string
type         string
value        string

```

2.35.12. hammer host info

ホストを表示します。

Usage:

```
hammer host <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE            Set the current location context for the request
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
-h, --help           Print help

```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Uuid	x	x	
Name	x	x	x
Organization	x	x	
Location	x	x	
Host group	x	x	
Compute resource		x	x
Compute profile		x	x
Cert name	x	x	
Managed	x	x	
Installed at	x	x	
Last report	x	x	
Uptime (seconds)		x	x
Status/global status		x	x
Status/build status		x	x
Network/ipv4 address		x	x
Network/ipv6 address		x	x
Network/mac	x	x	
Network/subnet ipv4		x	x
Network/subnet ipv6		x	x

Network/domain	x x
Network/service provider/sp name	x x
Network/service provider/sp ip	x x
Network/service provider/sp mac	x x
Network/service provider/sp subnet	x x
Network interfaces/id	x x
Network interfaces/identifier	x x
Network interfaces/type	x x
Network interfaces/mac address	x x
Network interfaces/ipv4 address	x x
Network interfaces/ipv6 address	x x
Network interfaces/fqdn	x x
Operating system/architecture	x x
Operating system/operating system	x x
Operating system/build	x x
Operating system/medium	x x
Operating system/partition table	x x
Operating system/pxe loader	x x
Operating system/custom partition table	x x
Operating system/image	x x
Operating system/image file	x x
Operating system/use image	x x
Parameters/	x x
All parameters/	x x
Additional info/owner	x x
Additional info/owner id	x x
Additional info/owner type	x x
Additional info/enabled	x x
Additional info/model	x x
Additional info/comment	x x
Openscap proxy	x x
Content information/content view/id	x x
Content information/content view/name	x x
Content information/lifecycle environment/id	x x
Content information/lifecycle environment/name	x x
Content information/content source/id	x x
Content information/content source/name	x x
Content information/kickstart repository/id	x x
Content information/kickstart repository/name	x x
Content information/applicable packages	x x
Content information/upgradable packages	x x
Content information/applicable errata/enhancement	x x
Content information/applicable errata/bug fix	x x
Content information/applicable errata/security	x x
Subscription information/uuid	x x
Subscription information/last checkin	x x
Subscription information/release version	x x
Subscription information/autoheal	x x
Subscription information/registered to	x x
Subscription information/registered at	x x
Subscription information/registered by activation keys/	x x
Subscription information/system purpose/service level	x x
Subscription information/system purpose/purpose usage	x x
Subscription information/system purpose/purpose role	x x
Subscription information/system purpose/purpose addons	x x
Trace status	x x

```

Host collections/id          | x | x |
Host collections/name       | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.35.13. hammer host interface

ホストのネットワークインターフェイスを表示および管理します。

Usage:

```
hammer host interface [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

create              Create an interface on a host
delete, destroy    Delete a host's interface
info, show         Show an interface for host
list, index        List all interfaces for host
update             Update a host's interface

```

Options:

```
-h, --help          Print help
```

2.35.13.1. hammer host interface create

ホストにインターフェイスを作成します。

Usage:

```
hammer host interface create [OPTIONS]
```

Options:

```
--attached-devices LIST      Identifiers of attached interfaces, e.g. `['eth1', 'eth2']`. For bond
interfaces                   those are the slaves. Only for bond and bridges interfaces.
```

--attached-to VALUE Identifier of the interface to which this interface belongs, e.g. eth1.
Only for virtual interfaces.

--bond-options VALUE Space separated options, e.g. miimon=100. Only for bond interfaces.

--compute-attributes KEY_VALUE_LIST Compute resource specific attributes

--domain VALUE Domain name

--domain-id NUMBER Satellite domain ID of interface. Required for primary interfaces on managed hosts.

--execution BOOLEAN Should this interface be used for remote execution?

--host VALUE Host name

--host-id VALUE ID or name of host

--identifier VALUE Device identifier, e.g. eth0 or eth1.1

--ip VALUE IPv4 address of interface

--ip6 VALUE IPv6 address of interface

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--mac VALUE MAC address of interface. Required for managed interfaces on bare metal.

--managed BOOLEAN Should this interface be managed via DHCP and DNS capsule and should it be configured during provisioning?

--mode ENUM Bond mode of the interface, e.g. balance-rr. Only for bond interfaces.
Possible value(s): 'balance-rr', 'active-backup', 'balance-xor', 'broadcast', '802.3ad', 'balance-tlb', 'balance-alb'

--mtu NUMBER MTU, this attribute has precedence over the subnet MTU.

--name VALUE Interface's DNS name

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--password VALUE Only for BMC interfaces.

--primary Should this interface be used for constructing the FQDN of the host? Each managed hosts needs to have one primary interface

--provider ENUM Interface provider, e.g. IPMI. Only for BMC interfaces.
Possible value(s): 'IPMI', 'Redfish', 'SSH'

--provision Should this interface be used for TFTP of PXELinux (or SSH for image-based hosts)? Each managed hosts needs to have one provision interface

--subnet VALUE Subnet name

--subnet-id NUMBER Satellite subnet ID of IPv4 interface

--subnet6-id NUMBER Satellite subnet ID of IPv6 interface

--tag VALUE VLAN tag, this attribute has precedence over the subnet VLAN ID. Only for virtual interfaces.

--type ENUM Interface type, e.g. bmc. Default is interface
Possible value(s): 'interface', 'bmc', 'bond', 'bridge'

--username VALUE Only for BMC interfaces.

--virtual BOOLEAN Alias or VLAN device

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.2. hammer host interface delete

ホストのインターフェイスを削除します。

Usage:

```
hammer host interface <delete|destroy> [OPTIONS]
```

Options:

--host VALUE	Host name
--host-id VALUE	ID or name of host
--id VALUE	ID of interface
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.3. hammer host interface info

ホストのインターフェイスを表示します。

■

Usage:

```
hammer host interface <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--host VALUE           Host name
--host-id VALUE        ID or name of host
--id VALUE             ID or name of interface
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Identifier | x | x |
Type    | x | x |
Mac address | x | x |
Ip address | x | x |
Dns name | x | x |
Subnet   | x | x |
Domain   | x | x |
Managed | x | x |
Primary  | x | x |
Provision | x | x |
Virtual  | x | x |
Tag      | x | x |
Attached to | x | x |
Bmc/username | x | x |
Bmc/provider | x | x |
Bond/mode | x | x |
Bond/attached devices | x | x |
Bond/bond options | x | x |
Execution | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.4. hammer host interface list

ホストのインターフェイスリストを表示します。

Usage:

```
hammer host interface <list|index> [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id VALUE	ID or name of domain
--fields LIST	Show specified fields or predefined field sets only. (See below)
--host VALUE	Host name
--host-id VALUE	ID or name of host
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--subnet VALUE	Subnet name
--subnet-id VALUE	ID or name of subnet
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Identifier | x  | x      |
Type    | x  | x      |
Mac address | x  | x      |
Ip address | x  | x      |
Dns name | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.5. hammer host interface update

ホストのインターフェイスを更新します。

Usage:

```
hammer host interface update [OPTIONS]
```

Options:

--attached-devices LIST	Identifiers of attached interfaces, e.g. `[eth1', 'eth2']`. For bond interfaces
	those are the slaves. Only for bond and bridges interfaces.
--attached-to VALUE	Identifier of the interface to which this interface belongs, e.g. eth1.
Only for	virtual interfaces.
--bond-options VALUE	Space separated options, e.g. miimon=100. Only for bond interfaces.
--compute-attributes KEY_VALUE_LIST	Compute resource specific attributes
--domain VALUE	Domain name
--domain-id NUMBER	Satellite domain ID of interface. Required for primary interfaces on managed hosts.
--execution BOOLEAN	Should this interface be used for remote execution?
--host VALUE	Host name
--host-id VALUE	ID or name of host
--id VALUE	ID of interface
--identifier VALUE	Device identifier, e.g. eth0 or eth1.1
--ip VALUE	IPv4 address of interface
--ip6 VALUE	IPv6 address of interface
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--mac VALUE	MAC address of interface. Required for managed interfaces on bare metal.
--managed BOOLEAN	Should this interface be managed via DHCP and DNS capsule and should it be configured during provisioning?
--mode ENUM	Bond mode of the interface, e.g. balance-rr. Only for bond interfaces. Possible value(s): 'balance-rr', 'active-backup', 'balance-xor', 'broadcast', '802.3ad', 'balance-tlb', 'balance-alb'
--mtu NUMBER	MTU, this attribute has precedence over the subnet MTU.
--name VALUE	Interface's DNS name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--password VALUE	Only for BMC interfaces.
--primary	Should this interface be used for constructing the FQDN of the host? Each managed hosts needs to have one primary interface
--provider ENUM	Interface provider, e.g. IPMI. Only for BMC interfaces. Possible value(s): 'IPMI', 'Redfish', 'SSH'
--provision based	Should this interface be used for TFTP of PXELinux (or SSH for image-based

hosts)? Each managed hosts needs to have one provision interface

```

--subnet VALUE          Subnet name
--subnet-id NUMBER      Satellite subnet ID of IPv4 interface
--subnet6-id NUMBER     Satellite subnet ID of IPv6 interface
--tag VALUE             VLAN tag, this attribute has precedence over the subnet VLAN ID. Only
for
                        virtual interfaces.
--type ENUM             Interface type, e.g. bmc. Default is interface
                        Possible value(s): 'interface', 'bmc', 'bond', 'bridge'
--username VALUE        Only for BMC interfaces.
--virtual BOOLEAN       Alias or VLAN device
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.14. hammer host list

ホストをリスト表示します。

Usage:

```
hammer host <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--location VALUE       Set the current location context for the request
--location-id VALUE    ID of location
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id VALUE ID of organization
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--thin BOOLEAN         Only list ID and name of hosts
-h, --help             Print help

```


Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Operating system	x	x	
Host group	x	x	
Ip	x	x	
Mac	x	x	
Global status	x	x	
Organization	x		
Location	x		
Additional information	x		
Content view	x	x	
Lifecycle environment	x	x	
Security	x		
Bugfix	x		
Enhancement		x	
Trace status	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

activation_key	string
activation_key_id	string
addon	string
addons_status	Values: mismatched, matched, not_specified
ansible_role	string
applicable_debs	string
applicable_errata	string
applicable_errata_issued	date
applicable_rpms	string
architecture	string
autoheal	boolean
boot_time	
build	Values: true, false
build_status	Values: built, pending, token_expired, build_failed

comment	text
compute_resource	string
compute_resource_id	integer
content_source	string
content_view	string
content_view_id	integer
created_at	datetime
cve_id	integer
domain	string
domain_id	integer
errata_status	Values: security_needed, errata_needed, updated, unknown
execution_status	Values: ok, error
facts	string
global_status	Values: ok, warning, error
has_ip	string
has_mac	string
hostgroup	string
hostgroup_fullname	string
hostgroup_id	integer
hostgroup_name	string
hostgroup_title	string
hypervisor	boolean
hypervisor_host	string
id	integer
image	string
infrastructure_facet.foreman	
infrastructure_facet.smart_proxy_id	
insights_recommendations_count	integer
installable_errata	string
installed_at	datetime
ip	string
job_invocation.id	string
job_invocation.result	Values: cancelled, failed, pending, success
last_checkin	datetime
last_report	datetime
lifecycle_environment	string
lifecycle_environment_id	integer
location	string
location_id	integer
mac	string
managed	Values: true, false
model	string
name	string
organization	string
organization_id	integer
origin	string
os	string
os_description	string
os_id	integer
os_major	string
os_minor	string
os_title	string
owner	string
owner_id	integer
owner_type	string
params	string

params_name	string
parent_hostgroup	string
puppet_ca	string
puppet_proxy_id	integer
puppetmaster	string
purpose_status	Values: mismatched, matched, not_specified
realm	string
realm_id	integer
registered_at	datetime
registered_through	string
release_version	string
reported.boot_time	
reported.cores	
reported.disks_total	
reported.ram	
reported.sockets	
reported.virtual	Values: true, false
repository	string
repository_content_label	string
role	text
role_status	Values: mismatched, matched, not_specified
service_level	string
sla_status	Values: mismatched, matched, not_specified
smart_proxy	string
status.applied	integer
status.enabled	Values: true, false
status.failed	integer
status.failed_restarts	integer
status.interesting	Values: true, false
status.pending	integer
status.restarted	integer
status.skipped	integer
subnet	string
subnet.name	text
subnet6	string
subnet6.name	text
subscription_id	string
subscription_name	string
subscription_status	Values: valid, partial, invalid, unknown, disabled,
unsubscribed_hypervisor	
subscription_uuid	string
trace_status	Values: reboot_needed, process_restart_needed, updated
upgradable_debs	string
upgradable_rpms	string
usage	text
usage_status	Values: mismatched, matched, not_specified
user.firstname	string
user.lastname	string
user.login	string
user.mail	string
usergroup	string
usergroup.name	string
uuid	string

2.35.15. hammer host package

お使いのホストのパッケージを管理します。

```
Usage:
  hammer host package [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  install             Install packages remotely using katello-agent. NOTE: Katello-agent is
  deprecated         and will be removed in a future release. Consider using remote execution
                    instead.
  list, index        List packages installed on the host
  remove             Uninstall packages remotely using katello-agent. NOTE: Katello-agent is
                    deprecated and will be removed in a future release. Consider using remote
                    execution instead.
  upgrade            Update packages remotely using katello-agent. NOTE: Katello-agent is
  deprecated         and will be removed in a future release. Consider using remote execution
                    instead.
  upgrade-all       Update packages remotely using katello-agent. NOTE: Katello-agent is
  deprecated         and will be removed in a future release. Consider using remote execution
                    instead.

Options:
  -h, --help        Print help
```

2.35.15.1. hammer host package install

katello-agent を使用して、リモートでパッケージをインストールします。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

```
Usage:
  hammer host package install [OPTIONS]

Options:
  --async           Do not wait for the task
  --host VALUE     Host name
  --host-id NUMBER ID of the host
  --packages LIST  List of package names
  -h, --help       Print help

Option details:
  Here you can find option types and the value an option can accept:

  BOOLEAN       One of true/false, yes/no, 1/0
  DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
  ENUM          Possible values are described in the option's description
  FILE          Path to a file
  KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
```

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.15.2. hammer host package list

ホストにインストールされているパッケージのリストを表示します。

Usage:

```
hammer host package <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--host VALUE	Host name
--host-id NUMBER	ID of the host
--include-latest-upgradable BOOLEAN	Also include the latest upgradable package version for each host package
--order VALUE	Sort field and order, eg. 'id DESC'
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--search VALUE	Search string
--status VALUE	Return only packages of a particular status (upgradable or up-to-date)
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Nvra  | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

arch	string
epoch	string
name	string
nvra	string
nvrea	string
release	string
version	string

2.35.15.3. hammer host package remove

katello-agent を使用してリモートでパッケージをアンインストールします。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

Usage:

```
hammer host package remove [OPTIONS]
```

Options:

--async	Do not wait for the task
--host VALUE	Host name
--host-id NUMBER	ID of the host
--packages LIST	List of package names
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.15.4. hammer host package upgrade

katello-agent を使用してリモートでパッケージを更新します。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

Usage:

```
hammer host package upgrade [OPTIONS]
```

Options:

--async	Do not wait for the task
--host VALUE	Host name

```
--host-id NUMBER      ID of the host
--packages LIST       List of packages names
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.15.5. hammer host package upgrade-all

katello-agent を使用してリモートでパッケージを更新します。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

Usage:

```
hammer host package upgrade-all [OPTIONS]
```

Options:

```
--async      Do not wait for the task
--host VALUE  Host name
--host-id NUMBER  ID of the host
-h, --help    Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.16. hammer host package-group

お使いのホストのパッケージグループを管理します。

```
Usage:
  hammer host package-group [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  install             Install packages remotely using katello-agent. NOTE: Katello-agent is
  deprecated         and will be removed in a future release. Consider using remote execution
                    instead.
  remove             Uninstall packages remotely using katello-agent. NOTE: Katello-agent is
                    deprecated and will be removed in a future release. Consider using remote
                    execution instead.

Options:
  -h, --help         Print help
```

2.35.16.1. hammer host package-group install

katello-agent を使用して、リモートでパッケージをインストールします。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

```
Usage:
  hammer host package-group install [OPTIONS]

Options:
  --async            Do not wait for the task
  --groups LIST     List of package group names (Deprecated)
  --host VALUE      Host name
  --host-id NUMBER  ID of the host
  -h, --help        Print help

Option details:
  Here you can find option types and the value an option can accept:

  BOOLEAN          One of true/false, yes/no, 1/0
  DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
  ENUM             Possible values are described in the option's description
  FILE             Path to a file
  KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
  LIST            Comma separated list of values. Values containing comma should be quoted or
  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
  MULTIENUM       Any combination of possible values described in the option's description
  NUMBER          Numeric value. Integer
```


SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.16.2. hammer host package-group remove

katello-agent を使用してリモートでパッケージをアンインストールします。注意: Katello エージェントは非推奨となり、今後のリリースで削除される予定です。代わりにリモート実行の使用を検討してください。

Usage:

```
hammer host package-group remove [OPTIONS]
```

Options:

--async	Do not wait for the task
--groups LIST	List of package group names (Deprecated)
--host VALUE	Host name
--host-id NUMBER	ID of the host
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.17. hammer host policies-enc

ホストのポリシー ENC を表示します。

Usage:

```
hammer host policies-enc [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	The identifier of the host
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request

```
--organization-title VALUE  Set the current organization context for the request
-h, --help                  Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS      | ALL | DEFAULT
-----|-----|-----
Id           | x  | x
Profile id   | x  | x
Content path | x  | x
Content download path | x  | x
Tailoring path | x  | x
Tailoring download path | x  | x
Day of month | x  | x
Hour         | x  | x
Minute       | x  | x
Month        | x  | x
Week         | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.18. hammer host reboot

ホストを再起動します。

Usage:

```
hammer host reboot [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.19. hammer host rebuild-config

ホスト向けオーケストレーション関連設定を再ビルドします。

Usage:

```
hammer host rebuild-config [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--only LIST	Limit rebuild steps, valid steps are DHCP, DNS, TFTP, Content_Host_Status, Refresh_Content_Host_Status
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.20. hammer host reports

レポートのリストを表示します。

Usage:

```
hammer host reports [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	Host id
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Host	x	x	
Last report	x	x	
Origin	x	x	
Applied	x	x	
Restarted	x	x	
Failed	x	x	
Restart failures	x	x	
Skipped	x	x	
Pending	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

applied	integer
eventful	Values: true, false
failed	integer
failed_restarts	integer
host	string
host_id	integer
host_owner_id	integer
hostgroup	string
hostgroup_fullname	string
hostgroup_title	string
last_report	datetime
location	string
log	text
organization	string
origin	string
pending	integer
reported	datetime
resource	text
restarted	integer
skipped	integer

2.35.21. hammer host reset

ホストをリセットします。

Usage:

```
hammer host reset [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.22. hammer host set-parameter

ホストのパラメーターを作成または追加します。

Usage:

```
hammer host set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--host VALUE              Host name
--host-id NUMBER
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.23. hammer host start

ホストのパワーをオンにします。

Usage:

```
hammer host start [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.24. hammer host status

ホストのステータスを取得します。

Usage:

```
hammer host status [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--type ENUM           Status type, can be one of

                        Global

                        Configuration

                        Build
                        Possible value(s): 'HostStatus::Global', 'configuration', 'build'
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.25. hammer host stop

ホストのパワーをオフにします。

Usage:

```
hammer host stop [OPTIONS]
```

Options:

--force	Force turning off a host
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26. hammer host subscription

お使いのホストのサブスクリプション情報を管理します。

Usage:

```
hammer host subscription [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
attach              Add a subscription to a host
auto-attach         Trigger an auto-attach of subscriptions
content-override    Override product content defaults
product-content     List associated products
register            Register a host with subscription and information
remove             Unregister the host as a subscription consumer
unregister          Unregister the host as a subscription consumer
```

Options:

```
-h, --help          Print help
```

2.35.26.1. hammer host subscription attach

ホストにサブスクリプションを追加します。

Usage:

```
hammer host subscription attach [OPTIONS]
```

Options:

```
--host VALUE          Host name
--host-id NUMBER      Id of the host
--quantity VALUE      Quantity of this subscriptions to add. Defaults to 1
--subscription-id VALUE ID of subscription
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN             One of true/false, yes/no, 1/0
DATETIME             Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                 Possible values are described in the option's description
FILE                 Path to a file
KEY_VALUE_LIST       Comma-separated list of key=value.
                     JSON is acceptable and preferred way for such parameters
LIST                 Comma separated list of values. Values containing comma should be quoted or
                     escaped with backslash.
                     JSON is acceptable and preferred way for such parameters
MULTIENUM            Any combination of possible values described in the option's description
NUMBER               Numeric value. Integer
SCHEMA               Comma separated list of values defined by a schema.
                     JSON is acceptable and preferred way for such parameters
VALUE                Value described in the option's description. Mostly simple string
```

2.35.26.2. hammer host subscription auto-attach

サブスクリプションの自動割り当てをトリガーします。

Usage:

```
hammer host subscription auto-attach [OPTIONS]
```

Options:

```
--host VALUE           Host name
--host-id NUMBER       Id of the host
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.26.3. hammer host subscription content-override

製品コンテンツのデフォルトを上書きします。

Usage:

```
hammer host subscription content-override [OPTIONS]
```

Options:

```
--content-label VALUE  Label of the content
--host VALUE           Host name
--host-id VALUE        Id of the content host
--override-name VALUE  Override parameter key or name.
                        To enable or disable a repo select 'enabled'.
                        Default value: enabled
                        Default: "enabled"
--remove               Remove a content override
--value VALUE          Override value. Note for repo enablement you can use a boolean value
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26.4. hammer host subscription product-content

関連付けられた製品をリスト表示します。

Usage:

```
hammer host subscription product-content [OPTIONS]
```

Options:

```
--content-access-mode-all BOOLEAN Get all content available, not just that provided by
subscriptions
--content-access-mode-env BOOLEAN Limit content to just that available in the host's content view
version
--fields LIST Show specified fields or predefined field sets only. (See below)
--host VALUE Host name
--host-id VALUE Id of the host
-h, --help Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x | x
Name    | x | x | x
Type    | x | x |
Url     | x | x |
Gpg key | x | x |
Label   | x | x |
Default enabled? | x | x |
Override | x | x |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26.5. hammer host subscription register

サブスクリプションと情報を使用してホストを登録します。

Usage:

hammer host subscription register [OPTIONS]

Options:

--content-view VALUE Content view name to search by
 --content-view-id NUMBER Content View ID
 --environment VALUE Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
 --environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id instead)
 --hypervisor-guest-uuids LIST UUIDs of the virtual guests from the host's hypervisor
 --lifecycle-environment VALUE Lifecycle environment name to search by
 --lifecycle-environment-id NUMBER Lifecycle Environment ID
 --name VALUE Name of the host
 --organization VALUE Organization name to search by
 --organization-id VALUE Organization ID to search by
 --organization-label VALUE Organization label to search by
 --release-version VALUE Release version of the content host
 --service-level VALUE A service level for auto-healing process, e.g. SELF-SUPPORT
 --uuid VALUE UUID to use for registered host, random uuid is generated if not provided
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26.6. hammer host subscription remove

Usage:

```
hammer host subscription remove [OPTIONS]
```

Options:

```
--host VALUE           Host name
--host-id NUMBER       Id of the host
--quantity VALUE       Remove the first instance of a subscription with matching id and quantity
--subscription-id VALUE ID of subscription
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.26.7. hammer host subscription unregister

ホストからサブスクリプションの登録を解除します。

Usage:

```
hammer host subscription unregister [OPTIONS]
```

Options:

```
--host VALUE           Host name
--host-id NUMBER       Id of the host
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.27. hammer host traces

ホストのトレースをリスト表示します。

```
Usage:
  hammer host traces [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  list                List services that need restarting on the host
  resolve             Resolve traces

Options:
  -h, --help          Print help
```

2.35.27.1. hammer host traces list

ホストで再起動が必要なサービスをリスト表示します。

```
Usage:
  hammer host traces list [OPTIONS]

Options:
  --fields LIST          Show specified fields or predefined field sets only. (See below)
  --host VALUE           Host name
  --host-id NUMBER      ID of the host
  -h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Trace id | x  | x
Application | x  | x
Helper   | x  | x
Type     | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.27.2. hammer host traces resolve

トレースの解決

Usage:

```
hammer host traces resolve [OPTIONS]
```

Options:

--async	Do not wait for the task
--host VALUE	Host name
--host-id NUMBER	ID of the host
--trace-ids LIST	Array of Trace IDs
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.28. hammer host update

ホストを更新します。

Usage:

```
hammer host update [OPTIONS]
```

Options:

--ansible-role-ids LIST	IDs of associated ansible roles
--ansible-roles LIST	
--architecture VALUE	Architecture name
--architecture-id NUMBER	Required if host is managed and value is not inherited from host group

```

--ask-root-password BOOLEAN
--autoheal BOOLEAN          Sets whether the Host will autoheal subscriptions upon checkin
--build BOOLEAN
--comment VALUE            Additional information about this host
--compute-attributes KEY_VALUE_LIST  Compute resource attributes
--compute-profile VALUE    Compute profile name
--compute-profile-id NUMBER
--compute-resource VALUE   Compute resource name
--compute-resource-id NUMBER      Nil means host is bare metal
--content-source VALUE     Content Source name
--content-source-id NUMBER
--content-view VALUE       Name to search by
--content-view-id NUMBER
--domain VALUE            Domain name
--domain-id NUMBER        Required if host is managed and value is not inherited from host
group
--enabled BOOLEAN        Include this host within Satellite reporting
--hostgroup VALUE        Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE  Hostgroup title
--hypervisor-guest-uuids LIST      List of hypervisor guest uuids
--id VALUE
--image VALUE            Name to search by
--image-id NUMBER
--installed-products-attributes SCHEMA List of products installed on the host
--interface KEY_VALUE_LIST      Interface parameters
                                Can be specified multiple times.
--ip VALUE              Not required if using a subnet with DHCP Capsule
--kickstart-repository VALUE    Kickstart repository name
--kickstart-repository-id NUMBER  Repository Id associated with the kickstart repo used for
provisioning
--lifecycle-environment VALUE    Name to search by
--lifecycle-environment-id NUMBER
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--mac VALUE             Required for managed host that is bare metal, not required if it's a
virtual
                                machine
--managed BOOLEAN        True/False flag whether a host is managed or unmanaged.
Note: this value also
                                determines whether several parameters are required or not
--medium VALUE          Medium name
--medium-id VALUE       Required if not imaged based provisioning and host is managed
and value is not
                                inherited from host group
--model VALUE           Model name
--model-id NUMBER
--name VALUE
--new-location VALUE     Use to update associated location
--new-location-id NUMBER Use to update associated location
--new-location-title VALUE Use to update associated location
--new-name VALUE
--new-organization VALUE Use to update associated organization
--new-organization-id NUMBER Use to update associated organization
--new-organization-title VALUE Use to update associated organization

```



```

--openscap-proxy-id NUMBER      ID of OpenSCAP Capsule
--operatingsystem VALUE        Operating system title
--operatingsystem-id NUMBER    Required if host is managed and value is not inherited from
host group
--organization VALUE          Set the current organization context for the request
--organization-id NUMBER      Set the current organization context for the request
--organization-title VALUE     Set the current organization context for the request
--overwrite BOOLEAN
--owner VALUE                  Login of the owner
--owner-id VALUE              ID of the owner
--owner-type ENUM              Host's owner type
                               Possible value(s): 'User', 'Usergroup'
--parameters KEY_VALUE_LIST   Replaces with new host parameters
--partition-table VALUE       Partition table name
--partition-table-id NUMBER    Required if host is managed and custom partition has not been
defined
--product VALUE                Name to search by
--product-id NUMBER           Product id as listed from a host's installed products,      this is
not the
                               same product id as the products api returns
--progress-report-id VALUE     UUID to track orchestration tasks status, GET
/api/orchestration/:UUID/tasks
--provision-method ENUM        The method used to provision the host.
                               Possible value(s): 'build', 'image', 'bootdisk'
--puppet-ca-proxy-id NUMBER    Puppet CA Capsule ID
--puppet-proxy-id NUMBER      Puppet Capsule ID
--purpose-addons LIST          Sets the system add-ons
--purpose-role VALUE           Sets the system purpose usage
--purpose-usage VALUE         Sets the system purpose usage
--pxe-loader ENUM              DHCP filename option (Grub2/PXELinux by default)
                               Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2
                               BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                               'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                               HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--realm VALUE                  Name to search by
--realm-id NUMBER
--release-version VALUE        Release version for this Host to use (7Server, 7.1, etc)
--root-password VALUE          Required if host is managed and value is not inherited from host
group or
                               default password in settings
--service-level VALUE          Service level to be used for autoheal
--subnet VALUE                 Subnet name
--subnet-id NUMBER            Required if host is managed and value is not inherited from host
group
--typed-parameters SCHEMA     Replaces with new host parameters (with type support)
--volume KEY_VALUE_LIST       Volume parameters
-h, --help                     Can be specified multiple times.
                               Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--typed-parameters "name=<string>\,value=<string>\,parameter_type=[string|boolean|integer|real|array|hash|yaml|json]\,hidden_value=[true|false|1|0], ... "
```

```
--installed-products-attributes "product_id=<string>\,product_name=<string>\,arch=<string>\,version=<string>, ... "
```

Available keys for --interface:

```
mac
ip
type           Possible values: interface, bmc, bond, bridge
name
subnet_id
domain_id
identifier
managed        true/false
primary        true/false, each managed hosts needs to have one primary interface.
provision      true/false
virtual        true/false
```

For virtual=true:

```
tag           VLAN tag, this attribute has precedence over the subnet VLAN ID. Only for virtual interfaces.
```

```
attached_to   Identifier of the interface to which this interface belongs, e.g. eth1.
```

For type=bond:

```
mode          Possible values: balance-rr, active-backup, balance-xor, broadcast, 802.3ad, balance-tlb, balance-alb
```

```
attached_devices Identifiers of slave interfaces, e.g. [eth1,eth2]
```

```
bond_options
```

For type=bmc:

```
provider      always IPMI
```

```
username
```

```
password
```

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

--interface:

--compute-attributes:

availability_zone
 flavor_id
 groups
 security_group_ids
 managed_ip

GCE:

--volume:

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:

machine_type
 network
 associate_external_ip

Libvirt:

--volume:

pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:

compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:

cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough
 start Boolean (expressed as 0 or 1), whether to start the machine or not

OpenStack:

--volume:

--interface:

--compute-attributes:

availability_zone
 boot_from_volume

```

flavor_ref
image_ref
tenant_id
security_groups
network

```

oVirt:

--volume:

```

size_gb          Volume size in GB, integer value
storage_domain   ID or name of storage domain
bootable         Boolean, set 1 for bootable, only one volume can be bootable
preallocate      Boolean, set 1 to preallocate
wipe_after_delete Boolean, set 1 to wipe disk after delete
interface        Disk interface name, must be ide, virtio or virtio_scsi

```

--interface:

```

compute_name      Compute name, e.g. eth0
compute_network   Select one of available networks for a cluster, must be an ID or a name
compute_interface Interface type
compute_vnic_profile Vnic Profile

```

--compute-attributes:

```

cluster          ID or name of cluster to use
template         Hardware profile to use
cores            Integer value, number of cores
sockets          Integer value, number of sockets
memory           Amount of memory, integer value in bytes
ha               Boolean, set 1 to high availability
display_type     Possible values: VNC, SPICE
keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et,
fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is
SPICE.
start           Boolean, set 1 to start the vm

```

Rackspace:

--volume:

--interface:

--compute-attributes:

```

flavor_id

```

VMware:

--volume:

```

name
storage_pod      Storage Pod ID from VMware
datastore        Datastore ID from VMware
mode             persistent/independent_persistent/independent_nonpersistent
size_gb          Integer number, volume size in GB
thin             true/false
eager_zero       true/false
controller_key   Associated SCSI controller key

```

--interface:

```

compute_type      Type of the network adapter, for example one of:
                  VirtualVmxnet3
                  VirtualE1000
                  See documentation center for your version of vSphere to find more details about
available adapter types:
                  https://www.vmware.com/support/pubs/
compute_network   Network ID or Network Name from VMware

--compute-attributes:
cluster           Cluster ID from VMware
corespersocket    Number of cores per socket (applicable to hardware versions < 10 only)
cpus              CPU count
memory_mb         Integer number, amount of memory in MB
path              Path to folder
resource_pool     Resource Pool ID from VMware
firmware          automatic/bios/efi
guest_id          Guest OS ID form VMware
hardware_version  Hardware version ID from VMware
memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is
on
cpuHotAddEnabled  Must be a 1 or 0, lets you add CPU resources while the machine is on
add_cdrom         Must be a 1 or 0, Add a CD-ROM drive to the virtual machine
annotation        Annotation Notes
scsi_controllers  List with SCSI controllers definitions
                  type - ID of the controller from VMware
                  key  - Key of the controller (e.g. 1000)
start             Must be a 1 or 0, whether to start the machine or not

AzureRM:
--volume:
disk_size_gb      Volume Size in GB (integer value)
data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:
compute_network   Select one of available Azure Subnets, must be an ID
compute_public_ip Public IP (None, Static, Dynamic)
compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:
resource_group    Existing Azure Resource Group of user
vm_size           VM Size, eg. Standard_A0 etc.
username          The Admin username
password          The Admin password
platform          OS type eg. Linux
ssh_key_data      SSH key for passwordless authentication
os_disk_caching   OS disk caching
premium_os_disk   Premium OS Disk, Boolean as 0 or 1
script_command    Custom Script Command
script_uris       Comma seperated file URIs

```

2.36. HAMMER HOST-COLLECTION

ホストコレクションを操作します。

Usage:

```
hammer host-collection [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
add-host            Add host to the host collection
copy               Copy a host collection
create             Create a host collection
delete, destroy    Destroy a host collection
erratum           Manipulate errata for a host collection
hosts             List all hosts
info, show        Show a host collection
list, index       List host collections
package           Manipulate packages for a host collection
package-group     Manipulate package-groups for a host collection
remove-host       Remove hosts from the host collection
update           Update a host collection
```

Options:

```
-h, --help        Print help
```

2.36.1. hammer host-collection add-host

ホストをホストコレクションに追加します。

Usage:

```
hammer host-collection add-host [OPTIONS]
```

Options:

```
--host-ids LIST      Array of host ids
--hosts LIST         Hosts
--id NUMBER          Id of the host collection
--name VALUE         Host collection name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.2. hammer host-collection copy

ホストコレクションをコピーします。

Usage:

```
hammer host-collection copy [OPTIONS]
```

Options:

```
--id NUMBER           ID of the host collection
--name VALUE          New host collection name
--new-name VALUE      New host collection name
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.3. hammer host-collection create

ホストコレクションを作成します。

Usage:

```
hammer host-collection create [OPTIONS]
```

Options:

```
--description VALUE
--host-ids LIST       List of host ids to replace the hosts in host collection
--hosts LIST
--max-hosts NUMBER   Maximum number of hosts in the host collection
--name VALUE         Host Collection name
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
```

```
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--unlimited-hosts           Set hosts max to unlimited
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.4. hammer host-collection delete

ホストコレクションを破棄します。

Usage:

```
hammer host-collection <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          Id of the host collection
--name VALUE         Host collection name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```


SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.5. hammer host-collection erratum

ホストコレクションのエラータを操作します。

Usage:

```
hammer host-collection erratum [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

install	Install errata on content hosts contained within a host collection
---------	--

Options:

-h, --help	Print help
------------	------------

2.36.5.1. hammer host-collection erratum install

ホストコレクション内に含まれるコンテンツホストにエラータをインストールします。

Usage:

```
hammer host-collection erratum install [OPTIONS]
```

Options:

--errata LIST	List of Errata to install
--id VALUE	Host Collection ID
--name VALUE	Host Collection Name
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.6. hammer host-collection hosts

ホストをリスト表示します。

Usage:

```
hammer host-collection hosts [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE	Hostgroup name
--hostgroup-id VALUE	ID of host group
--hostgroup-title VALUE	Hostgroup title
--id VALUE	Host Collection ID
--include ENUM	Array of extra information types to include Possible value(s): 'parameters', 'all_parameters'
--location VALUE	Set the current location context for the request
--location-id VALUE	ID of location
--location-title VALUE	Set the current location context for the request
--name VALUE	Host Collection Name
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Organization name to search by
--organization-id VALUE	ID of organization
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
--thin BOOLEAN	Only list ID and name of hosts
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----	FIELDS	ALL	DEFAULT	THIN
----- ----- ----- -----	Id	x	x	x
----- ----- ----- -----	Name	x	x	x
----- ----- ----- -----	Security	x		
----- ----- ----- -----	Bugfix	x		
----- ----- ----- -----	Enhancement	x		
----- ----- ----- -----				

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

activation_key	string
activation_key_id	string
addon	string
addons_status	Values: mismatched, matched, not_specified
ansible_role	string
applicable_debs	string
applicable_errata	string
applicable_errata_issued	date
applicable_rpms	string
architecture	string
autoheal	boolean
boot_time	
build	Values: true, false
build_status	Values: built, pending, token_expired, build_failed
comment	text
compute_resource	string
compute_resource_id	integer
content_source	string
content_view	string
content_view_id	integer
created_at	datetime
cve_id	integer
domain	string
domain_id	integer
errata_status	Values: security_needed, errata_needed, updated, unknown
execution_status	Values: ok, error
facts	string
global_status	Values: ok, warning, error
has_ip	string
has_mac	string
hostgroup	string
hostgroup_fullname	string
hostgroup_id	integer
hostgroup_name	string
hostgroup_title	string
hypervisor	boolean
hypervisor_host	string
id	integer
image	string
infrastructure_facet.foreman	
infrastructure_facet.smart_proxy_id	
insights_recommendations_count	integer
installable_errata	string
installed_at	datetime
ip	string
job_invocation.id	string
job_invocation.result	Values: cancelled, failed, pending, success

last_checkin	datetime
last_report	datetime
lifecycle_environment	string
lifecycle_environment_id	integer
location	string
location_id	integer
mac	string
managed	Values: true, false
model	string
name	string
organization	string
organization_id	integer
origin	string
os	string
os_description	string
os_id	integer
os_major	string
os_minor	string
os_title	string
owner	string
owner_id	integer
owner_type	string
params	string
params_name	string
parent_hostgroup	string
puppet_ca	string
puppet_proxy_id	integer
puppetmaster	string
purpose_status	Values: mismatched, matched, not_specified
realm	string
realm_id	integer
registered_at	datetime
registered_through	string
release_version	string
reported.boot_time	
reported.cores	
reported.disks_total	
reported.ram	
reported.sockets	
reported.virtual	Values: true, false
repository	string
repository_content_label	string
role	text
role_status	Values: mismatched, matched, not_specified
service_level	string
sla_status	Values: mismatched, matched, not_specified
smart_proxy	string
status.applied	integer
status.enabled	Values: true, false
status.failed	integer
status.failed_restarts	integer
status.interesting	Values: true, false
status.pending	integer
status.restarted	integer
status.skipped	integer
subnet	string

subnet.name	text
subnet6	string
subnet6.name	text
subscription_id	string
subscription_name	string
subscription_status	Values: valid, partial, invalid, unknown, disabled,
unsubscribed_hypervisor	
subscription_uuid	string
trace_status	Values: reboot_needed, process_restart_needed, updated
upgradable_debs	string
upgradable_rpms	string
usage	text
usage_status	Values: mismatched, matched, not_specified
user.firstname	string
user.lastname	string
user.login	string
user.mail	string
usergroup	string
usergroup.name	string
uuid	string

2.36.7. hammer host-collection info

ホストコレクションを表示します。

Usage:

```
hammer host-collection <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the host collection
--name VALUE          Host collection name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Limit   | x  | x      |
Description | x  | x      |
Total hosts | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.8. hammer host-collection list

ホストコレクションのリストを表示します。

Usage:

```
hammer host-collection <list|index> [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id VALUE   Activation key identifier
--available-for VALUE       Interpret specified object to return only Host Collections that can be
                             associated with specified object. The value 'host' is supported.
--fields LIST               Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN       Whether or not to show all results
--host VALUE                Host name
--host-id NUMBER            Filter products by host id
--name VALUE                Host collection name to filter by
--order VALUE               Sort field and order, eg. 'id DESC'
--organization VALUE        Organization name to search by
--organization-id NUMBER    Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--page NUMBER               Page number, starting at 1
--per-page NUMBER           Number of results per page to return
--search VALUE              Search string
-h, --help                  Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Limit   | x  | x      |
Description | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

host string
 name string
 organization_id integer

2.36.9. hammer host-collection package

ホストコレクションのパッケージを操作します。

Usage:

hammer host-collection package [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:

install Install packages on content hosts contained within a host collection
 remove Remove packages on content hosts contained within a host collection
 update Update packages on content hosts contained within a host collection

Options:

-h, --help Print help

2.36.9.1. hammer host-collection package install

ホストコレクションに含まれるコンテンツホストにパッケージをインストールします。

Usage:

hammer host-collection package install [OPTIONS]

Options:

--id VALUE Host Collection ID
 --name VALUE Host Collection Name
 --organization VALUE Organization name to search by
 --organization-id NUMBER Organization ID
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 --packages LIST Comma-separated list of packages to install
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.9.2. hammer host-collection package remove

ホストコレクションに含まれるコンテンツホストでパッケージを削除します。

Usage:

```
hammer host-collection package remove [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--packages LIST      Comma-separated list of packages to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.9.3. hammer host-collection package update

ホストコレクションに含まれるコンテンツホストでパッケージを更新します。

Usage:

```
hammer host-collection package update [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--packages LIST      Comma-separated list of packages to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.10. hammer host-collection package-group

ホストコレクションのパッケージグループを操作します。

Usage:

```
hammer host-collection package-group [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
install         Install package-groups on content hosts contained within a host collection
remove          Remove package-groups on content hosts contained within a host collection
update          Update package-groups on content hosts contained within a host collection
```

Options:

```
-h, --help      Print help
```

2.36.10.1. hammer host-collection package-group install

ホストコレクションに含まれるコンテンツホストにパッケージグループをインストールします。

Usage:

```
hammer host-collection package-group install [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--package-groups LIST Comma-separated list of package-groups to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.36.10.2. hammer host-collection package-group remove

ホストコレクションに含まれるコンテンツホストでパッケージグループを削除します。

Usage:

```
hammer host-collection package-group remove [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--package-groups LIST Comma-separated list of package-groups to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.10.3. hammer host-collection package-group update

ホストコレクションに含まれるコンテンツホストでパッケージグループを更新します。

Usage:

```
hammer host-collection package-group update [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--package-groups LIST Comma-separated list of package-groups to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.11. hammer host-collection remove-host

ホストコレクションからホストを削除します。

Usage:

```
hammer host-collection remove-host [OPTIONS]
```

Options:

```

--host-ids LIST      Array of host ids
--hosts LIST
--id NUMBER         Id of the host collection
--name VALUE        Host collection name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string

```

2.36.12. hammer host-collection update

ホストコレクションを更新します。

Usage:

```
hammer host-collection update [OPTIONS]
```

Options:

```

--description VALUE
--host-ids LIST      List of host ids to replace the hosts in host collection
--hosts LIST
--id NUMBER         Id of the host collection
--max-hosts NUMBER  Maximum number of hosts in the host collection
--name VALUE        Host Collection name
--new-name VALUE    Host Collection name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--unlimited-hosts    Set hosts max to unlimited
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.37. HAMMER HOST-REGISTRATION

ホストの登録

Usage:

```
hammer host-registration [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
generate-command    Generate global registration command
```

Options:

```
-h, --help          Print help
```

2.37.1. hammer host-registration generate-command

グローバル登録コマンドを生成します。

Usage:

```
hammer host-registration generate-command [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key for subscription-manager client, required for CentOS
and Red Hat
--activation-keys LIST      Enterprise Linux. For multiple keys use `activation_keys` param instead.
Activation keys for subscription-manager client, required for CentOS
and Red Hat
--force BOOLEAN            Enterprise Linux. Required only if host group has no activation keys.
Clear any previous registration and run subscription-manager with --
force.
--hostgroup VALUE          Hostgroup name
--hostgroup-id NUMBER      ID of the Host group to register the host in
--hostgroup-title VALUE    Hostgroup title
--ignore-subman-errors BOOLEAN Ignore subscription-manager errors for `subscription-manager
register` command
--insecure BOOLEAN         Enable insecure argument for the initial curl
--jwt-expiration NUMBER     Expiration of the authorization token (in hours)
--lifecycle-environment VALUE Name to search by
```

```

--lifecycle-environment-id NUMBER Lifecycle environment for the host.
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER ID of the Operating System to register the host in. Operating
system must have a
    `host_init_config` template assigned
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--packages VALUE Packages to install on the host when registered. Can be set by
`host_packages`
    parameter, example: `pkg1 pkg2`
--remote-execution-interface VALUE Identifier of the Host interface for Remote execution
--repo VALUE Repository URL / details, for example for Debian OS family: 'deb
deb.example.com/ buster 1.0', for Red Hat OS family:
'yum.theforeman.org/client/latest/el8/x86_64/'
--repo-gpg-key-url VALUE URL of the GPG key for the repository
--setup-insights BOOLEAN Set 'host_registration_insights' parameter for the host. If it is set to
true,
    insights client will be installed and registered on Red Hat family operating
systems
--setup-remote-execution BOOLEAN Set 'host_registration_remote_execution' parameter for the
host. If it is set to
    true, SSH keys will be installed on the host
--smart-proxy VALUE Name to search by
--smart-proxy-id NUMBER ID of the Capsule. This Capsule must have enabled both the
'Templates' and
    'Registration' features
--update-packages BOOLEAN Update all packages on the host
-h, --help Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
    JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
    JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
    JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

```

2.38. HAMMER HOSTGROUP

ホストグループを操作します。

Usage:

```
hammer hostgroup [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
ansible-roles      Manage Ansible roles on a hostgroup
create             Create a host group
delete, destroy    Delete a host group
delete-parameter   Delete parameter for a hostgroup
info, show         Show a host group
list, index        List all host groups
rebuild-config     Rebuild orchestration config
set-parameter      Create or update parameter for a hostgroup
update            Update a host group
```

Options:

```
-h, --help        Print help
```

2.38.1. hammer hostgroup ansible-roles

ホストグループで Ansible ロールを実行します。

Usage:

```
hammer hostgroup ansible-roles [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
assign            Assigns Ansible roles to a hostgroup
list, index       List all Ansible roles for a hostgroup
play              Runs all Ansible roles on a hostgroup
```

Options:

```
-h, --help        Print help
```

2.38.1.1. hammer hostgroup ansible-roles assign

Ansible ロールをホストグループに割り当てます。

Usage:

```
hammer hostgroup ansible-roles assign [OPTIONS]
```

Options:

```
--ansible-role-ids LIST  Ansible roles to assign to a hostgroup
--ansible-roles LIST
--id VALUE
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
```

```

--name VALUE          Hostgroup name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE         Hostgroup title
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.38.1.2. hammer hostgroup ansible-roles list

ホストグループの Ansible ロールをすべてリスト表示します。

Usage:

```
hammer hostgroup ansible-roles <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Hostgroup name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE         Hostgroup title
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Imported at | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.1.3. hammer hostgroup ansible-roles play

ホストグループに対して全 Ansible ロールを実行します。

Usage:

```
hammer hostgroup ansible-roles play [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Hostgroup name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE            Hostgroup title
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.2. hammer hostgroup create

ホストグループを作成します。

Usage:

```
hammer hostgroup create [OPTIONS]
```

Options:

```
--ansible-role-ids LIST          IDs of associated ansible roles
--ansible-roles LIST
--architecture VALUE            Architecture name
--architecture-id NUMBER        Architecture ID
--ask-root-password BOOLEAN
--compute-profile VALUE          Compute profile name
--compute-profile-id NUMBER      Compute profile ID
--compute-resource VALUE         Compute resource name
--compute-resource-id NUMBER     Compute resource ID
--content-source VALUE           Content Source name
--content-source-id NUMBER       Content source ID
--content-view VALUE             Name to search by
--content-view-id NUMBER         Content view ID
--description VALUE              Host group description
--domain VALUE                   Domain name
--domain-id NUMBER               Domain ID
--group-parameters-attributes SCHEMA Array of parameters
--kickstart-repository VALUE      Kickstart repository name
--kickstart-repository-id NUMBER  Kickstart repository ID
--lifecycle-environment VALUE     Name to search by
--lifecycle-environment-id NUMBER Lifecycle environment ID
--location VALUE                  Set the current location context for the request
--location-id NUMBER              Set the current location context for the request
--location-ids LIST               REPLACE locations with given ids
--location-title VALUE            Set the current location context for the request
--location-titles LIST
--locations LIST
--medium VALUE                    Medium name
--medium-id NUMBER                Media ID
--name VALUE                       Name of the host group
--openscap-proxy-id NUMBER         ID of OpenSCAP Capsule
--operatingsystem VALUE           Operating system title
--operatingsystem-id NUMBER       Operating system ID
--organization VALUE              Set the current organization context for the request
--organization-id NUMBER          Set the current organization context for the request
--organization-ids LIST           REPLACE organizations with given ids.
--organization-title VALUE        Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--parent VALUE                     Name of parent hostgroup
--parent-id NUMBER                 Parent ID of the host group
--parent-title VALUE               Title of parent hostgroup
--partition-table VALUE           Partition table name
--partition-table-id NUMBER        Partition table ID
--puppet-ca-proxy-id NUMBER        Puppet CA Capsule ID
--puppet-proxy-id NUMBER           Puppet Capsule ID
--pxe-loader ENUM                  DHCP filename option (Grub2/PXELinux by default)
                                  Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
```

```
'Grub2
      BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
      'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
      HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--query-organization VALUE      Organization name to search by
--query-organization-id VALUE   Organization ID to search by
--query-organization-label VALUE Organization label to search by
--realm VALUE                   Name to search by
--realm-id NUMBER               Realm ID
--root-password VALUE           Root password
--subnet VALUE                  Subnet name
--subnet-id NUMBER              Subnet ID
--subnet6 VALUE                 Subnet IPv6 name
--subnet6-id NUMBER             Subnet IPv6 ID
-h, --help                       Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--group-parameters-attributes "name=<string>\,value=<string>\,parameter_type=
[string|boolean|integer|real|array|hash|yaml|json]\,hidden_value=[true|false|1|0], ... "
```

2.38.3. hammer hostgroup delete

ホストグループを削除します。

Usage:

```
hammer hostgroup <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Hostgroup name
```

```

--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE             Hostgroup title
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.38.4. hammer hostgroup delete-parameter

ホストグループのパラメーターを削除します。

Usage:

```
hammer hostgroup delete-parameter [OPTIONS]
```

Options:

```

--hostgroup VALUE      Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE Hostgroup title
--name VALUE           Parameter name
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.38.5. hammer hostgroup info

ホストグループを表示します。

Usage:

```
hammer hostgroup <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Set the current location context for the request
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Hostgroup name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
--title VALUE         Hostgroup title
-h, --help            Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Title	x	x	x
Model	x	x	
Description	x	x	
Parent	x	x	
Compute profile	x	x	
Compute resource		x	x
Network/subnet ipv4		x	x
Network/subnet ipv6		x	x
Network/realm	x	x	
Network/domain	x	x	
Operating system/architecture	x	x	
Operating system/operating system	x	x	
Operating system/medium		x	x
Operating system/partition table	x	x	
Operating system/pxe loader	x	x	
Parameters/	x	x	
Locations/	x	x	
Organizations/	x	x	
Openscap proxy	x	x	
Content view/id	x	x	
Content view/name	x	x	
Lifecycle environment/id	x	x	
Lifecycle environment/name	x	x	
Content source/id	x	x	
Content source/name	x	x	
Kickstart repository/id	x	x	
Kickstart repository/name	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.6. hammer hostgroup list

すべてのホストグループをリスト表示します。

Usage:

```
hammer hostgroup <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Title	x	x	x
Operating system	x	x	
Model	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

architecture string
 host string
 id integer
 label string
 location string
 location_id integer
 medium string
 name string
 organization string
 organization_id integer
 os string
 os_description string
 os_id integer
 os_major string
 os_minor string
 os_title string
 oval_policy_id string
 params string
 template string
 title string

2.38.7. hammer hostgroup rebuild-config

オーケストレーション設定を再構築します。

Usage:

hammer hostgroup rebuild-config [OPTIONS]

Options:

--children-hosts BOOLEAN Operate on child hostgroup hosts
 --id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Hostgroup name
 --only LIST Limit rebuild steps, valid steps are DHCP, DNS, TFTP, Content_Host_Status,
 Refresh_Content_Host_Status
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 --title VALUE Hostgroup title

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.8. hammer hostgroup set-parameter

ホストグループのパラメーターを作成または更新します。

Usage:

```
hammer hostgroup set-parameter [OPTIONS]
```

Options:

--hidden-value	BOOLEAN	Should the value be hidden
--hostgroup	VALUE	Hostgroup name
--hostgroup-id	NUMBER	
--hostgroup-title	VALUE	Hostgroup title
--name	VALUE	Parameter name
--parameter-type	ENUM	Type of the parameter Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash', 'yaml', 'json' Default: "string"
--value	VALUE	Parameter value
-h, --help		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.9. hammer hostgroup update

ホストグループを更新します。

Usage:

```
hammer hostgroup update [OPTIONS]
```

Options:

--ansible-role-ids LIST	IDs of associated ansible roles
--ansible-roles LIST	
--architecture VALUE	Architecture name
--architecture-id NUMBER	Architecture ID
--ask-root-password BOOLEAN	
--compute-profile VALUE	Compute profile name
--compute-profile-id NUMBER	Compute profile ID
--compute-resource VALUE	Compute resource name
--compute-resource-id NUMBER	Compute resource ID
--content-source VALUE	Content Source name
--content-source-id NUMBER	Content source ID
--content-view VALUE	Name to search by
--content-view-id NUMBER	Content view ID
--description VALUE	Host group description
--domain VALUE	Domain name
--domain-id NUMBER	Domain ID
--group-parameters-attributes SCHEMA	Array of parameters
--id VALUE	
--kickstart-repository VALUE	Kickstart repository name
--kickstart-repository-id NUMBER	Kickstart repository ID
--lifecycle-environment VALUE	Name to search by
--lifecycle-environment-id NUMBER	Lifecycle environment ID
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--medium VALUE	Medium name
--medium-id NUMBER	Media ID
--name VALUE	Name of the host group
--new-name VALUE	Name of the host group
--openscap-proxy-id NUMBER	ID of OpenSCAP Capsule
--operatingsystem VALUE	Operating system title
--operatingsystem-id NUMBER	Operating system ID
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--parent VALUE	Name of parent hostgroup
--parent-id NUMBER	Parent ID of the host group

```

--parent-title VALUE          Title of parent hostgroup
--partition-table VALUE      Partition table name
--partition-table-id NUMBER   Partition table ID
--puppet-ca-proxy-id NUMBER   Puppet CA Capsule ID
--puppet-proxy-id NUMBER     Puppet Capsule ID
--pxe-loader ENUM            DHCP filename option (Grub2/PXELinux by default)
                             Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2
                             BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                             'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                             HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--query-organization VALUE   Organization name to search by
--query-organization-id VALUE Organization ID to search by
--query-organization-label VALUE Organization label to search by
--realm VALUE                Name to search by
--realm-id NUMBER            Realm ID
--root-password VALUE        Root password
--subnet VALUE                Subnet name
--subnet-id NUMBER           Subnet ID
--subnet6 VALUE              Subnet IPv6 name
--subnet6-id NUMBER          Subnet IPv6 ID
--title VALUE                 Hostgroup title
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```

--group-parameters-attributes "name=<string>\,value=<string>\,parameter_type=
[string|boolean|integer|real|array|hash|yaml|json],hidden_value=[true|false|1|0], ... "

```

2.39. HAMMER HTTP-PROXY

HTTP プロキシを操作します。

Usage:

```
hammer http-proxy [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create an HTTP Proxy
delete, destroy     Delete an HTTP Proxy
info, show          Show an HTTP Proxy
list, index         List of HTTP Proxies
update              Update an HTTP Proxy
```

Options:

```
-h, --help          Print help
```

2.39.1. hammer http-proxy create

HTTP プロキシを作成します。

Usage:

```
hammer http-proxy create [OPTIONS]
```

Options:

```
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE          The HTTP Proxy name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--password VALUE      Password used to authenticate with the HTTP Proxy
--url VALUE           URL of the HTTP Proxy
--username VALUE      Username used to authenticate with the HTTP Proxy
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.39.2. hammer http-proxy delete

HTTP プロキシを削除します。

Usage:

```
hammer http-proxy <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.39.3. hammer http-proxy info

HTTP プロキシを表示します。

Usage:

```
hammer http-proxy <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	Identifier of the HTTP Proxy
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request

```

--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Username | x  | x    |
Url     | x  | x    |
Locations/ | x  | x    |
Organizations/ | x  | x    |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.39.4. hammer http-proxy list

HTTP プロキシをリスト表示します。

Usage:

```
hammer http-proxy <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER  Scope by locations
--location-title VALUE  Set the current location context for the request
--order VALUE      Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER  Scope by organizations
--organization-title VALUE  Set the current organization context for the request
--page NUMBER      Page number, starting at 1
--per-page VALUE   Number of results per page to return, 'all' to return all results
--search VALUE     Filter results

```

-h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```
location            string
location_id        integer
name                string
organization        string
organization_id    integer
url                 string
```

2.39.5. hammer http-proxy update

HTTP プロキシを更新します。

Usage:

```
hammer http-proxy update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE            The HTTP Proxy name
--new-name VALUE        The HTTP Proxy name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```

--organization-ids LIST    REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--password VALUE          Password used to authenticate with the HTTP Proxy
--url VALUE                URL of the HTTP Proxy
--username VALUE          Username used to authenticate with the HTTP Proxy
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.40. HAMMER IMPORT-TEMPLATES

テンプレートを git repo またはサーバー上のディレクトリーからインポートします。

Usage:

```
hammer import-templates [OPTIONS]
```

Options:

```

--associate ENUM          Associate to OS's, Locations & Organizations. Options are: always, new
or never.
                          Possible value(s): 'always', 'new', 'never'
--branch VALUE           Branch in Git repo.
--dirname VALUE          The directory within Git repo containing the templates
--filter VALUE           Export templates with names matching this regex (case-insensitive; snippets
are
                          not filtered).
--force BOOLEAN          Update templates that are locked
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--lock ENUM              Lock imported templates
                          Possible value(s): 'lock', 'keep_lock_new', 'keep', 'unlock', 'true', 'false',
'0', '1'
--negate BOOLEAN         Negate the prefix (for purging).
--organization VALUE     Set the current organization context for the request

```

```

--organization-id NUMBER    Set the current organization context for the request
--organization-ids LIST     REPLACE organizations with given ids.
--organization-title VALUE  Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--prefix VALUE              The string all imported templates should begin with.
--repo VALUE                Override the default repo from settings.
--verbose BOOLEAN          Show template diff in response
-h, --help                  Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.41. HAMMER JOB-INVOCATION

ジョブ呼び出しを管理します。

Usage:

```
hammer job-invocation [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

cancel          Cancel the job
create          Create a job invocation
info, show      Show job invocation
list, index     List job invocations
output          View the output for a host
rerun           Rerun the job

```

Options:

```
-h, --help      Print help
```

2.41.1. hammer job-invocation cancel

ジョブをキャンセルします。

Usage:

```
hammer job-invocation cancel [OPTIONS]
```

Options:

```
--force BOOLEAN
--id VALUE
--location-id NUMBER      Set the current location context for the request
--organization-id NUMBER  Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.41.2. hammer job-invocation create

ジョブ呼び出しを作成します。

Usage:

```
hammer job-invocation create [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--bookmark VALUE       Name to search by
--bookmark-id NUMBER
--concurrency-level NUMBER  Run at most N tasks at a time
--cron-line VALUE       Create a recurring execution
                        Cron line format 'a b c d e', where:
                        a. is minute (range: 0-59)
                        b. is hour (range: 0-23)
                        c. is day of month (range: 1-31)
                        d. is month (range: 1-12)
                        e. is day of week (range: 0-6)
--description-format VALUE  Override the description format from the template for this
invocation only
--dynamic              Dynamic search queries are evaluated at run time
--effective-user VALUE   What user should be used to run the script (using sudo-like
mechanisms).
                        Defaults to a template parameter or global setting.
--effective-user-password VALUE  Set password for effective user (using sudo-like mechanisms)
--end-time DATETIME     Perform no more executions after this time, used with --cron-line
```

```

--execution-timeout-interval NUMBER Override the timeout interval from the template for this
invocation only
--feature VALUE Remote execution feature label that should be triggered, job template
assigned
to this feature will be used
--input-files KEY_VALUE_LIST Read input values from files
Comma-separated list of key=file, where file is a path to a text file to be read
--inputs KEY_VALUE_LIST Specify inputs from command line
--job-template VALUE Name to search by
--job-template-id VALUE The job template to use, parameter is required unless feature was
specified
--key-passphrase VALUE Set SSH key passphrase
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--max-iteration NUMBER Repeat a maximum of N times
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--password VALUE Set SSH password
--purpose VALUE Designation of a special purpose
--randomized-ordering BOOLEAN Execute the jobs on hosts in randomized order
--search-query VALUE
--start-at DATETIME Schedule the execution for a later time
--start-before DATETIME Execution should be cancelled if it cannot be started before --start-
at
--tags VALUE A comma separated list of tags to use for Ansible run
--tags-flag ENUM Include/Exclude tags for Ansible run
Possible value(s): 'include', 'exclude'
--time-span NUMBER Distribute tasks over N seconds
-h, --help Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

```

2.41.3. hammer job-invocation info

ジョブ呼び出しを表示します。

Usage:

```
hammer job-invocation <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Set the current location context for the request
--location-id NUMBER   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--show-host-status     Show job status for the hosts
--show-inputs          Show the complete input of the job
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS      | ALL | DEFAULT
-----|-----|-----
Id          | x  | x
Description | x  | x
Status      | x  | x
Success     | x  | x
Failed      | x  | x
Pending     | x  | x
Missing     | x  | x
Total       | x  | x
Start       | x  | x
Randomized ordering | x  | x
Inputs      | x  | x
Job category | x  | x
Mode        | x  | x
Cron line   | x  | x
Recurring logic id | x  | x
Hosts       | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.41.4. hammer job-invocation list

ジョブ呼び出しのリストを表示します。

Usage:

```
hammer job-invocation <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id      | x | x
Description | x | x
Status  | x | x
Success | x | x
Failed  | x | x
Pending | x | x
Total   | x | x
Start   | x | x
Randomized ordering | x | x
Inputs  | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.41.5. hammer job-invocation output

ホストの出力を表示します。

Usage:

```
hammer job-invocation output [OPTIONS]
```

Options:

```
--async          Do not wait for job to complete, shows current output only
--host VALUE      Host name
--host-id VALUE
--id VALUE
--location VALUE  Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE      Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
-h, --help        Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER           Numeric value. Integer
SCHEMA           Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.41.6. hammer job-invocation rerun

ジョブを再実行します。

Usage:

```
hammer job-invocation rerun [OPTIONS]
```

Options:

```
--failed-only BOOLEAN
--id VALUE
--location-id NUMBER  Set the current location context for the request
--organization-id NUMBER  Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42. HAMMER JOB-TEMPLATE

ジョブテンプレートを管理します。

Usage:

```
hammer job-template [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a job template
delete, destroy	Delete a job template
dump	View job template content
export	Export a template including all metadata
import	Import a job template from ERB
info, show	Show job template details
list, index	List job templates
update	Update a job template

Options:

-h, --help	Print help
------------	------------

2.42.1. hammer job-template create

ジョブテンプレートを作成します。

Usage:

```
hammer job-template create [OPTIONS]
```

Options:

--audit-comment VALUE	
--current-user BOOLEAN	Whether the current user login should be used as the effective user
--description VALUE	
--description-format VALUE	This template is used to generate the description. Input values can be used using the syntax <code>%{package}</code> . You may also include the job category and template name using <code>%{job_category}</code> and <code>%{template_name}</code> .
--file FILE	Path to a file that contains the template
--job-category VALUE	Job category
--location VALUE	Set the current location context for the request

```

--location-id NUMBER      Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN        Whether or not the template is locked for editing
--name VALUE            Template name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--overridable BOOLEAN   Whether it should be allowed to override the effective user from the
invocation
                        form.
--provider-type ENUM    Provider type
                        Possible value(s): 'SSH', 'Ansible'
--snippet BOOLEAN
--value VALUE          What user should be used to run the script (using sudo-like mechanisms)
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.42.2. hammer job-template delete

ジョブテンプレートを削除します。

Usage:

```
hammer job-template <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request

```

```
--organization-title VALUE  Set the current organization context for the request
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.42.3. hammer job-template dump

ジョブテンプレートコンテンツを表示します。

Usage:

```
hammer job-template dump [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----
FIELDS
-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
```


escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42.4. hammer job-template export

すべてのメタデータを含むテンプレートをエクスポートします。

Usage:

```
hammer job-template export [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```
-----  
FIELDS  
-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42.5. hammer job-template import

ERB からジョブテンプレートをインポートします。

Usage:

```
hammer job-template import [OPTIONS]
```

Options:

```
--file FILE          Path to a file that contains the template - must include ERB metadata
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--overwrite BOOLEAN Overwrite template if it already exists
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.42.6. hammer job-template info

ジョブテンプレートの詳細を表示します。

Usage:

```
hammer job-template <info|show> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
```

```

Id          | x | x | x
Name        | x | x | x
Job category | x | x |
Provider    | x | x |
Type        | x | x |
Description  | x | x |
Inputs      | x | x |
Locations/  | x | x |
Organizations/ | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.42.7. hammer job-template list

ジョブテンプレートのリストを表示します。

Usage:

```
hammer job-template <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Scope by locations
--location-title VALUE Set the current location context for the request
--order VALUE     Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER     Page number, starting at 1
--per-page VALUE  Number of results per page to return, 'all' to return all results
--search VALUE    Filter results
-h, --help        Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x

```

```

Name      | x | x | x
Job category | x | x |
Provider  | x | x |
Type      | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.42.8. hammer job-template update

ジョブテンプレートを更新します。

Usage:

```
hammer job-template update [OPTIONS]
```

Options:

```

--audit-comment VALUE
--current-user BOOLEAN  Whether the current user login should be used as the effective user
--description VALUE
--description-format VALUE  This template is used to generate the description. Input values can be
used
                          using the syntax %{package}. You may also include the job category and template
                          name using %{job_category} and %{template_name}.
--file FILE             Path to a file that contains the template
--id VALUE
--job-category VALUE    Job category
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN        Whether or not the template is locked for editing
--name VALUE            Template name
--new-name VALUE        Template name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE  Set the current organization context for the request

```

```

--organization-titles LIST
--organizations LIST
--overridable BOOLEAN      Whether it should be allowed to override the effective user from the
invocation
                             form.
--provider-type ENUM       Provider type
                             Possible value(s): 'SSH', 'Ansible'
--snippet BOOLEAN
--value VALUE              What user should be used to run the script (using sudo-like mechanisms)
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.43. HAMMER LIFECYCLE-ENVIRONMENT

サーバーで `lifecycle_environments` を操作します。

Usage:

```
hammer lifecycle-environment [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

create          Create an environment
delete, destroy Destroy an environment
info, show      Show an environment
list, index     List environments in an organization
paths           List environment paths
update         Update an environment

```

Options:

```
-h, --help      Print help
```

2.43.1. hammer lifecycle-environment create

環境を作成します。

Usage:

```
hammer lifecycle-environment create [OPTIONS]
```

Options:

```
--description VALUE          Description of the environment
--label VALUE                Label of the environment
--name VALUE                 Name of the environment
--organization VALUE         Organization name to search by
--organization-id NUMBER     Name of organization
--organization-label VALUE   Organization label to search by
--organization-title VALUE   Organization title
--prior VALUE                Name of the prior environment
--prior-id NUMBER           ID of an environment that is prior to the new environment in the
chain. It has
                             to be either the ID of Library or the ID of an environment at the end of a
                             chain.
--registry-name-pattern VALUE Pattern for container image names
--registry-unauthenticated-pull BOOLEAN Allow unauthenticated pull of container images
-h, --help                   Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.43.2. hammer lifecycle-environment delete

環境を破棄します。

Usage:

```
hammer lifecycle-environment <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          ID of the environment
--name VALUE         Lifecycle environment name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.43.3. hammer lifecycle-environment info

環境を表示します。

Usage:

```
hammer lifecycle-environment <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           ID of the environment
--name VALUE          Lifecycle environment name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER ID of the organization
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS          | ALL | DEFAULT | THIN
-----|----|-----|----
Id              | x  | x      | x
Name            | x  | x      | x
Label           | x  | x      |
Description     | x  | x      |
Organization    | x  | x      |
Library         | x  | x      |
Prior lifecycle environment | x  | x      |
Unauthenticated pull | x  | x      |
Registry name pattern | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.43.4. hammer lifecycle-environment list

組織の環境のリストを表示します。

Usage:

```
hammer lifecycle-environment <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--label VALUE	Filter only environments containing this label
--library ENUM	Set true if you want to see only library environments Possible value(s): 'true', 'false'
--name VALUE	Filter only environments containing this name
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--search VALUE	Search string
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Prior  | x | x   |
-----|-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

id integer

label string

name string

organization_id integer

2.43.5. hammer lifecycle-environment paths

環境パスのリストを表示します。

Usage:

hammer lifecycle-environment paths [OPTIONS]

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)

--organization VALUE Organization name to search by

--organization-id NUMBER Organization identifier

--organization-label VALUE Organization label to search by

--organization-title VALUE Organization title

--permission-type VALUE The associated permission type. One of (readable | promotable)

Default: readable

-h, --help Print help

Predefined field sets:

```
-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Lifecycle path | x | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.

JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.43.6. hammer lifecycle-environment update

環境を更新します。

Usage:

```
hammer lifecycle-environment update [OPTIONS]
```

Options:

```
--async BOOLEAN          Do not wait for the update action to finish. Default: true
--description VALUE      Description of the environment
--id NUMBER              ID of the environment
--name VALUE             Lifecycle environment name to search by
--new-name VALUE         New name to be given to the environment
--organization VALUE     Organization name to search by
--organization-id NUMBER Name of the organization
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--registry-name-pattern VALUE Pattern for container image names
--registry-unauthenticated-pull BOOLEAN Allow unauthenticated pull of container images
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.44. HAMMER LOCATION

ロケーションを操作します。

Usage:

```
hammer location [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
add-compute-resource Associate a compute resource
add-domain            Associate a domain
add-hostgroup        Associate a hostgroup
add-medium            Associate a medium
```

add-organization	Associate an organization
add-provisioning-template	Associate provisioning templates
add-smart-proxy	Associate a smart proxy
add-subnet	Associate a subnet
add-user	Associate an user
create	Create a location
delete, destroy	Delete a location
delete-parameter	Delete parameter for a location
info, show	Show a location
list, index	List all locations
remove-compute-resource	Disassociate a compute resource
remove-domain	Disassociate a domain
remove-hostgroup	Disassociate a hostgroup
remove-medium	Disassociate a medium
remove-organization	Disassociate an organization
remove-provisioning-template	Disassociate provisioning templates
remove-smart-proxy	Disassociate a smart proxy
remove-subnet	Disassociate a subnet
remove-user	Disassociate an user
set-parameter	Create or update parameter for a location
update	Update a location
Options:	
-h, --help	Print help

2.44.1. hammer location add-compute-resource

コンピュータリソースを関連付けます。

Usage:

```
hammer location add-compute-resource [OPTIONS]
```

Options:

```
--compute-resource VALUE    Compute resource name
--compute-resource-id NUMBER
--id VALUE
--name VALUE                Set the current location context for the request
--title VALUE              Set the current location context for the request
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
           JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
           escaped with backslash.
           JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.2. hammer location add-domain

ドメインを関連付けます。

Usage:

```
hammer location add-domain [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id NUMBER	Numerical ID or domain name
--id VALUE	
--name VALUE	Set the current location context for the request
--title VALUE	Set the current location context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.3. hammer location add-hostgroup

ホストグループを関連付けます。

Usage:

```
hammer location add-hostgroup [OPTIONS]
```

Options:

--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	
--hostgroup-title VALUE	Hostgroup title
--id VALUE	
--name VALUE	Set the current location context for the request
--title VALUE	Set the current location context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.4. hammer location add-medium

メディアを関連付けます。

Usage:

```
hammer location add-medium [OPTIONS]
```

Options:

```
--id VALUE
--medium VALUE           Medium name
--medium-id NUMBER
--name VALUE             Set the current location context for the request
--title VALUE            Set the current location context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.5. hammer location add-organization

組織を関連付けます。

Usage:

```
hammer location add-organization [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Organization ID
--organization-title VALUE Set the current organization context for the request
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.44.6. hammer location add-provisioning-template

プロビジョニングテンプレートを関連付けます。

Usage:

```
hammer location add-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
associated
--provisioning-templates LIST List of provisioning template names
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.7. hammer location add-smart-proxy

スマートプロキシを関連付けます。

Usage:

```
hammer location add-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--smart-proxy VALUE   Name to search by
--smart-proxy-id NUMBER
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.8. hammer location add-subnet

サブネットを関連付けます。

Usage:

```
hammer location add-subnet [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Set the current location context for the request
--subnet VALUE       Subnet name
--subnet-id NUMBER
--title VALUE        Set the current location context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.44.9. hammer location add-user

ユーザーを関連付けます。

Usage:

```
hammer location add-user [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Set the current location context for the request
--title VALUE        Set the current location context for the request
--user VALUE         User's login to search by
--user-id NUMBER
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer

```


SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.10. hammer location create

ロケーションを作成します。

Usage:

```
hammer location create [OPTIONS]
```

Options:

```
--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST        Environment IDs
--hostgroup-ids LIST          Host group IDs
--hostgroup-titles LIST
--hostgroups LIST
--ignore-types LIST           List of resources types that will be automatically associated
--location VALUE              Set the current location context for the request
--location-id NUMBER          Set the current location context for the request
--location-title VALUE        Set the current location context for the request
--media LIST
--medium-ids LIST             Medium IDs
--name VALUE
--organization VALUE          Set the current organization context for the request
--organization-id NUMBER      Set the current organization context for the request
--organization-ids LIST       Associated organization IDs
--organization-title VALUE    Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--parent-id NUMBER            Parent ID
--partition-table-ids LIST     Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST              Realm IDs
--realms LIST
--smart-proxies LIST
--smart-proxy-ids LIST        Capsule IDs
--subnet-ids LIST             Subnet IDs
--subnets LIST
--user-ids LIST               User IDs
--users LIST
-h, --help                    Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.11. hammer location delete

ロケーションを削除します。

Usage:

```
hammer location <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	Location numeric id to search by
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Set the current organization context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.12. hammer location delete-parameter

ロケーションのパラメーターを削除します。

Usage:

hammer location delete-parameter [OPTIONS]

Options:

```
--location VALUE      Set the current location context for the request
--location-id NUMBER
--location-title VALUE Set the current location context for the request
--name VALUE          Parameter name
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.44.13. hammer location info

ロケーションを表示します。

Usage:

hammer location <info|show> [OPTIONS]

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Location numeric id to search by
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Set the current organization context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
--title VALUE         Set the current organization context for the request
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id       | x  | x      | x
Title    | x  | x      | x
Name     | x  | x      | x
```

Description	x x
Parent	x x
Users/	x x
Smart proxies/	x x
Subnets/	x x
Compute resources/	x x
Installation media/	x x
Templates/	x x
Partition tables/	x x
Domains/	x x
Realms/	x x
Hostgroups/	x x
Parameters/	x x
Organizations/	x x
Created at	x x
Updated at	x x
----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.14. hammer location list

ロケーションのリストを表示します。

Usage:

```
hammer location <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results

-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Title   | x | x   | x
Name    | x | x   | x
Description | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

description    text
id             integer
location_id   integer
name          string
title         string

```

2.44.15. hammer location remove-compute-resource

コンピュータリソースの関連付けを解除します。

Usage:

```
hammer location remove-compute-resource [OPTIONS]
```

Options:

```

--compute-resource VALUE    Compute resource name
--compute-resource-id NUMBER
--id VALUE
--name VALUE                Set the current location context for the request
--title VALUE               Set the current location context for the request
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.16. hammer location remove-domain

ドメインの関連付けを解除します。

Usage:

```
hammer location remove-domain [OPTIONS]
```

Options:

```
--domain VALUE          Domain name
--domain-id NUMBER      Numerical ID or domain name
--id VALUE
--name VALUE            Set the current location context for the request
--title VALUE           Set the current location context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.17. hammer location remove-hostgroup

ホストグループの関連付けを解除します。

Usage:

```
hammer location remove-hostgroup [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE Hostgroup title
--id VALUE
--name VALUE           Set the current location context for the request
--title VALUE          Set the current location context for the request
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.44.18. hammer location remove-medium

メディアの関連付けを解除します。

Usage:

```
hammer location remove-medium [OPTIONS]
```

Options:

```
--id VALUE
--medium VALUE          Medium name
--medium-id NUMBER
--name VALUE           Set the current location context for the request
--title VALUE          Set the current location context for the request
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.19. hammer location remove-organization

組織の関連付けを解除します。

Usage:

```
hammer location remove-organization [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER  Organization ID
--organization-title VALUE  Set the current organization context for the request
--title VALUE          Set the current location context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.20. hammer location remove-provisioning-template

プロビジョニングテンプレートの関連付けを解除します。

Usage:

```
hammer location remove-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--provisioning-template VALUE  Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST  List of provisioning template ids
--provisioning-template-search VALUE  Provisioning template name regex to search, all matching
```


templates will be

```

                                disassociated
--provisioning-templates LIST    List of provisioning template names
--title VALUE                    Set the current location context for the request
-h, --help                       Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.44.21. hammer location remove-smart-proxy

スマートプロキシの関連付けを解除します。

Usage:

```
hammer location remove-smart-proxy [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Set the current location context for the request
--smart-proxy VALUE  Name to search by
--smart-proxy-id NUMBER
--title VALUE        Set the current location context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.22. hammer location remove-subnet

サブネットの関連付けを解除します。

Usage:

```
hammer location remove-subnet [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--subnet VALUE       Subnet name
--subnet-id NUMBER
--title VALUE        Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.23. hammer location remove-user

ユーザーの関連付けを解除します。

Usage:

```
hammer location remove-user [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--title VALUE        Set the current location context for the request
--user VALUE         User's login to search by
--user-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.24. hammer location set-parameter

ロケーションのパラメーターを作成または更新します。

Usage:

```
hammer location set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--location VALUE          Set the current location context for the request
--location-id NUMBER
--location-title VALUE    Set the current location context for the request
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.25. hammer location update

ロケーションを更新します。

Usage:

```
hammer location update [OPTIONS]
```

Options:

```
--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST        Environment IDs
--hostgroup-ids LIST          Host group IDs
--hostgroup-titles LIST
--hostgroups LIST
--id VALUE                    Location numeric id to search by
--ignore-types LIST           List of resources types that will be automatically associated
--location VALUE              Set the current location context for the request
--location-id NUMBER          Set the current location context for the request
--location-title VALUE        Set the current location context for the request
--media LIST
--medium-ids LIST             Medium IDs
--name VALUE
--new-name VALUE
--organization VALUE          Set the current organization context for the request
--organization-id NUMBER      Set the current organization context for the request
--organization-ids LIST       Associated organization IDs
--organization-title VALUE    Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--parent-id NUMBER            Parent ID
--partition-table-ids LIST    Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST              Realm IDs
--realms LIST
--smart-proxies LIST
--smart-proxy-ids LIST        Capsule IDs
--subnet-ids LIST             Subnet IDs
--subnets LIST
--title VALUE                 Set the current location context for the request
--user-ids LIST               User IDs
--users LIST
-h, --help                    Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
```

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.45. HAMMER MAIL-NOTIFICATION

メールの通知を管理します。

Usage:
hammer mail-notification [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
info, show Show an email notification
list, index List of email notifications

Options:
-h, --help Print help

2.45.1. hammer mail-notification info

メールの通知を表示します。

Usage:
hammer mail-notification <info|show> [OPTIONS]

Options:
--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE Numerical ID or email notification name
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS   | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id       | x  | x    | x
Name     | x  | x    | x
Description | x | x   |

```

```
Subscription type | x | x |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.45.2. hammer mail-notification list

メール通知をリスト表示します。

Usage:

```
hammer mail-notification <list|index> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE     Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER     Page number, starting at 1
--per-page VALUE  Number of results per page to return, 'all' to return all results
--search VALUE    Filter results
-h, --help       Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|-----
Id    | x | x | x
Name  | x | x | x
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

description	text
name	string
user	string

2.46. HAMMER MEDIUM

インストールメディアを操作します。

Usage:
hammer medium [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-operatingsystem	Associate an operating system
create	Create a medium
delete, destroy	Delete a medium
info, show	Show a medium
list, index	List all installation media
remove-operatingsystem	Disassociate an operating system
update	Update a medium

Options:

-h, --help	Print help
------------	------------

2.46.1. hammer medium add-operatingsystem

オペレーティングシステムを関連付けます。

Usage:
hammer medium add-operatingsystem [OPTIONS]

Options:

--id VALUE	
--name VALUE	Medium name
--operatingsystem VALUE	Operating system title
--operatingsystem-id NUMBER	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.46.2. hammer medium create

メディアを作成します。

Usage:

```
hammer medium create [OPTIONS]
```

Options:

--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--name VALUE	Name of media
--operatingsystem-ids LIST	
--operatingsystems LIST	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--os-family VALUE	Operating system family, available values: AIX, Altlinux, Archlinux, Coreos, Debian, Fcos, Freebsd, Gentoo, Junos, NXOS, Rancheros, Redhat, Rhcos, Solaris, Suse, VRP, Windows, Xenserver
--path VALUE	The path to the medium, can be a URL or a valid NFS server (exclusive of the architecture).

For example `mirror.centos.org/centos/$version/os/$arch` where `$arch` will be substituted for the host's actual OS architecture and `$version`, `$major` and `$minor` will be substituted for the version of the operating system.

Solaris and Debian media may also use \$release.
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.46.3. hammer medium delete

メディアを削除します。

Usage:

hammer medium <delete|destroy> [OPTIONS]

Options:

--id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Medium name
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.46.4. hammer medium info

メディアを表示します。

Usage:

```
hammer medium <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Medium name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Path        | x  | x      |
Os family   | x  | x      |
Operating systems/ | x  | x      |
Locations/  | x  | x      |
Organizations/ | x  | x      |
Created at  | x  | x      |
Updated at  | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.46.5. hammer medium list

インストールメディアのリストを表示します。

Usage:

```
hammer medium <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Scope by locations
--location-title VALUE Set the current location context for the request
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Path   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
family      string
location    string
location_id integer
name        string
```

```

organization  string
organization_id integer
path          string

```

2.46.6. hammer medium remove-operatingsystem

オペレーティングシステムの関連付けを解除します。

Usage:

```
hammer medium remove-operatingsystem [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE           Medium name
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER
-h, --help             Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string

```

2.46.7. hammer medium update

メディアを更新します。

Usage:

```
hammer medium update [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE          Name of media
--new-name VALUE      Name of media
--operatingsystem-ids LIST

```

```

--operatingsystems LIST
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--os-family VALUE        Operating system family, available values: AIX, Altlinux, Archlinux,
Coreos,
                          Debian, Fcos, Freebsd, Gentoo, Junos, NXOS, Rancheros, Redhat, Rhcos,
Solaris,
                          Suse, VRP, Windows, Xenserver
--path VALUE             The path to the medium, can be a URL or a valid NFS server (exclusive of
the
                          architecture).

                          For example mirror.centos.org/centos/$version/os/$arch where $arch will be
                          substituted for the host's actual OS architecture and $version, $major and
                          $minor will be substituted for the version of the operating system.

                          Solaris and Debian media may also use $release.
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.47. HAMMER MODEL

ハードウェアモデルを操作します。

Usage:

```
hammer model [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

create          Create a hardware model
delete, destroy Delete a hardware model

```

```

info, show          Show a hardware model
list, index         List all hardware models
update              Update a hardware model

Options:
-h, --help          Print help

```

2.47.1. hammer model create

ハードウェアモデルを作成します。

```

Usage:
  hammer model create [OPTIONS]

```

```

Options:
--hardware-model VALUE
--info VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vendor-class VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.47.2. hammer model delete

ハードウェアモデルを削除します。

```

Usage:
  hammer model <delete|destroy> [OPTIONS]

```

```

Options:
--id VALUE

```

```

--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Model name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.47.3. hammer model info

ハードウェアモデルを表示します。

Usage:

```
hammer model <info|show> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Model name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Name    | x | x   | x
Vendor class | x | x   |
Hw model | x | x   |
Info    | x | x   |

```

```

Created at | x | x |
Updated at | x | x |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.47.4. hammer model list

ハードウェアモデルのリストを表示します。

Usage:

```
hammer model <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE     Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER     Page number, starting at 1
--per-page VALUE  Number of results per page to return, 'all' to return all results
--search VALUE    Filter results
-h, --help       Print help

```

Predefined field sets:

```

-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x | x | x
Name    | x | x | x
Vendor class | x | x |
Hw model | x | x |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

hardware_model	string
info	text
name	string
vendor_class	string

2.47.5. hammer model update

ハードウェアモデルを更新します。

Usage:

```
hammer model update [OPTIONS]
```

Options:

```
--hardware-model VALUE
--id VALUE
--info VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vendor-class VALUE
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.48. HAMMER MODULE-STREAM

モジュールストリームを表示します。

Usage:

```
hammer module-stream [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show a module stream
list, index	List module streams

Options:

-h, --help	Print help
------------	------------

2.48.1. hammer module-stream info

モジュールストリームを表示します。

Usage:

```
hammer module-stream <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	A module stream identifier
--name VALUE	Module stream name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x    |
Module stream name | x  | x    | x
Stream      | x  | x    |
Uuid        | x  | x    |
```

```

Version      | x | x |
Architecture | x | x |
Context      | x | x |
Repositories/id | x | x |
Repositories/name | x | x |
Repositories/label | x | x |
Artifacts/id | x | x |
Artifacts/name | x | x |
Profiles/id | x | x |
Profiles/name | x | x |
Profiles/rpms/id | x | x |
Profiles/rpms/name | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
               escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.48.2. hammer module-stream list

モジュールストリームをリストで表示します。

Usage:

```
hammer module-stream <list|index> [OPTIONS]
```

Options:

```

--content-view-filter VALUE      Name to search by
--content-view-filter-id NUMBER  Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-version VALUE     Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                    Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN            Whether or not to show all results
--host-ids LIST                  List of host id to list available module streams for
--hosts LIST
--ids LIST                       Ids to filter content by
--include-filter-ids BOOLEAN     Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER Environment identifier
--name-stream-only BOOLEAN       Return name and stream information only)
--order VALUE                    Sort field and order, eg. 'id DESC'

```

```

--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER             Page number, starting at 1
--per-page NUMBER        Number of results per page to return
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--repository VALUE        Repository name to search by
--repository-id NUMBER    Repository identifier
--search VALUE            Search string
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      |
Module stream name | x  | x      | x
Stream      | x  | x      |
Uuid        | x  | x      |
Version     | x  | x      |
Architecture | x  | x      |
Context     | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.49. HAMMER ORGANIZATION

組織を操作します。

Usage:

```
hammer organization [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

add-compute-resource	Associate a compute resource
add-domain	Associate a domain
add-hostgroup	Associate a hostgroup
add-location	Associate a location
add-medium	Associate a medium
add-provisioning-template	Associate provisioning templates
add-smart-proxy	Associate a smart proxy
add-subnet	Associate a subnet
add-user	Associate an user
configure-cdn	Update the CDN configuration
create	Create organization
delete, destroy	Delete an organization
delete-parameter	Delete parameter for an organization
info, show	Show organization
list, index	List all organizations
remove-compute-resource	Disassociate a compute resource
remove-domain	Disassociate a domain
remove-hostgroup	Disassociate a hostgroup
remove-location	Disassociate a location
remove-medium	Disassociate a medium
remove-provisioning-template	Disassociate provisioning templates
remove-smart-proxy	Disassociate a smart proxy
remove-subnet	Disassociate a subnet
remove-user	Disassociate an user
set-parameter	Create or update parameter for an organization
update	Update organization

Options:

-h, --help	Print help
------------	------------

2.49.1. hammer organization add-compute-resource

コンピュータリソースを関連付けます。

Usage:

```
hammer organization add-compute-resource [OPTIONS]
```

Options:

--compute-resource VALUE	Compute resource name
--compute-resource-id NUMBER	
--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.2. hammer organization add-domain

ドメインを関連付けます。

Usage:

```
hammer organization add-domain [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id NUMBER	Numerical ID or domain name
--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.3. hammer organization add-hostgroup

ホストグループを関連付けます。

Usage:

```
hammer organization add-hostgroup [OPTIONS]
```

Options:

--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	
--hostgroup-title VALUE	Hostgroup title
--id VALUE	Organization ID

```
--name VALUE          Set the current organization context for the request
--title VALUE         Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN             One of true/false, yes/no, 1/0
DATETIME            Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                Possible values are described in the option's description
FILE                Path to a file
KEY_VALUE_LIST      Comma-separated list of key=value.
                    JSON is acceptable and preferred way for such parameters
LIST                Comma separated list of values. Values containing comma should be quoted or
                    escaped with backslash.
                    JSON is acceptable and preferred way for such parameters
MULTIENUM           Any combination of possible values described in the option's description
NUMBER              Numeric value. Integer
SCHEMA              Comma separated list of values defined by a schema.
                    JSON is acceptable and preferred way for such parameters
VALUE               Value described in the option's description. Mostly simple string
```

2.49.4. hammer organization add-location

ロケーションを関連付けます。

Usage:

```
hammer organization add-location [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--location VALUE     Set the current location context for the request
--location-id NUMBER
--location-title VALUE Set the current location context for the request
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN             One of true/false, yes/no, 1/0
DATETIME            Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                Possible values are described in the option's description
FILE                Path to a file
KEY_VALUE_LIST      Comma-separated list of key=value.
                    JSON is acceptable and preferred way for such parameters
LIST                Comma separated list of values. Values containing comma should be quoted or
                    escaped with backslash.
                    JSON is acceptable and preferred way for such parameters
MULTIENUM           Any combination of possible values described in the option's description
NUMBER              Numeric value. Integer
SCHEMA              Comma separated list of values defined by a schema.
                    JSON is acceptable and preferred way for such parameters
VALUE               Value described in the option's description. Mostly simple string
```

2.49.5. hammer organization add-medium

メディアを関連付けます。

Usage:

```
hammer organization add-medium [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--medium VALUE       Medium name
--medium-id NUMBER
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.49.6. hammer organization add-provisioning-template

プロビジョニングテンプレートを関連付けます。

Usage:

```
hammer organization add-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--provisioning-template VALUE  Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST  List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                           associated
--provisioning-templates LIST    List of provisioning template names
--title VALUE                    Set the current organization context for the request
-h, --help                        Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.7. hammer organization add-smart-proxy

スマートプロキシを関連付けます。

Usage:

```
hammer organization add-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE          Organization ID
--name VALUE        Set the current organization context for the request
--smart-proxy VALUE Name to search by
--smart-proxy-id NUMBER
--title VALUE       Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.8. hammer organization add-subnet

サブネットを関連付けます。

Usage:

```
hammer organization add-subnet [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--subnet VALUE       Subnet name
--subnet-id NUMBER
--title VALUE        Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE              Value described in the option's description. Mostly simple string
```

2.49.9. hammer organization add-user

ユーザーを関連付けます。

Usage:

```
hammer organization add-user [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
--user VALUE         User's login to search by
--user-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.10. hammer 組織設定-cdn

CDN 設定を更新する

Usage:

```
hammer organization configure-cdn [OPTIONS]
```

Options:

```
--id VALUE                ID of the Organization
--label VALUE             Organization label to search by
--name VALUE              Organization name to search by
--password VALUE          Password for authentication. Relevant only for
'upstream_server' type.
--ssl-ca-credential-id NUMBER Content Credential to use for SSL CA. Relevant only for
'upstream_server' type.
--title VALUE             Organization title
--type VALUE              CDN configuration type. One of redhat_cdn, network_sync,
export_sync.
--upstream-content-view-label VALUE Upstream Content View Label, default:
Default_Organization_View. Relevant only
for 'upstream_server' type.
--upstream-lifecycle-environment-label VALUE Upstream Lifecycle Environment, default: Library.
Relevant only for
'upstream_server' type.
--upstream-organization-label VALUE Upstream organization to sync CDN content from.
Relevant only for
'upstream_server' type.
--url VALUE               Upstream satellite server to sync CDN content from. Relevant only
for
'upstream_server' type.
--username VALUE          Username for authentication. Relevant only for
'upstream_server' type.
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.11. hammer organization create

組織を作成します。

Usage:

```
hammer organization create [OPTIONS]
```

Options:

```
--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST        Environment IDs
--hostgroup-ids LIST          Host group IDs
--hostgroup-titles LIST
--hostgroups LIST
--label VALUE
--location VALUE              Set the current location context for the request
--location-id NUMBER          Set the current location context for the request
--location-ids LIST           Associated location IDs
--location-title VALUE        Set the current location context for the request
--location-titles LIST
--locations LIST
--media LIST
--medium-ids LIST             Medium IDs
--name VALUE
--organization VALUE          Set the current organization context for the request
--organization-id NUMBER      Set the current organization context for the request
--organization-label VALUE    Organization label to search by
--organization-title VALUE    Set the current organization context for the request
--partition-table-ids LIST     Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST              Realm IDs
--realms LIST
--smart-proxies LIST
--smart-proxy-ids LIST        Capsule IDs
--subnet-ids LIST             Subnet IDs
--subnets LIST
--user-ids LIST               User IDs
--users LIST
-h, --help                    Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.12. hammer organization delete

組織を削除します。

Usage:

```
hammer organization <delete|destroy> [OPTIONS]
```

Options:

--async	Do not wait for the task
--id VALUE	
--label VALUE	Organization label to search by
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Set the current organization context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.13. hammer organization delete-parameter

組織のパラメーターを削除します。

Usage:

hammer organization delete-parameter [OPTIONS]

Options:

--name VALUE Parameter name
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Organization ID
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.49.14. hammer organization info

組織を表示します。

Usage:

hammer organization <info|show> [OPTIONS]

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
 --id VALUE Organization ID
 --label VALUE Organization label to search by
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Set the current organization context for the request
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Set the current organization context for the request
 --title VALUE Set the current organization context for the request
 -h, --help Print help

Predefined field sets:

-----|-----|-----|-----
 FIELDS | ALL | DEFAULT | THIN

Id	x x x
Title	x x x
Name	x x x
Description	x x
Parent	x x
Users/	x x
Smart proxies/	x x
Subnets/	x x
Compute resources/	x x
Installation media/	x x
Templates/	x x
Partition tables/	x x
Domains/	x x
Realms/	x x
Hostgroups/	x x
Parameters/	x x
Locations/	x x
Created at	x x
Updated at	x x
Label	x x x
Description	x x
Simple content access	x x
Service levels	x x
Cdn configuration/url	x x
Cdn configuration/upstream organization	x x
Cdn configuration/username	x x
Cdn configuration/ssl ca credential id	x x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.15. hammer organization list

組織のリストを表示します。

Usage:

```
hammer organization <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--search VALUE	Search string
--sort-by VALUE	Field to sort the results on
--sort-order VALUE	How to order the sorted results (e.g. ASC for ascending)
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----
FIELDS ALL DEFAULT THIN
----- ----- ----- -----
Id x x x
Title x x x
Name x x x
Description x x
Label x x x
----- ----- ----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

description	text
id	integer
label	string
name	string
organization_id	integer
title	string

2.49.16. hammer organization remove-compute-resource

コンピュータリソースの関連付けを解除します。

Usage:

```
hammer organization remove-compute-resource [OPTIONS]
```

Options:

```
--compute-resource VALUE    Compute resource name
--compute-resource-id NUMBER
--id VALUE                   Organization ID
--name VALUE                 Set the current organization context for the request
--title VALUE                Set the current organization context for the request
-h, --help                   Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.49.17. hammer organization remove-domain

ドメインの関連付けを解除します。

Usage:

```
hammer organization remove-domain [OPTIONS]
```

Options:

```
--domain VALUE    Domain name
--domain-id NUMBER Numerical ID or domain name
--id VALUE        Organization ID
--name VALUE      Set the current organization context for the request
--title VALUE     Set the current organization context for the request
-h, --help       Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.18. hammer organization remove-hostgroup

ホストグループの関連付けを解除します。

Usage:

```
hammer organization remove-hostgroup [OPTIONS]
```

Options:

--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	
--hostgroup-title VALUE	Hostgroup title
--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.19. hammer organization remove-location

ロケーションの関連付けを解除します。

Usage:

```
hammer organization remove-location [OPTIONS]
```

Options:

--id VALUE	Organization ID
------------	-----------------

```

--location VALUE      Set the current location context for the request
--location-id NUMBER
--location-title VALUE Set the current location context for the request
--name VALUE          Set the current organization context for the request
--title VALUE         Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.49.20. hammer organization remove-medium

メディアの関連付けを解除します。

Usage:

```
hammer organization remove-medium [OPTIONS]
```

Options:

```

--id VALUE      Organization ID
--medium VALUE  Medium name
--medium-id NUMBER
--name VALUE    Set the current organization context for the request
--title VALUE   Set the current organization context for the request
-h, --help     Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.21. hammer organization remove-provisioning-template

プロビジョニングテンプレートの関連付けを解除します。

Usage:

```
hammer organization remove-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--provisioning-template VALUE  Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST  List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                        disassociated
--provisioning-templates LIST  List of provisioning template names
--title VALUE         Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.49.22. hammer organization remove-smart-proxy

スマートプロキシの関連付けを解除します。

Usage:

```
hammer organization remove-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--smart-proxy VALUE  Name to search by
--smart-proxy-id NUMBER
```

```
--title VALUE      Set the current organization context for the request
-h, --help        Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.49.23. hammer organization remove-subnet

サブネットの関連付けを解除します。

Usage:

```
hammer organization remove-subnet [OPTIONS]
```

Options:

```
--id VALUE        Organization ID
--name VALUE      Set the current organization context for the request
--subnet VALUE    Subnet name
--subnet-id NUMBER
--title VALUE     Set the current organization context for the request
-h, --help       Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.49.24. hammer organization remove-user

ユーザーの関連付けを解除します。

Usage:

```
hammer organization remove-user [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--title VALUE       Set the current organization context for the request
--user VALUE        User's login to search by
--user-id NUMBER
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.49.25. hammer organization set-parameter

組織のパラメーターを作成または更新します。

Usage:

```
hammer organization set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN  Should the value be hidden
--name VALUE            Parameter name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Organization ID
--organization-title VALUE Set the current organization context for the request
--parameter-type ENUM   Type of the parameter
                        Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                        'yaml', 'json'
                        Default: "string"
--value VALUE           Parameter value
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.26. hammer organization update

組織を更新します。

Usage:

```
hammer organization update [OPTIONS]
```

Options:

```
--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST        Environment IDs
--hostgroup-ids LIST          Host group IDs
--hostgroup-titles LIST
--hostgroups LIST
--id VALUE
--label VALUE
--location VALUE              Set the current location context for the request
--location-id NUMBER          Set the current location context for the request
--location-ids LIST           Associated location IDs
--location-title VALUE        Set the current location context for the request
--location-titles LIST
--locations LIST
--media LIST
--medium-ids LIST             Medium IDs
--name VALUE
--new-name VALUE
--new-title VALUE
--organization VALUE          Set the current organization context for the request
--organization-id NUMBER      Set the current organization context for the request
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Set the current organization context for the request
--partition-table-ids LIST     Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST              Realm IDs
```

```

--realms LIST
--redhat-repository-url VALUE  Red Hat CDN URL
--smart-proxies LIST
--smart-proxy-ids LIST        Capsule IDs
--subnet-ids LIST             Subnet IDs
--subnets LIST
--title VALUE                 Set the current organization context for the request
--user-ids LIST               User IDs
--users LIST
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.50. HAMMER OS

オペレーティングシステムを操作します。

Usage:

```
hammer os [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND    Subcommand
[ARG] ...     Subcommand arguments

```

Subcommands:

```

add-architecture      Associate an architecture
add-provisioning-template  Associate provisioning templates
add-ptable            Associate a partition table
create                Create an operating system
delete, destroy       Delete an operating system
delete-default-template
delete-parameter      Delete parameter for an operating system
info, show            Show an operating system
list, index           List all operating systems
remove-architecture   Disassociate an architecture
remove-provisioning-template  Disassociate provisioning templates
remove-ptable         Disassociate a partition table
set-default-template
set-parameter         Create or update parameter for an operating system

```


update Update an operating system

Options:

-h, --help Print help

2.50.1. hammer os add-architecture

アーキテクチャーを関連付けます。

Usage:

hammer os add-architecture [OPTIONS]

Options:

--architecture VALUE Architecture name

--architecture-id NUMBER

--id VALUE

--title VALUE Operating system title

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.

 JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

 JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

 JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.50.2. hammer os add-provisioning-template

プロビジョニングテンプレートを関連付けます。

Usage:

hammer os add-provisioning-template [OPTIONS]

Options:

--id VALUE

--provisioning-template VALUE Name to search by

--provisioning-template-id NUMBER

--provisioning-template-ids LIST List of provisioning template ids

--provisioning-template-search VALUE Provisioning template name regex to search, all matching templates will be

 associated

--provisioning-templates LIST List of provisioning template names

--title VALUE Operating system title

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.3. hammer os add-ptable

パーティションテーブルを関連付けます。

Usage:

```
hammer os add-ptable [OPTIONS]
```

Options:

--id VALUE
 --partition-table VALUE Partition table name
 --partition-table-id NUMBER
 --title VALUE Operating system title
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.4. hammer os create

オペレーティングシステムを作成します。

Usage:

```
hammer os create [OPTIONS]
```

Options:

```
--architecture-ids LIST      IDs of associated architectures
--architectures LIST
--description VALUE
--family VALUE
--location VALUE             Set the current location context for the request
--location-id NUMBER        Set the current location context for the request
--location-title VALUE      Set the current location context for the request
--major VALUE
--media LIST
--medium-ids LIST           IDs of associated media
--minor VALUE
--name VALUE
--organization VALUE        Set the current organization context for the request
--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--os-parameters-attributes SCHEMA Array of parameters
--partition-table-ids LIST  IDs of associated partition tables
--partition-tables LIST
--password-hash ENUM        Root password hash function to use
                             Possible value(s): 'SHA256', 'SHA512', 'Base64', 'Base64-Windows', 'MD5'
--provisioning-template-ids LIST IDs of associated provisioning templates
--provisioning-templates LIST
--release-name VALUE
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--os-parameters-attributes "name=<string>\,value=<string>, ... "
```

2.50.5. hammer os delete

オペレーティングシステムを削除します。

Usage:

```
hammer os <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE            Operating system title
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.50.6. hammer os delete-default-template

Usage:

```
hammer os delete-default-template [OPTIONS]
```

Options:

```
--id VALUE          Operatingsystem id
--type VALUE        Type of the provisioning template
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.7. hammer os delete-parameter

オペレーティングシステムのパラメーターを削除します。

Usage:

```
hammer os delete-parameter [OPTIONS]
```

Options:

```
--name VALUE          Parameter name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.8. hammer os info

オペレーティングシステムを表示します。

Usage:

```
hammer os <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
```

```
--show-hidden-parameters BOOLEAN Display hidden parameter values
--title VALUE                      Operating system title
-h, --help                          Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Title        | x  | x      | x
Release name  |   | x      | x   |
Family       | x  | x      |
Name         | x  | x      |
Major version | x  | x      |
Minor version | x  | x      |
Partition tables/ | x  | x      |
Default templates/ | x  | x      |
Architectures/ | x  | x      |
Installation media/ | x  | x      |
Templates/    | x  | x      |
Parameters/   | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.50.9. hammer os list

すべてのオペレーティングシステムのリストを表示します。

Usage:

```
hammer os <list|index> [OPTIONS]
```

Options:

```
--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--fields LIST             Show specified fields or predefined field sets only. (See below)
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
```

```

--medium VALUE           Medium name
--medium-id VALUE       ID of medium
--order VALUE           Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--os-parameters-attributes SCHEMA Array of parameters
--page NUMBER           Page number, starting at 1
--partition-table VALUE Partition table name
--partition-table-id VALUE ID of partition table
--per-page VALUE        Number of results per page to return, 'all' to return all results
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of template
--search VALUE          Filter results
-h, --help              Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Title   | x  | x      | x
Release name | x  | x      |
Family  | x  | x      |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--os-parameters-attributes "name=<string>\,value=<string>, ... "
```

Search / Order fields:

```

architecture  string
description   string
family        string
major         string
medium        string
minor         string

```

name	string
params	string
template	string
title	string

2.50.10. hammer os remove-architecture

アーキテクチャーの関連付けを解除します。

Usage:

```
hammer os remove-architecture [OPTIONS]
```

Options:

```
--architecture VALUE      Architecture name
--architecture-id NUMBER
--id VALUE
--title VALUE              Operating system title
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.11. hammer os remove-provisioning-template

プロビジョニングテンプレートの関連付けを解除します。

Usage:

```
hammer os remove-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--provisioning-template VALUE      Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST   List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                                disassociated
--provisioning-templates LIST      List of provisioning template names
--title VALUE                      Operating system title
```


-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.12. hammer os remove-ptable

パーティションテーブルの関連付けを解除します。

Usage:

```
hammer os remove-ptable [OPTIONS]
```

Options:

--id VALUE
 --partition-table VALUE Partition table name
 --partition-table-id NUMBER
 --title VALUE Operating system title
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.13. hammer os set-default-template

Usage:

```
hammer os set-default-template [OPTIONS]
```

Options:

```
--id VALUE           Operatingsystem id
--provisioning-template-id VALUE Provisioning template id to be set
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.50.14. hammer os set-parameter

オペレーティングシステムのパラメーターを作成または更新します。

Usage:

```
hammer os set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN Should the value be hidden
--name VALUE           Parameter name
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER
--parameter-type ENUM  Type of the parameter
                       Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                       'yaml', 'json'
                       Default: "string"
--value VALUE          Parameter value
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
```

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.15. hammer os update

オペレーティングシステムを更新します。

Usage:

```
hammer os update [OPTIONS]
```

Options:

--architecture-ids LIST	IDs of associated architectures
--architectures LIST	
--description VALUE	
--family VALUE	
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--major VALUE	
--media LIST	
--medium-ids LIST	IDs of associated media
--minor VALUE	
--name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--os-parameters-attributes SCHEMA	Array of parameters
--partition-table-ids LIST	IDs of associated partition tables
--partition-tables LIST	
--password-hash ENUM	Root password hash function to use
	Possible value(s): 'SHA256', 'SHA512', 'Base64', 'Base64-Windows', 'MD5'
--provisioning-template-ids LIST	IDs of associated provisioning templates
--provisioning-templates LIST	
--release-name VALUE	
--title VALUE	Operating system title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--os-parameters-attributes "name=<string>,value=<string>, ... "
```

2.51. HAMMER PACKAGE

パッケージを操作します。

Usage:

```
hammer package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show a package
list, index	List packages

Options:

-h, --help	Print help
------------	------------

2.51.1. hammer package info

パッケージを表示します。

Usage:

```
hammer package <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	A package identifier
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x  | x
Pulp id | x  | x  |
```

Uuid	x x
Name	x x x
Version	x x
Architecture	x x
Epoch	x x
Release	x x
Author	x x
Filename	x x
Source rpm	x x
Nvrea	x x
Build host	x x
Available host count	x x
Applicable host count	x x
Children	x x
Vendor	x x
License	x x
Relative path	x x
Description	x x
Summary	x x
Url	x x
Build time	x x
Group	x x
Requires	x x
Provides	x x
Files	x x
Size	x x
Modular	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.51.2. hammer package list

パッケージのリストを表示します。

Usage:

```
hammer package <list|index> [OPTIONS]
```

Options:

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.52. HAMMER PACKAGE-GROUP

パッケージグループを操作します。

```
Usage:
  hammer package-group [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  info, show          Show a package group
  list, index         List package_groups

Options:
  -h, --help          Print help
```

2.52.1. hammer package-group info

パッケージグループを表示します。

```
Usage:
  hammer package-group <info|show> [OPTIONS]

Options:
  --fields LIST          Show specified fields or predefined field sets only. (See below)
  --id VALUE             A package group identifier
  --name VALUE           Name to search by
  --organization VALUE   Organization name to search by
  --organization-id NUMBER Organization identifier
  --organization-label VALUE Organization label to search by
  --organization-title VALUE Organization title
  --repository VALUE     Repository name to search by
  --repository-id NUMBER Repository identifier
  -h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
```

```

Package group name | x | x | x
Repository name   | x | x |
Uuid              | x | x |
Description       | x | x |
Default packages  | x | x |
Mandatory packages | x | x |
Conditional packages | x | x |
Optional packages | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.52.2. hammer package-group list

パッケージグループのリストを表示します。

Usage:

```
hammer package-group <list|index> [OPTIONS]
```

Options:

```

--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--ids LIST                     Ids to filter content by
--include-filter-ids BOOLEAN   Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Organization identifier
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                 Page number, starting at 1

```



```

--per-page NUMBER          Number of results per page to return
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--repository VALUE        Repository name to search by
--repository-id NUMBER    Repository identifier
--search VALUE            Search string
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Package group name | x  | x      | x
Repository name | x  | x      |
Uuid       | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.53. HAMMER PARTITION-TABLE

パーティションテーブルを操作します。

Usage:

```
hammer partition-table [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

add-operatingsystem  Associate an operating system
create              Create a partition table
delete, destroy     Delete a partition table
dump               View partition table content
info, show         Show a partition table
list, index        List all partition tables
remove-operatingsystem  Disassociate an operating system

```

update Update a partition table

Options:

-h, --help Print help

2.53.1. hammer partition-table add-operatingsystem

オペレーティングシステムを関連付けます。

Usage:

hammer partition-table add-operatingsystem [OPTIONS]

Options:

--id VALUE
 --name VALUE Partition table name
 --operatingsystem VALUE Operating system title
 --operatingsystem-id NUMBER
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.53.2. hammer partition-table create

パーティションテーブルを作成します。

Usage:

hammer partition-table create [OPTIONS]

Options:

--audit-comment VALUE
 --description VALUE
 --file FILE Path to a file that contains the partition layout
 --host-ids LIST Array of host IDs to associate with the partition table
 --hostgroup-ids LIST Array of host group IDs to associate with the partition table
 --hostgroup-titles LIST
 --hostgroups LIST
 --hosts LIST
 --location VALUE Set the current location context for the request

```

--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN         Whether or not the template is locked for editing
--name VALUE
--operatingsystem-ids LIST Array of operating system IDs to associate with the partition table
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--os-family VALUE
--snippet BOOLEAN
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.53.3. hammer partition-table delete

パーティションテーブルを解除します。

Usage:

```
hammer partition-table <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Partition table name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53.4. hammer partition-table dump

パーティションテーブルのコンテンツを表示します。

Usage:

```
hammer partition-table dump [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Partition table name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```
-----  
FIELDS  
-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53.5. hammer partition-table info

パーティションテーブルを表示します。

Usage:

```
hammer partition-table <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Partition table name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Os family   | x  | x      |
Description | x  | x      |
Locked      | x  | x      |
Operating systems/ | x  | x      |
Created at  | x  | x      |
Updated at  | x  | x      |
Locations/  | x  | x      |
Organizations/ | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53.6. hammer partition-table list

パーティションテーブルのリストを表示します。

Usage:

```
hammer partition-table <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--operatingsystem VALUE	Operating system title
--operatingsystem-id NUMBER	ID of operating system
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Os family | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

default	Values: true, false
family	string
layout	text
location	string
location_id	integer
locked	Values: true, false
name	string
organization	string
organization_id	integer
snippet	Values: true, false
template	text
vendor	string

2.53.7. hammer partition-table remove-operatingsystem

オペレーティングシステムの関連付けを解除します。

Usage:

```
hammer partition-table remove-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Partition table name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.53.8. hammer partition-table update

パーティションテーブルを更新します。

Usage:

```
hammer partition-table update [OPTIONS]
```

Options:

```
--audit-comment VALUE
```

```

--description VALUE
--file FILE          Path to a file that contains the partition layout
--host-ids LIST      Array of host IDs to associate with the partition table
--hostgroup-ids LIST Array of host group IDs to associate with the partition table
--hostgroup-titles LIST
--hostgroups LIST
--hosts LIST
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN     Whether or not the template is locked for editing
--name VALUE
--new-name VALUE
--operatingsystem-ids LIST Array of operating system IDs to associate with the partition table
--operatingsystems LIST
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--os-family VALUE
--snippet BOOLEAN
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.54. HAMMER PING

サーバーやそのサブコンポーネントのステータスを取得します。

Usage:

```
hammer ping [OPTIONS] [SUBCOMMAND] [ARG] ...
```

Parameters:


```

[ARG] ...           Subcommand arguments
[SUBCOMMAND]       Subcommand (default: "foreman")

Subcommands:
foreman           Shows status of Satellite system and it's subcomponents
katello          Shows status of Katello system and it's subcomponents

Options:
-h, --help       Print help

```

2.54.1. hammer ping foreman

Satellite システムとそのサブコンポーネントのステータスを表示します。

```

Usage:
hammer ping foreman [OPTIONS]

Options:
-h, --help       Print help

```

2.54.2. hammer ping katello

Katello システムとそのサブコンポーネントのステータスを表示します。

```

Usage:
hammer ping katello [OPTIONS]

Options:
-h, --help       Print help

```

2.55. HAMMER POLICY

ポリシーを操作します。

```

Usage:
hammer policy [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND       Subcommand
[ARG] ...        Subcommand arguments

Subcommands:
create           Create a Policy
delete, destroy  Delete a Policy
hosts           List all hosts
info, show       Show a Policy
list, index      List Policies
update          Update a Policy

Options:
-h, --help       Print help

```

2.55.1. hammer policy create

ポリシーを作成します。

Usage:

```
hammer policy create [OPTIONS]
```

Options:

```
--cron-line VALUE          Policy schedule cron line (only if period == "custom")
--day-of-month NUMBER      Policy schedule day of month (only if period == "monthly")
--deploy-by ENUM          How the policy should be deployed
                          Possible value(s): 'puppet', 'ansible', 'manual'
--description VALUE       Policy description
--host-ids LIST           Apply policy to hosts
--hostgroup-ids LIST      Apply policy to host groups
--hostgroups LIST
--hosts LIST
--location VALUE          Name to search by
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--locations LIST
--name VALUE              Policy name
--organization VALUE      Name to search by
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organizations LIST
--period VALUE            Policy schedule period (weekly, monthly, custom)
--scap-content VALUE      SCAP content title
--scap-content-id NUMBER  Policy SCAP content ID
--scap-content-profile VALUE Name to search by
--scap-content-profile-id NUMBER Policy SCAP content profile ID
--tailoring-file VALUE    Tailoring file name
--tailoring-file-id NUMBER Tailoring file ID
--tailoring-file-profile-id NUMBER Tailoring file profile ID
--weekday VALUE           Policy schedule weekday (only if period == "weekly")
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.55.2. hammer policy delete

ポリシーを削除します。

Usage:

```
hammer policy <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.55.3. hammer policy hosts

ホストをリスト表示します。

Usage:

```
hammer policy hosts [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE     Hostgroup name
--hostgroup-id VALUE  ID of host group
--hostgroup-title VALUE Hostgroup title
--id VALUE            Policy Id
--include ENUM        Array of extra information types to include
                      Possible value(s): 'parameters', 'all_parameters'
--location VALUE     Set the current location context for the request
--location-id VALUE  ID of location
--location-title VALUE Set the current location context for the request
--name VALUE         Policy name
```

```

--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id VALUE ID of organization
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--thin BOOLEAN         Only list ID and name of hosts
-h, --help             Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Operating system | x  | x      |
Host group  | x  | x      |
Ip          | x  | x      |
Mac         | x  | x      |
Global status | x  | x      |
Organization | x  |        |
Location    | x  |        |
Additional information | x  |        |
Content view | x  | x      |
Lifecycle environment | x  | x      |
Security    | x  |        |
Bugfix      | x  |        |
Enhancement | x  |        |
Trace status | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

activation_key      string
activation_key_id   string
addon               string
addons_status       Values: mismatched, matched, not_specified
ansible_role        string

```

applicable_debs	string
applicable_errata	string
applicable_errata_issued	date
applicable_rpms	string
architecture	string
autoheal	boolean
boot_time	
build	Values: true, false
build_status	Values: built, pending, token_expired, build_failed
comment	text
compute_resource	string
compute_resource_id	integer
content_source	string
content_view	string
content_view_id	integer
created_at	datetime
cve_id	integer
domain	string
domain_id	integer
errata_status	Values: security_needed, errata_needed, updated, unknown
execution_status	Values: ok, error
facts	string
global_status	Values: ok, warning, error
has_ip	string
has_mac	string
hostgroup	string
hostgroup_fullname	string
hostgroup_id	integer
hostgroup_name	string
hostgroup_title	string
hypervisor	boolean
hypervisor_host	string
id	integer
image	string
infrastructure_facet.foreman	
infrastructure_facet.smart_proxy_id	
insights_recommendations_count	integer
installable_errata	string
installed_at	datetime
ip	string
job_invocation.id	string
job_invocation.result	Values: cancelled, failed, pending, success
last_checkin	datetime
last_report	datetime
lifecycle_environment	string
lifecycle_environment_id	integer
location	string
location_id	integer
mac	string
managed	Values: true, false
model	string
name	string
organization	string
organization_id	integer
origin	string
os	string

os_description	string
os_id	integer
os_major	string
os_minor	string
os_title	string
owner	string
owner_id	integer
owner_type	string
params	string
params_name	string
parent_hostgroup	string
puppet_ca	string
puppet_proxy_id	integer
puppetmaster	string
purpose_status	Values: mismatched, matched, not_specified
realm	string
realm_id	integer
registered_at	datetime
registered_through	string
release_version	string
reported.boot_time	
reported.cores	
reported.disks_total	
reported.ram	
reported.sockets	
reported.virtual	Values: true, false
repository	string
repository_content_label	string
role	text
role_status	Values: mismatched, matched, not_specified
service_level	string
sla_status	Values: mismatched, matched, not_specified
smart_proxy	string
status.applied	integer
status.enabled	Values: true, false
status.failed	integer
status.failed_restarts	integer
status.interesting	Values: true, false
status.pending	integer
status.restarted	integer
status.skipped	integer
subnet	string
subnet.name	text
subnet6	string
subnet6.name	text
subscription_id	string
subscription_name	string
subscription_status	Values: valid, partial, invalid, unknown, disabled,
unsubscribed_hypervisor	
subscription_uuid	string
trace_status	Values: reboot_needed, process_restart_needed, updated
upgradable_debs	string
upgradable_rpms	string
usage	text
usage_status	Values: mismatched, matched, not_specified
user.firstname	string

user.lastname	string
user.login	string
user.mail	string
usergroup	string
usergroup.name	string
uuid	string

2.55.4. hammer policy info

ポリシーを表示します。

Usage:

```
hammer policy <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x    | x
Name        | x  | x    | x
Created at  | x  | x    |
Period      | x  | x    |
Weekday     | x  | x    |
Day of month | x  | x    |
Cron line   | x  | x    |
Scap content id | x  | x    |
Scap content profile id | x  | x    |
Tailoring file id | x  | x    |
Tailoring file profile id | x  | x    |
Deployment option | x  | x    |
Locations/  | x  | x    |
Organizations/ | x  | x    |
Hostgroups/ | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
```

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.55.5. hammer policy list

ポリシーのリストを表示します。

Usage:

```
hammer policy <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Created at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

content	string
location	string
location_id	integer
name	string
organization	string
organization_id	integer
profile	string
tailoring_file	string
tailoring_file_profile	string

2.55.6. hammer policy update

ポリシーを更新します。

Usage:

```
hammer policy update [OPTIONS]
```

Options:

--cron-line VALUE	Policy schedule cron line (only if period == "custom")
--day-of-month NUMBER	Policy schedule day of month (only if period == "monthly")
--deploy-by ENUM	How the policy should be deployed Possible value(s): 'puppet', 'ansible', 'manual'
--description VALUE	Policy description
--host-ids LIST	Apply policy to hosts
--hostgroup-ids LIST	Apply policy to host groups
--hostgroups LIST	
--hosts LIST	
--id VALUE	
--location VALUE	Name to search by
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--locations LIST	
--name VALUE	Policy name
--new-name VALUE	Policy name
--organization VALUE	Name to search by
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organizations LIST	
--period VALUE	Policy schedule period (weekly, monthly, custom)
--scap-content VALUE	SCAP content title
--scap-content-id NUMBER	Policy SCAP content ID
--scap-content-profile VALUE	Name to search by
--scap-content-profile-id NUMBER	Policy SCAP content profile ID
--tailoring-file VALUE	Tailoring file name
--tailoring-file-id NUMBER	Tailoring file ID
--tailoring-file-profile-id NUMBER	Tailoring file profile ID
--weekday VALUE	Policy schedule weekday (only if period == "weekly")
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.56. HAMMER PREBUILD-BASH-COMPLETION

Bash 補完向けのオプションやサブコマンドのマップを作成します。

Usage:
hammer prebuild-bash-completion [OPTIONS]

Options:
-h, --help Print help

2.57. HAMMER PRODUCT

製品を操作します。

Usage:
hammer product [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
create Create a product
delete, destroy Destroy a product
info, show Show a product
list, index List products
remove-sync-plan Delete assignment sync plan and product
set-sync-plan Assign sync plan to product
synchronize Sync all repositories for a product
update Updates a product
update-proxy Updates an HTTP Proxy for a product

Options:
-h, --help Print help

2.57.1. hammer product create

製品を作成します。

Usage:

```
hammer product create [OPTIONS]
```

Options:

```
--description VALUE      Product description
--gpg-key-id NUMBER      Identifier of the GPG key
--label VALUE
--name VALUE             Product name
--organization VALUE     Organization name to search by
--organization-id NUMBER ID of the organization
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--ssl-ca-cert-id NUMBER  Identifier of the SSL CA Cert
--ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
--ssl-client-key-id NUMBER Identifier of the SSL Client Key
--sync-plan VALUE       Sync plan name to search by
--sync-plan-id NUMBER   Plan numeric identifier
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.57.2. hammer product delete

製品を破棄します。

Usage:

```
hammer product <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          Product numeric identifier
--name VALUE         Product name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.3. hammer product info

製品を表示します。

Usage:

```
hammer product <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	Product numeric identifier
--name VALUE	Product name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Label	x	x	
Description	x	x	
Sync state (all)	x	x	
Sync state (last)	x	x	
Sync plan id	x	x	
Gpg/gpg key id	x	x	
Gpg/gpg key	x	x	
Organization	x	x	
Readonly	x	x	
Deletable	x	x	
Content/repo name	x	x	
Content/url	x	x	
Content/content type	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.4. hammer product list

製品のリストを表示します。

Usage:

```
hammer product <list|index> [OPTIONS]
```

Options:

--available-for VALUE	Interpret specified object to return only Products that can be associated with specified object. Only 'sync_plan' is supported.
--custom BOOLEAN	Return custom products only
--enabled BOOLEAN	Return enabled products only
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--include-available-content BOOLEAN	Whether to include available content attribute in results
--name VALUE	Filter products by name
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Filter products by organization
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--redhat-only BOOLEAN	Return Red Hat (non-custom) products only
--search VALUE	Search string
--subscription VALUE	Subscription name to search by
--subscription-id NUMBER	Filter products by subscription
--sync-plan VALUE	Sync plan name to search by
--sync-plan-id NUMBER	Filter products by sync plan id
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
```

```

Id      | x | x | x
Name    | x | x | x
Description | x | x |
Organization | x | x |
Repositories | x | x |
Sync state | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

description   text
label         string
name          string
organization_id integer
redhat        Values: true, false

```

2.57.5. hammer product remove-sync-plan

割り当て同期プランおよび製品を削除します。

Usage:

```
hammer product remove-sync-plan [OPTIONS]
```

Options:

```

--description VALUE      Product description
--gpg-key-id NUMBER      Identifier of the GPG key
--id NUMBER              Product numeric identifier
--name VALUE             Product name
--new-name VALUE         Product name
--organization VALUE     Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--ssl-ca-cert-id NUMBER  Identifier of the SSL CA Cert
--ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
--ssl-client-key-id NUMBER Identifier of the SSL Client Key
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.6. hammer product set-sync-plan

同期プランを製品に割り当てます。

Usage:

```
hammer product set-sync-plan [OPTIONS]
```

Options:

--id NUMBER	Product numeric identifier
--name VALUE	Product name to search by
--new-name VALUE	Product name
--organization VALUE	Organization name to search by
--organization-id NUMBER	
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--ssl-ca-cert-id NUMBER	Identifier of the SSL CA Cert
--ssl-client-cert-id NUMBER	Identifier of the SSL Client Cert
--ssl-client-key-id NUMBER	Identifier of the SSL Client Key
--sync-plan VALUE	Sync plan name to search by
--sync-plan-id NUMBER	Plan numeric identifier
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.7. hammer product synchronize

製品のすべてのリポジトリを同期します。

Usage:

```
hammer product synchronize [OPTIONS]
```

Options:

--async	Do not wait for the task
--id NUMBER	Product ID
--name VALUE	Product name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.8. hammer product update

製品を更新します。

Usage:

```
hammer product update [OPTIONS]
```

Options:

--description VALUE	Product description
--gpg-key-id NUMBER	Identifier of the GPG key
--id NUMBER	Product numeric identifier
--name VALUE	Product name
--new-name VALUE	Product name
--organization VALUE	Organization name to search by
--organization-id NUMBER	


```

--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--ssl-ca-cert-id NUMBER     Identifier of the SSL CA Cert
--ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
--ssl-client-key-id NUMBER  Identifier of the SSL Client Key
--sync-plan VALUE          Sync plan name to search by
--sync-plan-id NUMBER      Plan numeric identifier
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.57.9. hammer product update-proxy

製品の HTTP プロキシを更新します。

Usage:

```
hammer product update-proxy [OPTIONS]
```

Options:

```

--http-proxy VALUE      Name to search by
--http-proxy-id NUMBER  HTTP Proxy identifier to associated
--http-proxy-policy ENUM Policy for HTTP Proxy for content sync
                        Possible value(s): 'global_default_http_proxy', 'none',
                        'use_selected_http_proxy'
--ids LIST              List of product ids
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters

```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58. HAMMER PROXY

スマートプロキシーを操作します。

Usage:
hammer proxy [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
content Manage the capsule content
create Create a capsule
delete, destroy Delete a capsule
info, show Show a capsule
list, index List all capsules
refresh-features Refresh capsule features
update Update a capsule

Options:
-h, --help Print help

2.58.1. hammer proxy content

Capsule コンテンツを管理します。

Usage:
hammer proxy content [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
add-lifecycle-environment Add lifecycle environments to the capsule
available-lifecycle-environments List the lifecycle environments not attached to the capsule
cancel-synchronization Cancel running capsule synchronization
info Get current capsule synchronization status
lifecycle-environments List the lifecycle environments attached to the capsule
remove-lifecycle-environment Remove lifecycle environments from the capsule
synchronization-status Get current capsule synchronization status
synchronize Synchronize the content to the capsule

Options:
-h, --help Print help

2.58.1.1. hammer proxy content add-lifecycle-environment

ライフサイクル環境を Capsule に追加します。

Usage:

```
hammer proxy content add-lifecycle-environment [OPTIONS]
```

Options:

```
--environment VALUE          Lifecycle environment name to search by (--environment is
deprecated: Use
                               --lifecycle-environment instead)
--environment-id NUMBER      (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER                   Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the lifecycle environment
--name VALUE                  Name to search by
--organization VALUE          Organization name
--organization-id VALUE       Organization ID
-h, --help                    Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.58.1.2. hammer proxy content available-lifecycle-environments

Capsule に割り当てられていないライフサイクル環境をリスト表示します。

Usage:

```
hammer proxy content available-lifecycle-environments [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            Id of the capsule
--name VALUE           Name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Id of the organization to limit environments on
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help
```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Organization | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.58.1.3. hammer proxy content cancel-synchronization

実行中の Capsule 同期をキャンセルします。

Usage:

```
hammer proxy content cancel-synchronization [OPTIONS]
```

Options:

```

--id NUMBER      Id of the capsule
--name VALUE     Name to search by
-h, --help      Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.4. hammer proxy content info

現在の Capsule 同期ステータスを取得します。

Usage:

```
hammer proxy content info [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the capsule
--name VALUE          Name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Id of the organization to get the status for
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|-----
FIELDS          | ALL | DEFAULT
-----|-----
Lifecycle environments/name          | x | x
Lifecycle environments/organization  | x | x
Lifecycle environments/content views/name          | x | x
Lifecycle environments/content views/composite     | x | x
Lifecycle environments/content views/last published | x | x
Lifecycle environments/content views/content/hosts  | x | x
Lifecycle environments/content views/content/products | x | x
Lifecycle environments/content views/content/yum repos | x | x
Lifecycle environments/content views/content/container image repos | x | x
Lifecycle environments/content views/content/packages | x | x
Lifecycle environments/content views/content/package groups | x | x
Lifecycle environments/content views/content/errata  | x | x
-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.5. hammer proxy content lifecycle-environments

Capsule に割り当てられたライフサイクル環境をリスト表示します。

Usage:

```
hammer proxy content lifecycle-environments [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            Id of the capsule
--name VALUE           Name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Id of the organization to limit environments on
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Organization | x  | x      |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.58.1.6. hammer proxy content remove-lifecycle-environment

ライフサイクル環境を Capsule から削除します。

Usage:

```
hammer proxy content remove-lifecycle-environment [OPTIONS]
```

Options:

```
--environment VALUE          Lifecycle environment name to search by (--environment is
deprecated: Use
                             --lifecycle-environment instead)
--environment-id NUMBER      (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER                   Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the lifecycle environment
--name VALUE                  Name to search by
--organization VALUE          Organization name
--organization-id VALUE       Organization ID
-h, --help                    Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.58.1.7. hammer proxy content synchronization-status

現在の Capsule 同期ステータスを取得します。

Usage:

```
hammer proxy content synchronization-status [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            Id of the capsule
--name VALUE           Name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Id of the organization to get the status for
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help             Print help
```

Predefined field sets:

```
-----|-----
FIELDS | ALL | DEFAULT
-----|-----
Last sync | x | x
```

```

Status                | x | x
Currently running sync tasks/task id | x | x
Currently running sync tasks/progress | x | x
Last failure/task id   | x | x
Last failure/messages  | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.58.1.8. hammer proxy content synchronize

コンテンツと Capsule を同期します。

Usage:

```
hammer proxy content synchronize [OPTIONS]
```

Options:

```

--async          Do not wait for the task
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Id of the content view to limit the synchronization on
--environment VALUE      Lifecycle environment name to search by (--environment is
deprecated: Use
                    --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER           Id of the capsule
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER  Id of the environment to limit the synchronization on
--name VALUE          Name to search by
--organization VALUE  Organization name
--organization-id VALUE  Organization ID
--repository VALUE    Repository name to search by
--repository-id NUMBER  Id of the repository to limit the synchronization on
--skip-metadata-check BOOLEAN  Skip metadata check on each repository on the capsule
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.2. hammer proxy create

Capsule を作成します。

Usage:

```
hammer proxy create [OPTIONS]
```

Options:

```
--download-policy VALUE  Download Policy of the capsule, must be one of on_demand,
immediate, inherit
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.3. hammer proxy delete

Capsule を削除します。

Usage:

```
hammer proxy <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.4. hammer proxy info

Capsule を表示します。

Usage:

```
hammer proxy <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--include-status BOOLEAN	Flag to indicate whether to include status or not
--include-version BOOLEAN	Flag to indicate whether to include version or not
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request

```

--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Status  | x  | x      |
Url     | x  | x      |
Features| x  | x      |
Version | x  | x      |
Host_count | x | x      |
Features/name | x | x      |
Features/version | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
Created at | x | x      |
Updated at | x | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.58.5. hammer proxy list

Capsule をリスト表示します。

Usage:

```
hammer proxy <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--include-status BOOLEAN Flag to indicate whether to include status or not
--location VALUE       Set the current location context for the request

```

```

--location-id NUMBER      Scope by locations
--location-title VALUE   Set the current location context for the request
--order VALUE            Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER            Page number, starting at 1
--per-page VALUE         Number of results per page to return, 'all' to return all results
--search VALUE           Filter results
-h, --help               Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Status | x | x   |
Url    | x | x   |
Features | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

feature      string
location     string
location_id  integer
name         string
organization string
organization_id integer
url          string

```

Search / Order fields:

```

feature      string
location     string
location_id  integer
name         string

```

```
organization    string
organization_id integer
url             string
```

2.58.6. hammer proxy refresh-features

Capsule 機能をリフレッシュします。

Usage:

```
hammer proxy refresh-features [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.58.7. hammer proxy update

Capsule を更新します。

Usage:

```
hammer proxy update [OPTIONS]
```

Options:

```
--download-policy VALUE Download Policy of the capsule, must be one of on_demand,
immediate, inherit
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
```

```

--location-title VALUE      Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-ids LIST    REPLACE organizations with given ids.
--organization-title VALUE  Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.59. HAMMER REALM

レルムを操作します。

Usage:

```
hammer realm [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

create          Create a realm
delete, destroy Delete a realm
info, show      Show a realm
list, index     List of realms
update         Update a realm

```

Options:

```
-h, --help      Print help
```

2.59.1. hammer realm create

レルムを作成します。

Usage:

```
hammer realm create [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE              The realm name, e.g. EXAMPLE.COM
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--realm-proxy-id NUMBER   Capsule ID to use within this realm
--realm-type VALUE        Realm type, e.g. Red Hat Identity Management or Active Directory
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.59.2. hammer realm delete

レルムを削除します。

Usage:

```
hammer realm <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
```

```
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.59.3. hammer realm info

レームを表示します。

Usage:

```
hammer realm <info|show> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--id VALUE              Numerical ID or realm name
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Realm proxy id | x  | x      |
Realm type  | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
Created at  | x  | x      |
Updated at  | x  | x      |
-----|-----|-----|-----
```


Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.59.4. hammer realm list

レルムリストを表示します。

Usage:

```
hammer realm <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----|
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----|
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

location	string
location_id	integer
name	string
organization	string
organization_id	integer
type	string

2.59.5. hammer realm update

レルムを更新します。

Usage:

```
hammer realm update [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--name VALUE	The realm name, e.g. EXAMPLE.COM
--new-name VALUE	The realm name, e.g. EXAMPLE.COM
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--realm-proxy-id NUMBER	Capsule ID to use within this realm
--realm-type VALUE	Realm type, e.g. Red Hat Identity Management or Active Directory
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.60. HAMMER RECURRING-LOGIC

再帰論理に関連したアクション

Usage:

hammer recurring-logic [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

cancel	Cancel recurring logic
delete	Delete all recurring logics filtered by the arguments
info, show	Show recurring logic details
list, index	List recurring logics

Options:

-h, --help	Print help
------------	------------

2.60.1. hammer recurring-logic cancel

再帰論理をキャンセルします。

Usage:

hammer recurring-logic cancel [OPTIONS]

Options:

--id VALUE	ID of the recurring logic
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.60.2. hammer recurring-logic delete

引数でフィルターされたすべての再帰ロジックを削除します。

Usage:

```
hammer recurring-logic delete [OPTIONS]
```

Options:

--cancelled	Only delete cancelled recurring logics
--finished	Only delete finished recurring logics
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.60.3. hammer recurring-logic info

再帰論理の詳細を表示します。

Usage:

```
hammer recurring-logic <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	ID of the recurring logic
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by

```
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Id      | x | x
Cron line | x | x
Action  | x | x
Last occurrence | x | x
Next occurrence | x | x
Iteration | x | x
Iteration limit | x | x
Repeat until | x | x
State   | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.60.4. hammer recurring-logic list

再帰論理のリストを表示します。

Usage:

```
hammer recurring-logic <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
```

```

--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE       Filter results
-h, --help           Print help

```

Predefined field sets:

```

-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id     | x | x
Cron line | x | x
Iteration | x | x
End time | x | x
State  | x | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.61. HAMMER REMOTE-EXECUTION-FEATURE

リモート実行機能を管理します。

Usage:

```
hammer remote-execution-feature [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

info, show      Show remote execution feature
list, index     List remote execution features
update         Update a job template

```

Options:

```
-h, --help      Print help
```

2.61.1. hammer remote-execution-feature info

リモート実行機能を表示します。

Usage:

```
hammer remote-execution-feature <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x    | x
Label   | x  | x    |
Name    | x  | x    | x
Description | x  | x    |
Job template name | x  | x    |
Job template id | x  | x    |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.61.2. hammer remote-execution-feature list

リモート実行機能をリスト表示します。

Usage:

```
hammer remote-execution-feature <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Description | x | x   |
Job template name | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.61.3. hammer remote-execution-feature update

ジョブテンプレートを更新します。

Usage:

```
hammer remote-execution-feature update [OPTIONS]
```

Options:

```

--id VALUE          Name to search by
--job-template VALUE Job template ID to be used for the feature
--job-template-id VALUE Job template ID to be used for the feature
--location VALUE    Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE        Name to search by
--new-name VALUE    Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request

```



```
--organization-title VALUE  Set the current organization context for the request
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.62. HAMMER REPORT

レポートを参照および読み込みます。

Usage:

```
hammer report [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
delete, destroy  Delete a report
info, show       Show a report
list, index      List all reports
```

Options:

```
-h, --help      Print help
```

2.62.1. hammer report delete

レポートを削除します。

Usage:

```
hammer report <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```
--organization-title VALUE  Set the current organization context for the request
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.62.2. hammer report info

レポートを表示します。

Usage:

```
hammer report <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS          | ALL | DEFAULT | THIN
-----|----|-----|----
Id              | x  | x      | x
Host            | x  | x      |
Reported at     | x  | x      |
Origin         | x  | x      |
Report status/applied      | x  | x      |
Report status/restarted    | x  | x      |
Report status/failed      | x  | x      |
Report status/restart failures | x  | x      |
Report status/skipped      | x  | x      |
Report status/pending      | x  | x      |
Report metrics/config_retrieval | x  | x      |
Report metrics/exec        | x  | x      |
```

```

Report metrics/file      | x | x |
Report metrics/package  | x | x |
Report metrics/service  | x | x |
Report metrics/user     | x | x |
Report metrics/yumrepo  | x | x |
Report metrics/filebucket | x | x |
Report metrics/cron     | x | x |
Report metrics/total    | x | x |
Logs/resource          | x | x |
Logs/message           | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.62.3. hammer report list

レポートのリストを表示します。

Usage:

```
hammer report <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE     Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER     Page number, starting at 1
--per-page VALUE  Number of results per page to return, 'all' to return all results
--search VALUE    Filter results
-h, --help       Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----

```

```

Id          | x | x | x
Host        | x | x |
Last report | x | x |
Origin      | x | x |
Applied     | x | x |
Restarted   | x | x |
Failed      | x | x |
Restart failures | x | x |
Skipped     | x | x |
Pending     | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

applied      integer
eventful     Values: true, false
failed       integer
failed_restarts integer
host         string
host_id      integer
host_owner_id integer
hostgroup    string
hostgroup_fullname string
hostgroup_title string
last_report  datetime
location     string
log          text
organization string
origin       string
pending      integer
reported     datetime
resource     text
restarted    integer
skipped      integer

```

Search / Order fields:

```

applied      integer
eventful     Values: true, false
failed       integer

```

```

failed_restarts  integer
host             string
host_id         integer
host_owner_id   integer
hostgroup       string
hostgroup_fullname string
hostgroup_title string
last_report     datetime
location        string
log             text
organization    string
origin          string
pending         integer
reported        datetime
resource        text
restarted       integer
skipped         integer

```

2.63. HAMMER REPORT-TEMPLATE

レポートテンプレートを操作します。

Usage:

```
hammer report-template [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

clone              Clone a template
create             Create a report template
delete, destroy    Delete a report template
dump              View report content
generate          Generate report
import            Import a report template
info, show        Show a report template
list, index       List all report templates
report-data       Downloads a generated report
schedule          Schedule generating of a report
update            Update a report template

```

Options:

```
-h, --help        Print help
```

2.63.1. hammer report-template clone

テンプレートのクローンを作成します。

Usage:

```
hammer report-template clone [OPTIONS]
```

Options:

```
--id VALUE
```

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Template name
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.63.2. hammer report-template create

レポートテンプレートを作成します。

Usage:

```
hammer report-template create [OPTIONS]
```

Options:

```

--audit-comment VALUE
--default BOOLEAN      Whether or not the template is added automatically to new organizations
and
                        locations
--description VALUE
--file FILE            Path to a file that contains the report template content
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN      Whether or not the template is locked for editing
--name VALUE
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST

```

```
--organizations LIST
--snippet BOOLEAN
-h, --help          Print help
-i, --interactive   Open empty template in an $EDITOR. Upload the result
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.63.3. hammer report-template delete

レポートテンプレートを削除します。

Usage:

```
hammer report-template <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.4. hammer report-template dump

レポートコンテンツを表示します。

Usage:

```
hammer report-template dump [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```
-----  
FIELDS  
-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.5. hammer report-template generate

レポートを生成します。

Usage:

```
hammer report-template generate [OPTIONS]
```

Options:


```

--gzip BOOLEAN          Compress the report using gzip
--id VALUE
--inputs KEY_VALUE_LIST Specify inputs
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE            Name to search by
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--path VALUE            Path to directory where downloaded content will be saved
--report-format ENUM    Report format, defaults to 'csv'
                        Possible value(s): 'csv', 'json', 'yaml', 'html'
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.63.6. hammer report-template import

レポートテンプレートをインポートします。

Usage:

```
hammer report-template import [OPTIONS]
```

Options:

```

--associate ENUM          Determines when the template should associate objects based on
metadata, new
                          means only when new template is being created, always means both for new and
                          existing template which is only being updated, never ignores metadata
                          Possible value(s): 'new', 'always', 'never'
--default BOOLEAN        Makes the template default meaning it will be automatically associated
with
                          newly created organizations and locations (false by default)
--file FILE              Path to a file that contains the report template content including metadata
--force BOOLEAN          Use if you want update locked templates
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request

```

```

--location-titles LIST
--locations LIST
--lock BOOLEAN          Lock imported templates (false by default)
--name VALUE            Template name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.63.7. hammer report-template info

レポートテンプレートを表示します。

Usage:

```
hammer report-template <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name       | x  | x      | x

```

Description	x x
Locked	x x
Default	x x
Created at	x x
Updated at	x x
Locations/	x x
Organizations/	x x
Template inputs/id	x x
Template inputs/name	x x
Template inputs/description	x x
Template inputs/required	x x
Template inputs/options	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.8. hammer report-template list

全レポートテンプレートをリストで表示します。

Usage:

```
hammer report-template <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
```

```
FIELDS | ALL | DEFAULT | THIN
```

```
-----|-----|-----|-----
Id      | x  | x  | x
Name    | x  | x  | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
default      Values: true, false
location     string
location_id  integer
locked       Values: true, false
name         string
organization string
organization_id integer
snippet      Values: true, false
template     text
```

2.63.9. hammer report-template report-data

生成したレポートをダウンロードします。

Usage:

```
hammer report-template report-data [OPTIONS]
```

Options:

```
--id VALUE
--job-id VALUE      ID assigned to generating job by the schedule command
--location VALUE    Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE        Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--path VALUE        Path to directory where downloaded content will be saved
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.10. hammer report-template schedule

レポートの生成をスケジュールします。

Usage:

```
hammer report-template schedule [OPTIONS]
```

Options:

--generate-at VALUE	UTC time to generate report at
--gzip BOOLEAN	Compress the report using gzip
--id VALUE	
--inputs KEY_VALUE_LIST	Specify inputs
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--mail-to VALUE	If set, scheduled report will be delivered via e-mail. Use ',' to separate multiple email addresses.
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--path VALUE	Path to directory where downloaded content will be saved. Only usable if wait is specified
--report-format ENUM	Report format, defaults to 'csv' Possible value(s): 'csv', 'json', 'yaml', 'html'
--wait	Turns a command to be active, wait for the result and download it right away
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.11. hammer report-template update

レポートテンプレートを更新します。

Usage:

```
hammer report-template update [OPTIONS]
```

Options:

```
--audit-comment VALUE
--default BOOLEAN      Whether or not the template is added automatically to new organizations
and
                        locations
--description VALUE
--file FILE            Path to a file that contains the report template content
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-ids LIST    REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN       Whether or not the template is locked for editing
--name VALUE
--new-name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
-h, --help            Print help
-i, --interactive      Dump existing template and open it in an $EDITOR. Update with the result
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64. HAMMER REPOSITORY

リポジトリを操作します。

Usage:

```
hammer repository [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a custom repository
delete, destroy	Destroy a custom repository
info, show	Show a repository
list, index	List of enabled repositories
reclaim-space	Reclaim space from an On Demand repository
remove-content	Remove content from a repository
synchronize	Sync a repository
update	Update a repository
upload-content	Upload content into the repository

Options:

-h, --help	Print help
------------	------------

2.64.1. hammer repository create

カスタムリポジトリを作成します。

Usage:

```
hammer repository create [OPTIONS]
```

Options:

--ansible-collection-auth-token VALUE	The token key to use for authentication.
--ansible-collection-auth-url VALUE	The URL to receive a session token from, e.g. used with Automation Hub.
--ansible-collection-requirements VALUE	Contents of requirement yaml file to sync from URL
--ansible-collection-requirements-file VALUE	Location of the ansible collections requirements.yml file.
--arch VALUE	Architecture of content in the repository
--checksum-type VALUE	Checksum of the repository, currently 'sha1' & 'sha256' are supported
--content-type ENUM	Type of repo Possible value(s): 'ansible_collection', 'deb', 'docker', 'file', 'ostree', 'python', 'yum'
--deb-architectures VALUE	Whitespace-separated list of architectures to be synced from deb-archive
--deb-components VALUE	Whitespace-separated list of repo components to be synced

from deb-archive
 --deb-releases VALUE Whitespace-separated list of releases to be synced from deb-archive
 --description VALUE Description of the repository
 --docker-tags-whitelist LIST Comma-separated list of tags to sync for Container Image repository (Deprecated)
 --docker-upstream-name VALUE Name of the upstream docker repository
 --download-concurrency NUMBER Used to determine download concurrency of the repository in pulp3. Use value less than 20. Defaults to 10
 --download-policy ENUM Download policy for yum repos (either 'immediate' or 'on_demand')
 Possible value(s): 'immediate', 'on_demand'
 --exclude-tags LIST Comma-separated list of tags to exclude when syncing a container image repository. Default: any tag ending in "-source"
 --excludes LIST Python packages to exclude from the upstream URL, names separated by newline.
 You may also specify versions, for example: django~=2.0.
 --gpg-key-id NUMBER Id of the gpg key that will be assigned to the new repository
 --http-proxy VALUE Name to search by
 --http-proxy-id NUMBER ID of a HTTP Proxy
 --http-proxy-policy ENUM Policies for HTTP Proxy for content sync
 Possible value(s): 'global_default_http_proxy', 'none', 'use_selected_http_proxy'
 --ignorable-content LIST List of content units to ignore while syncing a yum repository. Must be subset of srpm
 --include-tags LIST Comma-separated list of tags to sync for a container image repository
 --includes LIST Python packages to include from the upstream URL, names separated by newline.
 You may also specify versions, for example: django~=2.0. Leave empty to include every package.
 --label VALUE
 --mirror-on-sync BOOLEAN True if this repository when synced has to be mirrored from the source and stale rpms removed (Deprecated)
 --mirroring-policy ENUM Policy to set for mirroring content. Must be one of additive. Possible value(s): 'additive', 'mirror_complete', 'mirror_content_only'
 --name VALUE Name of the repository
 --organization VALUE Organization name to search by
 --organization-id NUMBER
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 --os-versions LIST Identifies whether the repository should be disabled on a client with a non-matching OS version. Pass [] to enable regardless of OS version. Maximum length 1; allowed tags are: rhel-6, rhel-7, rhel-8, rhel-9
 --package-types LIST Package types to sync for Python content, separated by comma. Leave empty to get every package type. Package types are: bdist_dmg, bdist_dumb, bdist_egg, bdist_msi, bdist_rpm, bdist_wheel, bdist_wininst, sdist.


```

--product VALUE                Product name to search by
--product-id NUMBER            Product the repository belongs to
--publish-via-http BOOLEAN     Publish Via HTTP
--retain-package-versions-count NUMBER The maximum number of versions of each package to
keep.
--ssl-ca-cert-id NUMBER        Identifier of the content credential containing the SSL CA Cert
--ssl-client-cert-id NUMBER    Identifier of the content credential containing the SSL Client
Cert
--ssl-client-key-id NUMBER     Identifier of the content credential containing the SSL Client
Key
--upstream-authentication-token VALUE Password of the upstream authentication token.
--upstream-password VALUE     Password of the upstream repository user used for
authentication
--upstream-username VALUE     Username of the upstream repository user used for
authentication
--url VALUE                    Repository source url
--verify-ssl-on-sync BOOLEAN   If true, Katello will verify the upstream url's SSL certificates
are signed by a
                                trusted CA
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.64.2. hammer repository delete

カスタムリポジトリを破棄します。

Usage:

```
hammer repository <delete|destroy> [OPTIONS]
```

Options:

```

--id NUMBER
--name VALUE                Repository name to search by
--organization VALUE        Organization name to search by
--organization-id VALUE     Organization ID to search by
--organization-label VALUE  Organization label to search by
--product VALUE            Product name to search by
--product-id NUMBER        Product numeric identifier
--remove-from-content-view-versions BOOLEAN Force delete the repository by removing it from all

```

content view versions

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

2.64.3. hammer repository info

リポジトリを表示します。

Usage:

hammer repository <info|show> [OPTIONS]

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
--id NUMBER Repository ID
--name VALUE Repository name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE Product name to search by
--product-id NUMBER Product numeric identifier
 -h, --help Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Label	x	x	
Description	x	x	
Organization	x	x	
Red hat repository		x	x
Content type	x	x	
Checksum type		x	x
Mirroring policy		x	x
Url	x	x	
Publish via http		x	x

Published at	x x
Relative path	x x
Download policy	x x
Upstream repository name	x x
Container image tags filter	x x
Container repository name	x x
Ignorable content units	x x
Http proxy/id	x x
Http proxy/name	x x
Http proxy/http proxy policy	x x
Product/id	x x
Product/name	x x
Gpg key/id	x x
Gpg key/name	x x
Sync/status	x x
Sync/last sync date	x x
Created	x x
Updated	x x
Content counts/packages	x x
Content counts/source rpms	x x
Content counts/package groups	x x
Content counts/errata	x x
Content counts/container image manifest lists	x x
Content counts/container image manifests	x x
Content counts/container image tags	x x
Content counts/files	x x
Content counts/module streams	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.4. hammer repository list

有効なリポジトリのリストを表示します。

Usage:

```
hammer repository <list|index> [OPTIONS]
```

Options:

```

--ansible-collection VALUE      Name to search by
--ansible-collection-id VALUE   Id of an ansible collection to find repositories that contain the ansible
                                collection
--archived BOOLEAN              Show archived repositories
--available-for VALUE           Interpret specified object to return only Repositories that can be
associated
                                with specified object. Only 'content_view' & 'content_view_version' are
                                supported.
--content-type ENUM             Limit to only repositories of this type
                                Possible value(s): 'ansible_collection', 'deb', 'docker', 'file', 'ostree',
                                'python', 'yum'
--content-view VALUE           Content view name to search by
--content-view-id NUMBER       ID of a content view to show repositories in
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER ID of a content view version to show repositories in
--deb VALUE                     Name to search by
--deb-id VALUE                 Id of a deb package to find repositories that contain the deb
--description VALUE            Description of the repository
--download-policy ENUM         Limit to only repositories with this download policy
                                Possible value(s): 'immediate', 'on_demand'
--environment VALUE            Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER        (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--erratum-id VALUE             Id of an erratum to find repositories that contain the erratum
--fields LIST                  Show specified fields or predefined field sets only. (See below)
--file-id VALUE                Id of a file to find repositories that contain the file
--full-result BOOLEAN          Whether or not to show all results
--label VALUE                  Label of the repository
--library BOOLEAN              Show repositories in Library and the default content view
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of an environment to show repositories in
--name VALUE                   Name of the repository
--order VALUE                  Sort field and order, eg. 'id DESC'
--organization VALUE           Organization name to search by
--organization-id NUMBER       ID of an organization to show repositories in
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                  Page number, starting at 1
--per-page NUMBER              Number of results per page to return
--product VALUE                Product name to search by
--product-id NUMBER            ID of a product to show repositories of
--rpm-id VALUE                 Id of a rpm package to find repositories that contain the rpm
--search VALUE                 Search string
--username VALUE               Only show the repositories readable by this user with this username
--with-content ENUM            Only repositories having at least one of the specified content type ex:
rpm ,
                                erratum
                                Possible value(s): 'ansible_collection', 'deb', 'docker_manifest',
                                'docker_manifest_list', 'docker_tag', 'docker_blob', 'file', 'ostree_ref',
                                'python_package', 'rpm', 'modulemd', 'erratum', 'distribution',
                                'package_category', 'package_group', 'yum_repo_metadata_file', 'srpm'
-h, --help                     Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Product | x | x   |
Content type | x | x   |
Url     | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

container_repository_name string
content_label             string
content_type              string
content_view_id           integer
description                text
distribution_arch          string
distribution_bootable     boolean
distribution_family        string
distribution_variant       string
distribution_version       string
download_policy            string
label                      string
name                       string
product                    string
product_id                 integer
product_name               string
redhat                     Values: true, false

```

2.64.5. hammer リポジトリの再利用スペース

オンデマンドリポジトリからスペースを再利用する

Usage:

```
hammer repository reclaim-space [OPTIONS]
```

Options:

```

--async          Do not wait for the task
--id NUMBER      Repository ID
--name VALUE     Repository name to search by
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE  Product name to search by
--product-id NUMBER Product numeric identifier
-h, --help      Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.64.6. hammer repository remove-content

リポジトリからコンテンツを削除します。

Usage:

```
hammer repository remove-content [OPTIONS]
```

Options:

```

--content-type ENUM Content type ('deb', 'docker_manifest', 'file', 'ostree', 'rpm', 'srpm')
                    Possible value(s): 'deb', 'docker_manifest', 'file', 'python_package', 'rpm',
                    'srpm'
--id NUMBER          Repository ID
--ids LIST           Array of content ids to remove
--name VALUE         Repository name to search by
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE      Product name to search by
--product-id NUMBER Product numeric identifier
--sync-capsule BOOLEAN Whether or not to sync an external capsule after upload. Default: true
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.7. hammer repository synchronize

リポジトリを同期します。

Usage:

```
hammer repository synchronize [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--id NUMBER       Repository ID
--incremental BOOLEAN Perform an incremental import
--name VALUE      Repository name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE   Product name to search by
--product-id NUMBER Product numeric identifier
--skip-metadata-check BOOLEAN Force sync even if no upstream changes are detected. Only used with yum
--source-url VALUE repositories. Temporarily override feed URL for sync
--validate-contents BOOLEAN Force a sync and validate the checksums of all content. Only used with yum
-h, --help       repositories. Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.8. hammer repository update

リポジトリを更新します。

Usage:

```
hammer repository update [OPTIONS]
```

Options:

--ansible-collection-auth-token VALUE	The token key to use for authentication.
--ansible-collection-auth-url VALUE	The URL to receive a session token from, e.g. used with Automation Hub.
--ansible-collection-requirements VALUE	Contents of requirement yaml file to sync from URL
--ansible-collection-requirements-file VALUE	Location of the ansible collections requirements.yml file.
--arch VALUE	Architecture of content in the repository
--checksum-type VALUE	Checksum of the repository, currently 'sha1' & 'sha256' are supported
--deb-architectures VALUE	Whitespace-separated list of architectures to be synced from deb-archive
--deb-components VALUE	Whitespace-separated list of repo components to be synced from deb-archive
--deb-releases VALUE	Whitespace-separated list of releases to be synced from deb-archive
--description VALUE	Description of the repository
--docker-digest VALUE	Container Image manifest digest
--docker-tag VALUE	Container Image tag
--docker-tags-whitelist LIST	Comma-separated list of tags to sync for Container Image repository (Deprecated)
--docker-upstream-name VALUE	Name of the upstream docker repository
--download-concurrency NUMBER	Used to determine download concurrency of the repository in pulp3. Use value less than 20. Defaults to 10
--download-policy ENUM	Download policy for yum repos (either 'immediate' or 'on_demand')
	Possible value(s): 'immediate', 'on_demand'
--exclude-tags LIST	Comma-separated list of tags to exclude when syncing a container image repository. Default: any tag ending in "-source"
--excludes LIST	Python packages to exclude from the upstream URL, names separated by newline. You may also specify versions, for example: django~=2.0.
--gpg-key-id NUMBER	Id of the gpg key that will be assigned to the new repository
--http-proxy VALUE	Name to search by
--http-proxy-id NUMBER	ID of a HTTP Proxy
--http-proxy-policy ENUM	Policies for HTTP Proxy for content sync
	Possible value(s): 'global_default_http_proxy', 'none', 'use_selected_http_proxy'
--id NUMBER	Repository ID
--ignorable-content LIST	List of content units to ignore while syncing a yum repository. Must be subset of srpm
--include-tags LIST	Comma-separated list of tags to sync for a container image

repository
 --includes LIST Python packages to include from the upstream URL, names separated by newline.
 You may also specify versions, for example: django~=2.0. Leave empty to include every package.
 --mirror-on-sync BOOLEAN True if this repository when synced has to be mirrored from the source and stale
 rpms removed (Deprecated)
 --mirroring-policy ENUM Policy to set for mirroring content. Must be one of additive. Possible value(s): 'additive', 'mirror_complete', 'mirror_content_only'
 --name VALUE
 --new-name VALUE
 --organization VALUE Organization name to search by
 --organization-id VALUE Organization ID to search by
 --organization-label VALUE Organization label to search by
 --os-versions LIST Identifies whether the repository should be disabled on a client with a non-matching OS version. Pass [] to enable regardless of OS version.
 Maximum length 1; allowed tags are: rhel-6, rhel-7, rhel-8, rhel-9
 --package-types LIST Package types to sync for Python content, separated by comma. Leave empty to get every package type. Package types are: bdist_dmg, bdist_dumb, bdist_egg, bdist_msi, bdist_rpm, bdist_wheel, bdist_wininst, sdist.
 --product VALUE Product name to search by
 --product-id NUMBER Product numeric identifier
 --publish-via-http BOOLEAN Publish Via HTTP
 --retain-package-versions-count NUMBER The maximum number of versions of each package to keep.
 --ssl-ca-cert-id NUMBER Identifier of the content credential containing the SSL CA Cert
 --ssl-client-cert-id NUMBER Identifier of the content credential containing the SSL Client Cert
 --ssl-client-key-id NUMBER Identifier of the content credential containing the SSL Client Key
 --upstream-authentication-token VALUE Password of the upstream authentication token.
 --upstream-password VALUE Password of the upstream repository user used for authentication
 --upstream-username VALUE Username of the upstream repository user used for authentication
 --url VALUE Repository source url
 --verify-ssl-on-sync BOOLEAN If true, Katello will verify the upstream url's SSL certificates are signed by a trusted CA
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.9. hammer repository upload-content

コンテンツをリポジトリにアップロードします

Usage:

```
hammer repository upload-content [OPTIONS]
```

Options:

--content-type	ENUM	Content type ('deb', 'docker_manifest', 'file', 'ostree', 'rpm', 'srpm')
		Possible value(s): 'deb', 'docker_manifest', 'file', 'ostree_ref', 'python_package', 'rpm', 'srpm'
--fields	LIST	Show specified fields or predefined field sets only. (See below)
--id	NUMBER	Repository ID
--name	VALUE	Repository name to search by
--organization	VALUE	Organization name to search by
--organization-id	NUMBER	Organization ID
--organization-label	VALUE	Organization label to search by
--organization-title	VALUE	Organization title
--ostree-repository-name	VALUE	Name of OSTree repository in archive.
--path	FILE	Upload file, directory of files, or glob of files as content for a repository. Globs must be escaped by single or double quotes
--product	VALUE	Product name to search by
--product-id	NUMBER	Product numeric identifier
-h, --help		Print help

Predefined field sets:

```
-----  
FIELDS  
-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.65. HAMMER REPOSITORY-SET

サーバーでリポジトリセットを操作します。

Usage:

```
hammer repository-set [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
available-repositories  Get list of available repositories for the repository set
disable                 Disable a repository from the set
enable                 Enable a repository from the set
info, show              Get info about a repository set
list, index             List repository sets.
```

Options:

```
-h, --help            Print help
```

2.65.1. hammer repository-set available-repositories

リポジトリセットの利用可能なリポジトリのリストを取得します。

Usage:

```
hammer repository-set available-repositories [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            ID of the repository set
--name VALUE           Repository set name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE        Product name to search by
--product-id NUMBER    ID of a product to list repository sets from
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Name   | x | x   | x
Arch   | x | x   |
Release | x | x   |
Registry name | x | x   |
Enabled | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.65.2. hammer repository-set disable

セットのリポジトリを無効にします

Usage:

```
hammer repository-set disable [OPTIONS]
```

Options:

--basearch VALUE	Basearch to disable
--id NUMBER	ID of the repository set to disable
--name VALUE	Repository set name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	ID of the product containing the repository set
--releasever VALUE	Releasever to disable
--repository VALUE	Repository name to search by
--repository-id NUMBER	ID of the repository within the set to disable
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.65.3. hammer repository-set enable

セットのリポジトリを有効にします

Usage:

```
hammer repository-set enable [OPTIONS]
```

Options:

--basearch VALUE	Basearch to enable
--id NUMBER	ID of the repository set to enable
--name VALUE	Repository set name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	ID of the product containing the repository set
--releasever VALUE	Releasever to enable
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.65.4. hammer repository-set info

リポジトリセットの情報を取得します。

Usage:

```
hammer repository-set <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	ID of the repository set
--name VALUE	Repository set name to search by
--organization VALUE	Organization name to search by

```

--organization-id NUMBER   Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE           Product name to search by
--product-id NUMBER       ID of a product to list repository sets from
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        |   | x      | x
Type        |   | x      |
Url         | x  | x      |
Gpg key     |   | x      |
Label       | x  | x      |
Enabled repositories/id | x  | x      |
Enabled repositories/name | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.65.5. hammer repository-set list

リポジトリセットをリストで表示します。

Usage:

```
hammer repository-set <list|index> [OPTIONS]
```

Options:

```

--activation-key VALUE      Activation key name to search by
--activation-key-id NUMBER  Activation key identifier
--content-access-mode-all BOOLEAN Get all content available, not just that provided by
subscriptions.
--content-access-mode-env BOOLEAN Limit content to just that available in the host's or activation
key's content
                           view version and lifecycle environment.
--enabled BOOLEAN          If true, only return repository sets that have been enabled. Defaults

```

to false

--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--host VALUE	Host name
--host-id NUMBER	Id of the host
--name VALUE	Repository set name to search on
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--product VALUE	Product name to search by
--product-id NUMBER	ID of a product to list repository sets from
--search VALUE	Search string
--with-active-subscription BOOLEAN	If true, only return repository sets that are associated with an active
	subscriptions
--with-custom BOOLEAN	If true, return custom repository sets along with redhat repos
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x  | x    | x
Type   | x  | x    |
Name   | x  | x    | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

content_label	string
content_type	string
enabled_by_default	Values: true, false
label	string
name	string

```

path          string
product_id    integer
product_name  string

```

2.66. HAMMER ROLE

ユーザーロールを操作します。

Usage:
hammer role [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
clone Clone a role
create Create a role
delete, destroy Delete a role
filters List all filters
info, show Show a role
list, index List all roles
update Update a role

Options:
-h, --help Print help

2.66.1. hammer role clone

ロールのクローンを作成します。

Usage:
hammer role clone [OPTIONS]

Options:
--description VALUE Role description
--id VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.66.2. hammer role create

ロールを作成します。

Usage:

```
hammer role create [OPTIONS]
```

Options:

--description VALUE	Role description
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.66.3. hammer role delete

ロールの削除

Usage:

```
hammer role <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             User role name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.66.4. hammer role filters

すべてのフィルターのリストを表示します。

Usage:

```
hammer role filters [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             User role id
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          User role name
```

```

--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
-h, --help             Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Resource type | x | x   |
Search  | x | x   |
Unlimited? | x | x   |
Override? | x | x   |
Role    | x | x   |
Permissions | x | x   |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.66.5. hammer role info

ロールを表示します。

Usage:

```
hammer role <info|show> [OPTIONS]
```

Options:

```

--description VALUE
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          User role name
--organization VALUE Set the current organization context for the request

```

```
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                 Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Builtin | x  | x      |
Description | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.66.6. hammer role list

ロールのリストを表示します。

Usage:

```
hammer role <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Builtin | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
builtin      Values: true, false
description  text
name         string
permission   string
```

2.66.7. hammer role update

ロールを更新します。

Usage:

```
hammer role update [OPTIONS]
```

Options:

```
--description VALUE      Role description
--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
```

```
--organization-titles LIST
--organizations LIST
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.67. HAMMER SCAP-CONTENT

SCAP コンテンツを操作します。

Usage:

```
hammer scap-content [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
bulk-upload        Upload scap contents in bulk
create            Create SCAP content
delete, destroy    Deletes an SCAP content
download          Download an SCAP content as XML
info, show        Show an SCAP content
list, index       List SCAP contents
update           Update an SCAP content
```

Options:

```
-h, --help          Print help
```

2.67.1. hammer scap-content bulk-upload

SCAP コンテンツを一括でアップロードします。

Usage:

```
hammer scap-content bulk-upload [OPTIONS]
```

Options:

```
--directory VALUE  Directory to upload when using "directory" upload type
```

```

--files LIST          File paths to upload when using "files" upload type
--location VALUE     Name to search by
--location-id NUMBER Set the current location context for the request
--organization VALUE Name to search by
--organization-id NUMBER Set the current organization context for the request
--type ENUM          Type of the upload
                    Possible value(s): 'files', 'directory', 'default'
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.67.2. hammer scap-content create

SCAP コンテンツを作成します。

Usage:

```
hammer scap-content create [OPTIONS]
```

Options:

```

--location VALUE     Name to search by
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--locations LIST
--organization VALUE Name to search by
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organizations LIST
--original-filename VALUE Original file name of the XML file
--scap-file FILE     SCAP content file
--title VALUE       SCAP content name
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file

```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.67.3. hammer scap-content delete

SCAP コンテンツを削除します。

Usage:

```
hammer scap-content <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--title VALUE         SCAP content title
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.67.4. hammer scap-content download

XML で SCAP コンテンツをダウンロードします。

Usage:

```
hammer scap-content download [OPTIONS]
```

Options:

```
--id VALUE
```



```

--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
--title VALUE         SCAP content title
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.67.5. hammer scap-content info

SCAP コンテンツを表示します。

Usage:

```
hammer scap-content <info|show> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE         ID of SCAP content
--location VALUE   Name to search by
--location-id NUMBER Set the current location context for the request
--organization VALUE Name to search by
--organization-id NUMBER Set the current organization context for the request
--title VALUE      SCAP content title
-h, --help        Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS          | ALL | DEFAULT | THIN
-----|----|-----|----
Id              | x | x   | x
Title           | x | x   | x
Digest          | x | x   |
Created at      | x | x   |
Original filename | x | x   |
Scap content profiles/id | x | x   |
Scap content profiles/profile id | x | x   |
Scap content profiles/title | x | x   |

```

```

Locations/          | x | x |
Organizations/     | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE              Value described in the option's description. Mostly simple string

```

2.67.6. hammer scap-content list

SCAP コンテンツのリストを表示します。

Usage:

```
hammer scap-content <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x | x
Title  | x | x | x
Digest | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

created_at	datetime
filename	string
location	string
location_id	integer
organization	string
organization_id	integer
title	string

2.67.7. hammer scap-content update

SCAP コンテンツを更新します。

Usage:

```
hammer scap-content update [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Name to search by
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--locations LIST	
--new-title VALUE	SCAP content name
--organization VALUE	Name to search by
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organizations LIST	
--original-filename VALUE	Original file name of the XML file
--scap-file FILE	SCAP content file
--title VALUE	SCAP content name
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.68. HAMMER SCAP-CONTENT-PROFILE

SCAP コンテンツプロファイルを操作します。

Usage:	
	hammer scap-content-profile [OPTIONS] SUBCOMMAND [ARG] ...
Parameters:	
SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments
Subcommands:	
list, index	List SCAP content profiles
Options:	
-h, --help	Print help

2.68.1. hammer scap-content-profile list

SCAP コンテンツのプロファイルのリストを表示します。

Usage:	
	hammer scap-content-profile <list index> [OPTIONS]
Options:	
--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----	
FIELDS	ALL DEFAULT THIN
----- ----- ----- -----	
Id	x x x
Title	x x

```

Profile id      | x | x |
Scap content id | x | x |
Scap content title | x | x |
Tailoring file id | x | x |
Tailoring file name | x | x | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

profile_id    string
title         string

```

2.69. HAMMER SETTINGS

サーバー設定を変更します。

Usage:

```
hammer settings [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND    Subcommand
[ARG] ...     Subcommand arguments

```

Subcommands:

```

info, show    Show a setting
list, index   List all settings
set           Update a setting

```

Options:

```
-h, --help    Print help
```

2.69.1. hammer settings info

設定を表示します。

Usage:

```
hammer settings <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Setting name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Description | x  | x      |
Category | x  | x      |
Settings type | x  | x      |
Value   | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.69.2. hammer settings list

設定をリスト表示します。

Usage:

```
hammer settings <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
```

```

--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Full name | x | x   |
Value   | x | x   |
Description | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

description  text
name         string

```

2.69.3. hammer settings set

設定を更新します。

Usage:

```
hammer settings set [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Setting name

```

```

--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--value VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.70. HAMMER SHELL

インタラクティブシェル

```

Usage:
  hammer shell [OPTIONS]

```

```

Options:
  -h, --help                Print help

```

2.71. HAMMER SIMPLE-CONTENT-ACCESS

Simple Content Access コマンド

```

Usage:
  hammer simple-content-access [OPTIONS] SUBCOMMAND [ARG] ...

```

```

Parameters:
  SUBCOMMAND      Subcommand
  [ARG] ...       Subcommand arguments

```

```

Subcommands:
  disable      Disable simple content access for a manifest
  enable       Enable simple content access for a manifest

```

```

Options:
  -h, --help                Print help

```


Unfortunately the server does not support such operation.

2.71.1. hammer simple-content-access disable

マニフェストの Simple Content Access を無効化にします。

Usage:

```
hammer simple-content-access disable [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--organization VALUE   Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN         One of true/false, yes/no, 1/0
DATETIME        Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string
```

2.71.2. hammer simple-content-access enable

マニフェストの単純なコンテンツアクセスを有効化にします。

Usage:

```
hammer simple-content-access enable [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--organization VALUE   Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.72. HAMMER SRPM

ソース RPM を操作します。

Usage:
hammer srpm [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
info, show Show SRPM details
list, index List srpm

Options:
-h, --help Print help

2.72.1. hammer srpm info

SRPM の詳細を表示します。

Usage:
hammer srpm <info|show> [OPTIONS]

Options:
--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE SRPM details identifier
--name VALUE Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Version | x  | x    |
Architecture | x | x    |
Epoch  | x  | x    |
Release | x  | x    |
Filename | x | x    |
Description | x | x    |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.72.2. hammer srpm list

srpm をリスト表示します。

Usage:

```
hammer srpm <list|index> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER  Content View Version identifier
--environment VALUE      Lifecycle environment name to search by (--environment is
depreciated: Use
                          --lifecycle-environment instead)
--environment-id NUMBER   (--environment-id is depreciated: Use --lifecycle-environment-id
instead)
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN     Whether or not to show all results
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER  Environment identifier
--order VALUE            Sort field and order, eg. 'id DESC'
--organization VALUE     Organization name to search by
--organization-id NUMBER  Organization identifier

```

```

--organization-label VALUE      Organization label to search by
--organization-title VALUE      Organization title
--page NUMBER                    Page number, starting at 1
--per-page NUMBER                Number of results per page to return
--product VALUE                  Product name to search by
--product-id NUMBER              Product numeric identifier
--repository VALUE               Repository name to search by
--repository-id NUMBER           Repository identifier
--search VALUE                   Search string
-h, --help                       Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Filename | x | x   |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.73. HAMMER STATUS

サーバーやそのサブコンポーネントの完全なステータスを取得します。

Usage:

```
hammer status [OPTIONS] [SUBCOMMAND] [ARG] ...
```

Parameters:

```

[ARG] ...      Subcommand arguments
[SUBCOMMAND]   Subcommand (default: "foreman")

```

Subcommands:

```

foreman        Shows status and version information of Satellite system and it's
subcomponents
katello        Shows version information

```

Options:
-h, --help Print help

2.73.1. hammer status foreman

Satellite システムとそのサブコンポーネントのステータスとバージョン情報を表示します。

Usage:
hammer status foreman [OPTIONS]

Options:
-h, --help Print help

2.73.2. hammer status katello

バージョン情報を表示します。

Usage:
hammer status katello [OPTIONS]

Options:
-h, --help Print help

2.74. HAMMER SUBNET

サブネットを操作します。

Usage:
hammer subnet [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
create Create a subnet
delete, destroy Delete a subnet
delete-parameter Delete parameter for a subnet
info, show Show a subnet
list, index List of subnets
set-parameter Create or update parameter for a subnet
update Update a subnet

Options:
-h, --help Print help

2.74.1. hammer subnet create

サブネットを作成します。

Usage:

```
hammer subnet create [OPTIONS]
```

Options:

```
--bmc VALUE          BMC Proxy to use within this subnet
--bmc-id NUMBER      BMC Capsule ID to use within this subnet
--boot-mode ENUM     Default boot mode for interfaces assigned to this subnet.
                    Possible value(s): 'Static', 'DHCP'
--description VALUE  Subnet description
--dhcp VALUE         DHCP Proxy to use within this subnet
--dhcp-id NUMBER     DHCP Capsule ID to use within this subnet
--discovery-id NUMBER ID of Discovery Capsule to use within this subnet for managing
connection to
                    discovered hosts
--dns VALUE          DNS Proxy to use within this subnet
--dns-id NUMBER      DNS Capsule ID to use within this subnet
--dns-primary VALUE  Primary DNS for this subnet
--dns-secondary VALUE Secondary DNS for this subnet
--domain-ids LIST    Domains in which this subnet is part
--domains LIST
--externalipam-group VALUE External IPAM group - only relevant when IPAM is set to external
--externalipam-id NUMBER External IPAM Capsule ID to use within this subnet
--from VALUE         Starting IP Address for IP auto suggestion
--gateway VALUE      Subnet gateway
--httpboot-id NUMBER HTTPBoot Capsule ID to use within this subnet
--ipam ENUM          IP Address auto suggestion mode for this subnet.
                    Possible value(s): 'DHCP', 'Internal DB', 'Random DB', 'EUI-64', 'External
IPAM', 'None'
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--mask VALUE         Netmask for this subnet
--mtu NUMBER         MTU for this subnet
--name VALUE         Subnet name
--network VALUE      Subnet network
--network-type ENUM  Type or protocol, IPv4 or IPv6, defaults to IPv4
                    Possible value(s): 'IPv4', 'IPv6'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--prefix VALUE       Network prefix in CIDR notation (e.g. 64) for this subnet
--remote-execution-proxy-ids LIST List of Capsule IDs to be used for remote execution
--template-id NUMBER Template HTTP(S) Capsule ID to use within this subnet
--tftp VALUE         TFTP Proxy to use within this subnet
--tftp-id NUMBER     TFTP Capsule ID to use within this subnet
--to VALUE           Ending IP Address for IP auto suggestion
--vlanid VALUE       VLAN ID for this subnet
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.2. hammer subnet delete

サブネットを削除します。

Usage:

```
hammer subnet <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          Subnet numeric identifier
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Subnet name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.3. hammer subnet delete-parameter

サブネットのパラメーターを削除します。

Usage:

```
hammer subnet delete-parameter [OPTIONS]
```

Options:

```
--name VALUE           Parameter name
--subnet VALUE         Subnet name
--subnet-id NUMBER
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.74.4. hammer subnet info

サブネットを表示します。

Usage:

```
hammer subnet <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Subnet name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----
Id     | x | x | x
Name   | x | x | x
```


Description	x x
Protocol	x x
Priority	x x
Network addr	x x
Network prefix	x x
Network mask	x x
Gateway addr	x x
Primary dns	x x
Secondary dns	x x
Smart proxies/dns	x x
Smart proxies/tftp	x x
Smart proxies/dhcp	x x
Remote execution proxies/id	x x
Remote execution proxies/name	x x
Ipam	x x
Start of ip range	x x
End of ip range	x x
Vlan id	x x
Mtu	x x
Boot mode	x x
Domains/	x x
Locations/	x x
Organizations/	x x
Parameters/	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.5. hammer subnet list

サブネットのリストを表示します。

Usage:

```
hammer subnet <list|index> [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id VALUE	ID of domain
--fields LIST	Show specified fields or predefined field sets only. (See below)

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Scope by locations
--location-title VALUE   Set the current location context for the request
--order VALUE            Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER            Page number, starting at 1
--per-page VALUE         Number of results per page to return, 'all' to return all results
--search VALUE           Filter results
-h, --help               Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Network addr | x | x   |
Network prefix | x | x   |
Network mask | x | x   |
Vlan id  | x | x   |
Boot mode | x | x   |
Gateway address | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

boot_mode      string
dns_primary    string
dns_secondary  string
domain         string
gateway        string
ipam           string
location       string
location_id    integer
mask           string
mtu            integer
name           text

```

```

network      string
nic_delay    integer
organization string
organization_id integer
params       string
type         string
vlanid       integer

```

2.74.6. hammer subnet set-parameter

サブネットのパラメーターを作成または更新します。

Usage:

```
hammer subnet set-parameter [OPTIONS]
```

Options:

```

--hidden-value BOOLEAN    Should the value be hidden
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--subnet VALUE            Subnet name
--subnet-id NUMBER
--value VALUE              Parameter value
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string

```

2.74.7. hammer subnet update

サブネットを更新します。

Usage:

```
hammer subnet update [OPTIONS]
```

Options:

```
--bmc VALUE          BMC Proxy to use within this subnet
```

```

--bmc-id NUMBER          BMC Capsule ID to use within this subnet
--boot-mode ENUM        Default boot mode for interfaces assigned to this subnet.
                        Possible value(s): 'Static', 'DHCP'
--description VALUE     Subnet description
--dhcp VALUE            DHCP Proxy to use within this subnet
--dhcp-id NUMBER        DHCP Capsule ID to use within this subnet
--discovery-id NUMBER   ID of Discovery Capsule to use within this subnet for managing
connection to
                        discovered hosts
--dns VALUE             DNS Proxy to use within this subnet
--dns-id NUMBER         DNS Capsule ID to use within this subnet
--dns-primary VALUE     Primary DNS for this subnet
--dns-secondary VALUE   Secondary DNS for this subnet
--domain-ids LIST       Domains in which this subnet is part
--domains LIST
--externalipam-group VALUE External IPAM group - only relevant when IPAM is set to external
--externalipam-id NUMBER External IPAM Capsule ID to use within this subnet
--from VALUE            Starting IP Address for IP auto suggestion
--gateway VALUE         Subnet gateway
--httpboot-id NUMBER    HTTPBoot Capsule ID to use within this subnet
--id NUMBER             Subnet numeric identifier
--ipam ENUM             IP Address auto suggestion mode for this subnet.
                        Possible value(s): 'DHCP', 'Internal DB', 'Random DB', 'EUI-64', 'External
                        IPAM', 'None'
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--mask VALUE            Netmask for this subnet
--mtu NUMBER            MTU for this subnet
--name VALUE            Subnet name
--network VALUE         Subnet network
--network-type ENUM     Type or protocol, IPv4 or IPv6, defaults to IPv4
                        Possible value(s): 'IPv4', 'IPv6'
--new-name VALUE        Subnet name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--prefix VALUE          Network prefix in CIDR notation (e.g. 64) for this subnet
--remote-execution-proxy-ids LIST List of Capsule IDs to be used for remote execution
--template-id NUMBER    Template HTTP(S) Capsule ID to use within this subnet
--tftp VALUE            TFTP Proxy to use within this subnet
--tftp-id NUMBER        TFTP Capsule ID to use within this subnet
--to VALUE              Ending IP Address for IP auto suggestion
--vlanid VALUE          VLAN ID for this subnet
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.75. HAMMER SUBSCRIPTION

サブスクリプションを操作します。

Usage:

```
hammer subscription [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete-manifest	Delete manifest from Red Hat provider
list, index	List organization subscriptions
manifest-history	Obtain manifest history for subscriptions
refresh-manifest	Refresh previously imported manifest for Red Hat provider
upload	Upload a subscription manifest

Options:

-h, --help	Print help
------------	------------

2.75.1. hammer subscription delete-manifest

Red Hat プロバイダーからマニフェストを削除します。

Usage:

```
hammer subscription delete-manifest [OPTIONS]
```

Options:

--async	Do not wait for the task
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization id
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.75.2. hammer subscription list

組織サブスクリプションのリストを表示します。

Usage:

```
hammer subscription <list|index> [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id VALUE   Activation key ID
--available-for VALUE      Object to show subscriptions available for, either 'host' or 'activation_key'
--fields LIST              Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN      Whether or not to show all results
--host VALUE               Host name
--host-id VALUE            Id of a host
--match-host BOOLEAN      Ignore subscriptions that are unavailable to the specified host
--match-installed BOOLEAN  Return subscriptions that match installed products of the specified
host
--name VALUE               Name of the subscription
--no-overlap BOOLEAN       Return subscriptions which do not overlap with a currently-attached
subscription
--order VALUE              Sort field and order, eg. 'id DESC'
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER              Page number, starting at 1
--per-page NUMBER          Number of results per page to return
--search VALUE             Search string
-h, --help                 Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id     | x | x
Uuid   | x | x
Name   | x | x
Type   | x | x
Contract | x | x
Account | x | x
```

```

Support      | x | x
Start date  | x | x
End date    | x | x
Quantity    | x | x
Consumed    | x | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.75.3. hammer subscription manifest-history

サブスクリプションのマニフェスト履歴を取得します。

Usage:

```
hammer subscription manifest-history [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help

```

Predefined field sets:

```

-----|----|-----
FIELDS  | ALL | DEFAULT
-----|----|-----
Status  | x | x
Status message | x | x
Time    | x | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description

```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.75.4. hammer subscription refresh-manifest

Red Hat プロバイダーに以前インポートしたマニフェストをリフレッシュします。

Usage:

```
hammer subscription refresh-manifest [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--organization VALUE Organization name to search by
--organization-id NUMBER Organization id
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help       Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.75.5. hammer subscription upload

サブスクリプションマニフェストをアップロードします

Usage:

```
hammer subscription upload [OPTIONS]
```

Options:

```
--async           Do not wait for the task
```



```

--file FILE          Subscription manifest file
--organization VALUE Organization name to search by
--organization-id NUMBER Organization id
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.76. HAMMER SYNC-PLAN

同期プランを操作します。

Usage:

```
hammer sync-plan [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...          Subcommand arguments

```

Subcommands:

```

create            Create a sync plan
delete, destroy   Destroy a sync plan
info, show        Show a sync plan
list, index       List sync plans
update           Update a sync plan

```

Options:

```
-h, --help          Print help
```

2.76.1. hammer sync-plan create

同期プランを作成します。

Usage:

```
hammer sync-plan create [OPTIONS]
```

Options:

```

--cron-expression VALUE    Set this when interval is custom cron
--description VALUE       Sync plan description
--enabled BOOLEAN         Enables or disables synchronization
--interval VALUE          How often synchronization should run
--name VALUE              Sync plan name
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--sync-date DATETIME      Start date and time for the sync plan. Time is optional, if kept blank
current
                        system time will be considered
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.76.2. hammer sync-plan delete

同期プランを破棄します。

Usage:

```
hammer sync-plan <delete|destroy> [OPTIONS]
```

Options:

```

--id NUMBER          Sync plan numeric identifier
--name VALUE         Sync plan name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file

```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.76.3. hammer sync-plan info

同期プランを表示します。

Usage:

```
hammer sync-plan <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Sync plan numeric identifier
--name VALUE          Sync plan name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS      | ALL | DEFAULT | THIN
-----|----|-----|----
Id          | x  | x      | x
Name        | x  | x      | x
Start date  | x  | x      |
Interval    | x  | x      |
Enabled     | x  | x      |
Cron expression | x  | x      |
Recurring logic id | x  | x      |
Description | x  | x      |
Created at  | x  | x      |
Updated at  | x  | x      |
Next sync   | x  | x      |
Products/id | x  | x      |
Products/name | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
```

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.76.4. hammer sync-plan list

同期プランのリストを表示します。

Usage:

```
hammer sync-plan <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN  Whether or not to show all results
--interval ENUM        Filter by interval
                        Possible value(s): 'hourly', 'daily', 'weekly', 'custom cron'
--name VALUE           Filter by name
--order VALUE          Sort field and order, eg. 'id DESC'
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER          Page number, starting at 1
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
--sync-date VALUE      Filter by sync date
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id       | x  | x      | x
Name     | x  | x      | x
Start date | x  | x      |
Interval | x  | x      |
Enabled  | x  | x      |
Cron expression | x  | x      |
Recurring logic id | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
```

JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

enabled Values: true, false

interval string

name string

organization_id integer

2.76.5. hammer sync-plan update

同期プランを更新します。

Usage:

```
hammer sync-plan update [OPTIONS]
```

Options:

```
--cron-expression VALUE    Add custom cron logic for sync plan
--description VALUE        Sync plan description
--enabled BOOLEAN          Enables or disables synchronization
--id NUMBER                Sync plan numeric identifier
--interval VALUE           How often synchronization should run
--name VALUE               Sync plan name
--new-name VALUE           Sync plan name
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--sync-date DATETIME       Start date and time of the synchronization
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.

JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.77. HAMMER TAILORING-FILE

テーラリングファイルを操作します。

Usage:

```
hammer tailoring-file [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a Tailoring file
delete, destroy     Deletes a Tailoring file
download            Download a Tailoring file as XML
info, show          Show a Tailoring file
list, index         List Tailoring files
update              Update a Tailoring file
```

Options:

```
-h, --help          Print help
```

2.77.1. hammer tailoring-file create

テーラリングファイルを作成します。

Usage:

```
hammer tailoring-file create [OPTIONS]
```

Options:

```
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--locations LIST
--name VALUE           Tailoring file name
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organizations LIST
--original-filename VALUE Original file name of the XML file
--scap-file FILE       Tailoring file content
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.77.2. hammer tailoring-file delete

テーラリングファイルを削除します。

Usage:

```
hammer tailoring-file <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.77.3. hammer tailoring-file download

XML としてテーラリングファイルをダウンロードします。

Usage:

```
hammer tailoring-file download [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Name to search by
--location-id NUMBER     Set the current location context for the request
--name VALUE             Tailoring file name
```

```

--organization VALUE      Name to search by
--organization-id NUMBER  Set the current organization context for the request
--path VALUE              Path to directory where downloaded file will be saved
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.77.4. hammer tailoring-file info

テーラリングファイルを表示します。

Usage:

```
hammer tailoring-file <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Name to search by
--location-id NUMBER  Set the current location context for the request
--name VALUE           Tailoring file name
--organization VALUE   Name to search by
--organization-id NUMBER  Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Created at	x	x	
Original filename	x	x	
Tailoring file profiles/id	x	x	
Tailoring file profiles/profile id	x	x	
Tailoring file profiles/title	x	x	
Locations/	x	x	
Organizations/	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.77.5. hammer tailoring-file list

テーラリングファイルのリストを表示します。

Usage:

```
hammer tailoring-file <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
-----|-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

created_at	datetime
filename	string
location	string
location_id	integer
name	string
organization	string
organization_id	integer

2.77.6. hammer tailoring-file update

テーラリングファイルを更新します。

Usage:

```
hammer tailoring-file update [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Name to search by
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--locations LIST	
--name VALUE	Tailoring file name
--new-name VALUE	Tailoring file name
--organization VALUE	Name to search by
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organizations LIST	
--original-filename VALUE	Original file name of the XML file
--scap-file FILE	Tailoring file content
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.78. HAMMER TASK

タスクに関連するアクションを実行します。

Usage:

```
hammer task [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show task details
list, index	List tasks
progress	Show the progress of the task
resume	Resume all tasks paused in error state

Options:

-h, --help	Print help
------------	------------

2.78.1. hammer task info

タスクの詳細を表示します。

Usage:

```
hammer task <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	UUID of the task
--location-id NUMBER	Set the current location context for the request
--organization-id NUMBER	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Id      | x  | x
Action  | x  | x
State   | x  | x
Result  | x  | x
Started at | x  | x
Ended at | x  | x
Duration | x  | x
Owner   | x  | x
Task errors | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.78.2. hammer task list

タスクのリストを表示します。

Usage:

```
hammer task <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location-id NUMBER	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization-id NUMBER	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--parent-task-id VALUE	UUID of the task
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Id      | x  | x
Action  | x  | x
State   | x  | x
Result  | x  | x
Started at | x  | x
Ended at | x  | x
Duration | x  | x
Owner   | x  | x
Task errors | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.78.3. hammer task progress

タスクの進捗状況を表示します。

Usage:

```
hammer task progress [OPTIONS]
```

Options:

```
--id VALUE          UUID of the task
--location VALUE    Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE        Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.78.4. hammer task resume

エラー状態で一時停止しているタスクをすべて再開します。

Usage:

hammer task resume [OPTIONS]

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--search VALUE        Resume tasks matching search string
--task-ids LIST       Resume specific tasks by ID
--tasks LIST
-h, --help            Print help

```

Predefined field sets:

```

-----|----|-----
FIELDS          | ALL | DEFAULT
-----|----|-----
Total tasks found paused in error state | x | x
Total tasks resumed          | x | x
Resumed tasks/task identifier | x | x
Resumed tasks/task action    | x | x
Resumed tasks/task errors    | x | x
Total tasks failed to resume | x | x
Failed tasks/task identifier  | x | x
Failed tasks/task action      | x | x
Failed tasks/task errors      | x | x
Total tasks skipped          | x | x
Skipped tasks/task identifier | x | x
Skipped tasks/task action     | x | x
Skipped tasks/task errors     | x | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.79. HAMMER TEMPLATE

プロビジョニングテンプレートを操作します。

Usage:

hammer template [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:

add-operatingsystem Associate an operating system
build-pxe-default Update the default PXE menu on all configured TFTP servers
clone Clone a provision template
combination Manage template combinations
create Create a provisioning template
delete, destroy Delete a provisioning template
dump View provisioning template content
info, show Show provisioning template details
kinds List available provisioning template kinds
list, index List provisioning templates
remove-operatingsystem Disassociate an operating system
update Update a provisioning template

Options:

-h, --help Print help

2.79.1. hammer template add-operatingsystem

オペレーティングシステムを関連付けます。

Usage:

hammer template add-operatingsystem [OPTIONS]

Options:

--id VALUE
--name VALUE Name to search by
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.2. hammer template build-pxe-default

すべての設定済み TFTP サーバーでのデフォルト PXE メニューを更新します。

Usage:

```
hammer template build-pxe-default [OPTIONS]
```

Options:

--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.3. hammer template clone

プロビジョニングテンプレートのクローンを作成します。

Usage:

```
hammer template clone [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Template name
--new-name VALUE	Template name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request


```
--organization-title VALUE  Set the current organization context for the request
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.4. hammer template combination

テンプレートの組み合わせを管理します。

Usage:

```
hammer template combination [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
create          Add a template combination
delete, destroy Delete a template combination
info, show      Show template combination
list, index     List template combination
update          Update template combination
```

Options:

```
-h, --help      Print help
```

2.79.4.1. hammer template combination create

テンプレートの組み合わせを追加します。

Usage:

```
hammer template combination create [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--location VALUE       Set the current location context for the request
```

```

--location-id NUMBER      Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of config template
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string

```

2.79.4.2. hammer template combination delete

テンプレートの組み合わせを削除します。

Usage:

```
hammer template combination <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.4.3. hammer template combination info

テンプレートの組み合わせを表示します。

Usage:

```
hammer template combination <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of config template
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x    | x
Provisioning template id | x  | x    |
Provisioning template name | x  | x    |
Hostgroup id    | x  | x    |
Hostgroup name  | x  | x    |
Locations/      | x  | x    |
Organizations/ | x  | x    |
Created at      | x  | x    |
Updated at      | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.4.4. hammer template combination list

テンプレートの組み合わせをリストで表示します。

Usage:

```
hammer template combination <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--provisioning-template VALUE	Name to search by
--provisioning-template-id VALUE	ID of config template
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----
FIELDS ALL DEFAULT THIN
----- ----- ----- -----
Id x x x
Provisioning template x x
Hostgroup x x
----- ----- ----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.4.5. hammer template combination update

テンプレートの組み合わせを更新します。

Usage:

```
hammer template combination update [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of config template
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.5. hammer template create

プロビジョニングテンプレートを作成します。

Usage:

```
hammer template create [OPTIONS]
```

Options:

```
--audit-comment VALUE
--description VALUE
--file FILE          Path to a file that contains the template
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
```

```

--location-titles LIST
--locations LIST
--locked BOOLEAN          Whether or not the template is locked for editing
--name VALUE              Template name
--operatingsystem-ids LIST Array of operating system IDs to associate with the template
--operatingsystems LIST
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--type VALUE              Template type. Eg. snippet, script, provision
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.79.6. hammer template delete

プロビジョニングテンプレートを削除します。

Usage:

```
hammer template <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0

```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.7. hammer template dump

プロビジョニングテンプレートコンテンツを表示します。

Usage:

hammer template dump [OPTIONS]

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help Print help

Predefined field sets:

FIELDS

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.8. hammer template info

プロビジョニングテンプレートの詳細を表示します。

Usage:

```
hammer template <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Set the current location context for the request
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|----|-----|-----
Id              | x  | x      | x
Name            | x  | x      | x
Type            | x  | x      |
Description     | x  | x      |
Locked          | x  | x      |
Operating systems/ |    | x  | x  |
Locations/      | x  | x      |
Organizations/  | x  | x      |
Template combinations/hostgroup name | x  | x  |
Template combinations/environment name | x  | x  |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN        One of true/false, yes/no, 1/0
DATETIME        Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string
```

2.79.9. hammer template kinds

利用可能なプロビジョニングテンプレートの種類をリスト表示します。

Usage:

```
hammer template kinds [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.10. hammer template list

プロビジョニングテンプレートのリストを表示します。

Usage:

```
hammer template <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Scope by locations
--location-title VALUE Set the current location context for the request
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
```

-h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Type   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```
default_template  Values: true, false
hostgroup         string
kind              string
location          string
location_id       integer
locked            Values: true, false
name              string
operatingsystem  string
organization      string
organization_id   integer
snippet           Values: true, false
supported         Values: true, false
template          text
vendor            string
```

2.79.11. hammer template remove-operatingsystem

オペレーティングシステムの関連付けを解除します。

Usage:

```
hammer template remove-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE            Name to search by
```

```
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.79.12. hammer template update

プロビジョニングテンプレートを更新します。

Usage:

```
hammer template update [OPTIONS]
```

Options:

```
--audit-comment VALUE
--description VALUE
--file FILE          Path to a file that contains the template
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN    Whether or not the template is locked for editing
--name VALUE        Template name
--new-name VALUE     Template name
--operatingsystem-ids LIST Array of operating system IDs to associate with the template
--operatingsystems LIST
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--type VALUE        Template type. Eg. snippet, script, provision
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.80. HAMMER TEMPLATE-INPUT

テンプレート入力を管理します。

Usage:

```
hammer template-input [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a template input
delete, destroy	Delete a template input
info, show	Show template input details
list, index	List template inputs
update	Update a template input

Options:

-h, --help	Print help
------------	------------

2.80.1. hammer template-input create

テンプレート入力を作成します。

Usage:

```
hammer template-input create [OPTIONS]
```

Options:

--advanced BOOLEAN	Input is advanced
--default VALUE	Default value for user input
--description VALUE	Input description
--fact-name VALUE	Fact name, used when input type is Fact value
--hidden-value BOOLEAN	The value contains sensitive information and shouldn't be normally visible, useful e.g. for passwords
--input-type ENUM	Input type

```

                Possible value(s): 'user', 'fact', 'variable'
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Input name
--options LIST        Selectable values for user inputs
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--required BOOLEAN    Input is required
--resource-type ENUM  For values of type search, this is the resource the value searches in
                    Possible value(s): 'AnsibleRole', 'AnsibleVariable', 'Architecture', 'Audit',
                    'AuthSource', 'Bookmark', 'ComputeProfile', 'ComputeResource', 'ConfigReport',
                    'DiscoveryRule', 'Domain', 'ExternalUsergroup', 'FactValue', 'Filter',
                    'ForemanOpenscap::ArfReport', 'ForemanOpenscap::OvalContent',
                    'ForemanOpenscap::OvalPolicy', 'ForemanOpenscap::Policy',
                    'ForemanOpenscap::ScapContent', 'ForemanOpenscap::TailoringFile',
                    'ForemanTasks::RecurringLogic', 'ForemanTasks::Task',
                    'ForemanVirtWhoConfigure::Config', 'Host', 'Hostgroup', 'HttpProxy', 'Image',
                    'InsightsHit', 'JobInvocation', 'JobTemplate', 'Katello::ActivationKey',
                    'Katello::ContentCredential', 'Katello::ContentView', 'Katello::HostCollection',
                    'Katello::KTEEnvironment', 'Katello::Product', 'Katello::Subscription',
                    'Katello::SyncPlan', 'KeyPair', 'Location', 'MailNotification', 'Medium',
                    'Model', 'Operatingsystem', 'Organization', 'Parameter', 'PersonalAccessToken',
                    'ProvisioningTemplate', 'Ptable', 'Realm', 'RemoteExecutionFeature', 'Report',
                    'ReportTemplate', 'Role', 'Setting', 'SmartProxy', 'SshKey', 'Subnet',
                    'Template', 'TemplateInvocation', 'User', 'Usergroup', 'Webhook',
                    'WebhookTemplate'
--template-id VALUE
--value-type ENUM      Value type, defaults to plain
                    Possible value(s): 'plain', 'search', 'date', 'resource'
--variable-name VALUE  Variable name, used when input type is Variable
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.80.2. hammer template-input delete

テンプレート入力を削除します。

-

Usage:

```
hammer template-input <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.80.3. hammer template-input info

テンプレート入力詳細を表示します。

Usage:

```
hammer template-input <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
```

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Input type	x	x	
Fact name	x	x	
Variable name	x	x	
Puppet parameter name	x	x	
Options	x	x	
Default value	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.80.4. hammer template-input list

テンプレート入力のリストを表示します。

Usage:

```
hammer template-input <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
--template-id VALUE	
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN

```

-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Input type | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

input_type      string
name            string

```

2.80.5. hammer template-input update

テンプレート入力を更新します。

Usage:

```
hammer template-input update [OPTIONS]
```

Options:

```

--advanced BOOLEAN        Input is advanced
--default VALUE          Default value for user input
--description VALUE      Input description
--fact-name VALUE        Fact name, used when input type is Fact value
--hidden-value BOOLEAN    The value contains sensitive information and shouldn not be normally
visible,
                          useful e.g. for passwords
--id VALUE
--input-type ENUM        Input type
                          Possible value(s): 'user', 'fact', 'variable'
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Input name
--new-name VALUE         Input name
--options LIST            Selectable values for user inputs
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request

```



```

--required BOOLEAN      Input is required
--resource-type ENUM    For values of type search, this is the resource the value searches in
                        Possible value(s): 'AnsibleRole', 'AnsibleVariable', 'Architecture', 'Audit',
                        'AuthSource', 'Bookmark', 'ComputeProfile', 'ComputeResource', 'ConfigReport',
                        'DiscoveryRule', 'Domain', 'ExternalUsergroup', 'FactValue', 'Filter',
                        'ForemanOpenscap::ArfReport', 'ForemanOpenscap::OvalContent',
                        'ForemanOpenscap::OvalPolicy', 'ForemanOpenscap::Policy',
                        'ForemanOpenscap::ScapContent', 'ForemanOpenscap::TailoringFile',
                        'ForemanTasks::RecurringLogic', 'ForemanTasks::Task',
                        'ForemanVirtWhoConfigure::Config', 'Host', 'Hostgroup', 'HttpProxy', 'Image',
                        'InsightsHit', 'JobInvocation', 'JobTemplate', 'Katello::ActivationKey',
                        'Katello::ContentCredential', 'Katello::ContentView', 'Katello::HostCollection',
                        'Katello::KTEEnvironment', 'Katello::Product', 'Katello::Subscription',
                        'Katello::SyncPlan', 'KeyPair', 'Location', 'MailNotification', 'Medium',
                        'Model', 'Operatingsystem', 'Organization', 'Parameter', 'PersonalAccessToken',
                        'ProvisioningTemplate', 'Ptable', 'Realm', 'RemoteExecutionFeature', 'Report',
                        'ReportTemplate', 'Role', 'Setting', 'SmartProxy', 'SshKey', 'Subnet',
                        'Template', 'TemplateInvocation', 'User', 'Usergroup', 'Webhook',
                        'WebhookTemplate'
--template-id VALUE
--value-type ENUM      Value type, defaults to plain
                        Possible value(s): 'plain', 'search', 'date', 'resource'
--variable-name VALUE  Variable name, used when input type is Variable
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.81. HAMMER USER

ユーザーを操作します。

Usage:

```
hammer user [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND    Subcommand
[ARG] ...     Subcommand arguments

```

Subcommands:

access-token	Managing personal access tokens
add-role	Assign a user role
create	Create a user
delete, destroy	Delete a user
info, show	Show a user
list, index	List all users
mail-notification	Managing personal mail notifications
remove-role	Remove a user role
ssh-keys	Managing User SSH Keys.
update	Update a user
Options:	
-h, --help	Print help

2.81.1. hammer user access-token

Personal Access Token を管理します。

Usage:	
hammer user access-token [OPTIONS] SUBCOMMAND [ARG] ...	
Parameters:	
SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments
Subcommands:	
create	Create a Personal Access Token for a user
info, show	Show a Personal Access Token for a user
list, index	List all Personal Access Tokens for a user
revoke	Revoke a Personal Access Token for a user
Options:	
-h, --help	Print help

2.81.1.1. hammer user access-token create

ユーザーの Personal Access Token を作成します。

Usage:	
hammer user access-token create [OPTIONS]	
Options:	
--expires-at VALUE	Expiry Date
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user VALUE	User's login to search by
--user-id VALUE	ID of the user
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.1.2. hammer user access-token info

ユーザーの Personal Access Token を表示します。

Usage:

```
hammer user access-token <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user VALUE	User's login to search by
--user-id VALUE	ID of the user
-h, --help	Print help

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Active  | x  | x      |
Expires at | x  | x      |
Created at | x  | x      |
Last used at | x  | x      |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.1.3. hammer user access-token list

ユーザーの Personal Access Token すべてを一覧表示します。

Usage:

```
hammer user access-token <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
--user VALUE	User's login to search by
--user-id VALUE	ID of the user
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Active  | x  | x      |
Expires at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

name	string
user_id	integer

2.81.1.4. hammer user access-token revoke

ユーザーの Personal Access Token を取り消します。

Usage:

```
hammer user access-token revoke [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE             User's login to search by
--user-id VALUE          ID of the user
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.2. hammer user add-role

ユーザーロールを割り当てます。

Usage:

```
hammer user add-role [OPTIONS]
```

Options:

```
--id VALUE
--login VALUE          User's login to search by
--role VALUE           User role name
--role-id NUMBER
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.81.3. hammer user create

ユーザーを作成します。

Usage:

```
hammer user create [OPTIONS]
```

Options:

```
--admin BOOLEAN      Is an admin account
--ask-password BOOLEAN
--auth-source VALUE  Name to search by
--auth-source-id NUMBER
--default-location VALUE  Default location name
--default-location-id NUMBER
--default-organization VALUE  Default organization name
--default-organization-id NUMBER
--description VALUE
--disabled BOOLEAN
--firstname VALUE
--lastname VALUE
--locale ENUM        User's preferred locale
                    Possible value(s): 'ca', 'cs_CZ', 'de', 'en', 'en_GB', 'es', 'fr', 'gl', 'it',
                    'ja', 'ko', 'nl_NL', 'pl', 'pt_BR', 'ru', 'sv_SE', 'zh_CN', 'zh_TW'
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
```

```

--location-titles LIST
--locations LIST
--login VALUE
--mail VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--password VALUE          Required unless user is in an external authentication source
--role-ids LIST
--roles LIST
--timezone ENUM           User's timezone
                           Possible value(s): 'International Date Line West', 'American Samoa', 'Midway
                           Island', 'Hawaii', 'Alaska', 'Pacific Time (US & Canada)', 'Tijuana', 'Arizona',
                           'Chihuahua', 'Mazatlan', 'Mountain Time (US & Canada)', 'Central America',
                           'Central Time (US & Canada)', 'Guadalajara', 'Mexico City', 'Monterrey',
                           'Saskatchewan', 'Bogota', 'Eastern Time (US & Canada)', 'Indiana (East)',
                           'Lima', 'Quito', 'Atlantic Time (Canada)', 'Caracas', 'Georgetown', 'La Paz',
                           'Puerto Rico', 'Santiago', 'Newfoundland', 'Brasilia', 'Buenos Aires',
                           'Greenland', 'Montevideo', 'Mid-Atlantic', 'Azores', 'Cape Verde Is.',
                           'Casablanca', 'Dublin', 'Edinburgh', 'Lisbon', 'London', 'Monrovia', 'UTC',
                           'Amsterdam', 'Belgrade', 'Berlin', 'Bern', 'Bratislava', 'Brussels', 'Budapest',
                           'Copenhagen', 'Ljubljana', 'Madrid', 'Paris', 'Prague', 'Rome', 'Sarajevo',
                           'Skopje', 'Stockholm', 'Vienna', 'Warsaw', 'West Central Africa', 'Zagreb',
                           'Zurich', 'Athens', 'Bucharest', 'Cairo', 'Harare', 'Helsinki', 'Jerusalem',
                           'Kaliningrad', 'Kyiv', 'Pretoria', 'Riga', 'Sofia', 'Tallinn', 'Vilnius',
                           'Baghdad', 'Istanbul', 'Kuwait', 'Minsk', 'Moscow', 'Nairobi', 'Riyadh', 'St.
                           Petersburg', 'Volgograd', 'Tehran', 'Abu Dhabi', 'Baku', 'Muscat', 'Samara',
                           'Tbilisi', 'Yerevan', 'Kabul', 'Ekaterinburg', 'Islamabad', 'Karachi',
                           'Tashkent', 'Chennai', 'Kolkata', 'Mumbai', 'New Delhi', 'Sri Jayawardenepura',
                           'Kathmandu', 'Almaty', 'Astana', 'Dhaka', 'Urumqi', 'Rangoon', 'Bangkok',
                           'Hanoi', 'Jakarta', 'Krasnoyarsk', 'Novosibirsk', 'Beijing', 'Chongqing', 'Hong
                           Kong', 'Irkutsk', 'Kuala Lumpur', 'Perth', 'Singapore', 'Taipei', 'Ulaanbaatar',
                           'Osaka', 'Sapporo', 'Seoul', 'Tokyo', 'Yakutsk', 'Adelaide', 'Darwin',
                           'Brisbane', 'Canberra', 'Guam', 'Hobart', 'Melbourne', 'Port Moresby', 'Sydney',
                           'Vladivostok', 'Magadan', 'New Caledonia', 'Solomon Is.', 'Srednekolymsk',
                           'Auckland', 'Fiji', 'Kamchatka', 'Marshall Is.', 'Wellington', 'Chatham Is.',
                           'Nuku'alofa', 'Samoa', 'Tokelau Is.'
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.4. hammer user delete

ユーザーを削除します。

Usage:

```
hammer user <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--login VALUE            User's login to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.81.5. hammer user info

ユーザーを表示します。

Usage:

```
hammer user <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--login VALUE          User's login to search by
```



```
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x  | x
Login   | x  | x  | x
Name    | x  | x  |
Email   | x  | x  |
Admin   | x  | x  |
Disabled| x  | x  |
Last login| x  | x  |
Authorized by| x  | x  |
Effective admin| x  | x  |
Locale  | x  | x  |
Timezone| x  | x  |
Description| x  | x  |
Default organization| x  | x  |
Default location| x  | x  |
Roles/  | x  | x  |
User groups/usergroup| x  | x  |
User groups/id| x  | x  |
User groups/roles/| x  | x  |
Inherited user groups/usergroup| x  | x  |
Inherited user groups/id| x  | x  |
Inherited user groups/roles/| x  | x  |
Locations/| x  | x  |
Organizations/| x  | x  |
Created at| x  | x  |
Updated at| x  | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.81.6. hammer user list

ユーザーのリストを表示します。

Usage:

```
hammer user <list|index> [OPTIONS]
```

Options:

```
--auth-source-ldap VALUE   Name to search by
--auth-source-ldap-id VALUE ID of LDAP authentication source
--fields LIST              Show specified fields or predefined field sets only. (See below)
--location VALUE           Set the current location context for the request
--location-id NUMBER       Scope by locations
--location-title VALUE     Set the current location context for the request
--order VALUE              Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER              Page number, starting at 1
--per-page VALUE           Number of results per page to return, 'all' to return all results
--role VALUE               User role name
--role-id VALUE            ID of role
--search VALUE             Filter results
--user-group VALUE         Name to search by
--user-group-id VALUE      ID of user group
-h, --help                 Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Login   | x  | x      | x
Name    | x  | x      |
Email   | x  | x      |
Admin   | x  | x      |
Disabled | x  | x      |
Last login | x  | x      |
Authorized by | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

Search / Order fields:

```

admin          Values: true, false
auth_source    string
auth_source_type string
description    text
disabled       Values: true, false
firstname      string
last_login_on  datetime
lastname       string
location       string
location_id    integer
login          string
mail           string
organization   string
organization_id integer
role           string
role_id        integer
usergroup      string

```

2.81.7. hammer user mail-notification

個人メールの通知を管理します。

Usage:

```
hammer user mail-notification [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

add                 Add an email notification for a user
list, index         List all email notifications for a user
remove              Remove an email notification for a user
update              Update an email notification for a user

```

Options:

```
-h, --help          Print help
```

2.81.7.1. hammer user mail-notification add

ユーザーのメール通知を追加します。

Usage:

```
hammer user mail-notification add [OPTIONS]
```

Options:

```

--interval VALUE    Mail notification interval option, e.g. Daily, Weekly or Monthly. Required for
                    summary notification
--location VALUE    Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--mail-notification VALUE Name to search by

```

```

--mail-notification-id NUMBER
--mail-query VALUE          Relevant only for audit summary notification
--organization VALUE        Set the current organization context for the request
--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--subscription VALUE        Mail notification subscription option, e.g. Subscribe, Subscribe to my
hosts or
                               Subscribe to all hosts. Required for host built and config error state
--user VALUE                User's login to search by
--user-id VALUE
-h, --help                  Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.81.7.2. hammer user mail-notification list

ユーザーの全メール通知をリスト表示します。

Usage:

```
hammer user mail-notification <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE           User's login to search by
--user-id VALUE
-h, --help             Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   |
Name    | x | x   | x

```

```

Description | x | x |
Interval    | x | x |
Mail query  | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.81.7.3. hammer user mail-notification remove

ユーザーのメール通知を削除します。

Usage:

```
hammer user mail-notification remove [OPTIONS]
```

Options:

```

--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--mail-notification VALUE Name to search by
--mail-notification-id NUMBER
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE          User's login to search by
--user-id VALUE
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters

```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.7.4. hammer user mail-notification update

ユーザーのメール通知を更新します。

Usage:

```
hammer user mail-notification update [OPTIONS]
```

Options:

```
--interval VALUE      Mail notification interval option, e.g. Daily, Weekly or Monthly. Required for
                        summary notification
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--mail-notification VALUE Name to search by
--mail-notification-id NUMBER
--mail-query VALUE    Relevant only for audit summary notification
--new-name VALUE
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--subscription VALUE  Mail notification subscription option, e.g. Subscribe, Subscribe to my
hosts or
                        Subscribe to all hosts. Required for host built and config error state
--user VALUE          User's login to search by
--user-id VALUE
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.8. hammer user remove-role

ユーザーロールを削除します。

-

Usage:

```
hammer user remove-role [OPTIONS]
```

Options:

```
--id VALUE
--login VALUE      User's login to search by
--role VALUE       User role name
--role-id NUMBER
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.81.9. hammer user ssh-keys

ユーザーの SSH キーを操作します。

Usage:

```
hammer user ssh-keys [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND         Subcommand
[ARG] ...          Subcommand arguments
```

Subcommands:

```
add                Add an SSH key for a user
delete, destroy    Delete an SSH key for a user
info, show         Show an SSH key from a user
list, index        List all SSH keys for a user
```

Options:

```
-h, --help         Print help
```

2.81.9.1. hammer user ssh-keys add

ユーザーの SSH キーを追加します。

Usage:

```
hammer user ssh-keys add [OPTIONS]
```

Options:

```

--key VALUE          Public SSH key
--key-file FILE      Path to a SSH public key
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE         User's login to search by
--user-id VALUE      ID of the user
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA           Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string

```

2.81.9.2. hammer user ssh-keys delete

ユーザーから SSH キーを削除します。

Usage:

```
hammer user ssh-keys <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE         User's login to search by
--user-id VALUE      ID of the user
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.9.3. hammer user ssh-keys info

ユーザーの SSH キーを表示します。

Usage:

```
hammer user ssh-keys <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE           User's login to search by
--user-id VALUE        ID of the user
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Fingerprint | x  | x      |
Length  | x  | x      |
Created at | x  | x      |
Public key | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.9.4. hammer user ssh-keys list

ユーザーの SSH キーをリスト表示します。

Usage:

```
hammer user ssh-keys <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
--user VALUE	User's login to search by
--user-id VALUE	ID of the user
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Fingerprint | x  | x      |
Length  | x  | x      |
Created at | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

name string

user_id integer

2.81.10. hammer user update

ユーザーを更新します。

Usage:

hammer user update [OPTIONS]

Options:

--admin BOOLEAN Is an admin account

--ask-password BOOLEAN

--auth-source VALUE Name to search by

--auth-source-id NUMBER

--current-password VALUE Required when user want to change own password

--default-location VALUE Default location name

--default-location-id NUMBER

--default-organization VALUE Default organization name

--default-organization-id NUMBER

--description VALUE

--disabled BOOLEAN

--firstname VALUE

--id VALUE

--lastname VALUE

--locale ENUM User's preferred locale
Possible value(s): 'ca', 'cs_CZ', 'de', 'en', 'en_GB', 'es', 'fr', 'gl', 'it', 'ja', 'ko', 'nl_NL', 'pl', 'pt_BR', 'ru', 'sv_SE', 'zh_CN', 'zh_TW'

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-ids LIST REPLACE locations with given ids

--location-title VALUE Set the current location context for the request

--location-titles LIST

--locations LIST

--login VALUE

--mail VALUE

--new-login VALUE

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-ids LIST REPLACE organizations with given ids.

--organization-title VALUE Set the current organization context for the request

--organization-titles LIST

--organizations LIST

--password VALUE Required unless user is in an external authentication source

--role-ids LIST

```

--roles LIST
--timezone ENUM          User's timezone
                          Possible value(s): 'International Date Line West', 'American Samoa', 'Midway
                          Island', 'Hawaii', 'Alaska', 'Pacific Time (US & Canada)', 'Tijuana', 'Arizona',
                          'Chihuahua', 'Mazatlan', 'Mountain Time (US & Canada)', 'Central America',
                          'Central Time (US & Canada)', 'Guadalajara', 'Mexico City', 'Monterrey',
                          'Saskatchewan', 'Bogota', 'Eastern Time (US & Canada)', 'Indiana (East)',
                          'Lima', 'Quito', 'Atlantic Time (Canada)', 'Caracas', 'Georgetown', 'La Paz',
                          'Puerto Rico', 'Santiago', 'Newfoundland', 'Brasilia', 'Buenos Aires',
                          'Greenland', 'Montevideo', 'Mid-Atlantic', 'Azores', 'Cape Verde Is.',
                          'Casablanca', 'Dublin', 'Edinburgh', 'Lisbon', 'London', 'Monrovia', 'UTC',
                          'Amsterdam', 'Belgrade', 'Berlin', 'Bern', 'Bratislava', 'Brussels', 'Budapest',
                          'Copenhagen', 'Ljubljana', 'Madrid', 'Paris', 'Prague', 'Rome', 'Sarajevo',
                          'Skopje', 'Stockholm', 'Vienna', 'Warsaw', 'West Central Africa', 'Zagreb',
                          'Zurich', 'Athens', 'Bucharest', 'Cairo', 'Harare', 'Helsinki', 'Jerusalem',
                          'Kaliningrad', 'Kyiv', 'Pretoria', 'Riga', 'Sofia', 'Tallinn', 'Vilnius',
                          'Baghdad', 'Istanbul', 'Kuwait', 'Minsk', 'Moscow', 'Nairobi', 'Riyadh', 'St.
                          Petersburg', 'Volgograd', 'Tehran', 'Abu Dhabi', 'Baku', 'Muscat', 'Samara',
                          'Tbilisi', 'Yerevan', 'Kabul', 'Ekaterinburg', 'Islamabad', 'Karachi',
                          'Tashkent', 'Chennai', 'Kolkata', 'Mumbai', 'New Delhi', 'Sri Jayawardenepura',
                          'Kathmandu', 'Almaty', 'Astana', 'Dhaka', 'Urumqi', 'Rangoon', 'Bangkok',
                          'Hanoi', 'Jakarta', 'Krasnoyarsk', 'Novosibirsk', 'Beijing', 'Chongqing', 'Hong
                          Kong', 'Irkutsk', 'Kuala Lumpur', 'Perth', 'Singapore', 'Taipei', 'Ulaanbaatar',
                          'Osaka', 'Sapporo', 'Seoul', 'Tokyo', 'Yakutsk', 'Adelaide', 'Darwin',
                          'Brisbane', 'Canberra', 'Guam', 'Hobart', 'Melbourne', 'Port Moresby', 'Sydney',
                          'Vladivostok', 'Magadan', 'New Caledonia', 'Solomon Is.', 'Srednekolymsk',
                          'Auckland', 'Fiji', 'Kamchatka', 'Marshall Is.', 'Wellington', 'Chatham Is.',
                          'Nuku'alofa', 'Samoa', 'Tokelau Is.'

-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE             Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.82. HAMMER USER-GROUP

ユーザーグループを管理します。

Usage:

```
hammer user-group [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-role	Assign a user role
add-user	Associate an user
add-user-group	Associate an user group
create	Create a user group
delete, destroy	Delete a user group
external	View and manage user group's external user groups
info, show	Show a user group
list, index	List all user groups
remove-role	Remove a user role
remove-user	Disassociate an user
remove-user-group	Disassociate an user group
update	Update a user group

Options:

-h, --help	Print help
------------	------------

2.82.1. hammer user-group add-role

ユーザーロールを割り当てます。

Usage:
hammer user-group add-role [OPTIONS]

Options:

--id VALUE	
--name VALUE	Name to search by
--role VALUE	User role name
--role-id NUMBER	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.2. hammer user-group add-user

ユーザーを関連付けます。

Usage:

```
hammer user-group add-user [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Name to search by
--user VALUE          User's login to search by
--user-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.82.3. hammer user-group add-user-group

ユーザーグループを関連付けます。

Usage:

```
hammer user-group add-user-group [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Name to search by
--user-group VALUE    Name to search by
--user-group-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.4. hammer user-group create

ユーザーグループを作成します。

Usage:

```
hammer user-group create [OPTIONS]
```

Options:

```
--admin BOOLEAN          Is an admin user group, can be modified by admins only
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--role-ids LIST
--roles LIST
--user-group-ids LIST
--user-groups LIST
--user-ids LIST
--users LIST
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.5. hammer user-group delete

ユーザーグループを削除します。

Usage:

```
hammer user-group <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.82.6. hammer user-group external

ユーザーグループの外部ユーザーグループを表示および管理します。

Usage:

```
hammer user-group external [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
create          Create an external user group linked to a user group
delete, destroy Delete an external user group
info, show      Show an external user group for user group
list, index     List all external user groups for user group
refresh         Refresh external user group
update         Update external user group
```

Options:

```
-h, --help      Print help
```

2.82.6.1. hammer user-group external create

ユーザーグループにリンクされた外部ユーザーグループを作成します。

Usage:

```
hammer user-group external create [OPTIONS]
```

Options:

```
--auth-source VALUE      Name to search by
--auth-source-id NUMBER  ID of linked authentication source
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             External user group name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE       Name to search by
--user-group-id VALUE    ID or name of user group
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.82.6.2. hammer user-group external delete

外部ユーザーグループを削除します。

Usage:

```
hammer user-group external <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE          ID or name external user group
--location VALUE    Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE        Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE  Name to search by
--user-group-id VALUE ID or name of user group
```

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.3. hammer user-group external info

ユーザーグループの外部ユーザーグループを表示します。

Usage:

```
hammer user-group external <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	ID or name of external user group
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user-group VALUE	Name to search by
--user-group-id VALUE	ID or name of user group
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Auth source | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.4. hammer user-group external list

ユーザーグループの外部ユーザーグループのリストを表示します。

Usage:

```
hammer user-group external <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE     Name to search by
--user-group-id VALUE  ID or name of user group
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Auth source | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.5. hammer user-group external refresh

外部ユーザーグループをリフレッシュします。

Usage:

```
hammer user-group external refresh [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	ID or name of external user group
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user-group VALUE	Name to search by
--user-group-id VALUE	ID or name of user group
-h, --help	Print help

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Name    | x  | x    | x
Auth source | x  | x    |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.6. hammer user-group external update

外部ユーザーグループを更新します。

■

Usage:

```
hammer user-group external update [OPTIONS]
```

Options:

```
--auth-source VALUE      Name to search by
--auth-source-id NUMBER  ID of linked authentication source
--id VALUE               ID or name of external user group
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             External user group name
--new-name VALUE         External user group name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE       Name to search by
--user-group-id VALUE    ID or name of user group
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.82.7. hammer user-group info

ユーザーグループを表示します。

Usage:

```
hammer user-group <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Admin	x	x	
Users/	x	x	
User groups/usergroup		x	x
User groups/id	x	x	
User groups/roles/		x	x
Inherited user groups/usergroup	x	x	
Inherited user groups/id		x	x
Inherited user groups/roles/		x	x
External user groups/		x	x
Roles/	x	x	
Created at	x	x	
Updated at	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.8. hammer user-group list

ユーザーグループのリストを表示します。

Usage:

```
hammer user-group <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request

```

--page NUMBER          Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Admin  | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

name        string
role        string
role_id     integer

```

2.82.9. hammer user-group remove-role

ユーザーロールを削除します。

Usage:

```
hammer user-group remove-role [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Name to search by
--role VALUE          User role name
--role-id NUMBER
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0

```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.10. hammer user-group remove-user

ユーザーの関連付けを解除します。

Usage:

```
hammer user-group remove-user [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Name to search by
--user VALUE          User's login to search by
--user-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.11. hammer user-group remove-user-group

ユーザーグループの関連付けを解除します。

Usage:

```
hammer user-group remove-user-group [OPTIONS]
```

Options:


```

--id VALUE
--name VALUE          Name to search by
--user-group VALUE    Name to search by
--user-group-id NUMBER
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.82.12. hammer user-group update

ユーザーグループを更新します。

Usage:

```
hammer user-group update [OPTIONS]
```

Options:

```

--admin BOOLEAN      Is an admin user group, can be modified by admins only
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--role-ids LIST
--roles LIST
--user-group-ids LIST
--user-groups LIST
--user-ids LIST
--users LIST
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83. HAMMER VIRT-WHO-CONFIG

Virt Who 設定を管理します。

Usage:

```
hammer virt-who-config [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a virt-who configuration
delete, destroy    Delete a virt-who configuration
deploy             Download and execute script for the specified virt-who configuration
fetch             Renders a deploy script for the specified virt-who configuration
info, show        Show a virt-who configuration
list, index       List of virt-who configurations
update            Update a virt-who configuration
```

Options:

```
-h, --help        Print help
```

2.83.1. hammer virt-who-config create

virt-who 設定を作成します。

Usage:

```
hammer virt-who-config create [OPTIONS]
```

Options:

```
--ahv-internal-debug BOOLEAN Option Enable debugging output is required to enable AHV internal debug. It
```

```
provides extra AHV debug information when both options are enabled
```

```
--ahv-update-interval NUMBER The frequency of VM-to-host mapping updates for AHV(in seconds)
```

```
--blacklist VALUE Hypervisor blacklist, applicable only when filtering mode is set to 2.
```

Wildcards

```
and regular expressions are supported, multiple records must be separated by comma.
```

```
--debug BOOLEAN Enable debugging output
```

```
--exclude-host-parents VALUE Applicable only for esx provider type. Hosts which parent (usually
```

ComputeResource) name is specified in comma-separated list in this option will NOT be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filter-host-parents VALUE Applicable only for esx provider type. Only hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filtering-mode ENUM Hypervisor filtering mode
Possible value(s): 'none', 'whitelist', 'blacklist'

--http-proxy VALUE Name to search by

--http-proxy-id NUMBER HTTP Proxy that should be used for communication between the server on which virt-who is running and the hypervisors and virtualization managers.

--hypervisor-id ENUM Specifies how the hypervisor will be identified.
Possible value(s): 'hostname', 'uuid', 'hwuuid'

--hypervisor-password VALUE Hypervisor password, required for all hypervisor types except for libvirt/kubevirt.

--hypervisor-server VALUE Fully qualified host name or IP address of the hypervisor

--hypervisor-type ENUM Hypervisor type
Possible value(s): 'esx', 'hyperv', 'libvirt', 'kubevirt', 'ahv'

--hypervisor-username VALUE Account name by which virt-who is to connect to the hypervisor.

--interval ENUM Configuration interval in minutes
Possible value(s): '60', '120', '240', '480', '720', '1440', '2880', '4320'

--kubeconfig-path VALUE Configuration file containing details about how to connect to the cluster and authentication details.

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--name VALUE Configuration name

--no-proxy VALUE Ignore Proxy. A comma-separated list of hostnames or domains or ip addresses to ignore Capsule settings for. Optionally this may be set to * to bypass proxy settings for all hostnames domains or ip addresses.

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--prism-flavor ENUM Select the Prism flavor you are connecting to
Possible value(s): 'central', 'element'

--satellite-url VALUE Satellite server FQDN

--whitelist VALUE Hypervisor whitelist, applicable only when filtering mode is set to 1.

Wildcards and regular expressions are supported, multiple records must be separated by comma.

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83.2. hammer virt-who-config delete

virt-who 設定を削除します。

Usage:

```
hammer virt-who-config <delete|destroy> [OPTIONS]
```

Options:

--id NUMBER	Configuration numeric identifier
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83.3. hammer virt-who-config deploy

指定した virt-who 設定のスクリプトをダウンロードおよび実行します。

Usage:

```
hammer virt-who-config deploy [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.83.4. hammer virt-who-config fetch

指定した virt-who 設定の deploy スクリプトのレンダリングを行います。

Usage:

```
hammer virt-who-config fetch [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
-o, --output VALUE      File where the script will be written
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83.5. hammer virt-who-config info

virt-who 設定を表示します。

Usage:

```
hammer virt-who-config <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

FIELDSETS	ALL	DEFAULT
General information/id	x	x
General information/name	x	x
General information/hypervisor type	x	x
General information/hypervisor server	x	x
General information/hypervisor username	x	x
General information/configuration file	x	x
General information/ahv prism flavor	x	x
General information/ahv update frequency	x	x
General information/enable ahv debug	x	x
General information/status	x	x
Schedule/interval	x	x
Schedule/last report at	x	x
Connection/satellite server	x	x
Connection/hypervisor id	x	x
Connection/filtering	x	x
Connection/excluded hosts	x	x
Connection/filtered hosts	x	x
Connection/filter host parents	x	x
Connection/exclude host parents	x	x

```

Connection/debug mode      | x | x
Connection/ignore proxy   | x | x
Http proxy/http proxy id  | x | x
Http proxy/http proxy name | x | x
Http proxy/http proxy url  | x | x
Locations/                 | x | x
Organizations/            | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.83.6. hammer virt-who-config list

virt-who 設定リストを表示します。

Usage:

```
hammer virt-who-config <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE      Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER      Page number, starting at 1
--per-page VALUE   Number of results per page to return, 'all' to return all results
--search VALUE     Filter results
-h, --help        Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Interval | x | x   |

```

```
Status      | x | x |
Last report at | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.83.7. hammer virt-who-config update

virt-who 設定を更新します。

Usage:

```
hammer virt-who-config update [OPTIONS]
```

Options:

--ahv-internal-debug **BOOLEAN** Option Enable debugging output is required to enable AHV internal debug. It

provides extra AHV debug information when both options are enabled

--ahv-update-interval **NUMBER** The frequency of VM-to-host mapping updates for AHV(in seconds)

--blacklist **VALUE** Hypervisor blacklist, applicable only when filtering mode is set to 2.

Wildcards

and regular expressions are supported, multiple records must be separated by comma.

--debug **BOOLEAN** Enable debugging output

--exclude-host-parents **VALUE** Applicable only for esx provider type. Hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will NOT be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filter-host-parents **VALUE** Applicable only for esx provider type. Only hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filtering-mode **ENUM** Hypervisor filtering mode
Possible value(s): 'none', 'whitelist', 'blacklist'

--http-proxy **VALUE** Name to search by

--http-proxy-id NUMBER HTTP Proxy that should be used for communication between the server on which virt-who is running and the hypervisors and virtualization managers.

--hypervisor-id ENUM Specifies how the hypervisor will be identified.
Possible value(s): 'hostname', 'uuid', 'hwuuid'

--hypervisor-password VALUE Hypervisor password, required for all hypervisor types except for libvirt/kubevirt.

--hypervisor-server VALUE Fully qualified host name or IP address of the hypervisor

--hypervisor-type ENUM Hypervisor type
Possible value(s): 'esx', 'hyperv', 'libvirt', 'kubevirt', 'ahv'

--hypervisor-username VALUE Account name by which virt-who is to connect to the hypervisor.

--id NUMBER Configuration numeric identifier

--interval ENUM Configuration interval in minutes
Possible value(s): '60', '120', '240', '480', '720', '1440', '2880', '4320'

--kubeconfig-path VALUE Configuration file containing details about how to connect to the cluster and authentication details.

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--name VALUE Configuration name

--new-name VALUE Configuration name

--no-proxy VALUE Ignore Proxy. A comma-separated list of hostnames or domains or ip addresses to ignore Capsule settings for. Optionally this may be set to * to bypass proxy settings for all hostnames domains or ip addresses.

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--prism-flavor ENUM Select the Prism flavor you are connecting to
Possible value(s): 'central', 'element'

--satellite-url VALUE Satellite server FQDN

--whitelist VALUE Hypervisor whitelist, applicable only when filtering mode is set to 1.

Wildcards
and regular expressions are supported, multiple records must be separated by comma.

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.84. HAMMER WEBHOOK

Webhook を管理します。

Usage:
hammer webhook [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
create Create a Webhook
delete, destroy Delete a Webhook
info, show Show Webhook details
list, index List Webhooks
update Update a Webhook

Options:
-h, --help Print help

2.84.1. hammer webhook create

Webhook を作成します。

Usage:
hammer webhook create [OPTIONS]

Options:
--enabled BOOLEAN
--event ENUM Possible value(s): 'actions.katello.content_view.promote_succeeded',
 'actions.katello.content_view.publish_succeeded',
 'actions.katello.repository.sync_succeeded',

'actions.remote_execution.run_host_job_ansible_configure_cloud_connector_succeeded',

'actions.remote_execution.run_host_job_ansible_enable_web_console_succeeded',

'actions.remote_execution.run_host_job_ansible_run_capsule_upgrade_succeeded',
 'actions.remote_execution.run_host_job_ansible_run_host_succeeded',
 'actions.remote_execution.run_host_job_ansible_run_insights_plan_succeeded',
 'actions.remote_execution.run_host_job_ansible_run_playbook_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_oval_scans_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_scans_succeeded',

'actions.remote_execution.run_host_job_katello_errata_install_by_search_succeeded',
 'actions.remote_execution.run_host_job_katello_errata_install_succeeded',
 'actions.remote_execution.run_host_job_katello_group_install_succeeded',
 'actions.remote_execution.run_host_job_katello_group_remove_succeeded',
 'actions.remote_execution.run_host_job_katello_group_update_succeeded',
 'actions.remote_execution.run_host_job_katello_host_tracer_resolve_succeeded',

'actions.remote_execution.run_host_job_katello_module_stream_action_succeeded',

```

'actions.remote_execution.run_host_job_katello_package_install_succeeded',
'actions.remote_execution.run_host_job_katello_package_remove_succeeded',
'actions.remote_execution.run_host_job_katello_package_update_succeeded',
'actions.remote_execution.run_host_job_katello_service_restart_succeeded',
'actions.remote_execution.run_host_job_leapp_preupgrade_succeeded',
'actions.remote_execution.run_host_job_leapp_remediation_plan_succeeded',
'actions.remote_execution.run_host_job_leapp_upgrade_succeeded',
'actions.remote_execution.run_host_job_puppet_run_host_succeeded',

'actions.remote_execution.run_host_job_rh_cloud_connector_run_playbook_succeeded',
'actions.remote_execution.run_host_job_rh_cloud_remediate_hosts_succeeded',
'actions.remote_execution.run_host_job_succeeded', 'build_entered',
'build_exited', 'content_view_created', 'content_view_destroyed',
'content_view_updated', 'domain_created', 'domain_destroyed', 'domain_updated',
'host_created', 'host_destroyed', 'host_updated', 'hostgroup_created',
'hostgroup_destroyed', 'hostgroup_updated', 'model_created', 'model_destroyed',
'model_updated', 'status_changed', 'subnet_created', 'subnet_destroyed',
'subnet_updated', 'user_created', 'user_destroyed', 'user_updated'

--http-content-type VALUE
--http-method ENUM          Possible value(s): 'POST', 'GET', 'PUT', 'DELETE', 'PATCH'
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--name VALUE
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--password VALUE
--proxy-authorization BOOLEAN Authorize with Satellite client certificate and validate capsule CA
from
                          Settings
--target-url VALUE
--user VALUE
--verify-ssl BOOLEAN
--webhook-template VALUE   Name to search by
--webhook-template-id VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string

```

2.84.2. hammer webhook delete

Webhook を削除します。

Usage:

```
hammer webhook <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.84.3. hammer webhook info

Webhook の詳細を表示します。

Usage:

```
hammer webhook <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

FIELDS	ADDITIONAL	ALL	DEFAULT	THIN
Id	x	x	x	
Name		x	x	x
Target url		x	x	
Enabled		x	x	
Event		x	x	
Http method		x	x	
Http content type		x	x	
Webhook template		x	x	
User	x	x		
Verify ssl	x	x		
X509 certification authorities	x		x	
Http headers/	x	x		
Created at		x	x	
Updated at		x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.84.4. hammer webhook list

Webhook をリスト表示します。

Usage:

```
hammer webhook <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1

```
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE       Filter results
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Target url | x  | x      |
Enabled | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
enabled      Values: true, false
name         string
target_url   string
```

2.84.5. hammer webhook update

Webhook を更新します。

Usage:

```
hammer webhook update [OPTIONS]
```

Options:

```
--enabled BOOLEAN
--event ENUM      Possible value(s): 'actions.katello.content_view.promote_succeeded',
                  'actions.katello.content_view.publish_succeeded',
                  'actions.katello.repository.sync_succeeded',
                  'actions.remote_execution.run_host_job_ansible_configure_cloud_connector_succeeded',
                  'actions.remote_execution.run_host_job_ansible_enable_web_console_succeeded',
                  'actions.remote_execution.run_host_job_ansible_run_capsule_upgrade_succeeded',
```

```

'actions.remote_execution.run_host_job_ansible_run_host_succeeded',
'actions.remote_execution.run_host_job_ansible_run_insights_plan_succeeded',
'actions.remote_execution.run_host_job_ansible_run_playbook_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_oval_scans_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_scans_succeeded',

'actions.remote_execution.run_host_job_katello_errata_install_by_search_succeeded',
'actions.remote_execution.run_host_job_katello_errata_install_succeeded',
'actions.remote_execution.run_host_job_katello_group_install_succeeded',
'actions.remote_execution.run_host_job_katello_group_remove_succeeded',
'actions.remote_execution.run_host_job_katello_group_update_succeeded',
'actions.remote_execution.run_host_job_katello_host_tracer_resolve_succeeded',

'actions.remote_execution.run_host_job_katello_module_stream_action_succeeded',
'actions.remote_execution.run_host_job_katello_package_install_succeeded',
'actions.remote_execution.run_host_job_katello_package_remove_succeeded',
'actions.remote_execution.run_host_job_katello_package_update_succeeded',
'actions.remote_execution.run_host_job_katello_service_restart_succeeded',
'actions.remote_execution.run_host_job_leapp_preupgrade_succeeded',
'actions.remote_execution.run_host_job_leapp_remediation_plan_succeeded',
'actions.remote_execution.run_host_job_leapp_upgrade_succeeded',
'actions.remote_execution.run_host_job_puppet_run_host_succeeded',

'actions.remote_execution.run_host_job_rh_cloud_connector_run_playbook_succeeded',
'actions.remote_execution.run_host_job_rh_cloud_remediate_hosts_succeeded',
'actions.remote_execution.run_host_job_succeeded', 'build_entered',
'build_exited', 'content_view_created', 'content_view_destroyed',
'content_view_updated', 'domain_created', 'domain_destroyed', 'domain_updated',
'host_created', 'host_destroyed', 'host_updated', 'hostgroup_created',
'hostgroup_destroyed', 'hostgroup_updated', 'model_created', 'model_destroyed',
'model_updated', 'status_changed', 'subnet_created', 'subnet_destroyed',
'subnet_updated', 'user_created', 'user_destroyed', 'user_updated'

--http-content-type VALUE
--http-method ENUM      Possible value(s): 'POST', 'GET', 'PUT', 'DELETE', 'PATCH'
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--password VALUE
--proxy-authorization BOOLEAN Authorize with Satellite client certificate and validate capsule CA
from

                Settings
--target-url VALUE
--user VALUE
--verify-ssl BOOLEAN
--webhook-template VALUE Name to search by
--webhook-template-id VALUE
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85. HAMMER WEBHOOK-TEMPLATE

Webhook テンプレートを操作します。

Usage:

```
hammer webhook-template [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

clone	Clone a template
create	Create a webhook template
delete, destroy	Delete a webhook template
dump	View webhook template content
import	Import a webhook template
info, show	Show webhook template details
list, index	List webhook templates
update	Update a webhook template

Options:

-h, --help	Print help
------------	------------

2.85.1. hammer webhook-template clone

テンプレートのクローンを作成します。

Usage:

```
hammer webhook-template clone [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request


```

--name VALUE          Template name
--new-name VALUE
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.85.2. hammer webhook-template create

Webhook テンプレートを作成します。

Usage:

```
hammer webhook-template create [OPTIONS]
```

Options:

```

--audit-comment VALUE
--default BOOLEAN      Whether or not the template is added automatically to new organizations
and
                        locations
--description VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-ids LIST    REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN      Whether or not the template is locked for editing
--name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
--template VALUE
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85.3. hammer webhook-template delete

Webhook テンプレートを削除します。

Usage:

```
hammer webhook-template <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85.4. hammer webhook-template dump

Webhook テンプレートコンテンツを表示します。

Usage:

```
hammer webhook-template dump [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----
FIELDS
-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.85.5. hammer webhook-template import

Webhook テンプレートをインポートします。

Usage:

```
hammer webhook-template import [OPTIONS]
```

Options:

```
--associate ENUM      Determines when the template should associate objects based on
metadata, new
                      means only when new template is being created, always means both for new and
                      existing template which is only being updated, never ignores metadata
Possible value(s): 'new', 'always', 'never'
```

```

--default BOOLEAN      Makes the template default meaning it will be automatically associated
with
                        newly created organizations and locations (false by default)
--file FILE           Path to a file that contains the webhook template content including metadata
--force BOOLEAN       Use if you want update locked templates
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--lock BOOLEAN        Lock imported templates (false by default)
--name VALUE          Template name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.85.6. hammer webhook-template info

Webhook テンプレートの詳細を表示します。

Usage:

```
hammer webhook-template <info|show> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request

```

```
--organization-title VALUE  Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x      | x
Name            | x  | x      | x
Description     | x  | x      |
Locked         | x  | x      |
Default        | x  | x      |
Created at     | x  | x      |
Updated at    | x  | x      |
Locations/    | x  | x      |
Organizations/ | x  | x      |
Template inputs/id | x  | x      |
Template inputs/name | x  | x      |
Template inputs/description | x  | x      |
Template inputs/required | x  | x      |
Template inputs/options | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.85.7. hammer webhook-template list

Webhook テンプレートのリストを表示します。

Usage:

```
hammer webhook-template <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
```

```

--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--page NUMBER              Page number, starting at 1
--per-page VALUE           Number of results per page to return, 'all' to return all results
--search VALUE             Filter results
-h, --help                 Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

default      Values: true, false
location     string
location_id  integer
locked       Values: true, false
name         string
organization string
organization_id integer
snippet      Values: true, false
template     text

```

2.85.8. hammer webhook-template update

Webhook テンプレートを更新します。

Usage:

```
hammer webhook-template update [OPTIONS]
```

Options:

```

--audit-comment VALUE
--default BOOLEAN    Whether or not the template is added automatically to new organizations
and

```

```

                locations
--description VALUE
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN      Whether or not the template is locked for editing
--name VALUE
--new-name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
--template VALUE
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```