



Cost Management Service 1-latest

Analyzing your cost data

Use cost management to track the cost of your clouds and containers.

Cost Management Service 1-latest Analyzing your cost data

Use cost management to track the cost of your clouds and containers.

Legal Notice

Copyright © 2024 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

To get you started, the following sections provide information about currency exchange and calculating effective usage.

Table of Contents

PREFACE	3
CHAPTER 1. USING COST MANAGEMENT CURRENCY EXCHANGE	4
CHAPTER 2. CALCULATING EFFECTIVE USAGE WITH COST MODELS	5
PROVIDING FEEDBACK ON RED HAT DOCUMENTATION	7

PREFACE

To begin using cost management, you must have set up set up cost management by connecting your cost data. For more information, see [How to set up cost management](#).

CHAPTER 1. USING COST MANAGEMENT CURRENCY EXCHANGE

Cost management uses the United States Dollar (USD) by default. However, you can use the cost management currency exchange feature to estimate your costs in your local currency. This feature updates costs both in [Red Hat Hybrid Cloud Console](#) and in your exported cost report files.

Cost management updates currency exchange information daily with the most recent data from [ExchangeRate-API](#). The values in cost management do not reflect any foreign currency contract agreements.

Procedure

1. From [Red Hat Hybrid Cloud Console](#) go to [cost management](#).
2. From the **currency** dropdown, select your local currency.

After you change your currency, cost management automatically updates all values with the most recent exchange rates.

CHAPTER 2. CALCULATING EFFECTIVE USAGE WITH COST MODELS

Cloud providers charge for the infrastructure costs of running a cluster, regardless of your overall usage. By calculating the effective usage in cost management, you can more accurately correlate cloud costs with a pod or namespace by considering their direct utilization.

A pod typically requests resources, such as CPU or memory, from a cluster. The cluster then reserves these requested resources as a minimum, but the pod might use more or less than it initially requested. The effective usage metric in cost management uses whichever kind of usage, CPU or memory, is greater per hour.

You can create a cost model in cost management to estimate your effective usage. Ultimately, you can use this data to understand how infrastructure cost is distributed to your OpenShift project.

Prerequisites

- You must be a user with Cost Administrator or Cost Price List Administrator permissions. To learn how to configure user roles, see [Limiting access to cost management resources](#) in *Getting started with cost management*
- You must add your OpenShift cluster as a cost management data integration. For more details, see [Integrating OpenShift Container Platform data into cost management](#) in *Getting started with cost management*.

Procedure

1. Log in to [Red Hat Hybrid Cloud Console](#).
2. From the **Services** menu, click **Spend Management** → **Cost Management**.
3. In the Global Navigation, click **Cost Management** → **Settings**.
4. In the **Cost Models** tab, click **Create cost model** to open the cost model wizard.
5. Enter a name and description for the cost model and select **OpenShift Container Platform** as the integration type. Click **Next**.
6. Create a price list so that you can assign rates to usage or requests. The cost management service collects these metrics from OpenShift but there is no cost attached to them in cost management until you apply a cost model.
 - a. To create a price list to calculate effective CPU usage, click **Create rate**.
 - i. Add a description. In this example, enter **effective cpu usage**.
 - ii. In the **Metric** field, select **CPU**.
 - iii. In the **Measurement** field, select **Effective-usage (core-hours)**.
 - iv. In the **Rate** field, enter the rate you pay for CPU usage. In this example, enter **2**. Click **Create rate**.
 - b. To create a price list to calculate effective memory usage, click **Create rate**.
 - i. Add a description. In this example, enter **effective memory usage**.

- ii. In the **Metric** field, select **Memory**.
 - iii. In the **Measurement** field, select **Effective-usage (GB-hours)**.
 - iv. In the **Rate** field, enter the rate you pay for memory usage. In this example, enter **1**. Click **Create rate**.
7. Click **Next**.
8. (Optional) On the **Cost calculations** page, apply a markup or discount to change how raw costs are calculated for your integrations. Adding a markup to your *raw costs* can allow you to account for your overhead costs, such as the cost of administering your AWS account, Azure subscription, or other support costs. A markup is an estimation to cover your costs not shown by metrics or usage.
9. On the **Cost distribution** page, select the **CPU** or **Memory** distribution type. The distribution type distributes costs based on CPU or memory metrics in project cost breakdowns. If your cluster has high memory usage, select **Memory**. If your cluster has high CPU usage, select **CPU**. Click **Next**.
10. Assign an integration to your cost model and then click **Next**.
11. Review the details and then click **Create**.
12. To review the results of your cost model on a integration, in the Global Navigation, click **Cost Management** → **OpenShift**.
13. Select a project and view the results.

PROVIDING FEEDBACK ON RED HAT DOCUMENTATION

If you found an error or have a suggestion on how to improve these guidelines, open an issue in the [cost management Jira board](#) and add the **Documentation** label.

We appreciate your feedback!