



## Red Hat build of OpenJDK 11

### Release notes for Red Hat build of OpenJDK 11.0.20



# Red Hat build of OpenJDK 11 Release notes for Red Hat build of OpenJDK 11.0.20

---

## Legal Notice

Copyright © 2023 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

The Release notes for Red Hat build of OpenJDK 11.0.20 document provides an overview of new features in Red Hat build of OpenJDK 11 and a list of potential known issues and possible workarounds.

---

## Table of Contents

<b>PREFACE</b> .....	<b>3</b>
<b>MAKING OPEN SOURCE MORE INCLUSIVE</b> .....	<b>4</b>
<b>PROVIDING FEEDBACK ON RED HAT DOCUMENTATION</b> .....	<b>5</b>
<b>CHAPTER 1. SUPPORT POLICY FOR RED HAT BUILD OF OPENJDK</b> .....	<b>6</b>
<b>CHAPTER 2. DIFFERENCES FROM UPSTREAM OPENJDK 11</b> .....	<b>7</b>
<b>CHAPTER 3. RED HAT BUILD OF OPENJDK 11.0.20.1 RELEASE NOTES</b> .....	<b>8</b>
Fixed Invalid CEN header error on valid .zip files	8
Increased default value of jdk.jar.maxSignatureFileSize system property	8
Fixed NullPointerException when handling null addresses	8
Advisories related to Red Hat build of OpenJDK 11.0.20.1	8
<b>CHAPTER 4. RED HAT BUILD OF OPENJDK FEATURES</b> .....	<b>9</b>
Red Hat build of OpenJDK new features and enhancements	9
Reduced risk of JVM crash when using <code>GregorianCalendar.computeTime()</code>	9
Additional characters for GB18030-2022 support allowed	9
Support for GB18030-2022	9
Enhanced ZIP performance	10
Enhanced validation of JAR signature	10
Legal headers for generated files	10
GTS root certificate authority (CA) certificates added	10
Microsoft Corporation root CA certificates added	11
TWCA root CA certificate added	11
<b>CHAPTER 5. ADVISORIES RELATED TO THIS RELEASE</b> .....	<b>12</b>



## PREFACE

OpenJDK (Open Java Development Kit) is a free and open source implementation of the Java Platform, Standard Edition (Java SE). The Red Hat build of OpenJDK is available in three versions: 8u, 11u, and 17u.

Packages for the Red Hat build of OpenJDK are made available on Red Hat Enterprise Linux and Microsoft Windows and shipped as a JDK and JRE in the Red Hat Ecosystem Catalog.

## MAKING OPEN SOURCE MORE INCLUSIVE

Red Hat is committed to replacing problematic language in our code, documentation, and web properties. We are beginning with these four terms: master, slave, blacklist, and whitelist. Because of the enormity of this endeavor, these changes will be implemented gradually over several upcoming releases. For more details, see [our CTO Chris Wright's message](#).



# PROVIDING FEEDBACK ON RED HAT DOCUMENTATION

We appreciate your feedback on our documentation. To provide feedback, you can highlight the text in a document and add comments.

This section explains how to submit feedback.

## Prerequisites

- You are logged in to the Red Hat Customer Portal.
- In the Red Hat Customer Portal, view the document in **Multi-page HTML** format.

## Procedure

To provide your feedback, perform the following steps:

1. Click the **Feedback** button in the top-right corner of the document to see existing feedback.



### NOTE


The feedback feature is enabled only in the **Multi-page HTML** format.

2. Highlight the section of the document where you want to provide feedback.
3. Click the **Add Feedback** pop-up that appears near the highlighted text.  
A text box appears in the feedback section on the right side of the page.
4. Enter your feedback in the text box and click **Submit**.  
A documentation issue is created.
5. To view the issue, click the issue tracker link in the feedback view.

## CHAPTER 1. SUPPORT POLICY FOR RED HAT BUILD OF OPENJDK

Red Hat will support select major versions of Red Hat build of OpenJDK in its products. For consistency, these are the same versions that Oracle designates as long-term support (LTS) for the Oracle JDK.

A major version of Red Hat build of OpenJDK will be supported for a minimum of six years from the time that version is first introduced. For more information, see the [OpenJDK Life Cycle and Support Policy](#).



### NOTE

RHEL 6 reached the end of life in November 2020. Because of this, Red Hat build of OpenJDK is not supporting RHEL 6 as a supported configuration.

## CHAPTER 2. DIFFERENCES FROM UPSTREAM OPENJDK 11

Red Hat build of OpenJDK in Red Hat Enterprise Linux (RHEL) contains a number of structural changes from the upstream distribution of OpenJDK. The Microsoft Windows version of Red Hat build of OpenJDK attempts to follow RHEL updates as closely as possible.

The following list details the most notable Red Hat build of OpenJDK 11 changes:

- FIPS support. Red Hat build of OpenJDK 11 automatically detects whether RHEL is in FIPS mode and automatically configures Red Hat build of OpenJDK 11 to operate in that mode. This change does not apply to Red Hat build of OpenJDK builds for Microsoft Windows.
- Cryptographic policy support. Red Hat build of OpenJDK 11 obtains the list of enabled cryptographic algorithms and key size constraints from RHEL. These configuration components are used by the Transport Layer Security (TLS) encryption protocol, the certificate path validation, and any signed JARs. You can set different security profiles to balance safety and compatibility. This change does not apply to Red Hat build of OpenJDK builds for Microsoft Windows.
- Red Hat build of OpenJDK on RHEL dynamically links against native libraries such as **zlib** for archive format support and **libjpeg-turbo**, **libpng**, and **giflib** for image support. RHEL also dynamically links against **Harfbuzz** and **Freetype** for font rendering and management.
- The **src.zip** file includes the source for all the JAR libraries shipped with Red Hat build of OpenJDK.
- Red Hat build of OpenJDK on RHEL uses system-wide timezone data files as a source for timezone information.
- Red Hat build of OpenJDK on RHEL uses system-wide CA certificates.
- Red Hat build of OpenJDK on Microsoft Windows includes the latest available timezone data from RHEL.
- Red Hat build of OpenJDK on Microsoft Windows uses the latest available CA certificate from RHEL.

### Additional resources

- For more information about detecting if a system is in FIPS mode, see the [Improve system FIPS detection](#) example on the Red Hat RHEL Planning Jira.
- For more information about cryptographic policies, see [Using system-wide cryptographic policies](#).

## CHAPTER 3. RED HAT BUILD OF OPENJDK 11.0.20.1 RELEASE NOTES

Review the following release notes for an overview of the changes from the Red Hat build of OpenJDK 11.0.20.1 patch release.



### NOTE

For all the other changes and security fixes, see [OpenJDK 11.0.20.1 Released](#).

### Fixed Invalid CEN header error on valid .zip files

Red Hat build of OpenJDK 11.0.20 introduced additional validation checks on the **ZIP64** fields of **.zip** files (JDK-8302483). However, these additional checks caused validation failures on some valid **.zip** files with the following error message: **Invalid CEN header (invalid zip64 extra data field size)**.

To fix this issue, Red Hat build of OpenJDK 11.0.20.1 supports zero-length headers and the additional padding that some **ZIP64** creation tools produce. From Red Hat build of OpenJDK 11.0.20 onward, you can disable these checks by setting the **jdk.util.zip.disableZip64ExtraFieldValidation** system property to **true**.

See [JDK-8313765 \(JDK Bug System\)](#)

### Increased default value of **jdk.jar.maxSignatureFileSize** system property

Red Hat build of OpenJDK 11.0.20 introduced a **jdk.jar.maxSignatureFileSize** system property for configuring the maximum number of bytes that are allowed for the signature-related files in a Java archive (JAR) file ([JDK-8300596](#)). By default, the **jdk.jar.maxSignatureFileSize** property was set to 8000000 bytes (8 MB), which was too small for some JAR files.

Red Hat build of OpenJDK 11.0.20.1 increases the default value of the **jdk.jar.maxSignatureFileSize** property to 16000000 bytes (16 MB).

See [JDK-8313216 \(JDK Bug System\)](#)

### Fixed **NullPointerException** when handling null addresses

In Red Hat build of OpenJDK 11.0.20, when the serviceability agent encountered null addresses while generating thread dumps, the serviceability agent produced a **NullPointerException**.

Red Hat build of OpenJDK 11.0.20.1 handles null addresses appropriately.

See [JDK-8243210 \(JDK Bug System\)](#)

### Advisories related to Red Hat build of OpenJDK 11.0.20.1

The following advisories have been issued about bug fixes and CVE fixes included in this release:

- [RHBA-2023:5225](#)
- [RHBA-2023:5227](#)
- [RHBA-2023:5229](#)

## CHAPTER 4. RED HAT BUILD OF OPENJDK FEATURES

The latest Red Hat build of OpenJDK 11 release might include new features. Additionally, the latest release might enhance, deprecate, or remove features that originated from previous Red Hat build of OpenJDK 11 releases.



### NOTE

For all the other changes and security fixes, see [OpenJDK 11.0.20 Released](#).

### Red Hat build of OpenJDK new features and enhancements

Review the following release notes to understand new features and feature enhancements that are included with the Red Hat build of OpenJDK 11.0.20 release:

#### Reduced risk of JVM crash when using `GregorianCalendar.computeTime()`

In Red Hat build of OpenJDK 11.0.19, a virtual machine crash could occur when using the `GregorianCalendar.computeTime()` method ([JDK-8307683](#)). Even though an old issue is the root cause of this JVM crash, a recent fix for a rare issue in the C2 compiler ([JDK-8297951](#)) significantly increased the probability of the JVM crash. To mitigate risk, the Red Hat build of OpenJDK 11.0.20 release excludes the fix for the C2 compiler. Once the root cause of the JVM crash is resolved ([JDK-8307683](#)), Red Hat build of OpenJDK will reintroduce the fix for the C2 compiler ([JDK-8297951](#)).

See [JDK-8308884 \(JDK Bug System\)](#).

#### Additional characters for GB18030-2022 support allowed

To support "Implementation Level 1" of the GB18030-2022 standard, Red Hat build of OpenJDK must support the use of five additional characters that are beyond the scope of Unicode 10, which Red Hat build of OpenJDK 11 is based on. Maintenance Release 2 of the Java SE 11 specification adds support for these additional characters, which Red Hat build of OpenJDK 11.0.20 implements.

The additional characters are as follows:

- 0x82359632 U+9FEB
- 0x82359633 U+9FEC
- 0x82359634 U+9FED
- 0x82359635 U+9FEE
- 0x82359636 U+9FEF

See [JDK-8301401 \(JDK Bug System\)](#).

#### Support for GB18030-2022

The Chinese Electronics Standardization Institute (CESI) recently published GB18030-2022 as an update to the GB18030 standard, synchronizing the character set with Unicode 11.0. The GB18030-2022 standard is now the default GB18030 character set that Red Hat build of OpenJDK 11.0.20 uses. However, this updated character set contains incompatible changes compared with GB18030-2000, which previous releases of Red Hat build of OpenJDK 11 used. From Red Hat build of OpenJDK 11.0.20 onward, if you want to use the previous version of the character set, ensure that the new system property `jdk.charset.GB18030` is set to `2000`.

See [JDK-8301119 \(JDK Bug System\)](#).

### Enhanced ZIP performance

The Red Hat build of OpenJDK 11.0.20 release includes enhanced checks on the **ZIP64** fields of **.zip** files. If these checks cause failures on trusted **.zip** files, you can disable these checks by setting the new system property **jdk.util.zip.disableZip64ExtraFieldValidation** to **true**.

JDK bug system reference ID: JDK-8302483.

### Enhanced validation of JAR signature

You can now configure the maximum number of bytes that are allowed for the signature-related files in a Java archive (JAR) file by setting a new system property, **jdk.jar.maxSignatureFileSize**. By default, the **jdk.jar.maxSignatureFileSize** property is set to **8000000** bytes (8 MB).

JDK bug system reference ID: JDK-8300596.

### Legal headers for generated files

The **javadoc** tool now supports the inclusion of legal files, which pertain to the licensing of files that the standard doclet generates. You can use the new **--legal-notices** command-line option to configure this feature.

See [JDK-8259530 \(JDK Bug System\)](#).

### GTS root certificate authority (CA) certificates added

In the Red Hat build of OpenJDK 11.0.20 release, the **cacerts** truststore includes four Google Trust Services (GTS) root certificates:

#### Certificate 1

- Name: Google Trust Services LLC
- Alias name: gtsrootcar1
- Distinguished name: CN=GTS Root R1, O=Google Trust Services LLC, C=US

#### Certificate 2

- Name: Google Trust Services LLC
- Alias name: gtsrootcar2
- Distinguished name: CN=GTS Root R2, O=Google Trust Services LLC, C=US

#### Certificate 3

- Name: Google Trust Services LLC
- Alias name: gtsrootcar3
- Distinguished name: CN=GTS Root R3, O=Google Trust Services LLC, C=US

#### Certificate 4

- Name: Google Trust Services LLC
- Alias name: gtsrootcar4
- Distinguished name: CN=GTS Root R4, O=Google Trust Services LLC, C=US

See [JDK-8307134 \(JDK Bug System\)](#).

### Microsoft Corporation root CA certificates added

In the Red Hat build of OpenJDK 11.0.20 release, the **cacerts** truststore includes two Microsoft Corporation root certificates:

#### Certificate 1

- Name: Microsoft Corporation
- Alias name: microsoftecc2017
- Distinguished name: CN=Microsoft ECC Root Certificate Authority 2017, O=Microsoft Corporation, C=US

#### Certificate 2

- Name: Microsoft Corporation
- Alias name: microsoftrsa2017
- Distinguished name: CN=Microsoft RSA Root Certificate Authority 2017, O=Microsoft Corporation, C=US

See [JDK-8304760 \(JDK Bug System\)](#).

### TWCA root CA certificate added

In the Red Hat build of OpenJDK 11.0.20 release, the **cacerts** truststore includes the Taiwan Certificate Authority (TWCA) root certificate:

- Name: TWCA
- Alias name: twcaglobalrootca
- Distinguished name: CN=TWCA Global Root CA, OU=Root CA, O=TAIWAN-CA, C=TW

See [JDK-8305975 \(JDK Bug System\)](#).

## CHAPTER 5. ADVISORIES RELATED TO THIS RELEASE

The following advisories are issued to document bug fixes and CVE fixes included in this release:

- [RHSA-2023:4157](#)
- [RHSA-2023:4158](#)
- [RHSA-2023:4161](#)
- [RHSA-2023:4162](#)
- [RHSA-2023:4163](#)
- [RHSA-2023:4164](#)
- [RHSA-2023:4165](#)
- [RHSA-2023:4175](#)
- [RHSA-2023:4208](#)
- [RHSA-2023:4233](#)

*Revised on 2023-11-02 14:36:26 UTC*