



Red Hat OpenShift Container Storage 4.6

Deploying and managing OpenShift Container Storage using Google Cloud

How to install and manage

Red Hat OpenShift Container Storage 4.6 Deploying and managing OpenShift Container Storage using Google Cloud

How to install and manage

Legal Notice

Copyright © 2022 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

Read this document for instructions on installing and managing Red Hat OpenShift Container Storage on Google Cloud. Deploying and managing OpenShift Container Storage on Google Cloud is a Technology Preview feature. Technology Preview features are not supported with Red Hat production service level agreements (SLAs) and might not be functionally complete. Red Hat does not recommend using them in production. These features provide early access to upcoming product features, enabling customers to test functionality and provide feedback during the development process.

Table of Contents

PREFACE	5
CHAPTER 1. DEPLOYING OPENSIFT CONTAINER STORAGE ON GOOGLE CLOUD	6
1.1. INSTALLING RED HAT OPENSIFT CONTAINER STORAGE OPERATOR	6
1.2. CREATING AN OPENSIFT CONTAINER STORAGE CLUSTER SERVICE IN INTERNAL MODE	9
CHAPTER 2. VERIFYING OPENSIFT CONTAINER STORAGE DEPLOYMENT	13
2.1. VERIFYING THE STATE OF THE PODS	13
2.2. VERIFYING THE OPENSIFT CONTAINER STORAGE CLUSTER IS HEALTHY	14
2.3. VERIFYING THE MULTICLOUD OBJECT GATEWAY IS HEALTHY	15
2.4. VERIFYING THAT THE OPENSIFT CONTAINER STORAGE SPECIFIC STORAGE CLASSES EXIST	16
CHAPTER 3. UNINSTALLING OPENSIFT CONTAINER STORAGE	17
3.1. UNINSTALLING OPENSIFT CONTAINER STORAGE IN INTERNAL MODE	17
3.2. REMOVING MONITORING STACK FROM OPENSIFT CONTAINER STORAGE	22
3.3. REMOVING OPENSIFT CONTAINER PLATFORM REGISTRY FROM OPENSIFT CONTAINER STORAGE	25
3.4. REMOVING THE CLUSTER LOGGING OPERATOR FROM OPENSIFT CONTAINER STORAGE	26
CHAPTER 4. STORAGE CLASSES AND STORAGE POOLS	28
4.1. CREATING STORAGE CLASSES AND POOLS	28
CHAPTER 5. CONFIGURE STORAGE FOR OPENSIFT CONTAINER PLATFORM SERVICES	30
5.1. CONFIGURING IMAGE REGISTRY TO USE OPENSIFT CONTAINER STORAGE	30
5.2. CONFIGURING MONITORING TO USE OPENSIFT CONTAINER STORAGE	32
5.3. CLUSTER LOGGING FOR OPENSIFT CONTAINER STORAGE	34
5.3.1. Configuring persistent storage	35
5.3.2. Configuring cluster logging to use OpenShift Container Storage	36
CHAPTER 6. BACKING OPENSIFT CONTAINER PLATFORM APPLICATIONS WITH OPENSIFT CONTAINER STORAGE	39
CHAPTER 7. HOW TO USE DEDICATED WORKER NODES FOR RED HAT OPENSIFT CONTAINER STORAGE	41
7.1. ANATOMY OF AN INFRASTRUCTURE NODE	41
7.2. MACHINE SETS FOR CREATING INFRASTRUCTURE NODES	41
7.3. MANUAL CREATION OF INFRASTRUCTURE NODES	42
CHAPTER 8. SCALING STORAGE NODES	44
8.1. REQUIREMENTS FOR SCALING STORAGE NODES	44
8.2. SCALING UP STORAGE BY ADDING CAPACITY TO YOUR OPENSIFT CONTAINER STORAGE NODES ON GOOGLE CLOUD INFRASTRUCTURE	44
8.3. SCALING OUT STORAGE CAPACITY BY ADDING NEW NODES	47
8.3.1. Adding a node on Google Cloud installer-provisioned infrastructure	47
8.3.2. Verifying the addition of a new node	48
8.3.3. Scaling up storage capacity	48
CHAPTER 9. MULTICLOUD OBJECT GATEWAY	49
9.1. ABOUT THE MULTICLOUD OBJECT GATEWAY	49
9.2. ACCESSING THE MULTICLOUD OBJECT GATEWAY WITH YOUR APPLICATIONS	49
9.2.1. Accessing the Multicloud Object Gateway from the terminal	50
9.2.2. Accessing the Multicloud Object Gateway from the MCG command-line interface	52
9.3. ADDING STORAGE RESOURCES FOR HYBRID OR MULTICLOUD	54
9.3.1. Adding storage resources for hybrid or Multicloud using the MCG command line interface	54

9.3.2. Creating an s3 compatible Multicloud Object Gateway backingstore	56
9.3.3. Adding storage resources for hybrid and Multicloud using the user interface	57
9.3.4. Creating a new bucket class	59
9.4. MIRRORING DATA FOR HYBRID AND MULTICLOUD BUCKETS	62
9.4.1. Creating bucket classes to mirror data using the MCG command-line-interface	62
9.4.2. Creating bucket classes to mirror data using a YAML	62
9.4.3. Configuring buckets to mirror data using the user interface	63
9.5. BUCKET POLICIES IN THE MULTICLOUD OBJECT GATEWAY	65
9.5.1. About bucket policies	65
9.5.2. Using bucket policies	65
9.5.3. Creating an AWS S3 user in the Multicloud Object Gateway	67
9.6. OBJECT BUCKET CLAIM	69
9.6.1. Dynamic Object Bucket Claim	69
9.6.2. Creating an Object Bucket Claim using the command line interface	71
9.6.3. Creating an Object Bucket Claim using the OpenShift Web Console	74
9.6.4. Attaching an Object Bucket Claim to a deployment	76
9.6.5. Viewing object buckets using the OpenShift Web Console	77
9.6.6. Deleting Object Bucket Claims	78
9.7. SCALING MULTICLOUD OBJECT GATEWAY PERFORMANCE BY ADDING ENDPOINTS	79
9.7.1. S3 endpoints in the Multicloud Object Gateway	79
9.7.2. Scaling with storage nodes	80
CHAPTER 10. MANAGING PERSISTENT VOLUME CLAIMS	83
10.1. CONFIGURING APPLICATION PODS TO USE OPENSIFT CONTAINER STORAGE	83
10.2. VIEWING PERSISTENT VOLUME CLAIM REQUEST STATUS	84
10.3. REVIEWING PERSISTENT VOLUME CLAIM REQUEST EVENTS	85
10.4. DYNAMIC PROVISIONING	85
10.4.1. About dynamic provisioning	85
10.4.2. Dynamic provisioning in OpenShift Container Storage	86
10.4.3. Available dynamic provisioning plug-ins	86
CHAPTER 11. VOLUME SNAPSHOTS	88
11.1. CREATING VOLUME SNAPSHOTS	88
11.2. RESTORING VOLUME SNAPSHOTS	89
11.3. DELETING VOLUME SNAPSHOTS	90
CHAPTER 12. VOLUME CLONING	92
12.1. CREATING A CLONE	92
CHAPTER 13. REPLACING STORAGE NODES	93
13.1. REPLACING OPERATIONAL NODES ON GOOGLE CLOUD INSTALLER-PROVISIONED INFRASTRUCTURE	93
13.2. REPLACING FAILED NODES ON GOOGLE CLOUD INSTALLER-PROVISIONED INFRASTRUCTURE	94
CHAPTER 14. REPLACING STORAGE DEVICES	97
14.1. REPLACING OPERATIONAL OR FAILED STORAGE DEVICES ON GOOGLE CLOUD INSTALLER-PROVISIONED INFRASTRUCTURE	97
CHAPTER 15. UPDATING OPENSIFT CONTAINER STORAGE	98
15.1. OVERVIEW OF THE OPENSIFT CONTAINER STORAGE UPDATE PROCESS	98
15.2. PREPARING TO UPDATE IN A DISCONNECTED ENVIRONMENT	98
15.2.1. Adding mirror registry authentication details	99
15.2.2. Building and mirroring the Red Hat operator catalog	100
15.2.3. Creating Operator imageContentSourcePolicy	101
15.2.4. Updating redhat-operator CatalogSource	101

15.2.5. Continue to update	102
15.3. UPDATING OPENSIFT CONTAINER STORAGE IN INTERNAL MODE	102
15.3.1. Enabling automatic updates for OpenShift Container Storage operator in internal mode	103
15.3.2. Manually updating OpenShift Container Storage operator in internal mode	105

PREFACE

Red Hat OpenShift Container Storage 4.6 supports deployment on existing Red Hat OpenShift Container Platform (RHOCP) Google Cloud clusters.



NOTE

Only internal OpenShift Container Storage clusters are supported on Google Cloud. See [Planning your deployment](#) for more information about deployment requirements.

To deploy OpenShift Container Storage in internal mode, follow the deployment process [Deploying OpenShift Container Storage on Google Cloud](#).

CHAPTER 1. DEPLOYING OPENSIFT CONTAINER STORAGE ON GOOGLE CLOUD

Deploying OpenShift Container Storage on OpenShift Container Platform using dynamic storage devices provided by Google Cloud installer-provisioned infrastructure (IPI) enables you to create internal cluster resources. This results in internal provisioning of the base services, which helps to make additional storage classes available to applications.



NOTE

Only internal OpenShift Container Storage clusters are supported on Google Cloud. See [Planning your deployment](#) for more information about deployment requirements.

1. [Install the Red Hat OpenShift Container Storage Operator](#) .
2. [Create the OpenShift Container Storage Cluster Service](#)
3. [Creating a new backing store](#)

1.1. INSTALLING RED HAT OPENSIFT CONTAINER STORAGE OPERATOR

You can install Red Hat OpenShift Container Storage Operator using the Red Hat OpenShift Container Platform Operator Hub. For information about the hardware and software requirements, see [Planning your deployment](#).

Prerequisites

- You must be logged into the OpenShift Container Platform (RHOC) cluster.
- You must have at least three worker nodes in the RHOC cluster.



NOTE

- When you need to override the cluster-wide default node selector for OpenShift Container Storage, you can use the following command in command line interface to specify a blank node selector for the **openshift-storage** namespace:


```
$ oc annotate namespace openshift-storage openshift.io/node-selector=
```
- Taint a node as **infra** to ensure only Red Hat OpenShift Container Storage resources are scheduled on that node. This helps you save on subscription costs. For more information, see [How to use dedicated worker nodes for Red Hat OpenShift Container Storage](#) chapter in Managing and Allocating Storage Resources guide.

Procedure

1. Click **Operators** → **OperatorHub** in the left pane of the OpenShift Web Console.
2. Use **Filter by keyword** text box or the filter list to search for OpenShift Container Storage from the list of operators.

3. Click **OpenShift Container Storage**.
4. On the **OpenShift Container Storage operator** page, click **Install**.
5. On the **Install Operator** page, ensure the following options are selected by default::
 - a. Update Channel as **stable-4.6**
 - b. Installation Mode as **A specific namespace on the cluster**
 - c. Installed Namespace as **Operator recommended namespace openshift-storage**. If Namespace **openshift-storage** does not exist, it will be created during the operator installation.
 - d. Select **Enable operator recommended cluster monitoring on this namespace** checkbox as this is required for cluster monitoring.
 - e. Select **Approval Strategy** as **Automatic** or **Manual**. Approval Strategy is set to **Automatic** by default.

- **Approval Strategy as Automatic.**



NOTE

When you select the Approval Strategy as **Automatic**, approval is not required either during fresh installation or when updating to the latest version of OpenShift Container Storage.

- i. Click **Install**
 - ii. Wait for the install to initiate. This may take up to 20 minutes.
 - iii. Click **Operators → Installed Operators**
 - iv. Ensure the **Project** is **openshift-storage**. By default, the **Project** is **openshift-storage**.
 - v. Wait for the **Status** of **OpenShift Container Storage** to change to **Succeeded**.
- **Approval Strategy as Manual.**



NOTE

When you select the Approval Strategy as **Manual**, approval is required during fresh installation or when updating to the latest version of OpenShift Container Storage.

- i. Click **Install**
- ii. On the **Manual approval required** page, you can either click **Approve** or **View Installed Operators in namespace openshift-storage** to install the operator.

**IMPORTANT**

Before you click either of the options, wait for a few minutes on the **Manual approval required** page until the install plan gets loaded in the window.

**IMPORTANT**

If you choose to click **Approve**, you must review the install plan before you proceed.

- If you click **Approve**.
 - Wait for a few minutes while the OpenShift Container Storage Operator is getting installed.
 - On the **Installed operator - ready for use** page, click **View Operator**.
 - Ensure the **Project** is **openshift-storage**. By default, the **Project** is **openshift-storage**.
 - Click **Operators → Installed Operators**
 - Wait for the **Status** of **OpenShift Container Storage** to change to **Succeeded**.
- If you click **View Installed Operators in namespace openshift-storage**.
 - On the **Installed Operators** page, click **ocs-operator**.
 - On the **Subscription Details** page, click the **Install Plan** link.
 - On the **InstallPlan Details** page, click **Preview Install Plan**.
 - Review the install plan and click **Approve**.
 - Wait for the **Status** of the **Components** to change from **Unknown** to either **Created** or **Present**.
 - Click **Operators → Installed Operators**
 - Ensure the **Project** is **openshift-storage**. By default, the **Project** is **openshift-storage**.
 - Wait for the **Status** of **OpenShift Container Storage** to change to **Succeeded**.

Verification steps

- Verify that **OpenShift Container Storage** Operator shows a green tick indicating successful installation.
- Click **View Installed Operators in namespace openshift-storage** link to verify that OpenShift Container Storage Operator shows the **Status** as **Succeeded** on the Installed Operators dashboard.

1.2. CREATING AN OPENSIFT CONTAINER STORAGE CLUSTER SERVICE IN INTERNAL MODE

Use this procedure to create an OpenShift Container Storage Cluster Service after you install the OpenShift Container Storage operator.

Prerequisites


- The OpenShift Container Storage operator must be installed from the Operator Hub. For more information, see [Installing OpenShift Container Storage Operator using the Operator Hub](#).
- Be aware that the default storage class of Google Cloud uses hard disk drive (HDD). To use solid state drive (SSD) based disks for better performance, you need to create a storage class, using **pd-ssd** as shown in the following **ssd-storageclass.yaml** example:

```
apiVersion: storage.k8s.io/v1
kind: StorageClass
metadata:
  name: faster
provisioner: kubernetes.io/gce-pd
parameters:
  type: pd-ssd
volumeBindingMode: WaitForFirstConsumer
reclaimPolicy: Delete
```

Procedure

1. Click **Operators** → **Installed Operators** to view all the installed operators. Ensure that the **Project** selected is **openshift-storage**.

Figure 1.1. OpenShift Container Storage Operator page



2. Click **OpenShift Container Storage**.

Figure 1.2. Details tab of OpenShift Container Storage

Project: openshift-storage

Installed Operators > Operator Details

OpenShift Container Storage
4.6.0 provided by Red Hat

Actions

Details | YAML | Subscription | Events | All Instances | Storage Cluster | Backing Store | Bucket Class

Provided APIs

OCS Storage Cluster

Storage Cluster represents an OpenShift Container Storage Cluster including Ceph Cluster, NooBaa and all the storage and compute resources required.

[Create Instance](#)

NBS Backing Store

Storage target spec such as aws-s3, s3-compatible, ibm-cos, PV's and more. Used in BucketClass to construct data placement policies.

[Create Instance](#)

NBC Bucket Class

Storage policy spec tiering, mirroring, spreading. Combines BackingStores. Referenced by ObjectBucketClaims.

[Create Instance](#)

Provider
Red Hat

Created At
Nov 12, 11:48 am

Links
Source Code
<https://github.com/openshift/ocs-operator>

Maintainers
Red Hat Support
ocs-support@redhat.com

Description

Red Hat OpenShift Container Storage deploys three operators.

OpenShift Container Storage operator

The OpenShift Container Storage operator is the primary operator for OpenShift Container Storage. It serves to facilitate the other operators in OpenShift Container Storage by performing administrative tasks outside their scope as well as watching and configuring their CustomResources.

3. Click **Create Instance** link of Storage Cluster.

Figure 1.3. Create Storage Cluster page

Project: openshift-storage ▾

[OpenShift Container Storage](#) > Create Storage Cluster

Create Storage Cluster

OCS runs as a cloud-native service for optimal integration with applications in need of storage, and handles the scenes such as provisioning and management.

Select Mode: Internal Internal - Attached Devices External

i A bucket will be created to provide the OCS Service.

Capacity

Storage Class [?]

SC standard ▾

OCS Service Capacity [?]

4 TiB ▾

Encryption

Enable data encryption for the OCS storage cluster

Enabled

Nodes

Select at least 3 nodes, preferably in 3 different zones. It is recommended to start with at least 14 CPUs and 34 GiB per node. The selected nodes will be labeled with `cluster.ocs.openshift.io/openshift-storage=""` (unless they are already labeled). 3 of the selected nodes will be used for initial deployment. The remaining nodes will be used by OpenShift as scheduling targets for OCS scaling.

Name ▾ Search by name... /

<input checked="" type="checkbox"/>	Name	Role	Location	CPU	Memory
<input checked="" type="checkbox"/>	N ip-10-0-154-195.us-east-2.compute.internal	worker	us-east-2a	16	61.03 GiB
<input checked="" type="checkbox"/>	N ip-10-0-184-22.us-east-2.compute.internal	worker	us-east-2b	16	60.37 GiB
<input checked="" type="checkbox"/>	N ip-10-0-200-66.us-east-2.compute.internal	worker	us-east-2c	16	60.37 GiB

3 nodes selected

Create Cancel

4. On the **Create Storage Cluster** page, ensure that the following options are selected:
 - a. In the **Select Mode** section, **Internal** mode is selected by default.

- b. **Storage Class** is set by default to **standard** for Google Cloud. However, if you created a storage class to use SSD based disks for better performance, you need to select that storage class.
- c. Select **OpenShift Container Storage Service Capacity** from drop down list.



NOTE

Once you select the initial storage capacity, cluster expansion will only be performed using the selected usable capacity (times 3 of raw storage).

- d. **(Optional)** In the **Encryption** section, set the toggle to **Enabled** to enable data encryption on the cluster.
- e. In the **Nodes** section, select at least three worker nodes from the available list for the use of OpenShift Container Storage service.
For cloud platforms with multiple availability zones, ensure that the Nodes are spread across different Locations/availability zones.



NOTE

To find specific worker nodes in the cluster, you can filter nodes on the basis of Name or Label.

- Name allows you to search by name of the node
- Label allows you to search by selecting the predefined label

If the nodes selected do not match the OpenShift Container Storage cluster requirement of an aggregated 30 CPUs and 72 GiB of RAM, a minimal cluster will be deployed. For minimum starting node requirements, see [Resource requirements](#) section in Planning guide.

5. Click **Create**.

The **Create** button is enabled only after you select three nodes. A new storage cluster with three storage devices will be created, one per selected node. The default configuration uses a replication factor of 3.

Verification steps

1. Verify that the final **Status** of the installed storage cluster shows as **Phase: Ready** with a green tick mark.
 - Click **Operators → Installed Operators → Storage Cluster** link to view the storage cluster installation status.
 - Alternatively, when you are on the Operator **Details** tab, you can click on the **Storage Cluster** tab to view the status.
2. To verify that all components for OpenShift Container Storage are successfully installed, see [Verifying your OpenShift Container Storage installation](#).

CHAPTER 2. VERIFYING OPENSIFT CONTAINER STORAGE DEPLOYMENT

Use this section to verify that OpenShift Container Storage is deployed correctly.

2.1. VERIFYING THE STATE OF THE PODS

To determine if OpenShift Container storage is deployed successfully, you can verify that the pods are in **Running** state.

Procedure

1. Click **Workloads** → **Pods** from the left pane of the OpenShift Web Console.
2. Select **openshift-storage** from the **Project** drop down list.
For more information on the expected number of pods for each component and how it varies depending on the number of nodes, see [Table 2.1, "Pods corresponding to OpenShift Container storage cluster"](#).
3. Verify that the following pods are in running and completed state by clicking on the **Running** and the **Completed** tabs:

Table 2.1. Pods corresponding to OpenShift Container storage cluster


Component	Corresponding pods
OpenShift Container Storage Operator	<ul style="list-style-type: none"> ● ocs-operator-* (1 pod on any worker node) ● ocs-metrics-exporter-*
Rook-ceph Operator	rook-ceph-operator-* (1 pod on any worker node)
Multicloud Object Gateway	<ul style="list-style-type: none"> ● noobaa-operator-* (1 pod on any worker node) ● noobaa-core-* (1 pod on any storage node) ● noobaa-db-* (1 pod on any storage node) ● noobaa-endpoint-* (1 pod on any storage node)
MON	rook-ceph-mon-* (3 pods distributed across storage nodes)

Component	Corresponding pods
MGR	rook-ceph-mgr-* (1 pod on any storage node)
MDS	rook-ceph-mds-ocs-storagecluster-cephfilesystem-* (2 pods distributed across storage nodes)
CSI	<ul style="list-style-type: none"> ● cephfs <ul style="list-style-type: none"> ○ csi-cephfsplugin-* (1 pod on each worker node) ○ csi-cephfsplugin-provisioner-* (2 pods distributed across worker nodes) ● rbd <ul style="list-style-type: none"> ○ csi-rbdplugin-* (1 pod on each worker node) ○ csi-rbdplugin-provisioner-* (2 pods distributed across worker nodes)
rook-ceph-crashcollector	rook-ceph-crashcollector-* (1 pod on each storage node)
OSD	<ul style="list-style-type: none"> ● rook-ceph-osd-* (1 pod for each device) ● rook-ceph-osd-prepare-ocs-deviceset-* (1 pod for each device)

2.2. VERIFYING THE OPENSIFT CONTAINER STORAGE CLUSTER IS HEALTHY

- Click **Home** → **Overview** from the left pane of the OpenShift Web Console and click **Persistent Storage** tab.
- In the **Status card**, verify that *OCS Cluster* and *Data Resiliency* has a green tick mark as shown in the following image:

Figure 2.1. Health status card in Persistent Storage Overview Dashboard



- In the **Details card**, verify that the cluster information is displayed as follows:

Service Name

OpenShift Container Storage

Cluster Name

ocs-storagecluster

Provider

GCP

Mode

Internal

Version


ocs-operator-4.6.0

For more information on the health of OpenShift Container Storage cluster using the persistent storage dashboard, see [Monitoring OpenShift Container Storage](#).

2.3. VERIFYING THE MULTICLOUD OBJECT GATEWAY IS HEALTHY

- Click **Home** → **Overview** from the left pane of the OpenShift Web Console and click the **Object Service** tab.
- In the **Status card**, verify that both *Object Service* and *Data Resiliency* are in **Ready** state (green tick).

Figure 2.2. Health status card in Object Service Overview Dashboard



- In the **Details card**, verify that the MCG information is displayed as follows:

Service Name

OpenShift Container Storage

System Name

Multicloud Object Gateway

Provider

GCP

Version

ocs-operator-4.6.0

For more information on the health of the OpenShift Container Storage cluster using the object service dashboard, see [Monitoring OpenShift Container Storage](#).

2.4. VERIFYING THAT THE OPENSIFT CONTAINER STORAGE SPECIFIC STORAGE CLASSES EXIST

To verify the storage classes exists in the cluster:

- Click **Storage** → **Storage Classes** from the left pane of the OpenShift Web Console.
- Verify that the following storage classes are created with the OpenShift Container Storage cluster creation:
 - **ocs-storagecluster-ceph-rbd**
 - **ocs-storagecluster-cephfs**
 - **openshift-storage.noobaa.io**

CHAPTER 3. UNINSTALLING OPENSIFT CONTAINER STORAGE

3.1. UNINSTALLING OPENSIFT CONTAINER STORAGE IN INTERNAL MODE

Use the steps in this section to uninstall OpenShift Container Storage.

Uninstall Annotations

Annotations on the Storage Cluster are used to change the behavior of the uninstall process. To define the uninstall behavior, the following two annotations have been introduced in the storage cluster:

- **uninstall.ocs.openshift.io/cleanup-policy: delete**
- **uninstall.ocs.openshift.io/mode: graceful**

The below table provides information on the different values that can be used with these annotations:

Table 3.1. uninstall.ocs.openshift.io uninstall annotations descriptions

Annotation	Value	Default	Behavior
cleanup-policy	delete	Yes	Rook cleans up the physical drives and the DataDirHostPath
cleanup-policy	retain	No	Rook does not clean up the physical drives and the DataDirHostPath
mode	graceful	Yes	Rook and NooBaa pauses the uninstall process until the PVCs and the OBCs are removed by the administrator/user
mode	forced	No	Rook and NooBaa proceeds with uninstall even if PVCs/OBCs provisioned using Rook and NooBaa exist respectively.

You can change the cleanup policy or the uninstall mode by editing the value of the annotation by using the following commands:

```
$ oc annotate storagecluster -n openshift-storage ocs-storagecluster
uninstall.ocs.openshift.io/cleanup-policy="retain" --overwrite
storagecluster.ocs.openshift.io/ocs-storagecluster annotated
```

■

```
$ oc annotate storagecluster -n openshift-storage ocs-storagecluster
uninstall.ocs.openshift.io/mode="forced" --overwrite
storagecluster.ocs.openshift.io/ocs-storagecluster annotated
```

Prerequisites

- Ensure that the OpenShift Container Storage cluster is in a healthy state. The uninstall process can fail when some of the pods are not terminated successfully due to insufficient resources or nodes. In case the cluster is in an unhealthy state, contact Red Hat Customer Support before uninstalling OpenShift Container Storage.
- Ensure that applications are not consuming persistent volume claims (PVCs) or object bucket claims (OBCs) using the storage classes provided by OpenShift Container Storage.
- If any custom resources (such as custom storage classes, cephblockpools) were created by the admin, they must be deleted by the admin after removing the resources which consumed them.

Procedure

1. Delete the volume snapshots that are using OpenShift Container Storage.

- a. List the volume snapshots from all the namespaces.

```
$ oc get volumesnapshot --all-namespaces
```

- b. From the output of the previous command, identify and delete the volume snapshots that are using OpenShift Container Storage.

```
$ oc delete volumesnapshot <VOLUME-SNAPSHOT-NAME> -n <NAMESPACE>
```

2. Delete PVCs and OBCs that are using OpenShift Container Storage.

In the default uninstall mode (graceful), the uninstaller waits till all the PVCs and OBCs that use OpenShift Container Storage are deleted.

If you wish to delete the Storage Cluster without deleting the PVCs beforehand, you may set the uninstall mode annotation to "forced" and skip this step. Doing so will result in orphan PVCs and OBCs in the system.

- a. Delete OpenShift Container Platform monitoring stack PVCs using OpenShift Container Storage.
See [Section 3.2, "Removing monitoring stack from OpenShift Container Storage"](#)
- b. Delete OpenShift Container Platform Registry PVCs using OpenShift Container Storage.
See [Section 3.3, "Removing OpenShift Container Platform registry from OpenShift Container Storage"](#)
- c. Delete OpenShift Container Platform logging PVCs using OpenShift Container Storage.
See [Section 3.4, "Removing the cluster logging operator from OpenShift Container Storage"](#)
- d. Delete other PVCs and OBCs provisioned using OpenShift Container Storage.
 - Given below is a sample script to identify the PVCs and OBCs provisioned using OpenShift Container Storage. The script ignores the PVCs that are used internally by OpenShift Container Storage.

```
#!/bin/bash

RBD_PROVISIONER="openshift-storage.rbd.csi.ceph.com"
CEPHFS_PROVISIONER="openshift-storage.cephfs.csi.ceph.com"
NOOBAA_PROVISIONER="openshift-storage.noobaa.io/obc"
RGW_PROVISIONER="openshift-storage.ceph.rook.io/bucket"

NOOBAA_DB_PVC="noobaa-db"
NOOBAA_BACKINGSTORE_PVC="noobaa-default-backing-store-noobaa-pvc"

# Find all the OCS StorageClasses
OCS_STORAGECLASSES=$(oc get storageclasses | grep -e
"$RBD_PROVISIONER" -e "$CEPHFS_PROVISIONER" -e
"$NOOBAA_PROVISIONER" -e "$RGW_PROVISIONER" | awk '{print $1}')

# List PVCs in each of the StorageClasses
for SC in $OCS_STORAGECLASSES
do
    echo
    "=====
=="
    echo "$SC StorageClass PVCs and OBCs"
    echo
    "=====
=="
    oc get pvc --all-namespaces --no-headers 2>/dev/null | grep $SC | grep -v -e
"$NOOBAA_DB_PVC" -e "$NOOBAA_BACKINGSTORE_PVC"
    oc get obc --all-namespaces --no-headers 2>/dev/null | grep $SC
    echo
done
```

**NOTE**

Omit **RGW_PROVISIONER** for cloud platforms.

- Delete the OBCs.

```
$ oc delete obc <obc name> -n <project name>
```

- Delete the PVCs.

```
$ oc delete pvc <pvc name> -n <project-name>
```

**NOTE**

Ensure that you have removed any custom backing stores, bucket classes, etc., created in the cluster.

3. Delete the Storage Cluster object and wait for the removal of the associated resources.

```
$ oc delete -n openshift-storage storagecluster --all --wait=true
```

4. Check for cleanup pods if the **uninstall.ocs.openshift.io/cleanup-policy** was set to **delete**(default) and ensure that their status is **Completed**.

```
$ oc get pods -n openshift-storage | grep -i cleanup
NAME                                READY STATUS RESTARTS AGE
cluster-cleanup-job-<xx>            0/1   Completed 0      8m35s
cluster-cleanup-job-<yy>            0/1   Completed 0      8m35s
cluster-cleanup-job-<zz>            0/1   Completed 0      8m35s
```

5. Confirm that the directory **/var/lib/rook** is now empty. This directory will be empty only if the **uninstall.ocs.openshift.io/cleanup-policy** annotation was set to **delete**(default).

```
$ for i in $(oc get node -l cluster.ocs.openshift.io/openshift-storage= -o jsonpath='{.items[*].metadata.name}'); do oc debug node/${i} -- chroot /host ls -l /var/lib/rook; done
```

6. If encryption was enabled at the time of install, remove **dm-crypt** managed **device-mapper** mapping from OSD devices on all the OpenShift Container Storage nodes.

- a. Create a **debug** pod and **chroot** to the host on the storage node.

```
$ oc debug node/<node name>
$ chroot /host
```

- b. Get Device names and make note of the OpenShift Container Storage devices.

```
$ dmsetup ls
ocs-deviceset-0-data-0-57snx-block-dmccrypt (253:1)
```

- c. Remove the mapped device.

```
$ cryptsetup luksClose --debug --verbose ocs-deviceset-0-data-0-57snx-block-dmccrypt
```

If the above command gets stuck due to insufficient privileges, run the following commands:

- Press **CTRL+Z** to exit the above command.
- Find PID of the **cryptsetup** process which was stuck.

```
$ ps
```

Example output:

```
PID  TTY  TIME  CMD
778825  ?    00:00:00 cryptsetup
```

Take a note of the **PID** number to kill. In this example, **PID** is **778825**.

- Terminate the process using **kill** command.

```
$ kill -9 <PID>
```

- Verify that the device name is removed.

■


```
$ dmsetup ls
```

- Delete the namespace and wait till the deletion is complete. You will need to switch to another project if **openshift-storage** is the active project.

For example:

```
$ oc project default
$ oc delete project openshift-storage --wait=true --timeout=5m
```

The project is deleted if the following command returns a **NotFound** error.

```
$ oc get project openshift-storage
```



NOTE

While uninstalling OpenShift Container Storage, if namespace is not deleted completely and remains in **Terminating** state, perform the steps in [Troubleshooting and deleting remaining resources during Uninstall](#) to identify objects that are blocking the namespace from being terminated.

- Unlabel the storage nodes.

```
$ oc label nodes --all cluster.ocs.openshift.io/openshift-storage-
$ oc label nodes --all topology.rook.io/rack-
```

- Remove the OpenShift Container Storage taint if the nodes were tainted.

```
$ oc adm taint nodes --all node.ocs.openshift.io/storage-
```

- Confirm all PVs provisioned using OpenShift Container Storage are deleted. If there is any PV left in the **Released** state, delete it.

```
$ oc get pv
$ oc delete pv <pv name>
```

- Delete the Multicloud Object Gateway storageclass.

```
$ oc delete storageclass openshift-storage.noobaa.io --wait=true --timeout=5m
```

- Remove **CustomResourceDefinitions**.

```
$ oc delete crd backingstores.noobaa.io bucketclasses.noobaa.io
cephblockpools.ceph.rook.io cephclusters.ceph.rook.io cephfilesystems.ceph.rook.io
cephnfses.ceph.rook.io cephobjectstores.ceph.rook.io cephobjectstoreusers.ceph.rook.io
noobaas.noobaa.io ocsinitializations.ocs.openshift.io storageclusters.ocs.openshift.io
cephclients.ceph.rook.io cephobjectrealms.ceph.rook.io cephobjectzonegroups.ceph.rook.io
cephobjectzones.ceph.rook.io cephrbdmirrors.ceph.rook.io --wait=true --timeout=5m
```

- To ensure that OpenShift Container Storage is uninstalled completely, on the OpenShift Container Platform Web Console,

- Click **Home** → **Overview** to access the dashboard.

- b. Verify that the Persistent Storage and Object Service tabs no longer appear next to the **Cluster** tab.

3.2. REMOVING MONITORING STACK FROM OPENSIFT CONTAINER STORAGE

Use this section to clean up the monitoring stack from OpenShift Container Storage.

The PVCs that are created as a part of configuring the monitoring stack are in the **openshift-monitoring** namespace.

Prerequisites

- PVCs are configured to use OpenShift Container Platform monitoring stack. For information, see [configuring monitoring stack](#).

Procedure

1. List the pods and PVCs that are currently running in the **openshift-monitoring** namespace.

```
$ oc get pod,pvc -n openshift-monitoring
```

NAME	READY	STATUS	RESTARTS	AGE
pod/alertmanager-main-0	3/3	Running	0	8d
pod/alertmanager-main-1	3/3	Running	0	8d
pod/alertmanager-main-2	3/3	Running	0	8d
pod/cluster-monitoring-operator-84457656d-pkrxm	1/1	Running	0	8d
pod/grafana-79ccf6689f-2ll28	2/2	Running	0	8d
pod/kube-state-metrics-7d86fb966-rvd9w	3/3	Running	0	8d
pod/node-exporter-25894	2/2	Running	0	8d
pod/node-exporter-4dsd7	2/2	Running	0	8d
pod/node-exporter-6p4zc	2/2	Running	0	8d
pod/node-exporter-jbjvg	2/2	Running	0	8d
pod/node-exporter-jj4t5	2/2	Running	0	6d18h
pod/node-exporter-k856s	2/2	Running	0	6d18h
pod/node-exporter-rf8gn	2/2	Running	0	8d
pod/node-exporter-rmb5m	2/2	Running	0	6d18h
pod/node-exporter-zj7kx	2/2	Running	0	8d
pod/openshift-state-metrics-59dbd4f654-4clng	3/3	Running	0	8d
pod/prometheus-adapter-5df5865596-k8dzn	1/1	Running	0	7d23h
pod/prometheus-adapter-5df5865596-n2gj9	1/1	Running	0	7d23h
pod/prometheus-k8s-0	6/6	Running	1	8d
pod/prometheus-k8s-1	6/6	Running	1	8d
pod/prometheus-operator-55cfb858c9-c4zd9	1/1	Running	0	6d21h
pod/telemeter-client-78fc8fc97d-2rgfp	3/3	Running	0	8d

NAME	STATUS	VOLUME
CAPACITY	ACCESS MODES	STORAGECLASS
		AGE
persistentvolumeclaim/my-alertmanager-claim-alertmanager-main-0	Bound	pvc-0d519c4f-

```

15a5-11ea-baa0-026d231574aa 40Gi RWO ocs-storagecluster-ceph-rbd 8d
persistentvolumeclaim/my-alertmanager-claim-alertmanager-main-1 Bound pvc-
0d5a9825-15a5-11ea-baa0-026d231574aa 40Gi RWO ocs-storagecluster-ceph-
rbd 8d
persistentvolumeclaim/my-alertmanager-claim-alertmanager-main-2 Bound pvc-
0d6413dc-15a5-11ea-baa0-026d231574aa 40Gi RWO ocs-storagecluster-ceph-
rbd 8d
persistentvolumeclaim/my-prometheus-claim-prometheus-k8s-0 Bound pvc-0b7c19b0-
15a5-11ea-baa0-026d231574aa 40Gi RWO ocs-storagecluster-ceph-rbd 8d
persistentvolumeclaim/my-prometheus-claim-prometheus-k8s-1 Bound pvc-0b8aed3f-
15a5-11ea-baa0-026d231574aa 40Gi RWO ocs-storagecluster-ceph-rbd 8d

```

2. Edit the monitoring **configmap**.

```
$ oc -n openshift-monitoring edit configmap cluster-monitoring-config
```

3. Remove any **config** sections that reference the OpenShift Container Storage storage classes as shown in the following example and save it.

Before editing

```
.  
. .  
apiVersion: v1  
data:  
  config.yaml: |  
    alertmanagerMain:  
      volumeClaimTemplate:  
        metadata:  
          name: my-alertmanager-claim  
        spec:  
          resources:  
            requests:  
              storage: 40Gi  
          storageClassName: ocs-storagecluster-ceph-rbd  
  prometheusK8s:  
    volumeClaimTemplate:  
      metadata:  
        name: my-prometheus-claim  
      spec:  
        resources:  
          requests:  
            storage: 40Gi  
        storageClassName: ocs-storagecluster-ceph-rbd  
kind: ConfigMap  
metadata:  
  creationTimestamp: "2019-12-02T07:47:29Z"  
  name: cluster-monitoring-config  
  namespace: openshift-monitoring  
  resourceVersion: "22110"  
  selfLink: /api/v1/namespaces/openshift-monitoring/configmaps/cluster-monitoring-config  
  uid: fd6d988b-14d7-11ea-84ff-066035b9efa8  
. . .
```

After editing

```

.
.
.
apiVersion: v1
data:
  config.yaml: |
kind: ConfigMap
metadata:
  creationTimestamp: "2019-11-21T13:07:05Z"
  name: cluster-monitoring-config
  namespace: openshift-monitoring
  resourceVersion: "404352"
  selfLink: /api/v1/namespaces/openshift-monitoring/configmaps/cluster-monitoring-config
  uid: d12c796a-0c5f-11ea-9832-063cd735b81c
.
.
.

```

In this example, **alertmanagerMain** and **prometheusK8s** monitoring components are using the OpenShift Container Storage PVCs.

4. Delete relevant PVCs. Make sure you delete all the PVCs that are consuming the storage classes.

```
$ oc delete -n openshift-monitoring pvc <pvc-name> --wait=true --timeout=5m
```

3.3. REMOVING OPENSIFT CONTAINER PLATFORM REGISTRY FROM OPENSIFT CONTAINER STORAGE

Use this section to clean up OpenShift Container Platform registry from OpenShift Container Storage. If you want to configure an alternative storage, see [image registry](#)

The PVCs that are created as a part of configuring OpenShift Container Platform registry are in the **openshift-image-registry** namespace.

Prerequisites


- The image registry should have been configured to use an OpenShift Container Storage PVC.

Procedure

1. Edit the **configs.imageregistry.operator.openshift.io** object and remove the content in the **storage** section.

```
$ oc edit configs.imageregistry.operator.openshift.io
```

Before editing



In this example, the PVC is called **registry-cephfs-rwx-pvc**, which is now safe to delete.

2. Delete the PVC.

```
$ oc delete pvc <pvc-name> -n openshift-image-registry --wait=true --timeout=5m
```

3.4. REMOVING THE CLUSTER LOGGING OPERATOR FROM OPENSIFT CONTAINER STORAGE

Use this section to clean up the cluster logging operator from OpenShift Container Storage.

The PVCs that are created as a part of configuring cluster logging operator are in the **openshift-logging** namespace.

Prerequisites

- The cluster logging instance should have been configured to use OpenShift Container Storage PVCs.

Procedure

1. Remove the **ClusterLogging** instance in the namespace.

```
$ oc delete clusterlogging instance -n openshift-logging --wait=true --timeout=5m
```

The PVCs in the **openshift-logging** namespace are now safe to delete.

2. Delete PVCs.

```
█ $ oc delete pvc <pvc-name> -n openshift-logging --wait=true --timeout=5m
```

CHAPTER 4. STORAGE CLASSES AND STORAGE POOLS

The OpenShift Container Storage operator installs a default storage class depending on the platform in use. This default storage class is owned and controlled by the operator and it cannot be deleted or modified. However, you can create a custom storage class if you want the storage class to have a different behavior.

You can create multiple storage pools which map to storage classes that provide the following features:

- Enable applications with their own high availability to use persistent volumes with two replicas, potentially improving application performance.
- Save space for persistent volume claims using storage classes with compression enabled.



NOTE

Multiple storage classes and multiple pools are not supported for *external mode* OpenShift Container Storage clusters.



NOTE

With a minimal cluster of a single device set, only two new storage classes can be created. Every storage cluster expansion allows two new additional storage classes.

4.1. CREATING STORAGE CLASSES AND POOLS

You can create a storage class using an existing pool or you can create a new pool for the storage class while creating it.

Prerequisites

Ensure that the OpenShift Container Storage cluster is in **Ready** state.

Procedure

1. Log in to OpenShift Web Console.
2. Click **Storage** → **Storage Classes**.
3. Click **Create Storage Class**
4. Enter the storage class **Name** and **Description**.
5. Select either **Delete** or **Retain** for the Reclaim Policy. By default, **Delete** is selected.
6. Select RBD Provisioner which is the plugin used for provisioning the persistent volumes.
7. You can either create a new pool or use an existing one.

Create a new pool

- a. Enter a name for the pool.
- b. Choose **2-way-Replication** or **3-way-Replication** as the Data Protection Policy.
- c. Select **Enable compression** if you need to compress the data.

Enabling compression can impact application performance and might prove ineffective when data to be written is already compressed or encrypted. Data written before enabling compression will not be compressed.

- d. Click **Create** to create the storage pool.
- e. Click **Finish** after the pool is created.
- f. Click **Create** to create the storage class.

Use an existing pool

- a. Choose a pool from the list.
- b. Click **Create** to create the storage class with the selected pool.

CHAPTER 5. CONFIGURE STORAGE FOR OPENSIFT CONTAINER PLATFORM SERVICES

You can use OpenShift Container Storage to provide storage for OpenShift Container Platform services such as image registry, monitoring, and logging.

The process for configuring storage for these services depends on the infrastructure used in your OpenShift Container Storage deployment.



WARNING

Always ensure that you have plenty of storage capacity for these services. If the storage for these critical services runs out of space, the cluster becomes inoperable and very difficult to recover.

Red Hat recommends configuring shorter curation and retention intervals for these services. See [Configuring the Curator schedule](#) and the *Modifying retention time for Prometheus metrics data* sub section of [Configuring persistent storage](#) in the OpenShift Container Platform documentation for details.

If you do run out of storage space for these services, contact Red Hat Customer Support.

5.1. CONFIGURING IMAGE REGISTRY TO USE OPENSIFT CONTAINER STORAGE

OpenShift Container Platform provides a built in Container Image Registry which runs as a standard workload on the cluster. A registry is typically used as a publication target for images built on the cluster as well as a source of images for workloads running on the cluster.

Follow the instructions in this section to configure OpenShift Container Storage as storage for the Container Image Registry. On Google Cloud, it is not required to change the storage for the registry.



WARNING

This process does not migrate data from an existing image registry to the new image registry. If you already have container images in your existing registry, back up your registry before you complete this process, and re-register your images when this process is complete.

Prerequisites

- You have administrative access to OpenShift Web Console.

- OpenShift Container Storage Operator is installed and running in the **openshift-storage** namespace. In OpenShift Web Console, click **Operators** → **Installed Operators** to view installed operators.
- Image Registry Operator is installed and running in the **openshift-image-registry** namespace. In OpenShift Web Console, click **Administration** → **Cluster Settings** → **Cluster Operators** to view cluster operators.
- A storage class with provisioner **openshift-storage.cephfs.csi.ceph.com** is available. In OpenShift Web Console, click **Storage** → **Storage Classes** to view available storage classes.

Procedure

1. **Create a Persistent Volume Claim for the Image Registry to use.**
 - a. In the OpenShift Web Console, click **Storage** → **Persistent Volume Claims**
 - b. Set the **Project** to **openshift-image-registry**.
 - c. Click **Create Persistent Volume Claim**
 - i. From the list of available storage classes retrieved above, specify the **Storage Class** with the provisioner **openshift-storage.cephfs.csi.ceph.com**.
 - ii. Specify the Persistent Volume Claim **Name**, for example, **ocs4registry**.
 - iii. Specify an **Access Mode** of **Shared Access (RWX)**.
 - iv. Specify a **Size** of at least 100 GB.
 - v. Click **Create**.
Wait until the status of the new Persistent Volume Claim is listed as **Bound**.
2. **Configure the cluster's Image Registry to use the new Persistent Volume Claim.**
 - a. Click **Administration** → **Custom Resource Definitions**
 - b. Click the **Config** custom resource definition associated with the **imageregistry.operator.openshift.io** group.
 - c. Click the **Instances** tab.
 - d. Beside the cluster instance, click the **Action Menu (⋮)** → **Edit Config**.
 - e. Add the new Persistent Volume Claim as persistent storage for the Image Registry.
 - i. Add the following under **spec:**, replacing the existing **storage:** section if necessary.

```
storage:
  pvc:
    claim: <new-pvc-name>
```

For example:

```
storage:
  pvc:
    claim: ocs4registry
```

- ii. Click **Save**.
3. **Verify that the new configuration is being used.**
 - a. Click **Workloads** → **Pods**.
 - b. Set the **Project** to **openshift-image-registry**.
 - c. Verify that the new **image-registry-*** pod appears with a status of **Running**, and that the previous **image-registry-*** pod terminates.
 - d. Click the new **image-registry-*** pod to view pod details.
 - e. Scroll down to **Volumes** and verify that the **registry-storage** volume has a **Type** that matches your new Persistent Volume Claim, for example, **ocs4registry**.

5.2. CONFIGURING MONITORING TO USE OPENSIFT CONTAINER STORAGE

OpenShift Container Storage provides a monitoring stack that is comprised of Prometheus and AlertManager.

Follow the instructions in this section to configure OpenShift Container Storage as storage for the monitoring stack.



IMPORTANT

Monitoring will not function if it runs out of storage space. Always ensure that you have plenty of storage capacity for monitoring.

Red Hat recommends configuring a short retention interval for this service. See the [Modifying retention time for Prometheus metrics data](#) of Monitoring guide in the OpenShift Container Platform documentation for details.

Prerequisites

- You have administrative access to OpenShift Web Console.
- OpenShift Container Storage Operator is installed and running in the **openshift-storage** namespace. In OpenShift Web Console, click **Operators** → **Installed Operators** to view installed operators.
- Monitoring Operator is installed and running in the **openshift-monitoring** namespace. In OpenShift Web Console, click **Administration** → **Cluster Settings** → **Cluster Operators** to view cluster operators.
- A storage class with provisioner **openshift-storage.rbd.csi.ceph.com** is available. In OpenShift Web Console, click **Storage** → **Storage Classes** to view available storage classes.

Procedure

1. In the OpenShift Web Console, go to **Workloads** → **Config Maps**.
2. Set the **Project** dropdown to **openshift-monitoring**.

3. Click **Create Config Map**.
4. Define a new **cluster-monitoring-config** Config Map using the following example. Replace the content in angle brackets (<, >) with your own values, for example, **retention: 24h** or **storage: 40Gi**.

Replace the **storageClassName** with the **storageclass** that uses the provisioner **openshift-storage.rbd.csi.ceph.com**. In the example given below the name of the **storageclass** is **ocs-storagecluster-ceph-rbd**.

Example cluster-monitoring-config Config Map

```

apiVersion: v1
kind: ConfigMap
metadata:
  name: cluster-monitoring-config
  namespace: openshift-monitoring
data:
  config.yaml: |
    prometheusK8s:
      retention: <time to retain monitoring files, e.g. 24h>
      volumeClaimTemplate:
        metadata:
          name: ocs-prometheus-claim
        spec:
          storageClassName: ocs-storagecluster-ceph-rbd
        resources:
          requests:
            storage: <size of claim, e.g. 40Gi>
    alertmanagerMain:
      volumeClaimTemplate:
        metadata:
          name: ocs-alertmanager-claim
        spec:
          storageClassName: ocs-storagecluster-ceph-rbd
        resources:
          requests:
            storage: <size of claim, e.g. 40Gi>

```

5. Click **Create** to save and create the Config Map.

Verification steps

1. Verify that the Persistent Volume Claims are bound to the pods.
 - a. Go to **Storage** → **Persistent Volume Claims**
 - b. Set the **Project** dropdown to **openshift-monitoring**.
 - c. Verify that 5 Persistent Volume Claims are visible with a state of **Bound**, attached to three **alertmanager-main-*** pods, and two **prometheus-k8s-*** pods.

Monitoring storage created and bound





















Project: openshift-monitoring ▾

Persistent Volume Claims

Create Persistent Volume Claim






Filter by name... 

0 Pending 5 Bound 0 Lost Select All Filters 5 Items

Name ↑	Namespace ↓	Status ↓	Persistent Volume ↓	Requested ↓
 my-alertmanager-claim-alertmanager-main-0	 openshift-monitoring	 Bound	 pvc-d00428a5-0ce6-11ea-8fe8-023bdfa29edc	40Gi
 my-alertmanager-claim-alertmanager-main-1	 openshift-monitoring	 Bound	 pvc-d00be111-0ce6-11ea-8fe8-023bdfa29edc	40Gi
 my-alertmanager-claim-alertmanager-main-2	 openshift-monitoring	 Bound	 pvc-d01ac717-0ce6-11ea-8fe8-023bdfa29edc	40Gi
 my-prometheus-claim-prometheus-k8s-0	 openshift-monitoring	 Bound	 pvc-ce290f1b-0ce6-11ea-8fe8-023bdfa29edc	40Gi
 my-prometheus-claim-prometheus-k8s-1	 openshift-monitoring	 Bound	 pvc-ce361010-0ce6-11ea-8fe8-023bdfa29edc	40Gi





2. Verify that the new **alertmanager-main-*** pods appear with a state of **Running**.
 - a. Go to **Workloads → Pods**
 - b. Click the new **alertmanager-main-*** pods to view the pod details.
 - c. Scroll down to **Volumes** and verify that the volume has a **Type**, **ocs-alertmanager-claim** that matches one of your new Persistent Volume Claims, for example, **ocs-alertmanager-claim-alertmanager-main-0**.

Persistent Volume Claims attached to alertmanager-main-* pod

Name ↓	Mount Path ↓	SubPath ↓	Type	Permissions ↓	Utilized By ↓
config-volume	/etc/alertmanager/config		 alertmanager-main	Read/Write	 alertmanager
 ocs-alertmanager-claim	/alertmanager	alertmanager-db	 ocs-alertmanager-claim-alertmanager-main-0	Read/Write	 alertmanager

3. Verify that the new **prometheus-k8s-*** pods appear with a state of **Running**.
 - a. Click the new **prometheus-k8s-*** pods to view the pod details.
 - b. Scroll down to **Volumes** and verify that the volume has a **Type**, **ocs-prometheus-claim** that matches one of your new Persistent Volume Claims, for example, **ocs-prometheus-claim-prometheus-k8s-0**.

Persistent Volume Claims attached to prometheus-k8s-* pod

Name ↓	Mount Path ↓	SubPath ↓	Type	Permissions ↓	Utilized By ↓
config-out	/etc/prometheus/config_out		Container Volume	Read-only	 prometheus
 ocs-prometheus-claim	/prometheus	prometheus-db	 ocs-prometheus-claim-prometheus-k8s-0	Read/Write	 prometheus

5.3. CLUSTER LOGGING FOR OPENSIFT CONTAINER STORAGE

You can deploy cluster logging to aggregate logs for a range of OpenShift Container Platform services. For information about how to deploy cluster logging, see [Deploying cluster logging](#).

Upon initial OpenShift Container Platform deployment, OpenShift Container Storage is not configured by default and the OpenShift Container Platform cluster will solely rely on default storage available from the nodes. You can edit the default configuration of OpenShift logging (ElasticSearch) to be backed by OpenShift Container Storage to have OpenShift Container Storage backed logging (Elasticsearch).



IMPORTANT

Always ensure that you have plenty of storage capacity for these services. If you run out of storage space for these critical services, the logging application becomes inoperable and very difficult to recover.

Red Hat recommends configuring shorter curation and retention intervals for these services. See [Cluster logging curator](#) in the OpenShift Container Platform documentation for details.

If you run out of storage space for these services, contact Red Hat Customer Support.

5.3.1. Configuring persistent storage

You can configure a persistent storage class and size for the Elasticsearch cluster using the storage class name and size parameters. The Cluster Logging Operator creates a Persistent Volume Claim for each data node in the Elasticsearch cluster based on these parameters. For example:

```
spec:
  logStore:
    type: "elasticsearch"
  elasticsearch:
    nodeCount: 3
    storage:
      storageClassName: "ocs-storagecluster-ceph-rbd"
      size: "200G"
```

This example specifies that each data node in the cluster will be bound to a Persistent Volume Claim that requests **200GiB** of **ocs-storagecluster-ceph-rbd** storage. Each primary shard will be backed by a single replica. A copy of the shard is replicated across all the nodes and are always available and the copy can be recovered if at least two nodes exist due to the single redundancy policy. For information about Elasticsearch replication policies, see *Elasticsearch replication policy* in [About deploying and configuring cluster logging](#).



NOTE

Omission of the storage block will result in a deployment backed by default storage. For example:

```
spec:
  logStore:
    type: "elasticsearch"
  elasticsearch:
    nodeCount: 3
    storage: {}
```

For more information, see [Configuring cluster logging](#).

5.3.2. Configuring cluster logging to use OpenShift Container Storage

Follow the instructions in this section to configure OpenShift Container Storage as storage for the OpenShift cluster logging.



NOTE

You can obtain all the logs when you configure logging for the first time in OpenShift Container Storage. However, after you uninstall and reinstall logging, the old logs are removed and only the new logs are processed.

Prerequisites

- You have administrative access to OpenShift Web Console.
- OpenShift Container Storage Operator is installed and running in the **openshift-storage** namespace.
- Cluster logging Operator is installed and running in the **openshift-logging** namespace.

Procedure

1. Click **Administration** → **Custom Resource Definitions** from the left pane of the OpenShift Web Console.
2. On the Custom Resource Definitions page, click **ClusterLogging**.
3. On the Custom Resource Definition Overview page, select **View Instances** from the Actions menu or click the **Instances** Tab.
4. On the Cluster Logging page, click **Create Cluster Logging**. You might have to refresh the page to load the data.
5. In the YAML, replace the **storageClassName** with the **storageclass** that uses the provisioner **openshift-storage.rbd.csi.ceph.com**. In the example given below the name of the **storageclass** is **ocs-storagecluster-ceph-rbd**:

```
apiVersion: "logging.openshift.io/v1"
kind: "ClusterLogging"
metadata:
  name: "instance"
  namespace: "openshift-logging"
spec:
  managementState: "Managed"
  logStore:
    type: "elasticsearch"
    elasticsearch:
      nodeCount: 3
      storage:
        storageClassName: ocs-storagecluster-ceph-rbd
        size: 200G # Change as per your requirement
        redundancyPolicy: "SingleRedundancy"
  visualization:
```



```

type: "kibana"
kibana:
  replicas: 1
curation:
  type: "curator"
  curator:
    schedule: "30 3 * * *"
collection:
  logs:
    type: "fluentd"
    fluentd: {}

```

If you have tainted the OpenShift Container Storage nodes, you must add toleration to enable scheduling of the daemonset pods for logging.

```

spec:
[...]
```

```

collection:
  logs:
    fluentd:
      tolerations:
        - effect: NoSchedule
          key: node.ocs.openshift.io/storage
          value: 'true'
          type: fluentd

```

6. Click **Save**.

Verification steps

1. Verify that the Persistent Volume Claims are bound to the **elasticsearch** pods.
 - a. Go to **Storage → Persistent Volume Claims**
 - b. Set the **Project** dropdown to **openshift-logging**.
 - c. Verify that Persistent Volume Claims are visible with a state of **Bound**, attached to **elasticsearch-*** pods.

Figure 5.1. Cluster logging created and bound

Name	Namespace	Status	Persistent Volume	Requested
elasticsearch-elasticsearch-cdm-9r6z4biv-1	openshift-logging	Bound	pvc-8993013d-1a6e-11ea-8d2f-027bataef61a	200G
elasticsearch-elasticsearch-cdm-9r6z4biv-2	openshift-logging	Bound	pvc-89947c90-1a6e-11ea-8d2f-027bataef61a	200G
elasticsearch-elasticsearch-cdm-9r6z4biv-3	openshift-logging	Bound	pvc-8995f557-1a6e-11ea-8d2f-027bataef61a	200G

2. Verify that the new cluster logging is being used.
 - a. Click **Workload → Pods**

- b. Set the Project to **openshift-logging**.
- c. Verify that the new **elasticsearch-*** pods appear with a state of **Running**.
- d. Click the new **elasticsearch-*** pod to view pod details.
- e. Scroll down to **Volumes** and verify that the elasticsearch volume has a **Type** that matches your new Persistent Volume Claim, for example, **elasticsearch-elasticsearch-cdm-9r624biv-3**.
- f. Click the Persistent Volume Claim name and verify the storage class name in the PersistentVolumeClaim Overview page.



NOTE

Make sure to use a shorter curator time to avoid PV full scenario on PVs attached to Elasticsearch pods.

You can configure Curator to delete Elasticsearch data based on retention settings. It is recommended that you set the following default index data retention of 5 days as a default.

```
config.yaml: |
  openshift-storage:
    delete:
      days: 5
```

For more details, see [Curation of Elasticsearch Data](#) .



NOTE

To uninstall the cluster logging backed by Persistent Volume Claim, use the procedure removing the cluster logging operator from OpenShift Container Storage in the uninstall chapter of the respective deployment guide.

CHAPTER 6. BACKING OPENSIFT CONTAINER PLATFORM APPLICATIONS WITH OPENSIFT CONTAINER STORAGE

You cannot directly install OpenShift Container Storage during the OpenShift Container Platform installation. However, you can install OpenShift Container Storage on an existing OpenShift Container Platform by using the Operator Hub and then configure the OpenShift Container Platform applications to be backed by OpenShift Container Storage.

Prerequisites

- OpenShift Container Platform is installed and you have administrative access to OpenShift Web Console.
- OpenShift Container Storage is installed and running in the **openshift-storage** namespace.

Procedure

1. In the OpenShift Web Console, perform one of the following:
 - Click **Workloads → Deployments**.
In the Deployments page, you can do one of the following:
 - Select any existing deployment and click **Add Storage** option from the **Action** menu (⋮).
 - Create a new deployment and then add storage.
 - i. Click **Create Deployment** to create a new deployment.
 - ii. Edit the **YAML** based on your requirement to create a deployment.
 - iii. Click **Create**.
 - iv. Select **Add Storage** from the **Actions** drop down menu on the top right of the page.
 - Click **Workloads → Deployment Configs**.
In the Deployment Configs page, you can do one of the following:
 - Select any existing deployment and click **Add Storage** option from the **Action** menu (⋮).
 - Create a new deployment and then add storage.
 - i. Click **Create Deployment Config** to create a new deployment.
 - ii. Edit the **YAML** based on your requirement to create a deployment.
 - iii. Click **Create**.
 - iv. Select **Add Storage** from the **Actions** drop down menu on the top right of the page.
2. In the Add Storage page, you can choose one of the following options:
 - Click the **Use existing claim** option and select a suitable PVC from the drop down list.

- Click the **Create new claim** option.
 - a. Select the appropriate **CephFS** or **RBD** storage class from the **Storage Class** drop down list.
 - b. Provide a name for the Persistent Volume Claim.
 - c. Select ReadWriteOnce (RWO) or ReadWriteMany (RWX) access mode.

**NOTE**

ReadOnlyMany (ROX) is deactivated as it is not supported.

- d. Select the size of the desired storage capacity.

**NOTE**

You can expand block PVs but cannot reduce the storage capacity after the creation of Persistent Volume Claim.

3. Specify the mount path and subpath (if required) for the mount path volume inside the container.
4. Click **Save**.

Verification steps

1. Depending on your configuration, perform one of the following:
 - Click **Workloads → Deployments**.
 - Click **Workloads → Deployment Configs**.
2. Set the Project as required.
3. Click the deployment for which you added storage to view the deployment details.
4. Scroll down to **Volumes** and verify that your deployment has a **Type** that matches the Persistent Volume Claim that you assigned.
5. Click the Persistent Volume Claim name and verify the storage class name in the Persistent Volume Claim Overview page.

CHAPTER 7. HOW TO USE DEDICATED WORKER NODES FOR RED HAT OPENSIFT CONTAINER STORAGE

Using infrastructure nodes to schedule Red Hat OpenShift Container Storage resources saves on Red Hat OpenShift Container Platform subscription costs. Any Red Hat OpenShift Container Platform (RHOCP) node that has an **infra** node-role label requires an OpenShift Container Storage subscription, but not an RHOCP subscription.

It is important to maintain consistency across environments with or without Machine API support. Because of this, it is highly recommended in all cases to have a special category of nodes labeled as either worker or infra or have both roles. See the [Section 7.3, "Manual creation of infrastructure nodes"](#) section for more information.

7.1. ANATOMY OF AN INFRASTRUCTURE NODE

Infrastructure nodes for use with OpenShift Container Storage have a few attributes. The **infra** node-role label is required to ensure the node does not consume RHOCP entitlements. The **infra** node-role label is responsible for ensuring only OpenShift Container Storage entitlements are necessary for the nodes running OpenShift Container Storage.

- Labeled with **node-role.kubernetes.io/infra**

Adding an OpenShift Container Storage taint with a **NoSchedule** effect is also required so that the **infra** node will only schedule OpenShift Container Storage resources.

- Tainted with **node.ocs.openshift.io/storage="true"**

The label identifies the RHOCP node as an **infra** node so that RHOCP subscription cost is not applied. The taint prevents non OpenShift Container Storage resources to be scheduled on the tainted nodes.

Example of the taint and labels required on infrastructure node that will be used to run OpenShift Container Storage services:

```
spec:
  taints:
  - effect: NoSchedule
    key: node.ocs.openshift.io/storage
    value: "true"
  metadata:
    creationTimestamp: null
  labels:
    node-role.kubernetes.io/worker: ""
    node-role.kubernetes.io/infra: ""
    cluster.ocs.openshift.io/openshift-storage: ""
```

7.2. MACHINE SETS FOR CREATING INFRASTRUCTURE NODES

If the Machine API is supported in the environment, then labels should be added to the templates for the Machine Sets that will be provisioning the infrastructure nodes. Avoid the anti-pattern of adding labels manually to nodes created by the machine API. Doing so is analogous to adding labels to pods created by a deployment. In both cases, when the pod/node fails, the replacement pod/node will not have the appropriate labels.



NOTE

In EC2 environments, you will need three machine sets, each configured to provision infrastructure nodes in a distinct availability zone (such as us-east-2a, us-east-2b, us-east-2c). Currently, OpenShift Container Storage does not support deploying in more than three availability zones.

The following Machine Set template example creates nodes with the appropriate taint and labels required for infrastructure nodes. This will be used to run OpenShift Container Storage services.

```
template:
  metadata:
    creationTimestamp: null
  labels:
    machine.openshift.io/cluster-api-cluster: kb-s25vf
    machine.openshift.io/cluster-api-machine-role: worker
    machine.openshift.io/cluster-api-machine-type: worker
    machine.openshift.io/cluster-api-machineset: kb-s25vf-infra-us-west-2a
  spec:
    taints:
      - effect: NoSchedule
        key: node.ocs.openshift.io/storage
        value: "true"
    metadata:
      creationTimestamp: null
      labels:
        node-role.kubernetes.io/infra: ""
        cluster.ocs.openshift.io/openshift-storage: ""
```

7.3. MANUAL CREATION OF INFRASTRUCTURE NODES

Only when the Machine API is not supported in the environment should labels be directly applied to nodes. Manual creation requires that at least 3 RHOCP worker nodes are available to schedule OpenShift Container Storage services, and that these nodes have sufficient CPU and memory resources. To avoid the RHOCP subscription cost, the following is required:

```
oc label node <node> node-role.kubernetes.io/infra=""
oc label node <node> cluster.ocs.openshift.io/openshift-storage=""
```

Adding a **NoSchedule** OpenShift Container Storage taint is also required so that the **infra** node will only schedule OpenShift Container Storage resources and repel any other non-OpenShift Container Storage workloads.

```
oc adm taint node <node> node.ocs.openshift.io/storage="true":NoSchedule
```



WARNING

Do not remove the `node-role.kubernetes.io/worker=""`

The removal of the `node-role.kubernetes.io/worker=""` can cause issues unless changes are made both to the OpenShift scheduler and to MachineConfig resources.

If already removed, it should be added again to each **infra** node. Adding node-role `node-role.kubernetes.io/infra=""` and OpenShift Container Storage taint is sufficient to conform to entitlement exemption requirements.

CHAPTER 8. SCALING STORAGE NODES

To scale the storage capacity of OpenShift Container Storage, you can do either of the following:

- **Scale up storage nodes** - Add storage capacity to the existing OpenShift Container Storage worker nodes
- **Scale out storage nodes** - Add new worker nodes containing storage capacity

8.1. REQUIREMENTS FOR SCALING STORAGE NODES

Before you proceed to scale the storage nodes, refer to the following sections to understand the node requirements for your specific Red Hat OpenShift Container Storage instance:

- [Platform requirements](#)
- Storage device requirements
 - [Dynamic storage devices](#)
 - [Capacity planning](#)



WARNING

Always ensure that you have plenty of storage capacity.

If storage ever fills completely, it is not possible to add capacity or delete or migrate content away from the storage to free up space. Completely full storage is very difficult to recover.

Capacity alerts are issued when cluster storage capacity reaches 75% (near-full) and 85% (full) of total capacity. Always address capacity warnings promptly, and review your storage regularly to ensure that you do not run out of storage space.

If you do run out of storage space completely, contact Red Hat Customer Support.

8.2. SCALING UP STORAGE BY ADDING CAPACITY TO YOUR OPENSIFT CONTAINER STORAGE NODES ON GOOGLE CLOUD INFRASTRUCTURE

Use this procedure to add storage capacity and performance to your configured Red Hat OpenShift Container Storage worker nodes.


Prerequisites

- A running OpenShift Container Storage Platform.
- Administrative privileges on the OpenShift Web Console.


- To scale using a storage class other than the one provisioned during deployment, first define an additional storage class. See [Creating a storage class](#) for details.

Procedure

1. Log in to the OpenShift Web Console.
2. Click on **Operators** → **Installed Operators**.
3. Click **OpenShift Container Storage Operator**.



4. Click **Storage Cluster** tab.



5. The visible list should have only one item. Click (:) on the far right to extend the options menu.
6. Select **Add Capacity** from the options menu.

Add Capacity

Adding capacity for **ocs-storagecluster**, may increase your expenses.

Storage Class ?

SC standard ▼

Raw Capacity ?

2 x 3 replicas = 6 TiB

Currently Used: Not available

Cancel Add

7. Select a storage class.


Set the storage class to **standard** if you are using the default storage class that uses HDD. However, if you created a storage class to use SSD based disks for better performance, you need to select that storage class.

The **Raw Capacity** field shows the size set during storage class creation. The total amount of storage consumed is three times this amount, because OpenShift Container Storage uses a replica count of 3.

8. Click **Add** and wait for the cluster state to change to **Ready**.

Verification steps

- Navigate to **Overview** → **Persistent Storage** tab, then check the **Capacity breakdown** card.



Note that the capacity increases based on your selections.

- Verify that the new OSDs and their corresponding new PVCs are created.
 - To view the state of the newly created OSDs:

- a. Click **Workloads** → **Pods** from the OpenShift Web Console.
 - b. Select **openshift-storage** from the **Project** drop-down list.
- To view the state of the PVCs:
 - a. Click **Storage** → **Persistent Volume Claims** from the OpenShift Web Console.
 - b. Select **openshift-storage** from the **Project** drop-down list.
 - (Optional) If data encryption is enabled on the cluster, verify that the new OSD devices are encrypted.

- a. Identify the node(s) where the new OSD pod(s) are running.

```
$ oc get -o=custom-columns=NODE:.spec.nodeName pod/<OSD pod name>
```

For example:

```
oc get -o=custom-columns=NODE:.spec.nodeName pod/rook-ceph-osd-0-544db49d7f-qrgqm
```

- b. For each of the nodes identified in previous step, do the following:
 - i. Create a debug pod and open a chroot environment for the selected host(s).

```
$ oc debug node/<node name>
$ chroot /host
```

- ii. Run “lsblk” and check for the “crypt” keyword beside the **ocs-deviceset** name(s)

```
$ lsblk
```



IMPORTANT

Cluster reduction is not currently supported, regardless of whether reduction would be done by removing nodes or OSDs.

8.3. SCALING OUT STORAGE CAPACITY BY ADDING NEW NODES

To scale out storage capacity, you need to perform the following:

- Add a new node to increase the storage capacity when existing worker nodes are already running at their maximum supported OSDs, which is the increment of 3 OSDs of the capacity selected during initial configuration.
- Verify that the new node is added successfully
- Scale up the storage capacity after the node is added


8.3.1. Adding a node on Google Cloud installer-provisioned infrastructure

Prerequisites

- You must be logged into OpenShift Container Platform (RHOC) cluster.

Procedure

1. Navigate to **Compute** → **Machine Sets**.
2. On the machine set where you want to add nodes, select **Edit Machine Count**.
3. Add the amount of nodes, and click **Save**.
4. Click **Compute** → **Nodes** and confirm if the new node is in **Ready** state.
5. Apply the OpenShift Container Storage label to the new node.
 - a. For the new node, **Action menu (⋮)** → **Edit Labels**.
 - b. Add `cluster.ocs.openshift.io/openshift-storage` and click **Save**.



NOTE

It is recommended to add 3 nodes each in different zones. You must add 3 nodes and perform this procedure for all of them.

Verification steps

- To verify that the new node is added, see [Verifying the addition of a new node](#).

8.3.2. Verifying the addition of a new node

1. Execute the following command and verify that the new node is present in the output:

```
$ oc get nodes --show-labels | grep cluster.ocs.openshift.io/openshift-storage= | cut -d' ' -f1
```

2. Click **Workloads** → **Pods**, confirm that at least the following pods on the new node are in **Running** state:
 - `csi-cephfsplugin-*`
 - `csi-rbdplugin-*`

8.3.3. Scaling up storage capacity

After you add a new node to OpenShift Container Storage, you must scale up the storage capacity as described in [Scaling up storage by adding capacity](#).

CHAPTER 9. MULTICLOUD OBJECT GATEWAY

9.1. ABOUT THE MULTICLOUD OBJECT GATEWAY

The Multicloud Object Gateway (MCG) is a lightweight object storage service for OpenShift, allowing users to start small and then scale as needed on-premise, in multiple clusters, and with cloud-native storage.

9.2. ACCESSING THE MULTICLOUD OBJECT GATEWAY WITH YOUR APPLICATIONS

You can access the object service with any application targeting AWS S3 or code that uses AWS S3 Software Development Kit (SDK). Applications need to specify the MCG endpoint, an access key, and a secret access key. You can use your terminal or the MCG CLI to retrieve this information.

Prerequisites

- A running OpenShift Container Storage Platform
- Download the MCG command-line interface for easier management:

```
# subscription-manager repos --enable=rh-ocs-4-for-rhel-8-x86_64-rpms
# yum install mcg
```

- Alternatively, you can install the **mcg** package from the OpenShift Container Storage RPMs found at [Download RedHat OpenShift Container Storage page](#) .

You can access the relevant endpoint, access key, and secret access key two ways:

- [Section 9.2.1, "Accessing the Multicloud Object Gateway from the terminal"](#)
- [Section 9.2.2, "Accessing the Multicloud Object Gateway from the MCG command-line interface"](#)

Accessing the MCG bucket(s) using the virtual-hosted style

Example 9.1. Example

If the client application tries to access <https://<bucket-name>.s3-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com>

where **<bucket-name>** is the name of the MCG bucket

For example, <https://mcg-test-bucket.s3-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com>

A DNS entry is needed for **mcg-test-bucket.s3-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com** to point to the S3 Service.

**IMPORTANT**

Ensure that you have a DNS entry in order to point the client application to the MCG bucket(s) using the virtual-hosted style.

9.2.1. Accessing the Multicloud Object Gateway from the terminal**Procedure**

Run the **describe** command to view information about the MCG endpoint, including its access key (**AWS_ACCESS_KEY_ID** value) and secret access key (**AWS_SECRET_ACCESS_KEY** value):

```
# oc describe noobaa -n openshift-storage
```

The output will look similar to the following:

```
Name:      noobaa
Namespace: openshift-storage
Labels:    <none>
Annotations: <none>
API Version: noobaa.io/v1alpha1
Kind:      NooBaa
Metadata:
  Creation Timestamp: 2019-07-29T16:22:06Z
  Generation:        1
  Resource Version:  6718822
  Self Link:         /apis/noobaa.io/v1alpha1/namespaces/openshift-storage/noobaas/noobaa
  UID:               019cfb4a-b21d-11e9-9a02-06c8de012f9e
Spec:
Status:
  Accounts:
    Admin:
      Secret Ref:
        Name:      noobaa-admin
        Namespace: openshift-storage
  Actual Image:  noobaa/noobaa-core:4.0
  Observed Generation: 1
  Phase:        Ready
  Readme:
```

```
Welcome to NooBaa!
```

```
-----
```

```
Welcome to NooBaa!
```

```
-----
```

```
NooBaa Core Version:
NooBaa Operator Version:
```

```
Lets get started:
```

```
1. Connect to Management console:
```

```
Read your mgmt console login information (email & password) from secret: "noobaa-admin".
```

```
kubectl get secret noobaa-admin -n openshift-storage -o json | jq '.data|map_values(@base64d)'
```

Open the management console service - take External IP/DNS or Node Port or use port forwarding:

```
kubectl port-forward -n openshift-storage service/noobaa-mgmt 11443:443 &
open https://localhost:11443
```

2. Test S3 client:

```
kubectl port-forward -n openshift-storage service/s3 10443:443 &
```

1

```
NOOBAA_ACCESS_KEY=$(kubectl get secret noobaa-admin -n openshift-storage -o json | jq -r
'.data.AWS_ACCESS_KEY_ID|@base64d')
```

2

```
NOOBAA_SECRET_KEY=$(kubectl get secret noobaa-admin -n openshift-storage -o json | jq -r
'.data.AWS_SECRET_ACCESS_KEY|@base64d')
alias s3='AWS_ACCESS_KEY_ID=$NOOBAA_ACCESS_KEY
AWS_SECRET_ACCESS_KEY=$NOOBAA_SECRET_KEY aws --endpoint https://localhost:10443 --
no-verify-ssl s3'
s3 ls
```

Services:

Service Mgmt:

External DNS:

```
https://noobaa-mgmt-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com
```

```
https://a3406079515be11eaa3b70683061451e-1194613580.us-east-
```

```
2.elb.amazonaws.com:443
```

Internal DNS:

```
https://noobaa-mgmt.openshift-storage.svc:443
```

Internal IP:

```
https://172.30.235.12:443
```

Node Ports:

```
https://10.0.142.103:31385
```

Pod Ports:

```
https://10.131.0.19:8443
```

serviceS3:

External DNS: 3

```
https://s3-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com
```

```
https://a340f4e1315be11eaa3b70683061451e-943168195.us-east-2.elb.amazonaws.com:443
```

Internal DNS:

```
https://s3.openshift-storage.svc:443
```

Internal IP:

```
https://172.30.86.41:443
```

Node Ports:

```
https://10.0.142.103:31011
```

Pod Ports:

```
https://10.131.0.19:6443
```

1

access key (**AWS_ACCESS_KEY_ID** value)

2

secret access key (**AWS_SECRET_ACCESS_KEY** value)

3

MCG endpoint



NOTE

The output from the **oc describe noobaa** command lists the internal and external DNS names that are available. When using the internal DNS, the traffic is free. The external DNS uses Load Balancing to process the traffic, and therefore has a cost per hour.

9.2.2. Accessing the Multicloud Object Gateway from the MCG command-line interface

Prerequisites

- Download the MCG command-line interface:

```
# subscription-manager repos --enable=rh-ocs-4-for-rhel-8-x86_64-rpms
# yum install mcg
```

Procedure

Run the **status** command to access the endpoint, access key, and secret access key:

```
noobaa status -n openshift-storage
```

The output will look similar to the following:

```
INFO[0000] Namespace: openshift-storage
INFO[0000]
INFO[0000] CRD Status:
INFO[0003] Exists: CustomResourceDefinition "noobaas.noobaa.io"
INFO[0003] Exists: CustomResourceDefinition "backingstores.noobaa.io"
INFO[0003] Exists: CustomResourceDefinition "bucketclasses.noobaa.io"
INFO[0004] Exists: CustomResourceDefinition "objectbucketclaims.objectbucket.io"
INFO[0004] Exists: CustomResourceDefinition "objectbuckets.objectbucket.io"
INFO[0004]
INFO[0004] Operator Status:
INFO[0004] Exists: Namespace "openshift-storage"
INFO[0004] Exists: ServiceAccount "noobaa"
INFO[0005] Exists: Role "ocs-operator.v0.0.271-6g45f"
INFO[0005] Exists: RoleBinding "ocs-operator.v0.0.271-6g45f-noobaa-f9vpj"
INFO[0006] Exists: ClusterRole "ocs-operator.v0.0.271-fjhgh"
INFO[0006] Exists: ClusterRoleBinding "ocs-operator.v0.0.271-fjhgh-noobaa-pdxn5"
INFO[0006] Exists: Deployment "noobaa-operator"
INFO[0006]
INFO[0006] System Status:
INFO[0007] Exists: NooBaa "noobaa"
INFO[0007] Exists: StatefulSet "noobaa-core"
INFO[0007] Exists: Service "noobaa-mgmt"
INFO[0008] Exists: Service "s3"
INFO[0008] Exists: Secret "noobaa-server"
INFO[0008] Exists: Secret "noobaa-operator"
INFO[0008] Exists: Secret "noobaa-admin"
INFO[0009] Exists: StorageClass "openshift-storage.noobaa.io"
INFO[0009] Exists: BucketClass "noobaa-default-bucket-class"
INFO[0009] (Optional) Exists: BackingStore "noobaa-default-backing-store"
INFO[0010] (Optional) Exists: CredentialsRequest "noobaa-cloud-creds"
```



```

INFO[0010] (Optional) Exists: PrometheusRule "noobaa-prometheus-rules"
INFO[0010] (Optional) Exists: ServiceMonitor "noobaa-service-monitor"
INFO[0011] (Optional) Exists: Route "noobaa-mgmt"
INFO[0011] (Optional) Exists: Route "s3"
INFO[0011] Exists: PersistentVolumeClaim "db-noobaa-core-0"
INFO[0011] System Phase is "Ready"
INFO[0011] Exists: "noobaa-admin"

#-----#
#- Mgmt Addresses -#
#-----#

ExternalDNS : [https://noobaa-mgmt-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com
https://a3406079515be11eaa3b70683061451e-1194613580.us-east-2.elb.amazonaws.com:443]
ExternalIP : []
NodePorts : [https://10.0.142.103:31385]
InternalDNS : [https://noobaa-mgmt.openshift-storage.svc:443]
InternalIP : [https://172.30.235.12:443]
PodPorts : [https://10.131.0.19:8443]

#-----#
#- Mgmt Credentials -#
#-----#

email : admin@noobaa.io
password : HKLbH1rSuVU0l/souIkSiA==

#-----#
#- S3 Addresses -#
#-----#

1
ExternalDNS : [https://s3-openshift-storage.apps.mycluster-cluster.qe.rh-ocs.com
https://a340f4e1315be11eaa3b70683061451e-943168195.us-east-2.elb.amazonaws.com:443]
ExternalIP : []
NodePorts : [https://10.0.142.103:31011]
InternalDNS : [https://s3.openshift-storage.svc:443]
InternalIP : [https://172.30.86.41:443]
PodPorts : [https://10.131.0.19:6443]

#-----#
#- S3 Credentials -#
#-----#

2
AWS_ACCESS_KEY_ID : jVmAsu9FsvRHYmfjTiHV

3
AWS_SECRET_ACCESS_KEY : E//420VNedJfATvVSmDz6FMtsSAzuBv6z180PT5c

#-----#
#- Backing Stores -#
#-----#

NAME                TYPE    TARGET-BUCKET                PHASE AGE
noobaa-default-backing-store aws-s3 noobaa-backing-store-15dc896d-7fe0-4bed-9349-
5942211b93c9 Ready 141h35m32s

```

```

#-----#
#- Bucket Classes -#
#-----#

NAME                PLACEMENT                PHASE  AGE
noobaa-default-bucket-class  {Tiers:[{Placement: BackingStores:[noobaa-default-backing-store]}}
Ready  141h35m33s

#-----#
#- Bucket Claims -#
#-----#

No OBC's found.

```

- 1 endpoint
- 2 access key
- 3 secret access key

You now have the relevant endpoint, access key, and secret access key in order to connect to your applications.

Example 9.2. Example

If AWS S3 CLI is the application, the following command will list buckets in OpenShift Container Storage:

```

AWS_ACCESS_KEY_ID=<AWS_ACCESS_KEY_ID>
AWS_SECRET_ACCESS_KEY=<AWS_SECRET_ACCESS_KEY>
aws --endpoint <ENDPOINT> --no-verify-ssl s3 ls

```

9.3. ADDING STORAGE RESOURCES FOR HYBRID OR MULTICLOUD

9.3.1. Adding storage resources for hybrid or Multicloud using the MCG command line interface

The Multicloud Object Gateway (MCG) simplifies the process of spanning data across cloud provider and clusters.

To do so, add a backing storage that can be used by the MCG.

Prerequisites

- Download the MCG command-line interface:

```

# subscription-manager repos --enable=rh-ocs-4-for-rhel-8-x86_64-rpms
# yum install mcg

```

- Alternatively, you can install the **mcg** package from the OpenShift Container Storage RPMs found here [Download RedHat OpenShift Container Storage page](#) .

Procedure

1. From the MCG command-line interface, run the following command:

```
noobaa backingstore create <backing-store-type> <backingstore_name> --access-key=
<AWS ACCESS KEY> --secret-key=<AWS SECRET ACCESS KEY> --target-bucket
<bucket-name>
```

- a. Replace **<backing-store-type>** with your relevant backing store type: **aws-s3**, **google-cloud-store**, **azure-blob**, **s3-compatible**, or **ibm-cos**.
- b. Replace **<backingstore_name>** with the name of the backingstore.
- c. Replace **<AWS ACCESS KEY>** and **<AWS SECRET ACCESS KEY>** with an AWS access key ID and secret access key you created for this purpose.
- d. Replace **<bucket-name>** with an existing AWS bucket name. This argument tells NooBaa which bucket to use as a target bucket for its backing store, and subsequently, data storage and administration.

The output will be similar to the following:

```
INFO[0001] Exists: NooBaa "noobaa"
INFO[0002] Created: BackingStore "aws-resource"
INFO[0002] Created: Secret "backing-store-secret-aws-resource"
```

You can also add storage resources using a YAML:

1. Create a secret with the credentials:

```
apiVersion: v1
kind: Secret
metadata:
  name: <backingstore-secret-name>
type: Opaque
data:
  AWS_ACCESS_KEY_ID: <AWS ACCESS KEY ID ENCODED IN BASE64>
  AWS_SECRET_ACCESS_KEY: <AWS SECRET ACCESS KEY ENCODED IN BASE64>
```

- a. You must supply and encode your own AWS access key ID and secret access key using Base64, and use the results in place of **<AWS ACCESS KEY ID ENCODED IN BASE64>** and **<AWS SECRET ACCESS KEY ENCODED IN BASE64>**.
 - b. Replace **<backingstore-secret-name>** with a unique name.
2. Apply the following YAML for a specific backing store:

```
apiVersion: noobaa.io/v1alpha1
kind: BackingStore
metadata:
  finalizers:
    - noobaa.io/finalizer
  labels:
    app: noobaa
  name: bs
  namespace: noobaa
```

```
spec:
  awsS3:
    secret:
      name: <backingstore-secret-name>
      namespace: noobaa
    targetBucket: <bucket-name>
    type: <backing-store-type>
```

- a. Replace **<bucket-name>** with an existing AWS bucket name. This argument tells NooBaa which bucket to use as a target bucket for its backing store, and subsequently, data storage and administration.
- b. Replace **<backingstore-secret-name>** with the name of the secret created in the previous step.
- c. Replace **<backing-store-type>** with your relevant backing store type: **aws-s3**, **google-cloud-store**, **azure-blob**, **s3-compatible**, or **ibm-cos**.

9.3.2. Creating an s3 compatible Multicloud Object Gateway backingstore

The Multicloud Object Gateway can use any S3 compatible object storage as a backing store, for example, Red Hat Ceph Storage's RADOS Gateway (RGW). The following procedure shows how to create an S3 compatible Multicloud Object Gateway backing store for Red Hat Ceph Storage's RADOS Gateway. Note that when RGW is deployed, Openshift Container Storage operator creates an S3 compatible backingstore for Multicloud Object Gateway automatically.

Procedure

1. From the Multicloud Object Gateway (MCG) command-line interface, run the following NooBaa command:

```
noobaa backingstore create s3-compatible rgw-resource --access-key=<RGW ACCESS KEY> --secret-key=<RGW SECRET KEY> --target-bucket=<bucket-name> --endpoint=<RGW endpoint>
```

- a. To get the **<RGW ACCESS KEY>** and **<RGW SECRET KEY>**, run the following command using your RGW user secret name:

```
oc get secret <RGW USER SECRET NAME> -o yaml
```

- b. Decode the access key ID and the access key from Base64 and keep them.
- c. Replace **<RGW USER ACCESS KEY>** and **<RGW USER SECRET ACCESS KEY>** with the appropriate, decoded data from the previous step.
- d. Replace **<bucket-name>** with an existing RGW bucket name. This argument tells Multicloud Object Gateway which bucket to use as a target bucket for its backing store, and subsequently, data storage and administration.
- e. To get the **<RGW endpoint>**, see [Accessing the RADOS Object Gateway S3 endpoint](#). The output will be similar to the following:

```
INFO[0001] Exists: NooBaa "noobaa"
INFO[0002] Created: BackingStore "rgw-resource"
INFO[0002] Created: Secret "backing-store-secret-rgw-resource"
```

You can also create the backingstore using a YAML:

1. Create a **CephObjectStore** user. This also creates a secret containing the RGW credentials:

```
apiVersion: ceph.rook.io/v1
kind: CephObjectStoreUser
metadata:
  name: <RGW-Username>
  namespace: openshift-storage
spec:
  store: ocs-storagecluster-cephobjectstore
  displayName: "<Display-name>"
```

- a. Replace **<RGW-Username>** and **<Display-name>** with a unique username and display name.
2. Apply the following YAML for an S3-Compatible backing store:


```
apiVersion: noobaa.io/v1alpha1
kind: BackingStore
metadata:
  finalizers:
    - noobaa.io/finalizer
  labels:
    app: noobaa
  name: <backingstore-name>
  namespace: openshift-storage
spec:
  s3Compatible:
    endpoint: <RGW endpoint>
    secret:
      name: <backingstore-secret-name>
      namespace: openshift-storage
    signatureVersion: v4
    targetBucket: <RGW-bucket-name>
  type: s3-compatible
```

- a. Replace **<backingstore-secret-name>** with the name of the secret that was created with **CephObjectStore** in the previous step.
- b. Replace **<bucket-name>** with an existing RGW bucket name. This argument tells Multicloud Object Gateway which bucket to use as a target bucket for its backing store, and subsequently, data storage and administration.
- c. To get the **<RGW endpoint>**, see [Accessing the RADOS Object Gateway S3 endpoint](#).


9.3.3. Adding storage resources for hybrid and Multicloud using the user interface

Procedure


1. In your OpenShift Storage console, navigate to **Overview** → **Object Service** → select the **Multicloud Object Gateway** link:




2. Select the **Resources** tab in the left, highlighted below. From the list that populates, select **Add Cloud Resource**:




3. Select **Add new connection**:



4. Select the relevant native cloud provider or S3 compatible option and fill in the details:



5. Select the newly created connection and map it to the existing bucket:



6. Repeat these steps to create as many backing stores as needed.



NOTE

Resources created in NooBaa UI cannot be used by OpenShift UI or MCG CLI.

9.3.4. Creating a new bucket class

Bucket class is a CRD representing a class of buckets that defines tiering policies and data placements for an Object Bucket Class (OBC).


Use this procedure to create a bucket class in OpenShift Container Storage.

Procedure

1. Click **Operators** → **Installed Operators** from the left pane of the OpenShift Web Console to view the installed operators.


2. Click **OpenShift Container Storage Operator**.
3. On the OpenShift Container Storage Operator page, scroll right and click the **Bucket Class** tab.

Figure 9.1. OpenShift Container Storage Operator page with Bucket Class tab



4. Click **Create Bucket Class**.
5. On the Create new Bucket Class page, perform the following:
 - a. Enter a **Bucket Class Name** and click **Next**.

Figure 9.2. Create Bucket Class page



- b. In Placement Policy, select **Tier 1 - Policy Type** and click **Next**. You can choose either one of the options as per your requirements.
 - **Spread** allows spreading of the data across the chosen resources.
 - **Mirror** allows full duplication of the data across the chosen resources.
 - Click **Add Tier** to add another policy tier.

Figure 9.3. Tier 1 - Policy Type selection page

Project: openshift-storage

OpenShift Container Storage > Create Bucket Class

Create new Bucket Class

Bucket Class is a CRD representing a class for buckets that defines tiering policies and data placements for an OBC.

- General
- Placement Policy
- Backing Store
- Review

Tier 1 - Policy Type

- Spread
Spreading the data across the chosen resources. By default, a replica of one copy is used and does not include failure tolerance in case of resource failure.
- Mirror
Full duplication of the data in each chosen resource. By default, a replica of one copy per location is used. Includes failure tolerance in case of resource failure.

[Add Tier](#)

[Next](#) [Back](#) [Cancel](#)

- c. Select at least one **Backing Store** resource from the available list if you have selected Tier 1 - Policy Type as Spread and click **Next**. Alternatively, you can also [create a new backing store](#).

Figure 9.4. Tier 1 - Backing Store selection page

Project: openshift-storage

OpenShift Container Storage > Create Bucket Class

Create new Bucket Class

Bucket Class is a CRD representing a class for buckets that defines tiering policies and data placements for an OBC.

- General
- Placement Policy
- Backing Store
- Review

Tier 1 - Backing Store (Spread)

[Create Backing Store](#)

Select at least 1 Backing Store resource *

Search Backing Store

Name	BucketName	Type	Region
<input checked="" type="checkbox"/> NBS noobaa-default-backing-store	nb.1589272586147.apps.ebondare-dc25.q...	awsS3	us-east-2

1 resources selected

[Next](#) [Back](#) [Cancel](#)



NOTE

You need to select at least 2 backing stores when you select Policy Type as Mirror in previous step.

- a. Review and confirm Bucket Class settings.

Figure 9.5. Bucket class settings review page

Project: openshift-storage

OpenShift Container Storage > Create Bucket Class

Create new Bucket Class

Bucket Class is a CRD representing a class for buckets that defines tiering policies and data placements for an OBC.

- General
- Placement Policy
- Backing Store
- Review

Review and confirm Bucket Class settings

Bucket Class name
ocs-01-spread

Placement Policy Details
Tier 1: Spread
Selected Backing Store: noobaa-default-backing-store

[Create Bucket Class](#) [Back](#) [Cancel](#)

- b. Click **Create Bucket Class**.

Verification steps

1. Click **Operators** → **Installed Operators**.
2. Click **OpenShift Container Storage Operator**.
3. Search for the new Bucket Class or click **Bucket Class** tab to view all the Bucket Classes.

9.4. MIRRORING DATA FOR HYBRID AND MULTICLOUD BUCKETS

The Multicloud Object Gateway (MCG) simplifies the process of spanning data across cloud provider and clusters.

Prerequisites

- You must first add a backing storage that can be used by the MCG, see [Section 9.3, “Adding storage resources for hybrid or Multicloud”](#).

Then you create a bucket class that reflects the data management policy, mirroring.

Procedure

You can set up mirroring data three ways:

- [Section 9.4.1, “Creating bucket classes to mirror data using the MCG command-line-interface”](#)
- [Section 9.4.2, “Creating bucket classes to mirror data using a YAML”](#)
- [Section 9.4.3, “Configuring buckets to mirror data using the user interface”](#)

9.4.1. Creating bucket classes to mirror data using the MCG command-line-interface

1. From the MCG command-line interface, run the following command to create a bucket class with a mirroring policy:

```
$ noobaa bucketclass create mirror-to-aws --backingstores=azure-resource,aws-resource --placement Mirror
```

2. Set the newly created bucket class to a new bucket claim, generating a new bucket that will be mirrored between two locations:

```
$ noobaa obc create mirrored-bucket --bucketclass=mirror-to-aws
```

9.4.2. Creating bucket classes to mirror data using a YAML

1. Apply the following YAML. This YAML is a hybrid example that mirrors data between local Ceph storage and AWS:

```
apiVersion: noobaa.io/v1alpha1
kind: BucketClass
metadata:
  name: hybrid-class
  labels:
```

```

app: noobaa
spec:
  placementPolicy:
    tiers:
      - tier:
          mirrors:
            - mirror:
                spread:
                  - cos-east-us
            - mirror:
                spread:
                  - noobaa-test-bucket-for-ocp201907291921-11247_resource

```

2. Add the following lines to your standard Object Bucket Claim (OBC):

```

additionalConfig:
  bucketclass: mirror-to-aws

```


For more information about OBCs, see [Section 9.6, “Object Bucket Claim”](#).

9.4.3. Configuring buckets to mirror data using the user interface

1. In your OpenShift Storage console, navigate to **Overview** → **Object Service** → select the **Multicloud Object Gateway** link:


The screenshot shows the OpenShift Storage console interface. The left sidebar contains navigation options like Administrator, Home, Overview, Projects, Search, Explore, Events, Operators, Workloads, Networking, Storage, Builds, Monitoring, Compute, User Management, and Administration. The main content area is titled 'Overview' and is divided into several sections: Details, Status, Capacity breakdown, Performance, Storage Efficiency, Buckets, and Resource Providers. The Details section shows the Service Name as 'OpenShift Container Storage' and the System Name as 'Multicloud Object Gateway'. The Status section shows 'Object Service' and 'Data Resiliency' as active. The Performance section features a bar chart for 'I/O Operations count' with a legend indicating 'Total Reads 42' and 'Total Writes 42'. The Buckets section lists '1 NooBaa Bucket', '0 Objects', '0 Object Buckets', and '0 Object Bucket Claims'. The Resource Providers section lists '1 AWS'.

2. Click the **buckets** icon on the left side. You will see a list of your buckets:




3. Click the bucket you want to update.

4. Click **Edit Tier 1 Resources**:



5. Select **Mirror** and check the relevant resources you want to use for this bucket. In the following example, we mirror data between on prem Ceph RGW to AWS:



6. Click **Save**.



NOTE

Resources created in NooBaa UI cannot be used by OpenShift UI or MCG CLI.

9.5. BUCKET POLICIES IN THE MULTICLOUD OBJECT GATEWAY

OpenShift Container Storage supports AWS S3 bucket policies. Bucket policies allow you to grant users access permissions for buckets and the objects in them.

9.5.1. About bucket policies

Bucket policies are an access policy option available for you to grant permission to your AWS S3 buckets and objects. Bucket policies use JSON-based access policy language. For more information about access policy language, see [AWS Access Policy Language Overview](#).

9.5.2. Using bucket policies

Prerequisites

- A running OpenShift Container Storage Platform
- Access to the Multicloud Object Gateway, see [Section 9.2, “Accessing the Multicloud Object Gateway with your applications”](#)

Procedure

To use bucket policies in the Multicloud Object Gateway:

1. Create the bucket policy in JSON format. See the following example:

```
{
  "Version": "NewVersion",
  "Statement": [
    {
      "Sid": "Example",
```

```

    "Effect": "Allow",
    "Principal": [
      "john.doe@example.com"
    ],
    "Action": [
      "s3:GetObject"
    ],
    "Resource": [
      "arn:aws:s3:::john_bucket"
    ]
  }
]
}

```

There are many available elements for bucket policies. For details on these elements and examples of how they can be used, see [AWS Access Policy Language Overview](#).

For more examples of bucket policies, see [AWS Bucket Policy Examples](#).

Instructions for creating S3 users can be found in [Section 9.5.3, "Creating an AWS S3 user in the Multicloud Object Gateway"](#).

- Using AWS S3 client, use the **put-bucket-policy** command to apply the bucket policy to your S3 bucket:

```
# aws --endpoint ENDPOINT --no-verify-ssl s3api put-bucket-policy --bucket MyBucket --policy BucketPolicy
```

Replace ***ENDPOINT*** with the S3 endpoint

Replace ***MyBucket*** with the bucket to set the policy on


Replace ***BucketPolicy*** with the bucket policy JSON file

Add **--no-verify-ssl** if you are using the default self signed certificates

For example:

```
# aws --endpoint https://s3-openshift-storage.apps.gogo44.noobaa.org --no-verify-ssl s3api put-bucket-policy -bucket MyBucket --policy file://BucketPolicy
```

For more information on the **put-bucket-policy** command, see the [AWS CLI Command Reference for put-bucket-policy](#).



NOTE

The principal element specifies the user that is allowed or denied access to a resource, such as a bucket. Currently, Only NooBaa accounts can be used as principals. In the case of object bucket claims, NooBaa automatically create an account **obc-account.<generated bucket name>@noobaa.io**.



NOTE

Bucket policy conditions are not supported.

9.5.3. Creating an AWS S3 user in the Multicloud Object Gateway

Prerequisites

- A running OpenShift Container Storage Platform
- Access to the Multicloud Object Gateway, see [Section 9.2, “Accessing the Multicloud Object Gateway with your applications”](#)

Procedure

1. In your OpenShift Storage console, navigate to **Overview** → **Object Service** → select the **Multicloud Object Gateway** link:

The screenshot shows the Red Hat OpenShift Container Platform console. The main content area is titled "Overview" and is divided into several sections:

- Details:**
 - Service Name: OpenShift Container Storage
 - System Name: Multicloud Object Gateway
 - Provider: AWS
 - Version: ocs-operator-v4.6.0
- Status:**
 - Object Service: ✔
 - Data Resiliency: ✔
- Capacity breakdown:** Shows "Not enough usage data".
- Storage Efficiency:**
 - Compression ratio: Not available
 - Savings: Not available
- Buckets:**
 - 1 NooBaa Bucket (0 Objects)
 - 0 Object Buckets
 - 0 Object Bucket Claims
- Resource Providers:** 1 AWS
- Performance:** A bar chart showing I/O Operations count for AWS. The y-axis ranges from 0 to 50. The bar for AWS shows approximately 42 total reads and 42 total writes.
- Activity:** Shows "Ongoing" status and "Recent Events" (none).

2. Under the **Accounts** tab, click **Create Account**

The screenshot shows the Red Hat NOOBAA console. The main content area is titled "Accounts" and contains a table of accounts:

Account Name	Access Type	Default Resource
admin@noobaa.io	Administrator	noobaa-default-backing-store
kube.admin (Current user)	Administrator	noobaa-default-backing-store

A "Create Account" button is located in the top right corner of the accounts list.

3. Select **S3 Access Only**, provide the **Account Name**, for example, `john.doe@example.com`. Click **Next**:

Create Account ✕

1 Account Details 2 S3 Access

Access Type:

Administrator
Enabling administrative access will generate a password that allows login to NooBaa management console as a system admin

S3 Access Only
Granting S3 access will allow this account to connect S3 client applications by generating security credentials (key set).

Account Name:
3 - 32 characters

Cancel

4. Select **S3 default placement**, for example, noobaa-default-backing-store. Select **Buckets Permissions**. A specific bucket or all buckets can be selected. Click **Create**:

Create Account
✕

✓ Account Details
2 S3 Access

S3 default placement: ?

noobaa-default-backing-store ▼

Buckets Permissions:

All buckets selected ▼

Include any future buckets

Allow new bucket creation: ?

Enabled

Previous
Create

9.6. OBJECT BUCKET CLAIM

An Object Bucket Claim can be used to request an S3 compatible bucket backend for your workloads.

You can create an Object Bucket Claim three ways:

- [Section 9.6.1, "Dynamic Object Bucket Claim"](#)
- [Section 9.6.2, "Creating an Object Bucket Claim using the command line interface"](#)
- [Section 9.6.3, "Creating an Object Bucket Claim using the OpenShift Web Console"](#)

An object bucket claim creates a new bucket and an application account in NooBaa with permissions to the bucket, including a new access key and secret access key. The application account is allowed to access only a single bucket and can't create new buckets by default.

9.6.1. Dynamic Object Bucket Claim

Similar to Persistent Volumes, you can add the details of the Object Bucket claim to your application's YAML, and get the object service endpoint, access key, and secret access key available in a configuration map and secret. It is easy to read this information dynamically into environment variables of your application.

Procedure

1. Add the following lines to your application YAML:

```
apiVersion: objectbucket.io/v1alpha1
kind: ObjectBucketClaim
metadata:
  name: <obc-name>
spec:
  generateBucketName: <obc-bucket-name>
  storageClassName: openshift-storage.noobaa.io
```

These lines are the Object Bucket Claim itself.

- a. Replace **<obc-name>** with the a unique Object Bucket Claim name.
 - b. Replace **<obc-bucket-name>** with a unique bucket name for your Object Bucket Claim.
2. You can add more lines to the YAML file to automate the use of the Object Bucket Claim. The example below is the mapping between the bucket claim result, which is a configuration map with data and a secret with the credentials. This specific job will claim the Object Bucket from NooBaa, which will create a bucket and an account.

```
apiVersion: batch/v1
kind: Job
metadata:
  name: testjob
spec:
  template:
    spec:
      restartPolicy: OnFailure
      containers:
        - image: <your application image>
          name: test
          env:
            - name: BUCKET_NAME
              valueFrom:
                configMapKeyRef:
                  name: <obc-name>
                  key: BUCKET_NAME
            - name: BUCKET_HOST
              valueFrom:
                configMapKeyRef:
                  name: <obc-name>
                  key: BUCKET_HOST
            - name: BUCKET_PORT
              valueFrom:
                configMapKeyRef:
                  name: <obc-name>
                  key: BUCKET_PORT
            - name: AWS_ACCESS_KEY_ID
              valueFrom:
                secretKeyRef:
                  name: <obc-name>
                  key: AWS_ACCESS_KEY_ID
            - name: AWS_SECRET_ACCESS_KEY
```

```
valueFrom:
  secretKeyRef:
    name: <obc-name>
    key: AWS_SECRET_ACCESS_KEY
```

- a. Replace all instances of <obc-name> with your Object Bucket Claim name.
 - b. Replace <your application image> with your application image.
3. Apply the updated YAML file:

```
# oc apply -f <yaml.file>
```

- a. Replace <yaml.file> with the name of your YAML file.
4. To view the new configuration map, run the following:

```
# oc get cm <obc-name>
```

- a. Replace **obc-name** with the name of your Object Bucket Claim. You can expect the following environment variables in the output:
 - **BUCKET_HOST** - Endpoint to use in the application
 - **BUCKET_PORT** - The port available for the application
 - The port is related to the **BUCKET_HOST**. For example, if the **BUCKET_HOST** is <https://my.example.com>, and the **BUCKET_PORT** is 443, the endpoint for the object service would be <https://my.example.com:443>.
 - **BUCKET_NAME** - Requested or generated bucket name
 - **AWS_ACCESS_KEY_ID** - Access key that is part of the credentials
 - **AWS_SECRET_ACCESS_KEY** - Secret access key that is part of the credentials

9.6.2. Creating an Object Bucket Claim using the command line interface

When creating an Object Bucket Claim using the command-line interface, you get a configuration map and a Secret that together contain all the information your application needs to use the object storage service.

Prerequisites

- Download the MCG command-line interface:

```
# subscription-manager repos --enable=rh-ocs-4-for-rhel-8-x86_64-rpms
# yum install mcg
```

Procedure

1. Use the command-line interface to generate the details of a new bucket and credentials. Run the following command:

```
# noobaa obc create <obc-name> -n openshift-storage
```

-

Replace **<obc-name>** with a unique Object Bucket Claim name, for example, **myappobc**.

Additionally, you can use the **--app-namespace** option to specify the namespace where the Object Bucket Claim configuration map and secret will be created, for example, **myapp-namespace**.

Example output:

```
INFO[0001] Created: ObjectBucketClaim "test21obc"
```

The MCG command-line-interface has created the necessary configuration and has informed OpenShift about the new OBC.

2. Run the following command to view the Object Bucket Claim:

```
# oc get obc -n openshift-storage
```

Example output:

```
NAME          STORAGE-CLASS          PHASE  AGE
test21obc    openshift-storage.noobaa.io  Bound  38s
```

3. Run the following command to view the YAML file for the new Object Bucket Claim:

```
# oc get obc test21obc -o yaml -n openshift-storage
```

Example output:

```
apiVersion: objectbucket.io/v1alpha1
kind: ObjectBucketClaim
metadata:
  creationTimestamp: "2019-10-24T13:30:07Z"
  finalizers:
  - objectbucket.io/finalizer
  generation: 2
  labels:
    app: noobaa
    bucket-provisioner: openshift-storage.noobaa.io-obc
    noobaa-domain: openshift-storage.noobaa.io
  name: test21obc
  namespace: openshift-storage
  resourceVersion: "40756"
  selfLink: /apis/objectbucket.io/v1alpha1/namespaces/openshift-storage/objectbucketclaims/test21obc
  uid: 64f04cba-f662-11e9-bc3c-0295250841af
spec:
  ObjectBucketName: obc-openshift-storage-test21obc
  bucketName: test21obc-933348a6-e267-4f82-82f1-e59bf4fe3bb4
  generateBucketName: test21obc
  storageClassName: openshift-storage.noobaa.io
status:
  phase: Bound
```

4. Inside of your **openshift-storage** namespace, you can find the configuration map and the secret to use this Object Bucket Claim. The CM and the secret have the same name as the Object Bucket Claim. To view the secret:

```
# oc get -n openshift-storage secret test21obc -o yaml
```

Example output:

```
Example output:
apiVersion: v1
data:
  AWS_ACCESS_KEY_ID: c0M0R2xVanF3ODR3bHBkVW94cmY=
  AWS_SECRET_ACCESS_KEY:
Wi9kcFluSWxHRzIWaFizNk1hc0xma2JXcjM1MVhqa051SIBleXpmOQ==
kind: Secret
metadata:
  creationTimestamp: "2019-10-24T13:30:07Z"
  finalizers:
  - objectbucket.io/finalizer
  labels:
    app: noobaa
    bucket-provisioner: openshift-storage.noobaa.io-obc
    noobaa-domain: openshift-storage.noobaa.io
  name: test21obc
  namespace: openshift-storage
  ownerReferences:
  - apiVersion: objectbucket.io/v1alpha1
    blockOwnerDeletion: true
    controller: true
    kind: ObjectBucketClaim
    name: test21obc
    uid: 64f04cba-f662-11e9-bc3c-0295250841af
  resourceVersion: "40751"
  selfLink: /api/v1/namespaces/openshift-storage/secrets/test21obc
  uid: 65117c1c-f662-11e9-9094-0a5305de57bb
type: Opaque
```

The secret gives you the S3 access credentials.

5. To view the configuration map:

```
# oc get -n openshift-storage cm test21obc -o yaml
```

Example output:

```
apiVersion: v1
data:
  BUCKET_HOST: 10.0.171.35
  BUCKET_NAME: test21obc-933348a6-e267-4f82-82f1-e59bf4fe3bb4
  BUCKET_PORT: "31242"
  BUCKET_REGION: ""
  BUCKET_SUBREGION: ""
kind: ConfigMap
metadata:
  creationTimestamp: "2019-10-24T13:30:07Z"
```

```

finalizers:
- objectbucket.io/finalizer
labels:
  app: noobaa
  bucket-provisioner: openshift-storage.noobaa.io-obc
  noobaa-domain: openshift-storage.noobaa.io
name: test21obc
namespace: openshift-storage
ownerReferences:
- apiVersion: objectbucket.io/v1alpha1
  blockOwnerDeletion: true
  controller: true
  kind: ObjectBucketClaim
  name: test21obc
  uid: 64f04cba-f662-11e9-bc3c-0295250841af
resourceVersion: "40752"
selfLink: /api/v1/namespaces/openshift-storage/configmaps/test21obc
uid: 651c6501-f662-11e9-9094-0a5305de57bb

```

The configuration map contains the S3 endpoint information for your application.

9.6.3. Creating an Object Bucket Claim using the OpenShift Web Console

You can create an Object Bucket Claim (OBC) using the OpenShift Web Console.

Prerequisites

- Administrative access to the OpenShift Web Console.
- In order for your applications to communicate with the OBC, you need to use the configmap and secret. For more information about this, see [Section 9.6.1, "Dynamic Object Bucket Claim"](#).

Procedure

1. Log into the OpenShift Web Console.
2. On the left navigation bar, click **Storage** → **Object Bucket Claims**.
3. Click **Create Object Bucket Claim**



4. Enter a name for your object bucket claim and select the appropriate storage class based on your deployment, internal or external, from the dropdown menu:
Internal mode

Project: openshift-storage ▾

Create Object Bucket Claim

[Edit YAML](#)

Object Bucket Claim Name

If not provided, a generic name will be generated.

Storage Class *

No default storage class

SC ocs-storagecluster-ceph-rgw
openshift-storage.ceph.rook.io/bucket

SC openshift-storage.noobaa.io
openshift-storage.noobaa.io/obc

The following storage classes, which were created after deployment, are available for use:

- **ocs-storagecluster-ceph-rgw** uses the Ceph Object Gateway (RGW)
- **openshift-storage.noobaa.io** uses the Multicloud Object Gateway

External mode

Project: openshift-storage ▾

Create Object Bucket Claim

[Edit YAML](#)

Object Bucket Claim Name

If not provided, a generic name will be generated.

Storage Class *

No default storage class

SC ocs-external-storagecluster-ceph-rgw
openshift-storage.ceph.rook.io/bucket

SC openshift-storage.noobaa.io
openshift-storage.noobaa.io/obc

The following storage classes, which were created after deployment, are available for use:

- **ocs-external-storagecluster-ceph-rgw** uses the Ceph Object Gateway (RGW)

- **openshift-storage.noobaa.io** uses the Multicloud Object Gateway




NOTE

The RGW OBC storage class is only available with fresh installations of OpenShift Container Storage version 4.5. It does not apply to clusters upgraded from previous OpenShift Container Storage releases.

5. Click **Create**.

Once you create the OBC, you are redirected to its detail page:



Additional Resources

- [Section 9.6, "Object Bucket Claim"](#)

9.6.4. Attaching an Object Bucket Claim to a deployment


Once created, Object Bucket Claims (OBCs) can be attached to specific deployments.

Prerequisites


- Administrative access to the OpenShift Web Console.

Procedure

1. On the left navigation bar, click **Storage** → **Object Bucket Claims**.
2. Click the action menu (⋮) next to the OBC you created.
3. From the drop down menu, select **Attach to Deployment**



4. Select the desired deployment from the Deployment Name list, then click **Attach**:



Additional Resources

- [Section 9.6, "Object Bucket Claim"](#)

9.6.5. Viewing object buckets using the OpenShift Web Console

You can view the details of object buckets created for Object Bucket Claims (OBCs) using the OpenShift Web Console.


Prerequisites

- Administrative access to the OpenShift Web Console.

Procedure


To view the object bucket details:

1. Log into the OpenShift Web Console.
2. On the left navigation bar, click **Storage** → **Object Buckets**:



You can also navigate to the details page of a specific OBC and click the **Resource** link to view the object buckets for that OBC.

3. Select the object bucket you want to see details for. You are navigated to the object bucket's details page:



Additional Resources

- [Section 9.6, "Object Bucket Claim"](#)


9.6.6. Deleting Object Bucket Claims

Prerequisites


- Administrative access to the OpenShift Web Console.

Procedure

1. On the left navigation bar, click **Storage** → **Object Bucket Claims**.
2. click on the action menu (**:**) next to the Object Bucket Claim you want to delete.



3. Select **Delete Object Bucket Claim** from menu.



4. Click **Delete**.

Additional Resources

- [Section 9.6, "Object Bucket Claim"](#)

9.7. SCALING MULTICLOUD OBJECT GATEWAY PERFORMANCE BY ADDING ENDPOINTS

The Multicloud Object Gateway performance may vary from one environment to another. In some cases, specific applications require faster performance which can be easily addressed by scaling S3 endpoints.

The Multicloud Object Gateway resource pool is a group of NooBaa daemon containers that provide two types of services enabled by default:

- Storage service
- S3 endpoint service

9.7.1. S3 endpoints in the Multicloud Object Gateway

The S3 endpoint is a service that every Multicloud Object Gateway provides by default that handles the heavy lifting data digestion in the Multicloud Object Gateway. The endpoint service handles the inline

data chunking, deduplication, compression, and encryption, and it accepts data placement instructions from the Multicloud Object Gateway.

9.7.2. Scaling with storage nodes


Prerequisites

- A running OpenShift Container Storage cluster on OpenShift Container Platform with access to the Multicloud Object Gateway.


A storage node in the Multicloud Object Gateway is a NooBaa daemon container attached to one or more Persistent Volumes and used for local object service data storage. NooBaa daemons can be deployed on Kubernetes nodes. This can be done by creating a Kubernetes pool consisting of StatefulSet pods.

Procedure


1. In the Multicloud Object Gateway user interface, from the **Overview** page, click **Add Storage Resources**:



2. In the window, click **Deploy Kubernetes Pool**



3. In the **Create Pool** step create the target pool for the future installed nodes.



4. In the **Configure** step, configure the number of requested pods and the size of each PV. For each new pod, one PV is created.

Deploy Kubernetes Pool ✕

Create Pool
 2 Configure
 3 Review

A Kubernetes node is a worker machine in Kubernetes and can be deployed by configuring a stateful set. These nodes cannot be moved from their original pool. Each Kubernetes node is used as an Endpoint by default.

Number of Nodes (pods):

Node PV Size:

This cannot be changed later on

For each new node one PV will be created

- In the **Review** step, you can find the details of the new pool and select the deployment method you wish to use: local or external deployment. If local deployment is selected, the Kubernetes nodes will deploy within the cluster. If external deployment is selected, you will be provided with a YAML file to run externally.
- All nodes will be assigned to the pool you chose in the first step, and can be found under **Resources → Storage resources → Resource name:**

The screenshot shows the Red Hat NOOBAA Resources page. The top navigation bar includes the NOOBAA logo, the 'Resources' tab, and user information (admin@noobaa.io). The main content area displays a summary of resources:

Kubernetes pools	1	Cloud Resources	0	Namespace Resources	0
Number of Nodes (Pods)	3	Providers	0	Providers	0

Below the summary, there are tabs for 'Storage Resources' and 'Namespace Resources'. A search bar and a dropdown menu for 'All Resource Types' are present. Two buttons, 'Deploy Kubernetes Pool' and 'Add Cloud Resource', are visible. A table lists the resources:

State	Type	Resource Name	Region	Connected Buckets	Number Of Nodes	Used Capacity
Healthy		my-kubernetes-pool-1	Not set	None	3	6.5GB of 300GB

At the bottom right, there is a pagination indicator: '1 - 1 of 1 items'.

CHAPTER 10. MANAGING PERSISTENT VOLUME CLAIMS



IMPORTANT

Expanding PVCs is not supported for PVCs backed by OpenShift Container Storage.

10.1. CONFIGURING APPLICATION PODS TO USE OPENSIFT CONTAINER STORAGE

Follow the instructions in this section to configure OpenShift Container Storage as storage for an application pod.

Prerequisites

- You have administrative access to OpenShift Web Console.
- OpenShift Container Storage Operator is installed and running in the **openshift-storage** namespace. In OpenShift Web Console, click **Operators** → **Installed Operators** to view installed operators.
- The default storage classes provided by OpenShift Container Storage are available. In OpenShift Web Console, click **Storage** → **Storage Classes** to view default storage classes.

Procedure

1. **Create a Persistent Volume Claim (PVC) for the application to use.**
 - a. In OpenShift Web Console, click **Storage** → **Persistent Volume Claims**
 - b. Set the **Project** for the application pod.
 - c. Click **Create Persistent Volume Claim**
 - i. Specify a **Storage Class** provided by OpenShift Container Storage.
 - ii. Specify the PVC **Name**, for example, **myclaim**.
 - iii. Select the required **Access Mode**.
 - iv. Specify a **Size** as per application requirement.
 - v. Click **Create** and wait until the PVC is in **Bound** status.
2. **Configure a new or existing application pod to use the new PVC.**
 - For a new application pod, perform the following steps:
 - i. Click **Workloads** → **Pods**.
 - ii. Create a new application pod.
 - iii. Under the **spec:** section, add **volume:** section to add the new PVC as a volume for the application pod.

volumes:

```
- name: <volume_name>
  persistentVolumeClaim:
    claimName: <pvc_name>
```

For example:

```
volumes:
- name: mypd
  persistentVolumeClaim:
    claimName: myclaim
```

- For an existing application pod, perform the following steps:
 - i. Click **Workloads** → **Deployment Configs**.
 - ii. Search for the required deployment config associated with the application pod.
 - iii. Click on its **Action menu** (**⋮**) → **Edit Deployment Config**.
 - iv. Under the **spec:** section, add **volume:** section to add the new PVC as a volume for the application pod and click **Save**.

```
volumes:
- name: <volume_name>
  persistentVolumeClaim:
    claimName: <pvc_name>
```

For example:

```
volumes:
- name: mypd
  persistentVolumeClaim:
    claimName: myclaim
```

3. Verify that the new configuration is being used.

- a. Click **Workloads** → **Pods**.
- b. Set the **Project** for the application pod.
- c. Verify that the application pod appears with a status of **Running**.
- d. Click the application pod name to view pod details.
- e. Scroll down to **Volumes** section and verify that the volume has a **Type** that matches your new Persistent Volume Claim, for example, **myclaim**.

10.2. VIEWING PERSISTENT VOLUME CLAIM REQUEST STATUS

Use this procedure to view the status of a PVC request.

Prerequisites

- Administrator access to OpenShift Container Storage.

Procedure

1. Log in to OpenShift Web Console.
2. Click **Storage** → **Persistent Volume Claims**
3. Search for the required PVC name by using the **Filter** textbox. You can also filter the list of PVCs by Name or Label to narrow down the list
4. Check the **Status** column corresponding to the required PVC.
5. Click the required **Name** to view the PVC details.

10.3. REVIEWING PERSISTENT VOLUME CLAIM REQUEST EVENTS

Use this procedure to review and address Persistent Volume Claim (PVC) request events.

Prerequisites

- Administrator access to OpenShift Web Console.

Procedure

1. Log in to OpenShift Web Console.
2. Click **Home** → **Overview** → **Persistent Storage**
3. Locate the **Inventory** card to see the number of PVCs with errors.
4. Click **Storage** → **Persistent Volume Claims**
5. Search for the required PVC using the **Filter** textbox.
6. Click on the PVC name and navigate to **Events**
7. Address the events as required or as directed.

10.4. DYNAMIC PROVISIONING

10.4.1. About dynamic provisioning

The StorageClass resource object describes and classifies storage that can be requested, as well as provides a means for passing parameters for dynamically provisioned storage on demand. StorageClass objects can also serve as a management mechanism for controlling different levels of storage and access to the storage. Cluster Administrators (**cluster-admin**) or Storage Administrators (**storage-admin**) define and create the StorageClass objects that users can request without needing any intimate knowledge about the underlying storage volume sources.

The OpenShift Container Platform persistent volume framework enables this functionality and allows administrators to provision a cluster with persistent storage. The framework also gives users a way to request those resources without having any knowledge of the underlying infrastructure.

Many storage types are available for use as persistent volumes in OpenShift Container Platform. While all of them can be statically provisioned by an administrator, some types of storage are created dynamically using the built-in provider and plug-in APIs.

10.4.2. Dynamic provisioning in OpenShift Container Storage

Red Hat OpenShift Container Storage is software-defined storage that is optimised for container environments. It runs as an operator on OpenShift Container Platform to provide highly integrated and simplified persistent storage management for containers.

OpenShift Container Storage supports a variety of storage types, including:

- Block storage for databases
- Shared file storage for continuous integration, messaging, and data aggregation
- Object storage for archival, backup, and media storage

Version 4 uses Red Hat Ceph Storage to provide the file, block, and object storage that backs persistent volumes, and Rook.io to manage and orchestrate provisioning of persistent volumes and claims. NooBaa provides object storage, and its Multicloud Gateway allows object federation across multiple cloud environments (available as a Technology Preview).

In OpenShift Container Storage 4, the Red Hat Ceph Storage Container Storage Interface (CSI) driver for RADOS Block Device (RBD) and Ceph File System (CephFS) handles the dynamic provisioning requests. When a PVC request comes in dynamically, the CSI driver has the following options:

- Create a PVC with ReadWriteOnce (RWO) and ReadWriteMany (RWX) access that is based on Ceph RBDs with volume mode **Block**
- Create a PVC with ReadWriteOnce (RWO) access that is based on Ceph RBDs with volume mode **Filesystem**
- Create a PVC with ReadWriteOnce (RWO) and ReadWriteMany (RWX) access that is based on CephFS for volume mode **Filesystem**

The judgment of which driver (RBD or CephFS) to use is based on the entry in the **storageclass.yaml** file.

10.4.3. Available dynamic provisioning plug-ins

OpenShift Container Platform provides the following provisioner plug-ins, which have generic implementations for dynamic provisioning that use the cluster's configured provider's API to create new storage resources:

Storage type	Provisioner plug-in name	Notes
OpenStack Cinder	kubernetes.io/cinder	
AWS Elastic Block Store (EBS)	kubernetes.io/aws-efs	For dynamic provisioning when using multiple clusters in different zones, tag each node with Key=kubernetes.io/cluster/<cluster_name>,Value=<cluster_id> where <cluster_name> and <cluster_id> are unique per cluster.

Storage type	Provisioner plug-in name	Notes
AWS Elastic File System (EFS)		Dynamic provisioning is accomplished through the EFS provisioner pod and not through a provisioner plug-in.
Azure Disk	kubernetes.io/azure-disk	
Azure File	kubernetes.io/azure-file	The persistent-volume-binder ServiceAccount requires permissions to create and get Secrets to store the Azure storage account and keys.
GCE Persistent Disk (gcePD)	kubernetes.io/gce-pd	In multi-zone configurations, it is advisable to run one OpenShift Container Platform cluster per GCE project to avoid PVs from being created in zones where no node in the current cluster exists.
VMware vSphere	kubernetes.io/vsphere-volume	



IMPORTANT

Any chosen provisioner plug-in also requires configuration for the relevant cloud, host, or third-party provider as per the relevant documentation.

CHAPTER 11. VOLUME SNAPSHOTS

A volume snapshot is the state of the storage volume in a cluster at a particular point in time. These snapshots help to use storage more efficiently by not having to make a full copy each time and can be used as building blocks for developing an application.

You can create multiple snapshots of the same persistent volume claim (PVC). For CephFS, you can create up to 100 snapshots per PVC. For RADOS Block Device (RBD), you can create up to 512 snapshots per PVC.



NOTE

You cannot schedule periodic creation of snapshots.

11.1. CREATING VOLUME SNAPSHOTS

You can create a volume snapshot either from the Persistent Volume Claim (PVC) page or the Volume Snapshots page.

Prerequisites

- PVC must be in **Bound** state and must not be in use.



NOTE

OpenShift Container Storage only provides crash consistency for a volume snapshot of a PVC if a pod is using it. For application consistency, be sure to first tear down a running pod to ensure consistent snapshots or use any quiesce mechanism provided by the application to ensure it.

Procedure

From the Persistent Volume Claims page

1. Click **Storage** → **Persistent Volume Claims** from the OpenShift Web Console.
2. To create a volume snapshot, do one of the following:
 - Beside the desired PVC, click Action menu (**!**) → **Create Snapshot**.
 - Click on the PVC for which you want to create the snapshot and click **Actions** → **Create Snapshot**.
3. Enter a **Name** for the volume snapshot.
4. Choose the **Snapshot Class** from the drop-down list.
5. Click **Create**. You will be redirected to the Details page of the volume snapshot that is created.

From the Volume Snapshots page

1. Click **Storage** → **Volume Snapshots** from the OpenShift Web Console.
2. In the **Volume Snapshots** page, click **Create Volume Snapshot**

3. Choose the required **Project** from the drop-down list.
4. Choose the **Persistent Volume Claim** from the drop-down list.
5. Enter a **Name** for the snapshot.
6. Choose the **Snapshot Class** from the drop-down list.
7. Click **Create**. You will be redirected to the Details page of the volume snapshot that is created.

Verification steps

- Go to the **Details** page of the PVC and click the **Volume Snapshots** tab to see the list of volume snapshots. Verify that the new volume snapshot is listed.
- Click **Storage** → **Volume Snapshots** from the OpenShift Web Console. Verify that the new volume snapshot is listed.
- Wait for the volume snapshot to be in **Ready** state.

11.2. RESTORING VOLUME SNAPSHOTS

When you restore a volume snapshot, a new Persistent Volume Claim (PVC) gets created. The restored PVC is independent of the volume snapshot and the parent PVC.


You can restore a volume snapshot from either the Persistent Volume Claim page or the Volume Snapshots page.

Procedure

From the Persistent Volume Claims page

You can restore volume snapshot from the Persistent Volume Claims page only if the parent PVC is present.

1. Click **Storage** → **Persistent Volume Claims** from the OpenShift Web Console.
2. Click on the PVC name which has the volume snapshot that needs to be restored as a new PVC.
3. In the **Volume Snapshots** tab, beside the desired volume snapshot, click Action menu (:) → **Restore as new PVC**.
4. Enter a name for the new PVC.
5. Select the **Storage Class** name.



NOTE

(For Rados Block Device (RBD)) You must select a storage class with the same pool as that of the parent PVC.

6. Click **Restore**. You will be redirected to the new PVC details page.

From the Volume Snapshots page

1. Click **Storage** → **Volume Snapshots** from the OpenShift Web Console.
2. Beside the desired volume snapshot click Action Menu (⋮) → **Restore as new PVC**.
3. Enter a name for the new PVC.
4. Select the **Storage Class** name.



NOTE

(For Rados Block Device (RBD)) You must select a storage class with the same pool as that of the parent PVC.

5. Click **Restore**. You will be redirected to the new PVC details page.



NOTE

When you restore volume snapshots, the PVCs are created with the access mode of the parent PVC only if the parent PVC exists. Otherwise, the PVCs are created only with the ReadWriteOnce (RWO) access mode. Currently, you cannot specify the access mode using the OpenShift Web Console. However, you can specify the access mode from the CLI using the YAML. For more information, see [Restoring a volume snapshot](#).

Verification steps

- Click **Storage** → **Persistent Volume Claims** from the OpenShift Web Console and confirm that the new PVC is listed in the **Persistent Volume Claims** page.
- Wait for the new PVC to reach **Bound** state.

11.3. DELETING VOLUME SNAPSHOTS

Prerequisites

- For deleting a volume snapshot, the volume snapshot class which is used in that particular volume snapshot should be present.

Procedure

From Persistent Volume Claims page

1. Click **Storage** → **Persistent Volume Claims** from the OpenShift Web Console.
2. Click on the PVC name which has the volume snapshot that needs to be deleted.
3. In the **Volume Snapshots** tab, beside the desired volume snapshot, click Action menu (⋮) → **Delete Volume Snapshot**

From Volume Snapshots page

1. Click **Storage** → **Volume Snapshots** from the OpenShift Web Console.

2. In the **Volume Snapshots** page, beside the desired volume snapshot click Action menu (⋮)
→ **Delete Volume Snapshot**

Verification steps

- Ensure that the deleted volume snapshot is not present in the **Volume Snapshots** tab of the PVC details page.
- Click **Storage** → **Volume Snapshots** and ensure that the deleted volume snapshot is not listed.

CHAPTER 12. VOLUME CLONING

A clone is a duplicate of an existing storage volume that is used as any standard volume. You create a clone of a volume to make a point in time copy of the data. A persistent volume claim (PVC) cannot be cloned with a different size. You can create up to 512 clones per PVC for both CephFS and RADOS Block Device (RBD).

12.1. CREATING A CLONE

Prerequisites

- Source PVC must be in **Bound** state and must not be in use.




NOTE

Do not create a clone of a PVC if a Pod is using it. Doing so might cause data corruption because the PVC is not quiesced (paused).

Procedure

1. Click **Storage** → **Persistent Volume Claims** from the OpenShift Web Console.
2. To create a clone, do one of the following:
 - Beside the desired PVC, click Action menu (**:**) → **Clone PVC**.
 - Click on the PVC that you want to clone and click **Actions** → **Clone PVC**.
3. Enter a **Name** for the clone.
4. Click **Clone**. You will be redirected to the new PVC details page.



NOTE

Clones are created with the access mode of the parent PVC. Currently, you cannot specify the access mode using the OpenShift Web Console UI. However, you can specify the access mode from the CLI using the YAML. For more information, see [Provisioning a CSI volume clone](#).

5. Wait for the cloned PVC status to become **Bound**.
The cloned PVC is now available to be consumed by the pods. This cloned PVC is independent of its dataSource PVC.

CHAPTER 13. REPLACING STORAGE NODES

You can choose one of the following procedures to replace storage nodes:

- [Section 13.1, “Replacing operational nodes on Google Cloud installer-provisioned infrastructure”](#)
- [Section 13.2, “Replacing failed nodes on Google Cloud installer-provisioned infrastructure”](#)

13.1. REPLACING OPERATIONAL NODES ON GOOGLE CLOUD INSTALLER-PROVISIONED INFRASTRUCTURE

Use this procedure to replace an operational node on Google Cloud installer-provisioned infrastructure (IPI).


Procedure

1. Log in to OpenShift Web Console and click **Compute** → **Nodes**.
2. Identify the node that needs to be replaced. Take a note of its **Machine Name**.
3. Mark the node as unschedulable using the following command:

```
$ oc adm cordon <node_name>
```

4. Drain the node using the following command:


```
$ oc adm drain <node_name> --force --delete-local-data --ignore-daemonsets
```



IMPORTANT

This activity may take at least 5-10 minutes or more. Ceph errors generated during this period are temporary and are automatically resolved when the new node is labeled and functional.

5. Click **Compute** → **Machines**. Search for the required machine.
6. Besides the required machine, click the **Action menu (⋮)** → **Delete Machine**.
7. Click **Delete** to confirm the machine deletion. A new machine is automatically created.
8. Wait for new machine to start and transition into **Running** state.



IMPORTANT

This activity may take at least 5-10 minutes or more.

9. Click **Compute** → **Nodes**, confirm if the new node is in **Ready** state.
10. Apply the OpenShift Container Storage label to the new node using any one of the following:

From User interface

- a. For the new node, click **Action Menu (⋮)** → **Edit Labels**

- b. Add **cluster.ocs.openshift.io/openshift-storage** and click **Save**.

From Command line interface

- Execute the following command to apply the OpenShift Container Storage label to the new node:

```
$ oc label node <new_node_name> cluster.ocs.openshift.io/openshift-storage=""
```

Verification steps

1. Execute the following command and verify that the new node is present in the output:

```
$ oc get nodes --show-labels | grep cluster.ocs.openshift.io/openshift-storage= |cut -d' ' -f1
```

2. Click **Workloads** → **Pods**, confirm that at least the following pods on the new node are in **Running** state:

- **csi-cephfsplugin-***
- **csi-rbdplugin-***

3. Verify that all other required OpenShift Container Storage pods are in **Running** state.
4. Verify that new OSD pods are running on the replacement node.

```
$ oc get pods -o wide -n openshift-storage| egrep -i new-node-name | egrep osd
```

5. (Optional) If data encryption is enabled on the cluster, verify that the new OSD devices are encrypted.

For each of the new nodes identified in previous step, do the following:

- a. Create a debug pod and open a chroot environment for the selected host(s).

```
$ oc debug node/<node name>
$ chroot /host
```

- b. Run "lsblk" and check for the "crypt" keyword beside the **ocs-device** name(s)

```
$ lsblk
```

6. If verification steps fail, [contact Red Hat Support](#).

13.2. REPLACING FAILED NODES ON GOOGLE CLOUD INSTALLER-PROVISIONED INFRASTRUCTURE

Perform this procedure to replace a failed node which is not operational on Google Cloud installer-provisioned infrastructure (IPI) for OpenShift Container Storage.

Procedure

1. Log in to OpenShift Web Console and click **Compute** → **Nodes**.

2. Identify the faulty node and click on its **Machine Name**.
3. Click **Actions** → **Edit Annotations**, and click **Add More**.
4. Add **machine.openshift.io/exclude-node-draining** and click **Save**.
5. Click **Actions** → **Delete Machine**, and click **Delete**.
6. A new machine is automatically created, wait for new machine to start.



IMPORTANT

This activity may take at least 5–10 minutes or more. Ceph errors generated during this period are temporary and are automatically resolved when the new node is labeled and functional.

7. Click **Compute** → **Nodes**, confirm if the new node is in **Ready** state.
8. Apply the OpenShift Container Storage label to the new node using any one of the following:

From the web user interface

- a. For the new node, click **Action Menu (⋮)** → **Edit Labels**
- b. Add **cluster.ocs.openshift.io/openshift-storage** and click **Save**.

From the command line interface

- Execute the following command to apply the OpenShift Container Storage label to the new node:

```
$ oc label node <new_node_name> cluster.ocs.openshift.io/openshift-storage=""
```

9. [Optional]: If the failed Google Cloud instance is not removed automatically, terminate the instance from Google Cloud console.

Verification steps

1. Execute the following command and verify that the new node is present in the output:

```
$ oc get nodes --show-labels | grep cluster.ocs.openshift.io/openshift-storage= | cut -d' ' -f1
```

2. Click **Workloads** → **Pods**, confirm that at least the following pods on the new node are in **Running** state:
 - **csi-cephfsplugin-***
 - **csi-rbdplugin-***
3. Verify that all other required OpenShift Container Storage pods are in **Running** state.
4. Verify that new OSD pods are running on the replacement node.

```
$ oc get pods -o wide -n openshift-storage | egrep -i new-node-name | egrep osd
```

5. (Optional) If data encryption is enabled on the cluster, verify that the new OSD devices are encrypted.

For each of the new nodes identified in previous step, do the following:

- a. Create a debug pod and open a chroot environment for the selected host(s).

```
$ oc debug node/<node name>  
$ chroot /host
```

- b. Run "lsblk" and check for the "crypt" keyword beside the **ocs-deviceset** name(s)

```
$ lsblk
```

6. If verification steps fail, [contact Red Hat Support](#).

CHAPTER 14. REPLACING STORAGE DEVICES

14.1. REPLACING OPERATIONAL OR FAILED STORAGE DEVICES ON GOOGLE CLOUD INSTALLER-PROVISIONED INFRASTRUCTURE

When you need to replace a device in a dynamically created storage cluster on an Google Cloud installer-provisioned infrastructure, you must replace the storage node. For information about how to replace nodes, see:

- [Replacing operational nodes on Google Cloud installer-provisioned infrastructure](#)
- [Replacing failed nodes on Google Cloud installer-provisioned infrastructures](#).

CHAPTER 15. UPDATING OPENSIFT CONTAINER STORAGE

15.1. OVERVIEW OF THE OPENSIFT CONTAINER STORAGE UPDATE PROCESS

You can upgrade Red Hat OpenShift Container Storage and its components, either between minor releases like 4.5 and 4.6, or between batch updates like 4.6.0 and 4.6.1.

You need to upgrade the different parts of OpenShift Container Storage in a specific order.

1. **Update OpenShift Container Platform** according to the [Updating clusters](#) documentation for OpenShift Container Platform.
2. **Update OpenShift Container Storage.**
 - a. **Update the OpenShift Container Storage operator** using the appropriate process for your setup:
 - To prepare a disconnected or proxy environment for updates, see Operators guide to using [Operator Lifecycle Manager on restricted networks](#).
 - [Update OpenShift Container Storage in internal mode](#)

Update considerations

Review the following important considerations before you begin.

- Red Hat recommends using the same version of Red Hat OpenShift Container Platform with Red Hat OpenShift Container Storage. See the [Interoperability Matrix](#) for more information about supported combinations of OpenShift Container Platform and OpenShift Container Storage.
- The Local Storage Operator is fully supported only when the Local Storage Operator version matches the Red Hat OpenShift Container Platform version.

15.2. PREPARING TO UPDATE IN A DISCONNECTED ENVIRONMENT

When your Red Hat OpenShift Container Storage environment is not directly connected to the internet, some additional configuration is required to provide the Operator Lifecycle Manager (OLM) with alternatives to the default Operator Hub and image registries.

See the OpenShift Container Platform documentation for more general information: [Updating an Operator catalog image](#).

To configure your cluster for disconnected update:

1. [Configure authentication for an alternative registry](#).
2. [Build and mirror the Red Hat operator catalog](#).
3. [Creating Operator imageContentSourcePolicy](#)
4. [Updating redhat-operator catalogsource](#)

When these steps are complete, [Continue with update](#) as usual.

15.2.1. Adding mirror registry authentication details

Prerequisites

- Verify that your existing disconnected cluster uses OpenShift Container Platform 4.3 or higher.
- Verify that you have an **oc client** version of 4.4 or higher.
- Prepare a mirror host with a mirror registry. See [Preparing your mirror host](#) for details.

Procedure

1. Log in to the OpenShift Container Platform cluster using the **cluster-admin** role.
2. Locate your **auth.json** file.
This file is generated when you use podman or docker to log in to a registry. It is located in one of the following locations:
 - **~/.docker/auth.json**
 - **/run/user/<UID>/containers/auth.json**
 - **/var/run/containers/<UID>/auth.json**
3. Obtain your unique Red Hat registry [pull secret](#) and paste it into your **auth.json** file. It will look something like this.

```
{
  "auths": {
    "cloud.openshift.com": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "quay.io": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "registry.connect.redhat.com": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "registry.redhat.io": {
      "auth": "*****",
      "email": "user@example.com"
    }
  }
}
```

4. Export environment variables with the appropriate details for your setup.

```
$ export AUTH_FILE="<location_of_auth.json>"
$ export MIRROR_REGISTRY_DNS="<your_registry_url>:<port>"
```

5. Use **podman** to log in to the mirror registry and store the credentials in the **`\${AUTH_FILE}**.

```
$ podman login ${MIRROR_REGISTRY_DNS} --tls-verify=false --authfile ${AUTH_FILE}
```

This adds the mirror registry to the **auth.json** file.

```
{
  "auths": {
    "cloud.openshift.com": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "quay.io": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "registry.connect.redhat.com": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "registry.redhat.io": {
      "auth": "*****",
      "email": "user@example.com"
    },
    "<mirror_registry>": {
      "auth": "*****",
    }
  }
}
```

15.2.2. Building and mirroring the Red Hat operator catalog

Follow this process on a host that has access to Red Hat registries to create a mirror of those registries.

Prerequisites

- Run these commands as a cluster administrator.
- Be aware that mirroring the **redhat-operator** catalog can take hours to complete, and requires substantial available disk space on the mirror host.

Procedure

1. Build the catalog for **redhat-operators**.

Set **--from** to the **ose-operator-registry** base image using the tag that matches the target OpenShift Container Platform cluster major and minor version.

```
$ oc adm catalog build --appregistry-org redhat-operators \
  --from=registry.redhat.io/openshift4/ose-operator-registry:v4.6 \
  --to=${MIRROR_REGISTRY_DNS}/olm/redhat-operators:v2 \
  --registry-config=${AUTH_FILE} \
  --filter-by-os="linux/amd64" --insecure
```

2. Mirror the catalog for **redhat-operators**.

This is a long operation and can take 1-5 hours. Make sure there is 100 GB available disk space on the mirror host.


```
$ oc adm catalog mirror ${MIRROR_REGISTRY_DNS}/olm/redhat-operators:v2 \
${MIRROR_REGISTRY_DNS} --registry-config=${AUTH_FILE} --insecure
```

15.2.3. Creating Operator imageContentSourcePolicy

After the **oc adm catalog mirror** command is completed, the **imageContentSourcePolicy.yaml** file gets created. The output directory for this file is usually, **./[catalog image name]-manifests**). Use this procedure to add any missing entries to the **.yaml** file and apply them to cluster.

Procedure

1. Check the content of this file for the mirrors mapping shown as follows:

```
spec:
  repositoryDigestMirrors:
  - mirrors:
    - <your_registry>/ocs4
    source: registry.redhat.io/ocs4
  - mirrors:
    - <your_registry>/rhceph
    source: registry.redhat.io/rhceph
  - mirrors:
    - <your_registry>/openshift4
    source: registry.redhat.io/openshift4
  - mirrors:
    - <your_registry>/rhscf
    source: registry.redhat.io/rhscf
```

2. Add any missing entries to the end of the **imageContentSourcePolicy.yaml** file.
3. Apply the **imageContentSourcePolicy.yaml** file to the cluster.

```
$ oc apply -f ./[output dir]/imageContentSourcePolicy.yaml
```

Once the Image Content Source Policy is updated, all the nodes (master, infra, and workers) in the cluster need to be updated and rebooted. This process is automatically handled through the Machine Config Pool operator and take up to 30 minutes although the exact elapsed time might vary based on the number of nodes in your OpenShift cluster. You can monitor the update process by using the **oc get mcp** command or the **oc get node** command.

15.2.4. Updating redhat-operator CatalogSource

Procedure

1. Recreate a **CatalogSource** object that references the catalog image for Red Hat operators.



NOTE

Make sure you have mirrored the correct catalog source with the correct version (that is, **v2**).

Save the following in a **redhat-operator-catalogsource.yaml** file, remembering to replace `<your_registry>` with your mirror registry URL:

```
apiVersion: operators.coreos.com/v1alpha1
kind: CatalogSource
metadata:
  name: redhat-operators
  namespace: openshift-marketplace
spec:
  sourceType: grpc
  icon:
    base64data:
      PHN2ZyBpZD0iTGZGF5ZXJfMSlgZGF0YS1uYW11PSJMYXllciAxliB4bWxucz0iaHR0cDovL3d3dy
      53My5vcmcvMjAwMC9zdmcilHZpZXdCb3g9ljAgMCAxOTlgMTQ1lj48ZGVmcmz48c3R5bGU+L
      mNscy0xe2ZpbGw6I2UwMDt9PC9zdHlsZT48L2RlZnM+PHRpdGxPIIjEhhdC1Mb2dvLUhhd
      C1Db2xvcjwvdGl0bGU+PHBhdGggZD0iTE1Ny43Nyw2Mi42MWEwNCwzNCwzLDAsMSwzUW
      zEsMy40MmMwLDE0Ljg4LTE4LjEsMTcuNDYtMzAuNjEsMTcuNDZDNzguODMsODMuNDksN
      DIuNTMsNTMuMjYsNDIuNTMsNDRhNi40Myw2LjQzLDAsMCwzLC4yMi0xLjk0bC0zLjY2LDku
      MDZhMTguNDUsMTguNDUsMCwzLDAtMS41MSw3LjMzYzAsMTguMTEsNDEsNDUuNDgs
      ODcuNzQsNDUuNDgsMjAuNjksMCwzNi40My03Ljc2LDM2LjQzLTlxLjc3LDAAtMS4wOCwzLTE
      uOTQtMS43My0xMC4xM1oiLz48cGF0aCBjbGFzZ0iY2xzLTEiIGQ9Ik0xMjcuNDcsODMuNDIj
      MTIuNTEsMCwzMC42MS0yLjU4LDMwLjYxLjE3LjQ2YTE0LDE0LDAwMCwzLS4zMS0zLjQyb
      C03LjQ1LTM5LjM2Yy0xLjcyLTcuMTItMy4yMy0xMC4zNS0xNS43My0xNi42QzEyNC44OSw4Lj
      Y5LDEwMy43Ni41LDk3LjUxLjUsOTEuNjkuNSw5MCw4LDgzLjA2LDhjLTYuNjgsMC0xMS42N
      C01LjYtMTcuODktNS42LTYsMC05LjxxLDQuMDktMTIuOTMsMTIuNSwzLDAtOC40MSwzMy
      43Mi05LjQ5LDE3LjE2QTYuNDMsNi40MywzLDAsMCw0Mi41Myw0NGMwLDEuMjYsMzYuMywz
      OS40NSw4NC45NCwzOS40NU0xNjAsNzluMDdjMS43Myw4LjE5LDEuNzMsOS4wNSwzLjczL
      DEwLjEzLDAsMTQtMTUuNzQsMjEuNzctMzYuNDMsMjEuNzctNDZguNTQsMTA0LDM3LjU4L
      Dc2LjYsMzcuNTgsNTguNDIhMTguNDUsMTguNDUsMCwzLDEsMS41MS03LjMzYzlyLjI3LDEU
      yLC41LDEU1LC41LDE0LjlyYzAsMzEuNDgsNzQuNTksNzAuMjgsMTMzLjY1LDEwLjI4LDQ1LjI4L
      DAsNTYuNy0yMC40OCw1Ni43LTM2LjY1LDAAtMTIuNzItMTIuMjcuMTYtMzAuODMtMzUuNzgi
      Lz48L3N2Zz4=
    mediatype: image/svg+xml
  image: <your_registry>/olm/redhat-operators:v2
  displayName: Redhat Operators Catalog
  publisher: Red Hat
```

2. Create a catalogsource using the redhat-operator-catalogsource.yaml file:

```
$ oc apply -f redhat-operator-catalogsource.yaml
```

3. Verify that the new **redhat-operator** pod is running.

```
$ oc get pod -n openshift-marketplace | grep redhat-operators
```

15.2.5. Continue to update

After your alternative catalog source is configured, you can continue to the appropriate update process:

- [Updating OpenShift Container Storage in internal mode](#)

15.3. UPDATING OPENSIFT CONTAINER STORAGE IN INTERNAL MODE

Use the following procedures to update your OpenShift Container Storage cluster deployed in internal mode.

15.3.1. Enabling automatic updates for OpenShift Container Storage operator in internal mode

Use this procedure to enable automatic update approval for updating OpenShift Container Storage operator in OpenShift Container Platform.

Prerequisites

- Under **Persistent Storage** in the **Status** card, confirm that the *OCS Cluster* and *Data Resiliency* has a green tick mark.
- Under **Object Service** in the **Status** card, confirm that both the *Object Service* and *Data Resiliency* are in **Ready** state (green tick).
- Update the OpenShift Container Platform cluster to the latest stable release of version 4.5.X or 4.6.Y, see [Updating Clusters](#).
- Switch the Red Hat OpenShift Container Storage channel from **stable-4.5** to **stable-4.6**. For details about channels, see [OpenShift Container Storage upgrade channels and releases](#).



NOTE

You are required to switch channels only when you are updating minor versions (for example, updating from 4.5 to 4.6) and not when updating between batch updates of 4.6 (for example, updating from 4.6.0 to 4.6.1).

- Ensure that all OpenShift Container Storage Pods, including the operator pods, are in **Running** state in the **openshift-storage namespace**.
To view the state of the pods, click **Workloads** → **Pods** from the left pane of the OpenShift Web Console. Select **openshift-storage** from the **Project** drop down list.
- Ensure that you have sufficient time to complete the Openshift Container Storage update process, as the update time varies depending on the number of OSDs that run in the cluster.

Procedure

1. Log in to OpenShift Web Console.
2. Click **Operators** → **Installed Operators**
3. Select the **openshift-storage** project.
4. Click the OpenShift Container Storage operator name.
5. Click the **Subscription** tab and click the link under **Approval**.
6. Select **Automatic (default)** and click **Save**.
7. Perform one of the following depending on the **Upgrade Status**:
 - **Upgrade Status** shows *requires approval*.

**NOTE**

Upgrade status shows **requires approval** if the new OpenShift Container Storage version is already detected in the channel, and approval strategy was changed from **Manual** to **Automatic** at the time of update.

- a. Click on the **Install Plan** link.
 - b. On the **InstallPlan Details** page, click **Preview Install Plan**.
 - c. Review the install plan and click **Approve**.
 - d. Wait for the **Status** to change from **Unknown** to **Created**.
 - e. Click **Operators → Installed Operators**
 - f. Select the **openshift-storage** project.
 - g. Wait for the **Status** to change to **Up to date**
- **Upgrade Status** *does not show requires approval*:
 - a. Wait for the update to initiate. This may take up to 20 minutes.
 - b. Click **Operators → Installed Operators**
 - c. Select the **openshift-storage** project.
 - d. Wait for the **Status** to change to **Up to date**

Verification steps

1. Click **Overview → Persistent Storage** tab and in the **Status** card confirm that the *OCS Cluster* and *Data Resiliency* has a green tick mark indicating it is healthy.
2. Click **Overview → Object Service** tab and in the **Status** card confirm that both the *Object Service* and *Data Resiliency* are in **Ready** state (green tick) indicating it is healthy.
3. Click **Operators → Installed Operators → OpenShift Container Storage Operator**. Under **Storage Cluster**, verify that the cluster service status is **Ready**.

**NOTE**

Once updated from OpenShift Container Storage version 4.5 to 4.6, the **Version** field here will still display 4.5. This is because the **ocs-operator** does not update the string represented in this field.

4. Ensure that all OpenShift Container Storage Pods, including the operator pods, are in **Running** state in the **openshift-storage namespace**.
To view the state of the pods, click **Workloads → Pods**. Select **openshift-storage** from the **Project** drop down list.
5. If verification steps fail, [contact Red Hat Support](#).

Additional Resources

If you face any issues while updating OpenShift Container Storage, see the *Commonly required logs for troubleshooting* section in the [Troubleshooting guide](#).

15.3.2. Manually updating OpenShift Container Storage operator in internal mode

Use this procedure to update OpenShift Container Storage operator by providing manual approval to the install plan.

Prerequisites

- Under **Persistent Storage** in the **Status** card, confirm that the *OCS Cluster* and *Data Resiliency* has a green tick mark.
- Under **Object Service** in the **Status** card, confirm that both the *Object Service* and *Data Resiliency* are in **Ready** state (green tick).
- Update the OpenShift Container Platform cluster to the latest stable release of version 4.5.X or 4.6.Y, see [Updating Clusters](#).
- Switch the Red Hat OpenShift Container Storage channel from **stable-4.5** to **stable-4.6**. For details about channels, see [OpenShift Container Storage upgrade channels and releases](#).



NOTE

You are required to switch channels only when you are updating minor versions (for example, updating from 4.5 to 4.6) and not when updating between batch updates of 4.6 (for example, updating from 4.6.0 to 4.6.1).

- Ensure that all OpenShift Container Storage Pods, including the operator pods, are in **Running** state in the **openshift-storage namespace**.
To view the state of the pods, click **Workloads** → **Pods** from the left pane of the OpenShift Web Console. Select **openshift-storage** from the **Project** drop down list.
- Ensure that you have sufficient time to complete the OpenShift Container Storage update process, as the update time varies depending on the number of OSDs that run in the cluster.

Procedure

1. Log in to OpenShift Web Console.
2. Click **Operators** → **Installed Operators**
3. Select the **openshift-storage** project.
4. Click the **OpenShift Container Storage** operator name.
5. Click the **Subscription** tab and click the link under **Approval**.
6. Select **Manual** and click **Save**.
7. Wait for the **Upgrade Status** to change to **Upgrading**.
8. If the **Upgrade Status** shows **requires approval**, click on **requires approval**.
9. On the **InstallPlan Details** page, click **Preview Install Plan**.

10. Review the install plan and click **Approve**.
11. Wait for the **Status** to change from **Unknown** to **Created**.
12. Click **Operators** → **Installed Operators**
13. Select the **openshift-storage** project.
14. Wait for the **Status** to change to **Up to date**

Verification steps

1. Click **Overview** → **Persistent Storage** tab and in the **Status** card confirm that the *OCS Cluster* and *Data Resiliency* has a green tick mark indicating it is healthy.
2. Click **Overview** → **Object Service** tab and in the **Status** card confirm that both the *Object Service* and *Data Resiliency* are in **Ready** state (green tick) indicating it is healthy.
3. Click **Operators** → **Installed Operators** → **OpenShift Container Storage Operator**. Under **Storage Cluster**, verify that the cluster service status is **Ready**.



NOTE

Once updated from OpenShift Container Storage version 4.5 to 4.6, the **Version** field here will still display 4.5. This is because the **ocs-operator** does not update the string represented in this field.

4. Ensure that all OpenShift Container Storage Pods, including the operator pods, are in **Running** state in the **openshift-storage namespace**.
To view the state of the pods, click **Workloads** → **Pods** from the left pane of the OpenShift Web Console. Select **openshift-storage** from the **Project** drop down list.
5. If verification steps fail, [contact Red Hat Support](#).

Additional Resources

If you face any issues while updating OpenShift Container Storage, see the *Commonly required logs for troubleshooting* section in the [Troubleshooting guide](#).