



# Red Hat OpenShift Serverless 1.32

## Removing Serverless

Removing Serverless from your cluster



## Red Hat OpenShift Serverless 1.32 Removing Serverless

---

Removing Serverless from your cluster

## Legal Notice

Copyright © 2024 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

This document details how to remove OpenShift Serverless from your cluster.

---

## Table of Contents

<b>CHAPTER 1. REMOVING OPENSIFT SERVERLESS OVERVIEW</b> .....	<b>3</b>
<b>CHAPTER 2. UNINSTALLING OPENSIFT SERVERLESS KNATIVE EVENTING</b> .....	<b>4</b>
2.1. UNINSTALLING KNATIVE EVENTING .....	4
<b>CHAPTER 3. UNINSTALLING OPENSIFT SERVERLESS KNATIVE SERVING</b> .....	<b>5</b>
3.1. UNINSTALLING KNATIVE SERVING .....	5
<b>CHAPTER 4. REMOVING THE OPENSIFT SERVERLESS OPERATOR</b> .....	<b>6</b>
<b>CHAPTER 5. DELETING OPENSIFT SERVERLESS CUSTOM RESOURCE DEFINITIONS</b> .....	<b>7</b>
5.1. REMOVING OPENSIFT SERVERLESS OPERATOR AND API CRDS .....	7



## CHAPTER 1. REMOVING OPENSIFT SERVERLESS OVERVIEW

If you need to remove OpenShift Serverless from your cluster, you can do so by manually removing the OpenShift Serverless Operator and other OpenShift Serverless components. Before you can remove the OpenShift Serverless Operator, you must remove Knative Serving and Knative Eventing.

After uninstalling the OpenShift Serverless, you can remove the Operator and API custom resource definitions (CRDs) that remain on the cluster.

The steps for fully removing OpenShift Serverless are detailed in the following procedures:

- [Uninstalling Knative Eventing](#).
- [Uninstalling Knative Serving](#).
- [Removing the OpenShift Serverless Operator](#).
- [Deleting OpenShift Serverless custom resource definitions](#).

## CHAPTER 2. UNINSTALLING OPENSIFT SERVERLESS KNATIVE EVENTING

Before you can remove the OpenShift Serverless Operator, you must remove Knative Eventing. To uninstall Knative Eventing, you must remove the **KnativeEventing** custom resource (CR) and delete the **knative-eventing** namespace.

### 2.1. UNINSTALLING KNATIVE EVENTING

#### Prerequisites

- You have cluster administrator permissions on OpenShift Container Platform, or you have cluster or dedicated administrator permissions on OpenShift Dedicated.
- Install the OpenShift CLI (**oc**).

#### Procedure

1. Delete the **KnativeEventing** CR:

```
$ oc delete knativeeventings.operator.knative.dev knative-eventing -n knative-eventing
```

2. After the command has completed and all pods have been removed from the **knative-eventing** namespace, delete the namespace:

```
$ oc delete namespace knative-eventing
```



## CHAPTER 3. UNINSTALLING OPENSIFT SERVERLESS KNATIVE SERVING

Before you can remove the OpenShift Serverless Operator, you must remove Knative Serving. To uninstall Knative Serving, you must remove the **KnativeServing** custom resource (CR) and delete the **knative-serving** namespace.

### 3.1. UNINSTALLING KNATIVE SERVING

#### Prerequisites

- You have cluster administrator permissions on OpenShift Container Platform, or you have cluster or dedicated administrator permissions on OpenShift Dedicated.
- Install the OpenShift CLI (**oc**).

#### Procedure

1. Delete the **KnativeServing** CR:

```
$ oc delete knativeservings.operator.knative.dev knative-serving -n knative-serving
```

2. After the command has completed and all pods have been removed from the **knative-serving** namespace, delete the namespace:

```
$ oc delete namespace knative-serving
```

## CHAPTER 4. REMOVING THE OPENSIFT SERVERLESS OPERATOR

After you have removed Knative Serving and Knative Eventing, you can remove the OpenShift Serverless Operator. You can do this by using the web console or the **oc** CLI.

- [Deleting Operators from a cluster using the web console](#)
- [Deleting Operators from a cluster using the CLI](#)
- [Refreshing failing subscriptions](#)

## CHAPTER 5. DELETING OPENSIFT SERVERLESS CUSTOM RESOURCE DEFINITIONS

After uninstalling the OpenShift Serverless, the Operator and API custom resource definitions (CRDs) remain on the cluster. You can use the following procedure to remove the remaining CRDs.



### IMPORTANT

Removing the Operator and API CRDs also removes all resources that were defined by using them, including Knative services.

### 5.1. REMOVING OPENSIFT SERVERLESS OPERATOR AND API CRDS

Delete the Operator and API CRDs using the following procedure.

#### Prerequisites

- Install the OpenShift CLI (**oc**).
- You have cluster administrator permissions on OpenShift Container Platform, or you have cluster or dedicated administrator permissions on Red Hat OpenShift Service on AWS or OpenShift Dedicated.
- You have uninstalled Knative Serving and removed the OpenShift Serverless Operator.

#### Procedure

- To delete the remaining OpenShift Serverless CRDs, enter the following command:

```
$ oc get crd -oname | grep 'knative.dev' | xargs oc delete
```