



Red Hat Satellite 6.11

Hammer CLI Guide

A guide to using Hammer, the Satellite CLI tool

Red Hat Satellite 6.11 Hammer CLI Guide

A guide to using Hammer, the Satellite CLI tool

Red Hat Satellite Documentation Team

satellite-doc-list@redhat.com

Legal Notice

Copyright © 2024 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

Abstract

This document describes how to use the Hammer CLI tool to configure and manage Red Hat Satellite.

Table of Contents

PROVIDING FEEDBACK ON RED HAT DOCUMENTATION	17
CHAPTER 1. INTRODUCTION TO HAMMER	18
1.1. GETTING HELP	18
1.2. AUTHENTICATION	18
1.2.1. Hammer Authentication Session	19
1.2.2. Hammer Configuration File	19
1.2.3. Command Line	20
1.3. USING STANDALONE HAMMER	20
1.4. SETTING A DEFAULT ORGANIZATION AND LOCATION	21
1.5. CONFIGURING HAMMER	22
1.6. CONFIGURING HAMMER LOGGING	22
1.7. INVOKING THE HAMMER SHELL	23
1.8. GENERATING FORMATTED OUTPUT	23
1.9. HIDING HEADER OUTPUT FROM HAMMER COMMANDS	24
1.10. USING JSON FOR COMPLEX PARAMETERS	24
1.11. TROUBLESHOOTING WITH HAMMER	25
CHAPTER 2. REFERENCE	26
2.1. HAMMER	26
2.2. HAMMER ACTIVATION-KEY	28
2.2.1. hammer activation-key add-host-collection	29
2.2.2. hammer activation-key add-subscription	29
2.2.3. hammer activation-key content-override	30
2.2.4. hammer activation-key copy	31
2.2.5. hammer activation-key create	32
2.2.6. hammer activation-key delete	33
2.2.7. hammer activation-key host-collections	33
2.2.8. hammer activation-key info	34
2.2.9. hammer activation-key list	35
2.2.10. hammer activation-key product-content	36
2.2.11. hammer activation-key remove-host-collection	37
2.2.12. hammer activation-key remove-subscription	38
2.2.13. hammer activation-key subscriptions	39
2.2.14. hammer activation-key update	40
2.3. HAMMER ADMIN	41
2.3.1. hammer admin logging	41
2.4. HAMMER ANSIBLE	42
2.4.1. hammer ansible roles	42
2.4.1.1. hammer ansible roles delete	43
2.4.1.2. hammer ansible roles fetch	43
2.4.1.3. hammer ansible roles import	44
2.4.1.4. hammer ansible roles info	44
2.4.1.5. hammer ansible roles list	45
2.4.1.6. hammer ansible roles obsolete	46
2.4.1.7. hammer ansible roles play-hostgroups	47
2.4.1.8. hammer ansible roles play-hosts	48
2.4.1.9. hammer ansible roles sync	48
2.4.2. hammer ansible variables	49
2.4.2.1. hammer ansible variables add-matcher	49
2.4.2.2. hammer ansible variables create	50

2.4.2.3. hammer ansible variables delete	51
2.4.2.4. hammer ansible variables import	52
2.4.2.5. hammer ansible variables info	52
2.4.2.6. hammer ansible variables list	54
2.4.2.7. hammer ansible variables obsolete	55
2.4.2.8. hammer ansible variables remove-matcher	55
2.4.2.9. hammer ansible variables update	56
2.5. HAMMER ARCHITECTURE	57
2.5.1. hammer architecture add-operatingsystem	57
2.5.2. hammer architecture create	58
2.5.3. hammer architecture delete	59
2.5.4. hammer architecture info	59
2.5.5. hammer architecture list	60
2.5.6. hammer architecture remove-operatingsystem	61
2.5.7. hammer architecture update	62
2.6. HAMMER ARF-REPORT	62
2.6.1. hammer arf-report delete	63
2.6.2. hammer arf-report download	63
2.6.3. hammer arf-report download-html	64
2.6.4. hammer arf-report info	65
2.6.5. hammer arf-report list	66
2.7. HAMMER AUDIT	67
2.7.1. hammer audit info	68
2.7.2. hammer audit list	68
2.8. HAMMER AUTH	70
2.8.1. hammer auth login	71
2.8.1.1. hammer auth login basic	71
2.8.1.2. hammer auth login oauth	71
2.8.2. hammer auth logout	72
2.8.3. hammer auth status	72
2.9. HAMMER AUTH-SOURCE	73
2.9.1. hammer auth-source external	73
2.9.1.1. hammer auth-source external info	73
2.9.1.2. hammer auth-source external list	74
2.9.1.3. hammer auth-source external update	75
2.9.2. hammer auth-source ldap	76
2.9.2.1. hammer auth-source ldap create	76
2.9.2.2. hammer auth-source ldap delete	77
2.9.2.3. hammer auth-source ldap info	78
2.9.2.4. hammer auth-source ldap list	79
2.9.2.5. hammer auth-source ldap update	80
2.9.3. hammer auth-source list	81
2.10. HAMMER BOOKMARK	82
2.10.1. hammer bookmark create	83
2.10.2. hammer bookmark delete	83
2.10.3. hammer bookmark info	84
2.10.4. hammer bookmark list	85
2.10.5. hammer bookmark update	86
2.11. HAMMER BOOTDISK	87
2.11.1. hammer bootdisk generic	87
2.11.2. hammer bootdisk host	88
2.11.3. hammer bootdisk subnet	89
2.12. HAMMER CAPSULE	89

2.12.1. hammer capsule content	90
2.12.1.1. hammer capsule content add-lifecycle-environment	90
2.12.1.2. hammer capsule content available-lifecycle-environments	91
2.12.1.3. hammer capsule content cancel-synchronization	92
2.12.1.4. hammer capsule content info	92
2.12.1.5. hammer capsule content lifecycle-environments	93
2.12.1.6. hammer capsule content remove-lifecycle-environment	94
2.12.1.7. hammer capsule content synchronization-status	95
2.12.1.8. hammer capsule content synchronize	96
2.12.2. hammer capsule create	96
2.12.3. hammer capsule delete	97
2.12.4. hammer capsule info	98
2.12.5. hammer capsule list	99
2.12.6. hammer capsule refresh-features	100
2.12.7. hammer capsule update	101
2.13. HAMMER COMPUTE-PROFILE	101
2.13.1. hammer compute-profile create	102
2.13.2. hammer compute-profile delete	102
2.13.3. hammer compute-profile info	103
2.13.4. hammer compute-profile list	104
2.13.5. hammer compute-profile update	105
2.13.6. hammer compute-profile values	106
2.13.6.1. hammer compute-profile values add-interface	106
2.13.6.2. hammer compute-profile values add-volume	108
2.13.6.3. hammer compute-profile values create	109
2.13.6.4. hammer compute-profile values remove-interface	113
2.13.6.5. hammer compute-profile values remove-volume	114
2.13.6.6. hammer compute-profile values update	114
2.13.6.7. hammer compute-profile values update-interface	118
2.13.6.8. hammer compute-profile values update-volume	120
2.14. HAMMER COMPUTE-RESOURCE	121
2.14.1. hammer compute-resource associate-vm's	122
2.14.2. hammer compute-resource clusters	123
2.14.3. hammer compute-resource create	123
2.14.4. hammer compute-resource delete	125
2.14.5. hammer compute-resource flavors	125
2.14.6. hammer compute-resource folders	126
2.14.7. hammer compute-resource image	127
2.14.7.1. hammer compute-resource image available	128
2.14.7.2. hammer compute-resource image create	128
2.14.7.3. hammer compute-resource image delete	129
2.14.7.4. hammer compute-resource image info	130
2.14.7.5. hammer compute-resource image list	131
2.14.7.6. hammer compute-resource image update	132
2.14.8. hammer compute-resource images	133
2.14.9. hammer compute-resource info	134
2.14.10. hammer compute-resource list	135
2.14.11. hammer compute-resource networks	136
2.14.12. hammer compute-resource resource-pools	137
2.14.13. hammer compute-resource security-groups	137
2.14.14. hammer compute-resource storage-domains	138
2.14.15. hammer compute-resource storage-pods	139
2.14.16. hammer compute-resource update	140

2.14.17. hammer compute-resource virtual-machine	141
2.14.17.1. hammer compute-resource virtual-machine delete	142
2.14.17.2. hammer compute-resource virtual-machine info	142
2.14.17.3. hammer compute-resource virtual-machine power	143
2.14.18. hammer compute-resource virtual-machines	144
2.14.19. hammer compute-resource vnic-profiles	145
2.14.20. hammer compute-resource zones	146
2.15. HAMMER CONFIG-REPORT	146
2.15.1. hammer config-report delete	147
2.15.2. hammer config-report info	147
2.15.3. hammer config-report list	149
2.16. HAMMER CONTENT-CREDENTIALS	150
2.16.1. hammer content-credentials create	150
2.16.2. hammer content-credentials delete	151
2.16.3. hammer content-credentials info	152
2.16.4. hammer content-credentials list	153
2.16.5. hammer content-credentials update	153
2.17. HAMMER CONTENT-EXPORT	154
2.17.1. hammer content-export complete	155
2.17.1.1. hammer content-export complete library	155
2.17.1.2. hammer content-export complete repository	156
2.17.1.3. hammer content-export complete version	156
2.17.2. hammer content-export generate-metadata	157
2.17.3. hammer content-export incremental	158
2.17.3.1. hammer content-export incremental library	158
2.17.3.2. hammer content-export incremental repository	159
2.17.3.3. hammer content-export incremental version	160
2.17.4. hammer content-export list	161
2.18. HAMMER CONTENT-IMPORT	162
2.18.1. hammer content-import library	162
2.18.2. hammer content-import list	163
2.18.3. hammer content-import repository	164
2.18.4. hammer content-import version	165
2.19. HAMMER CONTENT-UNITS	165
2.19.1. hammer content-units info	166
2.19.2. hammer content-units list	167
2.20. HAMMER CONTENT-VIEW	168
2.20.1. hammer content-view add-repository	168
2.20.2. hammer content-view add-version	169
2.20.3. hammer content-view component	170
2.20.3.1. hammer content-view component add	170
2.20.3.2. hammer content-view component list	171
2.20.3.3. hammer content-view component remove	172
2.20.3.4. hammer content-view component update	172
2.20.4. hammer content-view copy	173
2.20.5. hammer content-view create	174
2.20.6. hammer content-view delete	175
2.20.7. hammer content-view filter	175
2.20.7.1. hammer content-view filter add-repository	176
2.20.7.2. hammer content-view filter create	176
2.20.7.3. hammer content-view filter delete	177
2.20.7.4. hammer content-view filter info	178
2.20.7.5. hammer content-view filter list	179

2.20.7.6. hammer content-view filter remove-repository	180
2.20.7.7. hammer content-view filter rule	181
2.20.7.7.1. hammer content-view filter rule create	181
2.20.7.7.2. hammer content-view filter rule delete	182
2.20.7.7.3. hammer content-view filter rule info	183
2.20.7.7.4. hammer content-view filter rule list	184
2.20.7.7.5. hammer content-view filter rule update	185
2.20.7.8. hammer content-view filter update	186
2.20.8. hammer content-view info	187
2.20.9. hammer content-view list	188
2.20.10. hammer content-view publish	189
2.20.11. hammer content-view purge	190
2.20.12. hammer content-view remove	191
2.20.13. hammer content-view remove-from-environment	191
2.20.14. hammer content-view remove-repository	192
2.20.15. hammer content-view remove-version	193
2.20.16. hammer content-view update	194
2.20.17. hammer content-view version	194
2.20.17.1. hammer content-view version delete	195
2.20.17.2. hammer content-view version incremental-update	196
2.20.17.3. hammer content-view version info	197
2.20.17.4. hammer content-view version list	198
2.20.17.5. hammer content-view version promote	199
2.20.17.6. hammer content-view version republish-repositories	200
2.20.17.7. hammer content-view version update	201
2.21. HAMMER DEB-PACKAGE	201
2.21.1. hammer deb-package info	202
2.21.2. hammer deb-package list	203
2.22. HAMMER DEFAULTS	204
2.22.1. hammer defaults add	204
2.22.2. hammer defaults delete	205
2.22.3. hammer defaults list	206
2.22.4. hammer defaults providers	206
2.23. HAMMER DISCOVERY	206
2.23.1. hammer discovery auto-provision	206
2.23.2. hammer discovery delete	207
2.23.3. hammer discovery facts	208
2.23.4. hammer discovery info	209
2.23.5. hammer discovery list	210
2.23.6. hammer discovery provision	211
2.23.7. hammer discovery reboot	213
2.23.8. hammer discovery refresh-facts	213
2.24. HAMMER DISCOVERY-RULE	214
2.24.1. hammer discovery-rule create	214
2.24.2. hammer discovery-rule delete	215
2.24.3. hammer discovery-rule info	216
2.24.4. hammer discovery-rule list	217
2.24.5. hammer discovery-rule update	218
2.25. HAMMER DOCKER	219
2.25.1. hammer docker manifest	219
2.25.1.1. hammer docker manifest info	219
2.25.1.2. hammer docker manifest list	220
2.25.2. hammer docker tag	222

2.25.2.1. hammer docker tag info	222
2.25.2.2. hammer docker tag list	223
2.26. HAMMER DOMAIN	224
2.26.1. hammer domain create	224
2.26.2. hammer domain delete	225
2.26.3. hammer domain delete-parameter	226
2.26.4. hammer domain info	226
2.26.5. hammer domain list	227
2.26.6. hammer domain set-parameter	228
2.26.7. hammer domain update	229
2.27. HAMMER ERRATUM	230
2.27.1. hammer erratum info	230
2.27.2. hammer erratum list	231
2.28. HAMMER EXPORT-TEMPLATES	233
2.29. HAMMER FACT	234
2.29.1. hammer fact list	234
2.30. HAMMER FILE	235
2.30.1. hammer file info	236
2.30.2. hammer file list	237
2.31. HAMMER FILTER	238
2.31.1. hammer filter available-permissions	238
2.31.2. hammer filter available-resources	239
2.31.3. hammer filter create	240
2.31.4. hammer filter delete	241
2.31.5. hammer filter info	242
2.31.6. hammer filter list	243
2.31.7. hammer filter update	244
2.32. HAMMER FOREIGN-INPUT-SET	245
2.32.1. hammer foreign-input-set create	245
2.32.2. hammer foreign-input-set delete	246
2.32.3. hammer foreign-input-set info	247
2.32.4. hammer foreign-input-set list	248
2.32.5. hammer foreign-input-set update	248
2.33. HAMMER FULL-HELP	249
2.34. HAMMER GLOBAL-PARAMETER	250
2.34.1. hammer global-parameter delete	250
2.34.2. hammer global-parameter list	251
2.34.3. hammer global-parameter set	252
2.35. HAMMER HOST	253
2.35.1. hammer host ansible-roles	253
2.35.1.1. hammer host ansible-roles assign	254
2.35.1.2. hammer host ansible-roles list	254
2.35.1.3. hammer host ansible-roles play	255
2.35.2. hammer host boot	256
2.35.3. hammer host config-reports	257
2.35.4. hammer host create	258
2.35.5. hammer host deb-package	264
2.35.5.1. hammer host deb-package list	264
2.35.6. hammer host delete	265
2.35.7. hammer host delete-parameter	266
2.35.8. hammer host disassociate	266
2.35.9. hammer host enc-dump	267
2.35.10. hammer host errata	268

2.35.10.1. hammer host errata apply	268
2.35.10.2. hammer host errata info	269
2.35.10.3. hammer host errata list	270
2.35.10.4. hammer host errata recalculate	271
2.35.11. hammer host facts	271
2.35.12. hammer host info	273
2.35.13. hammer host interface	275
2.35.13.1. hammer host interface create	275
2.35.13.2. hammer host interface delete	277
2.35.13.3. hammer host interface info	277
2.35.13.4. hammer host interface list	279
2.35.13.5. hammer host interface update	280
2.35.14. hammer host list	281
2.35.15. hammer host package	284
2.35.15.1. hammer host package install	285
2.35.15.2. hammer host package list	286
2.35.15.3. hammer host package remove	287
2.35.15.4. hammer host package upgrade	287
2.35.15.5. hammer host package upgrade-all	288
2.35.16. hammer host package-group	288
2.35.16.1. hammer host package-group install	289
2.35.16.2. hammer host package-group remove	289
2.35.17. hammer host policies-enc	290
2.35.18. hammer host reboot	291
2.35.19. hammer host rebuild-config	292
2.35.20. hammer host reports	292
2.35.21. hammer host reset	294
2.35.22. hammer host set-parameter	295
2.35.23. hammer host start	295
2.35.24. hammer host status	296
2.35.25. hammer host stop	297
2.35.26. hammer host subscription	297
2.35.26.1. hammer host subscription attach	298
2.35.26.2. hammer host subscription auto-attach	298
2.35.26.3. hammer host subscription content-override	299
2.35.26.4. hammer host subscription product-content	300
2.35.26.5. hammer host subscription register	300
2.35.26.6. hammer host subscription remove	301
2.35.26.7. hammer host subscription unregister	302
2.35.27. hammer host traces	302
2.35.27.1. hammer host traces list	303
2.35.27.2. hammer host traces resolve	303
2.35.28. hammer host update	304
2.36. HAMMER HOST-COLLECTION	310
2.36.1. hammer host-collection add-host	311
2.36.2. hammer host-collection copy	311
2.36.3. hammer host-collection create	312
2.36.4. hammer host-collection delete	313
2.36.5. hammer host-collection erratum	313
2.36.5.1. hammer host-collection erratum install	314
2.36.6. hammer host-collection hosts	314
2.36.7. hammer host-collection info	318
2.36.8. hammer host-collection list	318

2.36.9. hammer host-collection package	320
2.36.9.1. hammer host-collection package install	320
2.36.9.2. hammer host-collection package remove	321
2.36.9.3. hammer host-collection package update	321
2.36.10. hammer host-collection package-group	322
2.36.10.1. hammer host-collection package-group install	322
2.36.10.2. hammer host-collection package-group remove	323
2.36.10.3. hammer host-collection package-group update	323
2.36.11. hammer host-collection remove-host	324
2.36.12. hammer host-collection update	325
2.37. HAMMER HOST-REGISTRATION	325
2.37.1. hammer host-registration generate-command	326
2.38. HAMMER HOSTGROUP	327
2.38.1. hammer hostgroup ansible-roles	328
2.38.1.1. hammer hostgroup ansible-roles assign	328
2.38.1.2. hammer hostgroup ansible-roles list	329
2.38.1.3. hammer hostgroup ansible-roles play	330
2.38.2. hammer hostgroup create	330
2.38.3. hammer hostgroup delete	332
2.38.4. hammer hostgroup delete-parameter	333
2.38.5. hammer hostgroup info	333
2.38.6. hammer hostgroup list	335
2.38.7. hammer hostgroup rebuild-config	336
2.38.8. hammer hostgroup set-parameter	337
2.38.9. hammer hostgroup update	337
2.39. HAMMER HTTP-PROXY	339
2.39.1. hammer http-proxy create	340
2.39.2. hammer http-proxy delete	340
2.39.3. hammer http-proxy info	341
2.39.4. hammer http-proxy list	342
2.39.5. hammer http-proxy update	343
2.40. HAMMER IMPORT-TEMPLATES	344
2.41. HAMMER JOB-INVOCATION	345
2.41.1. hammer job-invocation cancel	345
2.41.2. hammer job-invocation create	346
2.41.3. hammer job-invocation info	347
2.41.4. hammer job-invocation list	348
2.41.5. hammer job-invocation output	349
2.41.6. hammer job-invocation rerun	350
2.42. HAMMER JOB-TEMPLATE	350
2.42.1. hammer job-template create	351
2.42.2. hammer job-template delete	352
2.42.3. hammer job-template dump	353
2.42.4. hammer job-template export	353
2.42.5. hammer job-template import	354
2.42.6. hammer job-template info	355
2.42.7. hammer job-template list	356
2.42.8. hammer job-template update	357
2.43. HAMMER LIFECYCLE-ENVIRONMENT	358
2.43.1. hammer lifecycle-environment create	358
2.43.2. hammer lifecycle-environment delete	359
2.43.3. hammer lifecycle-environment info	360
2.43.4. hammer lifecycle-environment list	360

2.43.5. hammer lifecycle-environment paths	361
2.43.6. hammer lifecycle-environment update	362
2.44. HAMMER LOCATION	363
2.44.1. hammer location add-compute-resource	364
2.44.2. hammer location add-domain	364
2.44.3. hammer location add-hostgroup	365
2.44.4. hammer location add-medium	366
2.44.5. hammer location add-organization	366
2.44.6. hammer location add-provisioning-template	367
2.44.7. hammer location add-smart-proxy	367
2.44.8. hammer location add-subnet	368
2.44.9. hammer location add-user	369
2.44.10. hammer location create	369
2.44.11. hammer location delete	370
2.44.12. hammer location delete-parameter	371
2.44.13. hammer location info	372
2.44.14. hammer location list	373
2.44.15. hammer location remove-compute-resource	374
2.44.16. hammer location remove-domain	374
2.44.17. hammer location remove-hostgroup	375
2.44.18. hammer location remove-medium	376
2.44.19. hammer location remove-organization	376
2.44.20. hammer location remove-provisioning-template	377
2.44.21. hammer location remove-smart-proxy	378
2.44.22. hammer location remove-subnet	378
2.44.23. hammer location remove-user	379
2.44.24. hammer location set-parameter	379
2.44.25. hammer location update	380
2.45. HAMMER MAIL-NOTIFICATION	381
2.45.1. hammer mail-notification info	382
2.45.2. hammer mail-notification list	383
2.46. HAMMER MEDIUM	383
2.46.1. hammer medium add-operatingsystem	384
2.46.2. hammer medium create	384
2.46.3. hammer medium delete	385
2.46.4. hammer medium info	386
2.46.5. hammer medium list	387
2.46.6. hammer medium remove-operatingsystem	388
2.46.7. hammer medium update	389
2.47. HAMMER MODEL	390
2.47.1. hammer model create	390
2.47.2. hammer model delete	391
2.47.3. hammer model info	392
2.47.4. hammer model list	393
2.47.5. hammer model update	394
2.48. HAMMER MODULE-STREAM	394
2.48.1. hammer module-stream info	395
2.48.2. hammer module-stream list	396
2.49. HAMMER ORGANIZATION	397
2.49.1. hammer organization add-compute-resource	398
2.49.2. hammer organization add-domain	398
2.49.3. hammer organization add-hostgroup	399
2.49.4. hammer organization add-location	400

2.49.5. hammer organization add-medium	400
2.49.6. hammer organization add-provisioning-template	401
2.49.7. hammer organization add-smart-proxy	401
2.49.8. hammer organization add-subnet	402
2.49.9. hammer organization add-user	403
2.49.10. hammer organization configure-cdn	403
2.49.11. hammer organization create	404
2.49.12. hammer organization delete	405
2.49.13. hammer organization delete-parameter	406
2.49.14. hammer organization info	407
2.49.15. hammer organization list	408
2.49.16. hammer organization remove-compute-resource	409
2.49.17. hammer organization remove-domain	410
2.49.18. hammer organization remove-hostgroup	410
2.49.19. hammer organization remove-location	411
2.49.20. hammer organization remove-medium	412
2.49.21. hammer organization remove-provisioning-template	412
2.49.22. hammer organization remove-smart-proxy	413
2.49.23. hammer organization remove-subnet	414
2.49.24. hammer organization remove-user	414
2.49.25. hammer organization set-parameter	415
2.49.26. hammer organization update	415
2.50. HAMMER OS	417
2.50.1. hammer os add-architecture	417
2.50.2. hammer os add-provisioning-template	418
2.50.3. hammer os add-ptable	418
2.50.4. hammer os create	419
2.50.5. hammer os delete	420
2.50.6. hammer os delete-default-template	421
2.50.7. hammer os delete-parameter	421
2.50.8. hammer os info	422
2.50.9. hammer os list	423
2.50.10. hammer os remove-architecture	424
2.50.11. hammer os remove-provisioning-template	425
2.50.12. hammer os remove-ptable	425
2.50.13. hammer os set-default-template	426
2.50.14. hammer os set-parameter	427
2.50.15. hammer os update	427
2.51. HAMMER PACKAGE	428
2.51.1. hammer package info	429
2.51.2. hammer package list	430
2.52. HAMMER PACKAGE-GROUP	431
2.52.1. hammer package-group info	432
2.52.2. hammer package-group list	433
2.53. HAMMER PARTITION-TABLE	434
2.53.1. hammer partition-table add-operatingsystem	434
2.53.2. hammer partition-table create	435
2.53.3. hammer partition-table delete	436
2.53.4. hammer partition-table dump	436
2.53.5. hammer partition-table info	437
2.53.6. hammer partition-table list	438
2.53.7. hammer partition-table remove-operatingsystem	439
2.53.8. hammer partition-table update	440

2.54. HAMMER PING	441
2.54.1. hammer ping foreman	441
2.54.2. hammer ping katello	441
2.55. HAMMER POLICY	442
2.55.1. hammer policy create	442
2.55.2. hammer policy delete	443
2.55.3. hammer policy hosts	444
2.55.4. hammer policy info	447
2.55.5. hammer policy list	448
2.55.6. hammer policy update	449
2.56. HAMMER PREBUILD-BASH-COMPLETION	450
2.57. HAMMER PRODUCT	451
2.57.1. hammer product create	451
2.57.2. hammer product delete	452
2.57.3. hammer product info	452
2.57.4. hammer product list	453
2.57.5. hammer product remove-sync-plan	455
2.57.6. hammer product set-sync-plan	455
2.57.7. hammer product synchronize	456
2.57.8. hammer product update	457
2.57.9. hammer product update-proxy	458
2.58. HAMMER PROXY	458
2.58.1. hammer proxy content	459
2.58.1.1. hammer proxy content add-lifecycle-environment	459
2.58.1.2. hammer proxy content available-lifecycle-environments	460
2.58.1.3. hammer proxy content cancel-synchronization	461
2.58.1.4. hammer proxy content info	461
2.58.1.5. hammer proxy content lifecycle-environments	462
2.58.1.6. hammer proxy content remove-lifecycle-environment	463
2.58.1.7. hammer proxy content synchronization-status	464
2.58.1.8. hammer proxy content synchronize	465
2.58.2. hammer proxy create	465
2.58.3. hammer proxy delete	466
2.58.4. hammer proxy info	467
2.58.5. hammer proxy list	468
2.58.6. hammer proxy refresh-features	469
2.58.7. hammer proxy update	470
2.59. HAMMER REALM	471
2.59.1. hammer realm create	471
2.59.2. hammer realm delete	472
2.59.3. hammer realm info	472
2.59.4. hammer realm list	473
2.59.5. hammer realm update	474
2.60. HAMMER RECURRING-LOGIC	475
2.60.1. hammer recurring-logic cancel	476
2.60.2. hammer recurring-logic delete	476
2.60.3. hammer recurring-logic info	477
2.60.4. hammer recurring-logic list	478
2.61. HAMMER REMOTE-EXECUTION-FEATURE	479
2.61.1. hammer remote-execution-feature info	479
2.61.2. hammer remote-execution-feature list	480
2.61.3. hammer remote-execution-feature update	481
2.62. HAMMER REPORT	481

2.62.1. hammer report delete	482
2.62.2. hammer report info	482
2.62.3. hammer report list	484
2.63. HAMMER REPORT-TEMPLATE	485
2.63.1. hammer report-template clone	486
2.63.2. hammer report-template create	487
2.63.3. hammer report-template delete	488
2.63.4. hammer report-template dump	488
2.63.5. hammer report-template generate	489
2.63.6. hammer report-template import	490
2.63.7. hammer report-template info	491
2.63.8. hammer report-template list	492
2.63.9. hammer report-template report-data	493
2.63.10. hammer report-template schedule	493
2.63.11. hammer report-template update	494
2.64. HAMMER REPOSITORY	495
2.64.1. hammer repository create	496
2.64.2. hammer repository delete	498
2.64.3. hammer repository info	498
2.64.4. hammer repository list	500
2.64.5. hammer repository reclaim-space	502
2.64.6. hammer repository remove-content	503
2.64.7. hammer repository synchronize	503
2.64.8. hammer repository update	504
2.64.9. hammer repository upload-content	506
2.65. HAMMER REPOSITORY-SET	507
2.65.1. hammer repository-set available-repositories	508
2.65.2. hammer repository-set disable	508
2.65.3. hammer repository-set enable	509
2.65.4. hammer repository-set info	510
2.65.5. hammer repository-set list	511
2.66. HAMMER ROLE	512
2.66.1. hammer role clone	513
2.66.2. hammer role create	513
2.66.3. hammer role delete	514
2.66.4. hammer role filters	515
2.66.5. hammer role info	516
2.66.6. hammer role list	517
2.66.7. hammer role update	518
2.67. HAMMER SCAP-CONTENT	518
2.67.1. hammer scap-content bulk-upload	519
2.67.2. hammer scap-content create	519
2.67.3. hammer scap-content delete	520
2.67.4. hammer scap-content download	521
2.67.5. hammer scap-content info	521
2.67.6. hammer scap-content list	522
2.67.7. hammer scap-content update	523
2.68. HAMMER SCAP-CONTENT-PROFILE	524
2.68.1. hammer scap-content-profile list	524
2.69. HAMMER SETTINGS	525
2.69.1. hammer settings info	526
2.69.2. hammer settings list	527
2.69.3. hammer settings set	528

2.70. HAMMER SHELL	528
2.71. HAMMER SIMPLE-CONTENT-ACCESS	529
2.71.1. hammer simple-content-access disable	529
2.71.2. hammer simple-content-access enable	530
2.72. HAMMER SRPM	530
2.72.1. hammer srpm info	531
2.72.2. hammer srpm list	531
2.73. HAMMER STATUS	533
2.73.1. hammer status foreman	533
2.73.2. hammer status katello	533
2.74. HAMMER SUBNET	533
2.74.1. hammer subnet create	534
2.74.2. hammer subnet delete	535
2.74.3. hammer subnet delete-parameter	536
2.74.4. hammer subnet info	536
2.74.5. hammer subnet list	538
2.74.6. hammer subnet set-parameter	539
2.74.7. hammer subnet update	540
2.75. HAMMER SUBSCRIPTION	541
2.75.1. hammer subscription delete-manifest	541
2.75.2. hammer subscription list	542
2.75.3. hammer subscription manifest-history	543
2.75.4. hammer subscription refresh-manifest	544
2.75.5. hammer subscription upload	545
2.76. HAMMER SYNC-PLAN	545
2.76.1. hammer sync-plan create	546
2.76.2. hammer sync-plan delete	546
2.76.3. hammer sync-plan info	547
2.76.4. hammer sync-plan list	548
2.76.5. hammer sync-plan update	549
2.77. HAMMER TAILORING-FILE	550
2.77.1. hammer tailoring-file create	550
2.77.2. hammer tailoring-file delete	551
2.77.3. hammer tailoring-file download	552
2.77.4. hammer tailoring-file info	552
2.77.5. hammer tailoring-file list	553
2.77.6. hammer tailoring-file update	554
2.78. HAMMER TASK	555
2.78.1. hammer task info	555
2.78.2. hammer task list	556
2.78.3. hammer task progress	557
2.78.4. hammer task resume	558
2.79. HAMMER TEMPLATE	559
2.79.1. hammer template add-operatingsystem	559
2.79.2. hammer template build-pxe-default	560
2.79.3. hammer template clone	561
2.79.4. hammer template combination	561
2.79.4.1. hammer template combination create	562
2.79.4.2. hammer template combination delete	562
2.79.4.3. hammer template combination info	563
2.79.4.4. hammer template combination list	564
2.79.4.5. hammer template combination update	565
2.79.5. hammer template create	566

2.79.6. hammer template delete	566
2.79.7. hammer template dump	567
2.79.8. hammer template info	568
2.79.9. hammer template kinds	569
2.79.10. hammer template list	569
2.79.11. hammer template remove-operatingsystem	571
2.79.12. hammer template update	571
2.80. HAMMER TEMPLATE-INPUT	572
2.80.1. hammer template-input create	573
2.80.2. hammer template-input delete	574
2.80.3. hammer template-input info	574
2.80.4. hammer template-input list	575
2.80.5. hammer template-input update	576
2.81. HAMMER USER	578
2.81.1. hammer user access-token	578
2.81.1.1. hammer user access-token create	578
2.81.1.2. hammer user access-token info	579
2.81.1.3. hammer user access-token list	580
2.81.1.4. hammer user access-token revoke	581
2.81.2. hammer user add-role	582
2.81.3. hammer user create	582
2.81.4. hammer user delete	584
2.81.5. hammer user info	585
2.81.6. hammer user list	586
2.81.7. hammer user mail-notification	587
2.81.7.1. hammer user mail-notification add	588
2.81.7.2. hammer user mail-notification list	588
2.81.7.3. hammer user mail-notification remove	589
2.81.7.4. hammer user mail-notification update	590
2.81.8. hammer user remove-role	591
2.81.9. hammer user ssh-keys	591
2.81.9.1. hammer user ssh-keys add	592
2.81.9.2. hammer user ssh-keys delete	592
2.81.9.3. hammer user ssh-keys info	593
2.81.9.4. hammer user ssh-keys list	594
2.81.10. hammer user update	595
2.82. HAMMER USER-GROUP	597
2.82.1. hammer user-group add-role	597
2.82.2. hammer user-group add-user	598
2.82.3. hammer user-group add-user-group	598
2.82.4. hammer user-group create	599
2.82.5. hammer user-group delete	600
2.82.6. hammer user-group external	600
2.82.6.1. hammer user-group external create	601
2.82.6.2. hammer user-group external delete	602
2.82.6.3. hammer user-group external info	602
2.82.6.4. hammer user-group external list	603
2.82.6.5. hammer user-group external refresh	604
2.82.6.6. hammer user-group external update	605
2.82.7. hammer user-group info	606
2.82.8. hammer user-group list	607
2.82.9. hammer user-group remove-role	608
2.82.10. hammer user-group remove-user	608

2.82.11. hammer user-group remove-user-group	609
2.82.12. hammer user-group update	609
2.83. HAMMER VIRT-WHO-CONFIG	610
2.83.1. hammer virt-who-config create	611
2.83.2. hammer virt-who-config delete	612
2.83.3. hammer virt-who-config deploy	613
2.83.4. hammer virt-who-config fetch	614
2.83.5. hammer virt-who-config info	614
2.83.6. hammer virt-who-config list	615
2.83.7. hammer virt-who-config update	616
2.84. HAMMER WEBHOOK	618
2.84.1. hammer webhook create	618
2.84.2. hammer webhook delete	620
2.84.3. hammer webhook info	621
2.84.4. hammer webhook list	622
2.84.5. hammer webhook update	623
2.85. HAMMER WEBHOOK-TEMPLATE	624
2.85.1. hammer webhook-template clone	625
2.85.2. hammer webhook-template create	625
2.85.3. hammer webhook-template delete	626
2.85.4. hammer webhook-template dump	627
2.85.5. hammer webhook-template import	628
2.85.6. hammer webhook-template info	629
2.85.7. hammer webhook-template list	630
2.85.8. hammer webhook-template update	631

PROVIDING FEEDBACK ON RED HAT DOCUMENTATION

We appreciate your input on our documentation. Please let us know how we could make it better.

You can submit feedback by filing a ticket in Bugzilla:

1. Navigate to the [Bugzilla](#) website.
2. In the **Component** field, use **Documentation**.
3. In the **Description** field, enter your suggestion for improvement. Include a link to the relevant parts of the documentation.
4. Click **Submit Bug**.

CHAPTER 1. INTRODUCTION TO HAMMER

Hammer is a powerful command-line tool provided with Red Hat Satellite 6. You can use Hammer to configure and manage a Red Hat Satellite Server either through CLI commands or automation in shell scripts. Hammer also provides an interactive shell.

Hammer compared to Satellite web UI

Compared to navigating the web UI, using Hammer can result in much faster interaction with the Satellite Server, as common shell features such as environment variables and aliases are at your disposal. You can also incorporate Hammer commands into reusable scripts for automating tasks of various complexity. Output from Hammer commands can be redirected to other tools, which allows for integration with your existing environment. You can issue Hammer commands directly on the base operating system running Red Hat Satellite.

Access to Satellite Server's base operating system is required to issue Hammer commands, which can limit the number of potential users compared to the web UI. Although the parity between Hammer and the web UI is almost complete, the web UI has development priority and can be ahead especially for newly introduced features.

Hammer compared to Satellite API

For many tasks, both Hammer and Satellite API are equally applicable. Hammer can be used as a human friendly interface to Satellite API, for example to test responses to API calls before applying them in a script (use the **-d** option to inspect API calls issued by Hammer, for example **hammer -d organization list**). Changes in the API are automatically reflected in Hammer, while scripts using the API directly have to be updated manually.

In the background, each Hammer command first establishes a binding to the API, then sends a request. This can have performance implications when executing a large number of Hammer commands in sequence. In contrast, a script communicating directly with the API establishes the binding only once. See the [API Guide](#) for more information.

1.1. GETTING HELP

View the full list of **hammer** options and subcommands by executing:

```
$ hammer --help
```

Use **--help** to inspect any subcommand, for example:

```
$ hammer organization --help
```

You can search the help output using **grep**, or redirect it to a text viewer, for example:

```
$ hammer | less
```

1.2. AUTHENTICATION

A Satellite user must prove their identity to Red Hat Satellite when entering hammer commands. Hammer commands can be run manually or automatically. In either case, hammer requires Satellite credentials for authentication. There are three methods of hammer authentication:

- Hammer authentication session

- Storing credentials in the hammer configuration file
- Providing credentials with each hammer command

The hammer configuration file method is recommended when running commands automatically. For example, running Satellite maintenance commands from a cron job. When running commands manually, Red Hat recommends using the hammer authentication session and providing credentials with each command.

1.2.1. Hammer Authentication Session

The hammer authentication session is a cache that stores your credentials, and you have to provide them only once, at the beginning of the session. This method is suited to running several hammer commands in succession, for example a script containing hammer commands. In this scenario, you enter your Satellite credentials once, and the script runs as expected. By using the hammer authentication session, you avoid storing your credentials in the script itself and in the `~/.hammer/cli.modules.d/foreman.yml` hammer configuration file.

See the instructions on how to use the sessions:

- To enable sessions, add `:use_sessions: true` to the `~/.hammer/cli.modules.d/foreman.yml` file:

```
:foreman:
:use_sessions: true
```

Note that if you enable sessions, credentials stored in the configuration file will be ignored.

- To start a session, enter the following command:

```
# hammer auth login
```

You are prompted for your Satellite credentials, and logged in. You will not be prompted for the credentials again until your session expires.

- The default length of a session is 60 minutes. You can change the time to suit your preference. For example, to change it to 30 minutes, enter the following command:

```
# hammer settings set --name idle_timeout --value 30
Setting [idle_timeout] updated to [30]
```

- To see the current status of the session, enter the following command:

```
# hammer auth status
```

- To end the session, enter the following command:

```
# hammer auth logout
```

1.2.2. Hammer Configuration File

If you ran the Satellite installation with `--foreman-initial-admin-username` and `--foreman-initial-admin-password` options, credentials you entered are stored in the `~/.hammer/cli.modules.d/foreman.yml` configuration file, and hammer does not prompt for your

credentials.

You can also add your credentials to the `~/.hammer/cli.modules.d/foreman.yml` configuration file manually:

```
:foreman:  
:username: 'username'  
:password: 'password'
```




IMPORTANT

Use only spaces for indentation in hammer configuration files. Do not use tabs for indentation in hammer configuration files.

1.2.3. Command Line

If you do not have your Satellite credentials saved in the `~/.hammer/cli.modules.d/foreman.yml` configuration file, hammer prompts you for them each time you enter a command. You can specify your credentials when executing a command as follows:

```
$ hammer -u username -p password subcommands
```



NOTE

Examples in this guide assume that you have saved credentials in the configuration file, or are using a hammer authentication session.

1.3. USING STANDALONE HAMMER

You can install **hammer** on a host running Red Hat Enterprise Linux 8 or Red Hat Enterprise Linux 7 that has no Satellite Server installed, and use it to connect the host to a remote Satellite.

Prerequisites

- Ensure that you register the host to Satellite Server or Capsule Server. For more information, see [Registering Hosts](#) in *Managing Hosts*.
- Ensure that you synchronize the following repositories on Satellite Server or Capsule Server. For more information, see [Synchronizing Repositories](#) in *Managing Content*.
 - On Red Hat Enterprise Linux 8:
 - `rhel-8-for-x86_64-baseos-rpms`
 - `rhel-8-for-x86_64-appstream-rpms`
 - `satellite-utils-6.11-for-rhel-8-x86_64-rpms`
 - On Red Hat Enterprise Linux 7:
 - `rhel-7-server-rpms`
 - `rhel-7-server-satellite-utils-6.11-rpms`

- `rhel-server-rhsc1-7-rpms`

Procedure

On a host, complete the following steps to install **hammer**:

1. Enable the required repositories:

- On Red Hat Enterprise Linux 8:

```
# subscription-manager repos --enable=rhel-8-for-x86_64-baseos-rpms \
--enable=rhel-8-for-x86_64-appstream-rpms \
--enable=satellite-utils-6.11-for-rhel-8-x86_64-rpms
```

- On Red Hat Enterprise Linux 7:

```
# subscription-manager repos --enable=rhel-7-server-rpms \
--enable=rhel-7-server-satellite-utils-6.11-rpms \
--enable=rhel-server-rhsc1-7-rpms
```

2. If your host is running Red Hat Enterprise Linux 8, enable the Satellite Utils module:

```
# dnf module enable satellite-utils:el8
```

3. Install **hammer**:

- On Red Hat Enterprise Linux 8:

```
# dnf install rubygem-hammer_cli_katello
```

- On Red Hat Enterprise Linux 7:

```
# yum install tfm-rubygem-hammer_cli_katello
```

4. Edit the **:host:** entry in the `/etc/hammer/cli.modules.d/foreman.yml` file to include the Satellite IP address or FQDN.

```
:host: 'https://satellite.example.com'
```

1.4. SETTING A DEFAULT ORGANIZATION AND LOCATION

Many **hammer** commands are organization specific. You can set a default organization and location for **hammer** commands so that you do not have to specify them every time with the **--organization** and **--location** options.

Specifying a default organization is useful when you mostly manage a single organization, as it makes your commands shorter. However, when you switch to a different organization, you must use **hammer** with the **--organization** option to specify it.

Procedure

To set a default organization and location, complete the following steps:

1. To set a default organization, enter the following command:

-

```
# hammer defaults add --param-name organization \
--param-value "Your_Organization"
```

You can find the name of your organization with the **hammer organization list** command.

- Optional: To set a default location, enter the following command:

```
# hammer defaults add --param-name location \
--param-value "Your_Location"
```

You can find the name of your location with the **hammer location list** command.

- To verify the currently specified default settings, enter the following command:

```
# hammer defaults list
```

1.5. CONFIGURING HAMMER

The default location for global **hammer** configuration is:

- `/etc/hammer/cli_config.yml` for general **hammer** settings
- `/etc/hammer/cli.modules.d/` for CLI module configuration files

You can set user specific directives for **hammer** (in `~/.hammer/cli_config.yml`) as well as for CLI modules (in respective `.yml` files under `~/.hammer/cli.modules.d/`).

To see the order in which configuration files are loaded, as well as versions of loaded modules, use:

```
$ hammer -d --version
```



NOTE

Loading configuration for many CLI modules can slow down the execution of **hammer** commands. In such a case, consider disabling CLI modules that are not regularly used.

Apart from saving credentials as described in [Section 1.2, "Authentication"](#), you can set several other options in the `~/.hammer/` configuration directory. For example, you can change the default log level and set log rotation with the following directives in `~/.hammer/cli_config.yml`. These directives affect only the current user and are not applied globally.

```
:log_level: 'warning'
:log_size: 5 #in MB
```

Similarly, you can configure user interface settings. For example, set the number of entries displayed per request in the Hammer output by changing the following line:

```
:per_page: 30
```

This setting is an equivalent of the **--per-page** Hammer option.

1.6. CONFIGURING HAMMER LOGGING

You can set **hammer** to log debugging information for various Satellite components.

You can set debug or normal configuration options for all Satellite components.



NOTE

After changing hammer's logging behavior, you must restart Satellite services.

```
# satellite-maintain service restart
```

- To set debug level for all components, use the following command:

```
# hammer admin logging --all --level-debug
# satellite-maintain service restart
```

- To set production level logging, use the following command:

```
# hammer admin logging --all --level-production
# satellite-maintain service restart
```

- To list the currently recognized components, that you can set logging for:

```
# hammer admin logging --list
```

- To list all available logging options:

```
# hammer admin logging --help

Usage:
hammer admin logging [OPTIONS]
```

1.7. INVOKING THE HAMMER SHELL

You can issue **hammer** commands through the interactive shell. To invoke the shell, issue the following command:

```
$ hammer shell
```

In the shell, you can enter sub-commands directly without typing "hammer", which can be useful for testing commands before using them in a script. To exit the shell, type **exit** or press **Ctrl + D**.

1.8. GENERATING FORMATTED OUTPUT

You can modify the default formatting of the output of **hammer** commands to simplify the processing of this output by other command line tools and applications. For example, to list organizations in a CSV format with a custom separator (in this case a semicolon), use the following command:

```
$ hammer --csv --csv-separator ";" organization list
```

Output in CSV format is useful for example when you need to parse IDs and use them in a **for** loop.

Several other formatting options are available with the **--output** option:

```
$ hammer --output output_format organization list
```

Replace *output_format* with one of:

- **table** – generates output in the form of a human readable table (default).
- **base** – generates output in the form of key-value pairs.
- **yaml** – generates output in the YAML format.
- **csv** – generates output in the Comma Separated Values format. To define a custom separator, use the **--csv** and **--csv-separator** options instead.
- **json** – generates output in the JavaScript Object Notation format.
- **silent** – suppresses the output.

1.9. HIDING HEADER OUTPUT FROM HAMMER COMMANDS

When you use any hammer command, you have the option of hiding headers from the output. If you want to pipe or use the output in custom scripts, hiding the output is useful.

- To hide the header output, add the **--no-headers** option to any hammer command.

1.10. USING JSON FOR COMPLEX PARAMETERS

JSON is the preferred way to describe complex parameters.

An example of JSON formatted content appears below:

```
# hammer compute-profile values create --compute-profile-id 22 --compute-resource-id 1 --compute-attributes=  
{  
  "cpus": 2,  
  "corespersocket": 2,  
  "memory_mb": 4096,  
  "firmware": "efi",  
  "resource_pool": "Resources",  
  "cluster": "Example_Cluster",  
  "guest_id": "rhel8",  
  "path": "/Datacenters/EXAMPLE/vm/",  
  "hardware_version": "Default",  
  "memoryHotAddEnabled": 0,  
  "cpuHotAddEnabled": 0,  
  "add_cdrom": 0,  
  "boot_order": [  
    "disk",  
    "network"  
  ],  
  "scsi_controllers": [  
    {  
      "type": "ParaVirtualSCSIController",  
      "key": 1000
```

```
    },  
    {  
      "type": "ParaVirtualSCSIController",  
      "key":1001  
    }it  
  ]  
}'
```

1.11. TROUBLESHOOTING WITH HAMMER

You can use the **hammer ping** command to check the status of core Satellite services. Together with the **satellite-maintain service status** command, this can help you to diagnose and troubleshoot Satellite issues. If all services are running as expected, the output looks as follows:

```
$ hammer ping  
candlepin:  
  Status:      ok  
  Server Response: Duration: 22ms  
candlepin_auth:  
  Status:      ok  
  Server Response: Duration: 17ms  
pulp:  
  Status:      ok  
  Server Response: Duration: 41ms  
pulp_auth:  
  Status:      ok  
  Server Response: Duration: 23ms  
foreman_tasks:  
  Status:      ok  
  Server Response: Duration: 33ms
```

CHAPTER 2. REFERENCE

This chapter provides a list of Hammer usage statements. These usage statements are current to the versions of Hammer and its components released for Satellite 6.11.

2.1. HAMMER

Usage:

```
hammer [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
activation-key      Manipulate activation keys
admin              Administrative server-side tasks
ansible            Manage foreman ansible
architecture        Manipulate architectures
arf-report          Manipulate compliance reports
audit              Search audit trails.
auth               Foreman connection login/logout
auth-source         Manipulate auth sources
bookmark           Manage bookmarks
bootdisk           Download boot disks
capsule            Manipulate capsule
compute-profile     Manipulate compute profiles
compute-resource    Manipulate compute resources
config-report       Browse and read reports
content-credentials Manipulate content credentials on the server
content-export      Prepare content for export to a disconnected Katello
content-import       Import content from an upstream archive.
content-units        Manipulate content units
content-view        Manipulate content views
deb-package         Manipulate deb packages
defaults            Defaults management
discovery           Manipulate discovered hosts.
discovery-rule      Manipulate discovered rules.
docker              Manipulate docker content
domain              Manipulate domains
erratum             Manipulate errata
export-templates    Export templates to a git repo or a directory on the server
fact                Search facts
file                Manipulate files
filter              Manage permission filters
foreign-input-set   Manage foreign input sets
full-help           Print help for all hammer commands
global-parameter    Manipulate global parameters
host                Manipulate hosts
host-collection     Manipulate host collections
host-registration   Host Registration
hostgroup           Manipulate hostgroups
http-proxy          Manipulate http proxies
import-templates    Import templates from a git repo or a directory on the server
job-invocation      Manage job invocations
```

job-template	Manage job templates
lifecycle-environment	Manipulate lifecycle_environments on the server
location	Manipulate locations
mail-notification	Manage mail notifications
medium	Manipulate installation media
model	Manipulate hardware models
module-stream	View Module Streams
organization	Manipulate organizations
os	Manipulate operating system
package	Manipulate packages
package-group	Manipulate package groups
partition-table	Manipulate partition tables
ping	Get the status of the server and/or it's subcomponents
policy	Manipulate policies
prebuild-bash-completion	Prepare map of options and subcommands for Bash completion
product	Manipulate products
proxy	Manipulate smart proxies
realm	Manipulate realms
recurring-logic	Recurring logic related actions
remote-execution-feature	Manage remote execution features
report	Browse and read reports
report-template	Manipulate report templates
repository	Manipulate repositories
repository-set	Manipulate repository sets on the server
role	Manage user roles
scap-content	Manipulate SCAP contents
scap-content-profile	Manipulate Scap Content Profiles
settings	Change server settings
shell	Interactive shell
simple-content-access	Simple content access commands
srpm	Manipulate source RPMs
status	Get the complete status of the server and/or it's subcomponents
subnet	Manipulate subnets
subscription	Manipulate subscriptions
sync-plan	Manipulate sync plans
tailoring-file	Manipulate Tailoring files
task	Tasks related actions.
template	Manipulate provisioning templates
template-input	Manage template inputs
user	Manipulate users
user-group	Manage user groups
virt-who-config	Manage Virt Who configurations
webhook	Manage webhooks
webhook-template	Manipulate webhook templates

Options:

--[no-]use-defaults	Enable/disable stored defaults. Enabled by default
--autocomplete VALUE	Get list of possible endings
--csv	Output as CSV (same as --output=csv)
--csv-separator VALUE	Character to separate the values
--fetch-ca-cert VALUE	Fetch CA certificate from server and exit
--interactive BOOLEAN	Explicitly turn interactive mode on/off
--no-headers	Hide headers from output
--output ENUM	Set output format
	Possible value(s): 'base', 'table', 'silent', 'csv', 'yaml', 'json'
--output-file VALUE	Path to custom output file

<code>--show-ids</code>	Show ids of associated resources
<code>--ssl-ca-file VALUE</code>	Configure the file containing the CA certificates
<code>--ssl-ca-path VALUE</code>	Configure the directory containing the CA certificates
<code>--ssl-client-cert VALUE</code>	Configure the client's public certificate
<code>--ssl-client-key VALUE</code>	Configure the client's private key
<code>--ssl-with-basic-auth</code>	Use standard authentication in addition to client certificate authentication
<code>--verify-ssl BOOLEAN</code>	Configure SSL verification of remote system
<code>--version</code>	Show version
<code>-c, --config VALUE</code>	Path to custom config file
<code>-d, --debug</code>	Show debugging output
<code>-h, --help</code>	Print help
<code>-p, --password VALUE</code>	Password to access the remote system
<code>-q, --quiet</code>	Completely silent
<code>-r, --reload-cache</code>	Force reload of Apipie cache
<code>-s, --server VALUE</code>	Remote system address
<code>-u, --username VALUE</code>	Username to access the remote system
<code>-v, --[no-]verbose</code>	Be verbose (or not). True by default

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2. HAMMER ACTIVATION-KEY

Manipulate activation keys

Usage:

```
hammer activation-key [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-host-collection	Associate a resource
add-subscription	Add subscription
content-override	Override product content defaults
copy	Copy an activation key
create	Create an activation key
delete, destroy	Destroy an activation key
host-collections	List associated host collections

info, show	Show an activation key
list, index	List activation keys
product-content	List associated products
remove-host-collection	Disassociate a resource
remove-subscription	Remove subscription
subscriptions	List associated subscriptions
update	Update an activation key

Options:

-h, --help	Print help
------------	------------

2.2.1. hammer activation-key add-host-collection

Associate a resource

Usage:

```
hammer activation-key add-host-collection [OPTIONS]
```

Options:

--host-collection VALUE	Host collection name to search by
--host-collection-id NUMBER	Id of the host collection
--id VALUE	ID of the activation key
--name VALUE	Activation key name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.2. hammer activation-key add-subscription

Add subscription

Usage:

```
hammer activation-key add-subscription [OPTIONS]
```

Options:

```

--id NUMBER           ID of the activation key
--name VALUE          Activation key name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--quantity NUMBER     Quantity of this subscription to add
--subscription VALUE  Subscription name to search by
--subscription-id NUMBER  Subscription identifier
--subscriptions SCHEMA  Array of subscriptions to add
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN             One of true/false, yes/no, 1/0
DATETIME            Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                Possible values are described in the option's description
FILE                Path to a file
KEY_VALUE_LIST      Comma-separated list of key=value.
                    JSON is acceptable and preferred way for such parameters
LIST                Comma separated list of values. Values containing comma should be quoted or
                    escaped with backslash.
                    JSON is acceptable and preferred way for such parameters
MULTIENUM           Any combination of possible values described in the option's description
NUMBER              Numeric value. Integer
SCHEMA              Comma separated list of values defined by a schema.
                    JSON is acceptable and preferred way for such parameters
VALUE               Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--subscriptions  "id=<string>\,quantity=<numeric>, ... "
```

2.2.3. hammer activation-key content-override

Override product content defaults

Usage:

```
hammer activation-key content-override [OPTIONS]
```

Options:

```

--content-label VALUE  Label of the content
--id NUMBER            ID of the activation key
--name VALUE           Activation key name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--override-name VALUE   Override parameter key or name.
                        To enable or disable a repo select 'enabled'.
                        Default value: enabled
                        Default: "enabled"

```

```
--remove          Remove a content override
--value VALUE    Override value. Note for repo enablement you can use a boolean value
-h, --help      Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string
```

2.2.4. hammer activation-key copy

Copy an activation key

Usage:

```
hammer activation-key copy [OPTIONS]
```

Options:

```
--id NUMBER      ID of the activation key
--name VALUE     Activation key name to search by
--new-name VALUE Name of new activation key
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help      Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.5. hammer activation-key create

Create an activation key

Usage:

```
hammer activation-key create [OPTIONS]
```

Options:

```
--auto-attach BOOLEAN      Auto attach subscriptions upon registration
--content-view VALUE       Content view name to search by
--content-view-id NUMBER   Content view id
--description VALUE        Description
--environment VALUE        Lifecycle environment name to search by (--environment is
deprecated: Use
--lifecycle-environment instead)
--environment-id NUMBER    (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment id
--max-hosts NUMBER         Maximum number of registered content hosts
--name VALUE               Name
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--purpose-addons LIST      Sets the system add-ons
--purpose-role VALUE       Sets the system purpose usage
--purpose-usage VALUE      Sets the system purpose usage
--release-version VALUE    Content release version
--service-level VALUE      Service level
--unlimited-hosts           Set hosts max to unlimited
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.6. hammer activation-key delete

Destroy an activation key

Usage:

```
hammer activation-key <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER           ID of the activation key
--name VALUE          Activation key name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.2.7. hammer activation-key host-collections

List associated host collections

Usage:

```
hammer activation-key host-collections [OPTIONS]
```

Options:

```
--available-for VALUE  Interpret specified object to return only Host Collections that can be
                       associated with specified object. The value 'host' is supported.
--fields LIST         Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN Whether or not to show all results
--host-id NUMBER      Filter products by host id
--id VALUE            ID of activation key
--name VALUE          Name of activation key
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--sort-by VALUE       Field to sort the results on
--sort-order VALUE    How to order the sorted results (e.g. ASC for ascending)
```

-h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.2.8. hammer activation-key info

Show an activation key

Usage:

```
hammer activation-key <info|show> [OPTIONS]
```

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
 --id NUMBER ID of the activation key
 --name VALUE Activation key name to search by
 --organization VALUE Organization name to search by
 --organization-id NUMBER Organization identifier
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 -h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS                | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name                  | x | x   | x
Id                    | x | x   | x
Description            | x | x   |
Host limit             | x | x   |
Auto attach            | x | x   |
Release version        | x | x   |
```

Lifecycle environment	x x
Content view	x x
Host collections/id	x x
Host collections/name	x x
System purpose/service level	x x
System purpose/purpose usage	x x
System purpose/purpose role	x x
System purpose/purpose addons	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.9. hammer activation-key list

List activation keys

Usage:

```
hammer activation-key <list|index> [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view identifier
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	Environment identifier
--name VALUE	Activation key name to filter by
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return

```
--search VALUE      Search string
-h, --help         Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Host limit | x | x |
Lifecycle environment | x | x |
Content view | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
addon        string
content_view string
content_view_id integer
description  text
environment  string
name         string
organization_id integer
role         string
subscription_id string
subscription_name string
usage        string
```

2.2.10. hammer activation-key product-content

List associated products

Usage:

```
hammer activation-key product-content [OPTIONS]
```

Options:

```
--content-access-mode-all BOOLEAN Get all content available, not just that provided by
subscriptions
```


--content-access-mode-env BOOLEAN Limit content to just that available in the activation key's content view

```

                                version
--fields LIST                    Show specified fields or predefined field sets only. (See below)
--id VALUE                       ID of the activation key
--name VALUE                     Activation key name to search by
--organization VALUE            Organization name to search by
--organization-id NUMBER
--organization-label VALUE      Organization label to search by
--organization-title VALUE      Organization title
-h, --help                       Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Type    | x | x   |
Url     | x | x   |
Gpg key | x | x   |
Label   | x | x   |
Default enabled? | x | x   |
Override | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.2.11. hammer activation-key remove-host-collection

Disassociate a resource

Usage:

```
hammer activation-key remove-host-collection [OPTIONS]
```

Options:

```

--host-collection VALUE      Host collection name to search by
--host-collection-id NUMBER  Id of the host collection
--id VALUE                   ID of the activation key

```

```

--name VALUE           Activation key name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help             Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string

```

2.2.12. hammer activation-key remove-subscription

Remove subscription

Usage:

```
hammer activation-key remove-subscription [OPTIONS]
```

Options:

```

--id NUMBER          ID of the activation key
--name VALUE         Activation key name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--subscription-id VALUE ID of subscription
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description

```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.13. hammer activation-key subscriptions

List associated subscriptions

Usage:

```
hammer activation-key subscriptions [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id VALUE   Activation key ID
--available-for VALUE      Object to show subscriptions available for, either 'host' or 'activation_key'
--fields LIST              Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN      Whether or not to show all results
--host VALUE               Host name
--host-id VALUE            Id of a host
--id VALUE                 ID of the activation key
--match-host BOOLEAN      Ignore subscriptions that are unavailable to the specified host
--match-installed BOOLEAN  Return subscriptions that match installed products of the specified
host
--name VALUE               Activation key name to search by
--no-overlap BOOLEAN       Return subscriptions which do not overlap with a currently-attached
subscription
--order VALUE              Sort field and order, eg. 'id DESC'
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER              Page number, starting at 1
--per-page NUMBER          Number of results per page to return
--search VALUE             Search string
-h, --help                 Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id     | x | x
Name   | x | x
Attached | x | x
Quantity | x | x
Start date | x | x
End date | x | x
Support | x | x
Contract | x | x
Account | x | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.2.14. hammer activation-key update

Update an activation key

Usage:

```
hammer activation-key update [OPTIONS]
```

Options:

```
--auto-attach BOOLEAN      Auto attach subscriptions upon registration
--content-view VALUE       Content view name to search by
--content-view-id NUMBER   Content view id
--description VALUE        Description
--environment VALUE        Lifecycle environment name to search by (--environment is
depreciated: Use
                           --lifecycle-environment instead)
--environment-id NUMBER    (--environment-id is depreciated: Use --lifecycle-environment-id
instead)
--id NUMBER                ID of the activation key
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment id
--max-hosts NUMBER         Maximum number of registered content hosts
--name VALUE               Name
--new-name VALUE           Name
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--purpose-addons LIST      Sets the system add-ons
--purpose-role VALUE       Sets the system purpose usage
--purpose-usage VALUE      Sets the system purpose usage
--release-version VALUE    Content release version
--service-level VALUE      Service level
--unlimited-hosts           Set hosts max to unlimited
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.3. HAMMER ADMIN

Administrative server-side tasks

Usage:
hammer admin [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
logging Logging verbosity level setup

Options:
-h, --help Print help

2.3.1. hammer admin logging

Logging verbosity level setup

Usage:
hammer admin logging [OPTIONS]

Options:
--no-backup Skip configuration backups creation.
--prefix VALUE Operate on prefixed environment (e.g. chroot).
-a, --all Apply to all components.
-c, --components LIST Components to apply, use --list to get them.
-d, --level-debug Increase verbosity level to debug.
-h, --help Print help
-l, --list List available components.
-n, --dry-run Do not apply specified changes.
-p, --level-production Decrease verbosity level to standard.

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4. HAMMER ANSIBLE

Manage foreman ansible

Usage:

```
hammer ansible [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

roles	Manage ansible roles
variables	Manage ansible variables

Options:

-h, --help	Print help
------------	------------

2.4.1. hammer ansible roles

Manage ansible roles

Usage:

```
hammer ansible roles [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete, destroy	Deletes Ansible role
fetch	Fetch Ansible roles available to be synced
import	DEPRECATED: Import Ansible roles
info, show	Show role
list, index	List Ansible roles
obsolete	DEPRECATED: Obsolete Ansible roles
play-hostgroups	Runs all Ansible roles on hostgroups
play-hosts	Runs all Ansible roles on hosts
sync	Sync Ansible roles

Options:

-h, --help	Print help
------------	------------

2.4.1.1. hammer ansible roles delete

Deletes Ansible role

Usage:

```
hammer ansible roles <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.4.1.2. hammer ansible roles fetch

Fetch Ansible roles available to be synced

Usage:

```
hammer ansible roles fetch [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE         Capsule to fetch from
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.3. hammer ansible roles import

DEPRECATED: Import Ansible roles

Usage:

```
hammer ansible roles import [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE         Capsule to import from
--role-names LIST        Ansible role names to be imported
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.4. hammer ansible roles info

Show role

Usage:

```
hammer ansible roles <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x | x
Name   | x | x | x
Imported at | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.4.1.5. hammer ansible roles list

List Ansible roles

Usage:

```
hammer ansible roles <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
```

```

--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER             Page number, starting at 1
--per-page VALUE          Number of results per page to return, 'all' to return all results
--search VALUE            Filter results
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Imported at | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
               escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

host          string
host_id       integer
hostgroup     string
hostgroup_id  integer
id            integer
name          string
updated_at    datetime

```

2.4.1.6. hammer ansible roles obsolete

DEPRECATED: Obsolete Ansible roles

Usage:

```
hammer ansible roles obsolete [OPTIONS]
```

Options:

```

--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request

```

```
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE          Capsule to import from
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.4.1.7. hammer ansible roles play-hostgroups

Runs all Ansible roles on hostgroups

Usage:

```
hammer ansible roles play-hostgroups [OPTIONS]
```

Options:

```
--hostgroup-ids LIST      IDs of hostgroups to play roles on
--hostgroup-titles LIST
--hostgroups LIST
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.8. hammer ansible roles play-hosts

Runs all Ansible roles on hosts

Usage:

```
hammer ansible roles play-hosts [OPTIONS]
```

Options:

```
--host-ids LIST          IDs of hosts to play roles on
--hosts LIST
--location VALUE         Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.1.9. hammer ansible roles sync

Sync Ansible roles

Usage:

```
hammer ansible roles sync [OPTIONS]
```

Options:

```
--location VALUE         Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--organization VALUE    Set the current organization context for the request
```

```

--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--proxy-id VALUE           Capsule to sync from
--role-names LIST          Ansible role names to be synced
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.4.2. hammer ansible variables

Manage ansible variables

Usage:

```
hammer ansible variables [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

add-matcher     Create an override value for a specific ansible variable
create          Create Ansible variable
delete, destroy Deletes Ansible variable
import          DEPRECATED: Import Ansible variables. This will only import variables for
                already existing roles, it will not import any new roles
info, show      Show variable
list, index     List Ansible variables
obsolete       DEPRECATED: Obsolete Ansible variables. This will only obsolete variables
for            already existing roles, it will not delete any old roles
remove-matcher Destroy an override value
update         Updates Ansible variable

```

Options:

```
-h, --help      Print help
```

2.4.2.1. hammer ansible variables add-matcher

Create an override value for a specific ansible variable

Usage:

```
hammer ansible variables add-matcher [OPTIONS]
```

Options:

```
--ansible-variable VALUE    Name to search by
--ansible-variable-id VALUE
--location VALUE            Set the current location context for the request
--location-id NUMBER        Set the current location context for the request
--location-title VALUE      Set the current location context for the request
--match VALUE               Override match
--organization VALUE        Set the current organization context for the request
--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--value VALUE               Override value, required if omit is false
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.4.2.2. hammer ansible variables create

Create Ansible variable

Usage:

```
hammer ansible variables create [OPTIONS]
```

Options:

```
--ansible-role VALUE    Name to search by
--ansible-role-id NUMBER  Role ID
--avoid-duplicates BOOLEAN  Remove duplicate values (only array type)
--default-value VALUE     Default value of variable
--description VALUE       Description of variable
--hidden-value BOOLEAN    When enabled the parameter is hidden in the UI
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--merge-default BOOLEAN   Include default value when merging all matching values
--merge-overrides BOOLEAN Merge all matching values (only array/hash type)
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
```

```

--organization-title VALUE  Set the current organization context for the request
--override BOOLEAN          Whether to override variable or not
--override-value-order VALUE The order in which values are resolved
--validator-rule VALUE      Used to enforce certain values for the parameter values
--validator-type ENUM       Types of validation values
                             Possible value(s): 'regexp', 'list'
--variable VALUE            Name of variable
--variable-type ENUM        Types of variable values
                             Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                             'yaml', 'json'
-h, --help                  Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.4.2.3. hammer ansible variables delete

Deletes Ansible variable

Usage:

```
hammer ansible variables <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file

```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.2.4. hammer ansible variables import

DEPRECATED: Import Ansible variables. This will only import variables for already existing roles, it will not import any new roles

Usage:

```
hammer ansible variables import [OPTIONS]
```

Options:

--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--proxy-id VALUE	Capsule to import from
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.4.2.5. hammer ansible variables info

Show variable

Usage:

```
hammer ansible variables <info|show> [OPTIONS]
```


Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Id              | x  | x
Variable       | x  | x
Default value   | x  | x
Type           | x  | x
Role           | x  | x
Role id        | x  | x
Description     | x  | x
Hidden value?   | x  | x
Validator/type  | x  | x
Validator/rule  | x  | x
Override values/override | x  | x
Override values/merge overrides | x  | x
Override values/merge default value | x  | x
Override values/avoid duplicates | x  | x
Override values/order | x  | x
Override values/values/id | x  | x
Override values/values/match | x  | x
Override values/values/value | x  | x
Created at     | x  | x
Updated at    | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
             JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
             JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
             JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.4.2.6. hammer ansible variables list

List Ansible variables

Usage:

```
hammer ansible variables <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id     | x | x
Variable | x | x
Default value | x | x
Type   | x | x
Role   | x | x
Role id | x | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
ansible_role    string
avoid_duplicates Values: true, false
imported        Values: true, false
key             string
```

```

merge_default    Values: true, false
merge_overrides  Values: true, false
name             string
override        Values: true, false
parameter       string

```

2.4.2.7. hammer ansible variables obsolete

DEPRECATED: Obsolete Ansible variables. This will only obsolete variables for already existing roles, it will not delete any old roles

Usage:

```
hammer ansible variables obsolete [OPTIONS]
```

Options:

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--proxy-id VALUE        Capsule to import from
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string

```

2.4.2.8. hammer ansible variables remove-matcher

Destroy an override value

Usage:

```
hammer ansible variables remove-matcher [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request

```

```

--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.4.2.9. hammer ansible variables update

Updates Ansible variable

Usage:

```
hammer ansible variables update [OPTIONS]
```

Options:

```

--ansible-role VALUE      Name to search by
--ansible-role-id NUMBER  Role ID
--avoid-duplicates BOOLEAN Remove duplicate values (only array type)
--default-value VALUE     Default value of variable
--description VALUE      Description of variable
--hidden-value BOOLEAN    When enabled the parameter is hidden in the UI
--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--merge-default BOOLEAN  Include default value when merging all matching values
--merge-overrides BOOLEAN Merge all matching values (only array/hash type)
--name VALUE            Name to search by
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--override BOOLEAN       Whether to override variable or not
--override-value-order LIST The order in which values are resolved
--validator-rule VALUE   Used to enforce certain values for the parameter values
--validator-type ENUM    Types of validation values
                        Possible value(s): 'regexp', 'list'
--variable VALUE        Name of variable

```

```
--variable-type ENUM      Types of variable values
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.5. HAMMER ARCHITECTURE

Manipulate architectures

Usage:

```
hammer architecture [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
add-operatingsystem  Associate an operating system
create               Create an architecture
delete, destroy      Delete an architecture
info, show           Show an architecture
list, index          List all architectures
remove-operatingsystem  Disassociate an operating system
update              Update an architecture
```

Options:

```
-h, --help        Print help
```

2.5.1. hammer architecture add-operatingsystem

Associate an operating system

Usage:

```
hammer architecture add-operatingsystem [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Architecture name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.5.2. hammer architecture create

Create an architecture

Usage:

```
hammer architecture create [OPTIONS]
```

Options:

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--operatingsystem-ids LIST  Operating system IDs
--operatingsystems LIST
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters

```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.5.3. hammer architecture delete

Delete an architecture

Usage:

```
hammer architecture <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Architecture name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.5.4. hammer architecture info

Show an architecture

Usage:

```
hammer architecture <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request

```

--location-title VALUE    Set the current location context for the request
--name VALUE             Architecture name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Operating systems/ | x  | x    |
Locations/  | x  | x    |
Organizations/ | x  | x    |
Created at  | x  | x    |
Updated at  | x  | x    |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.5.5. hammer architecture list

List all architectures

Usage:

```
hammer architecture <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request

```



```
--organization-title VALUE  Set the current organization context for the request
--page NUMBER              Page number, starting at 1
--per-page VALUE           Number of results per page to return, 'all' to return all results
--search VALUE             Filter results
-h, --help                 Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
name         string
```

2.5.6. hammer architecture remove-operatingsystem

Disassociate an operating system

Usage:

```
hammer architecture remove-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Architecture name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.5.7. hammer architecture update

Update an architecture

Usage:

```
hammer architecture update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--operatingsystem-ids LIST Operating system IDs
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.6. HAMMER ARF-REPORT

Manipulate compliance reports

Usage:

```
hammer arf-report [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
delete, destroy     Delete an ARF Report
download            Download bziped ARF report
download-html       Download ARF report in HTML
info, show          Show an ARF report
list, index         List ARF reports
```

Options:

```
-h, --help          Print help
```

2.6.1. hammer arf-report delete

Delete an ARF Report

Usage:

```
hammer arf-report <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.6.2. hammer arf-report download

Download bziped ARF report

Usage:

```
hammer arf-report download [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.6.3. hammer arf-report download-html

Download ARF report in HTML

Usage:

```
hammer arf-report download-html [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
```

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.6.4. hammer arf-report info

Show an ARF report

Usage:

```
hammer arf-report <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Name to search by
--location-id NUMBER   Set the current location context for the request
--organization VALUE   Name to search by
--organization-id NUMBER Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x  | x
Reported at | x  | x  |
Host name   | x  | x  | x
Openscap proxy name | x | x  |
Policy name | x  | x  |
Passed      | x  | x  |
Failed      | x  | x  |
Othered     | x  | x  |
Host id     | x  | x  |
Openscap proxy id | x | x  |
Policy id   | x  | x  |
Locations/  | x  | x  |
Organizations/ | x | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.6.5. hammer arf-report list

List ARF reports

Usage:

```
hammer arf-report <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Reported at	x	x	
Host name	x	x	x
Openscap proxy name	x	x	
Policy name	x	x	
Passed	x	x	
Failed	x	x	
Othered	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

compliance_policy	string
compliance_status	Values: compliant, noncompliant, inconclusive
comply_with	string
eventful	Values: true, false
host	string
host_collection	string
host_id	integer
host_owner_id	integer
hostgroup	string
hostgroup_fullname	string
hostgroup_title	string
inconclusive_with	string
last_for	Values: host, policy
last_report	datetime
lifecycle_environment	string
location	string
location_id	integer
log	text
not_comply_with	string
openscap_proxy	string
organization	string
organization_id	integer
origin	string
policy	string
reported	datetime
resource	text
xccdf_rule_failed	string
xccdf_rule_name	text
xccdf_rule_othered	string
xccdf_rule_passed	string

2.7. HAMMER AUDIT

Search audit trails.

Usage:

```
hammer audit [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show an audit
list, index	List all audits

Options:

-h, --help	Print help
------------	------------

2.7.1. hammer audit info

Show an audit

Usage:

```
hammer audit <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
At           | x  | x      |
Ip           | x  | x      |
User        | x  | x      |
Action       | x  | x      |
Audit type   | x  | x      |
Audit record | x  | x      |
Request uuid | x  | x      |
Audited changes/attribute | x  | x      |
Audited changes/value   | x  | x      |
Audited changes/old     | x  | x      |
Audited changes/new     | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.7.2. hammer audit list

List all audits

Usage:

```
hammer audit <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
At      | x  | x      |
Ip      | x  | x      |
User    | x  | x      |
Action  | x  | x      |
Audit type | x  | x      |
Audit record | x  | x      |
Request uuid | x  |        |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
action       string
auditable_id integer
authored_by_user string
authored_by_user.id integer
```

```

changes          text
comment         string
host            string
hostgroup       string
hostgroup_title string
id              integer
interface_fqdn  string
interface_ip    string
interface_mac   string
location        string
location_id     integer
organization    string
organization_id integer
os              string
os_title        string
parameter       string
partition_table string
provisioning_template string
puppetclass
remote_address  string
request_uuid    string
setting         string
time            datetime
type            Values: role, ptable, provisioning_template, user, filter, architecture, bookmark,
compute_profile, domain, hostgroup, http_proxy, image, key_pair, medium, model,
personal_access_token, report_template, realm, smart_proxy, ssh_key, subnet, usergroup,
job_template, remote_execution_feature, job_invocation, ansible_role, discovery_rule,
katello/activation_key, katello/content_view, katello/content_credential, katello/host_collection,
katello/kt_environment, katello/product, katello/sync_plan, foreman_virt_who_configure/config,
foreman_openscap/policy, foreman_openscap/scap_content, foreman_openscap/tailoring_file,
foreman_openscap/oval_content, foreman_openscap/oval_policy, compute_attribute, lookup_value,
katello/repository, katello/host/content_facet, katello/hostgroup/content_facet,
katello/host/subscription_facet, katello/root_repository, auth_source, compute_resource, host,
interface, location, organization, os, override_value, parameter, partition_table, setting,
smart_class_parameter
user            string
username        string

```

2.8. HAMMER AUTH

Foreman connection login/logout

Usage:

```
hammer auth [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

login              Set credentials
logout             Wipe your credentials
status            Information about current connections

```

Options:
 -h, --help Print help

2.8.1. hammer auth login

Set credentials

Usage:
 hammer auth login [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
 SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:
 basic Provide username and password
 oauth Supports for both with/without 2fa

Options:
 -h, --help Print help

2.8.1.1. hammer auth login basic

provide username and password

Usage:
 hammer auth login basic [OPTIONS]

Options:
 -h, --help Print help
 -p, --password VALUE Password to access the remote system
 -u, --username VALUE Username to access the remote system

Option details:
 Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.8.1.2. hammer auth login oauth

supports for both with/without 2fa

Usage:

```
hammer auth login oauth [OPTIONS]
```

Options:

```
-a, --oidc-authorization-endpoint VALUE Openidc provider URL which issues authentication code
(two factor only)
-c, --oidc-client-id VALUE           Client id used in the Openidc provider
-f, --two-factor                     Authenticate with two factor
-h, --help                           Print help
-p, --password VALUE                 Password to access the remote system
-r, --oidc-redirect-uri VALUE        Redirect URI for the authentication code grant flow
-t, --oidc-token-endpoint VALUE      Openidc provider URL which issues access token
-u, --username VALUE                 Username to access the remote system
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.8.2. hammer auth logout

Wipe your credentials

Usage:

```
hammer auth logout [OPTIONS]
```

Options:

```
-h, --help           Print help
```

2.8.3. hammer auth status

Information about current connections

Usage:

```
hammer auth status [OPTIONS]
```

Options:

```
-h, --help           Print help
```

2.9. HAMMER AUTH-SOURCE

Manipulate auth sources

```
Usage:
  hammer auth-source [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  external            Manage external auth sources
  ldap               Manage LDAP auth sources
  list, index        List all auth sources

Options:
  -h, --help         Print help
```

2.9.1. hammer auth-source external

Manage external auth sources

```
Usage:
  hammer auth-source external [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  info, show          Show an external authentication source
  list, index         List external authentication sources
  update              Update organization and location for Auth Source

Options:
  -h, --help         Print help
```

2.9.1.1. hammer auth-source external info

Show an external authentication source

```
Usage:
  hammer auth-source external <info|show> [OPTIONS]

Options:
  --fields LIST       Show specified fields or predefined field sets only. (See below)
  --id VALUE          Set the current location context for the request
  --location VALUE    Set the current location context for the request
  --location-id NUMBER Set the current location context for the request
  --location-title VALUE Set the current location context for the request
  --name VALUE        Name to search by
  --organization VALUE Set the current organization context for the request
  --organization-id NUMBER Set the current organization context for the request
```

```
--organization-title VALUE  Set the current organization context for the request
-h, --help                  Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id       | x  | x      | x
Name     | x  | x      | x
Locations/ | x  | x      |
Organizations/ | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.9.1.2. hammer auth-source external list

List external authentication sources

Usage:

```
hammer auth-source external <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Scope by locations
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
```

```

-----|-----|-----|-----
Id    | x  | x    | x
Name  | x  | x    | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

location      string
location_id   integer
name          string
organization  string
organization_id integer

```

2.9.1.3. hammer auth-source external update

Update organization and location for Auth Source

Usage:

```
hammer auth-source external update [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE            Set the current location context for the request
--location-id NUMBER        Set the current location context for the request
--location-ids LIST         REPLACE locations with given ids
--location-title VALUE      Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE        Set the current organization context for the request
--organization-id NUMBER    Set the current organization context for the request
--organization-ids LIST     REPLACE organizations with given ids.
--organization-title VALUE  Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.9.2. hammer auth-source ldap

Manage LDAP auth sources

Usage:

```
hammer auth-source ldap [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create an LDAP authentication source
delete, destroy	Delete an LDAP authentication source
info, show	Show an LDAP authentication source
list, index	List all LDAP authentication sources
update	Update an LDAP authentication source

Options:

-h, --help	Print help
------------	------------

2.9.2.1. hammer auth-source ldap create

Create an LDAP authentication source

Usage:

```
hammer auth-source ldap create [OPTIONS]
```

Options:

--account VALUE	
--account-password VALUE	Required if onthefly_register is true
--attr-firstname VALUE	Required if onthefly_register is true
--attr-lastname VALUE	Required if onthefly_register is true
--attr-login VALUE	Required if onthefly_register is true
--attr-mail VALUE	Required if onthefly_register is true
--attr-photo VALUE	


```

--base-dn VALUE
--groups-base VALUE      Groups base DN
--host VALUE             The hostname of the LDAP server
--ldap-filter VALUE      LDAP filter
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--onthe-fly-register BOOLEAN
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--port NUMBER            Defaults to 389
--server-type ENUM       Type of the LDAP server
                        Possible value(s): 'free_ipa', 'active_directory', 'posix'
--tls BOOLEAN
--use-netgroups BOOLEAN  Use NIS netgroups instead of posix groups, applicable only when
server_type is
                        posix or free_ipa
--usergroup-sync BOOLEAN Sync external user groups on login
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.9.2.2. hammer auth-source ldap delete

Delete an LDAP authentication source

Usage:

```
hammer auth-source ldap <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
```

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.9.2.3. hammer auth-source ldap info

Show an LDAP authentication source

Usage:

```
hammer auth-source ldap <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Server/id       | x  | x
Server/name     | x  | x
Server/server   | x  | x
Server/ldaps    | x  | x
Server/port     | x  | x

```

Server/server type	x x
Account/account username	x x
Account/base dn	x x
Account/groups base dn	x x
Account/use netgroups	x x
Account/ldap filter	x x
Account/automatically create accounts?	x x
Account/usergroup sync	x x
Attribute mappings/login name attribute	x x
Attribute mappings/first name attribute	x x
Attribute mappings/last name attribute	x x
Attribute mappings/email address attribute	x x
Attribute mappings/photo attribute	x x
Locations/	x x
Organizations/	x x
----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.9.2.4. hammer auth-source ldap list

List all LDAP authentication sources

Usage:

```
hammer auth-source ldap <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
Server | x | x   |
Port  | x | x   |
Ldaps? | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

location      string
location_id   integer
name          string
organization  string
organization_id integer

```

2.9.2.5. hammer auth-source ldap update

Update an LDAP authentication source

Usage:

```
hammer auth-source ldap update [OPTIONS]
```

Options:

```

--account VALUE
--account-password VALUE Required if onthefly_register is true
--attr-firstname VALUE Required if onthefly_register is true
--attr-lastname VALUE Required if onthefly_register is true
--attr-login VALUE Required if onthefly_register is true
--attr-mail VALUE Required if onthefly_register is true
--attr-photo VALUE
--base-dn VALUE
--groups-base VALUE Groups base DN
--host VALUE The hostname of the LDAP server

```

```

--id VALUE
--ldap-filter VALUE      LDAP filter
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--onthe-fly-register BOOLEAN
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--port NUMBER            Defaults to 389
--server-type ENUM       Type of the LDAP server
                        Possible value(s): 'free_ipa', 'active_directory', 'posix'
--tls BOOLEAN
--use-netgroups BOOLEAN  Use NIS netgroups instead of posix groups, applicable only when
server_type is
                        posix or free_ipa
--usergroup-sync BOOLEAN Sync external user groups on login
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.9.3. hammer auth-source list

List all auth sources

Usage:

```
hammer auth-source <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request

```

```

--location-id NUMBER      Scope by locations
--location-title VALUE   Set the current location context for the request
--order VALUE           Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER           Page number, starting at 1
--per-page VALUE        Number of results per page to return, 'all' to return all results
--search VALUE          Filter results
-h, --help              Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Type of auth source | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

location      string
location_id   integer
name          string
organization  string
organization_id integer

```

2.10. HAMMER BOOKMARK

Manage bookmarks

Usage:

```
hammer bookmark [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

create	Create a bookmark
delete, destroy	Delete a bookmark
info, show	Show a bookmark
list, index	List all bookmarks
update	Update a bookmark

Options:

-h, --help	Print help
------------	------------

2.10.1. hammer bookmark create

Create a bookmark

Usage:
hammer bookmark create [OPTIONS]

Options:

--controller VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--public BOOLEAN	
--query VALUE	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.10.2. hammer bookmark delete

Delete a bookmark

Usage:

```
hammer bookmark <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.10.3. hammer bookmark info

Show a bookmark

Usage:

```
hammer bookmark <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
ld     | x | x   | x
```



```

Name      | x | x | x
Controller | x | x |
Search query | x | x |
Public    | x | x |
Owner id   | x | x |
Owner type | x | x |
-----|---|-----|---

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.10.4. hammer bookmark list

List all bookmarks

Usage:

```
hammer bookmark <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE     Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER     Page number, starting at 1
--per-page VALUE  Number of results per page to return, 'all' to return all results
--search VALUE    Filter results
-h, --help       Print help

```

Predefined field sets:

```

-----|---|-----|---
FIELDS  | ALL | DEFAULT | THIN
-----|---|-----|---
Id      | x | x | x
Name    | x | x | x
Controller | x | x |
Search query | x | x |

```

```
Public      | x | x |
Owner id   | x | x |
Owner type | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
controller   string
name         string
```

2.10.5. hammer bookmark update

Update a bookmark

Usage:

```
hammer bookmark update [OPTIONS]
```

Options:

```
--controller VALUE
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--public BOOLEAN
--query VALUE
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.11. HAMMER BOOTDISK

Download boot disks

Usage:

```
hammer bootdisk [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

generic	Download generic image
host	Download host image
subnet	Download subnet generic image

Options:

-h, --help	Print help
------------	------------

2.11.1. hammer bootdisk generic

Download generic image

Usage:

```
hammer bootdisk generic [OPTIONS]
```

Options:

--file VALUE	File or device to write image to
--force	Force writing to existing destination (device etc.)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--sudo	Use sudo to write to device
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.11.2. hammer bootdisk host

Download host image

Usage:

```
hammer bootdisk host [OPTIONS]
```

Options:

--file VALUE	File or device to write image to
--force	Force writing to existing destination (device etc.)
--full BOOLEAN	True for full, false for basic reusable image
--host VALUE	Host name
--host-id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--sudo	Use sudo to write to device
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.11.3. hammer bootdisk subnet

Download subnet generic image

Usage:

```
hammer bootdisk subnet [OPTIONS]
```

Options:

```
--file VALUE           File or device to write image to
--force                Force writing to existing destination (device etc.)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--subnet VALUE         Subnet name
--subnet-id VALUE
--sudo                 Use sudo to write to device
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN       One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.12. HAMMER CAPSULE

Manipulate capsule

Usage:

```
hammer capsule [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND       Subcommand
[ARG] ...        Subcommand arguments
```

Subcommands:

```
content          Manage the capsule content
create           Create a capsule
delete, destroy  Delete a capsule
info, show       Show a capsule
```

list, index	List all capsules
refresh-features	Refresh capsule features
update	Update a capsule
Options:	
-h, --help	Print help

2.12.1. hammer capsule content

Manage the capsule content

Usage:
hammer capsule content [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:

add-lifecycle-environment	Add lifecycle environments to the capsule
available-lifecycle-environments	List the lifecycle environments not attached to the capsule
cancel-synchronization	Cancel running capsule synchronization
info	Get current capsule synchronization status
lifecycle-environments	List the lifecycle environments attached to the capsule
remove-lifecycle-environment	Remove lifecycle environments from the capsule
synchronization-status	Get current capsule synchronization status
synchronize	Synchronize the content to the capsule

Options:
-h, --help Print help

2.12.1.1. hammer capsule content add-lifecycle-environment

Add lifecycle environments to the capsule

Usage:
hammer capsule content add-lifecycle-environment [OPTIONS]

Options:

--environment VALUE	Lifecycle environment name to search by (deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER	Id of the capsule
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	Id of the lifecycle environment
--name VALUE	Name to search by
--organization VALUE	Organization name
--organization-id VALUE	Organization ID
-h, --help	Print help

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.2. hammer capsule content available-lifecycle-environments

List the lifecycle environments not attached to the capsule

Usage:

```
hammer capsule content available-lifecycle-environments [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the capsule
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Id of the organization to limit environments on
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Name    | x | x   | x
Organization | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.3. hammer capsule content cancel-synchronization

Cancel running capsule synchronization

Usage:

```
hammer capsule content cancel-synchronization [OPTIONS]
```

Options:

```
--id NUMBER          Id of the capsule
--name VALUE         Name to search by
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.4. hammer capsule content info

Get current capsule synchronization status

Usage:

```
hammer capsule content info [OPTIONS]
```

Options:

```
--fields LIST        Show specified fields or predefined field sets only. (See below)
--id NUMBER          Id of the capsule
--name VALUE         Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Id of the organization to get the status for
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----
```


FIELDS	ALL DEFAULT
Lifecycle environments/name	x x
Lifecycle environments/organization	x x
Lifecycle environments/content views/name	x x
Lifecycle environments/content views/composite	x x
Lifecycle environments/content views/last published	x x
Lifecycle environments/content views/content/hosts	x x
Lifecycle environments/content views/content/products	x x
Lifecycle environments/content views/content/yum repos	x x
Lifecycle environments/content views/content/container image repos	x x
Lifecycle environments/content views/content/packages	x x
Lifecycle environments/content views/content/package groups	x x
Lifecycle environments/content views/content/errata	x x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.5. hammer capsule content lifecycle-environments

List the lifecycle environments attached to the capsule

Usage:

```
hammer capsule content lifecycle-environments [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	Id of the capsule
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Id of the organization to limit environments on
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Predefined field sets:

FIELDS	ALL DEFAULT THIN

```

Id      | x | x | x
Name    | x | x | x
Organization | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.12.1.6. hammer capsule content remove-lifecycle-environment

Remove lifecycle environments from the capsule

Usage:

```
hammer capsule content remove-lifecycle-environment [OPTIONS]
```

Options:

```

--environment VALUE      Lifecycle environment name to search by (--environment is
deprecated: Use
                          --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER              Id of the capsule
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER  Id of the lifecycle environment
--name VALUE             Name to search by
--organization VALUE     Organization name
--organization-id VALUE  Organization ID
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.7. hammer capsule content synchronization-status

Get current capsule synchronization status

Usage:

```
hammer capsule content synchronization-status [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the capsule
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Id of the organization to get the status for
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Last sync       | x  | x
Status          | x  | x
Currently running sync tasks/task id | x  | x
Currently running sync tasks/progress | x  | x
Last failure/task id      | x  | x
Last failure/messages    | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.1.8. hammer capsule content synchronize

Synchronize the content to the capsule

Usage:

```
hammer capsule content synchronize [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--content-view VALUE   Content view name to search by
--content-view-id NUMBER Id of the content view to limit the synchronization on
--environment VALUE    Lifecycle environment name to search by (--environment is
deprecated: Use
                        --lifecycle-environment instead)
--environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER            Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the environment to limit the synchronization on
--name VALUE           Name to search by
--organization VALUE   Organization name
--organization-id VALUE Organization ID
--repository VALUE     Repository name to search by
--repository-id NUMBER Id of the repository to limit the synchronization on
--skip-metadata-check BOOLEAN Skip metadata check on each repository on the capsule
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.12.2. hammer capsule create

Create a capsule

Usage:

```
hammer capsule create [OPTIONS]
```

Options:

```
--download-policy VALUE Download Policy of the capsule, must be one of on_demand,
immediate, inherit
```

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.12.3. hammer capsule delete

Delete a capsule

Usage:

```
hammer capsule <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.4. hammer capsule info

Show a capsule

Usage:

```
hammer capsule <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--include-status BOOLEAN  Flag to indicate whether to include status or not
--include-version BOOLEAN  Flag to indicate whether to include version or not
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Status  | x  | x      |
Url     | x  | x      |
Features | x  | x      |
Version | x  | x      |
Host_count | x | x      |
Features/name | x | x      |
Features/version | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
Created at | x | x      |
Updated at | x | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.5. hammer capsule list

List all capsules

Usage:

```
hammer capsule <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--include-status BOOLEAN	Flag to indicate whether to include status or not
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Status | x | x   |
Url    | x | x   |
Features | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

feature string
 location string
 location_id integer
 name string
 organization string
 organization_id integer
 url string

2.12.6. hammer capsule refresh-features

Refresh capsule features

Usage:

hammer capsule refresh-features [OPTIONS]

Options:

--id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Name to search by
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.12.7. hammer capsule update

Update a capsule

Usage:

```
hammer capsule update [OPTIONS]
```

Options:

```
--download-policy VALUE    Download Policy of the capsule, must be one of on_demand,
immediate, inherit
--id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
           JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
           JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
           JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string
```

2.13. HAMMER COMPUTE-PROFILE

Manipulate compute profiles

Usage:

```
hammer compute-profile [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a compute profile
delete, destroy    Delete a compute profile
info, show         Show a compute profile
list, index        List of compute profiles
update             Update a compute profile
values             Create update and delete Compute profile values
```

Options:

```
-h, --help         Print help
```

2.13.1. hammer compute-profile create

Create a compute profile

Usage:

```
hammer compute-profile create [OPTIONS]
```

Options:

```
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.13.2. hammer compute-profile delete

Delete a compute profile

Usage:

```
hammer compute-profile <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Compute profile name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.13.3. hammer compute-profile info

Show a compute profile

Usage:

```
hammer compute-profile <info|show> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Compute profile name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help
```

Predefined field sets:

```
-----|-----|-----|-----
```

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Locations/	x	x	
Organizations/	x	x	
Created at	x	x	
Updated at	x	x	
Compute attributes/id	x	x	
Compute attributes/name		x	x
Compute attributes/compute resource	x	x	
Compute attributes/vm attributes	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.4. hammer compute-profile list

List of compute profiles

Usage:

```
hammer compute-profile <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
```

FIELDS | ALL | DEFAULT | THIN

```
-----|-----|-----|-----
Id    | x  | x    | x
Name  | x  | x    | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

name	string
------	--------

2.13.5. hammer compute-profile update

Update a compute profile

Usage:

```
hammer compute-profile update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.6. hammer compute-profile values

Create update and delete Compute profile values

Usage:

```
hammer compute-profile values [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-interface	Add interface for Compute Profile
add-volume	Add volume for Compute Profile
create	Create compute profile set of values
remove-interface	Remove compute profile interface
remove-volume	Remove compute profile volume
update	Update compute profile values
update-interface	Update compute profile interface
update-volume	Update compute profile volume

Options:

-h, --help	Print help
------------	------------

2.13.6.1. hammer compute-profile values add-interface

Add interface for Compute Profile

Usage:

```
hammer compute-profile values add-interface [OPTIONS]
```

Options:

--compute-profile VALUE	Compute profile name
--compute-profile-id VALUE	
--compute-resource VALUE	Compute resource name
--compute-resource-id VALUE	
--interface KEY_VALUE_LIST	Interface parameters, should be comma separated list of values
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--interface:

GCE:

--interface:

Libvirt:

--interface:

compute_type	Possible values: bridge, network
compute_bridge	Name of interface according to type
compute_model	Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
compute_network	Libvirt instance network, e.g. default

OpenStack:

--interface:

oVirt:

--interface:

compute_name	Compute name, e.g. eth0
compute_network	Select one of available networks for a cluster, must be an ID or a name
compute_interface	Interface type
compute_vnic_profile	Vnic Profile

Rackspace:

--interface:

VMware:

--interface:

compute_type	Type of the network adapter, for example one of: VirtualVmxnet3 VirtualE1000
--------------	--

See documentation center for your version of vSphere to find more details about

available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

AzureRM:

--interface:

compute_network Select one of available Azure Subnets, must be an ID
 compute_public_ip Public IP (None, Static, Dynamic)
 compute_private_ip Static Private IP (expressed as true or false)

2.13.6.2. hammer compute-profile values add-volume

Add volume for Compute Profile

Usage:

hammer compute-profile values add-volume [OPTIONS]

Options:

--compute-profile VALUE Compute profile name
 --compute-profile-id VALUE
 --compute-resource VALUE Compute resource name
 --compute-resource-id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 --volume KEY_VALUE_LIST Volume parameters, should be comma separated list of values
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

GCE:

--volume:

size_gb Volume size in GB, integer value

Libvirt:

--volume:
 pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

OpenStack:

--volume:

oVirt:

--volume:
 size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

Rackspace:

--volume:

VMware:

--volume:
 name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

AzureRM:

--volume:
 disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

2.13.6.3. hammer compute-profile values create

Create compute profile set of values

Usage:

hammer compute-profile values create [OPTIONS]

Options:

--compute-attributes KEY_VALUE_LIST Compute resource attributes
 --compute-profile VALUE Compute profile name
 --compute-profile-id VALUE
 --compute-resource VALUE Compute resource name
 --compute-resource-id VALUE
 --interface KEY_VALUE_LIST Interface parameters, should be comma separated list of values

Can be specified multiple times.

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--volume KEY_VALUE_LIST Volume parameters, should be comma separated list of values
Can be specified multiple times.

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

--interface:

--compute-attributes:

availability_zone
flavor_id
groups
security_group_ids
managed_ip

GCE:

--volume:

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:

machine_type
network

associate_external_ip

Libvirt:

--volume:

pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:

compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:

cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough

OpenStack:

--volume:

--interface:

--compute-attributes:

availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:

--volume:

size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use

cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes
 ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name

storage_pod Storage Pod ID from VMware

datastore Datastore ID from VMware

mode persistent/independent_persistent/independent_nonpersistent

size_gb Integer number, volume size in GB

thin true/false

eager_zero true/false

controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:

VirtualVmxnet3

VirtualE1000

See documentation center for your version of vSphere to find more details about

available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware

corespersocket Number of cores per socket (applicable to hardware versions < 10 only)

cpus CPU count

memory_mb Integer number, amount of memory in MB

path Path to folder

resource_pool Resource Pool ID from VMware

firmware automatic/bios/efi

guest_id Guest OS ID from VMware

hardware_version Hardware version ID from VMware

memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is

on

cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on

add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine

annotation Annotation Notes

scsi_controllers List with SCSI controllers definitions

type - ID of the controller from VMware

key - Key of the controller (e.g. 1000)

AzureRM:

--volume:

disk_size_gb Volume Size in GB (integer value)
data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:

compute_network Select one of available Azure Subnets, must be an ID
compute_public_ip Public IP (None, Static, Dynamic)
compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:

resource_group Existing Azure Resource Group of user
vm_size VM Size, eg. Standard_A0 etc.
username The Admin username
password The Admin password
platform OS type eg. Linux
ssh_key_data SSH key for passwordless authentication
os_disk_caching OS disk caching
premium_os_disk Premium OS Disk, Boolean as 0 or 1
script_command Custom Script Command
script_uris Comma seperated file URIs

2.13.6.4. hammer compute-profile values remove-interface

Remove compute profile interface

Usage:

hammer compute-profile values remove-interface [OPTIONS]

Options:

--compute-profile VALUE Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE Compute resource name
--compute-resource-id VALUE
--interface-id NUMBER Interface id
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.6.5. hammer compute-profile values remove-volume

Remove compute profile volume

Usage:

```
hammer compute-profile values remove-volume [OPTIONS]
```

Options:

```
--compute-profile VALUE    Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE   Compute resource name
--compute-resource-id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--volume-id NUMBER       Volume id
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.13.6.6. hammer compute-profile values update

Update compute profile values

Usage:

```
hammer compute-profile values update [OPTIONS]
```

Options:

```

--compute-attributes KEY_VALUE_LIST Compute resource attributes, should be comma separated
list of values
--compute-profile VALUE          Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE        Compute resource name
--compute-resource-id VALUE
--interface KEY_VALUE_LIST      Interface parameters, should be comma separated list of values
                                Can be specified multiple times.
--location VALUE                Set the current location context for the request
--location-id NUMBER            Set the current location context for the request
--location-title VALUE          Set the current location context for the request
--organization VALUE            Set the current organization context for the request
--organization-id NUMBER        Set the current organization context for the request
--organization-title VALUE      Set the current organization context for the request
--volume KEY_VALUE_LIST         Volume parameters, should be comma separated list of values
                                Can be specified multiple times.
-h, --help                      Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Provider specific options:

NOTE: Bold attributes are required.

EC2:

```
--volume:
```

```
--interface:
```

```
--compute-attributes:
```

```

availability_zone
flavor_id
groups
security_group_ids
managed_ip

```

GCE:

```
--volume:
```

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:
 machine_type
 network
 associate_external_ip

Libvirt:

--volume:
 pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:
 compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:
 cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough

OpenStack:

--volume:

--interface:

--compute-attributes:
 availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:

--volume:
 size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use
 cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes
 ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:
 VirtualVmxnet3
 VirtualE1000

See documentation center for your version of vSphere to find more details about available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware
 corespersocket Number of cores per socket (applicable to hardware versions < 10 only)
 cpus CPU count
 memory_mb Integer number, amount of memory in MB
 path Path to folder
 resource_pool Resource Pool ID from VMware
 firmware automatic/bios/efi
 guest_id Guest OS ID form VMware

hardware_version Hardware version ID from VMware
 memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is on
 on
 cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on
 add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine
 annotation Annotation Notes
 scsi_controllers List with SCSI controllers definitions
 type - ID of the controller from VMware
 key - Key of the controller (e.g. 1000)

AzureRM:

--volume:

disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:

compute_network Select one of available Azure Subnets, must be an ID
 compute_public_ip Public IP (None, Static, Dynamic)
 compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:

resource_group Existing Azure Resource Group of user
 vm_size VM Size, eg. Standard_A0 etc.
 username The Admin username
 password The Admin password
 platform OS type eg. Linux
 ssh_key_data SSH key for passwordless authentication
 os_disk_caching OS disk caching
 premium_os_disk Premium OS Disk, Boolean as 0 or 1
 script_command Custom Script Command
 script_uris Comma seperated file URIs

2.13.6.7. hammer compute-profile values update-interface

Update compute profile interface

Usage:

hammer compute-profile values update-interface [OPTIONS]

Options:

--compute-profile VALUE Compute profile name
 --compute-profile-id VALUE
 --compute-resource VALUE Compute resource name
 --compute-resource-id VALUE
 --interface KEY_VALUE_LIST Interface parameters, should be comma separated list of values
 --interface-id NUMBER Interface id
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--interface:

GCE:

--interface:

Libvirt:

--interface:

compute_type	Possible values: bridge, network
compute_bridge	Name of interface according to type
compute_model	Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
compute_network	Libvirt instance network, e.g. default

OpenStack:

--interface:

oVirt:

--interface:

compute_name	Compute name, e.g. eth0
compute_network	Select one of available networks for a cluster, must be an ID or a name
compute_interface	Interface type
compute_vnic_profile	Vnic Profile

Rackspace:

--interface:

VMware:

--interface:

compute_type	Type of the network adapter, for example one of: VirtualVmxnet3 VirtualE1000
--------------	--

See documentation center for your version of vSphere to find more details about available adapter types:

compute_network	Network ID or Network Name from VMware
-----------------	--

AzureRM:

```
--interface:
  compute_network  Select one of available Azure Subnets, must be an ID
  compute_public_ip Public IP (None, Static, Dynamic)
  compute_private_ip Static Private IP (expressed as true or false)
```

2.13.6.8. hammer compute-profile values update-volume

Update compute profile volume

Usage:

```
hammer compute-profile values update-volume [OPTIONS]
```

Options:

```
--compute-profile VALUE    Compute profile name
--compute-profile-id VALUE
--compute-resource VALUE   Compute resource name
--compute-resource-id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--volume KEY_VALUE_LIST    Volume parameters, should be comma separated list of values
--volume-id NUMBER         Volume id
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string
```

Provider specific options:

NOTE: Bold attributes are required.

EC2:

```
--volume:
```

GCE:

```
--volume:
```

size_gb Volume size in GB, integer value

Libvirt:

--volume:
 pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

OpenStack:

--volume:

oVirt:

--volume:
 size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

Rackspace:

--volume:

VMware:

--volume:
 name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

AzureRM:

--volume:
 disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

2.14. HAMMER COMPUTE-RESOURCE

Manipulate compute resources

Usage:

hammer compute-resource [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:

associate-vms Associate VMs to Hosts
 clusters List available clusters for a compute resource

create	Create a compute resource
delete, destroy	Delete a compute resource
flavors	List available flavors for a compute resource
folders	List available folders for a compute resource
image	View and manage compute resource's images
images	List available images for a compute resource
info, show	Show a compute resource
list, index	List all compute resources
networks	List available networks for a compute resource
resource-pools	List resource pools for a compute resource cluster
security-groups	List available security groups for a compute resource
storage-domains	List storage domains for a compute resource
storage-pods	List storage pods for a compute resource
update	Update a compute resource
virtual-machine	View and manage compute resource's virtual machines
virtual-machines	List available virtual machines for a compute resource
vnic-profiles	List available vnic profiles for a compute resource, for RHEV only
zones	List available zone for a compute resource
Options:	
-h, --help	Print help

2.14.1. hammer compute-resource associate-vm

Associate VMs to Hosts

Usage:

```
hammer compute-resource associate-vm [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Compute resource name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--vm-id VALUE	Associate a specific VM
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.2. hammer compute-resource clusters

List available clusters for a compute resource

Usage:

```
hammer compute-resource clusters [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.3. hammer compute-resource create

Create a compute resource

Usage:

```
hammer compute-resource create [OPTIONS]
```

Options:

```
--app-ident VALUE          Client ID for AzureRm
--caching-enabled BOOLEAN  Enable caching, for VMware only
--cloud VALUE              Cloud
--datacenter VALUE        For RHEV, VMware Datacenter
--description VALUE
--display-type ENUM       For Libvirt and RHEV only
                           Possible value(s): 'VNC', 'SPICE'
--domain VALUE            For RHEL OpenStack Platform (v3) only
--email VALUE             Email for GCE only
--key-path VALUE          Certificate path for GCE only
--keyboard-layout ENUM    For RHEV only
                           Possible value(s): 'ar', 'de-ch', 'es', 'fo', 'fr-ca', 'hu', 'ja', 'mk', 'no',
                           'pt-br', 'sv', 'da', 'en-gb', 'et', 'fr', 'fr-ch', 'is', 'lt', 'nl', 'pl', 'ru',
                           'th', 'de', 'en-us', 'fi', 'fr-be', 'hr', 'it', 'lv', 'nl-be', 'pt', 'sl', 'tr'
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--ovirt-quota VALUE       For RHEV only, ID or Name of quota to use
--password VALUE          Password for RHEV, EC2, VMware, RHEL OpenStack Platform. Secret
                           key for EC2
--project VALUE           Project id for GCE only
--project-domain-id VALUE For RHEL OpenStack Platform (v3) only
--project-domain-name VALUE For RHEL OpenStack Platform (v3) only
--provider VALUE          Providers include Libvirt, Ovirt, EC2, VMware, Openstack, GCE,
                           AzureRm
--public-key VALUE        For RHEV only
--public-key-path FILE    Path to a file that contains oVirt public key (For oVirt only)
--region VALUE            For AzureRm eg. 'eastus' and for EC2 only. Use 'us-gov-west-1' for EC2
                           GovCloud
                           region
--secret-key VALUE        Client Secret for AzureRm
--server VALUE            For VMware
--set-console-password BOOLEAN For Libvirt and VMware only
--sub-id VALUE            Subscription ID for AzureRm
--tenant VALUE            For RHEL OpenStack Platform and AzureRm only
--url VALUE               URL for Libvirt, RHEV and RHEL OpenStack Platform
--user VALUE              Username for RHEV, EC2, VMware, RHEL OpenStack Platform. Access
                           Key for EC2.
--zone VALUE              For GCE only
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.4. hammer compute-resource delete

Delete a compute resource

Usage:

```
hammer compute-resource <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Compute resource name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.5. hammer compute-resource flavors

List available flavors for a compute resource

Usage:

```
hammer compute-resource flavors [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.14.6. hammer compute-resource folders

List available folders for a compute resource

Usage:

```
hammer compute-resource folders [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
```

```

--location-title VALUE    Set the current location context for the request
--name VALUE              Compute resource name
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.14.7. hammer compute-resource image

View and manage compute resource's images

Usage:

```
hammer compute-resource image [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

available       Show images available for addition
create          Create an image
delete, destroy Delete an image
info, show      Show an image
list, index     List all images for a compute resource
update         Update an image

```

Options:

```
-h, --help      Print help
```

2.14.7.1. hammer compute-resource image available

Show images available for addition

Usage:

```
hammer compute-resource image available [OPTIONS]
```

Options:

```
--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--fields LIST               Show specified fields or predefined field sets only. (See below)
--location VALUE            Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                  Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
Uuid   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.14.7.2. hammer compute-resource image create

Create an image

Usage:

```
hammer compute-resource image create [OPTIONS]
```

Options:

```
--architecture VALUE    Architecture name
--architecture-id VALUE  ID of architecture
```

```

--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--name VALUE
--operatingsystem VALUE    Operating system title
--operatingsystem-id NUMBER ID of operating system
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--password VALUE
--user-data BOOLEAN        Whether or not the image supports user data
--username VALUE
--uuid VALUE               Template ID in the compute resource
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.7.3. hammer compute-resource image delete

Delete an image

Usage:

```
hammer compute-resource image <delete|destroy> [OPTIONS]
```

Options:

```

--compute-resource VALUE    Compute resource name
--compute-resource-id VALUE
--id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER       Set the current location context for the request
--location-title VALUE     Set the current location context for the request
--name VALUE               Name to search by
--organization VALUE       Set the current organization context for the request
--organization-id NUMBER   Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.7.4. hammer compute-resource image info

Show an image

Usage:

```
hammer compute-resource image <info|show> [OPTIONS]
```

Options:

```
--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--compute-resource VALUE  Compute resource name
--compute-resource-id VALUE ID of compute resource
--fields LIST             Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE              Name to search by
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER ID of operating system
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Operating system | x | x |
Username | x | x |
Uuid    | x | x |
User data | x | x |
Architecture | x | x |
Iam role | x | x |
```

```

Created at   | x | x   |
Updated at  | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.14.7.5. hammer compute-resource image list

List all images for a compute resource

Usage:

```
hammer compute-resource image <list|index> [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--compute-resource VALUE  Compute resource name
--compute-resource-id VALUE ID of compute resource
--fields LIST             Show specified fields or predefined field sets only. (See below)
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE             Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER             Page number, starting at 1
--per-page VALUE          Number of results per page to return, 'all' to return all results
--search VALUE            Filter results
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS   | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id       | x | x   | x
Name     | x | x   | x

```

```

Operating system | x | x |
Username         | x | x |
Uuid            | x | x |
User data       | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

architecture     integer
compute_resource string
name             string
operatingsystem  integer
user_data        Values: true, false
username         string

```

2.14.7.6. hammer compute-resource image update

Update an image

Usage:

```
hammer compute-resource image update [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id VALUE   ID of architecture
--compute-resource VALUE  Compute resource name
--compute-resource-id VALUE
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE
--new-name VALUE
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER ID of operating system
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request

```



```

--password VALUE
--user-data BOOLEAN      Whether or not the image supports user data
--username VALUE
--uuid VALUE            Template ID in the compute resource
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.8. hammer compute-resource images

List available images for a compute resource

Usage:

```
hammer compute-resource images [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Uuid   | x | x   |
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0

```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.9. hammer compute-resource info

Show a compute resource

Usage:

```
hammer compute-resource <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Provider | x  | x      |
Description | x  | x      |
User    | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
Created at | x  | x      |
Updated at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.10. hammer compute-resource list

List all compute resources

Usage:

```
hammer compute-resource <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Provider | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

id integer
 location string
 location_id integer
 name string
 organization string
 organization_id integer
 type string

2.14.11. hammer compute-resource networks

List available networks for a compute resource

Usage:

hammer compute-resource networks [OPTIONS]

Options:

--cluster-id VALUE
 --fields LIST Show specified fields or predefined field sets only. (See below)
 --id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Compute resource name
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.12. hammer compute-resource resource-pools

List resource pools for a compute resource cluster

Usage:

```
hammer compute-resource resource-pools [OPTIONS]
```

Options:

```
--cluster-id VALUE
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.13. hammer compute-resource security-groups

List available security groups for a compute resource

Usage:

```
hammer compute-resource security-groups [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
               JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
               escaped with backslash.
               JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
               JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.14.14. hammer compute-resource storage-domains

List storage domains for a compute resource

Usage:

```
hammer compute-resource storage-domains [OPTIONS]
```

Options:

```
--cluster-id VALUE
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
```

```

--name VALUE          Compute resource name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--storage-domain VALUE
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.14.15. hammer compute-resource storage-pods

List storage pods for a compute resource

Usage:

```
hammer compute-resource storage-pods [OPTIONS]
```

Options:

```

--cluster-id VALUE
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--storage-pod VALUE
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|-----
Id    | x | x    | x
Name  | x | x    | x
-----|-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.16. hammer compute-resource update

Update a compute resource

Usage:

```
hammer compute-resource update [OPTIONS]
```

Options:

```

--app-ident VALUE          Client ID for AzureRm
--caching-enabled BOOLEAN  Enable caching, for VMware only
--cloud VALUE              Cloud
--datacenter VALUE        For RHEV, VMware Datacenter
--description VALUE
--display-type ENUM       For Libvirt and RHEV only
                          Possible value(s): 'VNC', 'SPICE'
--domain VALUE            For RHEL OpenStack Platform (v3) only
--email VALUE             Email for GCE only
--id VALUE
--key-path VALUE          Certificate path for GCE only
--keyboard-layout ENUM    For RHEV only
                          Possible value(s): 'ar', 'de-ch', 'es', 'fo', 'fr-ca', 'hu', 'ja', 'mk', 'no',
                          'pt-br', 'sv', 'da', 'en-gb', 'et', 'fr', 'fr-ch', 'is', 'lt', 'nl', 'pl', 'ru',
                          'th', 'de', 'en-us', 'fi', 'fr-be', 'hr', 'it', 'lv', 'nl-be', 'pt', 'sl', 'tr'
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE              Compute resource name

```



```

--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--ovirt-quota VALUE       For RHEV only, ID or Name of quota to use
--password VALUE         Password for RHEV, EC2, VMware, RHEL OpenStack Platform. Secret
key for EC2
--project VALUE          Project id for GCE only
--project-domain-id VALUE For RHEL OpenStack Platform (v3) only
--project-domain-name VALUE For RHEL OpenStack Platform (v3) only
--provider VALUE         Providers include Libvirt, Ovirt, EC2, VMware, Openstack, GCE,
AzureRm
--public-key VALUE       For RHEV only
--public-key-path FILE   Path to a file that contains oVirt public key (For oVirt only)
--region VALUE           For AzureRm eg. 'eastus' and for EC2 only. Use 'us-gov-west-1' for EC2
GovCloud
                        region
--secret-key VALUE       Client Secret for AzureRm
--server VALUE           For VMware
--set-console-password BOOLEAN For Libvirt and VMware only
--sub-id VALUE           Subscription ID for AzureRm
--tenant VALUE           For RHEL OpenStack Platform and AzureRm only
--url VALUE              URL for Libvirt, RHEV and RHEL OpenStack Platform
--user VALUE             Username for RHEV, EC2, VMware, RHEL OpenStack Platform. Access
Key for EC2.
--zone VALUE            For GCE only
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.17. hammer compute-resource virtual-machine

View and manage compute resource's virtual machines

Usage:

```
hammer compute-resource virtual-machine [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete, destroy	Delete a Virtual Machine
info, show	Show a virtual machine
power	Power a Virtual Machine

Options:

-h, --help	Print help
------------	------------

2.14.17.1. hammer compute-resource virtual-machine delete

Delete a Virtual Machine

Usage:

```
hammer compute-resource virtual-machine <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Compute resource name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--vm-id VALUE	Virtual machine id, for gce use virtual machine name
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.17.2. hammer compute-resource virtual-machine info

Show a virtual machine

Usage:

```
hammer compute-resource virtual-machine <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Compute resource name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vm-id VALUE         Virtual machine id, for gce use virtual machine name
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.14.17.3. hammer compute-resource virtual-machine power

Power a Virtual Machine

Usage:

```
hammer compute-resource virtual-machine power [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Compute resource name
```

```

--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vm-id VALUE             Virtual machine id, for gce use virtual machine name
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.14.18. hammer compute-resource virtual-machines

List available virtual machines for a compute resource

Usage:

```
hammer compute-resource virtual-machines [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Compute resource name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0

```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.19. hammer compute-resource vnic-profiles

List available vnic profiles for a compute resource, for RHEV only

Usage:

```
hammer compute-resource vnic-profiles [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Vnic profile id | x  | x    | x
Name           | x  | x    | x
Network id     | x  | x    |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.14.20. hammer compute-resource zones

List available zone for a compute resource

Usage:

```
hammer compute-resource zones [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Compute resource name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.15. HAMMER CONFIG-REPORT

Browse and read reports

Usage:

```
hammer config-report [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
delete, destroy     Delete a report
info, show          Show a report
list, index         List all reports
```

Options:

```
-h, --help         Print help
```

2.15.1. hammer config-report delete

Delete a report

Usage:

```
hammer config-report <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.15.2. hammer config-report info

Show a report

Usage:

```
hammer config-report <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x  | x
Host    | x  | x  |
Reported at | x  | x  |
Origin  | x  | x  |
Report status/applied | x  | x  |
Report status/restarted | x  | x  |
Report status/failed | x  | x  |
Report status/restart failures | x  | x  |
Report status/skipped | x  | x  |
Report status/pending | x  | x  |
Report metrics/config_retrieval | x  | x  |
Report metrics/exec | x  | x  |
Report metrics/file | x  | x  |
Report metrics/package | x  | x  |
Report metrics/service | x  | x  |
Report metrics/user | x  | x  |
Report metrics/yumrepo | x  | x  |
Report metrics/filebucket | x  | x  |
Report metrics/cron | x  | x  |
Report metrics/total | x  | x  |
Logs/resource | x  | x  |
Logs/message | x  | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```


SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.15.3. hammer config-report list

List all reports

Usage:

```
hammer config-report <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Host	x	x	
Last report	x	x	
Origin	x	x	
Applied	x	x	
Restarted	x	x	
Failed	x	x	
Restart failures	x	x	
Skipped	x	x	
Pending	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

applied integer
 eventful Values: true, false
 failed integer
 failed_restarts integer
 host string
 host_id integer
 host_owner_id integer
 hostgroup string
 hostgroup_fullname string
 hostgroup_title string
 last_report datetime
 location string
 log text
 organization string
 origin string
 pending integer
 reported datetime
 resource text
 restarted integer
 skipped integer

2.16. HAMMER CONTENT-CREDENTIALS

Manipulate content credentials on the server

Usage:

hammer content-credentials [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:

create Create a Content Credential
 delete, destroy Destroy a Content Credential
 info, show Show a Content Credential
 list, index List Content Credentials
 update Update a Content Credential

Options:

-h, --help Print help

2.16.1. hammer content-credentials create

Create a Content Credential

Usage:

hammer content-credentials create [OPTIONS]

Options:

```
--content-type VALUE      Type of content: "cert", "gpg_key"
--name VALUE              Name of the Content Credential
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--path FILE               Key file
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.16.2. hammer content-credentials delete

Destroy a Content Credential

Usage:

```
hammer content-credentials <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          Content Credential ID
--name VALUE         Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.16.3. hammer content-credentials info

Show a Content Credential

Usage:

```
hammer content-credentials <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Content Credential numeric identifier
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x    | x
Name            | x  | x    | x
Organization    | x  | x    |
Repositories/id | x  | x    |
Repositories/name | x  | x    |
Repositories/content type | x  | x    |
Repositories/product | x  | x    |
Content        | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.16.4. hammer content-credentials list

List Content Credentials

Usage:

```
hammer content-credentials <list|index> [OPTIONS]
```

Options:

```
--content-type VALUE      Type of content
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN     Whether or not to show all results
--name VALUE              Name of the Content Credential
--order VALUE             Sort field and order, eg. 'id DESC'
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER             Page number, starting at 1
--per-page NUMBER         Number of results per page to return
--search VALUE            Search string
-h, --help                Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Name    | x | x   | x
Content type | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.16.5. hammer content-credentials update

Update a Content Credential

Usage:

```
hammer content-credentials update [OPTIONS]
```

Options:

```

--content-type VALUE      Type of content: "cert", "gpg_key"
--id NUMBER               Content Credential ID
--name VALUE              Name of the Content Credential
--new-name VALUE          Name of the Content Credential
--organization VALUE      Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--path FILE               Key file
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.17. HAMMER CONTENT-EXPORT

Prepare content for export to a disconnected Katello

Usage:

```
hammer content-export [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

complete        Prepare content for a full export to a disconnected Katello
generate-metadata Writes export metadata to disk for use by the importing Katello. This
command
                 only needs to be used if the export was performed asynchronously or if the
                 metadata was lost
incremental      Prepare content for an incremental export to a disconnected Katello
list, index      View content view export histories

```

Options:

```
-h, --help      Print help
```

2.17.1. hammer content-export complete

Prepare content for a full export to a disconnected Katello

Usage:

```
hammer content-export complete [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
library             Performs a full export of the organization's library environment
repository          Performs a full export of a repository
version             Performs a full export a content view version
```

Options:

```
-h, --help          Print help
```

2.17.1.1. hammer content-export complete library

Performs a full export of the organization's library environment

Usage:

```
hammer content-export complete library [OPTIONS]
```

Options:

```
--async             Do not wait for the task
--chunk-size-gb NUMBER Split the exported content into archives no greater than the specified
size in
                    gigabytes.
--destination-server VALUE Destination Server name
--fail-on-missing-content Fails if any of the repositories belonging to this organization are
unexportable.
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                    JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                    JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.1.2. hammer content-export complete repository

Performs a full export of a repository

Usage:

```
hammer content-export complete repository [OPTIONS]
```

Options:

--async	Do not wait for the task
--chunk-size-gb NUMBER	Split the exported content into archives no greater than the specified size in gigabytes.
--id NUMBER	Repository identifier
--name VALUE	Filter repositories by name.
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.1.3. hammer content-export complete version

Performs a full export a content view version

Usage:

```
hammer content-export complete version [OPTIONS]
```

Options:

--async	Do not wait for the task
--chunk-size-gb NUMBER	Split the exported content into archives no greater than the

specified size in

```

                                gigabytes.
--content-view VALUE           Content view name to search by
--content-view-id NUMBER       Content view numeric identifier
--destination-server VALUE     Destination Server name
--fail-on-missing-content      Fails if any of the repositories belonging to this version are
unexportable.
--id NUMBER                     Content view version identifier
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of the environment
--organization VALUE           Organization name to search by
--organization-id NUMBER       Organization ID
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--version VALUE                Filter versions by version number.
-h, --help                      Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.17.2. hammer content-export generate-metadata

Writes export metadata to disk for use by the importing Katello. This command only needs to be used if the export was performed asynchronously or if the metadata was lost

Usage:

```
hammer content-export generate-metadata [OPTIONS]
```

Options:

```

--id VALUE           Generate metadata based on specified export history
--task-id VALUE      Generate metadata based on output of the specified export task
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN       One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file

```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.3. hammer content-export incremental

Prepare content for an incremental export to a disconnected Katello

Usage:

```
hammer content-export incremental [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
library             Performs an incremental export of the organization's library environment
repository          Performs an incremental export of a repository
version             Performs an incremental export of a content view version
```

Options:

```
-h, --help          Print help
```

2.17.3.1. hammer content-export incremental library

Performs an incremental export of the organization's library environment

Usage:

```
hammer content-export incremental library [OPTIONS]
```

Options:

```
--async             Do not wait for the task
--chunk-size-gb NUMBER Split the exported content into archives no greater than the specified size in gigabytes.
--destination-server VALUE Destination Server name
--fail-on-missing-content Fails if any of the repositories belonging to this organization are unexportable.
--from-history-id NUMBER Export history identifier used for incremental export. If not provided the most recent export history will be used.
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.3.2. hammer content-export incremental repository

Performs an incremental export of a repository

Usage:

```
hammer content-export incremental repository [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--chunk-size-gb NUMBER  Split the exported content into archives no greater than the specified
size in
                    gigabytes.
--from-history-id NUMBER  Export history identifier used for incremental export. If not provided the
most
                    recent export history will be used.
--id NUMBER          Repository identifier
--name VALUE         Filter repositories by name.
--organization VALUE   Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--product VALUE       Product name to search by
--product-id NUMBER   Product numeric identifier
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.3.3. hammer content-export incremental version

Performs an incremental export of a content view version

Usage:

```
hammer content-export incremental version [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--chunk-size-gb NUMBER  Split the exported content into archives no greater than the
specified size in
                        gigabytes.
--content-view VALUE    Content view name to search by
--content-view-id NUMBER Content view numeric identifier
--destination-server VALUE Destination Server name
--fail-on-missing-content Fails if any of the repositories belonging to this version are
unexportable.
--from-history-id NUMBER Export history identifier used for incremental export. If not provided
the most
                        recent export history will be used.
--id NUMBER             Content view version identifier
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of the environment
--organization VALUE    Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--version VALUE         Filter versions by version number.
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.17.4. hammer content-export list

View content view export histories

Usage:

```
hammer content-export <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--destination-server VALUE  Destination Server name
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN     Whether or not to show all results
--id NUMBER               Content view version export history identifier
--order VALUE             Sort field and order, eg. 'id DESC'
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER             Page number, starting at 1
--per-page NUMBER        Number of results per page to return
--search VALUE            Search string
--type ENUM                Export Types
                          Possible value(s): 'complete', 'incremental'
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x    | x
Destination server | x  | x    |
Path         | x  | x    |
Type         | x  | x    |
Content view version | x  | x    |
Content view version id | x  | x    |
Created at   | x  | x    |
Updated at   | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

content_view_id	integer
content_view_version_id	integer
id	integer
type	string

2.18. HAMMER CONTENT-IMPORT

Import content from an upstream archive.

Usage:

```
hammer content-import [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

library	Imports a content archive to an organization's library lifecycle environment
list, index	View content view import histories
repository	Imports a repository
version	Imports a content archive to a content view version

Options:

-h, --help	Print help
------------	------------

2.18.1. hammer content-import library

Imports a content archive to an organization's library lifecycle environment

Usage:

```
hammer content-import library [OPTIONS]
```

Options:

--async	Do not wait for the task
--metadata-file VALUE	Location of the metadata.json file. This is not required if the metadata.json file is already in the archive directory.
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--path VALUE	Directory containing the exported Content View Version
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.18.2. hammer content-import list

View content view import histories

Usage:

```
hammer content-import <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST            Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN    Whether or not to show all results
--id NUMBER             Content view version import history identifier
--order VALUE          Sort field and order, eg. 'id DESC'
--organization VALUE    Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER          Page number, starting at 1
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
--type ENUM            Import Types
                       Possible value(s): 'complete', 'incremental'
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x    | x
Path        | x  | x    |
Type        | x  | x    |
Content view version | x  | x    |
Content view version id | x  | x    |
Created at  | x  | x    |
Updated at  | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

content_view_id	integer
content_view_version_id	integer
id	integer
type	string

2.18.3. hammer content-import repository

Imports a repository

Usage:

```
hammer content-import repository [OPTIONS]
```

Options:

--async	Do not wait for the task
--metadata-file VALUE	Location of the metadata.json file. This is not required if the metadata.json file is already in the archive directory.
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--path VALUE	Directory containing the exported Content View Version
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.18.4. hammer content-import version

Imports a content archive to a content view version

Usage:

```
hammer content-import version [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--metadata-file VALUE  Location of the metadata.json file. This is not required if the
metadata.json      file is already in the archive directory.
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--path VALUE        Directory containing the exported Content View Version
-h, --help        Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.19. HAMMER CONTENT-UNITS

Manipulate content units

Usage:

```
hammer content-units [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
info, show      Show a content unit
```

list, index List content_units

Options:

-h, --help Print help

2.19.1. hammer content-units info

Show a content unit

Usage:

hammer content-units <info|show> [OPTIONS]

Options:

--content-type VALUE	Possible values:
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--content-view-version VALUE	Content view version number
--content-view-version-id NUMBER	Content view version identifier
--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	A content unit identifier
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Version | x | x   |
Filename | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.19.2. hammer content-units list

List content_units

Usage:

```
hammer content-units <list|index> [OPTIONS]
```

Options:

--content-type VALUE	Possible values:
--content-view VALUE	Content view name to search by
--content-view-filter VALUE	Name to search by
--content-view-filter-id NUMBER	Content view filter identifier
--content-view-filter-rule VALUE	Name to search by
--content-view-filter-rule-id NUMBER	Content view filter rule identifier
--content-view-id NUMBER	Content view numeric identifier
--content-view-version VALUE	Content view version number
--content-view-version-id NUMBER	Content view version identifier
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--ids LIST	Ids to filter content by
--include-filter-ids BOOLEAN	Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER	Environment identifier
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
--search VALUE	Search string
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Version | x | x   |
Filename | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20. HAMMER CONTENT-VIEW

Manipulate content views

Usage:

```
hammer content-view [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
add-repository      Associate a resource
add-version         Add a content view version to a composite view
component          View and manage components
copy               Copy a content view
create             Create a content view
delete            Delete a content view
filter            View and manage filters
info, show        Show a content view
list, index       List content views
publish          Publish a content view
purge            Delete old versions of a content view
remove          Remove versions and/or environments from a content view and reassign
systems and
                 keys
remove-from-environment Remove a content view from an environment
remove-repository  Disassociate a resource
remove-version     Remove a content view version from a composite view
update           Update a content view
version         View and manage content view versions
```

Options:

```
-h, --help        Print help
```

2.20.1. hammer content-view add-repository

Associate a resource

Usage:

```
hammer content-view add-repository [OPTIONS]
```

Options:

```
--id VALUE          Content view numeric identifier
--name VALUE        Content view name to search by
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE     Product name to search by
--product-id NUMBER Product numeric identifier
--repository VALUE  Repository name to search by
--repository-id NUMBER Repository ID
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.20.2. hammer content-view add-version

Add a content view version to a composite view

Usage:

```
hammer content-view add-version [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view id to search by
--content-view-version VALUE Content view version number
--content-view-version-id NUMBER Content view version identifier
--id VALUE                Content view numeric identifier
--name VALUE              Content view name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.3. hammer content-view component

View and manage components

Usage:	
hammer content-view component [OPTIONS] SUBCOMMAND [ARG] ...	
Parameters:	
SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments
Subcommands:	
add	Add components to the content view
list, index	List components attached to this content view
remove	Remove components from the content view
update	Update a component associated with the content view
Options:	
-h, --help	Print help

2.20.3.1. hammer content-view component add

Add components to the content view

Usage:	
hammer content-view component add [OPTIONS]	
Options:	
--component-content-view VALUE	Content View name of the component who's latest version is desired
--component-content-view-id VALUE	Content View identifier of the component who's latest version is desired
--component-content-view-version VALUE	Content View Version number of the component. Either use this or
	--component-content-view-version-id option
--component-content-view-version-id VALUE	Content View Version identifier of the component
--composite-content-view VALUE	Name of the composite content view
--composite-content-view-id NUMBER	Composite content view identifier
--latest	Select the latest version of the components content view is desired
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by

```
--organization-label VALUE      Organization label to search by
-h, --help                      Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.20.3.2. hammer content-view component list

List components attached to this content view

Usage:

```
hammer content-view component <list|index> [OPTIONS]
```

Options:

```
--composite-content-view VALUE  Name of the composite content view
--composite-content-view-id NUMBER Composite content view identifier
--fields LIST                   Show specified fields or predefined field sets only. (See below)
--organization VALUE            Organization name to search by
--organization-id VALUE        Organization ID to search by
--organization-label VALUE     Organization label to search by
-h, --help                      Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   |
Version | x | x   |
Current version | x | x   |
Version id | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.3.3. hammer content-view component remove

Remove components from the content view

Usage:

```
hammer content-view component remove [OPTIONS]
```

Options:

```
--component-content-view-ids VALUE Array of component content view identifiers to remove.
Comma separated list of
    values
--component-content-views VALUE Array of component content view names to remove. Comma
separated list of values
--component-ids LIST Array of content view component IDs to remove. Identifier of the
component
    association
--composite-content-view VALUE Name of the composite content view
--composite-content-view-id NUMBER Composite content view identifier
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.3.4. hammer content-view component update

Update a component associated with the content view

Usage:

```
hammer content-view component update [OPTIONS]
```

Options:

```
--component-content-view VALUE      Content View name of the component who's latest version
is desired
--component-content-view-id VALUE    Content View identifier of the component who's latest
version is desired
--component-content-view-version VALUE Content View Version number of the component. Either
use this or
                                     --component-content-view-version-id option
--component-content-view-version-id VALUE Content View Version identifier of the component
--composite-content-view VALUE      Name of the composite content view
--composite-content-view-id NUMBER   Composite content view identifier
--id NUMBER                          Content view component ID. Identifier of the component association
--latest                             Select the latest version of the components content view is desired
--organization VALUE                 Organization name to search by
--organization-id VALUE              Organization ID to search by
--organization-label VALUE           Organization label to search by
-h, --help                           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.20.4. hammer content-view copy

Copy a content view

Usage:

```
hammer content-view copy [OPTIONS]
```

Options:

```
--id NUMBER          Content view numeric identifier
--name VALUE         Content view name to search by
--new-name VALUE     New content view name
--organization VALUE Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.5. hammer content-view create

Create a content view

Usage:

```
hammer content-view create [OPTIONS]
```

Options:

```
--auto-publish BOOLEAN    Enable/Disable auto publish of composite view
--component-ids LIST      List of component content view version ids for composite views
--composite               Create a composite content view
--description VALUE       Description for the content view
--import-only             Designate this Content View for importing from upstream servers only.
--label VALUE             Content view label
--name VALUE              Name of the content view
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository-ids LIST     List of repository ids
--solve-dependencies BOOLEAN Solve RPM dependencies by default on Content View publish,
defaults to false
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.6. hammer content-view delete

Delete a content view

Usage:

```
hammer content-view delete [OPTIONS]
```

Options:

--async	Do not wait for the task
--id NUMBER	Content view numeric identifier
--name VALUE	Content view name to search by
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7. hammer content-view filter

View and manage filters

Usage:

```
hammer content-view filter [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-repository	Associate a resource
create	Create a filter for a content view
delete, destroy	Delete a filter

info, show	Show filter info
list, index	List filters
remove-repository	Disassociate a resource
rule	View and manage filter rules
update	Update a filter
Options:	
-h, --help	Print help

2.20.7.1. hammer content-view filter add-repository

Associate a resource

Usage:

```
hammer content-view filter add-repository [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--id VALUE	Filter identifier
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
--product VALUE	Product name to search by
--product-id NUMBER	Product numeric identifier
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository ID
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.2. hammer content-view filter create

create a filter for a content view

Usage:

```
hammer content-view filter create [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--description VALUE       Description of the filter
--inclusion BOOLEAN        Specifies if content should be included or excluded, default:
inclusion=false
--name VALUE              Name of the filter
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--original-module-streams BOOLEAN Add all module streams without errata to the
included/excluded list. (module
                           stream filter only)
--original-packages BOOLEAN Add all packages without errata to the included/excluded list.
(package filter
                           only)
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--repositories LIST
--repository-ids LIST     List of repository ids
--type VALUE              Type of filter (e.g. rpm, package_group, erratum, erratum_id,
erratum_date,
                           docker, modulemd)
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.20.7.3. hammer content-view filter delete

delete a filter

Usage:

```
hammer content-view filter <delete|destroy> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--id NUMBER               Filter identifier

```

```

--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.20.7.4. hammer content-view filter info

show filter info

Usage:

```
hammer content-view filter <info|show> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--fields LIST             Show specified fields or predefined field sets only. (See below)
--id NUMBER               Filter identifier
--name VALUE              Name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Filter id   | x  | x    | x
Name        | x  | x    | x
Type        | x  | x    |
Inclusion     | x  | x    |
Description | x  | x    |
Repositories/id | x | x    |
Repositories/name | x | x    |
Repositories/label | x | x    |
Rules/id    | x  | x    |

```

Rules/name	x x
Rules/version	x x
Rules/minimum version	x x
Rules/maximum version	x x
Rules/errata id	x x
Rules/start date	x x
Rules/end date	x x
Rules/types	x x
Rules/created	x x
Rules/updated	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.5. hammer content-view filter list

list filters

Usage:

```
hammer content-view filter <list|index> [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view identifier
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--name VALUE	Filter content view filters by name
--order VALUE	Sort field and order, eg. 'id DESC'
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--search VALUE	Search string
--types LIST	Types of filters
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
```

```
FIELDS | ALL | DEFAULT | THIN
```

```
-----|----|-----|----
Filter id | x | x | x
Name      | x | x | x
Description | x | x |
Type      | x | x |
Inclusion  | x | x |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
content_type  Values: rpm, package_group, erratum, docker, modulemd
inclusion_type  Values: include, exclude
name          string
```

2.20.7.6. hammer content-view filter remove-repository

Disassociate a resource

Usage:

```
hammer content-view filter remove-repository [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--id VALUE                Filter identifier
--name VALUE              Name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--repository VALUE        Repository name to search by
--repository-id NUMBER    Repository ID
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.7. hammer content-view filter rule

View and manage filter rules

Usage:

```
hammer content-view filter rule [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a filter rule. The parameters included should be based upon the filter
                    type.
delete, destroy     Delete a filter rule
info, show          Show filter rule info
list, index         List filter rules
update             Update a filter rule. The parameters included should be based upon the filter
                    type.
```

Options:

```
-h, --help          Print help
```

2.20.7.7.1. hammer content-view filter rule create

Create a filter rule. The parameters included should be based upon the filter type.

Usage:

```
hammer content-view filter rule create [OPTIONS]
```

Options:

```
--architecture VALUE      Package: architecture
--content-view VALUE        Content view name to search by
--content-view-filter VALUE Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--date-type VALUE          Erratum: search using the 'Issued On' or 'Updated On' column of the
errata.
```

Values are 'issued'/'updated'

```

--end-date VALUE      Erratum: end date (YYYY-MM-DD)
--errata-id VALUE     Erratum: id
--errata-ids LIST     Erratum: IDs or a select all object
--max-version VALUE   Package: maximum version
--min-version VALUE   Package: minimum version
--module-stream-ids LIST  Module stream ids
--name LIST           Package, package group, or docker tag names
--names VALUE         Package and package group names
--organization VALUE   Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--start-date VALUE     Erratum: start date (YYYY-MM-DD)
--types LIST          Erratum: types (enhancement, bugfix, security)
--uuid VALUE          Package group: uuid
--version VALUE       Package: version
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.20.7.7.2. hammer content-view filter rule delete

Delete a filter rule

Usage:

```
hammer content-view filter rule <delete|destroy> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-filter VALUE Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--id NUMBER              Rule identifier
--name VALUE             Name to search by
--organization VALUE     Organization name to search by
--organization-id VALUE  Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.7.3. hammer content-view filter rule info

Show filter rule info

Usage:

```
hammer content-view filter rule <info|show> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-filter VALUE  Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--fields LIST              Show specified fields or predefined field sets only. (See below)
--id NUMBER                Rule identifier
--name VALUE                Name to search by
--organization VALUE        Organization name to search by
--organization-id VALUE     Organization ID to search by
--organization-label VALUE  Organization label to search by
-h, --help                  Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Rule id  | x  | x  | x
Filter id | x  | x  |
Name     | x  | x  | x
Version  | x  | x  |
Minimum version | x  | x  |
Maximum version | x  | x  |
Architecture | x  | x  |
Errata id | x  | x  |
Start date | x  | x  |
End date  | x  | x  |
Date type | x  | x  |
Types     | x  | x  |
Created   | x  | x  |
```

```
Updated      | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

2.20.7.7.4. hammer content-view filter rule list

List filter rules

Usage:

```
hammer content-view filter rule <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-filter VALUE  Name to search by
--content-view-filter-id NUMBER Filter identifier
--content-view-id NUMBER
--errata-id VALUE         Errata_id of the content view filter rule
--fields LIST             Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN     Whether or not to show all results
--name VALUE              Name of the content view filter rule
--order VALUE             Sort field and order, eg. 'id DESC'
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--page NUMBER             Page number, starting at 1
--per-page NUMBER         Number of results per page to return
--search VALUE            Search string
-h, --help                Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Rule id  | x | x | x
Filter id | x | x |
Name     | x | x | x
Version  | x | x |
Minimum version | x | x |
```

```

Maximum version | x | x |
Architecture    | x | x |
Errata id       | x | x |
Start date      | x | x |
End date        | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME        Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string

```

2.20.7.7.5. hammer content-view filter rule update

Update a filter rule. The parameters included should be based upon the filter type.

Usage:

```
hammer content-view filter rule update [OPTIONS]
```

Options:

```

--architecture VALUE      Package: architecture
--content-view VALUE      Content view name to search by
--content-view-filter VALUE  Name to search by
--content-view-filter-id NUMBER  Filter identifier
--content-view-id NUMBER
--end-date VALUE          Erratum: end date (YYYY-MM-DD)
--errata-id VALUE         Erratum: id
--id NUMBER                Rule identifier
--max-version VALUE       Package: maximum version
--min-version VALUE       Package: minimum version
--name VALUE              Package, package group, or docker tag: name
--new-name VALUE          Package, package group, or docker tag: name
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--start-date VALUE        Erratum: start date (YYYY-MM-DD)
--types LIST              Erratum: types (enhancement, bugfix, security)
--version VALUE           Package: version
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.7.8. hammer content-view filter update

update a filter

Usage:

```
hammer content-view filter update [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view identifier
--description VALUE       Description of the filter
--id NUMBER               Filter identifier
--inclusion BOOLEAN         Specifies if content should be included or excluded, default:
inclusion=false
--name VALUE              New name for the filter
--new-name VALUE          New name for the filter
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
--original-module-streams BOOLEAN Add all module streams without errata to the
included/excluded list. (module
                           stream filter only)
--original-packages BOOLEAN Add all packages without errata to the included/excluded list.
(package filter
                           only)
--repositories LIST
--repository-ids LIST     List of repository ids
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.8. hammer content-view info

Show a content view

Usage:

```
hammer content-view <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	Content view numeric identifier
--name VALUE	Content view name to search by
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
-h, --help	Print help

Predefined field sets:

FIELDSETS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Label	x	x	
Composite	x	x	
Description	x	x	
Content host count	x	x	
Solve dependencies	x	x	
Organization	x	x	
Yum repositories/id	x	x	
Yum repositories/name	x	x	
Yum repositories/label	x	x	
Container image repositories/id	x	x	
Container image repositories/name	x	x	
Container image repositories/label	x	x	
Ostree repositories/id	x	x	
Ostree repositories/name	x	x	
Ostree repositories/label	x	x	
Lifecycle environments/id	x	x	
Lifecycle environments/name	x	x	
Versions/id	x	x	
Versions/version	x	x	
Versions/published	x	x	
Components/id	x	x	
Components/name	x	x	
Activation keys/	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.9. hammer content-view list

List content views

Usage:

```
hammer content-view <list|index> [OPTIONS]
```

Options:

--composite	BOOLEAN	Filter only composite content views
--environment	VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id	NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--fields	LIST	Show specified fields or predefined field sets only. (See below)
--full-result	BOOLEAN	Whether or not to show all results
--include-generated	BOOLEAN	Include content views generated by imports/exports. Defaults to false
--label	VALUE	Label of the content view
--lifecycle-environment	VALUE	Lifecycle environment name to search by
--lifecycle-environment-id	NUMBER	Environment identifier
--name	VALUE	Name of the content view
--noncomposite	BOOLEAN	Filter out composite content views
--nondefault	BOOLEAN	Filter out default content views
--order	VALUE	Sort field and order, eg. 'id DESC'
--organization	VALUE	Organization name to search by
--organization-id	NUMBER	Organization identifier
--organization-label	VALUE	Organization label to search by
--organization-title	VALUE	Organization title
--page	NUMBER	Page number, starting at 1
--per-page	NUMBER	Number of results per page to return
--search	VALUE	Search string
--without	LIST	Do not include this array of content views
-h, --help		Print help

Predefined field sets:

```
-----|-----|-----|-----
```



```

FIELDS      | ALL | DEFAULT | THIN
-----|----|-----|----
Content view id | x  | x      | x
Name          | x  | x      | x
Label         | x  | x      |
Composite     | x  | x      |
Last published | x  | x      |
Repository ids | x  | x      |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

composite    boolean
generated_for integer
label        string
name         string
organization_id integer

```

2.20.10. hammer content-view publish

Publish a content view

Usage:

```
hammer content-view publish [OPTIONS]
```

Options:

```

--async          Do not wait for the task
--description VALUE  Description for the new published content view version
--id NUMBER        Content view identifier
--is-force-promote BOOLEAN  Force content view promotion and bypass lifecycle environment
restriction
--lifecycle-environment-ids LIST  Identifiers for Lifecycle Environment
--lifecycle-environments LIST  Names for Lifecycle Environment
--major NUMBER     Override the major version number
--minor NUMBER     Override the minor version number
--name VALUE       Content view name to search by
--organization VALUE  Organization name to search by
--organization-id VALUE  Organization ID to search by

```

```
--organization-label VALUE    Organization label to search by
--repos-units SCHEMA         Specify the list of units in each repo
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--repos-units    "label=<string>\,rpm_filenames=<array>, ... "
```

2.20.11. hammer content-view purge

Delete old versions of a content view

Usage:

```
hammer content-view purge [OPTIONS]
```

Options:

```
--async        Do not wait for the task
--count NUMBER Count of unused versions to keep
               Default: 3
--id VALUE     Content View numeric identifier
--name VALUE   Content View name
--organization VALUE  Organization name to search by
--organization-id VALUE  Organization ID to search by
--organization-label VALUE  Organization label to search by
-h, --help    Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
```

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.12. hammer content-view remove

Remove versions and/or environments from a content view and reassign systems and keys

Usage:

```
hammer content-view remove [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--content-view-version-ids LIST  Content view version identifiers to be deleted
--content-view-versions LIST
--destroy-content-view BOOLEAN  Delete the content view with all the versions and environments
--environment-ids LIST          (--environment-ids is deprecated: Use --lifecycle-environment-ids
instead)
--environments LIST           (--environments is deprecated: Use --lifecycle-environments instead)
--id NUMBER                   Content view numeric identifier
--key-content-view-id NUMBER   Content view to reassign orphaned activation keys to
--key-environment-id NUMBER   Environment to reassign orphaned activation keys to
--lifecycle-environment-ids LIST Environment numeric identifiers to be removed
--name VALUE                  Content view name to search by
--organization VALUE         Organization name to search by
--organization-id VALUE      Organization ID to search by
--organization-label VALUE   Organization label to search by
--system-content-view-id NUMBER Content view to reassign orphaned systems to
--system-environment-id NUMBER Environment to reassign orphaned systems to
-h, --help                   Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.13. hammer content-view remove-from-environment

Remove a content view from an environment

Usage:

```
hammer content-view remove-from-environment [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--environment VALUE    Lifecycle environment name to search by (--environment is
deprecated: Use
                        --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER            Content view numeric identifier
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment numeric identifier
--name VALUE          Content view name to search by
--organization VALUE   Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE  Organization label to search by
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.20.14. hammer content-view remove-repository

Disassociate a resource

Usage:

```
hammer content-view remove-repository [OPTIONS]
```

Options:

```
--id VALUE          Content view numeric identifier
--name VALUE        Content view name to search by
--organization VALUE   Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE  Organization label to search by
--product VALUE       Product name to search by
--product-id NUMBER   Product numeric identifier
--repository VALUE    Repository name to search by
```

```
--repository-id NUMBER    Repository ID
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.20.15. hammer content-view remove-version

Remove a content view version from a composite view

Usage:

```
hammer content-view remove-version [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content view version identifier
--id VALUE                Content view numeric identifier
--name VALUE              Content view name to search by
--organization VALUE      Organization name to search by
--organization-id VALUE   Organization ID to search by
--organization-label VALUE Organization label to search by
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.16. hammer content-view update

Update a content view

Usage:

```
hammer content-view update [OPTIONS]
```

Options:

--auto-publish	BOOLEAN	Enable/Disable auto publish of composite view
--component-ids	LIST	List of component content view version ids for composite views
--description	VALUE	Description for the content view
--id	NUMBER	Content view identifier
--import-only	BOOLEAN	Designate this Content View for importing from upstream servers only.

Defaults

		to false
--name	VALUE	New name for the content view
--new-name	VALUE	New name for the content view
--organization	VALUE	Organization name to search by
--organization-id	VALUE	Organization ID to search by
--organization-label	VALUE	Organization label to search by
--repository-ids	LIST	List of repository ids
--solve-dependencies	BOOLEAN	Solve RPM dependencies by default on Content View publish, defaults to false
-h, --help		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17. hammer content-view version

View and manage content view versions

Usage:

```
hammer content-view version [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete	Remove content view version
incremental-update	Perform an Incremental Update on one or more Content View Versions
info, show	Show content view version
list, index	List content view versions
promote	Promote a content view version
republish-repositories	Forces a republish of the version's repositories' metadata
update	Update a content view version

Options:

-h, --help	Print help
------------	------------

2.20.17.1. hammer content-view version delete

Remove content view version

Usage:

hammer content-view version delete [OPTIONS]

Options:

--async	Do not wait for the task
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER	Content view version identifier
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	ID of the environment
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.2. hammer content-view version incremental-update

Perform an Incremental Update on one or more Content View Versions

Usage:

```
hammer content-view version incremental-update [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER  Content View Version Ids to perform an incremental update on.
```

May contain

composites as well as one or more components to update.

```
--deb-ids LIST          Deb Package ids to copy into the new versions
--debs LIST
--description VALUE    The description for the new generated Content View Versions
--errata-ids LIST      Errata ids to copy into the new versions
--host-ids LIST        IDs of hosts to update
--lifecycle-environment-ids LIST  List of lifecycle environment IDs to update the content view version
in
--lifecycle-environments LIST  List of lifecycle environment names to update the content view
version in
--organization VALUE    Organization name for resolving lifecycle environment names
--organization-id VALUE  Organization id for resolving lifecycle environment names
--package-ids LIST      Package ids to copy into the new versions
--packages LIST
--propagate-all-composites BOOLEAN  If true, will publish a new composite version using any
specified
--resolve-dependencies BOOLEAN  If true, when adding the specified errata or packages, any
needed dependencies
--update-all-hosts BOOLEAN  Update all editable and applicable hosts within the specified
Content View and \
--lifecycle-environments LIST  Lifecycle Environments
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
```


NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.3. hammer content-view version info

Show content view version

Usage:

```
hammer content-view version <info|show> [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Content view numeric identifier
--environment VALUE      Lifecycle environment name to search by (--environment is
deprecated: Use
--lifecycle-environment instead)
--environment-id NUMBER   (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST            Show specified fields or predefined field sets only. (See below)
--id NUMBER              Content view version identifier
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of the environment
--organization VALUE     Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--version VALUE          Content view version number
-h, --help               Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x  | x
Name    | x  | x  |
Version | x  | x  | x
Description | x | x  |
Content view id | x | x  |
Content view name | x | x  |
Content view label | x | x  |
Lifecycle environments/id | x | x  |
Lifecycle environments/name | x | x  |
Lifecycle environments/label | x | x  |
Repositories/id | x | x  |
Repositories/name | x | x  |
Repositories/label | x | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.4. hammer content-view version list

List content view versions

Usage:

```
hammer content-view version <list|index> [OPTIONS]
```

Options:

```
--composite-version-id NUMBER  Filter versions that are components in the specified composite
version
--content-view VALUE           Content view name to search by
--content-view-id NUMBER       Content view identifier
--environment VALUE           Lifecycle environment name to search by (--environment is
deprecated: Use
                               --lifecycle-environment instead)
--environment-id NUMBER        (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                  Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN          Whether or not to show all results
--lifecycle-environment VALUE   Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Filter versions by environment
--order VALUE                  Sort field and order, eg. 'id DESC'
--organization VALUE           Organization name to search by
--organization-id NUMBER       Organization identifier
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                  Page number, starting at 1
--per-page NUMBER              Number of results per page to return
--search VALUE                 Search string
--triggered-by-id NUMBER       Filter composite versions whose publish was triggered by the
specified component
                               version
--version VALUE                Filter versions by version number
-h, --help                     Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    |
Version | x  | x    | x
```

```

Description      | x | x |
Lifecycle environments | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

content_view_id  integer
repository       string
version          string

```

2.20.17.5. hammer content-view version promote

Promote a content view version

Usage:

```
hammer content-view version promote [OPTIONS]
```

Options:

```

--async                Do not wait for the task
--content-view VALUE   Content view name to search by
--content-view-id NUMBER Content view numeric identifier
--description VALUE    The description for the content view version promotion
--force                Force content view promotion and bypass lifecycle environment restriction
--from-lifecycle-environment VALUE Environment name from where to promote its version from (if
version is unknown)
--from-lifecycle-environment-id VALUE Id of the environment from where to promote its version from
(if version is
unknown)
--id NUMBER            Content view version identifier
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--to-lifecycle-environment VALUE Name of the target environment
--to-lifecycle-environment-id VALUE Id of the target environment
--version VALUE        Content view version number
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.6. hammer content-view version republish-repositories

Forces a republish of the version's repositories' metadata

Usage:

```
hammer content-view version republish-repositories [OPTIONS]
```

Options:

--async	Do not wait for the task
--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--force BOOLEAN	Force metadata regeneration to proceed. Dangerous when repositories use the 'Complete Mirroring' mirroring policy
--id NUMBER	Content view version identifier
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.20.17.7. hammer content-view version update

Update a content view version

Usage:

```
hammer content-view version update [OPTIONS]
```

Options:

--content-view VALUE	Content view name to search by
--content-view-id NUMBER	Content view numeric identifier
--description VALUE	The description for the content view version
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER	Content view version identifier
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	ID of the environment
--new-version VALUE	
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--version VALUE	Content view version number
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.21. HAMMER DEB-PACKAGE

Manipulate deb packages

Usage:

```
hammer deb-package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
info, show         Show a deb package
list, index        List deb packages
```

Options:

```
-h, --help         Print help
```

2.21.1. hammer deb-package info

Show a deb package

Usage:

```
hammer deb-package <info|show> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE         A deb package identifier
--name VALUE       Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help        Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x  | x
Pulp id | x  | x  |
Uuid    | x  | x  |
Name    | x  | x  | x
Version | x  | x  |
Checksum | x  | x  |
Architecture | x  | x  |
Nav     | x  | x  |
Nva     | x  | x  |
Filename | x  | x  |
Available host count | x  | x  |
Applicable host count | x  | x  |
Description | x  | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.21.2. hammer deb-package list

List deb packages

Usage:

```
hammer deb-package <list|index> [OPTIONS]
```

Options:

```
--available-for VALUE          Return deb packages that can be added to the specified object.
Only the value
                                'content_view_version' is supported.
--content-view VALUE          Content view name to search by
--content-view-filter VALUE    Name to search by
--content-view-filter-id NUMBER Content View Filter identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER Content View Version identifier
--environment VALUE           Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER       (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--host VALUE                  Host name
--host-id NUMBER              Host id to list applicable deb packages for
--ids LIST                     Deb package identifiers to filter content by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Organization identifier
--organization-label VALUE    Organization label to search by
--organization-title VALUE    Organization title
--packages-restrict-applicable BOOLEAN Return deb packages that are applicable to one or more
hosts (defaults to true
                                if host_id is specified)
--packages-restrict-upgradable BOOLEAN Return deb packages that are upgradable on one or more
hosts
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--product VALUE               Product name to search by
```

```

--product-id NUMBER      Product numeric identifier
--repository VALUE      Repository name to search by
--repository-id NUMBER   Repository identifier
--search VALUE          Search string
-h, --help              Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x | x
Filename | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.22. HAMMER DEFAULTS

Defaults management

Usage:

```
hammer defaults [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

add             Add a default parameter to config
delete         Delete a default param
list           List all the default parameters
providers      List all the providers

```

Options:

```
-h, --help      Print help
```

2.22.1. hammer defaults add

Add a default parameter to config

Usage:

```
hammer defaults add [OPTIONS]
```

Options:

```
--param-name VALUE      The name of the default option (e.g. organization_id)
--param-value VALUE     The value for the default option
--provider VALUE        The name of the provider providing the value. For list available providers
see
                        `hammer defaults providers`
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.22.2. hammer defaults delete

Delete a default param

Usage:

```
hammer defaults delete [OPTIONS]
```

Options:

```
--param-name VALUE      The name of the default option
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.22.3. hammer defaults list

List all the default parameters

Usage:
hammer defaults list [OPTIONS]

Options:
-h, --help Print help

2.22.4. hammer defaults providers

List all the providers

Usage:
hammer defaults providers [OPTIONS]

Options:
-h, --help Print help

2.23. HAMMER DISCOVERY

Manipulate discovered hosts.

Usage:
hammer discovery [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
auto-provision Auto provision a host
delete, destroy Delete a discovered host
facts List all fact values
info, show Show a discovered host
list, index List all discovered hosts
provision Provision a discovered host
reboot Reboot a host
refresh-facts Refresh the facts of a host

Options:
-h, --help Print help

2.23.1. hammer discovery auto-provision

Auto provision a host

Usage:

```
hammer discovery auto-provision [OPTIONS]
```

Options:

```
--all                Auto provision all discovered hosts
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.23.2. hammer discovery delete

Delete a discovered host

Usage:

```
hammer discovery <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.23.3. hammer discovery facts

List all fact values

Usage:

```
hammer discovery facts [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Fact   | x  | x
Value  | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

fact	string
fact_short_name	string
facts	string
host	string
host.hostgroup	string
host_id	integer
location	string
location_id	integer
name	string
organization	string
organization_id	integer
origin	string
reported_at	datetime
short_name	string
type	string
value	string

2.23.4. hammer discovery info

Show a discovered host

Usage:

```
hammer discovery <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Mac     | x  | x    |
Cpus    | x  | x    |
Memory  | x  | x    |
Disk count | x  | x    |

```

```

Disks size | x | x |
Subnet     | x | x |
Last report | x | x |
Ip         | x | x |
Model      | x | x |
Organization | x | x |
Location   | x | x |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.23.5. hammer discovery list

List all discovered hosts

Usage:

```
hammer discovery <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE      Sort results
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page VALUE       Paginate results
--per-page VALUE   Number of entries per request
--search VALUE     Filter results
-h, --help         Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x | x
Name   | x | x | x
Mac    | x | x |

```

```

Cpus      | x | x |
Memory   | x | x |
Disk count | x | x |
Disks size | x | x |
Subnet    | x | x |
Last report | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.23.6. hammer discovery provision

Provision a discovered host

Usage:

```
hammer discovery provision [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id NUMBER  Required if host is managed and value is not inherited from host group
--ask-root-password BOOLEAN
--build BOOLEAN
--capabilities VALUE
--domain VALUE            Domain name
--domain-id NUMBER       Required if host is managed and value is not inherited from host group
--enabled BOOLEAN
--hostgroup VALUE        Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE  Hostgroup title
--id VALUE
--image VALUE            Name to search by
--image-id NUMBER
--interface KEY_VALUE_LIST  Interface parameters
                          Can be specified multiple times.
--ip VALUE               Not required if using a subnet with DHCP Capsule
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--mac VALUE              Not required if it's a virtual machine

```

```

--managed BOOLEAN
--medium VALUE          Medium name
--medium-id VALUE      Required if not imaged based provisioning and host is managed and
value is not
                        inherited from host group
--model VALUE          Model name
--model-id NUMBER
--name VALUE
--new-name VALUE
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER Required if host is managed and value is not inherited from host
group
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--overwrite BOOLEAN
--owner-id NUMBER
--owner-type ENUM      Host's owner type
                        Possible value(s): 'User', 'Usergroup'
--parameters KEY_VALUE_LIST Host parameters
--partition-table VALUE Partition table name
--partition-table-id NUMBER
--progress-report-id VALUE UUID to track orchestration tasks status, GET
/api/orchestration/:UUID/tasks
--provision-method ENUM Possible value(s): 'build', 'image'
--pxe-loader ENUM       DHCP filename option (Grub2 or PXELinux by default)
                        Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI', 'Grub2
BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI HTTP',
'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded', 'iPXE
UEFI
                        HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--root-password VALUE
--sp-subnet-id NUMBER
--subnet VALUE         Subnet name
--subnet-id NUMBER     Required if host is managed and value is not inherited from host group
-h, --help             Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```


2.23.7. hammer discovery reboot

Reboot a host

Usage:

```
hammer discovery reboot [OPTIONS]
```

Options:

```
--all                Reboot all discovered hosts
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.23.8. hammer discovery refresh-facts

Refresh the facts of a host

Usage:

```
hammer discovery refresh-facts [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24. HAMMER DISCOVERY-RULE

Manipulate discovered rules.

Usage:

```
hammer discovery-rule [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a discovery rule
delete, destroy	Delete a rule
info, show	Show a discovery rule
list, index	List all discovery rules
update	Update a rule

Options:

-h, --help	Print help
------------	------------

2.24.1. hammer discovery-rule create

Create a discovery rule

Usage:

```
hammer discovery-rule create [OPTIONS]
```

Options:

--enabled BOOLEAN	Flag is used for temporary shutdown of rules
--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	The hostgroup that is used to auto provision a host
--hostgroup-title VALUE	Hostgroup title
--hostname VALUE	Defines a pattern to assign human-readable hostnames to the matching hosts
--hosts-limit VALUE	Enables to limit maximum amount of provisioned hosts per rule

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      Location ID for provisioned hosts
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             Represents rule name shown to the users
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  Organization ID for provisioned hosts
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--priority NUMBER        Puts the rules in order, low numbers go first. Must be greater then zero
--search VALUE           Query to match discovered hosts for the particular rule
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.24.2. hammer discovery-rule delete

Delete a rule

Usage:

```
hammer discovery-rule <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24.3. hammer discovery-rule info

Show a discovery rule

Usage:

```
hammer discovery-rule <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id       | x  | x      | x
Name     | x  | x      | x
Priority  | x  | x      |
Search   | x  | x      |
Host group | x  | x      |
Hosts limit | x  | x      |
Enabled   | x  | x      |
Hostname template | x  | x      |
Hosts/    | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24.4. hammer discovery-rule list

List all discovery rules

Usage:

```
hammer discovery-rule <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort results
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page VALUE	Paginate results
--per-page VALUE	Number of entries per request
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----	
FIELDS	ALL DEFAULT THIN
----- ----- ----- -----	
Id	x x x
Name	x x x
Priority	x x
Search	x x
Host group	x x
Hosts limit	x x
Enabled	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.24.5. hammer discovery-rule update

Update a rule

Usage:

```
hammer discovery-rule update [OPTIONS]
```

Options:

--enabled BOOLEAN	Flag is used for temporary shutdown of rules
--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	The hostgroup that is used to auto provision a host
--hostgroup-title VALUE	Hostgroup title
--hostname VALUE	Defines a pattern to assign human-readable hostnames to the matching hosts
--hosts-limit VALUE	Enables to limit maximum amount of provisioned hosts per rule
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	Location ID for provisioned hosts
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--name VALUE	Represents rule name shown to the users
--new-name VALUE	Represents rule name shown to the users
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	Organization ID for provisioned hosts
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--priority NUMBER	Puts the rules in order, low numbers go first. Must be greater than zero
--search VALUE	Query to match discovered hosts for the particular rule
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.25. HAMMER DOCKER

Manipulate docker content

Usage:
hammer docker [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

manifest	Manage docker manifests
tag	Manage docker tags

Options:

-h, --help	Print help
------------	------------

2.25.1. hammer docker manifest

Manage docker manifests

Usage:
hammer docker manifest [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show a docker manifest
list, index	List docker_manifests

Options:

-h, --help	Print help
------------	------------

2.25.1.1. hammer docker manifest info

Show a docker manifest

Usage:
hammer docker manifest <info|show> [OPTIONS]

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE            A docker manifest identifier
--name VALUE         Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--repository VALUE    Repository name to search by
--repository-id NUMBER  Repository identifier
-h, --help           Print help

```

Predefined field sets:

```

-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Schema version | x | x   |
Digest  | x | x   |
Downloaded | x | x   |
Tags/name | x | x   |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.25.1.2. hammer docker manifest list

List docker_manifests

Usage:

```
hammer docker manifest <list|index> [OPTIONS]
```

Options:

```

--content-view VALUE      Content view name to search by
--content-view-filter VALUE  Name to search by
--content-view-filter-id NUMBER  Content view filter identifier
--content-view-filter-rule VALUE  Name to search by
--content-view-filter-rule-id NUMBER  Content view filter rule identifier
--content-view-id NUMBER     Content view numeric identifier

```



```

--content-view-version VALUE      Content view version number
--content-view-version-id NUMBER  Content view version identifier
--environment VALUE               Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER           (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                     Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN             Whether or not to show all results
--ids LIST                        Ids to filter content by
--include-filter-ids BOOLEAN      Includes associated content view filter ids in response
--lifecycle-environment VALUE     Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                    Sort field and order, eg. 'id DESC'
--organization VALUE             Organization name to search by
--organization-id NUMBER         Organization identifier
--organization-label VALUE       Organization label to search by
--organization-title VALUE       Organization title
--page NUMBER                    Page number, starting at 1
--per-page NUMBER                Number of results per page to return
--product VALUE                 Product name to search by
--product-id NUMBER             Product numeric identifier
--repository VALUE              Repository name to search by
--repository-id NUMBER          Repository identifier
--search VALUE                  Search string
-h, --help                      Print help

```

Predefined field sets:

```

-----|----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Schema version | x  | x      |
Digest  | x  | x      |
Downloaded | x  | x      |
Tags    | x  | x      |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.25.2. hammer docker tag

Manage docker tags

Usage:
hammer docker tag [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
info, show Show a docker tag
list, index List docker_tags

Options:
-h, --help Print help

2.25.2.1. hammer docker tag info

Show a docker tag

Usage:
hammer docker tag <info|show> [OPTIONS]

Options:
--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE A docker tag identifier
--name VALUE Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Tag         | x  | x      | x
Repository id | x  | x      |
Docker manifest id | x  | x      |
Docker manifest name | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.25.2.2. hammer docker tag list

List docker_tags

Usage:

```
hammer docker tag <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER Content view version identifier
--environment VALUE           Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER       (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--ids LIST                    Ids to filter content by
--include-filter-ids BOOLEAN   Includes associated content view filter ids in response
--lifecycle-environment VALUE   Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Organization identifier
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--product VALUE               Product name to search by
--product-id NUMBER           Product numeric identifier
--repository VALUE            Repository name to search by
--repository-id NUMBER         Repository identifier
--search VALUE                 Search string
-h, --help                    Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
```

```

-----|-----|-----|-----
Id      | x | x | x
Tag     | x | x | x
Repository id | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.26. HAMMER DOMAIN

Manipulate domains

Usage:

```
hammer domain [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a domain
delete, destroy	Delete a domain
delete-parameter	Delete parameter for a domain
info, show	Show a domain
list, index	List of domains
set-parameter	Create or update parameter for a domain
update	Update a domain

Options:

-h, --help	Print help
------------	------------

2.26.1. hammer domain create

Create a domain

Usage:

```
hammer domain create [OPTIONS]
```

Options:

```

--description VALUE      Full name describing the domain
--dns VALUE              Name of DNS proxy to use within this domain
--dns-id VALUE           ID of DNS proxy to use within this domain
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             The full DNS domain name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.26.2. hammer domain delete

Delete a domain

Usage:

```
hammer domain <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Domain name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.26.3. hammer domain delete-parameter

Delete parameter for a domain

Usage:

```
hammer domain delete-parameter [OPTIONS]
```

Options:

```
--domain VALUE          Domain name
--domain-id NUMBER      Numerical ID or domain name
--name VALUE            Parameter name
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.26.4. hammer domain info

Show a domain

Usage:

```
hammer domain <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Numerical ID or domain name
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Domain name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Description | x  | x      |
Dns id  | x  | x      |
Subnets/ | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
Parameters/ | x  | x      |
Created at | x  | x      |
Updated at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.26.5. hammer domain list

List of domains

Usage:

```
hammer domain <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Scope by locations
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
--subnet VALUE        Subnet name
--subnet-id VALUE     ID of subnet
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

fullname     string
location     string
location_id  integer
name         string
organization string
organization_id integer
params       string

```

2.26.6. hammer domain set-parameter

Create or update parameter for a domain

-

Usage:

```
hammer domain set-parameter [OPTIONS]
```

Options:

```
--domain VALUE          Domain name
--domain-id NUMBER      Numerical ID or domain name
--hidden-value BOOLEAN  Should the value be hidden
--name VALUE            Parameter name
--parameter-type ENUM   Type of the parameter
                        Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                        'yaml', 'json'
                        Default: "string"
--value VALUE           Parameter value
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.26.7. hammer domain update

Update a domain

Usage:

```
hammer domain update [OPTIONS]
```

Options:

```
--description VALUE      Full name describing the domain
--dns VALUE              Name of DNS proxy to use within this domain
--dns-id VALUE           ID of DNS proxy to use within this domain
--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             The full DNS domain name
--new-name VALUE         The full DNS domain name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```

--organization-ids LIST    REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.27. HAMMER ERRATUM

Manipulate errata

Usage:

```
hammer erratum [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

info            Show an erratum
list, index     List errata

```

Options:

```
-h, --help      Print help
```

2.27.1. hammer erratum info

Show an erratum

Usage:

```
hammer erratum info [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE         An erratum identifier
--name VALUE       Name to search by
--organization VALUE Organization name to search by

```

```

--organization-id NUMBER   Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--repository VALUE         Repository name to search by
--repository-id NUMBER     Repository identifier
-h, --help                 Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS          | ALL | DEFAULT
-----|-----|-----
Title           | x  | x
Version         | x  | x
Description     | x  | x
Status          | x  | x
Id              | x  | x
Errata id       | x  | x
Reboot suggested | x  | x
Updated         | x  | x
Issued          | x  | x
Release         | x  | x
Solution        | x  | x
Packages        | x  | x
Module streams/name | x  | x
Module streams/stream | x  | x
Module streams/packages | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME       Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM           Possible values are described in the option's description
FILE           Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM      Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.27.2. hammer erratum list

List errata

Usage:

```
hammer erratum <list|index> [OPTIONS]
```

Options:

```
--available-for VALUE      Return errata that can be added to the specified object. The values
```

'content_view_version' and 'content_view_filter' are supported.

```

--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content View Filter identifier
--content-view-id NUMBER     Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content View Version identifier
--cve VALUE                   CVE identifier
--errata-restrict-applicable BOOLEAN Return errata that are applicable to one or more hosts
(defaults to true if
                               host_id is specified)
--errata-restrict-installable BOOLEAN Return errata that are upgradable on one or more hosts
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN        Whether or not to show all results
--host VALUE                  Host name
--host-id NUMBER             Host id to list applicable errata for
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE         Organization name to search by
--organization-id NUMBER     Organization identifier
--organization-label VALUE   Organization label to search by
--organization-title VALUE   Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER            Number of results per page to return
--product VALUE              Product name to search by
--product-id NUMBER          Product numeric identifier
--repository VALUE           Repository name to search by
--repository-id NUMBER       Repository identifier
--search VALUE                Search string
-h, --help                    Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x | x
Errata id | x | x
Type   | x | x
Title  | x | x
Issued  | x | x
Updated | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description

```

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

bug	string
cve	string
errata_id	string
errata_type	string
id	string
issued	date
modular	Values: true, false
package	string
package_name	string
reboot_suggested	boolean
repository	string
severity	string
synopsis	string
title	string
type	string
updated	date

2.28. HAMMER EXPORT-TEMPLATES

Export templates to a git repo or a directory on the server

Usage:

```
hammer export-templates [OPTIONS]
```

Options:

--branch VALUE	Branch in Git repo.
--commit-msg VALUE	Custom commit message for templates export
--dirname VALUE	The directory within Git repo containing the templates
--filter VALUE	Export templates with names matching this regex (case-insensitive; snippets are not filtered).
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--metadata-export-mode ENUM	Specify how to handle metadata Possible value(s): 'refresh', 'keep', 'remove'
--negate BOOLEAN	Negate the prefix (for purging).
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--repo VALUE	Override the default repo from settings.
--verbose BOOLEAN	Be verbose
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.29. HAMMER FACT

Search facts

Usage:

```
hammer fact [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

list, index	List all fact values
-------------	----------------------

Options:

-h, --help	Print help
------------	------------

2.29.1. hammer fact list

List all fact values

Usage:

```
hammer fact <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results

```
--search VALUE      Filter results
-h, --help          Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Host   | x   | x
Fact   | x   | x
Value  | x   | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
fact          string
fact_short_name string
facts         string
host          string
host.hostgroup string
host_id       integer
location      string
location_id   integer
name          string
organization  string
organization_id integer
origin        string
reported_at   datetime
short_name    string
type          string
value         string
```

2.30. HAMMER FILE

Manipulate files

Usage:

```
hammer file [OPTIONS] SUBCOMMAND [ARG] ...
```

```

Parameters:
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

Subcommands:
info, show          Show a file
list, index         List files

Options:
-h, --help         Print help

```

2.30.1. hammer file info

Show a file

```

Usage:
  hammer file <info|show> [OPTIONS]

Options:
--content-view VALUE          Content view name to search by
--content-view-id NUMBER     Content view numeric identifier
--content-view-version VALUE Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                Show specified fields or predefined field sets only. (See below)
--id VALUE                   A file identifier
--name VALUE                 File name to search by
--organization VALUE        Organization name to search by
--organization-id NUMBER    Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--product VALUE             Product name to search by
--product-id NUMBER         Product numeric identifier
--repository VALUE          Repository name to search by
--repository-id NUMBER      Repository identifier
-h, --help                  Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   |
Name   | x | x   | x
Path   | x | x   |
Uuid   | x | x   |
Checksum | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.

```


	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.30.2. hammer file list

List files

Usage:

```
hammer file <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--ids LIST                    Ids to filter content by
--include-filter-ids BOOLEAN  Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Organization identifier
--organization-label VALUE    Organization label to search by
--organization-title VALUE    Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--product VALUE               Product name to search by
--product-id NUMBER           Product numeric identifier
--repository VALUE            Repository name to search by
--repository-id NUMBER         Repository identifier
--search VALUE                 Search string
-h, --help                    Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   |
Name   | x | x   | x
Path   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31. HAMMER FILTER

Manage permission filters

Usage:

```
hammer filter [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

available-permissions	List all permissions
available-resources	List available resource types
create	Create a filter
delete, destroy	Delete a filter
info, show	Show a filter
list, index	List all filters
update	Update a filter

Options:

-h, --help	Print help
------------	------------

2.31.1. hammer filter available-permissions

List all permissions

Usage:

```
hammer filter available-permissions [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request

```

--organization-id NUMBER    Set the current organization context for the request
--organization-title VALUE  Set the current organization context for the request
--page NUMBER               Page number, starting at 1
--per-page VALUE            Number of results per page to return, 'all' to return all results
--search VALUE              Filter results
-h, --help                  Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Resource | x | x   |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

name         string
resource_type string

```

2.31.2. hammer filter available-resources

List available resource types

Usage:

```
hammer filter available-resources [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31.3. hammer filter create

Create a filter

Usage:

```
hammer filter create [OPTIONS]
```

Options:

--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--override BOOLEAN	
--permission-ids LIST	
--permissions LIST	
--role VALUE	User role name
--role-id VALUE	
--search VALUE	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Overriding organizations and locations:

Filters inherit organizations and locations from its role by default. This behavior can be changed by setting `--override=true`.

Therefore options `--organization[s]-ids` and `--location[s]-ids` are applicable only when the override flag is set.

2.31.4. hammer filter delete

Delete a filter

Usage:

```
hammer filter <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31.5. hammer filter info

Show a filter

Usage:

```
hammer filter <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Resource type | x  | x      |
Search  | x  | x      |
Unlimited? | x  | x      |
Override? | x  | x      |
Role    | x  | x      |
Permissions | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
Created at | x  | x      |
Updated at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.31.6. hammer filter list

List all filters

Usage:

```
hammer filter <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Resource type | x  | x      |
Search  | x  | x      |
Unlimited? | x  | x      |
Override? | x  | x      |
Role    | x  | x      |
Permissions | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

limited	Values: true, false
location	string
location_id	integer
organization	string
organization_id	integer
override	Values: true, false
permission	string
resource	string
role	string
role_id	integer
search	text
unlimited	Values: true, false

2.31.7. hammer filter update

Update a filter

Usage:

```
hammer filter update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--override BOOLEAN
--permission-ids LIST
--permissions LIST
--role VALUE             User role name
--role-id VALUE
--search VALUE
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Overriding organizations and locations:

Filters inherit organizations and locations from its role by default. This behavior can be changed by setting `--override=true`.

Therefore options `--organization[s]-ids` and `--location[s]-ids` are applicable only when the override flag is set.

2.32. HAMMER FOREIGN-INPUT-SET

Manage foreign input sets

Usage:

```
hammer foreign-input-set [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a foreign input set
delete, destroy	Delete a foreign input set
info, show	Show foreign input set details
list, index	List foreign input sets
update	Update a foreign input set

Options:

-h, --help	Print help
------------	------------

2.32.1. hammer foreign-input-set create

Create a foreign input set

Usage:

```
hammer foreign-input-set create [OPTIONS]
```

Options:

--description VALUE	Input set description
--exclude VALUE	A comma separated list of input names to be included from the foreign template.
--include VALUE	A comma separated list of input names to be included from the foreign template.
--include-all BOOLEAN	Include all inputs from the foreign template
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request

```
--target-template-id VALUE  Target template ID
--template-id VALUE
-h, --help                  Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.32.2. hammer foreign-input-set delete

Delete a foreign input set

Usage:

```
hammer foreign-input-set <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.32.3. hammer foreign-input-set info

Show foreign input set details

Usage:

```
hammer foreign-input-set <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Target template id | x  | x      |
Target template name | x  | x      |
Include all  | x  | x      |
Include     | x  | x      |
Exclude     | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.32.4. hammer foreign-input-set list

List foreign input sets

Usage:

```
hammer foreign-input-set <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--template-id VALUE
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id      | x | x
Target template id | x | x
Target template name | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.32.5. hammer foreign-input-set update

Update a foreign input set

Usage:

```
hammer foreign-input-set update [OPTIONS]
```

Options:

```

--description VALUE      Input set description
--exclude VALUE          A comma separated list of input names to be included from the foreign
template.
--id VALUE
--include VALUE          A comma separated list of input names to be included from the foreign
template.
--include-all BOOLEAN    Include all inputs from the foreign template
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--target-template-id VALUE Target template ID
--template-id VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.33. HAMMER FULL-HELP

Print help for all hammer commands

Usage:

```
hammer full-help [OPTIONS]
```

Options:

```

--md            Format output in markdown
-h, --help      Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.34. HAMMER GLOBAL-PARAMETER

Manipulate global parameters

Usage:

```
hammer global-parameter [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

delete, destroy	Delete a global parameter
list, index	List all global parameters
set	Set a global parameter

Options:

-h, --help	Print help
------------	------------

2.34.1. hammer global-parameter delete

Delete a global parameter

Usage:

```
hammer global-parameter <delete|destroy> [OPTIONS]
```

Options:

--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Common parameter name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.34.2. hammer global-parameter list

List all global parameters

Usage:

```
hammer global-parameter <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--show-hidden BOOLEAN  Display hidden values
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
Value  | x | x   |
Type   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

domain_name	string
host_group_name	string
host_name	string
key_type	string
location_name	string
name	string
organization_name	string
os_name	string
parameter_type	string
subnet_name	text
type	string
value	text

2.34.3. hammer global-parameter set

Set a global parameter

Usage:

```
hammer global-parameter set [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE            Parameter value
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35. HAMMER HOST

Manipulate hosts

Usage:

```
hammer host [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
ansible-roles      Manage Ansible roles on a host
boot               Boot host from specified device
config-reports     List all reports
create             Create a host
deb-package        Manage deb packages on your hosts
delete, destroy    Delete a host
delete-parameter   Delete parameter for a host
disassociate       Disassociate a host
enc-dump           Dump host's ENC YAML
errata             Manage errata on your hosts
facts              List all fact values
info, show         Show a host
interface          View and manage host's network interfaces
list, index        List all hosts
package            Manage packages on your hosts
package-group     Manage package-groups on your hosts
policies-enc       View policies ENC for host
reboot            Reboot a host
rebuild-config     Rebuild orchestration related configurations for host
reports           List all reports
reset             Reset a host
set-parameter      Create or append a parameter for a host
start             Power a host on
status            Get status of host
stop              Power a host off
subscription       Manage subscription information on your hosts
traces            List traces on your hosts
update            Update a host
```

Options:

```
-h, --help         Print help
```

2.35.1. hammer host ansible-roles

Manage Ansible roles on a host

Usage:

```
hammer host ansible-roles [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

```

Subcommands:
  assign          Assigns Ansible roles to a host
  list, index     List all Ansible roles for a host
  play           Runs all Ansible roles on a host

Options:
  -h, --help     Print help

```

2.35.1.1. hammer host ansible-roles assign

Assigns Ansible roles to a host

```

Usage:
  hammer host ansible-roles assign [OPTIONS]

Options:
  --ansible-role-ids LIST    Ansible roles to assign to a host
  --ansible-roles LIST
  --id VALUE
  --location VALUE          Set the current location context for the request
  --location-id NUMBER     Set the current location context for the request
  --location-title VALUE   Set the current location context for the request
  --name VALUE              Host name
  --organization VALUE     Set the current organization context for the request
  --organization-id NUMBER Set the current organization context for the request
  --organization-title VALUE Set the current organization context for the request
  -h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.1.2. hammer host ansible-roles list

List all Ansible roles for a host

```

Usage:
  hammer host ansible-roles <list|index> [OPTIONS]

Options:

```

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x | x
Name   | x | x | x
Imported at | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.1.3. hammer host ansible-roles play

Runs all Ansible roles on a host

Usage:

```
hammer host ansible-roles play [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.2. hammer host boot

Boot host from specified device

Usage:

```
hammer host boot [OPTIONS]
```

Options:

--device VALUE	Boot device, valid devices are disk, cdrom, pxe, bios
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.3. hammer host config-reports

List all reports

Usage:

```
hammer host config-reports [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Host id
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Host    | x | x |
Last report | x | x |
Origin  | x | x |
Applied | x | x |
Restarted | x | x |
Failed  | x | x |
Restart failures | x | x |
Skipped | x | x |
Pending | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

Search / Order fields:

```

applied          integer
eventful         Values: true, false
failed           integer
failed_restarts  integer
host             string
host_id          integer
host_owner_id   integer
hostgroup        string
hostgroup_fullname string
hostgroup_title  string
last_report      datetime
location         string
log             text
organization     string
origin           string
pending          integer
reported         datetime
resource         text
restarted        integer
skipped          integer

```

2.35.4. hammer host create

Create a host

Usage:

```
hammer host create [OPTIONS]
```

Options:

```

--ansible-role-ids LIST          IDs of associated ansible roles
--ansible-roles LIST
--architecture VALUE            Architecture name
--architecture-id NUMBER        Required if host is managed and value is not inherited from host
group
--ask-root-password BOOLEAN
--autoheal BOOLEAN              Sets whether the Host will autoheal subscriptions upon checkin
--build BOOLEAN
--comment VALUE                  Additional information about this host
--compute-attributes KEY_VALUE_LIST Compute resource attributes
--compute-profile VALUE          Compute profile name
--compute-profile-id NUMBER
--compute-resource VALUE         Compute resource name
--compute-resource-id NUMBER     Nil means host is bare metal
--content-source VALUE           Content Source name
--content-source-id NUMBER
--content-view VALUE             Name to search by
--content-view-id NUMBER
--domain VALUE                   Domain name
--domain-id NUMBER              Required if host is managed and value is not inherited from host
group
--enabled BOOLEAN                Include this host within Satellite reporting
--hostgroup VALUE                Hostgroup name
--hostgroup-id NUMBER

```

--hostgroup-title VALUE Hostgroup title
 --hypervisor-guest-uuids LIST List of hypervisor guest uuids
 --image VALUE Name to search by
 --image-id NUMBER
 --installed-products-attributes SCHEMA List of products installed on the host
 --interface KEY_VALUE_LIST Interface parameters
 Can be specified multiple times.
 --ip VALUE Not required if using a subnet with DHCP Capsule
 --kickstart-repository VALUE Kickstart repository name
 --kickstart-repository-id NUMBER Repository Id associated with the kickstart repo used for provisioning
 --lifecycle-environment VALUE Name to search by
 --lifecycle-environment-id NUMBER
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --mac VALUE Required for managed host that is bare metal, not required if it's a virtual machine
 --managed BOOLEAN True/False flag whether a host is managed or unmanaged.
 Note: this value also determines whether several parameters are required or not
 --medium VALUE Medium name
 --medium-id VALUE Required if not imaged based provisioning and host is managed and value is not inherited from host group
 --model VALUE Model name
 --model-id NUMBER
 --name VALUE
 --opencap-proxy-id NUMBER ID of OpenSCAP Capsule
 --operatingsystem VALUE Operating system title
 --operatingsystem-id NUMBER Required if host is managed and value is not inherited from host group
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 --overwrite BOOLEAN Default: "true"
 --owner VALUE Login of the owner
 --owner-id VALUE ID of the owner
 --owner-type ENUM Host's owner type
 Possible value(s): 'User', 'Usergroup'
 --parameters KEY_VALUE_LIST Replaces with new host parameters
 --partition-table VALUE Partition table name
 --partition-table-id NUMBER Required if host is managed and custom partition has not been defined
 --product VALUE Name to search by
 --product-id NUMBER Product id as listed from a host's installed products, this is not the same product id as the products api returns
 --progress-report-id VALUE UUID to track orchestration tasks status, GET /api/orchestration/:UUID/tasks
 --provision-method ENUM The method used to provision the host.
 Possible value(s): 'build', 'image', 'bootdisk'
 --puppet-ca-proxy-id NUMBER Puppet CA Capsule ID
 --puppet-proxy-id NUMBER Puppet Capsule ID
 --purpose-addons LIST Sets the system add-ons

```

--purpose-role VALUE          Sets the system purpose usage
--purpose-usage VALUE        Sets the system purpose usage
--pxe-loader ENUM            DHCP filename option (Grub2/PXELinux by default)
                              Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2'
                              BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                              'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                              HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--realm VALUE                Name to search by
--realm-id NUMBER
--release-version VALUE      Release version for this Host to use (7Server, 7.1, etc)
--root-password VALUE        Required if host is managed and value is not inherited from host
group or
                              default password in settings
--service-level VALUE        Service level to be used for autoheal
--subnet VALUE                Subnet name
--subnet-id NUMBER           Required if host is managed and value is not inherited from host
group
--typed-parameters SCHEMA    Replaces with new host parameters (with type support)
--volume KEY_VALUE_LIST      Volume parameters
                              Can be specified multiple times.
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--typed-parameters "name=<string>\,value=<string>\,parameter_type=
[string|boolean|integer|real|array|hash|yaml|json],hidden_value=[true|false|1|0], ... "
```

```
--installed-products-attributes "product_id=<string>\,product_name=<string>\,arch=
<string>\,version=<string>, ... "
```

Available keys for --interface:

```

mac
ip
type          Possible values: interface, bmc, bond, bridge

```


name
 subnet_id
 domain_id
 identifier
 managed true/false
 primary true/false, each managed hosts needs to have one primary interface.
 provision true/false
 virtual true/false

For virtual=true:

tag VLAN tag, this attribute has precedence over the subnet VLAN ID. Only for virtual interfaces.

attached_to Identifier of the interface to which this interface belongs, e.g. eth1.

For type=bond:

mode Possible values: balance-rr, active-backup, balance-xor, broadcast, 802.3ad, balance-tlb, balance-alb

attached_devices Identifiers of slave interfaces, e.g. [eth1,eth2]

bond_options

For type=bmc:

provider always IPMI

username

password

Provider specific options:

NOTE: Bold attributes are required.

EC2:

--volume:

--interface:

--compute-attributes:

availability_zone

flavor_id

groups

security_group_ids

managed_ip

GCE:

--volume:

size_gb Volume size in GB, integer value

--interface:

--compute-attributes:

machine_type

network

associate_external_ip

Libvirt:

--volume:

pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:

compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:

cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough
 start Boolean (expressed as 0 or 1), whether to start the machine or not

OpenStack:**--volume:****--interface:****--compute-attributes:**

availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:**--volume:**

size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate
 wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virtio or virtio_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use
 cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes

ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.
 start Boolean, set 1 to start the vm

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name

storage_pod Storage Pod ID from VMware

datastore Datastore ID from VMware

mode persistent/independent_persistent/independent_nonpersistent

size_gb Integer number, volume size in GB

thin true/false

eager_zero true/false

controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:

VirtualVmxnet3

VirtualE1000

See documentation center for your version of vSphere to find more details about

available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware

corespersocket Number of cores per socket (applicable to hardware versions < 10 only)

cpus CPU count

memory_mb Integer number, amount of memory in MB

path Path to folder

resource_pool Resource Pool ID from VMware

firmware automatic/bios/efi

guest_id Guest OS ID from VMware

hardware_version Hardware version ID from VMware

memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is

on

cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on

add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine

annotation Annotation Notes

scsi_controllers List with SCSI controllers definitions

type - ID of the controller from VMware

key - Key of the controller (e.g. 1000)

start Must be a 1 or 0, whether to start the machine or not

AzureRM:

```

--volume:
  disk_size_gb      Volume Size in GB (integer value)
  data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:
  compute_network  Select one of available Azure Subnets, must be an ID
  compute_public_ip Public IP (None, Static, Dynamic)
  compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:
  resource_group   Existing Azure Resource Group of user
  vm_size          VM Size, eg. Standard_A0 etc.
  username         The Admin username
  password         The Admin password
  platform         OS type eg. Linux
  ssh_key_data     SSH key for passwordless authentication
  os_disk_caching OS disk caching
  premium_os_disk  Premium OS Disk, Boolean as 0 or 1
  script_command   Custom Script Command
  script_uris      Comma seperated file URIs

```

2.35.5. hammer host deb-package

Manage deb packages on your hosts

Usage:

```
hammer host deb-package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```
list, index        List deb packages installed on the host
```

Options:

```
-h, --help        Print help
```

2.35.5.1. hammer host deb-package list

List deb packages installed on the host

Usage:

```
hammer host deb-package <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN Whether or not to show all results
--host VALUE       Host name
--host-id NUMBER   ID of the host
--order VALUE      Sort field and order, eg. 'id DESC'
--page NUMBER      Page number, starting at 1

```

```
--per-page NUMBER      Number of results per page to return
--search VALUE        Search string
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Version | x | x   |
Arch   | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.6. hammer host delete

Delete a host

Usage:

```
hammer host <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.7. hammer host delete-parameter

Delete parameter for a host

Usage:

```
hammer host delete-parameter [OPTIONS]
```

Options:

```
--host VALUE          Host name
--host-id NUMBER
--name VALUE          Parameter name
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.8. hammer host disassociate

Disassociate a host

Usage:

```
hammer host disassociate [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
```

```

--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Host name
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.9. hammer host enc-dump

Dump host's ENC YAML

Usage:

```
hammer host enc-dump [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.10. hammer host errata

Manage errata on your hosts

Usage:

```
hammer host errata [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
apply              Schedule errata for installation using katello-agent. NOTE: Katello-agent is
                  deprecated and will be removed in a future release. Consider using remote
                  execution instead.
info              Retrieve a single errata for a host
list              List errata available for the content host
recalculate       Force regenerate applicability.
```

Options:

```
-h, --help        Print help
```

2.35.10.1. hammer host errata apply

Schedule errata for installation using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host errata apply [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--errata-ids LIST  List of Errata ids to install. Will be removed in a future release
--full-result BOOLEAN  Whether or not to show all results
--host VALUE      Host name
--host-id NUMBER  Host ID
--order VALUE     Sort field and order, eg. 'id DESC'
--page NUMBER     Page number, starting at 1
--per-page NUMBER Number of results per page to return
--search VALUE    Search string for erratum to perform an action on
--sort-by VALUE   Field to sort the results on
--sort-order VALUE  How to order the sorted results (e.g. ASC for ascending)
-h, --help        Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.10.2. hammer host errata info

Retrieve a single errata for a host

Usage:

```
hammer host errata info [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--host VALUE           Host name
--host-id NUMBER      Host ID
--id VALUE             Errata id of the erratum (RHSA-2012:108)
--name VALUE          Name to search by
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS      | ALL | DEFAULT
-----|-----|-----
Title       | x  | x
Version     | x  | x
Description  | x  | x
Status      | x  | x
Id          | x  | x
Errata id   | x  | x
Reboot suggested | x  | x
Updated     | x  | x
Issued      | x  | x
Release     | x  | x
Solution    | x  | x
Packages    | x  | x
Module streams/name | x  | x
Module streams/stream | x  | x
Module streams/packages | x  | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.10.3. hammer host errata list

List errata available for the content host

Usage:

```
hammer host errata list [OPTIONS]
```

Options:

```
--content-view VALUE      Content view name to search by
--content-view-id NUMBER  Calculate Applicable Errata based on a particular Content View
--environment VALUE      Lifecycle environment name to search by (--environment is
depreciated: Use
--lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is depreciated: Use --lifecycle-environment-id
instead)
--fields LIST            Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN    Whether or not to show all results
--host VALUE            Host name
--host-id NUMBER        UUID of the content host
--include-applicable BOOLEAN Return errata that are applicable to this host. Defaults to false)
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Calculate Applicable Errata based on a particular Environment
--order VALUE          Sort field and order, eg. 'id DESC'
--organization VALUE    Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--page NUMBER          Page number, starting at 1
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
--severity VALUE       Return only errata of a particular severity (None, Low, Moderate,
Important,
Critical)
--type VALUE          Return only errata of a particular type (security, bugfix, enhancement)
-h, --help          Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x  | x
Erratum id | x  | x
```

```

Type      | x | x
Title     | x | x
Installable | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.35.10.4. hammer host errata recalculate

Force regenerate applicability.

Usage:

```
hammer host errata recalculate [OPTIONS]
```

Options:

```

--host VALUE      Host name
--host-id NUMBER  Host ID
-h, --help        Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.35.11. hammer host facts

List all fact values

Usage:

```
hammer host facts [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Host name
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Fact   | x | x
Value  | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
fact          string
fact_short_name string
facts         string
host          string
host.hostgroup string
host_id       integer
location      string
location_id   integer
```

```

name          string
organization  string
organization_id integer
origin        string
reported_at   datetime
short_name    string
type          string
value         string

```

2.35.12. hammer host info

Show a host

Usage:

```
hammer host <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Set the current location context for the request
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Host name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x      | x
Uuid           | x  | x      |
Name           | x  | x      | x
Organization   | x  | x      |
Location       | x  | x      |
Host group     | x  | x      |
Compute resource      | x  | x      |
Compute profile      | x  | x      |
Cert name       | x  | x      |
Managed       | x  | x      |
Installed at    | x  | x      |
Last report    | x  | x      |
Uptime (seconds)  | x  | x      |
Status/global status | x  | x      |
Status/build status | x  | x      |
Network/ipv4 address  | x  | x      |
Network/ipv6 address  | x  | x      |
Network/mac       | x  | x      |
Network/subnet ipv4  | x  | x      |
Network/subnet ipv6  | x  | x      |
Network/domain    | x  | x      |
Network/service provider/sp name  | x  | x      |

```

Network/service provider/sp ip	x x
Network/service provider/sp mac	x x
Network/service provider/sp subnet	x x
Network interfaces/id	x x
Network interfaces/identifier	x x
Network interfaces/type	x x
Network interfaces/mac address	x x
Network interfaces/ipv4 address	x x
Network interfaces/ipv6 address	x x
Network interfaces/fqdn	x x
Operating system/architecture	x x
Operating system/operating system	x x
Operating system/build	x x
Operating system/medium	x x
Operating system/partition table	x x
Operating system/pxe loader	x x
Operating system/custom partition table	x x
Operating system/image	x x
Operating system/image file	x x
Operating system/use image	x x
Parameters/	x x
All parameters/	x x
Additional info/owner	x x
Additional info/owner id	x x
Additional info/owner type	x x
Additional info/enabled	x x
Additional info/model	x x
Additional info/comment	x x
Openscap proxy	x x
Content information/content view/id	x x
Content information/content view/name	x x
Content information/lifecycle environment/id	x x
Content information/lifecycle environment/name	x x
Content information/content source/id	x x
Content information/content source/name	x x
Content information/kickstart repository/id	x x
Content information/kickstart repository/name	x x
Content information/applicable packages	x x
Content information/upgradable packages	x x
Content information/applicable errata/enhancement	x x
Content information/applicable errata/bug fix	x x
Content information/applicable errata/security	x x
Subscription information/uuid	x x
Subscription information/last checkin	x x
Subscription information/release version	x x
Subscription information/autoheal	x x
Subscription information/registered to	x x
Subscription information/registered at	x x
Subscription information/registered by activation keys/	x x
Subscription information/system purpose/service level	x x
Subscription information/system purpose/purpose usage	x x
Subscription information/system purpose/purpose role	x x
Subscription information/system purpose/purpose addons	x x
Trace status	x x
Host collections/id	x x
Host collections/name	x x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13. hammer host interface

View and manage host's network interfaces

Usage:

```
hammer host interface [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create an interface on a host
delete, destroy	Delete a host's interface
info, show	Show an interface for host
list, index	List all interfaces for host
update	Update a host's interface

Options:

-h, --help	Print help
------------	------------

2.35.13.1. hammer host interface create

Create an interface on a host

Usage:

```
hammer host interface create [OPTIONS]
```

Options:

--attached-devices LIST	Identifiers of attached interfaces, e.g. `[eth1', 'eth2']`. For bond interfaces those are the slaves. Only for bond and bridges interfaces.
--attached-to VALUE	Identifier of the interface to which this interface belongs, e.g. eth1. Only for

virtual interfaces.

--bond-options VALUE Space separated options, e.g. miimon=100. Only for bond interfaces.

--compute-attributes KEY_VALUE_LIST Compute resource specific attributes

--domain VALUE Domain name

--domain-id NUMBER Satellite domain ID of interface. Required for primary interfaces on managed

hosts.

--execution BOOLEAN Should this interface be used for remote execution?

--host VALUE Host name

--host-id VALUE ID or name of host

--identifier VALUE Device identifier, e.g. eth0 or eth1.1

--ip VALUE IPv4 address of interface

--ip6 VALUE IPv6 address of interface

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--mac VALUE MAC address of interface. Required for managed interfaces on bare metal.

--managed BOOLEAN Should this interface be managed via DHCP and DNS capsule and should it be

configured during provisioning?

--mode ENUM Bond mode of the interface, e.g. balance-rr. Only for bond interfaces. Possible value(s): 'balance-rr', 'active-backup', 'balance-xor', 'broadcast', '802.3ad', 'balance-tlb', 'balance-alb'

--mtu NUMBER MTU, this attribute has precedence over the subnet MTU.

--name VALUE Interface's DNS name

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--password VALUE Only for BMC interfaces.

--primary Should this interface be used for constructing the FQDN of the host? Each managed hosts needs to have one primary interface

--provider ENUM Interface provider, e.g. IPMI. Only for BMC interfaces. Possible value(s): 'IPMI', 'Redfish', 'SSH'

--provision based Should this interface be used for TFTP of PXELinux (or SSH for image-based

hosts)? Each managed hosts needs to have one provision interface

--subnet VALUE Subnet name

--subnet-id NUMBER Satellite subnet ID of IPv4 interface

--subnet6-id NUMBER Satellite subnet ID of IPv6 interface

--tag VALUE VLAN tag, this attribute has precedence over the subnet VLAN ID. Only for

virtual interfaces.

--type ENUM Interface type, e.g. bmc. Default is interface Possible value(s): 'interface', 'bmc', 'bond', 'bridge'

--username VALUE Only for BMC interfaces.

--virtual BOOLEAN Alias or VLAN device

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.2. hammer host interface delete

Delete a host's interface

Usage:

```
hammer host interface <delete|destroy> [OPTIONS]
```

Options:

--host VALUE	Host name
--host-id VALUE	ID or name of host
--id VALUE	ID of interface
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.3. hammer host interface info

Show an interface for host

Usage:

```
hammer host interface <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--host VALUE           Host name
--host-id VALUE        ID or name of host
--id VALUE             ID or name of interface
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Identifier | x | x |
Type    | x | x |
Mac address | x | x |
Ip address | x | x |
Dns name | x | x |
Subnet   | x | x |
Domain  | x | x |
Managed | x | x |
Primary | x | x |
Provision | x | x |
Virtual | x | x |
Tag      | x | x |
Attached to | x | x |
Bmc/username | x | x |
Bmc/provider | x | x |
Bond/mode | x | x |
Bond/attached devices | x | x |
Bond/bond options | x | x |
Execution | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.4. hammer host interface list

List all interfaces for host

Usage:

```
hammer host interface <list|index> [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id VALUE	ID or name of domain
--fields LIST	Show specified fields or predefined field sets only. (See below)
--host VALUE	Host name
--host-id VALUE	ID or name of host
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--subnet VALUE	Subnet name
--subnet-id VALUE	ID or name of subnet
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x | x
Identifier | x | x |
Type    | x | x |
Mac address | x | x |
Ip address | x | x |
Dns name | x | x |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.13.5. hammer host interface update

Update a host's interface

Usage:

```
hammer host interface update [OPTIONS]
```

Options:

<code>--attached-devices</code>	LIST	Identifiers of attached interfaces, e.g. <code>`[eth1, 'eth2']`</code> . For bond interfaces
<code>--attached-to</code>	VALUE	Identifier of the interface to which this interface belongs, e.g. <code>eth1</code> . Only for virtual interfaces.
<code>--bond-options</code>	VALUE	Space separated options, e.g. <code>miimon=100</code> . Only for bond interfaces.
<code>--compute-attributes</code>	KEY_VALUE_LIST	Compute resource specific attributes
<code>--domain</code>	VALUE	Domain name
<code>--domain-id</code>	NUMBER	Satellite domain ID of interface. Required for primary interfaces on managed hosts.
<code>--execution</code>	BOOLEAN	Should this interface be used for remote execution?
<code>--host</code>	VALUE	Host name
<code>--host-id</code>	VALUE	ID or name of host
<code>--id</code>	VALUE	ID of interface
<code>--identifier</code>	VALUE	Device identifier, e.g. <code>eth0</code> or <code>eth1.1</code>
<code>--ip</code>	VALUE	IPv4 address of interface
<code>--ip6</code>	VALUE	IPv6 address of interface
<code>--location</code>	VALUE	Set the current location context for the request
<code>--location-id</code>	NUMBER	Set the current location context for the request
<code>--location-title</code>	VALUE	Set the current location context for the request
<code>--mac</code>	VALUE	MAC address of interface. Required for managed interfaces on bare metal.
<code>--managed</code>	BOOLEAN	Should this interface be managed via DHCP and DNS capsule and should it be configured during provisioning?
<code>--mode</code>	ENUM	Bond mode of the interface, e.g. <code>balance-rr</code> . Only for bond interfaces. Possible value(s): <code>'balance-rr', 'active-backup', 'balance-xor', 'broadcast', '802.3ad', 'balance-tlb', 'balance-alb'</code>
<code>--mtu</code>	NUMBER	MTU, this attribute has precedence over the subnet MTU.
<code>--name</code>	VALUE	Interface's DNS name
<code>--organization</code>	VALUE	Set the current organization context for the request
<code>--organization-id</code>	NUMBER	Set the current organization context for the request
<code>--organization-title</code>	VALUE	Set the current organization context for the request
<code>--password</code>	VALUE	Only for BMC interfaces.
<code>--primary</code>		Should this interface be used for constructing the FQDN of the host? Each managed hosts needs to have one primary interface
<code>--provider</code>	ENUM	Interface provider, e.g. <code>IPMI</code> . Only for BMC interfaces. Possible value(s): <code>'IPMI', 'Redfish', 'SSH'</code>
<code>--provision</code>		Should this interface be used for TFTP of PXELinux (or SSH for image-based)

```

hosts)? Each managed hosts needs to have one provision interface
--subnet VALUE          Subnet name
--subnet-id NUMBER      Satellite subnet ID of IPv4 interface
--subnet6-id NUMBER     Satellite subnet ID of IPv6 interface
--tag VALUE             VLAN tag, this attribute has precedence over the subnet VLAN ID. Only
for
                        virtual interfaces.
--type ENUM             Interface type, e.g. bmc. Default is interface
                        Possible value(s): 'interface', 'bmc', 'bond', 'bridge'
--username VALUE        Only for BMC interfaces.
--virtual BOOLEAN       Alias or VLAN device
-h, --help             Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.14. hammer host list

List all hosts

Usage:

```
hammer host <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--location VALUE       Set the current location context for the request
--location-id VALUE    ID of location
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id VALUE ID of organization
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--thin BOOLEAN         Only list ID and name of hosts
-h, --help            Print help

```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Operating system	x	x	
Host group	x	x	
Ip	x	x	
Mac	x	x	
Global status	x	x	
Organization	x		
Location	x		
Additional information	x		
Content view	x	x	
Lifecycle environment	x	x	
Security	x		
Bugfix	x		
Enhancement		x	
Trace status	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

activation_key	string
activation_key_id	string
addon	string
addons_status	Values: mismatched, matched, not_specified
ansible_role	string
applicable_debs	string
applicable_errata	string
applicable_errata_issued	date
applicable_rpms	string
architecture	string
autoheal	boolean
boot_time	
build	Values: true, false
build_status	Values: built, pending, token_expired, build_failed

comment	text
compute_resource	string
compute_resource_id	integer
content_source	string
content_view	string
content_view_id	integer
created_at	datetime
cve_id	integer
domain	string
domain_id	integer
errata_status	Values: security_needed, errata_needed, updated, unknown
execution_status	Values: ok, error
facts	string
global_status	Values: ok, warning, error
has_ip	string
has_mac	string
hostgroup	string
hostgroup_fullname	string
hostgroup_id	integer
hostgroup_name	string
hostgroup_title	string
hypervisor	boolean
hypervisor_host	string
id	integer
image	string
infrastructure_facet.foreman	
infrastructure_facet.smart_proxy_id	
insights_recommendations_count	integer
installable_errata	string
installed_at	datetime
ip	string
job_invocation.id	string
job_invocation.result	Values: cancelled, failed, pending, success
last_checkin	datetime
last_report	datetime
lifecycle_environment	string
lifecycle_environment_id	integer
location	string
location_id	integer
mac	string
managed	Values: true, false
model	string
name	string
organization	string
organization_id	integer
origin	string
os	string
os_description	string
os_id	integer
os_major	string
os_minor	string
os_title	string
owner	string
owner_id	integer
owner_type	string
params	string

params_name	string
parent_hostgroup	string
puppet_ca	string
puppet_proxy_id	integer
puppetmaster	string
purpose_status	Values: mismatched, matched, not_specified
realm	string
realm_id	integer
registered_at	datetime
registered_through	string
release_version	string
reported.boot_time	
reported.cores	
reported.disks_total	
reported.ram	
reported.sockets	
reported.virtual	Values: true, false
repository	string
repository_content_label	string
role	text
role_status	Values: mismatched, matched, not_specified
service_level	string
sla_status	Values: mismatched, matched, not_specified
smart_proxy	string
status.applied	integer
status.enabled	Values: true, false
status.failed	integer
status.failed_restarts	integer
status.interesting	Values: true, false
status.pending	integer
status.restarted	integer
status.skipped	integer
subnet	string
subnet.name	text
subnet6	string
subnet6.name	text
subscription_id	string
subscription_name	string
subscription_status	Values: valid, partial, invalid, unknown, disabled,
unsubscribed_hypervisor	
subscription_uuid	string
trace_status	Values: reboot_needed, process_restart_needed, updated
upgradable_debs	string
upgradable_rpms	string
usage	text
usage_status	Values: mismatched, matched, not_specified
user.firstname	string
user.lastname	string
user.login	string
user.mail	string
usergroup	string
usergroup.name	string
uuid	string

2.35.15. hammer host package

Manage packages on your hosts

Usage:

```
hammer host package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

install deprecated	Install packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.
list, index	List packages installed on the host
remove	Uninstall packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.
upgrade deprecated	Update packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.
upgrade-all deprecated	Update packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Options:

-h, --help	Print help
------------	------------

2.35.15.1. hammer host package install

Install packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host package install [OPTIONS]
```

Options:

--async	Do not wait for the task
--host VALUE	Host name
--host-id NUMBER	ID of the host
--packages LIST	List of package names
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.15.2. hammer host package list

List packages installed on the host

Usage:

```
hammer host package <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--host VALUE	Host name
--host-id NUMBER	ID of the host
--include-latest-upgradable BOOLEAN	Also include the latest upgradable package version for each host package
--order VALUE	Sort field and order, eg. 'id DESC'
--page NUMBER	Page number, starting at 1
--per-page NUMBER	Number of results per page to return
--search VALUE	Search string
--status VALUE	Return only packages of a particular status (upgradable or up-to-date)
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Nvra  | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

arch	string
epoch	string
name	string
nvra	string
nvrea	string
release	string
version	string

2.35.15.3. hammer host package remove

Uninstall packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host package remove [OPTIONS]
```

Options:

--async	Do not wait for the task
--host VALUE	Host name
--host-id NUMBER	ID of the host
--packages LIST	List of package names
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.15.4. hammer host package upgrade

Update packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host package upgrade [OPTIONS]
```

Options:

--async	Do not wait for the task
--host VALUE	Host name
--host-id NUMBER	ID of the host
--packages LIST	List of packages names

`-h, --help` Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.15.5. hammer host package upgrade-all

Update packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host package upgrade-all [OPTIONS]
```

Options:

`--async` Do not wait for the task
`--host VALUE` Host name
`--host-id NUMBER` ID of the host
`-h, --help` Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.16. hammer host package-group

Manage package-groups on your hosts

Usage:

```
hammer host package-group [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
install             Install packages remotely using katello-agent. NOTE: Katello-agent is
deprecated         deprecated and will be removed in a future release. Consider using remote execution
                   instead.
remove             Uninstall packages remotely using katello-agent. NOTE: Katello-agent is
                   deprecated and will be removed in a future release. Consider using remote
                   execution instead.
```

Options:

```
-h, --help         Print help
```

2.35.16.1. hammer host package-group install

Install packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host package-group install [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--groups LIST     List of package group names (Deprecated)
--host VALUE      Host name
--host-id NUMBER  ID of the host
-h, --help       Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM        Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA           Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.35.16.2. hammer host package-group remove

Uninstall packages remotely using katello-agent. NOTE: Katello-agent is deprecated and will be removed in a future release. Consider using remote execution instead.

Usage:

```
hammer host package-group remove [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--groups LIST     List of package group names (Deprecated)
--host VALUE      Host name
--host-id NUMBER  ID of the host
-h, --help        Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.35.17. hammer host policies-enc

View policies ENC for host

Usage:

```
hammer host policies-enc [OPTIONS]
```

Options:

```
--fields LIST     Show specified fields or predefined field sets only. (See below)
--id VALUE        The identifier of the host
--location VALUE  Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE      Host name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x | x
```

Profile id	x x
Content path	x x
Content download path	x x
Tailoring path	x x
Tailoring download path	x x
Day of month	x x
Hour	x x
Minute	x x
Month	x x
Week	x x
-----	----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.18. hammer host reboot

Reboot a host

Usage:

```
hammer host reboot [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.19. hammer host rebuild-config

Rebuild orchestration related configurations for host

Usage:

```
hammer host rebuild-config [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--only LIST              Limit rebuild steps, valid steps are DHCP, DNS, TFTP, Content_Host_Status,
                        Refresh_Content_Host_Status
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.20. hammer host reports

List all reports

Usage:

hammer host reports [OPTIONS]

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	Host id
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Host	x	x	
Last report	x	x	
Origin	x	x	
Applied	x	x	
Restarted	x	x	
Failed	x	x	
Restart failures	x	x	
Skipped	x	x	
Pending	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

applied	integer
eventful	Values: true, false
failed	integer

```

failed_restarts integer
host string
host_id integer
host_owner_id integer
hostgroup string
hostgroup_fullname string
hostgroup_title string
last_report datetime
location string
log text
organization string
origin string
pending integer
reported datetime
resource text
restarted integer
skipped integer

```

2.35.21. hammer host reset

Reset a host

Usage:

```
hammer host reset [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.35.22. hammer host set-parameter

Create or append a parameter for a host

Usage:

```
hammer host set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--host VALUE              Host name
--host-id NUMBER
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string
```

2.35.23. hammer host start

Power a host on

Usage:

```
hammer host start [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Host name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.24. hammer host status

Get status of host

Usage:

```
hammer host status [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--type ENUM	Status type, can be one of
	Global
	Configuration
	Build
	Possible value(s): 'HostStatus::Global', 'configuration', 'build'
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.25. hammer host stop

Power a host off

Usage:

```
hammer host stop [OPTIONS]
```

Options:

--force	Force turning off a host
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Host name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26. hammer host subscription

Manage subscription information on your hosts

Usage:

```
hammer host subscription [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

attach	Add a subscription to a host
auto-attach	Trigger an auto-attach of subscriptions
content-override	Override product content defaults
product-content	List associated products
register	Register a host with subscription and information
remove	
unregister	Unregister the host as a subscription consumer

Options:

-h, --help	Print help
------------	------------

2.35.26.1. hammer host subscription attach

Add a subscription to a host

Usage:

```
hammer host subscription attach [OPTIONS]
```

Options:

--host VALUE	Host name
--host-id NUMBER	Id of the host
--quantity VALUE	Quantity of this subscriptions to add. Defaults to 1
--subscription-id VALUE	ID of subscription
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26.2. hammer host subscription auto-attach

Trigger an auto-attach of subscriptions

Usage:

```
hammer host subscription auto-attach [OPTIONS]
```

Options:

--host VALUE	Host name
--------------	-----------

```
--host-id NUMBER      Id of the host
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.35.26.3. hammer host subscription content-override

Override product content defaults

Usage:

```
hammer host subscription content-override [OPTIONS]
```

Options:

```
--content-label VALUE  Label of the content
--host VALUE           Host name
--host-id VALUE        Id of the content host
--override-name VALUE  Override parameter key or name.
                      To enable or disable a repo select 'enabled'.
                      Default value: enabled
                      Default: "enabled"
--remove              Remove a content override
--value VALUE         Override value. Note for repo enablement you can use a boolean value
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26.4. hammer host subscription product-content

List associated products

Usage:

```
hammer host subscription product-content [OPTIONS]
```

Options:

```
--content-access-mode-all BOOLEAN Get all content available, not just that provided by
subscriptions
--content-access-mode-env BOOLEAN Limit content to just that available in the host's content view
version
--fields LIST Show specified fields or predefined field sets only. (See below)
--host VALUE Host name
--host-id VALUE Id of the host
-h, --help Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x | x | x
Name    | x | x | x
Type    | x | x |
Url     | x | x |
Gpg key | x | x |
Label   | x | x |
Default enabled? | x | x |
Override | x | x |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string
```

2.35.26.5. hammer host subscription register

Register a host with subscription and information

Usage:

hammer host subscription register [OPTIONS]

Options:

--content-view VALUE Content view name to search by
 --content-view-id NUMBER Content View ID
 --environment VALUE Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
 --environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id instead)
 --hypervisor-guest-uuids LIST UUIDs of the virtual guests from the host's hypervisor
 --lifecycle-environment VALUE Lifecycle environment name to search by
 --lifecycle-environment-id NUMBER Lifecycle Environment ID
 --name VALUE Name of the host
 --organization VALUE Organization name to search by
 --organization-id VALUE Organization ID to search by
 --organization-label VALUE Organization label to search by
 --release-version VALUE Release version of the content host
 --service-level VALUE A service level for auto-healing process, e.g. SELF-SUPPORT
 --uuid VALUE UUID to use for registered host, random uuid is generated if not provided
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.35.26.6. hammer host subscription remove

Usage:

hammer host subscription remove [OPTIONS]

Options:

--host VALUE Host name
 --host-id NUMBER Id of the host
 --quantity VALUE Remove the first instance of a subscription with matching id and quantity
 --subscription-id VALUE ID of subscription
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.26.7. hammer host subscription unregister

Unregister the host as a subscription consumer

Usage:

```
hammer host subscription unregister [OPTIONS]
```

Options:

```
--host VALUE          Host name
--host-id NUMBER      Id of the host
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.35.27. hammer host traces

List traces on your hosts

Usage:

```
hammer host traces [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:
 SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:
 list List services that need restarting on the host
 resolve Resolve traces

Options:
 -h, --help Print help

2.35.27.1. hammer host traces list

List services that need restarting on the host

Usage:
 hammer host traces list [OPTIONS]

Options:
 --fields LIST Show specified fields or predefined field sets only. (See below)
 --host VALUE Host name
 --host-id NUMBER ID of the host
 -h, --help Print help

Predefined field sets:

```

-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Trace id | x  | x
Application | x  | x
Helper   | x  | x
Type     | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.35.27.2. hammer host traces resolve

Resolve traces

Usage:

hammer host traces resolve [OPTIONS]

Options:

--async Do not wait for the task
 --host VALUE Host name
 --host-id NUMBER ID of the host
 --trace-ids LIST Array of Trace IDs
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.35.28. hammer host update

Update a host

Usage:

hammer host update [OPTIONS]

Options:

--ansible-role-ids LIST IDs of associated ansible roles
 --ansible-roles LIST
 --architecture VALUE Architecture name
 --architecture-id NUMBER Required if host is managed and value is not inherited from host group
 --ask-root-password BOOLEAN
 --autoheal BOOLEAN Sets whether the Host will autoheal subscriptions upon checkin
 --build BOOLEAN
 --comment VALUE Additional information about this host
 --compute-attributes KEY_VALUE_LIST Compute resource attributes
 --compute-profile VALUE Compute profile name
 --compute-profile-id NUMBER
 --compute-resource VALUE Compute resource name
 --compute-resource-id NUMBER Nil means host is bare metal
 --content-source VALUE Content Source name
 --content-source-id NUMBER
 --content-view VALUE Name to search by

```

--content-view-id NUMBER
--domain VALUE          Domain name
--domain-id NUMBER      Required if host is managed and value is not inherited from host
group
--enabled BOOLEAN       Include this host within Satellite reporting
--hostgroup VALUE       Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE Hostgroup title
--hypervisor-guest-uuids LIST List of hypervisor guest uuids
--id VALUE
--image VALUE           Name to search by
--image-id NUMBER
--installed-products-attributes SCHEMA List of products installed on the host
--interface KEY_VALUE_LIST Interface parameters
                        Can be specified multiple times.
--ip VALUE              Not required if using a subnet with DHCP Capsule
--kickstart-repository VALUE Kickstart repository name
--kickstart-repository-id NUMBER Repository Id associated with the kickstart repo used for
provisioning
--lifecycle-environment VALUE Name to search by
--lifecycle-environment-id NUMBER
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--mac VALUE             Required for managed host that is bare metal, not required if it's a
virtual
                        machine
--managed BOOLEAN       True/False flag whether a host is managed or unmanaged.
Note: this value also
                        determines whether several parameters are required or not
--medium VALUE          Medium name
--medium-id VALUE       Required if not imaged based provisioning and host is managed
and value is not
                        inherited from host group
--model VALUE           Model name
--model-id NUMBER
--name VALUE
--new-location VALUE     Use to update associated location
--new-location-id NUMBER Use to update associated location
--new-location-title VALUE Use to update associated location
--new-name VALUE
--new-organization VALUE Use to update associated organization
--new-organization-id NUMBER Use to update associated organization
--new-organization-title VALUE Use to update associated organization
--openscap-proxy-id NUMBER ID of OpenSCAP Capsule
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER Required if host is managed and value is not inherited from
host group
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--overwrite BOOLEAN
--owner VALUE           Login of the owner
--owner-id VALUE        ID of the owner
--owner-type ENUM       Host's owner type
                        Possible value(s): 'User', 'Usergroup'

```

```

--parameters KEY_VALUE_LIST      Replaces with new host parameters
--partition-table VALUE          Partition table name
--partition-table-id NUMBER      Required if host is managed and custom partition has not been
defined
--product VALUE                  Name to search by
--product-id NUMBER              Product id as listed from a host's installed products,      this is
not the
                                same product id as the products api returns
--progress-report-id VALUE       UUID to track orchestration tasks status, GET
/api/orchestration/:UUID/tasks
--provision-method ENUM          The method used to provision the host.
                                Possible value(s): 'build', 'image', 'bootdisk'
--puppet-ca-proxy-id NUMBER      Puppet CA Capsule ID
--puppet-proxy-id NUMBER        Puppet Capsule ID
--purpose-addons LIST            Sets the system add-ons
--purpose-role VALUE             Sets the system purpose usage
--purpose-usage VALUE           Sets the system purpose usage
--pxe-loader ENUM                DHCP filename option (Grub2/PXELinux by default)
                                Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2
                                BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                                'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                                HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--realm VALUE                    Name to search by
--realm-id NUMBER
--release-version VALUE          Release version for this Host to use (7Server, 7.1, etc)
--root-password VALUE           Required if host is managed and value is not inherited from host
group or
                                default password in settings
--service-level VALUE           Service level to be used for autoheal
--subnet VALUE                   Subnet name
--subnet-id NUMBER              Required if host is managed and value is not inherited from host
group
--typed-parameters SCHEMA        Replaces with new host parameters (with type support)
--volume KEY_VALUE_LIST          Volume parameters
                                Can be specified multiple times.
-h, --help                       Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters

```

VALUE Value described in the option's description. Mostly simple string

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--typed-parameters "name=<string>\,value=<string>\,parameter_type=[string|boolean|integer|real|array|hash|yaml|json]\,hidden_value=[true|false|1|0], ... "
```

```
--installed-products-attributes "product_id=<string>\,product_name=<string>\,arch=<string>\,version=<string>, ... "
```

Available keys for --interface:

```
mac
ip
type           Possible values: interface, bmc, bond, bridge
name
subnet_id
domain_id
identifier
managed        true/false
primary        true/false, each managed hosts needs to have one primary interface.
provision      true/false
virtual        true/false
```

For virtual=true:

```
tag           VLAN tag, this attribute has precedence over the subnet VLAN ID. Only for virtual interfaces.
```

```
attached_to   Identifier of the interface to which this interface belongs, e.g. eth1.
```

For type=bond:

```
mode          Possible values: balance-rr, active-backup, balance-xor, broadcast, 802.3ad, balance-tlb, balance-alb
```

```
attached_devices Identifiers of slave interfaces, e.g. [eth1,eth2]
```

```
bond_options
```

For type=bmc:

```
provider      always IPMI
```

```
username
```

```
password
```

Provider specific options:

NOTE: Bold attributes are required.

EC2:

```
--volume:
```

```
--interface:
```

```
--compute-attributes:
```

```
availability_zone
```

```
flavor_id
```

```
groups
```

```
security_group_ids
```

```
managed_ip
```

GCE:

--volume:
 size_gb Volume size in GB, integer value

--interface:

--compute-attributes:
 machine_type
 network
 associate_external_ip

Libvirt:

--volume:
 pool_name One of available storage pools
 capacity String value, e.g. 10G
 allocation
 Initial allocation, e.g. 0G
 format_type Possible values: raw, qcow2

--interface:
 compute_type Possible values: bridge, network
 compute_bridge Name of interface according to type
 compute_model Possible values: virtio, rtl8139, ne2k_pci, pcnet, e1000
 compute_network
 Libvirt instance network, e.g. default

--compute-attributes:
 cpus Number of CPUs
 memory String, amount of memory, value in bytes
 cpu_mode Possible values: default, host-model, host-passthrough
 start Boolean (expressed as 0 or 1), whether to start the machine or not

OpenStack:

--volume:

--interface:

--compute-attributes:
 availability_zone
 boot_from_volume
 flavor_ref
 image_ref
 tenant_id
 security_groups
 network

oVirt:

--volume:
 size_gb Volume size in GB, integer value
 storage_domain ID or name of storage domain
 bootable Boolean, set 1 for bootable, only one volume can be bootable
 preallocate Boolean, set 1 to preallocate

wipe_after_delete Boolean, set 1 to wipe disk after delete
 interface Disk interface name, must be ide, virto or virto_scsi

--interface:

compute_name Compute name, e.g. eth0
 compute_network Select one of available networks for a cluster, must be an ID or a name
 compute_interface Interface type
 compute_vnic_profile Vnic Profile

--compute-attributes:

cluster ID or name of cluster to use
 template Hardware profile to use
 cores Integer value, number of cores
 sockets Integer value, number of sockets
 memory Amount of memory, integer value in bytes
 ha Boolean, set 1 to high availability
 display_type Possible values: VNC, SPICE
 keyboard_layout Possible values: ar, de-ch, es, fo, fr-ca, hu, ja, mk, no, pt-br, sv, da, en-gb, et, fr, fr-ch, is, lt, nl, pl, ru, th, de, en-us, fi, fr-be, hr, it, lv, nl-be, pt, sl, tr. Not usable if display type is SPICE.
 start Boolean, set 1 to start the vm

Rackspace:

--volume:

--interface:

--compute-attributes:

flavor_id

VMware:

--volume:

name
 storage_pod Storage Pod ID from VMware
 datastore Datastore ID from VMware
 mode persistent/independent_persistent/independent_nonpersistent
 size_gb Integer number, volume size in GB
 thin true/false
 eager_zero true/false
 controller_key Associated SCSI controller key

--interface:

compute_type Type of the network adapter, for example one of:
 VirtualVmxnet3
 VirtualE1000

See documentation center for your version of vSphere to find more details about available adapter types:

<https://www.vmware.com/support/pubs/>

compute_network Network ID or Network Name from VMware

--compute-attributes:

cluster Cluster ID from VMware
 corespersocket Number of cores per socket (applicable to hardware versions < 10 only)
 cpus CPU count

memory_mb Integer number, amount of memory in MB
 path Path to folder
 resource_pool Resource Pool ID from VMware
 firmware automatic/bios/efi
 guest_id Guest OS ID form VMware
 hardware_version Hardware version ID from VMware
 memoryHotAddEnabled Must be a 1 or 0, lets you add memory resources while the machine is on
 on
 cpuHotAddEnabled Must be a 1 or 0, lets you add CPU resources while the machine is on
 add_cdrom Must be a 1 or 0, Add a CD-ROM drive to the virtual machine
 annotation Annotation Notes
 scsi_controllers List with SCSI controllers definitions
 type - ID of the controller from VMware
 key - Key of the controller (e.g. 1000)
 start Must be a 1 or 0, whether to start the machine or not

AzureRM:**--volume:**

disk_size_gb Volume Size in GB (integer value)
 data_disk_caching Data Disk Caching (None, ReadOnly, ReadWrite)

--interface:

compute_network Select one of available Azure Subnets, must be an ID
 compute_public_ip Public IP (None, Static, Dynamic)
 compute_private_ip Static Private IP (expressed as true or false)

--compute-attributes:

resource_group Existing Azure Resource Group of user
 vm_size VM Size, eg. Standard_A0 etc.
 username The Admin username
 password The Admin password
 platform OS type eg. Linux
 ssh_key_data SSH key for passwordless authentication
 os_disk_caching OS disk caching
 premium_os_disk Premium OS Disk, Boolean as 0 or 1
 script_command Custom Script Command
 script_uris Comma seperated file URIs

2.36. HAMMER HOST-COLLECTION

Manipulate host collections

Usage:

hammer host-collection [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:

add-host Add host to the host collection
 copy Copy a host collection
 create Create a host collection
 delete, destroy Destroy a host collection
 erratum Manipulate errata for a host collection

hosts	List all hosts
info, show	Show a host collection
list, index	List host collections
package	Manipulate packages for a host collection
package-group	Manipulate package-groups for a host collection
remove-host	Remove hosts from the host collection
update	Update a host collection
Options:	
-h, --help	Print help

2.36.1. hammer host-collection add-host

Add host to the host collection

Usage:

```
hammer host-collection add-host [OPTIONS]
```

Options:

--host-ids LIST	Array of host ids
--hosts LIST	
--id NUMBER	Id of the host collection
--name VALUE	Host collection name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.2. hammer host-collection copy

Copy a host collection

Usage:

```
hammer host-collection copy [OPTIONS]
```

Options:

```
--id NUMBER           ID of the host collection
--name VALUE          New host collection name
--new-name VALUE      New host collection name
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.3. hammer host-collection create

Create a host collection

Usage:

```
hammer host-collection create [OPTIONS]
```

Options:

```
--description VALUE
--host-ids LIST      List of host ids to replace the hosts in host collection
--hosts LIST
--max-hosts NUMBER  Maximum number of hosts in the host collection
--name VALUE        Host Collection name
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--unlimited-hosts    Set hosts max to unlimited
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.4. hammer host-collection delete

Destroy a host collection

Usage:

```
hammer host-collection <delete|destroy> [OPTIONS]
```

Options:

--id NUMBER	Id of the host collection
--name VALUE	Host collection name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.5. hammer host-collection erratum

Manipulate errata for a host collection

Usage:

```
hammer host-collection erratum [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
------------	------------

```
[ARG] ...           Subcommand arguments

Subcommands:
install            Install errata on content hosts contained within a host collection

Options:
-h, --help        Print help
```

2.36.5.1. hammer host-collection erratum install

Install errata on content hosts contained within a host collection

```
Usage:
  hammer host-collection erratum install [OPTIONS]

Options:
--errata LIST          List of Errata to install
--id VALUE             Host Collection ID
--name VALUE          Host Collection Name
--organization VALUE  Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help            Print help

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.6. hammer host-collection hosts

List all hosts

```
Usage:
  hammer host-collection hosts [OPTIONS]

Options:
--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE     Hostgroup name
--hostgroup-id VALUE  ID of host group
```

```

--hostgroup-title VALUE    Hostgroup title
--id VALUE                Host Collection ID
--include ENUM            Array of extra information types to include
                          Possible value(s): 'parameters', 'all_parameters'
--location VALUE          Set the current location context for the request
--location-id VALUE       ID of location
--location-title VALUE    Set the current location context for the request
--name VALUE              Host Collection Name
--order VALUE             Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE      Organization name to search by
--organization-id VALUE   ID of organization
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER             Page number, starting at 1
--per-page VALUE          Number of results per page to return, 'all' to return all results
--search VALUE            Filter results
--thin BOOLEAN            Only list ID and name of hosts
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x | x
Name   | x | x | x
Security | x |   |
Bugfix | x |   |
Enhancement | x |   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

activation_key      string
activation_key_id   string
addon               string
addons_status       Values: mismatched, matched, not_specified
ansible_role        string
applicable_debs     string
applicable_errata   string

```

applicable_errata_issued	date
applicable_rpms	string
architecture	string
autoheal	boolean
boot_time	
build	Values: true, false
build_status	Values: built, pending, token_expired, build_failed
comment	text
compute_resource	string
compute_resource_id	integer
content_source	string
content_view	string
content_view_id	integer
created_at	datetime
cve_id	integer
domain	string
domain_id	integer
errata_status	Values: security_needed, errata_needed, updated, unknown
execution_status	Values: ok, error
facts	string
global_status	Values: ok, warning, error
has_ip	string
has_mac	string
hostgroup	string
hostgroup_fullname	string
hostgroup_id	integer
hostgroup_name	string
hostgroup_title	string
hypervisor	boolean
hypervisor_host	string
id	integer
image	string
infrastructure_facet.foreman	
infrastructure_facet.smart_proxy_id	
insights_recommendations_count	integer
installable_errata	string
installed_at	datetime
ip	string
job_invocation.id	string
job_invocation.result	Values: cancelled, failed, pending, success
last_checkin	datetime
last_report	datetime
lifecycle_environment	string
lifecycle_environment_id	integer
location	string
location_id	integer
mac	string
managed	Values: true, false
model	string
name	string
organization	string
organization_id	integer
origin	string
os	string
os_description	string
os_id	integer

os_major	string
os_minor	string
os_title	string
owner	string
owner_id	integer
owner_type	string
params	string
params_name	string
parent_hostgroup	string
puppet_ca	string
puppet_proxy_id	integer
puppetmaster	string
purpose_status	Values: mismatched, matched, not_specified
realm	string
realm_id	integer
registered_at	datetime
registered_through	string
release_version	string
reported.boot_time	
reported.cores	
reported.disks_total	
reported.ram	
reported.sockets	
reported.virtual	Values: true, false
repository	string
repository_content_label	string
role	text
role_status	Values: mismatched, matched, not_specified
service_level	string
sla_status	Values: mismatched, matched, not_specified
smart_proxy	string
status.applied	integer
status.enabled	Values: true, false
status.failed	integer
status.failed_restarts	integer
status.interesting	Values: true, false
status.pending	integer
status.restarted	integer
status.skipped	integer
subnet	string
subnet.name	text
subnet6	string
subnet6.name	text
subscription_id	string
subscription_name	string
subscription_status	Values: valid, partial, invalid, unknown, disabled,
unsubscribed_hypervisor	
subscription_uuid	string
trace_status	Values: reboot_needed, process_restart_needed, updated
upgradable_debs	string
upgradable_rpms	string
usage	text
usage_status	Values: mismatched, matched, not_specified
user.firstname	string
user.lastname	string
user.login	string

user.mail	string
usergroup	string
usergroup.name	string
uuid	string

2.36.7. hammer host-collection info

Show a host collection

Usage:

```
hammer host-collection <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            Id of the host collection
--name VALUE           Host collection name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Limit   | x  | x      |
Description | x  | x      |
Total hosts | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.8. hammer host-collection list

List host collections

-

Usage:

```
hammer host-collection <list|index> [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id VALUE   Activation key identifier
--available-for VALUE       Interpret specified object to return only Host Collections that can be
                             associated with specified object. The value 'host' is supported.
--fields LIST               Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN       Whether or not to show all results
--host VALUE                Host name
--host-id NUMBER            Filter products by host id
--name VALUE                Host collection name to filter by
--order VALUE               Sort field and order, eg. 'id DESC'
--organization VALUE        Organization name to search by
--organization-id NUMBER    Organization identifier
--organization-label VALUE   Organization label to search by
--organization-title VALUE  Organization title
--page NUMBER               Page number, starting at 1
--per-page NUMBER           Number of results per page to return
--search VALUE              Search string
-h, --help                  Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Limit   | x | x |
Description | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
host         string
name         string
organization_id integer
```

2.36.9. hammer host-collection package

Manipulate packages for a host collection

Usage:

```
hammer host-collection package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
install            Install packages on content hosts contained within a host collection
remove            Remove packages on content hosts contained within a host collection
update            Update packages on content hosts contained within a host collection
```

Options:

```
-h, --help        Print help
```

2.36.9.1. hammer host-collection package install

Install packages on content hosts contained within a host collection

Usage:

```
hammer host-collection package install [OPTIONS]
```

Options:

```
--id VALUE          Host Collection ID
--name VALUE        Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--packages LIST     Comma-separated list of packages to install
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.36.9.2. hammer host-collection package remove

Remove packages on content hosts contained within a host collection

Usage:

```
hammer host-collection package remove [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--packages LIST      Comma-separated list of packages to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.36.9.3. hammer host-collection package update

Update packages on content hosts contained within a host collection

Usage:

```
hammer host-collection package update [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--packages LIST      Comma-separated list of packages to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.10. hammer host-collection package-group

Manipulate package-groups for a host collection

Usage:

```
hammer host-collection package-group [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
install             Install package-groups on content hosts contained within a host collection
remove              Remove package-groups on content hosts contained within a host collection
update              Update package-groups on content hosts contained within a host collection
```

Options:

```
-h, --help          Print help
```

2.36.10.1. hammer host-collection package-group install

Install package-groups on content hosts contained within a host collection

Usage:

```
hammer host-collection package-group install [OPTIONS]
```

Options:

```
--id VALUE          Host Collection ID
--name VALUE        Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--package-groups LIST Comma-separated list of package-groups to install
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.10.2. hammer host-collection package-group remove

Remove package-groups on content hosts contained within a host collection

Usage:

```
hammer host-collection package-group remove [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--package-groups LIST Comma-separated list of package-groups to install
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.10.3. hammer host-collection package-group update

Update package-groups on content hosts contained within a host collection

Usage:

```
hammer host-collection package-group update [OPTIONS]
```

Options:

```
--id VALUE           Host Collection ID
--name VALUE         Host Collection Name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--package-groups LIST Comma-separated list of package-groups to install
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string
```

2.36.11. hammer host-collection remove-host

Remove hosts from the host collection

Usage:

```
hammer host-collection remove-host [OPTIONS]
```

Options:

```
--host-ids LIST      Array of host ids
--hosts LIST
--id NUMBER          Id of the host collection
--name VALUE         Host collection name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
```


FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.36.12. hammer host-collection update

Update a host collection

Usage:

```
hammer host-collection update [OPTIONS]
```

Options:

```
--description VALUE
--host-ids LIST      List of host ids to replace the hosts in host collection
--hosts LIST
--id NUMBER         Id of the host collection
--max-hosts NUMBER  Maximum number of hosts in the host collection
--name VALUE        Host Collection name
--new-name VALUE    Host Collection name
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--unlimited-hosts    Set hosts max to unlimited
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.37. HAMMER HOST-REGISTRATION

Host Registration

Usage:

```
hammer host-registration [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
generate-command    Generate global registration command
```

Options:

```
-h, --help          Print help
```

2.37.1. hammer host-registration generate-command

Generate global registration command

Usage:

```
hammer host-registration generate-command [OPTIONS]
```

Options:

```
--activation-key VALUE          Activation key for subscription-manager client, required for CentOS
and Red Hat
                                Enterprise Linux. For multiple keys use `activation_keys` param instead.
--activation-keys LIST          Activation keys for subscription-manager client, required for CentOS
and Red Hat
--force BOOLEAN                 Enterprise Linux. Required only if host group has no activation keys.
                                Clear any previous registration and run subscription-manager with --
force.
--hostgroup VALUE              Hostgroup name
--hostgroup-id NUMBER          ID of the Host group to register the host in
--hostgroup-title VALUE        Hostgroup title
--ignore-subman-errors BOOLEAN Ignore subscription-manager errors for `subscription-manager
register` command
--insecure BOOLEAN             Enable insecure argument for the initial curl
--jwt-expiration NUMBER         Expiration of the authorization token (in hours)
--lifecycle-environment VALUE  Name to search by
--lifecycle-environment-id NUMBER Lifecycle environment for the host.
--location VALUE               Set the current location context for the request
--location-id NUMBER           Set the current location context for the request
--location-title VALUE         Set the current location context for the request
--operatingsystem VALUE        Operating system title
--operatingsystem-id NUMBER    ID of the Operating System to register the host in. Operating
system must have a
                                `host_init_config` template assigned
--organization VALUE           Set the current organization context for the request
--organization-id NUMBER       Set the current organization context for the request
--organization-title VALUE     Set the current organization context for the request
--packages VALUE               Packages to install on the host when registered. Can be set by
`host_packages`
                                parameter, example: `pkg1 pkg2`
--remote-execution-interface VALUE Identifier of the Host interface for Remote execution
--repo VALUE                   Repository URL / details, for example for Debian OS family: 'deb
```

```

deb.example.com/ buster 1.0', for Red Hat OS family:
'yum.theforeman.org/client/latest/el8/x86_64/'
--repo-gpg-key-url VALUE      URL of the GPG key for the repository
--setup-insights BOOLEAN     Set 'host_registration_insights' parameter for the host. If it is set to
true,
                               insights client will be installed and registered on Red Hat family operating
                               systems
--setup-remote-execution BOOLEAN Set 'host_registration_remote_execution' parameter for the
host. If it is set to
                               true, SSH keys will be installed on the host
--smart-proxy VALUE          Name to search by
--smart-proxy-id NUMBER      ID of the Capsule. This Capsule must have enabled both the
'Templates' and
                               'Registration' features
--update-packages BOOLEAN    Update all packages on the host
-h, --help                   Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.38. HAMMER HOSTGROUP

Manipulate hostgroups

Usage:

```
hammer hostgroup [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

ansible-roles  Manage Ansible roles on a hostgroup
create         Create a host group
delete, destroy Delete a host group
delete-parameter Delete parameter for a hostgroup
info, show     Show a host group
list, index    List all host groups
rebuild-config Rebuild orchestration config
set-parameter  Create or update parameter for a hostgroup

```

update Update a host group

Options:

-h, --help Print help

2.38.1. hammer hostgroup ansible-roles

Manage Ansible roles on a hostgroup

Usage:

hammer hostgroup ansible-roles [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:

assign Assigns Ansible roles to a hostgroup
list, index List all Ansible roles for a hostgroup
play Runs all Ansible roles on a hostgroup

Options:

-h, --help Print help

2.38.1.1. hammer hostgroup ansible-roles assign

Assigns Ansible roles to a hostgroup

Usage:

hammer hostgroup ansible-roles assign [OPTIONS]

Options:

--ansible-role-ids LIST Ansible roles to assign to a hostgroup
--ansible-roles LIST
--id VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE Hostgroup name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE Hostgroup title
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.1.2. hammer hostgroup ansible-roles list

List all Ansible roles for a hostgroup

Usage:

```
hammer hostgroup ansible-roles <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Hostgroup name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--title VALUE	Hostgroup title
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Imported at | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.1.3. hammer hostgroup ansible-roles play

Runs all Ansible roles on a hostgroup

Usage:

```
hammer hostgroup ansible-roles play [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Hostgroup name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE           Hostgroup title
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.38.2. hammer hostgroup create

Create a host group

Usage:

```
hammer hostgroup create [OPTIONS]
```

Options:

```
--ansible-role-ids LIST    IDs of associated ansible roles
--ansible-roles LIST
--architecture VALUE      Architecture name
--architecture-id NUMBER  Architecture ID
--ask-root-password BOOLEAN
--compute-profile VALUE    Compute profile name
--compute-profile-id NUMBER Compute profile ID
--compute-resource VALUE  Compute resource name
--compute-resource-id NUMBER Compute resource ID
--content-source VALUE    Content Source name
```

```

--content-source-id NUMBER      Content source ID
--content-view VALUE           Name to search by
--content-view-id NUMBER       Content view ID
--description VALUE            Host group description
--domain VALUE                 Domain name
--domain-id NUMBER             Domain ID
--group-parameters-attributes SCHEMA Array of parameters
--kickstart-repository VALUE    Kickstart repository name
--kickstart-repository-id NUMBER Kickstart repository ID
--lifecycle-environment VALUE   Name to search by
--lifecycle-environment-id NUMBER Lifecycle environment ID
--location VALUE               Set the current location context for the request
--location-id NUMBER           Set the current location context for the request
--location-ids LIST            REPLACE locations with given ids
--location-title VALUE         Set the current location context for the request
--location-titles LIST
--locations LIST
--medium VALUE                 Medium name
--medium-id NUMBER             Media ID
--name VALUE                   Name of the host group
--opencap-proxy-id NUMBER       ID of OpenSCAP Capsule
--operatingsystem VALUE        Operating system title
--operatingsystem-id NUMBER    Operating system ID
--organization VALUE           Set the current organization context for the request
--organization-id NUMBER       Set the current organization context for the request
--organization-ids LIST        REPLACE organizations with given ids.
--organization-title VALUE     Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--parent VALUE                 Name of parent hostgroup
--parent-id NUMBER             Parent ID of the host group
--parent-title VALUE           Title of parent hostgroup
--partition-table VALUE        Partition table name
--partition-table-id NUMBER    Partition table ID
--puppet-ca-proxy-id NUMBER     Puppet CA Capsule ID
--puppet-proxy-id NUMBER       Puppet Capsule ID
--pxe-loader ENUM              DHCP filename option (Grub2/PXELinux by default)
                               Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2
                               BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                               'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                               HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--query-organization VALUE     Organization name to search by
--query-organization-id VALUE  Organization ID to search by
--query-organization-label VALUE Organization label to search by
--realm VALUE                  Name to search by
--realm-id NUMBER              Realm ID
--root-password VALUE          Root password
--subnet VALUE                 Subnet name
--subnet-id NUMBER             Subnet ID
--subnet6 VALUE                Subnet IPv6 name
--subnet6-id NUMBER            Subnet IPv6 ID
-h, --help                     Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--group-parameters-attributes "name=<string>\,value=<string>\,parameter_type=[string|boolean|integer|real|array|hash|yaml|json]\,hidden_value=[true|false|1|0], ... "
```

2.38.3. hammer hostgroup delete

Delete a host group

Usage:

```
hammer hostgroup <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Hostgroup name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--title VALUE	Hostgroup title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.4. hammer hostgroup delete-parameter

Delete parameter for a hostgroup

Usage:

```
hammer hostgroup delete-parameter [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE Hostgroup title
--name VALUE           Parameter name
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.5. hammer hostgroup info

Show a host group

Usage:

```
hammer hostgroup <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Hostgroup name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```
--organization-title VALUE    Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
--title VALUE                Hostgroup title
-h, --help                    Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Title	x	x	x
Model	x	x	
Description	x	x	
Parent	x	x	
Compute profile	x	x	
Compute resource	x	x	
Network/subnet ipv4	x	x	
Network/subnet ipv6	x	x	
Network/realm	x	x	
Network/domain	x	x	
Operating system/architecture	x	x	
Operating system/operating system	x	x	
Operating system/medium	x	x	
Operating system/partition table	x	x	
Operating system/pxe loader	x	x	
Parameters/	x	x	
Locations/	x	x	
Organizations/	x	x	
Openscap proxy	x	x	
Content view/id	x	x	
Content view/name	x	x	
Lifecycle environment/id	x	x	
Lifecycle environment/name	x	x	
Content source/id	x	x	
Content source/name	x	x	
Kickstart repository/id	x	x	
Kickstart repository/name	x	x	

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.6. hammer hostgroup list

List all host groups

Usage:

```
hammer hostgroup <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Title	x	x	x
Operating system	x	x	
Model	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

```

architecture  string
host           string
id            integer
label         string
location      string
location_id   integer
medium        string
name          string
organization  string
organization_id integer
os            string
os_description string
os_id         integer
os_major      string
os_minor      string
os_title      string
oval_policy_id string
params        string
template      string
title         string

```

2.38.7. hammer hostgroup rebuild-config

Rebuild orchestration config

Usage:

```
hammer hostgroup rebuild-config [OPTIONS]
```

Options:

```

--children-hosts BOOLEAN  Operate on child hostgroup hosts
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Hostgroup name
--only LIST               Limit rebuild steps, valid steps are DHCP, DNS, TFTP, Content_Host_Status,
                          Refresh_Content_Host_Status
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE             Hostgroup title
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters

```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.38.8. hammer hostgroup set-parameter

Create or update parameter for a hostgroup

Usage:

```
hammer hostgroup set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--hostgroup VALUE         Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE   Hostgroup title
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string
```

2.38.9. hammer hostgroup update

Update a host group

Usage:

```
hammer hostgroup update [OPTIONS]
```

Options:

```
--ansible-role-ids LIST    IDs of associated ansible roles
--ansible-roles LIST
```

```

--architecture VALUE           Architecture name
--architecture-id NUMBER       Architecture ID
--ask-root-password BOOLEAN
--compute-profile VALUE        Compute profile name
--compute-profile-id NUMBER    Compute profile ID
--compute-resource VALUE       Compute resource name
--compute-resource-id NUMBER   Compute resource ID
--content-source VALUE         Content Source name
--content-source-id NUMBER     Content source ID
--content-view VALUE           Name to search by
--content-view-id NUMBER       Content view ID
--description VALUE            Host group description
--domain VALUE                 Domain name
--domain-id NUMBER             Domain ID
--group-parameters-attributes SCHEMA Array of parameters
--id VALUE
--kickstart-repository VALUE    Kickstart repository name
--kickstart-repository-id NUMBER Kickstart repository ID
--lifecycle-environment VALUE   Name to search by
--lifecycle-environment-id NUMBER Lifecycle environment ID
--location VALUE               Set the current location context for the request
--location-id NUMBER           Set the current location context for the request
--location-ids LIST            REPLACE locations with given ids
--location-title VALUE         Set the current location context for the request
--location-titles LIST
--locations LIST
--medium VALUE                 Medium name
--medium-id NUMBER             Media ID
--name VALUE                   Name of the host group
--new-name VALUE               Name of the host group
--openscap-proxy-id NUMBER     ID of OpenSCAP Capsule
--operatingsystem VALUE        Operating system title
--operatingsystem-id NUMBER    Operating system ID
--organization VALUE           Set the current organization context for the request
--organization-id NUMBER       Set the current organization context for the request
--organization-ids LIST        REPLACE organizations with given ids.
--organization-title VALUE     Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--parent VALUE                 Name of parent hostgroup
--parent-id NUMBER             Parent ID of the host group
--parent-title VALUE           Title of parent hostgroup
--partition-table VALUE        Partition table name
--partition-table-id NUMBER    Partition table ID
--puppet-ca-proxy-id NUMBER     Puppet CA Capsule ID
--puppet-proxy-id NUMBER       Puppet Capsule ID
--pxe-loader ENUM              DHCP filename option (Grub2/PXELinux by default)
                               Possible value(s): 'None', 'PXELinux BIOS', 'PXELinux UEFI', 'Grub UEFI',
'Grub2
                               BIOS', 'Grub2 ELF', 'Grub2 UEFI', 'Grub2 UEFI SecureBoot', 'Grub2 UEFI
HTTP',
                               'Grub2 UEFI HTTPS', 'Grub2 UEFI HTTPS SecureBoot', 'iPXE Embedded',
'iPXE UEFI
                               HTTP', 'iPXE Chain BIOS', 'iPXE Chain UEFI'
--query-organization VALUE     Organization name to search by
--query-organization-id VALUE   Organization ID to search by

```

```

--query-organization-label VALUE  Organization label to search by
--realm VALUE                      Name to search by
--realm-id NUMBER                  Realm ID
--root-password VALUE             Root password
--subnet VALUE                    Subnet name
--subnet-id NUMBER                Subnet ID
--subnet6 VALUE                   Subnet IPv6 name
--subnet6-id NUMBER               Subnet IPv6 ID
--title VALUE                     Hostgroup title
-h, --help                        Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (**bold** are required; <> contains acceptable type; [] contains acceptable value):

```

--group-parameters-attributes "name=<string>\,value=<string>\,parameter_type=
[string|boolean|integer|real|array|hash|yaml|json]\,hidden_value=[true|false|1|0], ... "

```

2.39. HAMMER HTTP-PROXY

Manipulate http proxies

Usage:

```
hammer http-proxy [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

create          Create an HTTP Proxy
delete, destroy Delete an HTTP Proxy
info, show      Show an HTTP Proxy
list, index     List of HTTP Proxies
update         Update an HTTP Proxy

```

Options:

```
-h, --help      Print help
```

2.39.1. hammer http-proxy create

Create an HTTP Proxy

Usage:

```
hammer http-proxy create [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE              The HTTP Proxy name
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--password VALUE          Password used to authenticate with the HTTP Proxy
--url VALUE                URL of the HTTP Proxy
--username VALUE          Username used to authenticate with the HTTP Proxy
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.39.2. hammer http-proxy delete

Delete an HTTP Proxy

Usage:

```
hammer http-proxy <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
```



```

--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.39.3. hammer http-proxy info

Show an HTTP Proxy

Usage:

```
hammer http-proxy <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Identifier of the HTTP Proxy
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x    | x
Name    | x  | x    | x
Username | x  | x    |
Url     | x  | x    |
Locations/ | x | x    |
Organizations/ | x | x    |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.39.4. hammer http-proxy list

List of HTTP Proxies

Usage:

```
hammer http-proxy <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x  | x    | x
Name   | x  | x    | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

location	string
location_id	integer
name	string
organization	string
organization_id	integer
url	string

2.39.5. hammer http-proxy update

Update an HTTP Proxy

Usage:

```
hammer http-proxy update [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--name VALUE	The HTTP Proxy name
--new-name VALUE	The HTTP Proxy name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--password VALUE	Password used to authenticate with the HTTP Proxy
--url VALUE	URL of the HTTP Proxy
--username VALUE	Username used to authenticate with the HTTP Proxy
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.40. HAMMER IMPORT-TEMPLATES

Import templates from a git repo or a directory on the server

Usage:

```
hammer import-templates [OPTIONS]
```

Options:

```
--associate ENUM          Associate to OS's, Locations & Organizations. Options are: always, new
or never.
                          Possible value(s): 'always', 'new', 'never'
--branch VALUE           Branch in Git repo.
--dirname VALUE          The directory within Git repo containing the templates
--filter VALUE           Export templates with names matching this regex (case-insensitive; snippets
are
                          not filtered).
--force BOOLEAN          Update templates that are locked
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--lock ENUM              Lock imported templates
                          Possible value(s): 'lock', 'keep_lock_new', 'keep', 'unlock', 'true', 'false',
                          '0', '1'
--negate BOOLEAN         Negate the prefix (for purging).
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--prefix VALUE           The string all imported templates should begin with.
--repo VALUE             Override the default repo from settings.
--verbose BOOLEAN        Show template diff in response
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.41. HAMMER JOB-INVOCATION

Manage job invocations

Usage:

```
hammer job-invocation [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

cancel	Cancel the job
create	Create a job invocation
info, show	Show job invocation
list, index	List job invocations
output	View the output for a host
rerun	Rerun the job

Options:

-h, --help	Print help
------------	------------

2.41.1. hammer job-invocation cancel

Cancel the job

Usage:

```
hammer job-invocation cancel [OPTIONS]
```

Options:

--force	BOOLEAN	
--id	VALUE	
--location-id	NUMBER	Set the current location context for the request
--organization-id	NUMBER	Set the current organization context for the request
-h, --help		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.41.2. hammer job-invocation create

Create a job invocation

Usage:

```
hammer job-invocation create [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--bookmark VALUE       Name to search by
--bookmark-id NUMBER
--concurrency-level NUMBER    Run at most N tasks at a time
--cron-line VALUE       Create a recurring execution
                        Cron line format 'a b c d e', where:
                        a. is minute (range: 0-59)
                        b. is hour (range: 0-23)
                        c. is day of month (range: 1-31)
                        d. is month (range: 1-12)
                        e. is day of week (range: 0-6)
--description-format VALUE    Override the description format from the template for this
invocation only
--dynamic                Dynamic search queries are evaluated at run time
--effective-user VALUE       What user should be used to run the script (using sudo-like
mechanisms).
                        Defaults to a template parameter or global setting.
--effective-user-password VALUE    Set password for effective user (using sudo-like mechanisms)
--end-time DATETIME        Perform no more executions after this time, used with --cron-line
--execution-timeout-interval NUMBER    Override the timeout interval from the template for this
invocation only
--feature VALUE           Remote execution feature label that should be triggered, job template
assigned
                        to this feature will be used
--input-files KEY_VALUE_LIST    Read input values from files
                        Comma-separated list of key=file, where file is a path to a text file to be read
--inputs KEY_VALUE_LIST       Specify inputs from command line
--job-template VALUE         Name to search by
--job-template-id VALUE       The job template to use, parameter is required unless feature was
specified
--key-passphrase VALUE       Set SSH key passphrase
--location VALUE            Set the current location context for the request
--location-id NUMBER        Set the current location context for the request
--location-title VALUE       Set the current location context for the request
--max-iteration NUMBER       Repeat a maximum of N times
--organization VALUE        Set the current organization context for the request
```

```

--organization-id NUMBER      Set the current organization context for the request
--organization-title VALUE    Set the current organization context for the request
--password VALUE             Set SSH password
--purpose VALUE              Designation of a special purpose
--randomized-ordering BOOLEAN Execute the jobs on hosts in randomized order
--search-query VALUE
--start-at DATETIME          Schedule the execution for a later time
--start-before DATETIME      Execution should be cancelled if it cannot be started before --start-
at
--tags VALUE                 A comma separated list of tags to use for Ansible run
--tags-flag ENUM             IncludeExclude tags for Ansible run
                             Possible value(s): 'include', 'exclude'
--time-span NUMBER           Distribute tasks over N seconds
-h, --help                   Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.41.3. hammer job-invocation info

Show job invocation

Usage:

```
hammer job-invocation <info|show> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location-id NUMBER Set the current location context for the request
--organization-id NUMBER Set the current organization context for the request
--show-host-status Show job status for the hosts
--show-inputs      Show the complete input of the job
-h, --help         Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Id     | x  | x
Description | x | x

```

```

Status          | x | x
Success         | x | x
Failed          | x | x
Pending         | x | x
Missing         | x | x
Total           | x | x
Start           | x | x
Randomized ordering | x | x
Inputs          | x | x
Job category    | x | x
Mode            | x | x
Cron line       | x | x
Recurring logic id | x | x
Hosts           | x | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN        One of true/false, yes/no, 1/0
DATETIME        Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string

```

2.41.4. hammer job-invocation list

List job invocations

Usage:

```
hammer job-invocation <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE      Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER      Page number, starting at 1
--per-page VALUE   Number of results per page to return, 'all' to return all results
--search VALUE     Filter results
-h, --help         Print help

```


Predefined field sets:

```

-----|-----|-----
FIELDS      | ALL | DEFAULT
-----|-----|-----
Id          | x  | x
Description  | x  | x
Status      | x  | x
Success     | x  | x
Failed      | x  | x
Pending     | x  | x
Total       | x  | x
Start       | x  | x
Randomized ordering | x  | x
Inputs      | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.41.5. hammer job-invocation output

View the output for a host

Usage:

```
hammer job-invocation output [OPTIONS]
```

Options:

```

--async          Do not wait for job to complete, shows current output only
--host VALUE     Host name
--host-id VALUE
--id VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE     Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help      Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.41.6. hammer job-invocation rerun

Rerun the job

Usage:

```
hammer job-invocation rerun [OPTIONS]
```

Options:

```
--failed-only BOOLEAN
--id VALUE
--location-id NUMBER    Set the current location context for the request
--organization-id NUMBER Set the current organization context for the request
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42. HAMMER JOB-TEMPLATE

Manage job templates

Usage:

```
hammer job-template [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create a job template
delete, destroy    Delete a job template
dump               View job template content
export             Export a template including all metadata
import            Import a job template from ERB
info, show         Show job template details
list, index        List job templates
update            Update a job template
```

Options:

```
-h, --help         Print help
```

2.42.1. hammer job-template create

Create a job template

Usage:

```
hammer job-template create [OPTIONS]
```

Options:

```
--audit-comment VALUE
--current-user BOOLEAN  Whether the current user login should be used as the effective user
--description VALUE
--description-format VALUE  This template is used to generate the description. Input values can be
used
                        using the syntax %{package}. You may also include the job category and template
                        name using %{job_category} and %{template_name}.
--file FILE             Path to a file that contains the template
--job-category VALUE    Job category
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN        Whether or not the template is locked for editing
--name VALUE            Template name
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE  Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--overridable BOOLEAN   Whether it should be allowed to override the effective user from the
invocation
                        form.
--provider-type ENUM    Provider type
```

```

Possible value(s): 'SSH', 'Ansible'
--snippet BOOLEAN
--value VALUE      What user should be used to run the script (using sudo-like mechanisms)
-h, --help        Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.42.2. hammer job-template delete

Delete a job template

Usage:

```
hammer job-template <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42.3. hammer job-template dump

View job template content

Usage:

```
hammer job-template dump [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----
FIELDS
-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.42.4. hammer job-template export

Export a template including all metadata

Usage:

```
hammer job-template export [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----
FIELDS
-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.42.5. hammer job-template import

Import a job template from ERB

Usage:

```
hammer job-template import [OPTIONS]
```

Options:

```

--file FILE          Path to a file that contains the template - must include ERB metadata
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--overwrite BOOLEAN Overwrite template if it already exists
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42.6. hammer job-template info

Show job template details

Usage:

```
hammer job-template <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Job category | x  | x      |
Provider | x  | x      |
Type    | x  | x      |
Description | x  | x      |
Inputs  | x  | x      |
Locations/ | x  | x      |
Organizations/ | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42.7. hammer job-template list

List job templates

Usage:

```
hammer job-template <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Job category | x  | x      |
Provider | x  | x      |
Type    | x  | x      |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.42.8. hammer job-template update

Update a job template

Usage:

```
hammer job-template update [OPTIONS]
```

Options:

```
--audit-comment VALUE
--current-user BOOLEAN    Whether the current user login should be used as the effective user
--description VALUE
--description-format VALUE This template is used to generate the description. Input values can be
used
                           using the syntax %{package}. You may also include the job category and template
                           name using %{job_category} and %{template_name}.
--file FILE              Path to a file that contains the template
--id VALUE
--job-category VALUE     Job category
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN         Whether or not the template is locked for editing
--name VALUE             Template name
--new-name VALUE         Template name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--overridable BOOLEAN    Whether it should be allowed to override the effective user from the
invocation
                           form.
--provider-type ENUM     Provider type
                           Possible value(s): 'SSH', 'Ansible'
--snippet BOOLEAN
--value VALUE            What user should be used to run the script (using sudo-like mechanisms)
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.43. HAMMER LIFECYCLE-ENVIRONMENT

Manipulate lifecycle_environments on the server

Usage:

```
hammer lifecycle-environment [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create an environment
delete, destroy	Destroy an environment
info, show	Show an environment
list, index	List environments in an organization
paths	List environment paths
update	Update an environment

Options:

-h, --help	Print help
------------	------------

2.43.1. hammer lifecycle-environment create

Create an environment

Usage:

```
hammer lifecycle-environment create [OPTIONS]
```

Options:

--description VALUE	Description of the environment
--label VALUE	Label of the environment
--name VALUE	Name of the environment
--organization VALUE	Organization name to search by
--organization-id NUMBER	Name of organization
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--prior VALUE	Name of the prior environment
--prior-id NUMBER	ID of an environment that is prior to the new environment in the chain. It has

to be either the ID of Library or the ID of an environment at the end of a chain.

```
--registry-name-pattern VALUE      Pattern for container image names
--registry-unauthenticated-pull BOOLEAN Allow unauthenticated pull of container images
-h, --help                          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.43.2. hammer lifecycle-environment delete

Destroy an environment

Usage:

```
hammer lifecycle-environment <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          ID of the environment
--name VALUE         Lifecycle environment name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.43.3. hammer lifecycle-environment info

Show an environment

Usage:

```
hammer lifecycle-environment <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           ID of the environment
--name VALUE          Lifecycle environment name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER ID of the organization
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Name         | x  | x      | x
Label        | x  | x      |
Description  | x  | x      |
Organization | x  | x      |
Library      | x  | x      |
Prior lifecycle environment | x  | x      |
Unauthenticated pull | x  | x      |
Registry name pattern | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.43.4. hammer lifecycle-environment list

List environments in an organization

Usage:

hammer lifecycle-environment <list|index> [OPTIONS]

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN  Whether or not to show all results
--label VALUE          Filter only environments containing this label
--library ENUM          Set true if you want to see only library environments
                       Possible value(s): 'true', 'false'
--name VALUE           Filter only environments containing this name
--order VALUE          Sort field and order, eg. 'id DESC'
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER          Page number, starting at 1
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Prior  | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
id          integer
label       string
name        string
organization_id integer
```

2.43.5. hammer lifecycle-environment paths

List environment paths

-

Usage:

```
hammer lifecycle-environment paths [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--permission-type VALUE The associated permission type. One of (readable | promotable)
```

Default: readable

```
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----
FIELDS | ALL | DEFAULT
-----|-----|-----
Lifecycle path | x | x
-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.43.6. hammer lifecycle-environment update

Update an environment

Usage:

```
hammer lifecycle-environment update [OPTIONS]
```

Options:

```
--async BOOLEAN      Do not wait for the update action to finish. Default: true
--description VALUE   Description of the environment
--id NUMBER           ID of the environment
--name VALUE          Lifecycle environment name to search by
--new-name VALUE      New name to be given to the environment
--organization VALUE  Organization name to search by
--organization-id NUMBER Name of the organization
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
```

```
--registry-name-pattern VALUE      Pattern for container image names
--registry-unauthenticated-pull BOOLEAN Allow unauthenticated pull of container images
-h, --help                          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.44. HAMMER LOCATION

Manipulate locations

Usage:

```
hammer location [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
add-compute-resource  Associate a compute resource
add-domain            Associate a domain
add-hostgroup         Associate a hostgroup
add-medium            Associate a medium
add-organization      Associate an organization
add-provisioning-template Associate provisioning templates
add-smart-proxy       Associate a smart proxy
add-subnet            Associate a subnet
add-user              Associate an user
create                Create a location
delete, destroy       Delete a location
delete-parameter      Delete parameter for a location
info, show            Show a location
list, index           List all locations
remove-compute-resource Disassociate a compute resource
remove-domain         Disassociate a domain
remove-hostgroup      Disassociate a hostgroup
remove-medium         Disassociate a medium
remove-organization  Disassociate an organization
remove-provisioning-template Disassociate provisioning templates
remove-smart-proxy    Disassociate a smart proxy
```

remove-subnet	Disassociate a subnet
remove-user	Disassociate an user
set-parameter	Create or update parameter for a location
update	Update a location

Options:

-h, --help	Print help
------------	------------

2.44.1. hammer location add-compute-resource

Associate a compute resource

Usage:

```
hammer location add-compute-resource [OPTIONS]
```

Options:

--compute-resource VALUE	Compute resource name
--compute-resource-id NUMBER	
--id VALUE	
--name VALUE	Set the current location context for the request
--title VALUE	Set the current location context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.2. hammer location add-domain

Associate a domain

Usage:

```
hammer location add-domain [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id NUMBER	Numerical ID or domain name
--id VALUE	
--name VALUE	Set the current location context for the request
--title VALUE	Set the current location context for the request

`-h, --help` Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.3. hammer location add-hostgroup

Associate a hostgroup

Usage:

```
hammer location add-hostgroup [OPTIONS]
```

Options:

<code>--hostgroup VALUE</code>	Hostgroup name
<code>--hostgroup-id NUMBER</code>	
<code>--hostgroup-title VALUE</code>	Hostgroup title
<code>--id VALUE</code>	
<code>--name VALUE</code>	Set the current location context for the request
<code>--title VALUE</code>	Set the current location context for the request
<code>-h, --help</code>	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.4. hammer location add-medium

Associate a medium

Usage:

```
hammer location add-medium [OPTIONS]
```

Options:

```
--id VALUE
--medium VALUE           Medium name
--medium-id NUMBER
--name VALUE             Set the current location context for the request
--title VALUE           Set the current location context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.44.5. hammer location add-organization

Associate an organization

Usage:

```
hammer location add-organization [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE             Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Organization ID
--organization-title VALUE Set the current organization context for the request
--title VALUE           Set the current location context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.6. hammer location add-provisioning-template

Associate provisioning templates

Usage:

```
hammer location add-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--provisioning-template VALUE  Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST  List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                        associated
--provisioning-templates LIST  List of provisioning template names
--title VALUE          Set the current location context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.7. hammer location add-smart-proxy

Associate a smart proxy

Usage:

```
hammer location add-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--smart-proxy VALUE   Name to search by
--smart-proxy-id NUMBER
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.44.8. hammer location add-subnet

Associate a subnet

Usage:

```
hammer location add-subnet [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--subnet VALUE        Subnet name
--subnet-id NUMBER
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.9. hammer location add-user

Associate an user

Usage:

```
hammer location add-user [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--title VALUE        Set the current location context for the request
--user VALUE         User's login to search by
--user-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.10. hammer location create

Create a location

Usage:

```
hammer location create [OPTIONS]
```

Options:

```
--compute-resource-ids LIST  Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST            Domain IDs
--domains LIST
--environment-ids LIST      Environment IDs
```

<code>--hostgroup-ids LIST</code>	Host group IDs
<code>--hostgroup-titles LIST</code>	
<code>--hostgroups LIST</code>	
<code>--ignore-types LIST</code>	List of resources types that will be automatically associated
<code>--location VALUE</code>	Set the current location context for the request
<code>--location-id NUMBER</code>	Set the current location context for the request
<code>--location-title VALUE</code>	Set the current location context for the request
<code>--media LIST</code>	
<code>--medium-ids LIST</code>	Medium IDs
<code>--name VALUE</code>	
<code>--organization VALUE</code>	Set the current organization context for the request
<code>--organization-id NUMBER</code>	Set the current organization context for the request
<code>--organization-ids LIST</code>	Associated organization IDs
<code>--organization-title VALUE</code>	Set the current organization context for the request
<code>--organization-titles LIST</code>	
<code>--organizations LIST</code>	
<code>--parent-id NUMBER</code>	Parent ID
<code>--partition-table-ids LIST</code>	Partition template IDs
<code>--partition-tables LIST</code>	
<code>--provisioning-template-ids LIST</code>	Provisioning template IDs
<code>--provisioning-templates LIST</code>	
<code>--realm-ids LIST</code>	Realm IDs
<code>--realms LIST</code>	
<code>--smart-proxies LIST</code>	
<code>--smart-proxy-ids LIST</code>	Capsule IDs
<code>--subnet-ids LIST</code>	Subnet IDs
<code>--subnets LIST</code>	
<code>--user-ids LIST</code>	User IDs
<code>--users LIST</code>	
<code>-h, --help</code>	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.11. hammer location delete

Delete a location

Usage:

```
hammer location <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE           Location numeric id to search by
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Set the current organization context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE       Set the current organization context for the request
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
                  escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM         Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA            Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.44.12. hammer location delete-parameter

Delete parameter for a location

Usage:

```
hammer location delete-parameter [OPTIONS]
```

Options:

```
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Parameter name
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
```

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.13. hammer location info

Show a location

Usage:

```
hammer location <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	Location numeric id to search by
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Set the current organization context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--show-hidden-parameters BOOLEAN	Display hidden parameter values
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Title	x	x	x
Name	x	x	x
Description	x	x	
Parent	x	x	
Users/	x	x	
Smart proxies/	x	x	
Subnets/	x	x	
Compute resources/	x	x	
Installation media/	x	x	
Templates/	x	x	
Partition tables/	x	x	
Domains/	x	x	
Realms/	x	x	
Hostgroups/	x	x	
Parameters/	x	x	
Organizations/	x	x	
Created at	x	x	
Updated at	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.14. hammer location list

List all locations

Usage:

```
hammer location <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----
FIELDS ALL DEFAULT THIN
----- ----- ----- -----
Id x x x
Title x x x
Name x x x
Description x x
----- ----- ----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

description text
 id integer
 location_id integer
 name string
 title string

2.44.15. hammer location remove-compute-resource

Disassociate a compute resource

Usage:

hammer location remove-compute-resource [OPTIONS]

Options:

--compute-resource VALUE Compute resource name
 --compute-resource-id NUMBER
 --id VALUE
 --name VALUE Set the current location context for the request
 --title VALUE Set the current location context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

2.44.16. hammer location remove-domain

Disassociate a domain

-

Usage:

```
hammer location remove-domain [OPTIONS]
```

Options:

```
--domain VALUE          Domain name
--domain-id NUMBER      Numerical ID or domain name
--id VALUE
--name VALUE            Set the current location context for the request
--title VALUE          Set the current location context for the request
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.44.17. hammer location remove-hostgroup

Disassociate a hostgroup

Usage:

```
hammer location remove-hostgroup [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE  Hostgroup title
--id VALUE
--name VALUE           Set the current location context for the request
--title VALUE         Set the current location context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
```

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.18. hammer location remove-medium

Disassociate a medium

Usage:

```
hammer location remove-medium [OPTIONS]
```

Options:

```
--id VALUE
--medium VALUE           Medium name
--medium-id NUMBER
--name VALUE             Set the current location context for the request
--title VALUE            Set the current location context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.19. hammer location remove-organization

Disassociate an organization

Usage:

```
hammer location remove-organization [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE             Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Organization ID
--organization-title VALUE Set the current organization context for the request
```

```
--title VALUE          Set the current location context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN              One of true/false, yes/no, 1/0
DATETIME             Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                Possible values are described in the option's description
FILE                Path to a file
KEY_VALUE_LIST      Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST                Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM           Any combination of possible values described in the option's description
NUMBER              Numeric value. Integer
SCHEMA              Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE              Value described in the option's description. Mostly simple string
```

2.44.20. hammer location remove-provisioning-template

Disassociate provisioning templates

Usage:

```
hammer location remove-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--provisioning-template VALUE  Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST  List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                           disassociated
--provisioning-templates LIST  List of provisioning template names
--title VALUE          Set the current location context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN              One of true/false, yes/no, 1/0
DATETIME             Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                Possible values are described in the option's description
FILE                Path to a file
KEY_VALUE_LIST      Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST                Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM           Any combination of possible values described in the option's description
NUMBER              Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.21. hammer location remove-smart-proxy

Disassociate a smart proxy

Usage:

```
hammer location remove-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--smart-proxy VALUE   Name to search by
--smart-proxy-id NUMBER
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.22. hammer location remove-subnet

Disassociate a subnet

Usage:

```
hammer location remove-subnet [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--subnet VALUE        Subnet name
--subnet-id NUMBER
--title VALUE         Set the current location context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.23. hammer location remove-user

Disassociate an user

Usage:

```
hammer location remove-user [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Set the current location context for the request
--title VALUE         Set the current location context for the request
--user VALUE          User's login to search by
--user-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.44.24. hammer location set-parameter

Create or update parameter for a location

Usage:

```
hammer location set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--location VALUE          Set the current location context for the request
--location-id NUMBER
--location-title VALUE    Set the current location context for the request
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string
```

2.44.25. hammer location update

Update a location

Usage:

```
hammer location update [OPTIONS]
```

Options:

```
--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST         Environment IDs
--hostgroup-ids LIST           Host group IDs
--hostgroup-titles LIST
--hostgroups LIST
--id VALUE                     Location numeric id to search by
--ignore-types LIST            List of resources types that will be automatically associated
--location VALUE               Set the current location context for the request
--location-id NUMBER           Set the current location context for the request
--location-title VALUE         Set the current location context for the request
```



```

--media LIST
--medium-ids LIST      Medium IDs
--name VALUE
--new-name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST Associated organization IDs
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--parent-id NUMBER     Parent ID
--partition-table-ids LIST Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST       Realm IDs
--realms LIST
--smart-proxies LIST
--smart-proxy-ids LIST Capsule IDs
--subnet-ids LIST      Subnet IDs
--subnets LIST
--title VALUE          Set the current location context for the request
--user-ids LIST        User IDs
--users LIST
-h, --help             Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.45. HAMMER MAIL-NOTIFICATION

Manage mail notifications

Usage:

```
hammer mail-notification [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

info, show	Show an email notification
list, index	List of email notifications

Options:

-h, --help	Print help
------------	------------

2.45.1. hammer mail-notification info

Show an email notification

Usage:

```
hammer mail-notification <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	Numerical ID or email notification name
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x    | x
Name    | x  | x    | x
Description | x | x    |
Subscription type | x | x    |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.45.2. hammer mail-notification list

List of email notifications

Usage:

```
hammer mail-notification <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
description  text
name         string
user        string
```

2.46. HAMMER MEDIUM

Manipulate installation media

Usage:

```
hammer medium [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
add-operatingsystem  Associate an operating system
create              Create a medium
delete, destroy      Delete a medium
info, show           Show a medium
list, index          List all installation media
remove-operatingsystem Disassociate an operating system
update              Update a medium
```

Options:

```
-h, --help          Print help
```

2.46.1. hammer medium add-operatingsystem

Associate an operating system

Usage:

```
hammer medium add-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Medium name
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.46.2. hammer medium create

Create a medium

Usage:

```
hammer medium create [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             Name of media
--operatingsystem-ids LIST
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--os-family VALUE        Operating system family, available values: AIX, Altlinux, Archlinux,
Coreos,
Solaris,
Suse, VRP, Windows, Xenserver
--path VALUE             The path to the medium, can be a URL or a valid NFS server (exclusive of
the
architecture).

For example mirror.centos.org/centos/$version/os/$arch where $arch will be
substituted for the host's actual OS architecture and $version, $major and
$minor will be substituted for the version of the operating system.

Solaris and Debian media may also use $release.
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.46.3. hammer medium delete

Delete a medium

Usage:

```
hammer medium <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Medium name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.46.4. hammer medium info

Show a medium

Usage:

```
hammer medium <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Medium name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
```

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Path	x	x	
Os family	x	x	
Operating systems/	x	x	
Locations/	x	x	
Organizations/	x	x	
Created at	x	x	
Updated at	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.46.5. hammer medium list

List all installation media

Usage:

```
hammer medium <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--operatingsystem VALUE	Operating system title
--operatingsystem-id NUMBER	ID of operating system
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
Name  | x | x   | x
Path  | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

family      string
location    string
location_id integer
name        string
organization string
organization_id integer
path        string

```

2.46.6. hammer medium remove-operatingsystem

Disassociate an operating system

Usage:

```
hammer medium remove-operatingsystem [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Medium name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description

```


FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.46.7. hammer medium update

Update a medium

Usage:

```
hammer medium update [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             Name of media
--new-name VALUE         Name of media
--operatingsystem-ids LIST
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--os-family VALUE        Operating system family, available values: AIX, Altlinux, Archlinux,
Coreos,
Solaris,
Suse, VRP, Windows, Xenserver
--path VALUE            The path to the medium, can be a URL or a valid NFS server (exclusive of the
architecture).
                        For example mirror.centos.org/centos/$version/os/$arch where $arch will be
                        substituted for the host's actual OS architecture and $version, $major and
                        $minor will be substituted for the version of the operating system.
                        Solaris and Debian media may also use $release.
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.47. HAMMER MODEL

Manipulate hardware models

Usage:
hammer model [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
create Create a hardware model
delete, destroy Delete a hardware model
info, show Show a hardware model
list, index List all hardware models
update Update a hardware model

Options:
-h, --help Print help

2.47.1. hammer model create

Create a hardware model

Usage:
hammer model create [OPTIONS]

Options:
--hardware-model VALUE
--info VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request

```
--vendor-class VALUE
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string
```

2.47.2. hammer model delete

Delete a hardware model

Usage:

```
hammer model <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Model name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.47.3. hammer model info

Show a hardware model

Usage:

```
hammer model <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Model name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Vendor class | x  | x      |
Hw model | x  | x      |
Info    | x  | x      |
Created at | x  | x      |
Updated at | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.47.4. hammer model list

List all hardware models

Usage:

```
hammer model <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Vendor class | x  | x      |
Hw model | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
hardware_model  string
info            text
name            string
vendor_class    string
```

2.47.5. hammer model update

Update a hardware model

Usage:

```
hammer model update [OPTIONS]
```

Options:

```
--hardware-model VALUE
--id VALUE
--info VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--vendor-class VALUE
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.48. HAMMER MODULE-STREAM

View Module Streams

Usage:

```
hammer module-stream [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
info, show      Show a module stream
list, index     List module streams
```

Options:

-h, --help Print help

2.48.1. hammer module-stream info

Show a module stream

Usage:

```
hammer module-stream <info|show> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--id VALUE              A module stream identifier
--name VALUE           Module stream name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE        Product name to search by
--product-id NUMBER    Product numeric identifier
--repository VALUE     Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x |   |
Module stream name | x | x | x |
Stream  | x | x |   |
Uuid    | x | x |   |
Version | x | x |   |
Architecture | x | x |   |
Context | x | x |   |
Repositories/id | x | x |   |
Repositories/name | x | x |   |
Repositories/label | x | x |   |
Artifacts/id | x | x |   |
Artifacts/name | x | x |   |
Profiles/id | x | x |   |
Profiles/name | x | x |   |
Profiles/rpms/id | x | x |   |
Profiles/rpms/name | x | x |   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
```

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.48.2. hammer module-stream list

List module streams

Usage:

```
hammer module-stream <list|index> [OPTIONS]
```

Options:

```
--content-view-filter VALUE      Name to search by
--content-view-filter-id NUMBER  Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-version VALUE     Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                    Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN            Whether or not to show all results
--host-ids LIST                  List of host id to list available module streams for
--hosts LIST
--ids LIST                       Ids to filter content by
--include-filter-ids BOOLEAN     Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER Environment identifier
--name-stream-only BOOLEAN       Return name and stream information only)
--order VALUE                    Sort field and order, eg. 'id DESC'
--organization VALUE            Organization name to search by
--organization-id NUMBER        Organization identifier
--organization-label VALUE      Organization label to search by
--organization-title VALUE      Organization title
--page NUMBER                    Page number, starting at 1
--per-page NUMBER                Number of results per page to return
--product VALUE                  Product name to search by
--product-id NUMBER              Product numeric identifier
--repository VALUE               Repository name to search by
--repository-id NUMBER           Repository identifier
--search VALUE                   Search string
-h, --help                       Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x |
Module stream name | x | x | x
Stream  | x | x |
Uuid    | x | x |
Version | x | x |
```



```

Architecture   | x | x   |
Context        | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49. HAMMER ORGANIZATION

Manipulate organizations

Usage:

```
hammer organization [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

add-compute-resource  Associate a compute resource
add-domain            Associate a domain
add-hostgroup         Associate a hostgroup
add-location          Associate a location
add-medium            Associate a medium
add-provisioning-template Associate provisioning templates
add-smart-proxy       Associate a smart proxy
add-subnet            Associate a subnet
add-user              Associate an user
configure-cdn         Update the CDN configuration
create                Create organization
delete, destroy       Delete an organization
delete-parameter      Delete parameter for an organization
info, show            Show organization
list, index           List all organizations
remove-compute-resource Disassociate a compute resource
remove-domain         Disassociate a domain
remove-hostgroup      Disassociate a hostgroup
remove-location       Disassociate a location
remove-medium         Disassociate a medium
remove-provisioning-template Disassociate provisioning templates

```

remove-smart-proxy	Disassociate a smart proxy
remove-subnet	Disassociate a subnet
remove-user	Disassociate an user
set-parameter	Create or update parameter for an organization
update	Update organization

Options:

-h, --help	Print help
------------	------------

2.49.1. hammer organization add-compute-resource

Associate a compute resource

Usage:

```
hammer organization add-compute-resource [OPTIONS]
```

Options:

--compute-resource VALUE	Compute resource name
--compute-resource-id NUMBER	
--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.2. hammer organization add-domain

Associate a domain

Usage:

```
hammer organization add-domain [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id NUMBER	Numerical ID or domain name
--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request

```
--title VALUE      Set the current organization context for the request
-h, --help        Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.49.3. hammer organization add-hostgroup

Associate a hostgroup

Usage:

```
hammer organization add-hostgroup [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id NUMBER
--hostgroup-title VALUE Hostgroup title
--id VALUE            Organization ID
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.49.4. hammer organization add-location

Associate a location

Usage:

```
hammer organization add-location [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--location VALUE     Set the current location context for the request
--location-id NUMBER
--location-title VALUE Set the current location context for the request
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
                   escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.49.5. hammer organization add-medium

Associate a medium

Usage:

```
hammer organization add-medium [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--medium VALUE       Medium name
--medium-id NUMBER
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.6. hammer organization add-provisioning-template

Associate provisioning templates

Usage:

```
hammer organization add-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--provisioning-template VALUE  Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST  List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                        associated
--provisioning-templates LIST  List of provisioning template names
--title VALUE         Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.7. hammer organization add-smart-proxy

Associate a smart proxy

Usage:

```
hammer organization add-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--smart-proxy VALUE  Name to search by
--smart-proxy-id NUMBER
--title VALUE        Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE             Value described in the option's description. Mostly simple string
```

2.49.8. hammer organization add-subnet

Associate a subnet

Usage:

```
hammer organization add-subnet [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--subnet VALUE       Subnet name
--subnet-id NUMBER
--title VALUE        Set the current organization context for the request
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.9. hammer organization add-user

Associate an user

Usage:

```
hammer organization add-user [OPTIONS]
```

Options:

--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
--user VALUE	User's login to search by
--user-id NUMBER	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.10. hammer organization configure-cdn

Update the CDN configuration

Usage:

```
hammer organization configure-cdn [OPTIONS]
```

Options:

--id VALUE	ID of the Organization
--label VALUE	Organization label to search by
--name VALUE	Organization name to search by
--password VALUE	Password for authentication. Relevant only for 'upstream_server' type.
--ssl-ca-credential-id NUMBER	Content Credential to use for SSL CA. Relevant only for

```

'upstream_server' type.
--title VALUE                Organization title
--type VALUE                  CDN configuration type. One of redhat_cdn, network_sync,
export_sync.
--upstream-content-view-label VALUE    Upstream Content View Label, default:
Default_Organization_View. Relevant only
                                   for 'upstream_server' type.
--upstream-lifecycle-environment-label VALUE Upstream Lifecycle Environment, default: Library.
Relevant only for
                                   'upstream_server' type.
--upstream-organization-label VALUE    Upstream organization to sync CDN content from.
Relevant only for
                                   'upstream_server' type.
--url VALUE                    Upstream satellite server to sync CDN content from. Relevant only
for
                                   'upstream_server' type.
--username VALUE               Username for authentication. Relevant only for
'upstream_server' type.
-h, --help                     Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.49.11. hammer organization create

Create organization

Usage:

```
hammer organization create [OPTIONS]
```

Options:

```

--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST        Environment IDs
--hostgroup-ids LIST           Host group IDs
--hostgroup-titles LIST
--hostgroups LIST

```



```

--label VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      Associated location IDs
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--media LIST
--medium-ids LIST        Medium IDs
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-label VALUE Organization label to search by
--organization-title VALUE Set the current organization context for the request
--partition-table-ids LIST Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST         Realm IDs
--realms LIST
--smart-proxies LIST
--smart-proxy-ids LIST   Capsule IDs
--subnet-ids LIST        Subnet IDs
--subnets LIST
--user-ids LIST          User IDs
--users LIST
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.49.12. hammer organization delete

Delete an organization

Usage:

```
hammer organization <delete|destroy> [OPTIONS]
```

Options:

```
--async      Do not wait for the task
```

```

--id VALUE
--label VALUE      Organization label to search by
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Set the current organization context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-label VALUE Organization label to search by
--organization-title VALUE Set the current organization context for the request
--title VALUE      Set the current organization context for the request
-h, --help         Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.49.13. hammer organization delete-parameter

Delete parameter for an organization

Usage:

```
hammer organization delete-parameter [OPTIONS]
```

Options:

```

--name VALUE      Parameter name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Organization ID
--organization-title VALUE Set the current organization context for the request
-h, --help       Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or

```

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.14. hammer organization info

Show organization

Usage:

```
hammer organization <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--label VALUE	Organization label to search by
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Set the current organization context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----				
FIELDS	ALL	DEFAULT	THIN	
----- ----- ----- -----				
Id	x	x	x	
Title	x	x	x	
Name	x	x	x	
Description	x	x		
Parent	x	x		
Users/	x	x		
Smart proxies/	x	x		
Subnets/	x	x		
Compute resources/		x	x	
Installation media/	x	x		
Templates/	x	x		
Partition tables/	x	x		
Domains/	x	x		
Realms/	x	x		
Hostgroups/	x	x		
Parameters/	x	x		
Locations/	x	x		
Created at	x	x		
Updated at	x	x		
Label	x	x	x	
Description	x	x		

```

Simple content access          | x | x |
Service levels                 | x | x |
Cdn configuration/url          | x | x |
Cdn configuration/upstream organization | x | x |
Cdn configuration/username     | x | x |
Cdn configuration/ssl ca credential id | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.49.15. hammer organization list

List all organizations

Usage:

```
hammer organization <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN  Whether or not to show all results
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort field and order, eg. 'id DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-label VALUE Organization label to search by
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
--sort-by VALUE        Field to sort the results on
--sort-order VALUE     How to order the sorted results (e.g. ASC for ascending)
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----

```

```

Id      | x | x | x
Title   | x | x | x
Name    | x | x | x
Description | x | x |
Label   | x | x | x
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

description  text
id           integer
label       string
name        string
organization_id integer
title       string

```

2.49.16. hammer organization remove-compute-resource

Disassociate a compute resource

Usage:

```
hammer organization remove-compute-resource [OPTIONS]
```

Options:

```

--compute-resource VALUE  Compute resource name
--compute-resource-id NUMBER
--id VALUE                Organization ID
--name VALUE              Set the current organization context for the request
--title VALUE             Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file

```

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.17. hammer organization remove-domain

Disassociate a domain

Usage:

```
hammer organization remove-domain [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id NUMBER	Numerical ID or domain name
--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.18. hammer organization remove-hostgroup

Disassociate a hostgroup

Usage:

```
hammer organization remove-hostgroup [OPTIONS]
```

Options:

--hostgroup VALUE	Hostgroup name
--hostgroup-id NUMBER	

```

--hostgroup-title VALUE    Hostgroup title
--id VALUE                 Organization ID
--name VALUE               Set the current organization context for the request
--title VALUE              Set the current organization context for the request
-h, --help                 Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.49.19. hammer organization remove-location

Disassociate a location

Usage:

```
hammer organization remove-location [OPTIONS]
```

Options:

```

--id VALUE           Organization ID
--location VALUE     Set the current location context for the request
--location-id NUMBER
--location-title VALUE  Set the current location context for the request
--name VALUE         Set the current organization context for the request
--title VALUE        Set the current organization context for the request
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.20. hammer organization remove-medium

Disassociate a medium

Usage:

```
hammer organization remove-medium [OPTIONS]
```

Options:

--id VALUE	Organization ID
--medium VALUE	Medium name
--medium-id NUMBER	
--name VALUE	Set the current organization context for the request
--title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.21. hammer organization remove-provisioning-template

Disassociate provisioning templates

Usage:

```
hammer organization remove-provisioning-template [OPTIONS]
```

Options:

--id VALUE	Organization ID
--name VALUE	Set the current organization context for the request
--provisioning-template VALUE	Name to search by
--provisioning-template-id NUMBER	
--provisioning-template-ids LIST	List of provisioning template ids
--provisioning-template-search VALUE	Provisioning template name regex to search, all matching templates will be disassociated
--provisioning-templates LIST	List of provisioning template names


```
--title VALUE          Set the current organization context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN              One of true/false, yes/no, 1/0
DATETIME             Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                 Possible values are described in the option's description
FILE                 Path to a file
KEY_VALUE_LIST       Comma-separated list of key=value.
                     JSON is acceptable and preferred way for such parameters
LIST                 Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                     JSON is acceptable and preferred way for such parameters
MULTIENUM            Any combination of possible values described in the option's description
NUMBER               Numeric value. Integer
SCHEMA               Comma separated list of values defined by a schema.
                     JSON is acceptable and preferred way for such parameters
VALUE                Value described in the option's description. Mostly simple string
```

2.49.22. hammer organization remove-smart-proxy

Disassociate a smart proxy

Usage:

```
hammer organization remove-smart-proxy [OPTIONS]
```

Options:

```
--id VALUE           Organization ID
--name VALUE         Set the current organization context for the request
--smart-proxy VALUE  Name to search by
--smart-proxy-id NUMBER
--title VALUE        Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN              One of true/false, yes/no, 1/0
DATETIME             Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                 Possible values are described in the option's description
FILE                 Path to a file
KEY_VALUE_LIST       Comma-separated list of key=value.
                     JSON is acceptable and preferred way for such parameters
LIST                 Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                     JSON is acceptable and preferred way for such parameters
MULTIENUM            Any combination of possible values described in the option's description
NUMBER               Numeric value. Integer
SCHEMA               Comma separated list of values defined by a schema.
                     JSON is acceptable and preferred way for such parameters
VALUE                Value described in the option's description. Mostly simple string
```

2.49.23. hammer organization remove-subnet

Disassociate a subnet

Usage:

```
hammer organization remove-subnet [OPTIONS]
```

Options:

<code>--id VALUE</code>	Organization ID
<code>--name VALUE</code>	Set the current organization context for the request
<code>--subnet VALUE</code>	Subnet name
<code>--subnet-id NUMBER</code>	
<code>--title VALUE</code>	Set the current organization context for the request
<code>-h, --help</code>	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.24. hammer organization remove-user

Disassociate an user

Usage:

```
hammer organization remove-user [OPTIONS]
```

Options:

<code>--id VALUE</code>	Organization ID
<code>--name VALUE</code>	Set the current organization context for the request
<code>--title VALUE</code>	Set the current organization context for the request
<code>--user VALUE</code>	User's login to search by
<code>--user-id NUMBER</code>	
<code>-h, --help</code>	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.25. hammer organization set-parameter

Create or update parameter for an organization

Usage:

```
hammer organization set-parameter [OPTIONS]
```

Options:

--hidden-value	BOOLEAN	Should the value be hidden
--name	VALUE	Parameter name
--organization	VALUE	Set the current organization context for the request
--organization-id	NUMBER	Organization ID
--organization-title	VALUE	Set the current organization context for the request
--parameter-type	ENUM	Type of the parameter Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash', 'yaml', 'json' Default: "string"
--value	VALUE	Parameter value
-h, --help		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.49.26. hammer organization update

Update organization

Usage:

hammer organization update [OPTIONS]

Options:

```
--compute-resource-ids LIST    Compute resource IDs
--compute-resources LIST
--description VALUE
--domain-ids LIST              Domain IDs
--domains LIST
--environment-ids LIST         Environment IDs
--hostgroup-ids LIST           Host group IDs
--hostgroup-titles LIST
--hostgroups LIST
--id VALUE
--label VALUE
--location VALUE               Set the current location context for the request
--location-id NUMBER           Set the current location context for the request
--location-ids LIST            Associated location IDs
--location-title VALUE         Set the current location context for the request
--location-titles LIST
--locations LIST
--media LIST
--medium-ids LIST              Medium IDs
--name VALUE
--new-name VALUE
--new-title VALUE
--organization VALUE           Set the current organization context for the request
--organization-id NUMBER       Set the current organization context for the request
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Set the current organization context for the request
--partition-table-ids LIST     Partition template IDs
--partition-tables LIST
--provisioning-template-ids LIST Provisioning template IDs
--provisioning-templates LIST
--realm-ids LIST               Realm IDs
--realms LIST
--redhat-repository-url VALUE  Red Hat CDN URL
--smart-proxies LIST
--smart-proxy-ids LIST         Capsule IDs
--subnet-ids LIST              Subnet IDs
--subnets LIST
--title VALUE                  Set the current organization context for the request
--user-ids LIST                User IDs
--users LIST
-h, --help                     Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50. HAMMER OS

Manipulate operating system

Usage:

```
hammer os [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-architecture	Associate an architecture
add-provisioning-template	Associate provisioning templates
add-ptable	Associate a partition table
create	Create an operating system
delete, destroy	Delete an operating system
delete-default-template	
delete-parameter	Delete parameter for an operating system
info, show	Show an operating system
list, index	List all operating systems
remove-architecture	Disassociate an architecture
remove-provisioning-template	Disassociate provisioning templates
remove-ptable	Disassociate a partition table
set-default-template	
set-parameter	Create or update parameter for an operating system
update	Update an operating system

Options:

-h, --help	Print help
------------	------------

2.50.1. hammer os add-architecture

Associate an architecture

Usage:

```
hammer os add-architecture [OPTIONS]
```

Options:

--architecture VALUE	Architecture name
--architecture-id NUMBER	
--id VALUE	
--title VALUE	Operating system title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.2. hammer os add-provisioning-template

Associate provisioning templates

Usage:

```
hammer os add-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--provisioning-template VALUE      Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST   List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                                associated
--provisioning-templates LIST     List of provisioning template names
--title VALUE                     Operating system title
-h, --help                         Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.3. hammer os add-htable

Associate a partition table

Usage:

```
hammer os add-ptable [OPTIONS]
```

Options:

```
--id VALUE
--partition-table VALUE    Partition table name
--partition-table-id NUMBER
--title VALUE              Operating system title
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.50.4. hammer os create

Create an operating system

Usage:

```
hammer os create [OPTIONS]
```

Options:

```
--architecture-ids LIST    IDs of associated architectures
--architectures LIST
--description VALUE
--family VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--major VALUE
--media LIST
--medium-ids LIST         IDs of associated media
--minor VALUE
--name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--os-parameters-attributes SCHEMA Array of parameters
--partition-table-ids LIST IDs of associated partition tables
```

```

--partition-tables LIST
--password-hash ENUM          Root password hash function to use
                              Possible value(s): 'SHA256', 'SHA512', 'Base64', 'Base64-Windows', 'MD5'
--provisioning-template-ids LIST IDs of associated provisioning templates
--provisioning-templates LIST
--release-name VALUE
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--os-parameters-attributes "name=<string>\,value=<string>, ... "
```

2.50.5. hammer os delete

Delete an operating system

Usage:

```
hammer os <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--title VALUE            Operating system title
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description

```


FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.6. hammer os delete-default-template

Usage:

```
hammer os delete-default-template [OPTIONS]
```

Options:

```
--id VALUE           Operatingsystem id
--type VALUE         Type of the provisioning template
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.7. hammer os delete-parameter

Delete parameter for an operating system

Usage:

```
hammer os delete-parameter [OPTIONS]
```

Options:

```
--name VALUE           Parameter name
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.8. hammer os info

Show an operating system

Usage:

```
hammer os <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--show-hidden-parameters BOOLEAN	Display hidden parameter values
--title VALUE	Operating system title
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Title	x	x	x
Release name	x	x	
Family	x	x	
Name	x	x	
Major version	x	x	
Minor version	x	x	
Partition tables/	x	x	
Default templates/	x	x	
Architectures/	x	x	
Installation media/	x	x	
Templates/	x	x	
Parameters/	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.9. hammer os list

List all operating systems

Usage:

```
hammer os <list|index> [OPTIONS]
```

Options:

--architecture VALUE	Architecture name
--architecture-id VALUE	ID of architecture
--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--medium VALUE	Medium name
--medium-id VALUE	ID of medium
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--os-parameters-attributes SCHEMA	Array of parameters
--page NUMBER	Page number, starting at 1
--partition-table VALUE	Partition table name
--partition-table-id VALUE	ID of partition table
--per-page VALUE	Number of results per page to return, 'all' to return all results
--provisioning-template VALUE	Name to search by
--provisioning-template-id VALUE	ID of template
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----
FIELDS ALL DEFAULT THIN
----- ----- ----- -----
Id x x x
Title x x x

```

Release name | x | x |
Family      | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--os-parameters-attributes "name=<string>\,value=<string>, ... "
```

Search / Order fields:

```

architecture  string
description   string
family        string
major         string
medium        string
minor         string
name          string
params        string
template      string
title         string

```

2.50.10. hammer os remove-architecture

Disassociate an architecture

Usage:

```
hammer os remove-architecture [OPTIONS]
```

Options:

```

--architecture VALUE      Architecture name
--architecture-id NUMBER
--id VALUE
--title VALUE             Operating system title
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.11. hammer os remove-provisioning-template

Disassociate provisioning templates

Usage:

```
hammer os remove-provisioning-template [OPTIONS]
```

Options:

```
--id VALUE
--provisioning-template VALUE      Name to search by
--provisioning-template-id NUMBER
--provisioning-template-ids LIST   List of provisioning template ids
--provisioning-template-search VALUE Provisioning template name regex to search, all matching
templates will be
                                disassociated
--provisioning-templates LIST      List of provisioning template names
--title VALUE                      Operating system title
-h, --help                          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.12. hammer os remove-ptable

Disassociate a partition table

Usage:

```
hammer os remove-ptable [OPTIONS]
```

Options:

```
--id VALUE
--partition-table VALUE    Partition table name
--partition-table-id NUMBER
--title VALUE              Operating system title
-h, --help                 Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.50.13. hammer os set-default-template

Usage:

```
hammer os set-default-template [OPTIONS]
```

Options:

```
--id VALUE              Operatingsystem id
--provisioning-template-id VALUE Provisioning template id to be set
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.50.14. hammer os set-parameter

Create or update parameter for an operating system

Usage:

```
hammer os set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--name VALUE              Parameter name
--operatingsystem VALUE   Operating system title
--operatingsystem-id NUMBER
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME   Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM       Possible values are described in the option's description
FILE       Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
            JSON is acceptable and preferred way for such parameters
LIST       Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
            JSON is acceptable and preferred way for such parameters
MULTIENUM  Any combination of possible values described in the option's description
NUMBER     Numeric value. Integer
SCHEMA     Comma separated list of values defined by a schema.
            JSON is acceptable and preferred way for such parameters
VALUE     Value described in the option's description. Mostly simple string
```

2.50.15. hammer os update

Update an operating system

Usage:

```
hammer os update [OPTIONS]
```

Options:

```
--architecture-ids LIST    IDs of associated architectures
--architectures LIST
--description VALUE
--family VALUE
--id VALUE
```

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--major VALUE
--media LIST
--medium-ids LIST        IDs of associated media
--minor VALUE
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--os-parameters-attributes SCHEMA Array of parameters
--partition-table-ids LIST IDs of associated partition tables
--partition-tables LIST
--password-hash ENUM     Root password hash function to use
                        Possible value(s): 'SHA256', 'SHA512', 'Base64', 'Base64-Windows', 'MD5'
--provisioning-template-ids LIST IDs of associated provisioning templates
--provisioning-templates LIST
--release-name VALUE
--title VALUE            Operating system title
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Following parameters accept format defined by its schema (bold are required; <> contains acceptable type; [] contains acceptable value):

```
--os-parameters-attributes "name=<string>\,value=<string>, ... "
```

2.51. HAMMER PACKAGE

Manipulate packages

Usage:

```
hammer package [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```


Subcommands:

info, show	Show a package
list, index	List packages

Options:

-h, --help	Print help
------------	------------

2.51.1. hammer package info

Show a package

Usage:
hammer package <info|show> [OPTIONS]

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	A package identifier
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization identifier
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--repository VALUE	Repository name to search by
--repository-id NUMBER	Repository identifier
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Pulp id	x	x	
Uuid	x	x	
Name	x	x	x
Version	x	x	
Architecture	x	x	
Epoch	x	x	
Release	x	x	
Author	x	x	
Filename	x	x	
Source rpm	x	x	
Nvrea	x	x	
Build host	x	x	
Available host count	x	x	
Applicable host count	x	x	
Children	x	x	
Vendor	x	x	
License	x	x	
Relative path	x	x	
Description	x	x	
Summary	x	x	
Url	x	x	
Build time	x	x	
Group	x	x	

Requires	x x
Provides	x x
Files	x x
Size	x x
Modular	x x
-----	----- ----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.51.2. hammer package list

List packages

Usage:

```
hammer package <list|index> [OPTIONS]
```

Options:

--available-for VALUE	Return packages that can be added to the specified object. Only the value
	'content_view_version' is supported.
--content-view VALUE	Content view name to search by
--content-view-filter VALUE	Name to search by
--content-view-filter-id NUMBER	Content View Filter identifier
--content-view-id NUMBER	Content view numeric identifier
--content-view-version VALUE	Content view version number
--content-view-version-id NUMBER	Content View Version identifier
--environment VALUE	Lifecycle environment name to search by (--environment is deprecated: Use
	--lifecycle-environment instead)
--environment-id NUMBER	(--environment-id is deprecated: Use --lifecycle-environment-id instead)
--fields LIST	Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN	Whether or not to show all results
--host VALUE	Host name
--host-id NUMBER	Host id to list applicable packages for
--ids LIST	Package identifiers to filter content by
--lifecycle-environment VALUE	Lifecycle environment name to search by
--lifecycle-environment-id NUMBER	Environment identifier
--order VALUE	Sort field and order, eg. 'id DESC'

```

--organization VALUE           Organization name to search by
--organization-id NUMBER       Organization identifier
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--packages-restrict-applicable BOOLEAN Return packages that are applicable to one or more hosts
(defaults to true if
                                host_id is specified)
--packages-restrict-latest BOOLEAN Return only the latest version of each package
--packages-restrict-upgradable BOOLEAN Return packages that are upgradable on one or more
hosts
--page NUMBER                  Page number, starting at 1
--per-page NUMBER              Number of results per page to return
--product VALUE                Product name to search by
--product-id NUMBER            Product numeric identifier
--repository VALUE             Repository name to search by
--repository-id NUMBER         Repository identifier
--search VALUE                  Search string
-h, --help                      Print help

```

Predefined field sets:

```

-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id     | x | x
Filename | x | x
Source rpm | x | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.52. HAMMER PACKAGE-GROUP

Manipulate package groups

Usage:

```
hammer package-group [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
```

[ARG] ... Subcommand arguments

Subcommands:

info, show Show a package group
list, index List package_groups

Options:

-h, --help Print help

2.52.1. hammer package-group info

Show a package group

Usage:

hammer package-group <info|show> [OPTIONS]

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE A package group identifier
--name VALUE Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x      | x
Package group name | x  | x      | x
Repository name  | x  | x      |
Uuid         | x  | x      |
Description     | x  | x      |
Default packages | x  | x      |
Mandatory packages | x  | x      |
Conditional packages | x  | x      |
Optional packages | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.52.2. hammer package-group list

List package_groups

Usage:

```
hammer package-group <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE          Content view name to search by
--content-view-filter VALUE   Name to search by
--content-view-filter-id NUMBER Content view filter identifier
--content-view-filter-rule VALUE Name to search by
--content-view-filter-rule-id NUMBER Content view filter rule identifier
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER Content view version identifier
--fields LIST                  Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN          Whether or not to show all results
--ids LIST                      Ids to filter content by
--include-filter-ids BOOLEAN    Includes associated content view filter ids in response
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                  Sort field and order, eg. 'id DESC'
--organization VALUE           Organization name to search by
--organization-id NUMBER       Organization identifier
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                  Page number, starting at 1
--per-page NUMBER              Number of results per page to return
--product VALUE                Product name to search by
--product-id NUMBER            Product numeric identifier
--repository VALUE             Repository name to search by
--repository-id NUMBER         Repository identifier
--search VALUE                  Search string
-h, --help                      Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Package group name | x  | x      | x
Repository name  | x  | x      |
Uuid         | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53. HAMMER PARTITION-TABLE

Manipulate partition tables

Usage:

```
hammer partition-table [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
add-operatingsystem  Associate an operating system
create              Create a partition table
delete, destroy      Delete a partition table
dump                View partition table content
info, show           Show a partition table
list, index          List all partition tables
remove-operatingsystem  Disassociate an operating system
update              Update a partition table
```

Options:

```
-h, --help          Print help
```

2.53.1. hammer partition-table add-operatingsystem

Associate an operating system

Usage:

```
hammer partition-table add-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Partition table name
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53.2. hammer partition-table create

Create a partition table

Usage:

```
hammer partition-table create [OPTIONS]
```

Options:

```
--audit-comment VALUE
--description VALUE
--file FILE           Path to a file that contains the partition layout
--host-ids LIST       Array of host IDs to associate with the partition table
--hostgroup-ids LIST  Array of host group IDs to associate with the partition table
--hostgroup-titles LIST
--hostgroups LIST
--hosts LIST
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN     Whether or not the template is locked for editing
--name VALUE
--operatingsystem-ids LIST  Array of operating system IDs to associate with the partition table
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--os-family VALUE
--snippet BOOLEAN
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53.3. hammer partition-table delete

Delete a partition table

Usage:

```
hammer partition-table <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Partition table name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.53.4. hammer partition-table dump

View partition table content

-

Usage:

```
hammer partition-table dump [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Partition table name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----
FIELDS
-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.53.5. hammer partition-table info

Show a partition table

Usage:

```
hammer partition-table <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Partition table name
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
```

-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Name         | x  | x      | x
Os family    | x  | x      |
Description  | x  | x      |
Locked       | x  | x      |
Operating systems/ | x  | x      |
Created at   | x  | x      |
Updated at   | x  | x      |
Locations/   | x  | x      |
Organizations/ | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.53.6. hammer partition-table list

List all partition tables

Usage:

```
hammer partition-table <list|index> [OPTIONS]
```

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)

--location VALUE Set the current location context for the request

--location-id NUMBER Scope by locations

--location-title VALUE Set the current location context for the request

--operatingsystem VALUE Operating system title

--operatingsystem-id NUMBER ID of operating system

--order VALUE Sort and order by a searchable field, e.g. '<field> DESC'

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Scope by organizations

--organization-title VALUE Set the current organization context for the request

--page NUMBER Page number, starting at 1

```
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE       Filter results
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Os family | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
default      Values: true, false
family      string
layout      text
location     string
location_id  integer
locked      Values: true, false
name        string
organization string
organization_id integer
snippet     Values: true, false
template    text
vendor      string
```

2.53.7. hammer partition-table remove-operatingsystem

Disassociate an operating system

Usage:

```
hammer partition-table remove-operatingsystem [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE      Partition table name
```

```
--operatingsystem VALUE    Operating system title
--operatingsystem-id NUMBER
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.53.8. hammer partition-table update

Update a partition table

Usage:

```
hammer partition-table update [OPTIONS]
```

Options:

```
--audit-comment VALUE
--description VALUE
--file FILE          Path to a file that contains the partition layout
--host-ids LIST      Array of host IDs to associate with the partition table
--hostgroup-ids LIST  Array of host group IDs to associate with the partition table
--hostgroup-titles LIST
--hostgroups LIST
--hosts LIST
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN     Whether or not the template is locked for editing
--name VALUE
--new-name VALUE
--operatingsystem-ids LIST  Array of operating system IDs to associate with the partition table
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
```

```
--organizations LIST
--os-family VALUE
--snippet BOOLEAN
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.54. HAMMER PING

Get the status of the server and/or it's subcomponents

Usage:

```
hammer ping [OPTIONS] [SUBCOMMAND] [ARG] ...
```

Parameters:

```
[ARG] ...          Subcommand arguments
[SUBCOMMAND]      Subcommand (default: "foreman")
```

Subcommands:

```
foreman          Shows status of Satellite system and it's subcomponents
katello          Shows status of Katello system and it's subcomponents
```

Options:

```
-h, --help          Print help
```

2.54.1. hammer ping foreman

Shows status of Satellite system and it's subcomponents

Usage:

```
hammer ping foreman [OPTIONS]
```

Options:

```
-h, --help          Print help
```

2.54.2. hammer ping katello

Shows status of Katello system and it's subcomponents

Usage:
hammer ping katello [OPTIONS]

Options:
-h, --help Print help

2.55. HAMMER POLICY

Manipulate policies

Usage:
hammer policy [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
create Create a Policy
delete, destroy Delete a Policy
hosts List all hosts
info, show Show a Policy
list, index List Policies
update Update a Policy

Options:
-h, --help Print help

2.55.1. hammer policy create

Create a Policy

Usage:
hammer policy create [OPTIONS]

Options:

--cron-line VALUE	Policy schedule cron line (only if period == "custom")
--day-of-month NUMBER	Policy schedule day of month (only if period == "monthly")
--deploy-by ENUM	How the policy should be deployed
	Possible value(s): 'puppet', 'ansible', 'manual'
--description VALUE	Policy description
--host-ids LIST	Apply policy to hosts
--hostgroup-ids LIST	Apply policy to host groups
--hostgroups LIST	
--hosts LIST	
--location VALUE	Name to search by
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--locations LIST	
--name VALUE	Policy name
--organization VALUE	Name to search by
--organization-id NUMBER	Set the current organization context for the request

```

--organization-ids LIST      REPLACE organizations with given ids.
--organizations LIST
--period VALUE              Policy schedule period (weekly, monthly, custom)
--scap-content VALUE        SCAP content title
--scap-content-id NUMBER    Policy SCAP content ID
--scap-content-profile VALUE Name to search by
--scap-content-profile-id NUMBER Policy SCAP content profile ID
--tailoring-file VALUE      Tailoring file name
--tailoring-file-id NUMBER  Tailoring file ID
--tailoring-file-profile-id NUMBER Tailoring file profile ID
--weekday VALUE             Policy schedule weekday (only if period == "weekly")
-h, --help                  Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.55.2. hammer policy delete

Delete a Policy

Usage:

```
hammer policy <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description

```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.55.3. hammer policy hosts

List all hosts

Usage:

```
hammer policy hosts [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--id VALUE             Policy Id
--include ENUM         Array of extra information types to include
                       Possible value(s): 'parameters', 'all_parameters'
--location VALUE       Set the current location context for the request
--location-id VALUE    ID of location
--location-title VALUE Set the current location context for the request
--name VALUE           Policy name
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id VALUE ID of organization
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
--thin BOOLEAN         Only list ID and name of hosts
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Operating system | x  | x    |
Host group | x  | x    |
Ip      | x  | x    |
Mac     | x  | x    |
Global status | x  | x    |
Organization | x  |      |
Location | x  |      |
Additional information | x  |      |
```


Content view	x x
Lifecycle environment	x x
Security	x
Bugfix	x
Enhancement	x
Trace status	x x
----- ----- ----- -----	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

activation_key	string
activation_key_id	string
addon	string
addons_status	Values: mismatched, matched, not_specified
ansible_role	string
applicable_debs	string
applicable_errata	string
applicable_errata_issued	date
applicable_rpms	string
architecture	string
autoheal	boolean
boot_time	
build	Values: true, false
build_status	Values: built, pending, token_expired, build_failed
comment	text
compute_resource	string
compute_resource_id	integer
content_source	string
content_view	string
content_view_id	integer
created_at	datetime
cve_id	integer
domain	string
domain_id	integer
errata_status	Values: security_needed, errata_needed, updated, unknown
execution_status	Values: ok, error
facts	string
global_status	Values: ok, warning, error
has_ip	string

has_mac	string
hostgroup	string
hostgroup_fullname	string
hostgroup_id	integer
hostgroup_name	string
hostgroup_title	string
hypervisor	boolean
hypervisor_host	string
id	integer
image	string
infrastructure_facet.foreman	
infrastructure_facet.smart_proxy_id	
insights_recommendations_count	integer
installable_errata	string
installed_at	datetime
ip	string
job_invocation.id	string
job_invocation.result	Values: cancelled, failed, pending, success
last_checkin	datetime
last_report	datetime
lifecycle_environment	string
lifecycle_environment_id	integer
location	string
location_id	integer
mac	string
managed	Values: true, false
model	string
name	string
organization	string
organization_id	integer
origin	string
os	string
os_description	string
os_id	integer
os_major	string
os_minor	string
os_title	string
owner	string
owner_id	integer
owner_type	string
params	string
params_name	string
parent_hostgroup	string
puppet_ca	string
puppet_proxy_id	integer
puppetmaster	string
purpose_status	Values: mismatched, matched, not_specified
realm	string
realm_id	integer
registered_at	datetime
registered_through	string
release_version	string
reported.boot_time	
reported.cores	
reported.disks_total	
reported.ram	

reported.sockets	
reported.virtual	Values: true, false
repository	string
repository_content_label	string
role	text
role_status	Values: mismatched, matched, not_specified
service_level	string
sla_status	Values: mismatched, matched, not_specified
smart_proxy	string
status.applied	integer
status.enabled	Values: true, false
status.failed	integer
status.failed_restarts	integer
status.interesting	Values: true, false
status.pending	integer
status.restarted	integer
status.skipped	integer
subnet	string
subnet.name	text
subnet6	string
subnet6.name	text
subscription_id	string
subscription_name	string
subscription_status	Values: valid, partial, invalid, unknown, disabled,
unsubscribed_hypervisor	
subscription_uuid	string
trace_status	Values: reboot_needed, process_restart_needed, updated
upgradable_debs	string
upgradable_rpms	string
usage	text
usage_status	Values: mismatched, matched, not_specified
user.firstname	string
user.lastname	string
user.login	string
user.mail	string
usergroup	string
usergroup.name	string
uuid	string

2.55.4. hammer policy info

Show a Policy

Usage:

```
hammer policy <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
```

```
--organization-title VALUE  Set the current organization context for the request
-h, --help                 Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x    | x
Name        |   | x    | x
Created at   |   | x    |
Period      |   | x    |
Weekday     |   | x    |
Day of month |   | x    |
Cron line   |   | x    |
Scap content id |   | x    |
Scap content profile id | x | x    |
Tailoring file id | x | x    |
Tailoring file profile id | x | x    |
Deployment option |   | x    |
Locations/  |   | x    |
Organizations/ |   | x    |
Hostgroups/ |   | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.55.5. hammer policy list

List Policies

Usage:

```
hammer policy <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
```

```

--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER             Page number, starting at 1
--per-page VALUE          Number of results per page to return, 'all' to return all results
--search VALUE            Filter results
-h, --help                Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Created at | x  | x      |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

content      string
location     string
location_id  integer
name         string
organization string
organization_id integer
profile      string
tailoring_file string
tailoring_file_profile string

```

2.55.6. hammer policy update

Update a Policy

Usage:

```
hammer policy update [OPTIONS]
```

Options:

```
--cron-line VALUE      Policy schedule cron line (only if period == "custom")
```

```

--day-of-month NUMBER      Policy schedule day of month (only if period == "monthly")
--deploy-by ENUM          How the policy should be deployed
                          Possible value(s): 'puppet', 'ansible', 'manual'
--description VALUE       Policy description
--host-ids LIST           Apply policy to hosts
--hostgroup-ids LIST      Apply policy to host groups
--hostgroups LIST
--hosts LIST
--id VALUE
--location VALUE          Name to search by
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--locations LIST
--name VALUE              Policy name
--new-name VALUE          Policy name
--organization VALUE      Name to search by
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organizations LIST
--period VALUE            Policy schedule period (weekly, monthly, custom)
--scap-content VALUE      SCAP content title
--scap-content-id NUMBER  Policy SCAP content ID
--scap-content-profile VALUE Name to search by
--scap-content-profile-id NUMBER Policy SCAP content profile ID
--tailoring-file VALUE    Tailoring file name
--tailoring-file-id NUMBER Tailoring file ID
--tailoring-file-profile-id NUMBER Tailoring file profile ID
--weekday VALUE           Policy schedule weekday (only if period == "weekly")
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.56. HAMMER PREBUILD-BASH-COMPLETION

Prepare map of options and subcommands for Bash completion

Usage:

```
hammer prebuild-bash-completion [OPTIONS]
```

Options:
 -h, --help Print help

2.57. HAMMER PRODUCT

Manipulate products

Usage:
 hammer product [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
 SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:
 create Create a product
 delete, destroy Destroy a product
 info, show Show a product
 list, index List products
 remove-sync-plan Delete assignment sync plan and product
 set-sync-plan Assign sync plan to product
 synchronize Sync all repositories for a product
 update Updates a product
 update-proxy Updates an HTTP Proxy for a product

Options:
 -h, --help Print help

2.57.1. hammer product create

Create a product

Usage:
 hammer product create [OPTIONS]

Options:
 --description VALUE Product description
 --gpg-key-id NUMBER Identifier of the GPG key
 --label VALUE
 --name VALUE Product name
 --organization VALUE Organization name to search by
 --organization-id NUMBER ID of the organization
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 --ssl-ca-cert-id NUMBER Identifier of the SSL CA Cert
 --ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
 --ssl-client-key-id NUMBER Identifier of the SSL Client Key
 --sync-plan VALUE Sync plan name to search by
 --sync-plan-id NUMBER Plan numeric identifier
 -h, --help Print help

Option details:
 Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.2. hammer product delete

Destroy a product

Usage:

```
hammer product <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          Product numeric identifier
--name VALUE         Product name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.3. hammer product info

Show a product

Usage:


```
hammer product <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Product numeric identifier
--name VALUE          Product name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS      | ALL | DEFAULT | THIN
-----|----|-----|----
Id          | x  | x      | x
Name        | x  | x      | x
Label       | x  | x      |
Description | x  | x      |
Sync state (all) | x | x      |
Sync state (last) | x | x      |
Sync plan id | x  | x      |
Gpg/gpg key id | x  | x      |
Gpg/gpg key   | x  | x      |
Organization  | x  | x      |
Readonly      | x  | x      |
Deletable     | x  | x      |
Content/repo name | x | x      |
Content/url    | x  | x      |
Content/content type | x | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.57.4. hammer product list

List products

Usage:

```
hammer product <list|index> [OPTIONS]
```

Options:

```
--available-for VALUE          Interpret specified object to return only Products that can be
associated with                specified object. Only 'sync_plan' is supported.

--custom BOOLEAN              Return custom products only
--enabled BOOLEAN             Return enabled products only
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--include-available-content BOOLEAN Whether to include available content attribute in results
--name VALUE                  Filter products by name
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE          Organization name to search by
--organization-id NUMBER      Filter products by organization
--organization-label VALUE     Organization label to search by
--organization-title VALUE     Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER             Number of results per page to return
--redhat-only BOOLEAN         Return Red Hat (non-custom) products only
--search VALUE                Search string
--subscription VALUE          Subscription name to search by
--subscription-id NUMBER      Filter products by subscription
--sync-plan VALUE             Sync plan name to search by
--sync-plan-id NUMBER         Filter products by sync plan id
-h, --help                    Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Description | x  | x      |
Organization | x  | x      |
Repositories | x  | x      |
Sync state | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
```

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

description text
 label string
 name string
 organization_id integer
 redhat Values: true, false

2.57.5. hammer product remove-sync-plan

Delete assignment sync plan and product

Usage:

hammer product remove-sync-plan [OPTIONS]

Options:

--description VALUE Product description
 --gpg-key-id NUMBER Identifier of the GPG key
 --id NUMBER Product numeric identifier
 --name VALUE Product name
 --new-name VALUE Product name
 --organization VALUE Organization name to search by
 --organization-id NUMBER
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 --ssl-ca-cert-id NUMBER Identifier of the SSL CA Cert
 --ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
 --ssl-client-key-id NUMBER Identifier of the SSL Client Key
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.57.6. hammer product set-sync-plan

Assign sync plan to product

Usage:

```
hammer product set-sync-plan [OPTIONS]
```

Options:

```
--id NUMBER          Product numeric identifier
--name VALUE         Product name to search by
--new-name VALUE     Product name
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--ssl-ca-cert-id NUMBER Identifier of the SSL CA Cert
--ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
--ssl-client-key-id NUMBER Identifier of the SSL Client Key
--sync-plan VALUE    Sync plan name to search by
--sync-plan-id NUMBER Plan numeric identifier
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.57.7. hammer product synchronize

Sync all repositories for a product

Usage:

```
hammer product synchronize [OPTIONS]
```

Options:

```
--async          Do not wait for the task
--id NUMBER      Product ID
--name VALUE     Product name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help      Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.8. hammer product update

Updates a product

Usage:

```
hammer product update [OPTIONS]
```

Options:

```
--description VALUE      Product description
--gpg-key-id NUMBER      Identifier of the GPG key
--id NUMBER              Product numeric identifier
--name VALUE             Product name
--new-name VALUE         Product name
--organization VALUE     Organization name to search by
--organization-id NUMBER
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--ssl-ca-cert-id NUMBER  Identifier of the SSL CA Cert
--ssl-client-cert-id NUMBER Identifier of the SSL Client Cert
--ssl-client-key-id NUMBER Identifier of the SSL Client Key
--sync-plan VALUE        Sync plan name to search by
--sync-plan-id NUMBER    Plan numeric identifier
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.57.9. hammer product update-proxy

Updates an HTTP Proxy for a product

Usage:

```
hammer product update-proxy [OPTIONS]
```

Options:

--http-proxy VALUE	Name to search by
--http-proxy-id NUMBER	HTTP Proxy identifier to associated
--http-proxy-policy ENUM	Policy for HTTP Proxy for content sync Possible value(s): 'global_default_http_proxy', 'none', 'use_selected_http_proxy'
--ids LIST	List of product ids
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58. HAMMER PROXY

Manipulate smart proxies

Usage:

```
hammer proxy [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

content	Manage the capsule content
create	Create a capsule
delete, destroy	Delete a capsule
info, show	Show a capsule

list, index	List all capsules
refresh-features	Refresh capsule features
update	Update a capsule
Options:	
-h, --help	Print help

2.58.1. hammer proxy content

Manage the capsule content

Usage:
hammer proxy content [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
add-lifecycle-environment Add lifecycle environments to the capsule
available-lifecycle-environments List the lifecycle environments not attached to the capsule
cancel-synchronization Cancel running capsule synchronization
info Get current capsule synchronization status
lifecycle-environments List the lifecycle environments attached to the capsule
remove-lifecycle-environment Remove lifecycle environments from the capsule
synchronization-status Get current capsule synchronization status
synchronize Synchronize the content to the capsule

Options:
-h, --help Print help

2.58.1.1. hammer proxy content add-lifecycle-environment

Add lifecycle environments to the capsule

Usage:
hammer proxy content add-lifecycle-environment [OPTIONS]

Options:
--environment VALUE Lifecycle environment name to search by (--environment is deprecated: Use --lifecycle-environment instead)
--environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id instead)
--id NUMBER Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the lifecycle environment
--name VALUE Name to search by
--organization VALUE Organization name
--organization-id VALUE Organization ID
-h, --help Print help

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.2. hammer proxy content available-lifecycle-environments

List the lifecycle environments not attached to the capsule

Usage:

```
hammer proxy content available-lifecycle-environments [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the capsule
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Id of the organization to limit environments on
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x | x   | x
Name    | x | x   | x
Organization | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.3. hammer proxy content cancel-synchronization

Cancel running capsule synchronization

Usage:

```
hammer proxy content cancel-synchronization [OPTIONS]
```

Options:

```
--id NUMBER          Id of the capsule
--name VALUE         Name to search by
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.4. hammer proxy content info

Get current capsule synchronization status

Usage:

```
hammer proxy content info [OPTIONS]
```

Options:

```
--fields LIST        Show specified fields or predefined field sets only. (See below)
--id NUMBER          Id of the capsule
--name VALUE         Name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Id of the organization to get the status for
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|-----|-----
```

FIELDS	ALL	DEFAULT
Lifecycle environments/name	x	x
Lifecycle environments/organization	x	x
Lifecycle environments/content views/name	x	x
Lifecycle environments/content views/composite	x	x
Lifecycle environments/content views/last published	x	x
Lifecycle environments/content views/content/hosts	x	x
Lifecycle environments/content views/content/products	x	x
Lifecycle environments/content views/content/yum repos	x	x
Lifecycle environments/content views/content/container image repos	x	x
Lifecycle environments/content views/content/packages	x	x
Lifecycle environments/content views/content/package groups	x	x
Lifecycle environments/content views/content/errata	x	x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.5. hammer proxy content lifecycle-environments

List the lifecycle environments attached to the capsule

Usage:

```
hammer proxy content lifecycle-environments [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id NUMBER	Id of the capsule
--name VALUE	Name to search by
--organization VALUE	Organization name to search by
--organization-id NUMBER	Id of the organization to limit environments on
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN

```

Id      | x | x | x
Name    | x | x | x
Organization | x | x |
-----|---|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.58.1.6. hammer proxy content remove-lifecycle-environment

Remove lifecycle environments from the capsule

Usage:

```
hammer proxy content remove-lifecycle-environment [OPTIONS]
```

Options:

```

--environment VALUE      Lifecycle environment name to search by (--environment is
deprecated: Use
                          --lifecycle-environment instead)
--environment-id NUMBER  (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER              Id of the capsule
--lifecycle-environment VALUE  Lifecycle environment name to search by
--lifecycle-environment-id NUMBER  Id of the lifecycle environment
--name VALUE             Name to search by
--organization VALUE     Organization name
--organization-id VALUE  Organization ID
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.

```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.7. hammer proxy content synchronization-status

Get current capsule synchronization status

Usage:

```
hammer proxy content synchronization-status [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           Id of the capsule
--name VALUE          Name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Id of the organization to get the status for
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help           Print help
```

Predefined field sets:

```
-----|-----
FIELDS          | ALL | DEFAULT
-----|-----
Last sync       | x  | x
Status          | x  | x
Currently running sync tasks/task id | x  | x
Currently running sync tasks/progress | x  | x
Last failure/task id      | x  | x
Last failure/messages    | x  | x
-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.1.8. hammer proxy content synchronize

Synchronize the content to the capsule

Usage:

```
hammer proxy content synchronize [OPTIONS]
```

Options:

```
--async                Do not wait for the task
--content-view VALUE   Content view name to search by
--content-view-id NUMBER Id of the content view to limit the synchronization on
--environment VALUE    Lifecycle environment name to search by (--environment is
deprecated: Use
                        --lifecycle-environment instead)
--environment-id NUMBER (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--id NUMBER            Id of the capsule
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Id of the environment to limit the synchronization on
--name VALUE           Name to search by
--organization VALUE   Organization name
--organization-id VALUE Organization ID
--repository VALUE     Repository name to search by
--repository-id NUMBER Id of the repository to limit the synchronization on
--skip-metadata-check BOOLEAN Skip metadata check on each repository on the capsule
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.58.2. hammer proxy create

Create a capsule

Usage:

```
hammer proxy create [OPTIONS]
```

Options:

```
--download-policy VALUE Download Policy of the capsule, must be one of on_demand,
immediate, inherit
```

```

--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.58.3. hammer proxy delete

Delete a capsule

Usage:

```
hammer proxy <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.4. hammer proxy info

Show a capsule

Usage:

```
hammer proxy <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--include-status BOOLEAN  Flag to indicate whether to include status or not
--include-version BOOLEAN  Flag to indicate whether to include version or not
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Status  | x  | x      |
Url     | x  | x      |
Features | x  | x      |
Version | x  | x      |
Host_count | x | x      |
Features/name | x | x      |
Features/version | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
Created at | x | x      |
Updated at | x | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.5. hammer proxy list

List all capsules

Usage:

```
hammer proxy <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--include-status BOOLEAN	Flag to indicate whether to include status or not
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Status | x | x   |
Url    | x | x   |
Features | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

feature	string
location	string
location_id	integer
name	string
organization	string
organization_id	integer
url	string

Search / Order fields:

feature	string
location	string
location_id	integer
name	string
organization	string
organization_id	integer
url	string

2.58.6. hammer proxy refresh-features

Refresh capsule features

Usage:

```
hammer proxy refresh-features [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.58.7. hammer proxy update

Update a capsule

Usage:

```
hammer proxy update [OPTIONS]
```

Options:

```
--download-policy VALUE  Download Policy of the capsule, must be one of on_demand,
immediate, inherit
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--url VALUE
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.59. HAMMER REALM

Manipulate realms

Usage:

```
hammer realm [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a realm
delete, destroy	Delete a realm
info, show	Show a realm
list, index	List of realms
update	Update a realm

Options:

-h, --help	Print help
------------	------------

2.59.1. hammer realm create

Create a realm

Usage:

```
hammer realm create [OPTIONS]
```

Options:

--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--name VALUE	The realm name, e.g. EXAMPLE.COM
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
--realm-proxy-id NUMBER	Capsule ID to use within this realm
--realm-type VALUE	Realm type, e.g. Red Hat Identity Management or Active Directory
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.59.2. hammer realm delete

Delete a realm

Usage:

```
hammer realm <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.59.3. hammer realm info

Show a realm

Usage:

```
hammer realm <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Numerical ID or realm name
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Realm proxy id | x  | x    |
Realm type  | x  | x    |
Locations/ | x  | x    |
Organizations/ | x  | x    |
Created at  | x  | x    |
Updated at  | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.59.4. hammer realm list

List of realms

Usage:

```
hammer realm <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Scope by locations
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

location      string
location_id   integer
name          string
organization  string
organization_id integer
type          string

```

2.59.5. hammer realm update

Update a realm

Usage:

```
hammer realm update [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE             The realm name, e.g. EXAMPLE.COM
--new-name VALUE         The realm name, e.g. EXAMPLE.COM
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--realm-proxy-id NUMBER  Capsule ID to use within this realm
--realm-type VALUE       Realm type, e.g. Red Hat Identity Management or Active Directory
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.60. HAMMER RECURRING-LOGIC

Recurring logic related actions

Usage:

```
hammer recurring-logic [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

cancel          Cancel recurring logic
delete          Delete all recurring logics filtered by the arguments
info, show      Show recurring logic details
list, index     List recurring logics

```

Options:

-h, --help Print help

2.60.1. hammer recurring-logic cancel

Cancel recurring logic

Usage:

hammer recurring-logic cancel [OPTIONS]

Options:

--id VALUE ID of the recurring logic
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --name VALUE Name to search by
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.60.2. hammer recurring-logic delete

Delete all recurring logics filtered by the arguments

Usage:

hammer recurring-logic delete [OPTIONS]

Options:

--cancelled Only delete cancelled recurring logics
 --finished Only delete finished recurring logics
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.60.3. hammer recurring-logic info

Show recurring logic details

Usage:

```
hammer recurring-logic <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             ID of the recurring logic
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS  | ALL | DEFAULT
-----|----|-----
Id      | x  | x
Cron line | x  | x
Action  | x  | x
Last occurrence | x  | x
Next occurrence | x  | x
Iteration | x  | x
Iteration limit | x  | x
Repeat until | x  | x
State   | x  | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.60.4. hammer recurring-logic list

List recurring logics

Usage:

```
hammer recurring-logic <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|----|-----
FIELDS | ALL | DEFAULT
-----|----|-----
Id     | x | x
Cron line | x | x
Iteration | x | x
End time | x | x
State  | x | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.61. HAMMER REMOTE-EXECUTION-FEATURE

Manage remote execution features

Usage:

```
hammer remote-execution-feature [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show remote execution feature
list, index	List remote execution features
update	Update a job template

Options:

-h, --help	Print help
------------	------------

2.61.1. hammer remote-execution-feature info

Show remote execution feature

Usage:

```
hammer remote-execution-feature <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Label	x	x	
Name	x	x	x
Description	x	x	

```

Job template name | x | x |
Job template id | x | x |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.61.2. hammer remote-execution-feature list

List remote execution features

Usage:

```
hammer remote-execution-feature <list|index> [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help

```

Predefined field sets:

```

-----|----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|-----
Id      | x | x | x
Name    | x | x | x
Description | x | x |
Job template name | x | x |
-----|----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description

```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.61.3. hammer remote-execution-feature update

Update a job template

Usage:

```
hammer remote-execution-feature update [OPTIONS]
```

Options:

```
--id VALUE
--job-template VALUE      Name to search by
--job-template-id VALUE   Job template ID to be used for the feature
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.62. HAMMER REPORT

Browse and read reports

Usage:
hammer report [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
delete, destroy Delete a report
info, show Show a report
list, index List all reports

Options:
-h, --help Print help

2.62.1. hammer report delete

Delete a report

Usage:
hammer report <delete|destroy> [OPTIONS]

Options:
--id VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help Print help

Option details:
Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

2.62.2. hammer report info

Show a report

Usage:

```
hammer report <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x  | x
Host            | x  | x  |
Reported at     | x  | x  |
Origin          | x  | x  |
Report status/applied      | x  | x  |
Report status/restarted    | x  | x  |
Report status/failed      | x  | x  |
Report status/restart failures | x  | x  |
Report status/skipped     | x  | x  |
Report status/pending     | x  | x  |
Report metrics/config_retrieval | x  | x  |
Report metrics/exec       | x  | x  |
Report metrics/file       | x  | x  |
Report metrics/package    | x  | x  |
Report metrics/service    | x  | x  |
Report metrics/user       | x  | x  |
Report metrics/yumrepo    | x  | x  |
Report metrics/filebucket | x  | x  |
Report metrics/cron       | x  | x  |
Report metrics/total      | x  | x  |
Logs/resource           | x  | x  |
Logs/message           | x  | x  |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.62.3. hammer report list

List all reports

Usage:

```
hammer report <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Host	x	x	
Last report	x	x	
Origin	x	x	
Applied	x	x	
Restarted	x	x	
Failed	x	x	
Restart failures	x	x	
Skipped	x	x	
Pending	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

applied integer
 eventful Values: true, false
 failed integer
 failed_restarts integer
 host string
 host_id integer
 host_owner_id integer
 hostgroup string
 hostgroup_fullname string
 hostgroup_title string
 last_report datetime
 location string
 log text
 organization string
 origin string
 pending integer
 reported datetime
 resource text
 restarted integer
 skipped integer

Search / Order fields:

applied integer
 eventful Values: true, false
 failed integer
 failed_restarts integer
 host string
 host_id integer
 host_owner_id integer
 hostgroup string
 hostgroup_fullname string
 hostgroup_title string
 last_report datetime
 location string
 log text
 organization string
 origin string
 pending integer
 reported datetime
 resource text
 restarted integer
 skipped integer

2.63. HAMMER REPORT-TEMPLATE

Manipulate report templates

Usage:

hammer report-template [OPTIONS] SUBCOMMAND [ARG] ...

```

Parameters:
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

Subcommands:
clone               Clone a template
create             Create a report template
delete, destroy    Delete a report template
dump              View report content
generate          Generate report
import            Import a report template
info, show        Show a report template
list, index       List all report templates
report-data       Downloads a generated report
schedule         Schedule generating of a report
update           Update a report template

Options:
-h, --help        Print help

```

2.63.1. hammer report-template clone

Clone a template

```

Usage:
  hammer report-template clone [OPTIONS]

Options:
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Template name
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.2. hammer report-template create

Create a report template

Usage:

```
hammer report-template create [OPTIONS]
```

Options:

```
--audit-comment VALUE
--default BOOLEAN      Whether or not the template is added automatically to new organizations
and
                        locations
--description VALUE
--file FILE            Path to a file that contains the report template content
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-ids LIST    REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN      Whether or not the template is locked for editing
--name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
-h, --help            Print help
-i, --interactive     Open empty template in an $EDITOR. Upload the result
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.3. hammer report-template delete

Delete a report template

Usage:

```
hammer report-template <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.63.4. hammer report-template dump

View report content

Usage:

```
hammer report-template dump [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help
```

Predefined field sets:

```
-----
FIELDS
-----
```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.63.5. hammer report-template generate

Generate report

Usage:

```
hammer report-template generate [OPTIONS]
```

Options:

```

--gzip BOOLEAN      Compress the report using gzip
--id VALUE
--inputs KEY_VALUE_LIST  Specify inputs
--location VALUE     Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--path VALUE         Path to directory where downloaded content will be saved
--report-format ENUM  Report format, defaults to 'csv'
                    Possible value(s): 'csv', 'json', 'yaml', 'html'
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters

```

LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.6. hammer report-template import

Import a report template

Usage:

```
hammer report-template import [OPTIONS]
```

Options:

--associate ENUM	Determines when the template should associate objects based on metadata, new means only when new template is being created, always means both for new and existing template which is only being updated, never ignores metadata Possible value(s): 'new', 'always', 'never'
--default BOOLEAN	Makes the template default meaning it will be automatically associated with newly created organizations and locations (false by default)
--file FILE	Path to a file that contains the report template content including metadata
--force BOOLEAN	Use if you want update locked templates
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--lock BOOLEAN	Lock imported templates (false by default)
--name VALUE	Template name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.7. hammer report-template info

Show a report template

Usage:

```
hammer report-template <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|----|-----|-----
Id          | x  | x      | x
Name        | x  | x      | x
Description  | x  | x      |
Locked      | x  | x      |
Default     | x  | x      |
Created at  | x  | x      |
Updated at  | x  | x      |
Locations/  | x  | x      |
Organizations/ | x  | x      |
Template inputs/id | x  | x      |
Template inputs/name | x  | x      |
Template inputs/description | x  | x      |
Template inputs/required | x  | x      |
Template inputs/options | x  | x      |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.8. hammer report-template list

List all report templates

Usage:

```
hammer report-template <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----|
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|
Id     | x  | x    | x
Name   | x  | x    | x
-----|-----|-----|-----|
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

default	Values: true, false
location	string
location_id	integer
locked	Values: true, false
name	string
organization	string
organization_id	integer
snippet	Values: true, false
template	text

2.63.9. hammer report-template report-data

Downloads a generated report

Usage:

```
hammer report-template report-data [OPTIONS]
```

Options:

--id VALUE	
--job-id VALUE	ID assigned to generating job by the schedule command
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--path VALUE	Path to directory where downloaded content will be saved
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.63.10. hammer report-template schedule

Schedule generating of a report

Usage:

```
hammer report-template schedule [OPTIONS]
```

Options:

```
--generate-at VALUE      UTC time to generate report at
--gzip BOOLEAN           Compress the report using gzip
--id VALUE
--inputs KEY_VALUE_LIST  Specify inputs
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--mail-to VALUE         If set, scheduled report will be delivered via e-mail. Use ',' to separate
                        multiple email addresses.
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--path VALUE             Path to directory where downloaded content will be saved. Only usable if
wait is
                        specified
--report-format ENUM     Report format, defaults to 'csv'
                        Possible value(s): 'csv', 'json', 'yaml', 'html'
--wait                   Turns a command to be active, wait for the result and download it right away
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.63.11. hammer report-template update

Update a report template

Usage:

```
hammer report-template update [OPTIONS]
```

Options:

```
--audit-comment VALUE
--default BOOLEAN      Whether or not the template is added automatically to new organizations
and
                        locations
--description VALUE
```

```

--file FILE          Path to a file that contains the report template content
--id VALUE
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN     Whether or not the template is locked for editing
--name VALUE
--new-name VALUE
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
-h, --help          Print help
-i, --interactive    Dump existing template and open it in an $EDITOR. Update with the result

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME          Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM              Possible values are described in the option's description
FILE              Path to a file
KEY_VALUE_LIST    Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST              Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM        Any combination of possible values described in the option's description
NUMBER            Numeric value. Integer
SCHEMA           Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE            Value described in the option's description. Mostly simple string

```

2.64. HAMMER REPOSITORY

Manipulate repositories

Usage:

```
hammer repository [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND        Subcommand
[ARG] ...         Subcommand arguments

```

Subcommands:

```

create           Create a custom repository
delete, destroy  Destroy a custom repository
info, show       Show a repository
list, index      List of enabled repositories

```

reclaim-space	Reclaim space from an On Demand repository
remove-content	Remove content from a repository
synchronize	Sync a repository
update	Update a repository
upload-content	Upload content into the repository

Options:

-h, --help	Print help
------------	------------

2.64.1. hammer repository create

Create a custom repository

Usage:

```
hammer repository create [OPTIONS]
```

Options:

--ansible-collection-auth-token VALUE	The token key to use for authentication.
--ansible-collection-auth-url VALUE	The URL to receive a session token from, e.g. used with Automation Hub.
--ansible-collection-requirements VALUE	Contents of requirement yaml file to sync from URL
--ansible-collection-requirements-file VALUE	Location of the ansible collections requirements.yml file.
--arch VALUE	Architecture of content in the repository
--checksum-type VALUE	Checksum of the repository, currently 'sha1' & 'sha256' are supported
--content-type ENUM	Type of repo Possible value(s): 'ansible_collection', 'deb', 'docker', 'file', 'ostree', 'python', 'yum'
--deb-architectures VALUE	Whitespace-separated list of architectures to be synced from deb-archive
--deb-components VALUE	Whitespace-separated list of repo components to be synced from deb-archive
--deb-releases VALUE	Whitespace-separated list of releases to be synced from deb-archive
--description VALUE	Description of the repository
--docker-tags-whitelist LIST	Comma-separated list of tags to sync for Container Image repository (Deprecated)
--docker-upstream-name VALUE	Name of the upstream docker repository
--download-concurrency NUMBER	Used to determine download concurrency of the repository in pulp3. Use value less than 20. Defaults to 10
--download-policy ENUM	Download policy for yum repos (either 'immediate' or 'on_demand') Possible value(s): 'immediate', 'on_demand'
--exclude-tags LIST	Comma-separated list of tags to exclude when syncing a container image repository. Default: any tag ending in "-source"
--excludes LIST	Python packages to exclude from the upstream URL, names separated by newline. You may also specify versions, for example: django~=2.0.
--gpg-key-id NUMBER	Id of the gpg key that will be assigned to the new repository
--http-proxy VALUE	Name to search by
--http-proxy-id NUMBER	Id of a HTTP Proxy
--http-proxy-policy ENUM	Policies for HTTP Proxy for content sync Possible value(s): 'global_default_http_proxy', 'none',

```

'use_selected_http_proxy'
--ignorable-content LIST          List of content units to ignore while syncing a yum repository.
Must be subset

--include-tags LIST              Comma-separated list of tags to sync for a container image
repository
--includes LIST                  Python packages to include from the upstream URL, names
separated by newline.
You may also specify versions, for example: django~=2.0. Leave empty
to include
every package.

--label VALUE
--mirror-on-sync BOOLEAN          True if this repository when synced has to be mirrored from
the source and stale

--mirroring-policy ENUM          rpms removed (Deprecated)
Policy to set for mirroring content. Must be one of additive.
Possible value(s): 'additive', 'mirror_complete', 'mirror_content_only'

--name VALUE                      Name of the repository
--organization VALUE             Organization name to search by
--organization-id NUMBER
--organization-label VALUE       Organization label to search by
--organization-title VALUE       Organization title
--os-versions LIST               Identifies whether the repository should be disabled on a client
with a
non-matching OS version. Pass [] to enable regardless of OS version.
Maximum
length 1; allowed tags are: rhel-6, rhel-7, rhel-8, rhel-9
--package-types LIST            Package types to sync for Python content, separated by
comma. Leave empty to get
every package type. Package types are: bdist_dmg, bdist_dumb,
bdist_egg,
bdist_msi, bdist_rpm, bdist_wheel, bdist_wininst, sdist.
--product VALUE                  Product name to search by
--product-id NUMBER              Product the repository belongs to
--publish-via-http BOOLEAN       Publish Via HTTP
--retain-package-versions-count NUMBER The maximum number of versions of each package to
keep.
--ssl-ca-cert-id NUMBER          Identifier of the content credential containing the SSL CA Cert
--ssl-client-cert-id NUMBER      Identifier of the content credential containing the SSL Client
Cert
--ssl-client-key-id NUMBER       Identifier of the content credential containing the SSL Client
Key
--upstream-authentication-token VALUE Password of the upstream authentication token.
--upstream-password VALUE       Password of the upstream repository user used for
authentication
--upstream-username VALUE        Username of the upstream repository user used for
authentication
--url VALUE                      Repository source url
--verify-ssl-on-sync BOOLEAN     If true, Katello will verify the upstream url's SSL certificates
are signed by a
trusted CA
-h, --help                       Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.2. hammer repository delete

Destroy a custom repository

Usage:

```
hammer repository <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER
--name VALUE           Repository name to search by
--organization VALUE  Organization name to search by
--organization-id VALUE Organization ID to search by
--organization-label VALUE Organization label to search by
--product VALUE       Product name to search by
--product-id NUMBER   Product numeric identifier
--remove-from-content-view-versions BOOLEAN Force delete the repository by removing it from all content view versions
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.3. hammer repository info

Show a repository

Usage:

```
hammer repository <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            Repository ID
--name VALUE           Repository name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE        Product name to search by
--product-id NUMBER    Product numeric identifier
-h, --help             Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Label	x	x	
Description	x	x	
Organization	x	x	
Red hat repository	x	x	
Content type	x	x	
Checksum type	x	x	
Mirroring policy	x	x	
Url	x	x	
Publish via http	x	x	
Published at	x	x	
Relative path	x	x	
Download policy	x	x	
Upstream repository name		x	x
Container image tags filter		x	x
Container repository name		x	x
Ignorable content units		x	x
Http proxy/id	x	x	
Http proxy/name	x	x	
Http proxy/http proxy policy		x	x
Product/id	x	x	
Product/name	x	x	
Gpg key/id	x	x	
Gpg key/name	x	x	
Sync/status	x	x	
Sync/last sync date	x	x	
Created	x	x	
Updated	x	x	
Content counts/packages		x	x
Content counts/source rpms		x	x
Content counts/package groups		x	x
Content counts/errata	x	x	
Content counts/container image manifest lists	x	x	
Content counts/container image manifests	x	x	

```

Content counts/container image tags      | x | x |
Content counts/files                     | x | x |
Content counts/module streams           | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.64.4. hammer repository list

List of enabled repositories

Usage:

```
hammer repository <list|index> [OPTIONS]
```

Options:

```

--ansible-collection VALUE      Name to search by
--ansible-collection-id VALUE   Id of an ansible collection to find repositories that contain the ansible
                                collection
--archived BOOLEAN              Show archived repositories
--available-for VALUE           Interpret specified object to return only Repositories that can be
associated
                                with specified object. Only 'content_view' & 'content_view_version' are
                                supported.
--content-type ENUM             Limit to only repositories of this type
                                Possible value(s): 'ansible_collection', 'deb', 'docker', 'file', 'ostree',
                                'python', 'yum'
--content-view VALUE           Content view name to search by
--content-view-id NUMBER       ID of a content view to show repositories in
--content-view-version VALUE   Content view version number
--content-view-version-id NUMBER ID of a content view version to show repositories in
--deb VALUE                     Name to search by
--deb-id VALUE                  Id of a deb package to find repositories that contain the deb
--description VALUE            Description of the repository
--download-policy ENUM         Limit to only repositories with this download policy
                                Possible value(s): 'immediate', 'on_demand'
--environment VALUE            Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER        (--environment-id is deprecated: Use --lifecycle-environment-id

```



```

instead)
--erratum-id VALUE          Id of an erratum to find repositories that contain the erratum
--fields LIST              Show specified fields or predefined field sets only. (See below)
--file-id VALUE           Id of a file to find repositories that contain the file
--full-result BOOLEAN     Whether or not to show all results
--label VALUE            Label of the repository
--library BOOLEAN        Show repositories in Library and the default content view
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER ID of an environment to show repositories in
--name VALUE             Name of the repository
--order VALUE           Sort field and order, eg. 'id DESC'
--organization VALUE     Organization name to search by
--organization-id NUMBER ID of an organization to show repositories in
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER           Page number, starting at 1
--per-page NUMBER       Number of results per page to return
--product VALUE         Product name to search by
--product-id NUMBER     ID of a product to show repositories of
--rpm-id VALUE          Id of a rpm package to find repositories that contain the rpm
--search VALUE          Search string
--username VALUE        Only show the repositories readable by this user with this username
--with-content ENUM     Only repositories having at least one of the specified content type ex:
rpm ,
erratum
Possible value(s): 'ansible_collection', 'deb', 'docker_manifest',
'docker_manifest_list', 'docker_tag', 'docker_blob', 'file', 'ostree_ref',
'python_package', 'rpm', 'modulemd', 'erratum', 'distribution',
'package_category', 'package_group', 'yum_repo_metadata_file', 'srpm'
-h, --help             Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Product | x  | x      |
Content type | x  | x      |
Url     | x  | x      |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

container_repository_name string
 content_label string
 content_type string
 content_view_id integer
 description text
 distribution_arch string
 distribution_bootable boolean
 distribution_family string
 distribution_variant string
 distribution_version string
 download_policy string
 label string
 name string
 product string
 product_id integer
 product_name string
 redhat Values: true, false

2.64.5. hammer repository reclaim-space

Reclaim space from an On Demand repository

Usage:

hammer repository reclaim-space [OPTIONS]

Options:

--async Do not wait for the task
 --id NUMBER Repository ID
 --name VALUE Repository name to search by
 --organization VALUE Organization name to search by
 --organization-id VALUE Organization ID to search by
 --organization-label VALUE Organization label to search by
 --product VALUE Product name to search by
 --product-id NUMBER Product numeric identifier
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.6. hammer repository remove-content

Remove content from a repository

Usage:

```
hammer repository remove-content [OPTIONS]
```

Options:

--content-type	ENUM	Content type ('deb', 'docker_manifest', 'file', 'ostree', 'rpm', 'srpm')
		Possible value(s): 'deb', 'docker_manifest', 'file', 'python_package', 'rpm', 'srpm'
--id	NUMBER	Repository ID
--ids	LIST	Array of content ids to remove
--name	VALUE	Repository name to search by
--organization	VALUE	Organization name to search by
--organization-id	VALUE	Organization ID to search by
--organization-label	VALUE	Organization label to search by
--product	VALUE	Product name to search by
--product-id	NUMBER	Product numeric identifier
--sync-capsule	BOOLEAN	Whether or not to sync an external capsule after upload. Default: true
-h, --help		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.64.7. hammer repository synchronize

Sync a repository

Usage:

```
hammer repository synchronize [OPTIONS]
```

Options:

--async	Do not wait for the task	
--id	NUMBER	Repository ID

```

--incremental BOOLEAN      Perform an incremental import
--name VALUE              Repository name to search by
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE           Product name to search by
--product-id NUMBER       Product numeric identifier
--skip-metadata-check BOOLEAN Force sync even if no upstream changes are detected. Only used
with yum
                        repositories.
--source-url VALUE        Temporarily override feed URL for sync
--validate-contents BOOLEAN Force a sync and validate the checksums of all content. Only used
with yum
                        repositories.
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.64.8. hammer repository update

Update a repository

Usage:

```
hammer repository update [OPTIONS]
```

Options:

```

--ansible-collection-auth-token VALUE      The token key to use for authentication.
--ansible-collection-auth-url VALUE        The URL to receive a session token from, e.g. used with
Automation Hub.
--ansible-collection-requirements VALUE    Contents of requirement yaml file to sync from URL
--ansible-collection-requirements-file VALUE Location of the ansible collections requirements.yml file.
--arch VALUE                               Architecture of content in the repository
--checksum-type VALUE                       Checksum of the repository, currently 'sha1' & 'sha256' are
supported
--deb-architectures VALUE                   Whitespace-separated list of architectures to be synced from
deb-archive
--deb-components VALUE                     Whitespace-separated list of repo components to be synced
from deb-archive

```

--deb-releases VALUE archive	Whitespace-separated list of releases to be synced from deb-
--description VALUE	Description of the repository
--docker-digest VALUE	Container Image manifest digest
--docker-tag VALUE	Container Image tag
--docker-tags-whitelist LIST repository (Deprecated)	Comma-separated list of tags to sync for Container Image
--docker-upstream-name VALUE	Name of the upstream docker repository
--download-concurrency NUMBER repository in pulp3. Use value	Used to determine download concurrency of the less than 20. Defaults to 10
--download-policy ENUM 'on_demand')	Download policy for yum repos (either 'immediate' or Possible value(s): 'immediate', 'on_demand')
--exclude-tags LIST container image	Comma-separated list of tags to exclude when syncing a repository. Default: any tag ending in "-source"
--excludes LIST separated by newline.	Python packages to exclude from the upstream URL, names separated by newline. You may also specify versions, for example: django~=2.0.
--gpg-key-id NUMBER	Id of the gpg key that will be assigned to the new repository
--http-proxy VALUE	Name to search by
--http-proxy-id NUMBER	ID of a HTTP Proxy
--http-proxy-policy ENUM	Policies for HTTP Proxy for content sync Possible value(s): 'global_default_http_proxy', 'none', 'use_selected_http_proxy'
--id NUMBER	Repository ID
--ignorable-content LIST Must be subset	List of content units to ignore while syncing a yum repository. of srpm
--include-tags LIST repository	Comma-separated list of tags to sync for a container image
--includes LIST separated by newline.	Python packages to include from the upstream URL, names separated by newline. You may also specify versions, for example: django~=2.0. Leave empty to include
--mirror-on-sync BOOLEAN the source and stale	True if this repository when synced has to be mirrored from every package.
--mirroring-policy ENUM	rpms removed (Deprecated) Policy to set for mirroring content. Must be one of additive. Possible value(s): 'additive', 'mirror_complete', 'mirror_content_only'
--name VALUE	
--new-name VALUE	
--organization VALUE	Organization name to search by
--organization-id VALUE	Organization ID to search by
--organization-label VALUE	Organization label to search by
--os-versions LIST with a	Identifies whether the repository should be disabled on a client non-matching OS version. Pass [] to enable regardless of OS version. Maximum
--package-types LIST comma. Leave empty to get	length 1; allowed tags are: rhel-6, rhel-7, rhel-8, rhel-9 Package types to sync for Python content, separated by comma. Leave empty to get every package type. Package types are: bdist_dmg, bdist_dumb, bdist_egg,

```

                                bdist_msi, bdist_rpm, bdist_wheel, bdist_wininst, sdist.
--product VALUE                  Product name to search by
--product-id NUMBER              Product numeric identifier
--publish-via-http BOOLEAN       Publish Via HTTP
--retain-package-versions-count NUMBER The maximum number of versions of each package to
keep.
--ssl-ca-cert-id NUMBER          Identifier of the content credential containing the SSL CA Cert
--ssl-client-cert-id NUMBER      Identifier of the content credential containing the SSL Client
Cert
--ssl-client-key-id NUMBER       Identifier of the content credential containing the SSL Client
Key
--upstream-authentication-token VALUE Password of the upstream authentication token.
--upstream-password VALUE        Password of the upstream repository user used for
authentication
--upstream-username VALUE        Username of the upstream repository user used for
authentication
--url VALUE                      Repository source url
--verify-ssl-on-sync BOOLEAN     If true, Katello will verify the upstream url's SSL certificates
are signed by a
                                trusted CA
-h, --help                       Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.64.9. hammer repository upload-content

Upload content into the repository

Usage:

```
hammer repository upload-content [OPTIONS]
```

Options:

```

--content-type ENUM      Content type ('deb', 'docker_manifest', 'file', 'ostree', 'rpm', 'srpm')
                          Possible value(s): 'deb', 'docker_manifest', 'file', 'ostree_ref',
                          'python_package', 'rpm', 'srpm'
--fields LIST           Show specified fields or predefined field sets only. (See below)
--id NUMBER             Repository ID
--name VALUE            Repository name to search by
--organization VALUE    Organization name to search by

```

```

--organization-id NUMBER    Organization ID
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--ostree-repository-name VALUE Name of OSTree repository in archive.
--path FILE                 Upload file, directory of files, or glob of files as content for a repository.
                             Globs must be escaped by single or double quotes
--product VALUE            Product name to search by
--product-id NUMBER       Product numeric identifier
-h, --help                 Print help

```

Predefined field sets:

```

-----
FIELDS
-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.65. HAMMER REPOSITORY-SET

Manipulate repository sets on the server

Usage:

```
hammer repository-set [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

available-repositories  Get list of available repositories for the repository set
disable                 Disable a repository from the set
enable                 Enable a repository from the set
info, show             Get info about a repository set
list, index           List repository sets.

```

Options:

```
-h, --help      Print help
```

2.65.1. hammer repository-set available-repositories

Get list of available repositories for the repository set

Usage:

```
hammer repository-set available-repositories [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER           ID of the repository set
--name VALUE          Repository set name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE       Product name to search by
--product-id NUMBER   ID of a product to list repository sets from
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Name    | x  | x      | x
Arch    | x  | x      |
Release | x  | x      |
Registry name | x | x      |
Enabled | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.65.2. hammer repository-set disable

Disable a repository from the set

Usage:

```
hammer repository-set disable [OPTIONS]
```


Options:

```

--basearch VALUE      Basearch to disable
--id NUMBER           ID of the repository set to disable
--name VALUE          Repository set name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--product VALUE       Product name to search by
--product-id NUMBER   ID of the product containing the repository set
--releasever VALUE    Releasever to disable
--repository VALUE     Repository name to search by
--repository-id NUMBER  ID of the repository within the set to disable
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.65.3. hammer repository-set enable

Enable a repository from the set

Usage:

```
hammer repository-set enable [OPTIONS]
```

Options:

```

--basearch VALUE      Basearch to enable
--id NUMBER           ID of the repository set to enable
--name VALUE          Repository set name to search by
--organization VALUE  Organization name to search by
--organization-id NUMBER  Organization identifier
--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--product VALUE       Product name to search by
--product-id NUMBER   ID of the product containing the repository set
--releasever VALUE    Releasever to enable
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.65.4. hammer repository-set info

Get info about a repository set

Usage:

```
hammer repository-set <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id NUMBER            ID of the repository set
--name VALUE           Repository set name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--product VALUE        Product name to search by
--product-id NUMBER    ID of a product to list repository sets from
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id           | x  | x      | x
Name         | x  | x      | x
Type         | x  | x      |
Url          | x  | x      |
Gpg key      | x  | x      |
Label        | x  | x      |
Enabled repositories/id | x  | x      |
Enabled repositories/name | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.65.5. hammer repository-set list

List repository sets.

Usage:

```
hammer repository-set <list|index> [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id NUMBER  Activation key identifier
--content-access-mode-all BOOLEAN Get all content available, not just that provided by
subscriptions.
--content-access-mode-env BOOLEAN Limit content to just that available in the host's or activation
key's content
--content-access-mode view version and lifecycle environment.
--enabled BOOLEAN          If true, only return repository sets that have been enabled. Defaults
to false
--fields LIST              Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN      Whether or not to show all results
--host VALUE               Host name
--host-id NUMBER           Id of the host
--name VALUE               Repository set name to search on
--order VALUE              Sort field and order, eg. 'id DESC'
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER              Page number, starting at 1
--per-page NUMBER          Number of results per page to return
--product VALUE            Product name to search by
--product-id NUMBER        ID of a product to list repository sets from
--search VALUE             Search string
--with-active-subscription BOOLEAN If true, only return repository sets that are associated with an
active
subscriptions
--with-custom BOOLEAN      If true, return custom repository sets along with redhat repos
-h, --help                 Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id    | x | x   | x
```

```

Type | x | x |
Name | x | x | x
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

content_label string
content_type string
enabled_by_default Values: true, false
label string
name string
path string
product_id integer
product_name string

```

2.66. HAMMER ROLE

Manage user roles

Usage:

```
hammer role [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

clone              Clone a role
create             Create a role
delete, destroy    Delete a role
filters            List all filters
info, show         Show a role
list, index        List all roles
update            Update a role

```

Options:

```
-h, --help        Print help
```

2.66.1. hammer role clone

Clone a role

Usage:

```
hammer role clone [OPTIONS]
```

Options:

```
--description VALUE      Role description
--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
             JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
             escaped with backslash.
             JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
             JSON is acceptable and preferred way for such parameters
VALUE      Value described in the option's description. Mostly simple string
```

2.66.2. hammer role create

Create a role

Usage:

```
hammer role create [OPTIONS]
```

Options:

```
--description VALUE      Role description
--location VALUE         Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
```

```

--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.66.3. hammer role delete

Delete a role

Usage:

```
hammer role <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             User role name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description

```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.66.4. hammer role filters

List all filters

Usage:

```
hammer role filters [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	User role id
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	User role name
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
-h, --help	Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Resource type | x  | x    |
Search  | x  | x    |
Unlimited? | x  | x    |
Override? | x  | x    |
Role    | x  | x    |
Permissions | x  | x    |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.

JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.66.5. hammer role info

Show a role

Usage:

```
hammer role <info|show> [OPTIONS]
```

Options:

```
--description VALUE
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          User role name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Builtin | x  | x      |
Description | x | x      |
Locations/ | x | x      |
Organizations/ | x | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.

JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.

JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.66.6. hammer role list

List all roles

Usage:

```
hammer role <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x | x
Name   | x | x | x
Builtin | x | x |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

```
builtin      Values: true, false
```

description	text
name	string
permission	string

2.66.7. hammer role update

Update a role

Usage:

```
hammer role update [OPTIONS]
```

Options:

```
--description VALUE      Role description
--id VALUE
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-ids LIST      REPLACE locations with given ids
--location-title VALUE   Set the current location context for the request
--location-titles LIST
--locations LIST
--name VALUE
--new-name VALUE
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.67. HAMMER SCAP-CONTENT

Manipulate SCAP contents

Usage:

```
hammer scap-content [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

bulk-upload	Upload scap contents in bulk
create	Create SCAP content
delete, destroy	Deletes an SCAP content
download	Download an SCAP content as XML
info, show	Show an SCAP content
list, index	List SCAP contents
update	Update an SCAP content

Options:

-h, --help	Print help
------------	------------

2.67.1. hammer scap-content bulk-upload

Upload scap contents in bulk

Usage:

```
hammer scap-content bulk-upload [OPTIONS]
```

Options:

--directory VALUE	Directory to upload when using “directory” upload type
--files LIST	File paths to upload when using “files” upload type
--location VALUE	Name to search by
--location-id NUMBER	Set the current location context for the request
--organization VALUE	Name to search by
--organization-id NUMBER	Set the current organization context for the request
--type ENUM	Type of the upload
	Possible value(s): 'files', 'directory', 'default'
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.67.2. hammer scap-content create

Create SCAP content

Usage:

```
hammer scap-content create [OPTIONS]
```

Options:

```
--location VALUE          Name to search by
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--locations LIST
--organization VALUE      Name to search by
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organizations LIST
--original-filename VALUE Original file name of the XML file
--scap-file FILE          SCAP content file
--title VALUE            SCAP content name
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.67.3. hammer scap-content delete

Deletes an SCAP content

Usage:

```
hammer scap-content <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Name to search by
--location-id NUMBER      Set the current location context for the request
--organization VALUE      Name to search by
--organization-id NUMBER  Set the current organization context for the request
--title VALUE            SCAP content title
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.67.4. hammer scap-content download

Download an SCAP content as XML

Usage:

```
hammer scap-content download [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
--title VALUE         SCAP content title
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.67.5. hammer scap-content info

Show an SCAP content

-

Usage:

```
hammer scap-content <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Name to search by
--location-id NUMBER   Set the current location context for the request
--organization VALUE   Name to search by
--organization-id NUMBER Set the current organization context for the request
--title VALUE          SCAP content title
-h, --help            Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Title	x	x	x
Digest	x	x	
Created at	x	x	
Original filename	x	x	
Scap content profiles/id	x	x	
Scap content profiles/profile id	x	x	
Scap content profiles/title	x	x	
Locations/	x	x	
Organizations/	x	x	

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.67.6. hammer scap-content list

List SCAP contents

Usage:

```
hammer scap-content <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
-h, --help           Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Title  | x | x   | x
Digest | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

created_at    datetime
filename      string
location      string
location_id   integer
organization  string
organization_id integer
title         string

```

2.67.7. hammer scap-content update

Update an SCAP content

Usage:

```
hammer scap-content update [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--locations LIST
--new-title VALUE     SCAP content name
--organization VALUE  Name to search by
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organizations LIST
--original-filename VALUE  Original file name of the XML file
--scap-file FILE         SCAP content file
--title VALUE           SCAP content name
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.68. HAMMER SCAP-CONTENT-PROFILE

Manipulate Scap Content Profiles

Usage:

```
hammer scap-content-profile [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```
list, index     List SCAP content profiles
```

Options:

```
-h, --help      Print help
```

2.68.1. hammer scap-content-profile list

List SCAP content profiles

Usage:

```
hammer scap-content-profile <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Title   | x | x |
Profile id | x | x |
Scap content id | x | x |
Scap content title | x | x |
Tailoring file id | x | x |
Tailoring file name | x | x | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
profile_id    string
title         string
```

2.69. HAMMER SETTINGS

Change server settings

Usage:
hammer settings [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

Subcommands:
info, show Show a setting
list, index List all settings
set Update a setting

Options:
-h, --help Print help

2.69.1. hammer settings info

Show a setting

Usage:
hammer settings <info|show> [OPTIONS]

Options:
--fields LIST Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE Setting name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help Print help

Predefined field sets:

```

-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Description | x | x   |
Category | x | x   |
Settings type | x | x   |
Value  | x | x   |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.69.2. hammer settings list

List all settings

Usage:

```
hammer settings <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

----- ----- ----- -----
FIELDS ALL DEFAULT THIN
----- ----- ----- -----
Id x x x
Name x x x
Full name x x
Value x x
Description x x
----- ----- ----- -----

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

description	text
name	string

2.69.3. hammer settings set

Update a setting

Usage:

```
hammer settings set [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Setting name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--value VALUE	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.70. HAMMER SHELL

Interactive shell

Usage:

```
hammer shell [OPTIONS]
```

Options:
 -h, --help Print help

2.71. HAMMER SIMPLE-CONTENT-ACCESS

Simple content access commands

Usage:
 hammer simple-content-access [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
 SUBCOMMAND Subcommand
 [ARG] ... Subcommand arguments

Subcommands:
 disable Disable simple content access for a manifest
 enable Enable simple content access for a manifest

Options:
 -h, --help Print help

Unfortunately the server does not support such operation.

2.71.1. hammer simple-content-access disable

Disable simple content access for a manifest

Usage:
 hammer simple-content-access disable [OPTIONS]

Options:
 --async Do not wait for the task
 --organization VALUE Organization name to search by
 --organization-id NUMBER Organization ID
 --organization-label VALUE Organization label to search by
 --organization-title VALUE Organization title
 -h, --help Print help

Option details:
 Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.71.2. hammer simple-content-access enable

Enable simple content access for a manifest

Usage:

```
hammer simple-content-access enable [OPTIONS]
```

Options:

--async	Do not wait for the task
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.72. HAMMER SRPM

Manipulate source RPMs

Usage:

```
hammer srpm [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

info, show	Show SRPM details
list, index	List srpm

Options:

-h, --help	Print help
------------	------------

2.72.1. hammer srpm info

Show SRPM details

Usage:

```
hammer srpm <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             SRPM details identifier
--name VALUE           Name to search by
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization identifier
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--repository VALUE     Repository name to search by
--repository-id NUMBER Repository identifier
-h, --help             Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Name    | x  | x      | x
Version | x  | x      |
Architecture | x  | x      |
Epoch  | x  | x      |
Release | x  | x      |
Filename | x  | x      |
Description | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.72.2. hammer srpm list

List srpms

Usage:

```
hammer srpm <list|index> [OPTIONS]
```

Options:

```
--content-view VALUE          Content view name to search by
--content-view-id NUMBER      Content view numeric identifier
--content-view-version VALUE  Content view version number
--content-view-version-id NUMBER Content View Version identifier
--environment VALUE          Lifecycle environment name to search by (--environment is
deprecated: Use
                                --lifecycle-environment instead)
--environment-id NUMBER       (--environment-id is deprecated: Use --lifecycle-environment-id
instead)
--fields LIST                 Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN         Whether or not to show all results
--lifecycle-environment VALUE Lifecycle environment name to search by
--lifecycle-environment-id NUMBER Environment identifier
--order VALUE                 Sort field and order, eg. 'id DESC'
--organization VALUE         Organization name to search by
--organization-id NUMBER     Organization identifier
--organization-label VALUE   Organization label to search by
--organization-title VALUE   Organization title
--page NUMBER                 Page number, starting at 1
--per-page NUMBER            Number of results per page to return
--product VALUE              Product name to search by
--product-id NUMBER          Product numeric identifier
--repository VALUE           Repository name to search by
--repository-id NUMBER       Repository identifier
--search VALUE                Search string
-h, --help                    Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Filename | x | x   |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
```


VALUE Value described in the option's description. Mostly simple string

2.73. HAMMER STATUS

Get the complete status of the server and/or it's subcomponents

Usage:

hammer status [OPTIONS] [SUBCOMMAND] [ARG] ...

Parameters:

[ARG] ... Subcommand arguments
[SUBCOMMAND] Subcommand (default: "foreman")

Subcommands:

foreman Shows status and version information of Satellite system and it's subcomponents
katello Shows version information

Options:

-h, --help Print help

2.73.1. hammer status foreman

Shows status and version information of Satellite system and it's subcomponents

Usage:

hammer status foreman [OPTIONS]

Options:

-h, --help Print help

2.73.2. hammer status katello

Shows version information

Usage:

hammer status katello [OPTIONS]

Options:

-h, --help Print help

2.74. HAMMER SUBNET

Manipulate subnets

Usage:

hammer subnet [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:

SUBCOMMAND Subcommand
[ARG] ... Subcommand arguments

```

Subcommands:
create          Create a subnet
delete, destroy Delete a subnet
delete-parameter Delete parameter for a subnet
info, show     Show a subnet
list, index    List of subnets
set-parameter  Create or update parameter for a subnet
update        Update a subnet

Options:
-h, --help    Print help

```

2.74.1. hammer subnet create

Create a subnet

```

Usage:
  hammer subnet create [OPTIONS]

Options:
--bmc VALUE          BMC Proxy to use within this subnet
--bmc-id NUMBER     BMC Capsule ID to use within this subnet
--boot-mode ENUM    Default boot mode for interfaces assigned to this subnet.
                   Possible value(s): 'Static', 'DHCP'
--description VALUE Subnet description
--dhcp VALUE        DHCP Proxy to use within this subnet
--dhcp-id NUMBER    DHCP Capsule ID to use within this subnet
--discovery-id NUMBER ID of Discovery Capsule to use within this subnet for managing
connection to
                   discovered hosts
--dns VALUE         DNS Proxy to use within this subnet
--dns-id NUMBER     DNS Capsule ID to use within this subnet
--dns-primary VALUE Primary DNS for this subnet
--dns-secondary VALUE Secondary DNS for this subnet
--domain-ids LIST   Domains in which this subnet is part
--domains LIST
--externalipam-group VALUE External IPAM group - only relevant when IPAM is set to external
--externalipam-id NUMBER External IPAM Capsule ID to use within this subnet
--from VALUE        Starting IP Address for IP auto suggestion
--gateway VALUE     Subnet gateway
--httpboot-id NUMBER HTTPBoot Capsule ID to use within this subnet
--ipam ENUM         IP Address auto suggestion mode for this subnet.
                   Possible value(s): 'DHCP', 'Internal DB', 'Random DB', 'EUI-64', 'External
IPAM', 'None'
--location VALUE    Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-ids LIST REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--mask VALUE        Netmask for this subnet
--mtu NUMBER        MTU for this subnet
--name VALUE        Subnet name
--network VALUE     Subnet network
--network-type ENUM Type or protocol, IPv4 or IPv6, defaults to IPv4

```

```

Possible value(s): 'IPv4', 'IPv6'
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--prefix VALUE            Network prefix in CIDR notation (e.g. 64) for this subnet
--remote-execution-proxy-ids LIST List of Capsule IDs to be used for remote execution
--template-id NUMBER      Template HTTP(S) Capsule ID to use within this subnet
--tftp VALUE              TFTP Proxy to use within this subnet
--tftp-id NUMBER          TFTP Capsule ID to use within this subnet
--to VALUE                Ending IP Address for IP auto suggestion
--vlanid VALUE            VLAN ID for this subnet
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.74.2. hammer subnet delete

Delete a subnet

Usage:

```
hammer subnet <delete|destroy> [OPTIONS]
```

Options:

```

--id NUMBER          Subnet numeric identifier
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Subnet name
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.3. hammer subnet delete-parameter

Delete parameter for a subnet

Usage:

```
hammer subnet delete-parameter [OPTIONS]
```

Options:

```
--name VALUE          Parameter name
--subnet VALUE        Subnet name
--subnet-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.4. hammer subnet info

Show a subnet

Usage:

```
hammer subnet <info|show> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Subnet name
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--show-hidden-parameters BOOLEAN Display hidden parameter values
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Description | x | x |
Protocol | x | x |
Priority | x | x |
Network addr | x | x |
Network prefix | x | x |
Network mask | x | x |
Gateway addr | x | x |
Primary dns | x | x |
Secondary dns | x | x |
Smart proxies/dns | x | x |
Smart proxies/tftp | x | x |
Smart proxies/dhcp | x | x |
Remote execution proxies/id | x | x |
Remote execution proxies/name | x | x |
Ipam    | x | x |
Start of ip range | x | x |
End of ip range | x | x |
Vlan id | x | x |
Mtu     | x | x |
Boot mode | x | x |
Domains/ | x | x |
Locations/ | x | x |
Organizations/ | x | x |
Parameters/ | x | x |
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters

```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.5. hammer subnet list

List of subnets

Usage:

```
hammer subnet <list|index> [OPTIONS]
```

Options:

--domain VALUE	Domain name
--domain-id VALUE	ID of domain
--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Scope by locations
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Scope by organizations
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Name	x	x	x
Network addr	x	x	
Network prefix	x	x	
Network mask	x	x	
Vlan id	x	x	
Boot mode	x	x	
Gateway address	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

boot_mode	string
dns_primary	string
dns_secondary	string
domain	string
gateway	string
ipam	string
location	string
location_id	integer
mask	string
mtu	integer
name	text
network	string
nic_delay	integer
organization	string
organization_id	integer
params	string
type	string
vlanid	integer

2.74.6. hammer subnet set-parameter

Create or update parameter for a subnet

Usage:

```
hammer subnet set-parameter [OPTIONS]
```

Options:

```
--hidden-value BOOLEAN    Should the value be hidden
--name VALUE              Parameter name
--parameter-type ENUM     Type of the parameter
                          Possible value(s): 'string', 'boolean', 'integer', 'real', 'array', 'hash',
                          'yaml', 'json'
                          Default: "string"
--subnet VALUE            Subnet name
--subnet-id NUMBER
--value VALUE             Parameter value
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.74.7. hammer subnet update

Update a subnet

Usage:

```
hammer subnet update [OPTIONS]
```

Options:

--bmc VALUE	BMC Proxy to use within this subnet
--bmc-id NUMBER	BMC Capsule ID to use within this subnet
--boot-mode ENUM	Default boot mode for interfaces assigned to this subnet. Possible value(s): 'Static', 'DHCP'
--description VALUE	Subnet description
--dhcp VALUE	DHCP Proxy to use within this subnet
--dhcp-id NUMBER	DHCP Capsule ID to use within this subnet
--discovery-id NUMBER	ID of Discovery Capsule to use within this subnet for managing connection to discovered hosts
--dns VALUE	DNS Proxy to use within this subnet
--dns-id NUMBER	DNS Capsule ID to use within this subnet
--dns-primary VALUE	Primary DNS for this subnet
--dns-secondary VALUE	Secondary DNS for this subnet
--domain-ids LIST	Domains in which this subnet is part
--domains LIST	
--externalipam-group VALUE	External IPAM group - only relevant when IPAM is set to external
--externalipam-id NUMBER	External IPAM Capsule ID to use within this subnet
--from VALUE	Starting IP Address for IP auto suggestion
--gateway VALUE	Subnet gateway
--httpboot-id NUMBER	HTTPBoot Capsule ID to use within this subnet
--id NUMBER	Subnet numeric identifier
--ipam ENUM	IP Address auto suggestion mode for this subnet. Possible value(s): 'DHCP', 'Internal DB', 'Random DB', 'EUI-64', 'External IPAM', 'None'
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--mask VALUE	Netmask for this subnet
--mtu NUMBER	MTU for this subnet
--name VALUE	Subnet name
--network VALUE	Subnet network
--network-type ENUM	Type or protocol, IPv4 or IPv6, defaults to IPv4 Possible value(s): 'IPv4', 'IPv6'
--new-name VALUE	Subnet name
--organization VALUE	Set the current organization context for the request


```

--organization-id NUMBER      Set the current organization context for the request
--organization-ids LIST       REPLACE organizations with given ids.
--organization-title VALUE    Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--prefix VALUE                Network prefix in CIDR notation (e.g. 64) for this subnet
--remote-execution-proxy-ids LIST List of Capsule IDs to be used for remote execution
--template-id NUMBER         Template HTTP(S) Capsule ID to use within this subnet
--tftp VALUE                  TFTP Proxy to use within this subnet
--tftp-id NUMBER             TFTP Capsule ID to use within this subnet
--to VALUE                    Ending IP Address for IP auto suggestion
--vlanid VALUE               VLAN ID for this subnet
-h, --help                    Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.75. HAMMER SUBSCRIPTION

Manipulate subscriptions

Usage:

```
hammer subscription [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

delete-manifest      Delete manifest from Red Hat provider
list, index          List organization subscriptions
manifest-history     Obtain manifest history for subscriptions
refresh-manifest     Refresh previously imported manifest for Red Hat provider
upload               Upload a subscription manifest

```

Options:

```
-h, --help          Print help
```

2.75.1. hammer subscription delete-manifest

Delete manifest from Red Hat provider

Usage:

```
hammer subscription delete-manifest [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization id
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.75.2. hammer subscription list

List organization subscriptions

Usage:

```
hammer subscription <list|index> [OPTIONS]
```

Options:

```
--activation-key VALUE      Activation key name to search by
--activation-key-id VALUE   Activation key ID
--available-for VALUE      Object to show subscriptions available for, either 'host' or 'activation_key'
--fields LIST              Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN      Whether or not to show all results
--host VALUE               Host name
--host-id VALUE            Id of a host
--match-host BOOLEAN      Ignore subscriptions that are unavailable to the specified host
--match-installed BOOLEAN  Return subscriptions that match installed products of the specified
host
--name VALUE               Name of the subscription
--no-overlap BOOLEAN       Return subscriptions which do not overlap with a currently-attached
subscription
--order VALUE              Sort field and order, eg. 'id DESC'
--organization VALUE       Organization name to search by
--organization-id NUMBER   Organization ID
```

```

--organization-label VALUE  Organization label to search by
--organization-title VALUE  Organization title
--page NUMBER                Page number, starting at 1
--per-page NUMBER           Number of results per page to return
--search VALUE              Search string
-h, --help                  Print help

```

Predefined field sets:

```

-----|----|-----
FIELDS  | ALL | DEFAULT
-----|----|-----
Id      | x  | x
Uuid    | x  | x
Name    | x  | x
Type    | x  | x
Contract | x  | x
Account | x  | x
Support | x  | x
Start date | x  | x
End date | x  | x
Quantity | x  | x
Consumed | x  | x
-----|----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.75.3. hammer subscription manifest-history

obtain manifest history for subscriptions

Usage:

```
hammer subscription manifest-history [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title

```

-h, --help Print help

Predefined field sets:

```

-----|-----|-----
FIELDS   | ALL | DEFAULT
-----|-----|-----
Status   | x | x
Status message | x | x
Time     | x | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

2.75.4. hammer subscription refresh-manifest

Refresh previously imported manifest for Red Hat provider

Usage:

```
hammer subscription refresh-manifest [OPTIONS]
```

Options:

--async Do not wait for the task
--organization VALUE Organization name to search by
--organization-id NUMBER Organization id
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.75.5. hammer subscription upload

Upload a subscription manifest

Usage:

```
hammer subscription upload [OPTIONS]
```

Options:

```
--async           Do not wait for the task
--file FILE       Subscription manifest file
--organization VALUE Organization name to search by
--organization-id NUMBER Organization id
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help       Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.76. HAMMER SYNC-PLAN

Manipulate sync plans

Usage:

```
hammer sync-plan [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND       Subcommand
[ARG] ...        Subcommand arguments
```

Subcommands:

```
create           Create a sync plan
```

delete, destroy	Destroy a sync plan
info, show	Show a sync plan
list, index	List sync plans
update	Update a sync plan
Options:	
-h, --help	Print help

2.76.1. hammer sync-plan create

Create a sync plan

Usage:

```
hammer sync-plan create [OPTIONS]
```

Options:

--cron-expression VALUE	Set this when interval is custom cron
--description VALUE	Sync plan description
--enabled BOOLEAN	Enables or disables synchronization
--interval VALUE	How often synchronization should run
--name VALUE	Sync plan name
--organization VALUE	Organization name to search by
--organization-id NUMBER	Organization ID
--organization-label VALUE	Organization label to search by
--organization-title VALUE	Organization title
--sync-date DATETIME	Start date and time for the sync plan. Time is optional, if kept blank current system time will be considered
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.76.2. hammer sync-plan delete

Destroy a sync plan

Usage:

```
hammer sync-plan <delete|destroy> [OPTIONS]
```

Options:

```
--id NUMBER          Sync plan numeric identifier
--name VALUE         Sync plan name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help          Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.76.3. hammer sync-plan info

Show a sync plan

Usage:

```
hammer sync-plan <info|show> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id NUMBER        Sync plan numeric identifier
--name VALUE       Sync plan name to search by
--organization VALUE Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
-h, --help        Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Start date | x | x |
Interval | x | x |
Enabled  | x | x |
Cron expression | x | x |
```

```

Recurring logic id | x | x |
Description        | x | x |
Created at         | x | x |
Updated at        | x | x |
Next sync          | x | x |
Products/id        | x | x |
Products/name      | x | x |
-----|-----|-----|

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string

```

2.76.4. hammer sync-plan list

List sync plans

Usage:

```
hammer sync-plan <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--full-result BOOLEAN  Whether or not to show all results
--interval ENUM        Filter by interval
                       Possible value(s): 'hourly', 'daily', 'weekly', 'custom cron'
--name VALUE           Filter by name
--order VALUE          Sort field and order, eg. 'id DESC'
--organization VALUE   Organization name to search by
--organization-id NUMBER Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--page NUMBER          Page number, starting at 1
--per-page NUMBER      Number of results per page to return
--search VALUE         Search string
--sync-date VALUE      Filter by sync date
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|

```



```

Id          | x | x   | x
Name        | x | x   | x
Start date  | x | x   |
Interval    | x | x   |
Enabled     | x | x   |
Cron expression | x | x   |
Recurring logic id | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

enabled      Values: true, false
interval     string
name         string
organization_id integer

```

2.76.5. hammer sync-plan update

Update a sync plan

Usage:

```
hammer sync-plan update [OPTIONS]
```

Options:

```

--cron-expression VALUE  Add custom cron logic for sync plan
--description VALUE      Sync plan description
--enabled BOOLEAN        Enables or disables synchronization
--id NUMBER              Sync plan numeric identifier
--interval VALUE         How often synchronization should run
--name VALUE              Sync plan name
--new-name VALUE          Sync plan name
--organization VALUE      Organization name to search by
--organization-id NUMBER  Organization ID
--organization-label VALUE Organization label to search by
--organization-title VALUE Organization title
--sync-date DATETIME     Start date and time of the synchronization
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.77. HAMMER TAILORING-FILE

Manipulate Tailoring files

Usage:

```
hammer tailoring-file [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a Tailoring file
delete, destroy	Deletes a Tailoring file
download	Download a Tailoring file as XML
info, show	Show a Tailoring file
list, index	List Tailoring files
update	Update a Tailoring file

Options:

-h, --help	Print help
------------	------------

2.77.1. hammer tailoring-file create

Create a Tailoring file

Usage:

```
hammer tailoring-file create [OPTIONS]
```

Options:

--location VALUE	Name to search by
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--locations LIST	
--name VALUE	Tailoring file name
--organization VALUE	Name to search by

```

--organization-id NUMBER   Set the current organization context for the request
--organization-ids LIST    REPLACE organizations with given ids.
--organizations LIST
--original-filename VALUE  Original file name of the XML file
--scap-file FILE           Tailoring file content
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.77.2. hammer tailoring-file delete

Deletes a Tailoring file

Usage:

```
hammer tailoring-file <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE           Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters

```

MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.77.3. hammer tailoring-file download

Download a Tailoring file as XML

Usage:

```
hammer tailoring-file download [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Name to search by
--location-id NUMBER  Set the current location context for the request
--name VALUE          Tailoring file name
--organization VALUE  Name to search by
--organization-id NUMBER Set the current organization context for the request
--path VALUE          Path to directory where downloaded file will be saved
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.77.4. hammer tailoring-file info

Show a Tailoring file

Usage:

```
hammer tailoring-file <info|show> [OPTIONS]
```

Options:

```
--fields LIST        Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE     Name to search by
--location-id NUMBER Set the current location context for the request
--name VALUE         Tailoring file name
```

```
--organization VALUE      Name to search by
--organization-id NUMBER  Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS          | ALL | DEFAULT | THIN
-----|----|-----|----
Id              | x  | x      | x
Name            | x  | x      | x
Created at      | x  | x      |
Original filename | x  | x      |
Tailoring file profiles/id | x  | x      |
Tailoring file profiles/profile id | x  | x      |
Tailoring file profiles/title | x  | x      |
Locations/      | x  | x      |
Organizations/ | x  | x      |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE           Value described in the option's description. Mostly simple string
```

2.77.5. hammer tailoring-file list

List Tailoring files

Usage:

```
hammer tailoring-file <list|index> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE      Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER      Page number, starting at 1
--per-page VALUE   Number of results per page to return, 'all' to return all results
```

```
--search VALUE      Filter results
-h, --help         Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
            escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
created_at    datetime
filename      string
location      string
location_id   integer
name          string
organization  string
organization_id integer
```

2.77.6. hammer tailoring-file update

Update a Tailoring file

Usage:

```
hammer tailoring-file update [OPTIONS]
```

Options:

```
--id VALUE          Name to search by
--location VALUE    Name to search by
--location-id NUMBER Set the current location context for the request
--location-ids LIST REPLACE locations with given ids
--locations LIST
--name VALUE        Tailoring file name
--new-name VALUE    Tailoring file name
--organization VALUE Name to search by
--organization-id NUMBER Set the current organization context for the request
```

```
--organization-ids LIST    REPLACE organizations with given ids.
--organizations LIST
--original-filename VALUE  Original file name of the XML file
--scap-file FILE          Tailoring file content
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.78. HAMMER TASK

Tasks related actions.

Usage:

```
hammer task [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
info, show      Show task details
list, index     List tasks
progress        Show the progress of the task
resume         Resume all tasks paused in error state
```

Options:

```
-h, --help      Print help
```

2.78.1. hammer task info

Show task details

Usage:

```
hammer task <info|show> [OPTIONS]
```

Options:

```
--fields LIST    Show specified fields or predefined field sets only. (See below)
--id VALUE       UUID of the task
```

```
--location-id NUMBER      Set the current location context for the request
--organization-id NUMBER  Set the current organization context for the request
-h, --help                Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS  | ALL | DEFAULT
-----|----|-----
Id      | x  | x
Action  | x  | x
State   | x  | x
Result  | x  | x
Started at | x  | x
Ended at | x  | x
Duration | x  | x
Owner   | x  | x
Task errors | x  | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.78.2. hammer task list

List tasks

Usage:

```
hammer task <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location-id NUMBER   Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization-id NUMBER Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--parent-task-id VALUE  UUID of the task
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help            Print help
```


Predefined field sets:

```

-----|-----|-----
FIELDS  | ALL | DEFAULT
-----|-----|-----
Id      | x  | x
Action  | x  | x
State   | x  | x
Result  | x  | x
Started at | x  | x
Ended at | x  | x
Duration | x  | x
Owner   | x  | x
Task errors | x  | x
-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.78.3. hammer task progress

Show the progress of the task

Usage:

```
hammer task progress [OPTIONS]
```

Options:

```

--id VALUE           UUID of the task
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE         Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
---------	--------------------------------

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.78.4. hammer task resume

Resume all tasks paused in error state

Usage:

```
hammer task resume [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--search VALUE         Resume tasks matching search string
--task-ids LIST        Resume specific tasks by ID
--tasks LIST
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----
FIELDS          | ALL | DEFAULT
-----|----|-----
Total tasks found paused in error state | x | x
Total tasks resumed          | x | x
Resumed tasks/task identifier | x | x
Resumed tasks/task action    | x | x
Resumed tasks/task errors    | x | x
Total tasks failed to resume | x | x
Failed tasks/task identifier  | x | x
Failed tasks/task action     | x | x
Failed tasks/task errors     | x | x
Total tasks skipped          | x | x
Skipped tasks/task identifier | x | x
Skipped tasks/task action    | x | x
Skipped tasks/task errors    | x | x
-----|----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79. HAMMER TEMPLATE

Manipulate provisioning templates

Usage:

```
hammer template [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-operatingsystem	Associate an operating system
build-pxe-default	Update the default PXE menu on all configured TFTP servers
clone	Clone a provision template
combination	Manage template combinations
create	Create a provisioning template
delete, destroy	Delete a provisioning template
dump	View provisioning template content
info, show	Show provisioning template details
kinds	List available provisioning template kinds
list, index	List provisioning templates
remove-operatingsystem	Disassociate an operating system
update	Update a provisioning template

Options:

-h, --help	Print help
------------	------------

2.79.1. hammer template add-operatingsystem

Associate an operating system

Usage:

```
hammer template add-operatingsystem [OPTIONS]
```

Options:

--id VALUE	
--name VALUE	Name to search by

```
--operatingsystem VALUE    Operating system title
--operatingsystem-id NUMBER
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME    Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.2. hammer template build-pxe-default

Update the default PXE menu on all configured TFTP servers

Usage:

```
hammer template build-pxe-default [OPTIONS]
```

Options:

```
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN    One of true/false, yes/no, 1/0
DATETIME    Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM        Possible values are described in the option's description
FILE        Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.3. hammer template clone

Clone a provision template

Usage:

```
hammer template clone [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Template name
--new-name VALUE         Template name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.4. hammer template combination

Manage template combinations

Usage:

```
hammer template combination [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments
```

Subcommands:

```
create          Add a template combination
delete, destroy Delete a template combination
info, show      Show template combination
list, index     List template combination
update          Update template combination
```

Options:

-h, --help Print help

2.79.4.1. hammer template combination create

Add a template combination

Usage:

hammer template combination create [OPTIONS]

Options:

--hostgroup VALUE Hostgroup name
 --hostgroup-id VALUE ID of host group
 --hostgroup-title VALUE Hostgroup title
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request
 --location-title VALUE Set the current location context for the request
 --organization VALUE Set the current organization context for the request
 --organization-id NUMBER Set the current organization context for the request
 --organization-title VALUE Set the current organization context for the request
 --provisioning-template VALUE Name to search by
 --provisioning-template-id VALUE ID of config template
 -h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
 DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
 ENUM Possible values are described in the option's description
 FILE Path to a file
 KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
 LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
 MULTIENUM Any combination of possible values described in the option's description
 NUMBER Numeric value. Integer
 SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
 VALUE Value described in the option's description. Mostly simple string

2.79.4.2. hammer template combination delete

Delete a template combination

Usage:

hammer template combination <delete|destroy> [OPTIONS]

Options:

--id VALUE
 --location VALUE Set the current location context for the request
 --location-id NUMBER Set the current location context for the request

```
--location-title VALUE    Set the current location context for the request
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.79.4.3. hammer template combination info

Show template combination

Usage:

```
hammer template combination <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of config template
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id          | x  | x    | x
Provisioning template id | x  | x    |
Provisioning template name | x  | x    |
Hostgroup id      | x  | x    |
```

```

Hostgroup name      | x | x |
Locations/         | x | x |
Organizations/     | x | x |
Created at         | x | x |
Updated at         | x | x |
-----|-----|-----|

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE              Value described in the option's description. Mostly simple string

```

2.79.4.4. hammer template combination list

List template combination

Usage:

```
hammer template combination <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of config template
-h, --help             Print help

```

Predefined field sets:

```

-----|-----|-----|
FIELDS      | ALL | DEFAULT | THIN
-----|-----|-----|
Id          | x | x | x
Provisioning template | x | x |
Hostgroup   | x | x |
-----|-----|-----|

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.4.5. hammer template combination update

Update template combination

Usage:

```
hammer template combination update [OPTIONS]
```

Options:

```
--hostgroup VALUE      Hostgroup name
--hostgroup-id VALUE   ID of host group
--hostgroup-title VALUE Hostgroup title
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--provisioning-template VALUE Name to search by
--provisioning-template-id VALUE ID of config template
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.5. hammer template create

Create a provisioning template

Usage:

```
hammer template create [OPTIONS]
```

Options:

```
--audit-comment VALUE
--description VALUE
--file FILE           Path to a file that contains the template
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST   REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN     Whether or not the template is locked for editing
--name VALUE          Template name
--operatingsystem-ids LIST Array of operating system IDs to associate with the template
--operatingsystems LIST
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--type VALUE          Template type. Eg. snippet, script, provision
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.6. hammer template delete

Delete a provisioning template

Usage:

```
hammer template <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.79.7. hammer template dump

View provisioning template content

Usage:

```
hammer template dump [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help        Print help
```

Predefined field sets:

```
-----
FIELDS
-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.8. hammer template info

Show provisioning template details

Usage:

```
hammer template <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x    | x
Name            | x  | x    | x
Type            | x  | x    |
Description     | x  | x    |
Locked          | x  | x    |
Operating systems/ |    | x  | x  |
Locations/      | x  | x    |
Organizations/  | x  | x    |
Template combinations/hostgroup name | x  | x    |
Template combinations/environment name | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
```

DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.9. hammer template kinds

List available provisioning template kinds

Usage:

```
hammer template kinds [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
-h, --help        Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.79.10. hammer template list

List provisioning templates

Usage:

```
hammer template <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Scope by locations
--location-title VALUE Set the current location context for the request
--operatingsystem VALUE Operating system title
--operatingsystem-id NUMBER ID of operating system
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Type   | x | x   |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

Search / Order fields:

```
default_template Values: true, false
hostgroup         string
kind              string
location          string
location_id       integer
locked            Values: true, false
name              string
operatingsystem  string
organization      string
```

```

organization_id  integer
snippet         Values: true, false
supported       Values: true, false
template        text
vendor          string

```

2.79.11. hammer template remove-operatingsystem

Disassociate an operating system

Usage:

```
hammer template remove-operatingsystem [OPTIONS]
```

Options:

```

--id VALUE
--name VALUE          Name to search by
--operatingsystem VALUE  Operating system title
--operatingsystem-id NUMBER
-h, --help           Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                  JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                  JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                  JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.79.12. hammer template update

Update a provisioning template

Usage:

```
hammer template update [OPTIONS]
```

Options:

```

--audit-comment VALUE
--description VALUE
--file FILE       Path to a file that contains the template
--id VALUE
--location VALUE  Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-ids LIST  REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request

```

```

--location-titles LIST
--locations LIST
--locked BOOLEAN      Whether or not the template is locked for editing
--name VALUE          Template name
--new-name VALUE      Template name
--operatingsystem-ids LIST  Array of operating system IDs to associate with the template
--operatingsystems LIST
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST  REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--type VALUE           Template type. Eg. snippet, script, provision
-h, --help            Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.80. HAMMER TEMPLATE-INPUT

Manage template inputs

Usage:

```
hammer template-input [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND      Subcommand
[ARG] ...       Subcommand arguments

```

Subcommands:

```

create          Create a template input
delete, destroy Delete a template input
info, show      Show template input details
list, index     List template inputs
update          Update a template input

```

Options:

```
-h, --help      Print help
```


2.80.1. hammer template-input create

Create a template input

Usage:

```
hammer template-input create [OPTIONS]
```

Options:

```
--advanced BOOLEAN      Input is advanced
--default VALUE         Default value for user input
--description VALUE     Input description
--fact-name VALUE       Fact name, used when input type is Fact value
--hidden-value BOOLEAN  The value contains sensitive information and shouldn't be normally
visible,
                        useful e.g. for passwords
--input-type ENUM       Input type
                        Possible value(s): 'user', 'fact', 'variable'
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE            Input name
--options LIST          Selectable values for user inputs
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--required BOOLEAN      Input is required
--resource-type ENUM    For values of type search, this is the resource the value searches in
                        Possible value(s): 'AnsibleRole', 'AnsibleVariable', 'Architecture', 'Audit',
                        'AuthSource', 'Bookmark', 'ComputeProfile', 'ComputeResource', 'ConfigReport',
                        'DiscoveryRule', 'Domain', 'ExternalUsergroup', 'FactValue', 'Filter',
                        'ForemanOpenscap::ArfReport', 'ForemanOpenscap::OvalContent',
                        'ForemanOpenscap::OvalPolicy', 'ForemanOpenscap::Policy',
                        'ForemanOpenscap::ScapContent', 'ForemanOpenscap::TailoringFile',
                        'ForemanTasks::RecurringLogic', 'ForemanTasks::Task',
                        'ForemanVirtWhoConfigure::Config', 'Host', 'Hostgroup', 'HttpProxy', 'Image',
                        'InsightsHit', 'JobInvocation', 'JobTemplate', 'Katello::ActivationKey',
                        'Katello::ContentCredential', 'Katello::ContentView', 'Katello::HostCollection',
                        'Katello::KTEEnvironment', 'Katello::Product', 'Katello::Subscription',
                        'Katello::SyncPlan', 'KeyPair', 'Location', 'MailNotification', 'Medium',
                        'Model', 'OperatingSystem', 'Organization', 'Parameter', 'PersonalAccessToken',
                        'ProvisioningTemplate', 'Ptable', 'Realm', 'RemoteExecutionFeature', 'Report',
                        'ReportTemplate', 'Role', 'Setting', 'SmartProxy', 'SshKey', 'Subnet',
                        'Template', 'TemplateInvocation', 'User', 'Usergroup', 'Webhook',
                        'WebhookTemplate'
--template-id VALUE
--value-type ENUM       Value type, defaults to plain
                        Possible value(s): 'plain', 'search', 'date', 'resource'
--variable-name VALUE   Variable name, used when input type is Variable
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
```

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.80.2. hammer template-input delete

Delete a template input

Usage:

```
hammer template-input <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.80.3. hammer template-input info

Show template input details

Usage:

```
hammer template-input <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--template-id VALUE
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Input type | x  | x      |
Fact name | x  | x      |
Variable name | x  | x      |
Puppet parameter name | x  | x      |
Options | x  | x      |
Default value | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME      Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM          Possible values are described in the option's description
FILE          Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST          Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM     Any combination of possible values described in the option's description
NUMBER        Numeric value. Integer
SCHEMA        Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.80.4. hammer template-input list

List template inputs

Usage:

```
hammer template-input <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER        Page number, starting at 1
--per-page VALUE     Number of results per page to return, 'all' to return all results
--search VALUE       Filter results
--template-id VALUE
-h, --help           Print help

```

Predefined field sets:

```

-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id     | x | x   | x
Name   | x | x   | x
Input type | x | x   |
-----|----|-----|----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

input_type    string
name          string

```

2.80.5. hammer template-input update

Update a template input

Usage:

```
hammer template-input update [OPTIONS]
```

Options:

```

--advanced BOOLEAN      Input is advanced
--default VALUE        Default value for user input

```

```

--description VALUE      Input description
--fact-name VALUE       Fact name, used when input type is Fact value
--hidden-value BOOLEAN  The value contains sensitive information and shouldn't be normally
visible,
                        useful e.g. for passwords
--id VALUE
--input-type ENUM       Input type
                        Possible value(s): 'user', 'fact', 'variable'
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE            Input name
--new-name VALUE        Input name
--options LIST          Selectable values for user inputs
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--required BOOLEAN      Input is required
--resource-type ENUM    For values of type search, this is the resource the value searches in
                        Possible value(s): 'AnsibleRole', 'AnsibleVariable', 'Architecture', 'Audit',
                        'AuthSource', 'Bookmark', 'ComputeProfile', 'ComputeResource', 'ConfigReport',
                        'DiscoveryRule', 'Domain', 'ExternalUsergroup', 'FactValue', 'Filter',
                        'ForemanOpenscap::ArfReport', 'ForemanOpenscap::OvalContent',
                        'ForemanOpenscap::OvalPolicy', 'ForemanOpenscap::Policy',
                        'ForemanOpenscap::ScapContent', 'ForemanOpenscap::TailoringFile',
                        'ForemanTasks::RecurringLogic', 'ForemanTasks::Task',
                        'ForemanVirtWhoConfigure::Config', 'Host', 'Hostgroup', 'HttpProxy', 'Image',
                        'InsightsHit', 'JobInvocation', 'JobTemplate', 'Katello::ActivationKey',
                        'Katello::ContentCredential', 'Katello::ContentView', 'Katello::HostCollection',
                        'Katello::KTEEnvironment', 'Katello::Product', 'Katello::Subscription',
                        'Katello::SyncPlan', 'KeyPair', 'Location', 'MailNotification', 'Medium',
                        'Model', 'OperatingSystem', 'Organization', 'Parameter', 'PersonalAccessToken',
                        'ProvisioningTemplate', 'Ptable', 'Realm', 'RemoteExecutionFeature', 'Report',
                        'ReportTemplate', 'Role', 'Setting', 'SmartProxy', 'SshKey', 'Subnet',
                        'Template', 'TemplateInvocation', 'User', 'Usergroup', 'Webhook',
                        'WebhookTemplate'
--template-id VALUE
--value-type ENUM       Value type, defaults to plain
                        Possible value(s): 'plain', 'search', 'date', 'resource'
--variable-name VALUE   Variable name, used when input type is Variable
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81. HAMMER USER

Manipulate users

Usage:

```
hammer user [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

access-token	Managing personal access tokens
add-role	Assign a user role
create	Create a user
delete, destroy	Delete a user
info, show	Show a user
list, index	List all users
mail-notification	Managing personal mail notifications
remove-role	Remove a user role
ssh-keys	Managing User SSH Keys.
update	Update a user

Options:

-h, --help	Print help
------------	------------

2.81.1. hammer user access-token

Managing personal access tokens

Usage:

```
hammer user access-token [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

create	Create a Personal Access Token for a user
info, show	Show a Personal Access Token for a user
list, index	List all Personal Access Tokens for a user
revoke	Revoke a Personal Access Token for a user

Options:

-h, --help	Print help
------------	------------

2.81.1.1. hammer user access-token create

Create a Personal Access Token for a user

Usage:

```
hammer user access-token create [OPTIONS]
```

Options:

```
--expires-at VALUE      Expiry Date
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE            User's login to search by
--user-id VALUE        ID of the user
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.81.1.2. hammer user access-token info

Show a Personal Access Token for a user

Usage:

```
hammer user access-token <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE           User's login to search by
--user-id VALUE        ID of the user
-h, --help             Print help
```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Active  | x | x   |
Expires at | x | x   |
Created at | x | x   |
Last used at | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.81.1.3. hammer user access-token list

List all Personal Access Tokens for a user

Usage:

```
hammer user access-token <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE         Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER         Page number, starting at 1
--per-page VALUE      Number of results per page to return, 'all' to return all results
--search VALUE        Filter results
--user VALUE          User's login to search by
--user-id VALUE       ID of the user
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----

```



```

FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----

```

```

Id      | x | x | x
Name    | x | x | x
Active  | x | x |
Expires at | x | x |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

Search / Order fields:

```

name        string
user_id     integer

```

2.81.1.4. hammer user access-token revoke

Revoke a Personal Access Token for a user

Usage:

```
hammer user access-token revoke [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE             User's login to search by
--user-id VALUE          ID of the user
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.2. hammer user add-role

Assign a user role

Usage:

```
hammer user add-role [OPTIONS]
```

Options:

```
--id VALUE
--login VALUE      User's login to search by
--role VALUE       User role name
--role-id NUMBER
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.3. hammer user create

Create a user

Usage:

```
hammer user create [OPTIONS]
```

Options:

```
--admin BOOLEAN      Is an admin account
```

```

--ask-password BOOLEAN
--auth-source VALUE      Name to search by
--auth-source-id NUMBER
--default-location VALUE  Default location name
--default-location-id NUMBER
--default-organization VALUE  Default organization name
--default-organization-id NUMBER
--description VALUE
--disabled BOOLEAN
--firstname VALUE
--lastname VALUE
--locale ENUM            User's preferred locale
                          Possible value(s): 'ca', 'cs_CZ', 'de', 'en', 'en_GB', 'es', 'fr', 'gl', 'it',
                          'ja', 'ko', 'nl_NL', 'pl', 'pt_BR', 'ru', 'sv_SE', 'zh_CN', 'zh_TW'
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-ids LIST     REPLACE locations with given ids
--location-title VALUE  Set the current location context for the request
--location-titles LIST
--locations LIST
--login VALUE
--mail VALUE
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--password VALUE       Required unless user is in an external authentication source
--role-ids LIST
--roles LIST
--timezone ENUM        User's timezone
                          Possible value(s): 'International Date Line West', 'American Samoa', 'Midway
                          Island', 'Hawaii', 'Alaska', 'Pacific Time (US & Canada)', 'Tijuana', 'Arizona',
                          'Chihuahua', 'Mazatlan', 'Mountain Time (US & Canada)', 'Central America',
                          'Central Time (US & Canada)', 'Guadalajara', 'Mexico City', 'Monterrey',
                          'Saskatchewan', 'Bogota', 'Eastern Time (US & Canada)', 'Indiana (East)',
                          'Lima', 'Quito', 'Atlantic Time (Canada)', 'Caracas', 'Georgetown', 'La Paz',
                          'Puerto Rico', 'Santiago', 'Newfoundland', 'Brasilia', 'Buenos Aires',
                          'Greenland', 'Montevideo', 'Mid-Atlantic', 'Azores', 'Cape Verde Is.',
                          'Casablanca', 'Dublin', 'Edinburgh', 'Lisbon', 'London', 'Monrovia', 'UTC',
                          'Amsterdam', 'Belgrade', 'Berlin', 'Bern', 'Bratislava', 'Brussels', 'Budapest',
                          'Copenhagen', 'Ljubljana', 'Madrid', 'Paris', 'Prague', 'Rome', 'Sarajevo',
                          'Skopje', 'Stockholm', 'Vienna', 'Warsaw', 'West Central Africa', 'Zagreb',
                          'Zurich', 'Athens', 'Bucharest', 'Cairo', 'Harare', 'Helsinki', 'Jerusalem',
                          'Kaliningrad', 'Kyiv', 'Pretoria', 'Riga', 'Sofia', 'Tallinn', 'Vilnius',
                          'Baghdad', 'Istanbul', 'Kuwait', 'Minsk', 'Moscow', 'Nairobi', 'Riyadh', 'St.
                          Petersburg', 'Volgograd', 'Tehran', 'Abu Dhabi', 'Baku', 'Muscat', 'Samara',
                          'Tbilisi', 'Yerevan', 'Kabul', 'Ekaterinburg', 'Islamabad', 'Karachi',
                          'Tashkent', 'Chennai', 'Kolkata', 'Mumbai', 'New Delhi', 'Sri Jayawardenepura',
                          'Kathmandu', 'Almaty', 'Astana', 'Dhaka', 'Urumqi', 'Rangoon', 'Bangkok',
                          'Hanoi', 'Jakarta', 'Krasnoyarsk', 'Novosibirsk', 'Beijing', 'Chongqing', 'Hong
                          Kong', 'Irkutsk', 'Kuala Lumpur', 'Perth', 'Singapore', 'Taipei', 'Ulaanbaatar',
                          'Osaka', 'Sapporo', 'Seoul', 'Tokyo', 'Yakutsk', 'Adelaide', 'Darwin',
                          'Brisbane', 'Canberra', 'Guam', 'Hobart', 'Melbourne', 'Port Moresby', 'Sydney',
                          'Vladivostok', 'Magadan', 'New Caledonia', 'Solomon Is.', 'Srednekolymsk',

```

```

'Auckland', 'Fiji', 'Kamchatka', 'Marshall Is.', 'Wellington', 'Chatham Is.',
'Nuku'alofa', 'Samoa', 'Tokelau Is.'
-h, --help          Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string

```

2.81.4. hammer user delete

Delete a user

Usage:

```
hammer user <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--login VALUE           User's login to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer

```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.5. hammer user info

Show a user

Usage:

```
hammer user <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--login VALUE          User's login to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT	THIN
Id	x	x	x
Login	x	x	x
Name	x	x	
Email	x	x	
Admin	x	x	
Disabled	x	x	
Last login	x	x	
Authorized by	x	x	
Effective admin	x	x	
Locale	x	x	
Timezone	x	x	
Description	x	x	
Default organization	x	x	
Default location	x	x	
Roles/	x	x	
User groups/usergroup	x	x	
User groups/id	x	x	
User groups/roles/	x	x	
Inherited user groups/usergroup	x	x	
Inherited user groups/id	x	x	
Inherited user groups/roles/	x	x	
Locations/	x	x	
Organizations/	x	x	
Created at	x	x	
Updated at	x	x	

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.6. hammer user list

List all users

Usage:

```
hammer user <list|index> [OPTIONS]
```

Options:

```
--auth-source-ldap VALUE  Name to search by
--auth-source-ldap-id VALUE ID of LDAP authentication source
--fields LIST             Show specified fields or predefined field sets only. (See below)
--location VALUE         Set the current location context for the request
--location-id NUMBER     Scope by locations
--location-title VALUE   Set the current location context for the request
--order VALUE            Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Scope by organizations
--organization-title VALUE Set the current organization context for the request
--page NUMBER            Page number, starting at 1
--per-page VALUE         Number of results per page to return, 'all' to return all results
--role VALUE             User role name
--role-id VALUE          ID of role
--search VALUE           Filter results
--user-group VALUE       Name to search by
--user-group-id VALUE    ID of user group
-h, --help               Print help
```

Predefined field sets:

```
-----|----|-----|----
FIELDS  | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x      | x
Login   | x  | x      | x
Name    | x  | x      |
Email   | x  | x      |
Admin   | x  | x      |
Disabled | x  | x      |
Last login | x  | x      |
```

```
Authorized by | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

admin	Values: true, false
auth_source	string
auth_source_type	string
description	text
disabled	Values: true, false
firstname	string
last_login_on	datetime
lastname	string
location	string
location_id	integer
login	string
mail	string
organization	string
organization_id	integer
role	string
role_id	integer
usergroup	string

2.81.7. hammer user mail-notification

Managing personal mail notifications

Usage:

```
hammer user mail-notification [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
add                Add an email notification for a user
list, index        List all email notifications for a user
remove            Remove an email notification for a user
```

update Update an email notification for a user

Options:

-h, --help Print help

2.81.7.1. hammer user mail-notification add

Add an email notification for a user

Usage:

hammer user mail-notification add [OPTIONS]

Options:

--interval VALUE Mail notification interval option, e.g. Daily, Weekly or Monthly. Required for summary notification

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--mail-notification VALUE Name to search by

--mail-notification-id NUMBER

--mail-query VALUE Relevant only for audit summary notification

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--subscription VALUE Mail notification subscription option, e.g. Subscribe, Subscribe to my hosts or

Subscribe to all hosts. Required for host built and config error state

--user VALUE User's login to search by

--user-id VALUE

-h, --help Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.81.7.2. hammer user mail-notification list

List all email notifications for a user

Usage:


```
hammer user mail-notification <list|index> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE          User's login to search by
--user-id VALUE
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    |
Name    | x  | x    | x
Description | x  | x    |
Interval | x  | x    |
Mail query | x  | x    |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.81.7.3. hammer user mail-notification remove

Remove an email notification for a user

Usage:

```
hammer user mail-notification remove [OPTIONS]
```

Options:

```
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--mail-notification VALUE Name to search by
```

```

--mail-notification-id NUMBER
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE              User's login to search by
--user-id VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.81.7.4. hammer user mail-notification update

Update an email notification for a user

Usage:

```
hammer user mail-notification update [OPTIONS]
```

Options:

```

--interval VALUE          Mail notification interval option, e.g. Daily, Weekly or Monthly. Required for
                          summary notification
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-title VALUE    Set the current location context for the request
--mail-notification VALUE Name to search by
--mail-notification-id NUMBER
--mail-query VALUE        Relevant only for audit summary notification
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--subscription VALUE      Mail notification subscription option, e.g. Subscribe, Subscribe to my
                          hosts or
                          Subscribe to all hosts. Required for host built and config error state
--user VALUE              User's login to search by
--user-id VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.8. hammer user remove-role

Remove a user role

Usage:

```
hammer user remove-role [OPTIONS]
```

Options:

```
--id VALUE
--login VALUE      User's login to search by
--role VALUE       User role name
--role-id NUMBER
-h, --help         Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.9. hammer user ssh-keys

Managing User SSH Keys.

Usage:

```
hammer user ssh-keys [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add	Add an SSH key for a user
delete, destroy	Delete an SSH key for a user
info, show	Show an SSH key from a user
list, index	List all SSH keys for a user

Options:

-h, --help	Print help
------------	------------

2.81.9.1. hammer user ssh-keys add

Add an SSH key for a user

Usage:

```
hammer user ssh-keys add [OPTIONS]
```

Options:

--key VALUE	Public SSH key
--key-file FILE	Path to a SSH public key
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user VALUE	User's login to search by
--user-id VALUE	ID of the user
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.81.9.2. hammer user ssh-keys delete

Delete an SSH key for a user

Usage:

```
hammer user ssh-keys <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE      Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE          User's login to search by
--user-id VALUE       ID of the user
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.81.9.3. hammer user ssh-keys info

Show an SSH key from a user

Usage:

```
hammer user ssh-keys <info|show> [OPTIONS]
```

Options:

```
--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user VALUE       User's login to search by
--user-id VALUE    ID of the user
```

-h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x   | x
Name    | x | x   | x
Fingerprint | x | x   |
Length  | x | x   |
Created at | x | x   |
Public key | x | x   |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

2.81.9.4. hammer user ssh-keys list

List all SSH keys for a user

Usage:

```
hammer user ssh-keys <list|index> [OPTIONS]
```

Options:

--fields LIST Show specified fields or predefined field sets only. (See below)
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER Page number, starting at 1
--per-page VALUE Number of results per page to return, 'all' to return all results
--search VALUE Filter results
--user VALUE User's login to search by
--user-id VALUE ID of the user
 -h, --help Print help

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x    | x
Name    | x  | x    | x
Fingerprint | x  | x    |
Length  | x  | x    |
Created at | x  | x    |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0
DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM Possible values are described in the option's description
FILE Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
 JSON is acceptable and preferred way for such parameters
LIST Comma separated list of values. Values containing comma should be quoted or
 escaped with backslash.
 JSON is acceptable and preferred way for such parameters
MULTIENUM Any combination of possible values described in the option's description
NUMBER Numeric value. Integer
SCHEMA Comma separated list of values defined by a schema.
 JSON is acceptable and preferred way for such parameters
VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

```

name            string
user_id        integer

```

2.81.10. hammer user update

Update a user

Usage:

```
hammer user update [OPTIONS]
```

Options:

```

--admin BOOLEAN            Is an admin account
--ask-password BOOLEAN
--auth-source VALUE        Name to search by
--auth-source-id NUMBER
--current-password VALUE    Required when user want to change own password
--default-location VALUE    Default location name
--default-location-id NUMBER
--default-organization VALUE    Default organization name
--default-organization-id NUMBER
--description VALUE
--disabled BOOLEAN
--firstname VALUE
--id VALUE
--lastname VALUE

```

<code>--locale</code>	ENUM	User's preferred locale Possible value(s): 'ca', 'cs_CZ', 'de', 'en', 'en_GB', 'es', 'fr', 'gl', 'it', 'ja', 'ko', 'nl_NL', 'pl', 'pt_BR', 'ru', 'sv_SE', 'zh_CN', 'zh_TW'
<code>--location</code>	VALUE	Set the current location context for the request
<code>--location-id</code>	NUMBER	Set the current location context for the request
<code>--location-ids</code>	LIST	REPLACE locations with given ids
<code>--location-title</code>	VALUE	Set the current location context for the request
<code>--location-titles</code>	LIST	
<code>--locations</code>	LIST	
<code>--login</code>	VALUE	
<code>--mail</code>	VALUE	
<code>--new-login</code>	VALUE	
<code>--organization</code>	VALUE	Set the current organization context for the request
<code>--organization-id</code>	NUMBER	Set the current organization context for the request
<code>--organization-ids</code>	LIST	REPLACE organizations with given ids.
<code>--organization-title</code>	VALUE	Set the current organization context for the request
<code>--organization-titles</code>	LIST	
<code>--organizations</code>	LIST	
<code>--password</code>	VALUE	Required unless user is in an external authentication source
<code>--role-ids</code>	LIST	
<code>--roles</code>	LIST	
<code>--timezone</code>	ENUM	User's timezone Possible value(s): 'International Date Line West', 'American Samoa', 'Midway Island', 'Hawaii', 'Alaska', 'Pacific Time (US & Canada)', 'Tijuana', 'Arizona', 'Chihuahua', 'Mazatlan', 'Mountain Time (US & Canada)', 'Central America', 'Central Time (US & Canada)', 'Guadalajara', 'Mexico City', 'Monterrey', 'Saskatchewan', 'Bogota', 'Eastern Time (US & Canada)', 'Indiana (East)', 'Lima', 'Quito', 'Atlantic Time (Canada)', 'Caracas', 'Georgetown', 'La Paz', 'Puerto Rico', 'Santiago', 'Newfoundland', 'Brasilia', 'Buenos Aires', 'Greenland', 'Montevideo', 'Mid-Atlantic', 'Azores', 'Cape Verde Is.', 'Casablanca', 'Dublin', 'Edinburgh', 'Lisbon', 'London', 'Monrovia', 'UTC', 'Amsterdam', 'Belgrade', 'Berlin', 'Bern', 'Bratislava', 'Brussels', 'Budapest', 'Copenhagen', 'Ljubljana', 'Madrid', 'Paris', 'Prague', 'Rome', 'Sarajevo', 'Skopje', 'Stockholm', 'Vienna', 'Warsaw', 'West Central Africa', 'Zagreb', 'Zurich', 'Athens', 'Bucharest', 'Cairo', 'Harare', 'Helsinki', 'Jerusalem', 'Kaliningrad', 'Kyiv', 'Pretoria', 'Riga', 'Sofia', 'Tallinn', 'Vilnius', 'Baghdad', 'Istanbul', 'Kuwait', 'Minsk', 'Moscow', 'Nairobi', 'Riyadh', 'St. Petersburg', 'Volgograd', 'Tehran', 'Abu Dhabi', 'Baku', 'Muscat', 'Samara', 'Tbilisi', 'Yerevan', 'Kabul', 'Ekaterinburg', 'Islamabad', 'Karachi', 'Tashkent', 'Chennai', 'Kolkata', 'Mumbai', 'New Delhi', 'Sri Jayawardenepura', 'Kathmandu', 'Almaty', 'Astana', 'Dhaka', 'Urumqi', 'Rangoon', 'Bangkok', 'Hanoi', 'Jakarta', 'Krasnoyarsk', 'Novosibirsk', 'Beijing', 'Chongqing', 'Hong Kong', 'Irkutsk', 'Kuala Lumpur', 'Perth', 'Singapore', 'Taipei', 'Ulaanbaatar', 'Osaka', 'Sapporo', 'Seoul', 'Tokyo', 'Yakutsk', 'Adelaide', 'Darwin', 'Brisbane', 'Canberra', 'Guam', 'Hobart', 'Melbourne', 'Port Moresby', 'Sydney', 'Vladivostok', 'Magadan', 'New Caledonia', 'Solomon Is.', 'Srednekolymsk', 'Auckland', 'Fiji', 'Kamchatka', 'Marshall Is.', 'Wellington', 'Chatham Is.', 'Nuku'alofa', 'Samoa', 'Tokelau Is.'
<code>-h, --help</code>		Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82. HAMMER USER-GROUP

Manage user groups

Usage:

```
hammer user-group [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

SUBCOMMAND	Subcommand
[ARG] ...	Subcommand arguments

Subcommands:

add-role	Assign a user role
add-user	Associate an user
add-user-group	Associate an user group
create	Create a user group
delete, destroy	Delete a user group
external	View and manage user group's external user groups
info, show	Show a user group
list, index	List all user groups
remove-role	Remove a user role
remove-user	Disassociate an user
remove-user-group	Disassociate an user group
update	Update a user group

Options:

-h, --help	Print help
------------	------------

2.82.1. hammer user-group add-role

Assign a user role

Usage:

```
hammer user-group add-role [OPTIONS]
```

Options:

--id VALUE	
--name VALUE	Name to search by
--role VALUE	User role name
--role-id NUMBER	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.2. hammer user-group add-user

Associate an user

Usage:

```
hammer user-group add-user [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Name to search by
--user VALUE          User's login to search by
--user-id NUMBER
-h, --help            Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.3. hammer user-group add-user-group

Associate an user group

Usage:

```
hammer user-group add-user-group [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Name to search by
--user-group VALUE    Name to search by
--user-group-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM            Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                 JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER          Numeric value. Integer
SCHEMA          Comma separated list of values defined by a schema.
                 JSON is acceptable and preferred way for such parameters
VALUE          Value described in the option's description. Mostly simple string
```

2.82.4. hammer user-group create

Create a user group

Usage:

```
hammer user-group create [OPTIONS]
```

Options:

```
--admin BOOLEAN      Is an admin user group, can be modified by admins only
--location VALUE     Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--role-ids LIST
--roles LIST
--user-group-ids LIST
--user-groups LIST
--user-ids LIST
--users LIST
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.5. hammer user-group delete

Delete a user group

Usage:

```
hammer user-group <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6. hammer user-group external

View and manage user group's external user groups

-

Usage:

```
hammer user-group external [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```
SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments
```

Subcommands:

```
create              Create an external user group linked to a user group
delete, destroy    Delete an external user group
info, show         Show an external user group for user group
list, index        List all external user groups for user group
refresh            Refresh external user group
update            Update external user group
```

Options:

```
-h, --help        Print help
```

2.82.6.1. hammer user-group external create

Create an external user group linked to a user group

Usage:

```
hammer user-group external create [OPTIONS]
```

Options:

```
--auth-source VALUE      Name to search by
--auth-source-id NUMBER  ID of linked authentication source
--location VALUE         Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             External user group name
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE       Name to search by
--user-group-id VALUE    ID or name of user group
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
```

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.2. hammer user-group external delete

Delete an external user group

Usage:

```
hammer user-group external <delete|destroy> [OPTIONS]
```

Options:

--id VALUE	ID or name external user group
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Name to search by
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user-group VALUE	Name to search by
--user-group-id VALUE	ID or name of user group
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.3. hammer user-group external info

Show an external user group for user group

Usage:

```
hammer user-group external <info|show> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--id VALUE	ID or name of external user group
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request

```

--location-title VALUE    Set the current location context for the request
--name VALUE              Name to search by
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE        Name to search by
--user-group-id VALUE     ID or name of user group
-h, --help                Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Auth source | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.82.6.4. hammer user-group external list

List all external user groups for user group

Usage:

```
hammer user-group external <list|index> [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE     Name to search by
--user-group-id VALUE  ID or name of user group
-h, --help            Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x  | x      | x
Name    | x  | x      | x
Auth source | x  | x      |
-----|-----|-----|-----

```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN One of true/false, yes/no, 1/0

DATETIME Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

ENUM Possible values are described in the option's description

FILE Path to a file

KEY_VALUE_LIST Comma-separated list of key=value.
JSON is acceptable and preferred way for such parameters

LIST Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
JSON is acceptable and preferred way for such parameters

MULTIENUM Any combination of possible values described in the option's description

NUMBER Numeric value. Integer

SCHEMA Comma separated list of values defined by a schema.
JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

2.82.6.5. hammer user-group external refresh

Refresh external user group

Usage:

```
hammer user-group external refresh [OPTIONS]
```

Options:

```

--fields LIST      Show specified fields or predefined field sets only. (See below)
--id VALUE         ID or name of external user group
--location VALUE   Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE       Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--user-group VALUE Name to search by
--user-group-id VALUE ID or name of user group
-h, --help        Print help

```

Predefined field sets:

```

-----|-----|-----|-----
FIELDS  | ALL | DEFAULT | THIN
-----|-----|-----|-----
Name    | x  | x      | x
Auth source | x  | x      |
-----|-----|-----|-----

```


Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.6.6. hammer user-group external update

Update external user group

Usage:

```
hammer user-group external update [OPTIONS]
```

Options:

--auth-source VALUE	Name to search by
--auth-source-id NUMBER	ID of linked authentication source
--id VALUE	ID or name of external user group
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	External user group name
--new-name VALUE	External user group name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--user-group VALUE	Name to search by
--user-group-id VALUE	ID or name of user group
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description

NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.7. hammer user-group info

Show a user group

Usage:

```
hammer user-group <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id              | x  | x      | x
Name            | x  | x      | x
Admin           | x  | x      |
Users/          | x  | x      |
User groups/usergroup      | x  | x      |
User groups/id      | x  | x      |
User groups/roles/     | x  | x      |
Inherited user groups/usergroup | x  | x      |
Inherited user groups/id      | x  | x      |
Inherited user groups/roles/  | x  | x      |
External user groups/        | x  | x      |
Roles/                      | x  | x      |
Created at                   | x  | x      |
Updated at                    | x  | x      |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE             Path to a file
KEY_VALUE_LIST   Comma-separated list of key=value.
                 JSON is acceptable and preferred way for such parameters
LIST            Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
```

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.8. hammer user-group list

List all user groups

Usage:

```
hammer user-group <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
Admin  | x | x   |
-----|-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

name	string
role	string
role_id	integer

2.82.9. hammer user-group remove-role

Remove a user role

Usage:

hammer user-group remove-role [OPTIONS]

Options:

--id VALUE	
--name VALUE	Name to search by
--role VALUE	User role name
--role-id NUMBER	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.10. hammer user-group remove-user

Disassociate an user

Usage:

hammer user-group remove-user [OPTIONS]

Options:

--id VALUE	
--name VALUE	Name to search by
--user VALUE	User's login to search by
--user-id NUMBER	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.11. hammer user-group remove-user-group

Disassociate an user group

Usage:

```
hammer user-group remove-user-group [OPTIONS]
```

Options:

```
--id VALUE
--name VALUE          Name to search by
--user-group VALUE    Name to search by
--user-group-id NUMBER
-h, --help           Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.82.12. hammer user-group update

Update a user group

Usage:

```
hammer user-group update [OPTIONS]
```

Options:

```

--admin BOOLEAN          Is an admin user group, can be modified by admins only
--id VALUE
--location VALUE        Set the current location context for the request
--location-id NUMBER    Set the current location context for the request
--location-title VALUE  Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE    Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--role-ids LIST
--roles LIST
--user-group-ids LIST
--user-groups LIST
--user-ids LIST
--users LIST
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN          One of true/false, yes/no, 1/0
DATETIME         Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM             Possible values are described in the option's description
FILE            Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
                JSON is acceptable and preferred way for such parameters
LIST           Comma separated list of values. Values containing comma should be quoted or
                escaped with backslash.
                JSON is acceptable and preferred way for such parameters
MULTIENUM       Any combination of possible values described in the option's description
NUMBER         Numeric value. Integer
SCHEMA         Comma separated list of values defined by a schema.
                JSON is acceptable and preferred way for such parameters
VALUE         Value described in the option's description. Mostly simple string

```

2.83. HAMMER VIRT-WHO-CONFIG

Manage Virt Who configurations

Usage:

```
hammer virt-who-config [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

```

create              Create a virt-who configuration
delete, destroy    Delete a virt-who configuration
deploy             Download and execute script for the specified virt-who configuration
fetch             Renders a deploy script for the specified virt-who configuration
info, show         Show a virt-who configuration
list, index        List of virt-who configurations

```

update Update a virt-who configuration

Options:

-h, --help Print help

2.83.1. hammer virt-who-config create

Create a virt-who configuration

Usage:

hammer virt-who-config create [OPTIONS]

Options:

--ahv-internal-debug BOOLEAN Option Enable debugging output is required to enable AHV internal debug. It

provides extra AHV debug information when both options are enabled

--ahv-update-interval NUMBER The frequency of VM-to-host mapping updates for AHV(in seconds)

--blacklist VALUE Hypervisor blacklist, applicable only when filtering mode is set to 2.

Wildcards

and regular expressions are supported, multiple records must be separated by comma.

--debug BOOLEAN Enable debugging output

--exclude-host-parents VALUE Applicable only for esx provider type. Hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will NOT be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filter-host-parents VALUE Applicable only for esx provider type. Only hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filtering-mode ENUM Hypervisor filtering mode
Possible value(s): 'none', 'whitelist', 'blacklist'

--http-proxy VALUE Name to search by

--http-proxy-id NUMBER HTTP Proxy that should be used for communication between the server on which

virt-who is running and the hypervisors and virtualization managers.

--hypervisor-id ENUM Specifies how the hypervisor will be identified.

Possible value(s): 'hostname', 'uuid', 'hwuuid'

--hypervisor-password VALUE Hypervisor password, required for all hypervisor types except for libvirt/kubevirt.

--hypervisor-server VALUE Fully qualified host name or IP address of the hypervisor

--hypervisor-type ENUM Hypervisor type
Possible value(s): 'esx', 'hyperv', 'libvirt', 'kubevirt', 'ahv'

--hypervisor-username VALUE Account name by which virt-who is to connect to the hypervisor.

--interval ENUM Configuration interval in minutes
Possible value(s): '60', '120', '240', '480', '720', '1440', '2880', '4320'

--kubeconfig-path VALUE Configuration file containing details about how to connect to the cluster and

authentication details.

--location VALUE Set the current location context for the request

```

--location-id NUMBER      Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Configuration name
--no-proxy VALUE         Ignore Proxy. A comma-separated list of hostnames or domains or ip
addresses to
                           ignore Capsule settings for. Optionally this may be set to * to bypass proxy
                           settings for all hostnames domains or ip addresses.
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--prism-flavor ENUM      Select the Prism flavor you are connecting to
                           Possible value(s): 'central', 'element'
--satellite-url VALUE    Satellite server FQDN
--whitelist VALUE        Hypervisor whitelist, applicable only when filtering mode is set to 1.
Wildcards
                           and regular expressions are supported, multiple records must be separated by
                           comma.
-h, --help               Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.83.2. hammer virt-who-config delete

Delete a virt-who configuration

Usage:

```
hammer virt-who-config <delete|destroy> [OPTIONS]
```

Options:

```

--id NUMBER      Configuration numeric identifier
--location VALUE Set the current location context for the request
--location-id NUMBER Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE     Name to search by
--organization VALUE Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help      Print help

```


Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83.3. hammer virt-who-config deploy

Download and execute script for the specified virt-who configuration

Usage:

```
hammer virt-who-config deploy [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83.4. hammer virt-who-config fetch

Renders a deploy script for the specified virt-who configuration

Usage:

```
hammer virt-who-config fetch [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help               Print help
-o, --output VALUE       File where the script will be written
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.83.5. hammer virt-who-config info

Show a virt-who configuration

Usage:

```
hammer virt-who-config <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE          Name to search by
--organization VALUE  Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

FIELDS	ALL	DEFAULT
General information/id	x	x
General information/name	x	x
General information/hypervisor type	x	x
General information/hypervisor server	x	x
General information/hypervisor username	x	x
General information/configuration file	x	x
General information/ahv prism flavor	x	x
General information/ahv update frequency	x	x
General information/enable ahv debug	x	x
General information/status	x	x
Schedule/interval	x	x
Schedule/last report at	x	x
Connection/satellite server	x	x
Connection/hypervisor id	x	x
Connection/filtering	x	x
Connection/excluded hosts	x	x
Connection/filtered hosts	x	x
Connection/filter host parents	x	x
Connection/exclude host parents	x	x
Connection/debug mode	x	x
Connection/ignore proxy	x	x
Http proxy/http proxy id	x	x
Http proxy/http proxy name	x	x
Http proxy/http proxy url	x	x
Locations/	x	x
Organizations/	x	x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.83.6. hammer virt-who-config list

List of virt-who configurations

Usage:

```
hammer virt-who-config <list|index> [OPTIONS]
```

Options:

```
--fields LIST           Show specified fields or predefined field sets only. (See below)
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--order VALUE          Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--page NUMBER          Page number, starting at 1
--per-page VALUE       Number of results per page to return, 'all' to return all results
--search VALUE         Filter results
-h, --help             Print help
```

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id      | x | x | x
Name    | x | x | x
Interval | x | x |
Status  | x | x |
Last report at | x | x |
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string
```

2.83.7. hammer virt-who-config update

Update a virt-who configuration

Usage:

```
hammer virt-who-config update [OPTIONS]
```

Options:

```
--ahv-internal-debug BOOLEAN Option Enable debugging output is required to enable AHV internal
```

debug. It

provides extra AHV debug information when both options are enabled

--ahv-update-interval NUMBER The frequency of VM-to-host mapping updates for AHV(in seconds)

--blacklist VALUE Hypervisor blacklist, applicable only when filtering mode is set to 2.

Wildcards

and regular expressions are supported, multiple records must be separated by comma.

--debug BOOLEAN Enable debugging output

--exclude-host-parents VALUE Applicable only for esx provider type. Hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will NOT be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filter-host-parents VALUE Applicable only for esx provider type. Only hosts which parent (usually ComputeResource) name is specified in comma-separated list in this option will be reported. Wildcards and regular expressions are supported, multiple records must be separated by comma. Put the value into the double-quotes if it contains special characters like comma. All new line characters will be removed in resulting configuration file, white spaces are removed from beginning and end.

--filtering-mode ENUM Hypervisor filtering mode
Possible value(s): 'none', 'whitelist', 'blacklist'

--http-proxy VALUE Name to search by

--http-proxy-id NUMBER HTTP Proxy that should be used for communication between the server on which

virt-who is running and the hypervisors and virtualization managers.

--hypervisor-id ENUM Specifies how the hypervisor will be identified.
Possible value(s): 'hostname', 'uuid', 'hwuuid'

--hypervisor-password VALUE Hypervisor password, required for all hypervisor types except for libvirt/kubevirt.

--hypervisor-server VALUE Fully qualified host name or IP address of the hypervisor

--hypervisor-type ENUM Hypervisor type
Possible value(s): 'esx', 'hyperv', 'libvirt', 'kubevirt', 'ahv'

--hypervisor-username VALUE Account name by which virt-who is to connect to the hypervisor.

--id NUMBER Configuration numeric identifier

--interval ENUM Configuration interval in minutes
Possible value(s): '60', '120', '240', '480', '720', '1440', '2880', '4320'

--kubeconfig-path VALUE Configuration file containing details about how to connect to the cluster and

authentication details.

--location VALUE Set the current location context for the request

--location-id NUMBER Set the current location context for the request

--location-title VALUE Set the current location context for the request

--name VALUE Configuration name

--new-name VALUE Configuration name

--no-proxy VALUE Ignore Proxy. A comma-separated list of hostnames or domains or ip addresses to

ignore Capsule settings for. Optionally this may be set to * to bypass proxy settings for all hostnames domains or ip addresses.

--organization VALUE Set the current organization context for the request

--organization-id NUMBER Set the current organization context for the request

--organization-title VALUE Set the current organization context for the request

--prism-flavor ENUM Select the Prism flavor you are connecting to
Possible value(s): 'central', 'element'

--satellite-url VALUE Satellite server FQDN

```

--whitelist VALUE      Hypervisor whitelist, applicable only when filtering mode is set to 1.
Wildcards
                       and regular expressions are supported, multiple records must be separated by
                       comma.
-h, --help            Print help

```

Option details:
Here you can find option types and the value an option can accept:

```

BOOLEAN              One of true/false, yes/no, 1/0
DATETIME              Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM                  Possible values are described in the option's description
FILE                  Path to a file
KEY_VALUE_LIST        Comma-separated list of key=value.
                       JSON is acceptable and preferred way for such parameters
LIST                  Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                       JSON is acceptable and preferred way for such parameters
MULTIENUM             Any combination of possible values described in the option's description
NUMBER                Numeric value. Integer
SCHEMA                Comma separated list of values defined by a schema.
                       JSON is acceptable and preferred way for such parameters
VALUE                 Value described in the option's description. Mostly simple string

```

2.84. HAMMER WEBHOOK

Manage webhooks

```

Usage:
  hammer webhook [OPTIONS] SUBCOMMAND [ARG] ...

Parameters:
  SUBCOMMAND          Subcommand
  [ARG] ...           Subcommand arguments

Subcommands:
  create              Create a Webhook
  delete, destroy     Delete a Webhook
  info, show          Show Webhook details
  list, index         List Webhooks
  update              Update a Webhook

Options:
  -h, --help          Print help

```

2.84.1. hammer webhook create

Create a Webhook

```

Usage:
  hammer webhook create [OPTIONS]

Options:
  --enabled BOOLEAN

```

```

--event ENUM           Possible value(s): 'actions.katello.content_view.promote_succeeded',
                        'actions.katello.content_view.publish_succeeded',
                        'actions.katello.repository.sync_succeeded',

'actions.remote_execution.run_host_job_ansible_configure_cloud_connector_succeeded',

'actions.remote_execution.run_host_job_ansible_enable_web_console_succeeded',

'actions.remote_execution.run_host_job_ansible_run_capsule_upgrade_succeeded',
                        'actions.remote_execution.run_host_job_ansible_run_host_succeeded',
                        'actions.remote_execution.run_host_job_ansible_run_insights_plan_succeeded',
                        'actions.remote_execution.run_host_job_ansible_run_playbook_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_oval_scans_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_scans_succeeded',

'actions.remote_execution.run_host_job_katello_errata_install_by_search_succeeded',
                        'actions.remote_execution.run_host_job_katello_errata_install_succeeded',
                        'actions.remote_execution.run_host_job_katello_group_install_succeeded',
                        'actions.remote_execution.run_host_job_katello_group_remove_succeeded',
                        'actions.remote_execution.run_host_job_katello_group_update_succeeded',
                        'actions.remote_execution.run_host_job_katello_host_tracer_resolve_succeeded',

'actions.remote_execution.run_host_job_katello_module_stream_action_succeeded',
                        'actions.remote_execution.run_host_job_katello_package_install_succeeded',
                        'actions.remote_execution.run_host_job_katello_package_remove_succeeded',
                        'actions.remote_execution.run_host_job_katello_package_update_succeeded',
                        'actions.remote_execution.run_host_job_katello_service_restart_succeeded',
                        'actions.remote_execution.run_host_job_leapp_preupgrade_succeeded',
                        'actions.remote_execution.run_host_job_leapp_remediation_plan_succeeded',
                        'actions.remote_execution.run_host_job_leapp_upgrade_succeeded',
                        'actions.remote_execution.run_host_job_puppet_run_host_succeeded',

'actions.remote_execution.run_host_job_rh_cloud_connector_run_playbook_succeeded',
                        'actions.remote_execution.run_host_job_rh_cloud_remediate_hosts_succeeded',
                        'actions.remote_execution.run_host_job_succeeded', 'build_entered',
                        'build_exited', 'content_view_created', 'content_view_destroyed',
                        'content_view_updated', 'domain_created', 'domain_destroyed', 'domain_updated',
                        'host_created', 'host_destroyed', 'host_updated', 'hostgroup_created',
                        'hostgroup_destroyed', 'hostgroup_updated', 'model_created', 'model_destroyed',
                        'model_updated', 'status_changed', 'subnet_created', 'subnet_destroyed',
                        'subnet_updated', 'user_created', 'user_destroyed', 'user_updated'

--http-content-type VALUE
--http-method ENUM     Possible value(s): 'POST', 'GET', 'PUT', 'DELETE', 'PATCH'
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
--password VALUE
--proxy-authorization BOOLEAN Authorize with Satellite client certificate and validate capsule CA
from

```

Settings

```

--target-url VALUE
--user VALUE
--verify-ssl BOOLEAN
--webhook-template VALUE    Name to search by
--webhook-template-id VALUE
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE        Value described in the option's description. Mostly simple string

```

2.84.2. hammer webhook delete

Delete a Webhook

Usage:

```
hammer webhook <delete|destroy> [OPTIONS]
```

Options:

```

--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER     Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help                Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST  Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters

```


MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.84.3. hammer webhook info

Show Webhook details

Usage:

```
hammer webhook <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

FIELDS	ADDITIONAL	ALL	DEFAULT	THIN
Id	x	x		x
Name		x	x	x
Target url		x	x	
Enabled		x	x	
Event		x	x	
Http method			x	x
Http content type			x	x
Webhook template			x	x
User	x		x	
Verify ssl	x		x	
X509 certification authorities	x		x	
Http headers/	x		x	
Created at			x	x
Updated at			x	x

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or

escaped with backslash.

	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.84.4. hammer webhook list

List Webhooks

Usage:

```
hammer webhook <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|----|-----|----
FIELDS | ALL | DEFAULT | THIN
-----|----|-----|----
Id      | x  | x    | x
Name    | x  | x    | x
Target url | x  | x    |
Enabled | x  | x    |
-----|----|-----|----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.
	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters

VALUE Value described in the option's description. Mostly simple string

Search / Order fields:

enabled Values: true, false
 name string
 target_url string

2.84.5. hammer webhook update

Update a Webhook

Usage:

```
hammer webhook update [OPTIONS]
```

Options:

--enabled BOOLEAN

--event ENUM Possible value(s): 'actions.katello.content_view.promote_succeeded',
 'actions.katello.content_view.publish_succeeded',
 'actions.katello.repository.sync_succeeded',

'actions.remote_execution.run_host_job_ansible_configure_cloud_connector_succeeded',

'actions.remote_execution.run_host_job_ansible_enable_web_console_succeeded',

'actions.remote_execution.run_host_job_ansible_run_capsule_upgrade_succeeded',
 'actions.remote_execution.run_host_job_ansible_run_host_succeeded',
 'actions.remote_execution.run_host_job_ansible_run_insights_plan_succeeded',
 'actions.remote_execution.run_host_job_ansible_run_playbook_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_oval_scans_succeeded',

'actions.remote_execution.run_host_job_foreman_openscap_run_scans_succeeded',

'actions.remote_execution.run_host_job_katello_errata_install_by_search_succeeded',
 'actions.remote_execution.run_host_job_katello_errata_install_succeeded',
 'actions.remote_execution.run_host_job_katello_group_install_succeeded',
 'actions.remote_execution.run_host_job_katello_group_remove_succeeded',
 'actions.remote_execution.run_host_job_katello_group_update_succeeded',
 'actions.remote_execution.run_host_job_katello_host_tracer_resolve_succeeded',

'actions.remote_execution.run_host_job_katello_module_stream_action_succeeded',
 'actions.remote_execution.run_host_job_katello_package_install_succeeded',
 'actions.remote_execution.run_host_job_katello_package_remove_succeeded',
 'actions.remote_execution.run_host_job_katello_package_update_succeeded',
 'actions.remote_execution.run_host_job_katello_service_restart_succeeded',
 'actions.remote_execution.run_host_job_leapp_preupgrade_succeeded',
 'actions.remote_execution.run_host_job_leapp_remediation_plan_succeeded',
 'actions.remote_execution.run_host_job_leapp_upgrade_succeeded',
 'actions.remote_execution.run_host_job_puppet_run_host_succeeded',

'actions.remote_execution.run_host_job_rh_cloud_connector_run_playbook_succeeded',
 'actions.remote_execution.run_host_job_rh_cloud_remediate_hosts_succeeded',
 'actions.remote_execution.run_host_job_succeeded', 'build_entered',
 'build_exited', 'content_view_created', 'content_view_destroyed',
 'content_view_updated', 'domain_created', 'domain_destroyed', 'domain_updated',

```

        'host_created', 'host_destroyed', 'host_updated', 'hostgroup_created',
        'hostgroup_destroyed', 'hostgroup_updated', 'model_created', 'model_destroyed',
        'model_updated', 'status_changed', 'subnet_created', 'subnet_destroyed',
        'subnet_updated', 'user_created', 'user_destroyed', 'user_updated'
--http-content-type VALUE
--http-method ENUM           Possible value(s): 'POST', 'GET', 'PUT', 'DELETE', 'PATCH'
--id VALUE
--location VALUE             Set the current location context for the request
--location-id NUMBER         Set the current location context for the request
--location-title VALUE       Set the current location context for the request
--name VALUE
--new-name VALUE
--organization VALUE         Set the current organization context for the request
--organization-id NUMBER     Set the current organization context for the request
--organization-title VALUE    Set the current organization context for the request
--password VALUE
--proxy-authorization BOOLEAN Authorize with Satellite client certificate and validate capsule CA
from
                               Settings
--target-url VALUE
--user VALUE
--verify-ssl BOOLEAN
--webhook-template VALUE     Name to search by
--webhook-template-id VALUE
-h, --help                   Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN           One of true/false, yes/no, 1/0
DATETIME           Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM               Possible values are described in the option's description
FILE               Path to a file
KEY_VALUE_LIST     Comma-separated list of key=value.
                   JSON is acceptable and preferred way for such parameters
LIST               Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
                   JSON is acceptable and preferred way for such parameters
MULTIENUM          Any combination of possible values described in the option's description
NUMBER             Numeric value. Integer
SCHEMA             Comma separated list of values defined by a schema.
                   JSON is acceptable and preferred way for such parameters
VALUE              Value described in the option's description. Mostly simple string

```

2.85. HAMMER WEBHOOK-TEMPLATE

Manipulate webhook templates

Usage:

```
hammer webhook-template [OPTIONS] SUBCOMMAND [ARG] ...
```

Parameters:

```

SUBCOMMAND          Subcommand
[ARG] ...           Subcommand arguments

```

Subcommands:

clone	Clone a template
create	Create a webhook template
delete, destroy	Delete a webhook template
dump	View webhook template content
import	Import a webhook template
info, show	Show webhook template details
list, index	List webhook templates
update	Update a webhook template

Options:

-h, --help	Print help
------------	------------

2.85.1. hammer webhook-template clone

Clone a template

Usage:

```
hammer webhook-template clone [OPTIONS]
```

Options:

--id VALUE	
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--name VALUE	Template name
--new-name VALUE	
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85.2. hammer webhook-template create

Create a webhook template

Usage:

```
hammer webhook-template create [OPTIONS]
```

Options:

```
--audit-comment VALUE
--default BOOLEAN      Whether or not the template is added automatically to new organizations
and
                        locations
--description VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-ids LIST    REPLACE locations with given ids
--location-title VALUE Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN       Whether or not the template is locked for editing
--name VALUE
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-ids LIST REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
--template VALUE
-h, --help             Print help
```

Option details:

Here you can find option types and the value an option can accept:

```
BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST        Comma separated list of values. Values containing comma should be quoted or
escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM   Any combination of possible values described in the option's description
NUMBER      Numeric value. Integer
SCHEMA      Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string
```

2.85.3. hammer webhook-template delete

Delete a webhook template

Usage:

```
hammer webhook-template <delete|destroy> [OPTIONS]
```

Options:

```
--id VALUE
--location VALUE       Set the current location context for the request
```

```

--location-id NUMBER      Set the current location context for the request
--location-title VALUE   Set the current location context for the request
--name VALUE             Name to search by
--organization VALUE     Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help              Print help

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM         Possible values are described in the option's description
FILE         Path to a file
KEY_VALUE_LIST Comma-separated list of key=value.
              JSON is acceptable and preferred way for such parameters
LIST         Comma separated list of values. Values containing comma should be quoted or
              escaped with backslash.
              JSON is acceptable and preferred way for such parameters
MULTIENUM    Any combination of possible values described in the option's description
NUMBER       Numeric value. Integer
SCHEMA       Comma separated list of values defined by a schema.
              JSON is acceptable and preferred way for such parameters
VALUE       Value described in the option's description. Mostly simple string

```

2.85.4. hammer webhook-template dump

View webhook template content

Usage:

```
hammer webhook-template dump [OPTIONS]
```

Options:

```

--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE             Name to search by
--location VALUE       Set the current location context for the request
--location-id NUMBER  Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help

```

Predefined field sets:

```

-----
FIELDS
-----

```

Option details:

Here you can find option types and the value an option can accept:

```

BOOLEAN      One of true/false, yes/no, 1/0
DATETIME     Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format

```

ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85.5. hammer webhook-template import

Import a webhook template

Usage:

```
hammer webhook-template import [OPTIONS]
```

Options:

--associate ENUM	Determines when the template should associate objects based on metadata, new
	means only when new template is being created, always means both for new and existing template which is only being updated, never ignores metadata Possible value(s): 'new', 'always', 'never'
--default BOOLEAN	Makes the template default meaning it will be automatically associated with newly created organizations and locations (false by default)
--file FILE	Path to a file that contains the webhook template content including metadata
--force BOOLEAN	Use if you want update locked templates
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-ids LIST	REPLACE locations with given ids
--location-title VALUE	Set the current location context for the request
--location-titles LIST	
--locations LIST	
--lock BOOLEAN	Lock imported templates (false by default)
--name VALUE	Template name
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-ids LIST	REPLACE organizations with given ids.
--organization-title VALUE	Set the current organization context for the request
--organization-titles LIST	
--organizations LIST	
-h, --help	Print help

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value.

	JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash.
	JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema.
	JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85.6. hammer webhook-template info

Show webhook template details

Usage:

```
hammer webhook-template <info|show> [OPTIONS]
```

Options:

```
--fields LIST          Show specified fields or predefined field sets only. (See below)
--id VALUE
--location VALUE       Set the current location context for the request
--location-id NUMBER   Set the current location context for the request
--location-title VALUE Set the current location context for the request
--name VALUE           Name to search by
--organization VALUE   Set the current organization context for the request
--organization-id NUMBER Set the current organization context for the request
--organization-title VALUE Set the current organization context for the request
-h, --help            Print help
```

Predefined field sets:

```
-----|----|-----|-----
FIELDS          | ALL | DEFAULT | THIN
-----|----|-----|-----
Id              | x  | x      | x
Name            | x  | x      | x
Description     | x  | x      |
Locked          | x  | x      |
Default         | x  | x      |
Created at      | x  | x      |
Updated at     | x  | x      |
Locations/     | x  | x      |
Organizations/ | x  | x      |
Template inputs/id | x  | x      |
Template inputs/name | x  | x      |
Template inputs/description | x  | x      |
Template inputs/required | x  | x      |
Template inputs/options | x  | x      |
-----|----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description

FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

2.85.7. hammer webhook-template list

List webhook templates

Usage:

```
hammer webhook-template <list|index> [OPTIONS]
```

Options:

--fields LIST	Show specified fields or predefined field sets only. (See below)
--location VALUE	Set the current location context for the request
--location-id NUMBER	Set the current location context for the request
--location-title VALUE	Set the current location context for the request
--order VALUE	Sort and order by a searchable field, e.g. '<field> DESC'
--organization VALUE	Set the current organization context for the request
--organization-id NUMBER	Set the current organization context for the request
--organization-title VALUE	Set the current organization context for the request
--page NUMBER	Page number, starting at 1
--per-page VALUE	Number of results per page to return, 'all' to return all results
--search VALUE	Filter results
-h, --help	Print help

Predefined field sets:

```
-----|-----|-----|-----
FIELDS | ALL | DEFAULT | THIN
-----|-----|-----|-----
Id     | x | x   | x
Name   | x | x   | x
-----|-----|-----|-----
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file
KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer

SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string

Search / Order fields:

default	Values: true, false
location	string
location_id	integer
locked	Values: true, false
name	string
organization	string
organization_id	integer
snippet	Values: true, false
template	text

2.85.8. hammer webhook-template update

Update a webhook template

Usage:

```
hammer webhook-template update [OPTIONS]
```

Options:

```
--audit-comment VALUE
--default BOOLEAN          Whether or not the template is added automatically to new organizations
and
                           locations
--description VALUE
--id VALUE
--location VALUE          Set the current location context for the request
--location-id NUMBER      Set the current location context for the request
--location-ids LIST       REPLACE locations with given ids
--location-title VALUE    Set the current location context for the request
--location-titles LIST
--locations LIST
--locked BOOLEAN          Whether or not the template is locked for editing
--name VALUE
--new-name VALUE
--organization VALUE      Set the current organization context for the request
--organization-id NUMBER  Set the current organization context for the request
--organization-ids LIST   REPLACE organizations with given ids.
--organization-title VALUE Set the current organization context for the request
--organization-titles LIST
--organizations LIST
--snippet BOOLEAN
--template VALUE
-h, --help                Print help
```

Option details:

Here you can find option types and the value an option can accept:

BOOLEAN	One of true/false, yes/no, 1/0
DATETIME	Date and time in YYYY-MM-DD HH:MM:SS or ISO 8601 format
ENUM	Possible values are described in the option's description
FILE	Path to a file

KEY_VALUE_LIST	Comma-separated list of key=value. JSON is acceptable and preferred way for such parameters
LIST	Comma separated list of values. Values containing comma should be quoted or escaped with backslash. JSON is acceptable and preferred way for such parameters
MULTIENUM	Any combination of possible values described in the option's description
NUMBER	Numeric value. Integer
SCHEMA	Comma separated list of values defined by a schema. JSON is acceptable and preferred way for such parameters
VALUE	Value described in the option's description. Mostly simple string