



Red Hat JBoss Enterprise Application Platform 8-Beta

Red Hat JBoss Enterprise Application Platform 入门

指南

Red Hat JBoss Enterprise Application Platform 8-Beta Red Hat JBoss Enterprise Application Platform 入门

指南

Enter your first name here. Enter your surname here.

Enter your organisation's name here. Enter your organisational division here.

Enter your email address here.

法律通告

Copyright © 2022 | You need to change the HOLDER entity in the en-US/Getting_started_with_Red_Hat_JBoss_Enterprise_Application_Platform.ent file |.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux[®] is the registered trademark of Linus Torvalds in the United States and other countries.

Java[®] is a registered trademark of Oracle and/or its affiliates.

XFS[®] is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL[®] is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js[®] is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack[®] Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

摘要

快速启动并运行红帽 JBoss 企业应用平台。学习管理任务，如基本安装、管理和配置。开始使用 Red Hat JBoss Enterprise Application Platform Quickstart 编写 Java EE 应用程序。

目录

对红帽文档提供反馈	3
第 1 章 使开源包含更多	4

对红帽文档提供反馈

我们感谢您对我们文档的反馈。要提供反馈，您可以突出显示文档中的文本并添加注释。按照以下步骤了解提交对红帽文档的反馈。

先决条件

- 登录到红帽客户门户。
- 在红帽客户门户中，以多页 HTML 格式查看文档。

流程

1. 点 **Feedback** 查看现有的用户反馈信息。



注意

反馈功能仅在多页 HTML 格式中启用。

2. 高亮标记您要提供反馈的文档中的部分。
3. 在您选择的文本旁的提示菜单中，点 **Add Feedback**。
文本框将在页面右侧的"反馈"部分中打开。
4. 在文本框中输入您的反馈，然后点 **Submit**。
您已创建了文档问题。
5. 要查看问题，请单击反馈视图中的问题跟踪器链接。
6. 高亮标记您要提供反馈的文档中的部分。
7. 在您选择的文本旁的提示菜单中，点 **Add Feedback**。
文本框将在页面右侧的"反馈"部分中打开。
8. 在文本框中输入您的反馈，然后点 **Submit**。
您已创建了文档问题。
9. 要查看问题，请单击反馈视图中的问题跟踪器链接。

第 1 章 使开源包含更多

红帽致力于替换我们的代码、文档和 Web 属性中存在问题的语言。我们从这四个术语开始：master、slave、blacklist 和 whitelist。由于这一努力的精力，这些更改将在即将发布的版本中逐渐实施。[有关让我们的语言更加包含的更多详情，请参阅我们的CTO Chris Wright 信息。](#)

在 2022-08-20 18:39:41 +1000 上修订