



# **Red Hat JBoss Data Grid 6.2**

## **Feature Support Document**

For use with Red Hat JBoss Data Grid 6.2

Edition 3



# Red Hat JBoss Data Grid 6.2 Feature Support Document

---

For use with Red Hat JBoss Data Grid 6.2  
Edition 3

Misha Husnain Ali  
Red Hat Engineering Content Services  
mhusnain@redhat.com

## Legal Notice

Copyright © 2014 Red Hat, Inc.

This document is licensed by Red Hat under the [Creative Commons Attribution-ShareAlike 3.0 Unported License](#). If you distribute this document, or a modified version of it, you must provide attribution to Red Hat, Inc. and provide a link to the original. If the document is modified, all Red Hat trademarks must be removed.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux ® is the registered trademark of Linus Torvalds in the United States and other countries.

Java ® is a registered trademark of Oracle and/or its affiliates.

XFS ® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL ® is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js ® is an official trademark of Joyent. Red Hat Software Collections is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack ® Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

Details JBoss Data Grid feature support and technology preview status information.

---

## Table of Contents

<b>PREFACE</b> .....	<b>2</b>
<b>CHAPTER 1. INTRODUCTION</b> .....	<b>3</b>
1.1. ABOUT USAGE MODES	3
1.2. FEATURES AND USAGE MODES	3
1.3. TECHNOLOGY PREVIEW FEATURES	7
<b>APPENDIX A. REVISION HISTORY</b> .....	<b>8</b>

## **PREFACE**

# CHAPTER 1. INTRODUCTION

This document clarifies some important information related to features and support for Red Hat JBoss Data Grid, such as:

- The two JBoss Data Grid Usage Modes
- Supported JBoss Data Grid features
- JBoss Data Grid features that are limited to a technology preview.

[Report a bug](#)

## 1.1. ABOUT USAGE MODES

Red Hat JBoss Data Grid offers two usage modes:

- Remote Client-Server mode
- Library mode

Remote Client-Server mode, which provides a managed, distributed and clusterable data grid server. Applications can remotely access the data grid server using **Hot Rod**, **memcached** or **REST** client APIs. Remote Client-Server mode is supported in JBoss Data Grid.

Library mode allows the user to build and deploy a custom runtime environment. The Library usage mode hosts a single data grid node in the applications process, with remote access to nodes hosted in other JVMs. Tested containers for JBoss Data Grid 6 Library mode includes JBoss Enterprise Web Server 2.0 and JBoss Enterprise Application Platform 6. Library mode is supported in JBoss Data Grid.

[Report a bug](#)

## 1.2. FEATURES AND USAGE MODES

The following table presents a list of features and indicates the usage mode for each feature. Red Hat JBoss Data Grid 6.2.0 includes full support for both Remote Client-Server mode and Library mode.

**Table 1.1. JBoss Data Grid Features**

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
File Cache Store and Loading	✓	✓
JDBC Cache Store and Loading	✓	✓
LevelDB Cache Store and loading	✓	✓
Cache Passivation	✓	✓

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Remote Cache Store	✓	✓
Cluster cache store	✓	✓
Asynchronous Store	✓	✓
Cluster configuration using UDP	✓	✓
Cluster configuration using TCP	✓	✓
Mortal and Immortal Data	✓	✓
Eviction Strategy	✓	✓
Expiration	✓	✓
Unscheduled Write-Behind Cache store	✓	✓
Write-Through Cache Store	✓	✓
Clustering Mode (local)	✓	✓
Clustering Mode (replicated)	✓	✓
Clustering Mode (invalidation)	✓	✓
Clustering Mode (distribution)	✓	✓
L1 Caching	✓	✓



Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Asynchronous Clustering Modes	✓	✓
Marshalling	✓	✓
Management using JMX	✓	✓
Cross-Datacenter Replication	✓	✓
JBoss Operations Network (JON) Integration and Plugin	✓	✓
Asymmetric Cluster	✓	✓
Data compatibility between Client-server and Library modes	✓	✓
Command Line Interface (CLI)	✓	✓
Connection Pooling with JDBC cache stores	✓	
REST Interface	✓	
Memcached Interface	✓	
Java Hot Rod client	✓	
C++ Hot Rod Client	✓	
Data compatibility between Client-server protocols	✓	
Data compatibility between Java and C++ Hot Rod clients	✓	

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Rolling Upgrades for Hot Rod cluster	✓	
Rolling Upgrades for REST Clusters	✓	
Authentication and Encryption over Hot Rod (Java client)	✓	
CDI		✓
READ_COMMITTED and REPEATABLE_READ isolation modes		✓
Lazy Deserialization		✓
Asynchronous API		✓
Using the infinispan.xml file in conjunction with APIs		✓
Custom Interceptors		✓
Listeners and Notifications for cache manager and cache events		✓
Synchronous and Asynchronous Notifications		✓
Per Invocation Flags		✓
Grouping API		✓
Java Transactional API (JTA) Support and Configuration		✓
Java Transactional API (JTA) Deadlock Detection		✓

Feature	Remote Client-Server Mode (Supported)	Library Mode (Supported)
Transaction Recovery		✓
Transaction and Batching		✓
Key Affinity		✓
Distributed Execution Framework with Map/Reduce		✓
Querying (via Lucene-based APIs)		✓

[Report a bug](#)

### 1.3. TECHNOLOGY PREVIEW FEATURES

The following feature is included in Red Hat JBoss Data Grid 6.2 as a technology preview only:

- Remote Querying from Hot Rod Java Client (and use of the new Domain-specific language)



#### WARNING

Technology Preview features are not supported with Red Hat production service level agreements (SLAs), may not be functionally complete, and are not recommended to be used for production. These features provide early access to upcoming product features, enabling customers to test functionality and provide feedback during the development process.

[Report a bug](#)

## APPENDIX A. REVISION HISTORY

**Revision 6.2.0-2**

**Tue Jan 14 2014**

**Misha Husnain Ali**

Final version for release.

**Revision 6.2.0-1**

**Fri Dec 20 2013**

**Mandar Joshi**

BZ-1036973: Updated table in topic "Features and Usage Modes" and implemented other feedback.

**Revision 6.2.0-0**

**Wed Dec 04 2013**

**Misha Husnain Ali**

Implemented changes to table of features.