



# Migration Toolkit for Runtimes 1.2

## Web Console Guide

Use the Migration Toolkit for Runtimes web console to group your applications into projects for analysis.



## Migration Toolkit for Runtimes 1.2 Web Console Guide

---

Use the Migration Toolkit for Runtimes web console to group your applications into projects for analysis.

## Legal Notice

Copyright © 2024 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at

<http://creativecommons.org/licenses/by-sa/3.0/>

. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, the Red Hat logo, JBoss, OpenShift, Fedora, the Infinity logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux<sup>®</sup> is the registered trademark of Linus Torvalds in the United States and other countries.

Java<sup>®</sup> is a registered trademark of Oracle and/or its affiliates.

XFS<sup>®</sup> is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

MySQL<sup>®</sup> is a registered trademark of MySQL AB in the United States, the European Union and other countries.

Node.js<sup>®</sup> is an official trademark of Joyent. Red Hat is not formally related to or endorsed by the official Joyent Node.js open source or commercial project.

The OpenStack<sup>®</sup> Word Mark and OpenStack logo are either registered trademarks/service marks or trademarks/service marks of the OpenStack Foundation, in the United States and other countries and are used with the OpenStack Foundation's permission. We are not affiliated with, endorsed or sponsored by the OpenStack Foundation, or the OpenStack community.

All other trademarks are the property of their respective owners.

## Abstract

This guide describes how to use the Migration Toolkit for Runtimes web console to simplify migration or modernization of Java applications.

## Table of Contents


<b>MAKING OPEN SOURCE MORE INCLUSIVE</b>	<b>3</b>
<b>CHAPTER 1. INTRODUCTION</b>	<b>4</b>
1.1. ABOUT THE WEB CONSOLE	4
1.2. ABOUT THE MIGRATION TOOLKIT FOR RUNTIMES	4
What is the Migration Toolkit for Runtimes?	4
How does the Migration Toolkit for Runtimes simplify migration?	4
How do I learn more?	5
1.3. THE MTR WEB CONSOLE	5
<b>CHAPTER 2. INSTALLING THE WEB CONSOLE</b>	<b>6</b>
2.1. INSTALLING THE WEB CONSOLE ON LINUX, WINDOWS, OR MACOS	6
2.2. INSTALLING THE WEB CONSOLE ON OPENSIFT CONTAINER PLATFORM 4.11 AND LATER	7
2.2.1. Troubleshooting a web console installation on OpenShift	8
2.2.1.1. Downloading logs using the OpenShift console	8
2.2.1.2. Downloading logs using the CLI	9
2.2.1.3. No route to host error	9
2.2.1.4. Resolving insufficient resources	10
2.2.1.5. Reporting issues	10
<b>CHAPTER 3. USING THE WEB CONSOLE TO ANALYZE APPLICATIONS</b>	<b>11</b>
3.1. CREATING A PROJECT	11
3.2. RUNNING A SAVED ANALYSIS	14
3.3. VIEWING ANALYSIS RESULTS	14
3.4. REVIEWING REPORTS	16
3.5. UPDATING AN ANALYSIS CONFIGURATION	16
3.6. ADDING GLOBAL CUSTOM RULES	17
3.7. ADDING GLOBAL CUSTOM LABELS	17
<b>CHAPTER 4. CONFIGURING AUTHENTICATION FOR THE WEB CONSOLE ON LINUX, WINDOWS, OR MACOS</b>	<b>19</b>
Enabling authentication	19
Disabling authentication	20



## MAKING OPEN SOURCE MORE INCLUSIVE

Red Hat is committed to replacing problematic language in our code, documentation, and web properties. We are beginning with these four terms: master, slave, blacklist, and whitelist. Because of the enormity of this endeavor, these changes will be implemented gradually over several upcoming releases. For more details, see [our CTO Chris Wright's message](#).

# CHAPTER 1. INTRODUCTION



## MIGRATION TOOLKIT FOR RUNTIMES PRODUCT WILL BE END OF LIFE ON SEPTEMBER 30TH, 2024

All customers using this product should start their transition to [Migration Toolkit for Applications](#).

Migration Toolkit for Applications is fully backwards compatible with all features and rulesets available in Migration Toolkit for Runtimes and will be maintained in the long term.

## 1.1. ABOUT THE WEB CONSOLE

This guide is for engineers, consultants, and others who want to use the Migration Toolkit for Runtimes (MTR) to migrate or modernize Java applications or other components. It describes how to install and use the web console to manage migration or modernization projects and analyze applications.

## 1.2. ABOUT THE MIGRATION TOOLKIT FOR RUNTIMES

### What is the Migration Toolkit for Runtimes?

The Migration Toolkit for Runtimes (MTR) is an extensible and customizable rule-based tool that simplifies the migration and modernization of Java applications.

MTR examines application artifacts, including project source directories and application archives, and then produces an HTML report highlighting areas needing changes. MTR supports many migration paths, including the following examples:

- Upgrading to the latest release of Red Hat JBoss Enterprise Application Platform
- Migrating from Oracle WebLogic or IBM WebSphere Application Server to Red Hat JBoss Enterprise Application Platform
- Containerizing applications and making them cloud-ready
- Migrating from Java Spring Boot to Quarkus
- Updating from Oracle JDK to OpenJDK
- Upgrading from OpenJDK 8 to OpenJDK 11
- Upgrading from OpenJDK 11 to OpenJDK 17
- Upgrading from OpenJDK 17 to OpenJDK 21
- Migrating EAP Java applications to Azure
- Migrating Spring Boot Java applications to Azure

For more information about use cases and migration paths, see the [MTR for developers](#) web page.

### How does the Migration Toolkit for Runtimes simplify migration?

The Migration Toolkit for Runtimes looks for common resources and known trouble spots when migrating applications. It provides a high-level view of the technologies used by the application.



MTR generates a detailed report evaluating a migration or modernization path. This report can help you to estimate the effort required for large-scale projects and to reduce the work involved.

**How do I learn more?**

See the [Introduction to the Migration Toolkit for Runtimes](#) to learn more about the features, supported configurations, system requirements, and available tools in the Migration Toolkit for Runtimes.

## 1.3. THE MTR WEB CONSOLE

By using the web console for the Migration Toolkit for Runtimes, a team of users can assess and prioritize migration and modernization efforts for a large number of applications. You can use the web console to group applications into projects for analysis and provide numerous reports that highlight the results.

## CHAPTER 2. INSTALLING THE WEB CONSOLE

You can install the web console on Linux, Windows, macOS, or Red Hat OpenShift Container Platform.

### 2.1. INSTALLING THE WEB CONSOLE ON LINUX, WINDOWS, OR MACOS

You can install the web console on Linux, Windows, or macOS operating systems and access the web console in a browser.

The web console has been tested with Chrome and Firefox.

#### Prerequisites

The following are the prerequisites for the Migration Toolkit for Runtimes (MTR) installation:

- Java Development Kit (JDK) is installed. MTR supports the following JDKs:
  - OpenJDK 11
  - OpenJDK 17
  - Oracle JDK 11
  - Oracle JDK 17
  - Eclipse Temurin™ JDK 11
  - Eclipse Temurin™ JDK 17
- 8 GB RAM
- macOS installation: the value of **maxproc** must be **2048** or greater.

#### Procedure


1. Navigate to the [MTR Download page](#) and download the web console **Local install & OpenShift** file.
2. Extract the **.zip** file to a directory of your choice.  
When you encounter **<MTR\_HOME>** in this guide, replace it with the actual path to your MTR installation.
3. By default, no authentication is required. If you wish to enable authentication, do this before starting the web console.
4. Start the web console:
  - Linux or macOS operating system:

```
$ <MTR_HOME>/run_windup.sh
```
  - Windows operating system:

```
C:\<MTR_HOME>\run_windup.bat
```

5. Open a browser and navigate to **http://localhost:8080/windup-ui**.  
If authentication is not configured, the Projects screen is displayed in your browser.

**Figure 2.1. MTR Projects screen**




## 2.2. INSTALLING THE WEB CONSOLE ON OPENSIFT CONTAINER PLATFORM 4.11 AND LATER

You can install the web console on OpenShift Container Platform 4.11 and later versions with the Migration Toolkit for Runtimes Operator.

### Prerequisites

- 6 vCPUs, 8 GB RAM, and 40 GB persistent storage.
- One or more projects in which you can install the web console.



### IMPORTANT

Do not install the web console in a default project.

- **cluster-admin** privileges to install the Migration Toolkit for Runtimes Operator.
- **project-admin-user** privileges to install the web console application in a project.

### Configuring Red Hat Single Sign-on (SSO)

You must decide at installation time whether the web console requires authentication. If it does, you must first install and configure Red Hat SSO and input some RH SSO settings when instantiating the MTR Operator.



### NOTE

Authentication can not be added or removed after installation.

1. Open the Red Hat SSO administration console.

2. Add a realm named **windup**.
3. In the realm, create a client named **windup-web**.
4. Check that **Access Type** is set to **public**. Set **Valid Redirect URIs** and **Web Origins** to \*. Click **\*Save\***.  
Note that after the MTR operator has been instantiated, the **Valid Redirect URIs** and **Web Origins** fields have to be set to the `secure-mtr-web-console` route.
5. Create a role named **user**.
6. Create a user with any name.
7. Set the credentials of the user, disable **Temporary**, and assign the role "user" to the user.

### Installing the MTR Operator

1. Log in to the OpenShift web console as a user with **cluster-admin** privileges.
2. Click **Operators → OperatorHub**.
3. Use the **Search by keyword** field to locate the **Migration Toolkit for Runtimes** Operator.
4. Click **Install**.
5. Select a project from the **Installed Namespace** list and click **Install**.
6. Click **Operators → Installed Operators** to verify that the Operator is installed.

### Installing the web console application

1. Log in to the OpenShift web console as a user with **project-admin-user** privileges.
2. Switch to the **Migration** perspective and click **+Add**.
3. In the **Add** view, click **Operator Backed**.
4. Click the **Migration Toolkit for Runtimes** Operator.
5. Click **Create**.
6. Review the application settings. If the web console requires authentication, input the RH SSO settings and click **Create**.
7. In the **Topology** view, click the **mtr-web-console** application and then click the **Resources** tab.
8. If authentication is required, set the RH SSO **Valid Redirect URIs** and **Web Origins** fields to the `secure-mtr-web-console` route.
9. Click the **secure-mtr-web-console** route to open the web console in a new browser window.

## 2.2.1. Troubleshooting a web console installation on OpenShift

This section describes how to troubleshoot a web console installation on OpenShift Container Platform.

### 2.2.1.1. Downloading logs using the OpenShift console

You can download pod logs using the OpenShift console.

### Procedure

1. Open the OpenShift console and navigate to **Applications → Pods**.
2. Click the **mtr-web-console** pod.
3. Click **Logs**.
4. Click **Download** to download and save a log.

### 2.2.1.2. Downloading logs using the CLI

You can download pod logs using the CLI.

### Procedure

1. Obtain the pod names:

```
$ oc get pods -n <project-name>
```

The output resembles the following:

NAME	READY	STATUS	RESTARTS	AGE
eap-builder-1-build	0/1	Completed	0	1d
mtr-postgresql-1-hfbdn	1/1	Running	0	1d
mtr-sso-1-build	0/1	Completed	0	1d
mtr-web-console-1-build	0/1	Completed	0	1d
mtr-web-console-1-vt7s5	1/1	Running	1	1d
sso-1-wjl2n	1/1	Running	1	1d

2. Use **oc logs** to examine the pod log:

```
$ oc logs <pod>
```



### NOTE

You can redirect the output to obtain a copy of the current log:

```
$ oc logs <pod> > ./<pod>.log
```

### 2.2.1.3. No route to host error

The **No route to host** error in the **mtr-web-console-executor** log indicates that the **mtr-web-console-executor** pod cannot connect to the **mtr-web-console** pod:

```
13:44:03,501 SEVERE [org.jboss.windup.web.messaging.executor.ExecutorBootstrap] (main) Could not start messaging listener due to: Failed to connect to any server. Servers tried: [http-remoting://192.0.2.4:8080 (java.net.NoRouteToHostException: No route to host)]; javax.naming.CommunicationException: Failed to connect to any server. Servers tried: [http-remoting://192.0.2.4:8080 (java.net.NoRouteToHostException: No route to host)]
```

This error occurs because the **mtr-web-console-executor** pod starts running before the **mtr-web-console** pod.

Check the **mtr-web-console-executor** log after the **mtr-web-console** pod has been running for a few minutes.

#### 2.2.1.4. Resolving insufficient resources

The following conditions indicate insufficient resources:

- The **mtr-web-console** pod is not running and the following error is displayed on the **Events** tab of the **Pod Details** screen in the OpenShift console:

```
0/9 nodes are available: 4 Insufficient cpu, 4 MatchNodeSelector, 9 Insufficient memory.
```

- The **mtr-web-console-deploy**, **mtr-web-console-executor-deploy**, and **mtr-web-console-postgresql-deploy** pods time out and the following error is displayed in the logs:

```
error: update acceptor rejected mtr-web-console-executor-1: Pods for rc 'mtr/mtr-web-console-executor-1' took longer than 600 seconds to become available
```

#### Procedure

1. Install and run the [cluster capacity tool](#) to determine how many pods you can schedule.
2. Change the load on the cluster resources by performing one of the following actions:
  - Increase the [limit ranges](#) or the [resource quotas](#) of your project.
  - Reduce the requested resources of your project. The web console requires a minimum of 4 vCPUs and 8 GB RAM.
  - Run fewer jobs.
3. Redeploy the web console.

#### 2.2.1.5. Reporting issues

MTR uses Jira as its issue tracking system. If you encounter an issue executing MTR, submit a [Jira issue](#).

## CHAPTER 3. USING THE WEB CONSOLE TO ANALYZE APPLICATIONS

You can create a project in the web console to analyze your applications.

Each project groups the applications for a specific analysis, which you can configure with custom rules and labels.


The analysis process generates reports that describe the readiness of your applications for migration or modernization.

### 3.1. CREATING A PROJECT

You can create a project in the web console with the **Create project** wizard.

#### Procedure

1. In the web console, click **Projects**.
2. Click **Create project**.
3. Enter a unique name for the project, an optional description, and click **Next**.
4. To upload applications, click the **Upload** tab, click **Browse**, select the application files you want to upload, and click **Close**.  
Uploading applications stores them directly on the MTR server.
5. To register a server path, click the **Server path** tab and enter the **Server-side path** of the application in the field.  
Registering the server path of an application ensures that MTR always uses the latest version.
6. Click **Next**.
7. Click one or more transformation targets.




8. Click **Next**.
9. Select packages and click **>** to include them in the analysis.

10. Click **Next**.
11. If you want to add a custom rule, click **Add rule**.  
See the [Rule Development Guide](#) for more information.
  - To upload a ruleset file, click the **Upload** tab, click **Browse**, select one or more files, and click **Close**.  
A ruleset file must have a **.windup.xml** extension. The uploaded file is stored on the MTR server.
  - To register the server path of a ruleset file, click the **Server path** tab, enter the **Rules** path, and click **Save**.  
Registering the server path ensures that the MTR server always uses the latest version of the ruleset files.
12. Click **Next**.
13. If you want to add a custom label, click **Add label**.
  - To upload a labelset file, click the **Upload** tab, click **Browse**, select one or more files, and click **Close**.  
A labelset file must have a **.windup.label.xml** extension. The uploaded file is stored on the MTR server.
  - To register a server path, click the **Server path** tab, enter the **Labels path** of the label files in the field, and click **Save**.  
Registering the server path ensures that the MTR server always uses the latest version of the labelset files.
14. Click **Next**.
15. Review the following **Advanced options** and make any necessary changes:
  - **Target**
  - **Source**
  - **Exclude tags**: Rules with these tags are not processed.
  - **Additional classpath**: Enter a space-delimited list of additional **.jar** files or directories so that they are available for decompilation or other analysis.
  - **Application name**
  - **Mavenize group ID**
  - **Ignore path**: Enter a path for files to exclude from analysis.
  - **Export CSV**: Exports the report data as a CSV file.
  - **Export Summary**: Generates an **analysisSummary.json** export file in the output directory. The file contains analysis summary information for each application analyzed, including the number of incidents and story points by category, and all of the technology tags associated with the analyzed applications.
  - **Export reports zip**: Creates a **reports.zip** file in the output folder. The file contains the analysis output, typically, the reports. If requested, it can also contain the CSV export files.



- **Disable Tattletale:** Disables generation of a Tattletale report for each application.
- **Class Not Found analysis** Enables analysis of Java files that are not available on the class path.

**NOTE**

This option should not be used if some classes are unavailable for analysis.

- **Compatible Files report:** Generating a Compatible Files report might take a long time for large applications.
- **Exploded app:** The input directory contains the unpackaged source files of an application.
- **Keep work dirs:** Retains temporary files, for example, the graph database or extracted archive files, for debugging purposes.
- **Skip reports:** HTML reports are not generated. Must be enabled if you enabled **Export CSV**.
- **Allow network access:** Validates any XML files within the analyzed applications against their schema.

**NOTE**

This option might reduce performance.

- **Mavenize:** Creates a Maven project directory structure based on the structure and content of the application.
- **Source mode:** Indicates that the application files are raw source files, not compiled binaries. The sourceMode argument has been deprecated. There is no longer the need to specify it. MTR can intuitively process any inputs that are presented to it. In addition, project source folders can be analyzed with binary inputs within the same analysis execution.
- **Analyze known libraries** Analyze known software artifacts embedded within your application. By default, MTR only analyzes application code.

**NOTE**

This option might result in a longer execution time and a large number of migration issues being reported.

- **Transaction analysis:** [Tech Preview] Generates a Transactions report that displays the call stack, which executes operations on relational database tables. The Enable Transaction Analysis feature supports Spring Data JPA and the traditional **preparedStatement()** method for SQL statement execution. It does not support ORM frameworks, such as Hibernate.



## NOTE

Transaction analysis is a Technology Preview feature only. Technology Preview features are not supported with Red Hat production service level agreements (SLAs) and might not be functionally complete. Red Hat does not recommend using them in production. These features provide early access to upcoming product features, enabling customers to test functionality and provide feedback during the development process.

- **Skip source code reports:** Adding this option skips generating a *Source code report* when generating the application analysis report. Use this advanced option when concerned about source code information appearing in the application analysis.

16. Click **Next**.
17. Review your project and click **Save** or **Save and run**.  
The project is displayed in the **Projects** screen.

## 3.2. RUNNING A SAVED ANALYSIS

You can run a saved analysis.

### Procedure

1. In the web console, click **Analysis results**.
2. Select a project.
3. Click **Run analysis**.


A progress bar displays the progress of your analysis.

## 3.3. VIEWING ANALYSIS RESULTS

The results of all analyses are grouped and listed by project on the **Analysis results** screen.

### Procedure

1. In the web console, click **Analysis results**.
2. Select a project from the list.




The Analysis Reports can be accessed via the Reports bar chart icon or by the Reports action on the right-hand side of the screen.

- Click on the number of the analysis you want to review to see details of the analysis configuration settings and the analysis execution statistics.  
The results are displayed in the **Results** screen, which contains two tabs: **Details** and **Logs**.


The **Details** tab displays important details of the analysis, such as status, start date, duration, and configuration settings.

**Figure 3.1. Analysis details screen**



The **Logs** tab displays the logs generated during the analysis.

Figure 3.2. Analysis logs screen





## 3.4. REVIEWING REPORTS

The MTR web console provides a set of detailed reports that can help you decide if you need to make any changes to your applications. You access these reports from the **Analysis results** screen.

The reports are described in detail in [Reviewing the reports](#) in the *CLI Guide*.

### Procedure

1. In the web console, click **Analysis results**.
2. Click the **Reports** icon  beside the analysis you want to investigate. The **All applications** screen of the reports is displayed.




## 3.5. UPDATING AN ANALYSIS CONFIGURATION

You can update an analysis configuration, for example, with a different transformation target, advanced option, or a custom rule. Then you can run the updated analysis in your project.

### Procedure

1. In the web console, click **Analysis configuration**.



2. Select a **Project**.
3. Click the appropriate tabs and make your changes.
4. Click **Save** or **Save and run**.  
The project is displayed in the **Projects** screen.

## 3.6. ADDING GLOBAL CUSTOM RULES

MTR includes a preconfigured set of global rules, which apply to all projects.

You can define your own custom global rules.

For information on writing custom MTR rules, see the MTR [Rule Development Guide](#).

### Procedure

1. In the web console, click **Rules configuration**.
2. Click **Add rules**.
3. To upload a ruleset file, click the **Upload** tab, click **Browse**, select one or more files, and click **Close**.  
A ruleset file must have a **.windup.xml** extension. The uploaded file is stored on the MTR server.
4. To register the server path of a ruleset file, click the **Server path** tab, enter the **Rules** path, and click **Save**.  
Registering the server path ensures that the MTR server always uses the latest version of the ruleset files.

The **Custom rules** list displays the rules.

## 3.7. ADDING GLOBAL CUSTOM LABELS

MTR includes a preconfigured set of global labels, which apply to all projects.

You can define your own custom global labels.

### Procedure

**Procedure**

1. In the web console, click **Labels configuration**.
2. Click **Add label**.
3. To upload a labelset file, click the **Upload** tab, click **Browse**, select one or more files, and click **Close**.  
A labelset file must have a **.windup.label.xml** extension. The uploaded file is stored on the MTR server.
4. To register the server path of a labelset file, click the **Server path** tab, enter the **Labels** path, and click **Save**.  
Registering the server path ensures that the MTR server always uses the latest version of the labelset files.

The **Custom labels** list displays the labels.

## CHAPTER 4. CONFIGURING AUTHENTICATION FOR THE WEB CONSOLE ON LINUX, WINDOWS, OR MACOS

You can configure the web console to require authentication for access. To enable authentication, you have to install Red Hat Single Sign-On (SSO).

### Enabling authentication

#### Procedure

1. Adjust the port number that the Red Hat SSO server opens to avoid conflicts with the port that the web console uses by entering the following:

- For Linux and macOS:

```
$ ./standalone.sh -Djboss.socket.binding.port-offset=<offset_value>
```

- For Windows:

```
> ...\\bin\\standalone.bat -Djboss.socket.binding.port-offset=<offset_value>
```

2. Open the Red Hat SSO administration console from **http://localhost:8180**:

- Username: **admin**
- Password: **admin**

3. Add a realm named **mtr**.

4. In the realm, create a client named **mtr-web**.

5. Check that **Access Type** is set to **public**.

6. Set **Valid Redirect URIs** to **http://localhost:8080/windup-ui/\***.

7. Set **Web Origins** to **\*** and click **Save**.

8. Create a role named **user**.

9. Create a user with any name.

10. Set the credentials of the user, disable **Temporary**, and assign the role "user" to the user.

11. Switch the web console to **Authentication required** mode by doing the following:

- a. Export the following ENV variables:

- For Linux and macOS:

```
export SSO_AUTH_SERVER_URL=http://localhost:8180/auth
export SSO_REALM=windup
export SSO_SSL_REQUIRED=EXTERNAL
export SSO_CLIENT_ID=windup-web
```

- For Windows:

```
set SSO_AUTH_SERVER_URL=http://localhost:8180/auth
set SSO_REALM=windup
set SSO_SSL_REQUIRED=EXTERNAL
set SSO_CLIENT_ID=windup-web
```



#### NOTE

Environment variables that are set by the **set** command in CMD are local, available to the current CMD session only. Use the Windows Control Panel to permanently set the environment variables.

b. Run the following script:

- For Linux and macOS:

```
$ <MTR_HOME>/switch_to_authentication_required.sh
```

- For Windows:

```
C:\<MTR_HOME>\switch_to_authentication_required.bat
```

12. Start the web console by entering the following:

- For Linux and macOS:

```
$ <MTR_HOME>/run_windup.sh
```

- For Windows:

```
C:\<MTR_HOME>\run_windup.bat
```

13. Open the browser at **<http://localhost:8080/windup-ui>**.

## Disabling authentication

### Procedure

1. Run the following script:

- For Linux and macOS:

```
$ <MTR_HOME>/switch_to_automatic_authentication.sh
```

- For Windows:

```
C:\<MTR_HOME>\switch_to_automatic_authentication.bat
```

*Revised on 2024-09-12 13:53:30 UTC*



