

Ansible Tower Voluntary Product Accessibility Template (VPAT)

The purpose of the VPAT is to help federal contracting officials and other buyers in making preliminary assessments regarding the availability of commercial electronic and IT products and services with features that support accessibility. Ansible assumes and recommends that offerers will provide additional contact information to facilitate more detailed inquiries.

How to use the template

The first table in this template provides a summary of the section 508 standards. The subsequent tables show more detailed views of each subsection. There are 3 columns in each table:

- The first column of the summary table describes the subsections of the standards.
- The second column describes whether the feature is supported by the product.
- The third column contains any additional remarks and explanations regarding the product, including equivalent facilitation if necessary.

Date: September 30, 2016

Version: 1.2

Name of product: Ansible Tower 3.0.2

Contact for more information: <section508@ansible.com>

Section: 1194.22 - Web-based intranet and internet information and applications.

Requirement	Support Status	Explanation
(a) A text equivalent for every non-text element shall be provided (e.g., via "alt", "longdesc", or in element content).	Supported	There are some places where information is available via the alternate method noted at (k) below.
(b) Equivalent alternatives for any multimedia presentation shall be	N/A	Ansible Tower does not implement multimedia presentations.

synchronized with the presentation.		
(c) Web pages shall be designed so that all information conveyed with color is also available without color, for example from context or markup.	Supported	This is done via both element content and associated text
(d) Documents shall be organized so they are readable without requiring an associated style sheet.	Supported via alternate method	See (k) below
(e) Redundant text links shall be provided for each active region of a server-side image map.	N/A	Ansible Tower does not use imagemaps.
(f) Client-side image maps shall be provided instead of server-side image maps except where the regions cannot be defined with an available geometric shape.	N/A	Ansible Tower does not use imagemaps.
(g) Row and column headers shall be identified for data tables.	Supported	
(h) Markup shall be used to associate data cells and header cells for data tables that have two or more logical levels of row or column headers.	Supported	
(i) Frames shall be titled with text that facilitates frame identification and navigation.	N/A	Ansible Tower does not use frames.
(j) Pages shall be designed to avoid causing the screen	Supported	

to flicker with a frequency greater than 2 Hz and lower than 55 Hz.		
(k) A text-only page, with equivalent information or functionality, shall be provided to make a web site comply with the provisions of this part, when compliance cannot be accomplished in any other way. The content of the text-only page shall be updated whenever the primary page changes.	Supported	This is done via the REST API browser rooted at /api/v1/
(l) When pages utilize scripting languages to display content, or to create interface elements, the information provided by the script shall be identified with functional text that can be read by assistive technology.	Supported	
(m) When a web page requires that an applet, plug-in or other application be present on the client system to interpret page content, the page must provide a link to a plug-in or applet that complies with §1194.21(a) through (l).	N/A	Ansible Tower does not require applets, plug-ins, or other applications.
(n) When electronic forms are designed to be completed on-line, the form shall allow people using assistive technology to access the information, field elements, and	Supported	

functionality required for completion and submission of the form, including all directions and cues.		
(o) A method shall be provided that permits users to skip repetitive navigation links.	Supported via alternate implementation	See (k) above
(p) When a timed response is required, the user shall be alerted and given sufficient time to indicate more time is required.	N/A	Ansible Tower does not implement timed responses.

Section: 1194.31 - Functional Performance Criteria

Requirement	Support Status	Explanation
(a) At least one mode of operation and information retrieval that does not require user vision shall be provided, or support for assistive technology used by people who are blind or visually impaired shall be provided.	Supported via operating system and web browser.	Access for blind or visually impaired users works through the compliance of the underlying operating system. Users may use the REST API browser rooted at /api/v1 for this in some circumstances.
(b) At least one mode of operation and information retrieval that does not require visual acuity greater than 20/70 shall be provided in audio and enlarged print output working together or independently, or support for assistive technology used by people who are visually impaired shall be provided.	Supported via operating system and web browser.	See (a).
(c) At least one mode of operation and information retrieval that does not require user hearing shall be provided, or support for assistive technology used by people who are deaf or hard of hearing shall be provided	N/A	Ansible Tower does not use audio.
(d) Where audio information is important for the use of a product, at least one mode of operation and information	N/A	Ansible Tower does not use audio.

retrieval shall be provided in an enhanced auditory fashion, or support for assistive hearing devices shall be provided		
(e) At least one mode of operation and information retrieval that does not require user speech shall be provided, or support for assistive technology used by people with disabilities shall be provided.	N/A	Ansible Tower does not use speech input.
(f) At least one mode of operation and information retrieval that does not require fine motor control or simultaneous actions and that is operable with limited reach and strength shall be provided.	Supported via operating system	Compliance is implemented using compliance features of the underlying operating system and web browser. Users may use the REST API browser rooted at /api/v1 for this in some circumstances.

Section: 1194.41 - Information, Documentation, and Support

Requirement	Support Status	Explanation
(a) Product support documentation provided to end-users shall be made available in alternate formats upon request, at no additional charge.	Supported	Documentation is available in both HTML and printable PDF form.
(b) End-users shall have access to a description of the accessibility and compatibility features of products in alternate formats or alternate methods upon request, at no additional charge.	Supported	See (a).
(c) Support services for products shall accommodate the communication needs of end-users with disabilities.	Supported	