

Red Hat Enterprise Linux 2.1

Certified Hardware

Systems and Components



Red Hat Enterprise Linux 2.1 Certified Hardware Systems and Components Edition 1.0

Copyright © 2012 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at <http://creativecommons.org/licenses/by-sa/3.0/>. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, MetaMatrix, Fedora, the Infinity Logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux® is the registered trademark of Linus Torvalds in the United States and other countries.

Java® is a registered trademark of Oracle and/or its affiliates.

XFS® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

All other trademarks are the property of their respective owners.

1801 Varsity Drive
Raleigh, NC 27606-2072 USA
Phone: +1 919 754 3700
Phone: 888 733 4281
Fax: +1 919 754 3701

The Red Hat Enterprise Linux 2.1 Certified Hardware document provides the archived list of hardware certified for use with Red Hat Enterprise Linux 2.1.

| | |
|-------------------------------------------------------------|------------|
| 1. Introduction | 1 |
| 1.1. About this document | 1 |
| 1.2. Background | 1 |
| 2. Red Hat Enterprise Linux 2.1 Certified Systems | 3 |
| 2.1. Acer Inc. | 3 |
| 2.2. AMD | 5 |
| 2.3. Bull | 8 |
| 2.4. Dell | 14 |
| 2.5. Fujitsu | 50 |
| 2.6. Fujitsu Siemens Computers | 107 |
| 2.7. HCL Infosystems Ltd. | 172 |
| 2.8. Hewlett Packard | 237 |
| 2.9. IBM | 355 |
| 2.10. Intel Corporation | 453 |
| 2.11. Itautec | 462 |
| 2.12. Micropoint | 472 |
| 2.13. NEC | 475 |
| 2.14. NEC/Bull | 476 |
| 2.15. Olidata | 486 |
| 2.16. RLX Technologies | 488 |
| 2.17. Sai InfoSystem (India) Ltd. | 490 |
| 2.18. Sun Microsystems, Inc. | 500 |
| 2.19. TOSHIBA | 510 |
| 2.20. Wipro Limited | 512 |
| 2.21. Zenith Computers Limited | 523 |
| 3. Red Hat Enterprise Linux 2.1 Certified Components | 527 |
| 3.1. 3Com | 527 |
| 3.2. 3DVision | 533 |
| 3.3. 3Ware | 534 |
| 3.4. A-Trend | 535 |
| 3.5. Abit | 536 |
| 3.6. AccelStar | 536 |
| 3.7. Acer Inc. | 537 |
| 3.8. Acorp | 538 |
| 3.9. Adaptec | 539 |
| 3.10. AdLib | 544 |
| 3.11. Advance Logic | 544 |
| 3.12. Advansys | 546 |
| 3.13. ALi | 546 |
| 3.14. AMD | 547 |
| 3.15. Analog Devices | 551 |
| 3.16. AOpen | 552 |
| 3.17. Apple | 559 |
| 3.18. Aristo | 560 |
| 3.19. Asus | 561 |
| 3.20. ATC | 565 |
| 3.21. ATI | 566 |
| 3.22. Aztec | 580 |
| 3.23. Aztech | 581 |
| 3.24. BusLogic | 581 |

| | |
|-------------------------------------------|-----|
| 3.25. C-Media | 582 |
| 3.26. Certance | 583 |
| 3.27. Chaintech | 586 |
| 3.28. Chips & Technologies | 592 |
| 3.29. Creative Labs | 594 |
| 3.30. Creative/Ensoniq | 601 |
| 3.31. Crystal Audio | 602 |
| 3.32. D-Link | 603 |
| 3.33. Danpex | 604 |
| 3.34. Dell | 605 |
| 3.35. Diamond | 613 |
| 3.36. Diamond Multimedia | 623 |
| 3.37. Digital Equipment Corporation | 624 |
| 3.38. Dot Hill | 628 |
| 3.39. Elsa | 628 |
| 3.40. Emulex | 633 |
| 3.41. Ensoniq | 643 |
| 3.42. EONtronics | 645 |
| 3.43. ESS | 646 |
| 3.44. Everex | 648 |
| 3.45. ExpertColor | 649 |
| 3.46. Flagpoint | 651 |
| 3.47. Gainward | 651 |
| 3.48. Generic | 652 |
| 3.49. Genoa | 654 |
| 3.50. Gigabyte | 657 |
| 3.51. Goldstar | 658 |
| 3.52. Gravis | 659 |
| 3.53. Hewlett Packard | 661 |
| 3.54. IBM | 687 |
| 3.55. IDE | 687 |
| 3.56. Intel Corporation | 688 |
| 3.57. Kingston | 696 |
| 3.58. Logitech | 700 |
| 3.59. LSI Logic | 700 |
| 3.60. MediaTrix | 702 |
| 3.61. MediaVision | 703 |
| 3.62. microSOUND | 703 |
| 3.63. MKE | 704 |
| 3.64. NCR | 706 |
| 3.65. NeoMagic | 707 |
| 3.66. Netgear | 708 |
| 3.67. Novell | 708 |
| 3.68. Number Nine | 709 |
| 3.69. NVIDIA | 711 |
| 3.70. OPTi | 712 |
| 3.71. Optics | 713 |
| 3.72. Pro Audio Spectrum | 714 |
| 3.73. PSS | 715 |
| 3.74. Qlogic | 715 |
| 3.75. Quantum | 717 |

| | |
|-------------------------------------|-----|
| 3.76. Realtek | 718 |
| 3.77. S3 | 719 |
| 3.78. Sanyo | 720 |
| 3.79. SiS | 720 |
| 3.80. SMC | 721 |
| 3.81. Sony | 723 |
| 3.82. Spacewalker/Shuttle | 724 |
| 3.83. Teac | 725 |
| 3.84. Tekram | 726 |
| 3.85. Trident | 727 |
| 3.86. Tseng | 728 |
| 3.87. Turtle Beach | 729 |
| 3.88. Winchester Systems, Inc. | 732 |
| 3.89. Yamaha | 733 |
| 3.90. Zynx | 735 |

Introduction

1.1. About this document

Red Hat is making it easier to search the Red Hat Hardware Catalog (<http://hardware.redhat.com>) for currently available hardware by archiving hardware certified on older versions of Red Hat Enterprise Linux. Hardware certified with Red Hat Enterprise Linux 2.1 is now listed in this file and has been removed from the Hardware Catalog. This file is attached to Knowledgebase article 69958 (<https://access.redhat.com/knowledge/articles/69958>). Accessing archived certification entries in the Hardware Catalog will automatically redirect to Knowledgebase 69958.

1.2. Background

As described on the Red Hat Enterprise Linux Life Cycle page (<https://access.redhat.com/support/policy/updates/errata>), Red Hat Enterprise Linux 2.1 reached the end of its regular life cycle (end of Production Phase 3) in June 2005.

Red Hat Enterprise Linux 2.1 Certified Systems

2.1. Acer Inc.

2.1.1. Acer Inc. Altos G300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148152>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2003-09-04 08:51:56-04

Returned On: mm-dd-yy

Last Touched On: 2003-09-04 08:57:30-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: ATI Technologies Inc Rage XL (rev 39)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-09-04 08:52:11-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: Intel Corp. 82540EM Gigabit Ethernet controller

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-04 08:57:20-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: CD-ROM 52X/AKH

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-04 08:52:42-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: SEAGATE ST336706LW (36704 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-04 08:54:44-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: 2xIntel(R) Pentium(R) 4 CPU 2.40GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-04 08:53:27-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-04 08:55:30-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5135

Detail Notes: Symbios Logic Inc. (formerly NCR)) (rev 1)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-04 08:54:06-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5135
Detail Notes: 512 Mb
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-04 08:56:15-04

Additional Certification Notes

No additional certification notes provided

2.2. AMD

2.2.1. AMD 760MP Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153784>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 3913
Detail Notes: Make: ATI
Model: Rage XL
XFree86 3.3.6 Serer: XF86_Mach64
XFree86 4.0.1 Driver: ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:33-05

Modified On: 2001-11-21 13:27:33-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 3913

Detail Notes: Toshiba SD-M1502 IDE DVD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Created On: 2001-11-21 13:27:33-05

Modified On: 2001-11-21 13:27:33-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 3913

Detail Notes: Make: Adaptec

Model: AIC-7899P

Kernel Module: aic7xxx

Quantity: 2

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Created On: 2001-11-21 13:27:33-05

Modified On: 2001-11-21 13:27:33-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 3913

Detail Notes: Onboard IDE Controller (760MPTM)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Created On: 2001-11-21 13:27:33-05

Modified On: 2001-11-21 13:27:33-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 3913

Detail Notes: Make: AMD

Model: Athlon MPTM

Speed: 1.2GHz

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Created On: 2001-11-21 13:27:33-05

Modified On: 2001-11-21 13:27:33-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 3913

Detail Notes: Make: IBM

Model: DDYS-T36950N

Capacity: 36GB

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Created On: 2001-11-21 13:27:33-05
Modified On: 2001-11-21 13:27:33-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 3913
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Created On: 2001-11-21 13:27:33-05
Modified On: 2001-11-21 13:27:33-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 3913
Detail Notes: 512MB PC2100 DDR SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Created On: 2001-11-21 13:27:33-05
Modified On: 2001-11-21 13:27:33-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 3913
Detail Notes: Tyan Thunder K7 (AMD 760MPTM chipset)
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Created On: 2001-11-21 13:27:33-05
Modified On: 2001-11-21 13:27:33-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 3913
Detail Notes: Make: 3Com
Model: 3c980-TX
Kernel Module: 3c59x
Quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:33-05
Modified On: 2001-11-21 13:27:33-05

Additional Certification Notes

No additional certification notes provided

2.3. Bull

2.3.1. Bull NovaScale 4020 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148180>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: Intel(R) IPF
Created On: 2003-11-07 05:50:53-05
Returned On: mm-dd-yy
Last Touched On: 2003-11-07 05:58:04-05

Detail Data:

Detail 1:

Ease of Install: 3
Status: Compatible
Hardware Id: 5183
Detail Notes: <P>(onboard) ATI Technologies Inc Rage XL (rev 39), 8 MByte SGRAM</P>
<P>(Graphics card operation require the installation of the updates)</P>
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-07 05:51:32-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5183
Detail Notes: MAXTOR Model: ATLASU320_36_SCA Rev: B120, 36 GByte
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-07 05:56:18-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5183

Detail Notes: Slimtype COMBO LSC-24081, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-07 05:52:08-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5183

Detail Notes: 16GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-07 05:56:52-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5183

Detail Notes: <P>2x Intel Itanium 2 (IA-64) 1.4 GHz</P>

<P>Chipset Intel Corp. 82870P2 P64H2 I/OxAPIC (rev 4)

</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-07 05:53:11-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5183

Detail Notes: (onboard) 2x Intel Corp. 82546EB Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-07 05:57:36-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5183

Detail Notes: (onboard) LSI 53C1030 Ultra-320 SCSI

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-07 05:55:14-05

Additional Certification Notes

No additional certification notes provided

2.3.2. Bull Novascale 4040 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148168>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-02-18 04:33:23-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: 4x Intel Itanium 2 (IA-64) 1.4 GHz

Chipset Intel Corp. 82870

BIOS 5870BN4A.86B.0853.B04
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-25 15:51:51-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: 2GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-25 15:52:55-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: (onboard) ATI Rage XL, 8 MByte SGRAM

(Graphics card operation require the installation of the updates)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-25 15:53:56-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: (onboard) 1x Intel 82540EM Gigabit (Pro/1000)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-25 15:54:51-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: (onboard) LSI 53C1030 Ultra-320 SCSI
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-25 15:55:35-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: MAXTOR ATLASU320_36_SCAB120, 36 GByte
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-25 15:56:39-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: LS-120/240 00 UHD Floppy, ATAPI FLOPPY drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-25 15:57:32-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5152
Detail Notes: MATSHITADVD-ROM SR-8176, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None

Modified On: 2003-09-25 15:58:23-04

Additional Certification Notes

No additional certification notes provided

2.3.3. Bull NovaScale 5160 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148203>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: Intel(R) IPF

Created On: 2003-12-04 11:13:34-05

Returned On: mm-dd-yy

Last Touched On: 2003-12-04 11:24:29-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5235

Detail Notes: <P>(onboard) ATI Mach64 Technologies Inc Rage XL (rev 101), 8 MByte SGRAM</P>
<P>Graphic card operation require the installation of the updates</P>

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-04 11:14:22-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5235

Detail Notes: MATSHITADVD-ROM SR-8177, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-04 11:15:25-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5235
Detail Notes: (onboard) 1x Intel Corp. 82557/8/9 [Ethernet Pro 100]
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-04 11:23:38-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5235
Detail Notes: <P>8 x Intel Itanium 2 (IA-64) 1.4 GHz</P>
<P>Chipset Intel Corp. 82870P2 P64H2 I/OxAPIC (rev 3)</P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-04 11:16:34-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5235
Detail Notes: <P>Adaptec AIC7XXX EISA/VLB/PCI SCSI HBA DRIVER, Rev 6.2.32</P>
<P>Adaptec 3960D Ultra160 SCSI adapter</P>
<P>aic7899: Ultra160 Wide Channel A, SCSI Id=7, 32/253 SCBs</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-04 11:19:37-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5235
Detail Notes: <P>Adaptec AIC7XXX EISA/VLB/PCI SCSI HBA DRIVER, Rev 6.2.32 <Adaptec 3960D
Ultra160 SCSI adapter></P>
<P>aic7899: Ultra160 Wide Channel A, SCSI Id=7, 32/253 SCBs</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-04 11:20:17-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5235
Detail Notes: SCSI device sda: 70970368 512-byte hdwr sectors (36337 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-04 11:20:59-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5235

Detail Notes: LS-120/240 00 UHD Floppy, ATAPI FLOPPY drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-04 11:21:37-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5235

Detail Notes: 16GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-04 11:22:16-05

Additional Certification Notes

No additional certification notes provided

2.4. Dell

2.4.1. PowerEdge 1650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148042>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA

Cpu Name: X86

Created On: 2002-07-23 14:09:00-04
Returned On: 07-23-02
Last Touched On: 2003-09-03 20:41:35-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4086
Detail Notes: ATI RAGE XL 8MB
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-07-27 17:45:38-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4086
Detail Notes: SAMSUNG CD-ROM SN-124
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-07-27 17:45:47-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4086
Detail Notes: Adaptec AIC7899 embedded
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-27 17:45:55-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4086
Detail Notes: Intel PIII 1.4GHz/512KB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-07-27 17:46:06-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4086
Detail Notes: HITACHI DK32DJ-18MC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None

Modified On: 2002-07-27 17:46:15-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4086

Detail Notes: Standard 1.44

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-07-27 17:46:23-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4086

Detail Notes: 256MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-07-27 17:46:31-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4086

Detail Notes: Dual Intel Pro 1000XT embedded

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-07-27 17:46:44-04

Additional Certification Notes

No additional certification notes provided

2.4.2. PowerEdge 1750 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148151>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-09-03 21:04:55-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: Intel(R) Xeon(TM) CPU 2.40GHz (QTY - 2 w/HT)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-03 20:49:18-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: Standard 1.44

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-03 20:51:58-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: TEAC CD-ROM CD-224E

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-03 21:02:35-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: ATI RAGE XL (rev 27)

X driver : ati

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-09-03 21:03:16-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: Dual Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet embedded

kernel module: bcm5700

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-03 21:03:47-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: MAXTOR ATLASU320_36_SCA (QTY 2)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-03 20:50:35-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: FUJITSU MAM3367MC

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-03 20:51:39-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: 256MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-03 20:53:07-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: Dell Specific - ServerWorks GC LE w/ 5 peer PCI buses

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-09-03 20:58:15-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5134

Detail Notes: LSI Logic 53c1030 (rev 07)

kernel module: mptbase/mptscsih

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-03 21:04:22-04

Additional Certification Notes

No additional certification notes provided

2.4.3. PowerEdge 1800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=156021>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.4.4. PowerEdge 1850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148685>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-12-07 14:10:39-05

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5954
Detail Notes: 8Gb

Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-07 14:10:24-05

Detail 2:
Status: Compatible
Hardware Id: 5954
Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 14:10:24-05

Detail 3:
Status: Compatible
Hardware Id: 5954
Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-07 14:10:24-05

Detail 4:
Status: Compatible
Hardware Id: 5954
Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 14:10:24-05

Detail 5:
Status: Compatible
Hardware Id: 5954
Detail Notes: Additonal Network interface card optional addons:

Intel Pro 100

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Dual Port Fiber Channel Ethernet

Intel Pro 1000MT DUAL PORT COPPER Ethernet

Intel Pro 1000XT Single Port Copper Ethernet

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 14:10:24-05

Detail 6:
Status: Compatible
Hardware Id: 5954
Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 14:10:24-05

Detail 7:
Status: Compatible
Hardware Id: 5954
Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 14:10:24-05

Detail 8:
Status: Compatible
Hardware Id: 5954
Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:3

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-07 14:10:24-05

Detail 9:
Status: Compatible
Hardware Id: 5954
Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-07 14:10:24-05

Detail 10:
Status: Compatible
Hardware Id: 5954
Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-12-07 14:10:24-05

Detail 11:
Status: Compatible

Hardware Id: 5954
Detail Notes: Optional add on storage controllers:

PERC4E/Si: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 14:10:24-05

Detail 12:
Status: Compatible
Hardware Id: 5954
Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Qty:2

Note: Requires Red Hat Enterprise Linux 2.1 Update 4 or later</br>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-07 14:12:36-05

Additional Certification Notes

No additional certification notes provided

2.4.5. PowerEdge 2600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148089>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-07-01 02:21:32-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 4735
Detail Notes: ATI Rage XL /8MB

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-12-04 17:39:39-05

Detail 2:
Status: Compatible
Hardware Id: 4735
Detail Notes: TEAC CD-ROM CD-224E
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-12-04 17:39:39-05

Detail 3:
Status: Compatible
Hardware Id: 4735
Detail Notes: 6GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-12-04 17:39:39-05

Detail 4:
Status: Compatible
Hardware Id: 4735
Detail Notes: Standard 1.44
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-12-04 17:46:34-05

Detail 5:
Status: Compatible
Hardware Id: 4735
Detail Notes: Intel Xeon 2.2GHz/512Kb
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-12-04 17:46:39-05

Detail 6:
Status: Compatible
Hardware Id: 4735
Detail Notes: Seagate ST336706LC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-12-04 17:47:07-05

Detail 7:
Status: Compatible
Hardware Id: 4735

Detail Notes: 2x LSI Logic 53c1030 embedded
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-12-04 17:47:33-05

Detail 8:
Status: Compatible
Hardware Id: 4735
Detail Notes: Onboard Intel 1000XT
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-12-04 17:47:48-05

Additional Certification Notes

No additional certification notes provided

2.4.6. PowerEdge 2650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148041>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-08-02 15:46:40-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-07-27 18:08:19-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: SAMSUNG CD-ROM SN-124
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-07-27 18:08:58-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: Dell Computer Corporation PowerEdge Expandable RAID Controller 3/Di (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-27 18:10:04-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: Intel(R) XEON(TM) CPU 2.00GHz
Qty: 4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-07-27 18:11:08-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-07-27 18:12:28-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: 6 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-07-27 18:13:07-04

Detail 7:
Ease of Install: 4

Status: Compatible
Hardware Id: 3963
Detail Notes: Intel Corporation 82544EI Gigabit Ethernet Controller (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-07-27 18:13:47-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 3963
Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 15)

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-07-27 18:14:26-04

Additional Certification Notes

No additional certification notes provided

2.4.7. PowerEdge 2800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148681>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-12-07 11:48:54-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible

Hardware Id: 5948

Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:6

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-12-07 11:47:40-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5948

Detail Notes: 8Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-12-07 11:47:46-05

Detail 3:

Status: Compatible

Hardware Id: 5948

Detail Notes: Optional add on storage controllers:

PERC4E/Di: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

<p>

Note: See this knowledge base entry for important information regarding installation and use of the megaraid2 driver.

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-07 11:47:20-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5948

Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-12-07 11:47:53-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5948

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-07 11:48:03-05

Detail 6:

Ease of Install: 4

Status: Compatible
Hardware Id: 5948
Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 11:48:10-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5948
Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 11:48:15-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5948
Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 11:48:21-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5948
Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-07 11:48:26-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5948
Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-12-07 11:48:32-05

Detail 11:
Ease of Install: 4
Status: Compatible

```

Hardware Id: 5948
Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz<br>
Qty:2<br>
EM64T Capable<br>
Hyperthreading Capable<br>
<br>
<b>Note:</b>This system requires Red Hat Enterprise Linux 2.1 U3 or newer for certified
  use.<br>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-07 11:48:37-05

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5948
Detail Notes: Additional Network interface card optional addons:<br>
Intel Pro 100<br>
Intel Pro 1000MT Single Port Copper Ethernet<br>
Intel Pro 1000MF Dual Port Fiber Channel Ethernet<br>
Intel Pro 1000MT DUAL PORT COPPER Ethernet<br>
Intel Pro 1000XT Single Port Copper Ethernet<br>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 11:48:44-05

```

Additional Certification Notes

No additional certification notes provided

2.4.8. PowerEdge 2850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148544>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-09-16 14:32:24-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:6

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-09-16 13:30:28-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: 8Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-09-16 13:30:42-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-09-16 13:31:14-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-09-16 13:31:53-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-09-16 13:35:46-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-09-16 13:36:04-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-09-16 13:36:20-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-09-16 13:36:44-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-09-16 13:39:04-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5747

Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Qty:2

EM64T Capable

Hyperthreading Capable


```
<b>Note:</b>This system requires Red Hat Enterprise Linux 2.1 U3 or newer for certified
use.<br>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-09-16 13:40:24-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5747
Detail Notes: Additional Network interface card optional addons:<br>
Intel Pro 100<br>
Intel Pro 1000MT Single Port Copper Ethernet<br>
Intel Pro 1000MF Dual Port Fiber Channel Ethernet<br>
Intel Pro 1000MT DUAL PORT COPPER Ethernet<br>
Intel Pro 1000XT Single Port Copper Ethernet<br>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-02 16:34:05-05

Detail 12:
Ease of Install: 2
Status: Compatible
Hardware Id: 5747
Detail Notes: Optional add on storage controllers:<br>
PERC4E/Di: LSI Logic / Symbios Logic MegaRAID (rev 01)<br>
PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)<br>
<p><br>
<b>Note:</b> See <a href=http://kbase.redhat.com/faq/FAQ_46_4459.shtm>this</a> knowledge base
entry for important information regarding installation and use of the megaraid2 driver.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-02 16:35:52-05
```

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7165¹](#) I am trying to install Red Hat Enterprise Linux 2.1 on my Dell system via kickstart. The server uses a PERC4E/Di RAID adapter, which requires the megaraid2 driver instead of the megaraid driver that Red Hat Enterprise Linux 2.1 tries to install by de ...

2.4.9. PowerEdge 3250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148150>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2003-09-03 17:47:46-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: Standard Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-03 17:47:16-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: PERC4/DC
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-03 17:45:06-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: Slimtype COMBO LSC-24081M, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-03 17:45:46-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: 16G
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-03 17:46:00-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: IA-64 Itanium 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-03 17:46:14-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-03 17:45:31-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: Vendor: MAXTOR Model: ATLASU320_18_SCA Rev: B810
Type: Direct-Access ANSI SCSI revision: 03
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-03 17:46:30-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: Vendor: LSILOGIC Model: 1030 IM Rev: 1000
Type: Direct-Access ANSI SCSI revision: 02
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-03 17:46:45-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5132
Detail Notes: Intel Corp. 82546EB Gigabit Ethernet Controller (rev 01)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-03 17:47:00-04

Additional Certification Notes

No additional certification notes provided

2.4.10. PowerEdge 4600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148044>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA
Cpu Name: X86
Created On: 2002-07-28 18:45:32-04
Returned On: mm-dd-yy
Last Touched On: 2002-08-02 15:46:55-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4095
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-07-28 18:45:43-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4095
Detail Notes: SAMSUNG CD-ROM SN-124
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-07-28 18:46:07-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4095

Detail Notes: Dell Computer Corporation PowerEdge Expandable RAID Controller 3/Di (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-07-28 18:51:56-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4095

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-07-28 18:54:48-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4095

Detail Notes: 12 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-07-28 19:10:33-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4095

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-07-28 19:11:32-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4095

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 05)

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-07-28 19:12:02-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4095
Detail Notes: BROADCOM Corporation NetXtreme BCM5700 Gigabit Ethernet (rev 14)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-07-28 19:12:30-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4095
Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 12)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-07-28 19:12:58-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 4095
Detail Notes: Intel(R) XEON(TM) CPU 2.20GHz
Qty: 2
NOTE: Hyperthreading enabled, will appear to be 4 CPUs to the Operating System.
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-09 00:44:59-04

Additional Certification Notes

No additional certification notes provided

2.4.11. PowerEdge 6400 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148064>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-07-17 11:51:09-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4181
Detail Notes: ATI Technologies Inc 3D Rage IIC (rev 7a)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-08 23:50:52-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4181
Detail Notes: CRD-8482B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-08 23:51:28-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4181
Detail Notes: American Megatrends Inc. MegaRAID (rev 20)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-08 23:51:49-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4181
Detail Notes: QLogic Corp. QLA12160 (rev 06)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-08 23:52:12-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4181
Detail Notes: Pentium III (Cascades) 900Mhz
Qty: 4
Component Class: CPU

Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2002-09-08 23:52:57-04

Detail 6:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4181
 Detail Notes: 1.44 MB
 Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2002-09-08 23:53:12-04

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4181
 Detail Notes: 8 Gigs
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2002-09-08 23:53:28-04

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4181
 Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2002-09-08 23:53:57-04

Additional Certification Notes

No additional certification notes provided

2.4.12. PowerEdge 6450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148065>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-09 00:15:01-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: ATI Technologies Inc 3D Rage IIC (rev 7a)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-09 00:08:11-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: SAMSUNG CD-ROM SN-124

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-09 00:08:34-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: American Megatrends Inc. MegaRAID (rev 20)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-09 00:08:55-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: Pentium III (Cascades) 900 Mhz

Qty: 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-09 00:10:02-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: 8 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-09 00:11:35-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-09 00:11:57-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4182

Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 15)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-09 00:12:28-04

Detail 8:

Status: Community Knowledge

Hardware Id: 4182

Detail Notes: QLogic Corp. QLA12160 (rev 06)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-29 21:48:48-04

Additional Certification Notes

No additional certification notes provided

2.4.13. PowerEdge 650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148155>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-05 23:30:29-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5138
Detail Notes: TEAC CD-ROM CD-224E, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-05 16:08:04-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5138
Detail Notes: 128MB - 4GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-05 16:11:11-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5138
Detail Notes: Intel Corporation 82544EI Gigabit Ethernet Controller (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-05 16:03:11-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5138
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-05 16:12:07-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5138
Detail Notes: Vendor: MegaRAID Model: LD 0 RAID1 114G Rev: 6.62
Type: Direct-Access ANSI SCSI revision: 02
Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-05 16:07:09-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5138
Detail Notes: Intel(R) Pentium(R) 4 CPU 3.06GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-05 16:09:31-04

Additional Certification Notes

No additional certification notes provided

2.4.14. PowerEdge 6600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148045>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA
Cpu Name: X86
Created On: 2002-07-28 19:35:17-04
Returned On: mm-dd-yy
Last Touched On: 2002-08-02 15:47:10-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4096
Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-07-28 19:35:28-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: TEAC CD-ROM CD-224E

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-07-28 19:35:51-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: American Megatrends Inc. MegaRAID (rev 20)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-07-28 19:36:39-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-07-28 19:39:21-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: Intel(R) Genuine CPU 1.40GHz

Qty: 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-07-28 19:40:12-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: FUJITSU MAJ3182MC (18210 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-07-28 19:41:22-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: 1.44 MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-07-28 19:41:43-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: 16 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-07-28 19:42:03-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-07-28 19:42:59-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 4096

Detail Notes: BROADCOM Corporation NetXtreme BCM5700 Gigabit Ethernet (rev 14)

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-07-28 19:43:42-04

Additional Certification Notes

No additional certification notes provided

2.4.15. PowerEdge 6650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148043>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA

Cpu Name: X86

Created On: 2002-07-27 18:37:27-04

Returned On: mm-dd-yy

Last Touched On: 2002-08-08 17:23:47-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-07-27 18:37:39-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: TEAC CD-ROM CD-224E

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-07-27 18:38:03-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: American Megatrends Inc. MegaRAID (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-07-27 18:38:52-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-07-27 18:43:00-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: Intel(R) Genuine CPU 1.50GHz

Qty: 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-07-27 18:43:44-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: QUANTUM ATLAS10K2-TY367J (36420 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-07-27 18:44:31-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-07-27 18:44:50-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4094

Detail Notes: 16 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-07-27 18:45:41-04

Detail 9:

Ease of Install: 4

Status: Compatible
Hardware Id: 4094
Detail Notes: BROADCOM Corporation NetXtreme BCM5700 Gigabit Ethernet (rev 14)

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-07-27 18:46:16-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 4094
Detail Notes: Intel Corporation 82544EI Gigabit Ethernet Controller (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-07-27 18:46:43-04

Additional Certification Notes

No additional certification notes provided

2.4.16. PowerEdge 8450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148093>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-12-31 12:29:30-05

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 4790

Detail Notes: Cirrus Logic GD 5446 (rev 45)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-12-31 12:15:24-05

Detail 2:
Status: Compatible
Hardware Id: 4790
Detail Notes: SAMSUNG CD-ROM SC-148F
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-12-31 12:15:24-05

Detail 3:
Status: Compatible
Hardware Id: 4790
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c896 (rev 05)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-12-31 12:15:24-05

Detail 4:
Status: Compatible
Hardware Id: 4790
Detail Notes: Pentium III (Cascades) 700 Mhz
Qty: 8
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-12-31 12:15:24-05

Detail 5:
Status: Compatible
Hardware Id: 4790
Detail Notes: SEAGATE ST318404LC (18210 MB)
Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-12-31 12:15:24-05

Detail 6:
Status: Compatible
Hardware Id: 4790
Detail Notes: 1.44M
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-12-31 12:15:24-05

Detail 7:
Status: Compatible
Hardware Id: 4790
Detail Notes: 10.5 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-12-31 12:15:24-05

Detail 8:
Status: Compatible
Hardware Id: 4790
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-12-31 12:15:24-05

Additional Certification Notes

No additional certification notes provided

2.5. Fujitsu

2.5.1. PRIMERGY BX300 P3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148415>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-07-30 17:09:07-04

Detail Data:

Detail 1:
Ease of Install: 4

Status: Compatible
Hardware Id: 5565
Detail Notes: ATI Rage XL onboard (4 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-29 12:23:37-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5565
Detail Notes: <P>IDE PROMISE PDC 20270</P>
<P>used in standard IDE mode</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-29 12:23:37-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5565
Detail Notes: 2 x Intel Pentium III CPU 800MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-29 12:23:37-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5565
Detail Notes: 2 x IBM Travelstar IC25N020ATCX04-0 20GB IDE
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-29 12:23:37-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5565
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-29 12:23:37-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5565
Detail Notes: <P>Fujitsu Siemens Computers D1431</P>
<P>BIOS 4.06 Rev 3E01.1431</P>
Component Class: MotherBoard

Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-29 12:23:37-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5565
Detail Notes: 2 x BROADCOM 5701 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 12:23:37-04

Additional Certification Notes

No additional certification notes provided

2.5.2. PRIMERGY BX300 PM Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148583>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-10-21 11:16:29-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5795
Detail Notes: ATI Rage XL onboard (4 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:16:13-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5795

Detail Notes: IDE PROMISE PDC 20270

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-10-21 11:16:13-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5795

Detail Notes: 1 x Intel Pentium M CPU 1.4GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-21 11:16:13-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5795

Detail Notes: 2 x IBM Travelstar IC25N020ATCX04-0 20GB IDE

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-21 11:16:13-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5795

Detail Notes: 2 GB PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-21 11:16:13-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5795

Detail Notes: Fujitsu Siemens Computers D1710

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-10-21 11:16:13-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5795

Detail Notes: 2 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:16:13-04

Additional Certification Notes

No additional certification notes provided

2.5.3. PRIMERGY BX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148593>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-10-22 11:05:39-04
Returned On: mm-dd-yy
Last Touched On: 2004-10-22 11:10:09-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5816
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-22 11:05:49-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5816

Detail Notes: ADAPTEC AIC7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-10-22 11:06:12-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5816
Detail Notes: 4 x Intel(R) Xeon(TM) CPU 3GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-22 11:06:38-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5816
Detail Notes: Maxtor Atlas10K4_146_SCA 146GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-22 11:07:00-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5816
Detail Notes: Fujitsu Siemens Computers D1652
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-22 11:07:43-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5816
Detail Notes: 16 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-22 11:08:00-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5816
Detail Notes: 4 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-22 11:08:47-04

Detail 8:

Ease of Install: 1

Status: Waiting for Authorization

Hardware Id: 5816

Detail Notes: <p>FC-I/O card 'BX600-FC22a'(QLA2342 compatible) has not been tested on this system</p>

<p> Only a single NIC configuration has been tested on this system</p>

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Additional Certification Notes

No additional certification notes provided

2.5.4. PRIMERGY C150 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148091>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-12-13 07:10:37-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4781

Detail Notes: ATI Rage 128 Ultra (16 MB) (AGP)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-12-13 07:10:16-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: IDE/ATAPI CD-ROM MITSUMI FX4830T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-12-13 07:10:16-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: ADAPTEC 29160
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-12-13 07:10:16-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: Intel Pentium 4 1.8 GHz 512 kB 2nd LC
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-12-13 07:10:16-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: SEAGATE ST318451LC 18 GB 7500rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-12-13 07:10:16-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: 1,44 MB 3,5"
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-12-13 07:10:17-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: 512 MB SDRAM

Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-12-13 07:10:17-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: Fujitsu Siemens Computers D1329
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-12-13 07:10:17-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4781
Detail Notes: INTEL 82562EM 10/100 Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-12-13 07:10:17-05

Additional Certification Notes

No additional certification notes provided

2.5.5. PRIMERGY C200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148082>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-10-14 09:06:54-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4581

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-14 09:06:35-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4581

Detail Notes: DE/ATAPI Lite-On LTN483L 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-14 09:06:35-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4581

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-14 09:06:36-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4581

Detail Notes: 2 x INTEL PENTIUM III 1266 MHZ

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-14 09:06:36-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4581

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-14 09:06:36-04

Detail 6:

Ease of Install: 4

Status: Compatible
Hardware Id: 4581
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-10-14 09:06:36-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4581
Detail Notes: 2,5 GB SDAM PC133
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-10-14 09:06:36-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4581
Detail Notes: <P> Fujitsu Siemens Computers D1306 </P>
<P> BIOS 4.06 Rev 1.03.1306 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-10-14 09:06:36-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4581
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-10-14 09:06:36-04

Additional Certification Notes

No additional certification notes provided

2.5.6. PRIMERGY Econel 40 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148588>

Summary

- *Version: 2.1*

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-10-21 11:45:24-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5800

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:45:10-04

Detail 2:

Status: Compatible

Hardware Id: 5800

Detail Notes: NEC DVD+RW ND-2100AD

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-10-21 11:45:11-04

Detail 3:

Status: Compatible

Hardware Id: 5800

Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz

(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-21 11:45:11-04

Detail 4:

Status: Compatible

Hardware Id: 5800

Detail Notes: MAXTOR SATA 6Y080M0 80GB 7200rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-21 11:45:11-04

Detail 5:

Status: Compatible

Hardware Id: 5800
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 11:45:11-04

Detail 6:
Status: Compatible
Hardware Id: 5800
Detail Notes: 2 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 11:45:11-04

Detail 7:
Status: Compatible
Hardware Id: 5800
Detail Notes: Fujitsu Siemens Computers D1755
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 11:45:11-04

Detail 8:
Status: Compatible
Hardware Id: 5800
Detail Notes: Intel 825470EM 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:45:11-04

Detail 9:
Status: Waiting for Authorization
Hardware Id: 5800
Detail Notes: Note: LSI-53C1000R and Promise SATA RAID controllers have not been tested on this system
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-10-21 11:45:11-04

Additional Certification Notes

No additional certification notes provided

2.5.7. PRIMERGY F200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148101>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:29:54-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4847

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:29:30-05

Detail 2:

Status: Compatible

Hardware Id: 4847

Detail Notes: DE/ATAPI Lite-On LTN483L 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:29:31-05

Detail 3:

Status: Compatible

Hardware Id: 4847

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-20 10:29:31-05

Detail 4:

Status: Compatible
Hardware Id: 4847
Detail Notes: 2 x INTEL PENTIUM III 1266 MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-01-20 10:29:31-05

Detail 5:
Status: Compatible
Hardware Id: 4847
Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-01-20 10:29:31-05

Detail 6:
Status: Compatible
Hardware Id: 4847
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-01-20 10:29:31-05

Detail 7:
Status: Compatible
Hardware Id: 4847
Detail Notes: 2,5 GB SDAM PC133
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-01-20 10:29:31-05

Detail 8:
Status: Compatible
Hardware Id: 4847
Detail Notes: <P> Fujitsu Siemens Computers D1306 </P>
<P> BIOS 4.06 Rev 1.03.1306 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-01-20 10:29:31-05

Detail 9:
Status: Compatible
Hardware Id: 4847
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-01-20 10:29:31-05

Additional Certification Notes

No additional certification notes provided

2.5.8. PRIMERGY F250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148099>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:28:29-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4845

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:28:11-05

Detail 2:

Status: Compatible

Hardware Id: 4845

Detail Notes: IDE/ATAPI MITSUMI SR243T 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:28:11-05

Detail 3:

Status: Compatible

Hardware Id: 4845

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-01-20 10:28:11-05

Detail 4:

Status: Compatible

Hardware Id: 4845

Detail Notes: <P> 2 x INTEL XEON 2.0 GHZ </P>

<P> The system contains 2 physical CPUs with hyperthreading feature, which are visible as 4 logical CPUs under Linux. </P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-20 10:28:11-05

Detail 5:

Status: Compatible

Hardware Id: 4845

Detail Notes: SEAGATE ST 318451LC 18GB 15000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-20 10:28:11-05

Detail 6:

Status: Compatible

Hardware Id: 4845

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-20 10:28:11-05

Detail 7:

Status: Compatible

Hardware Id: 4845

Detail Notes: 3 GB DDR RAM PC1600

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-20 10:28:11-05

Detail 8:

Status: Compatible

Hardware Id: 4845

Detail Notes: <P> Fujitsu Siemens Computers D1309 </P>

<P> BIOS 4.06 Rev 1.00.1309 </P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-01-20 10:28:11-05

Detail 9:

Status: Compatible

Hardware Id: 4845

Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-20 10:28:11-05

Additional Certification Notes

No additional certification notes provided

2.5.9. PRIMERGY H250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148080>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-14 06:48:52-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-14 06:48:32-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: IDE/ATAPI MITSUMI FX4830T 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-14 06:48:33-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: <P> Adaptec AIC 7899 SCSI 160 Onboard </P>

<P> Driver : aic7xxx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-14 06:48:33-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: <P> 2 x INTEL XEON 2.0 GHZ </P>

<P> The system contains 2 physical CPUs with hyper threading feature, which are visible as 4 logical CPUs </P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-14 06:48:33-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-14 06:48:33-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-14 06:48:33-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4579

Detail Notes: 4 GB DDR RAM PC1600

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-14 06:48:33-04

Detail 8:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 4579
 Detail Notes: <P> Fujitsu Siemens Computers D1242 </P>
 <P> BIOS 4.06 Rev 1.05.1242 </P>
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2002-10-14 06:48:33-04

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4579
 Detail Notes: INTEL 82559 Fast Ethernet 10/100Mbps
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2002-10-14 06:48:33-04

Additional Certification Notes

No additional certification notes provided

2.5.10. PRIMERGY H450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148076>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
 Last Touched On: 2002-10-08 05:15:20-04

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4536

Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-10-08 05:14:57-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4536
Detail Notes: IDE/ATAPI MITSUMI FX4830T 48x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-10-08 05:14:57-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4536
Detail Notes: Adaptec AIC 7899 SCSI 160 Onboard Driver : aic7xxx
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-10-08 05:14:57-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4536
Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-08 05:14:57-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4536
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-10-08 05:14:57-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4536
Detail Notes: 8,5 GB DDR RAM PC1600
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-08 05:14:57-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4536

Detail Notes: Fujitsu Siemens Computers D1290

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2002-10-08 05:14:57-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4536

Detail Notes: INTEL 82559 Fast Ethernet 10/100Mbps

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-10-08 05:14:57-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4536

Detail Notes: <P> 4 x INTEL XEON MP 1.6 GHZ </P>

<P> The system contains 4 physical CPUs with hyper threading </P>

<P> For certification kernel-2.4.9-e.8 was used. </P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-08 05:14:57-04

Additional Certification Notes

No additional certification notes provided

2.5.11. PRIMERGY L100 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148092>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-01 09:37:04-04

Detail Data:

Detail 1:

Status: Compatible
Hardware Id: 4783
Detail Notes: INTEL 82550 10/100Mbps Fast Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-12-17 07:27:34-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: MAXTOR 4K020H1 20GB 5400rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-01 09:37:55-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: <P>On-Board Promise Technologies PDC20265R IDE Controller</P>
<P>Used as a standard ide controller</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-01 09:36:43-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-01 09:38:05-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: ATI Rage XL AGP (4 MB)
Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-01 09:37:25-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: 512 MB PC133 SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-01 09:38:16-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-01 09:37:36-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: Fujitsu Siemens Computers D1350
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-01 09:38:26-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4783
Detail Notes: Intel Pentium III 1.2 GHz 256 kB 2nd LC
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-01 09:37:45-04

Additional Certification Notes

No additional certification notes provided

2.5.12. PRIMERGY L200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148114>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-04-03 04:51:52-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: ATI Rage XL (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-04-03 04:51:26-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: IDE CD-ROM MITSUMI SR243T1 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-04-03 04:51:26-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: <p>LSI53C1000R SCSI 160 Onboard </p>

<p>Driver : SYM53C8xx</p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-04-03 04:51:26-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: Intel Pentium III Tualatin 1266 MHz (1266/133/512)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-04-03 04:51:26-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: FUJITSU MAN3184MC 18GB 10000rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-04-03 04:51:26-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: MITSUMI 1,44 MB 3,5

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-04-03 04:51:26-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: 2 GB SDRAM (4 x 512 MB SAMSUNG)

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-04-03 04:51:26-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: <p>Fujitsu Siemens Computers D1307</p>

<p>BIOS : PHOENIX 4.06 Rev 1.04.1307</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-04-03 04:51:26-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5017

Detail Notes: INTEL 82559C 10/100Mbps Fast Ethernet

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-04-03 04:51:26-05

Additional Certification Notes

No additional certification notes provided

2.5.13. PRIMERGY L250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148106>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-02-20 11:31:27-05
Returned On: mm-dd-yy
Last Touched On: 2003-07-11 05:20:27-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-02-20 11:31:41-05

Detail 2:

Ease of Install: 4
Status: Compatible

Hardware Id: 4934
Detail Notes: IDE/ATAPI MITSUMI SR243T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-02-20 11:32:10-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: <p>2 x INTEL XEON 1.8 GHz</p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-02-20 11:35:12-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: <p>Fujitsu Siemens Computers D1591</p>
<p>BIOS AMIBIOS V3.31 D44</p>
<p>Firmware BMC 0.84</p>
<p>For certification kernel-2.4.9-e.10 was used</p>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-02-20 11:36:26-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-20 11:37:16-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-02-20 11:37:51-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: INTEL 82545EM Gigabit Ethernet
Component Class: Network Interface

Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-02-20 11:38:31-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: <p>PRIMERGY S60 Storage Subsystem</p>
<p>(14 x 36 GB Seagate ST336704LC)</p>
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2003-02-20 11:39:44-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4934
Detail Notes: <p>Adaptec AIC 7899W SCSI 160 Onboard</p>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-11 05:18:33-04

Additional Certification Notes

No additional certification notes provided

2.5.14. PRIMERGY P200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148102>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:30:18-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4848

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:29:59-05

Detail 2:

Status: Compatible

Hardware Id: 4848

Detail Notes: DE/ATAPI Lite-On LTN483L 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:29:59-05

Detail 3:

Status: Compatible

Hardware Id: 4848

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-20 10:29:59-05

Detail 4:

Status: Compatible

Hardware Id: 4848

Detail Notes: 2 x INTEL PENTIUM III 1266 MHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-20 10:29:59-05

Detail 5:

Status: Compatible

Hardware Id: 4848

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-20 10:29:59-05

Detail 6:

Status: Compatible

Hardware Id: 4848

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-01-20 10:29:59-05

Detail 7:
Status: Compatible
Hardware Id: 4848
Detail Notes: 2,5 GB SDAM PC133
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-01-20 10:29:59-05

Detail 8:
Status: Compatible
Hardware Id: 4848
Detail Notes: <P> Fujitsu Siemens Computers D1306 </P>
<P> BIOS 4.06 Rev 1.03.1306 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-01-20 10:29:59-05

Detail 9:
Status: Compatible
Hardware Id: 4848
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-01-20 10:30:00-05

Additional Certification Notes

No additional certification notes provided

2.5.15. PRIMERGY P250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148078>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-10 07:55:26-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4551

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-10 07:55:06-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4551

Detail Notes: IDE/ATAPI MITSUMI SR243T 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-10 07:55:06-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4551

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-10 07:55:06-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4551

Detail Notes: <P> 2 x INTEL XEON 2.0 GHZ </P>

<P> The system contains 2 physical CPUs with hyperthreading feature, which are visible as 4 logical CPUs under Linux. </P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-10 07:55:06-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4551

Detail Notes: SEAGATE ST 318451LC 18GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-10 07:55:06-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4551
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-10-10 07:55:06-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4551
Detail Notes: 3 GB DDR RAM PC1600
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-10-10 07:55:07-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4551
Detail Notes: <P> Fujitsu Siemens Computers D1309 </P>
<P> BIOS 4.06 Rev 1.00.1309 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-10-10 07:55:07-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4551
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-10-10 07:55:07-04

Additional Certification Notes

No additional certification notes provided

2.5.16. PRIMERGY R450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148097>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:26:07-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4843

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:25:48-05

Detail 2:

Status: Compatible

Hardware Id: 4843

Detail Notes: IDE/ATAPI MITSUMI FX4830T 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:25:48-05

Detail 3:

Status: Compatible

Hardware Id: 4843

Detail Notes: Adaptec AIC 7899 SCSI 160 Onboard Driver : aic7xxx

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-20 10:25:48-05

Detail 4:

Status: Compatible

Hardware Id: 4843
Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-01-20 10:25:48-05

Detail 5:
Status: Compatible
Hardware Id: 4843
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-01-20 10:25:48-05

Detail 6:
Status: Compatible
Hardware Id: 4843
Detail Notes: 8,5 GB DDR RAM PC1600
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-01-20 10:25:48-05

Detail 7:
Status: Compatible
Hardware Id: 4843
Detail Notes: Fujitsu Siemens Computers D1290
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-01-20 10:25:48-05

Detail 8:
Status: Compatible
Hardware Id: 4843
Detail Notes: INTEL 82559 Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-01-20 10:25:48-05

Detail 9:
Status: Compatible
Hardware Id: 4843
Detail Notes: <P> 4 x INTEL XEON MP 1.6 GHz </P>
<P> The system contains 4 physical CPUs with hyper threading </P>
<P> For certification kernel-2.4.9-e.8 was used. </P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-01-20 10:25:48-05

Additional Certification Notes

No additional certification notes provided

2.5.17. PRIMERGY RX100 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148409>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-06-29 11:04:33-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR244W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-29 11:04:14-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: <P>1 x Intel(R) Pentium(R) 4 XEON 3.06 GHz</P>

<P>Hyper-Threading : ENABLED</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-29 11:04:14-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: 2 GB PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-06-29 11:04:14-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: <P>Fujitsu Siemens Computers D1483</P>

<P>BIOS V4.1 R02-A3F5.1483</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-06-29 11:04:14-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-29 11:04:14-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: <P>PROMISE 20270 onboard</P>

<P>used in standard IDE mode</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-29 11:04:14-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: SEAGATE ST380021A 80 GB 7200 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-29 11:04:14-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5559

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-06-29 11:04:14-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5559
Detail Notes: INTEL 82545EM Ethernet 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 11:04:14-04

Additional Certification Notes

No additional certification notes provided

2.5.18. PRIMERGY RX100 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148580>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-10-21 10:41:29-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-21 10:40:59-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: IDE/ATAPI LG CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-10-21 10:40:59-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-21 10:40:59-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: MAXTOR 6Y080M0 80GB 7200rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-21 10:40:59-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: 1,44 MB 3,5"
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 10:40:59-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: 4 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 10:40:59-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5791
Detail Notes: Fujitsu Siemens Computers D1571
Component Class: MotherBoard

Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2004-10-21 10:40:59-04

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5791
 Detail Notes: 2 x Intel 82541 10/100/1000 Mbit/s Ethernet
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-10-21 10:40:59-04

Detail 9:
 Status: Waiting for Authorization
 Hardware Id: 5791
 Detail Notes: Controller Promise PDC20319 was not tested on this system
 Component Class: Other
 Component Test: Determined on a case by case basis.
 Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
 Modified On: 2004-10-21 10:40:59-04

Additional Certification Notes

No additional certification notes provided

2.5.19. PRIMERGY RX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148171>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2003-10-13 08:17:33-04
 Returned On: mm-dd-yy

Last Touched On: 2003-10-13 08:24:09-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-10-13 08:17:50-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: MAXTOR ATLASU320 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-10-13 08:20:42-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: IDE/ATAPI CD/DVD-ROM MITSUMI SR244W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-10-13 08:18:22-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-10-13 08:21:22-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: INTEL 82546EB (2 x 10/100/1000 Mbps Ethernet)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-13 08:23:43-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: <P>2 x Intel(R) Xeon(TM) CPU 2.80GHz </P>

<P>(Hyper-Threading : ENABLED)</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-10-13 08:19:26-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: 3 GB ECC PC2100 SDDR

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-10-13 08:22:03-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: ADAPTEC AHA-29160

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-10-13 08:19:57-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5155

Detail Notes: <P>Fujitsu Siemens Computers D1570</P>

<P>BIOS : F01B</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-10-13 08:23:02-04

Additional Certification Notes

No additional certification notes provided

2.5.20. PRIMERGY RX300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148125>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-06-11 05:39:24-04
Returned On: mm-dd-yy
Last Touched On: 2003-06-11 05:47:31-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5065
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-06-11 05:39:51-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5065
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-06-11 05:42:10-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5065
Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T 24x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-06-11 05:40:03-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5065

Detail Notes: 4 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-06-11 05:42:41-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5065

Detail Notes: <p>Fujitsu Siemens Computers D1409</p>

<p>BIOS V4.06 Rev 1.03.1409</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-06-11 05:43:58-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5065

Detail Notes: 2 x Intel(R) Xeon(R) 3.06 GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-06-11 05:41:07-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5065

Detail Notes: <p>BROADCOM 5704 QUAD-PORT 10/100/1000BASE-T</p>

<p>Driver: tg3</p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-06-11 05:47:01-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5065

Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-06-11 05:41:37-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5065

Detail Notes: <p>ADAPTEC AIC7902</p>

<p>Driver: aic79xx</p>

<p>HostRAID not supported</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-29 08:26:50-04

Additional Certification Notes

No additional certification notes provided

2.5.21. PRIMERGY RX800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148162>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2003-09-11 12:05:11-04

Returned On: mm-dd-yy

Last Touched On: 2003-09-11 12:27:11-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-09-12 07:04:25-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: <P>8 x Intel(R) XEON(TM) MP CPU 2.50GHz</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-10-17 07:56:07-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: IDE/ATAPI CD/DVD-ROM MATSHITA SR-8177 DVD 24X

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-11 12:12:41-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: <P>LSI53C1030</P>

<P>Driver : mptbase/mptscsih 2.05.00</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-11 12:14:46-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: FUJITSU MAS3367NC 36 GB 15000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-11 12:15:44-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-11 12:17:17-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5145

Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-11 12:17:42-04

Detail 8:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 5145
Detail Notes: <P>TX800 Boardset </P>
<P>BIOS 1.02</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-11 12:18:43-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5145
Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>
<P>Driver : tg3 v1.2e4 </P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-11 12:26:07-04
```

Additional Certification Notes

No additional certification notes provided

2.5.22. PRIMERGY T850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148137>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-07-18 05:00:50-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5107

Detail Notes: <p>S3 Inc. Savage 4 (4 MB)</p>
 <p>Please use XFree86 4.1.0-44 from</p>
 <p><http://updates.redhat.com/enterprise/2.1AS/en/os/></p>
 <p>and disable all screensavers</p>
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2003-07-18 05:00:27-04

Detail 2:
 Status: Compatible
 Hardware Id: 5107
 Detail Notes: FUJITSU MAN3367MC 36 GB 10000 rpm
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2003-07-18 05:00:27-04

Detail 3:
 Status: Compatible
 Hardware Id: 5107
 Detail Notes: <p>T850 Boardset</p>
 <p>BIOS 1.06 VIE115A</p>
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-07-18 05:00:27-04

Detail 4:
 Status: Compatible
 Hardware Id: 5107
 Detail Notes: IDE/ATAPI HITACHI GDR-8081N
 Component Class: CD-ROM Drive
 Component Test: Must be avilable as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2003-07-18 05:00:27-04

Detail 5:
 Status: Compatible
 Hardware Id: 5107
 Detail Notes: 1,44 MB 3,5 "
 Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2003-07-18 05:00:27-04

Detail 6:
 Ease of Install: 3
 Status: Compatible
 Hardware Id: 5107
 Detail Notes: <p>BROADCOM BCM5700 Gigabit Ethernet</p>
 <p>Driver: tg3 v1.2e4</p>
 Component Class: Network Interface
 Component Test: Must complete a network install.

Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-07-18 05:00:27-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5107
Detail Notes: <p>4 x Intel(R) XEON(TM) MP CPU 2.00GHz</p>
<p>with Hyperthreading seen as 8 CPUs</p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-18 05:00:27-04

Detail 8:
Ease of Install: 4
Status: Waiting for Authorization
Hardware Id: 5107
Detail Notes: <p>AIC7899 Ultra160 onboard</p>
<p>Driver: aic7xxx_mod v6.2.30</p>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-18 05:00:27-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5107
Detail Notes: 8 GB SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-18 05:03:52-04

Additional Certification Notes

No additional certification notes provided

2.5.23. PRIMERGY TX150 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148118>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-05-08 05:55:32-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: ATI Rage 128 Ultra (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-05-08 05:55:11-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-05-08 05:55:11-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: IDE/ATAPI CD-ROM MITSUMI FX48A0W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-05-08 05:55:11-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: 2 GB RAM DDR-SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-05-08 05:55:11-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: 1 x Intel(R) Pentium(R) 4 CPU 2.66GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-05-08 05:55:11-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: <p>Fujitsu Siemens Computers D1501</p>

<p>BIOS V4.1 R01-A4F4.1501</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-05-08 05:55:11-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: <p>ADAPTEC AIC 7901 onboard </p>

<p>Driver : aic79xx</p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-08 05:55:12-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: INTEL 82540EM Ethernet 10/100/1000 Mbit/s

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-05-08 05:55:12-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5034

Detail Notes: MAXTOR ATLASU320_18_SCA, 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-05-08 05:55:12-04

Additional Certification Notes

No additional certification notes provided

2.5.24. PRIMERGY TX150 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153939>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2005-01-27 05:55:28-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: LiteOn LTN486S

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2005-01-27 05:55:09-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: 4 GB ECC PC3200 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2005-01-27 05:55:09-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: FUJITSU MAP3735NC 73GB 10000rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2005-01-27 05:55:09-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: CPU 1 x Intel® Pentium® 4 3.2 GHz (Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2005-01-27 05:55:10-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: 2 x Intel 82540EM 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-01-27 05:55:10-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: LSI1020

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2005-01-27 05:55:10-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2005-01-27 05:55:10-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2005-01-27 05:55:10-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 6040

Detail Notes: <P>Fujitsu Siemens Computers D1751</P>

```
<P>BIOS 08.09.020 D1751</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2005-01-27 05:55:10-05
```

Additional Certification Notes

No additional certification notes provided

2.5.25. PRIMERGY TX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148131>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-07-08 09:50:00-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-08 09:49:42-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: IDE/ATAPI Lite-On LTN486S 48x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-08 09:49:42-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: <p>ADAPTEC AIC7902</P>
<p>driver: aic79xx</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-08 09:49:42-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: 2 x Intel(R) Xeon(R) 2.8 GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-08 09:49:42-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-08 09:49:42-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-07-08 09:49:42-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5096
Detail Notes: 2.25 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-08 09:49:42-04

Detail 8:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5096
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-07-08 09:49:42-04

Detail 9:
 Ease of Install: 3
 Status: Compatible
 Hardware Id: 5096
 Detail Notes: <p>BROADCOM 5703 10/100/1000BASE-T</p>
 <p>driver: tg3</p>
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2003-07-08 09:49:42-04

Additional Certification Notes

No additional certification notes provided

2.5.26. PRIMERGY TX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148160>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2003-09-11 11:56:51-04
 Returned On: mm-dd-yy
 Last Touched On: 2003-09-11 12:03:22-04

Detail Data:

Detail 1:
 Ease of Install: 4

Status: Compatible
Hardware Id: 5143
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-11 11:57:10-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5143
Detail Notes: 4 x Intel(R) XEON(TM) MP CPU 2.50GHZ
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-11 11:59:20-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5143
Detail Notes: IDE/ATAPI CD/DVD-ROM Lite-ON XJ-SD081D DVD 8X /CD 24X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-11 11:57:51-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5143
Detail Notes: <P>ADAPTEC AIC7902</P>
<P>Driver : AIC79xx</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-11 11:58:39-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5143
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-11 11:59:47-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5143
Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2003-09-11 12:00:20-04

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5143
 Detail Notes: 8 GB ECC PC2100 DDR RAM
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2003-09-11 12:00:48-04

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5143
 Detail Notes: <P>Fujitsu Siemens Computers D1411</P>
 <P>BIOS V4.06 Rev 1.00.1411</P>
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-09-11 12:01:52-04

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5143
 Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>
 <P>Driver : tg3</P>
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2003-09-11 12:03:00-04

Additional Certification Notes

No additional certification notes provided

2.6. Fujitsu Siemens Computers

2.6.1. CELSIUS M410 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148149>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-09-01 09:19:32-04
Returned On: mm-dd-yy
Last Touched On: 2003-09-01 09:28:37-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5130
Detail Notes: ATAPI CD/DVD-ROM LTN-163
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-01 09:20:46-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5130
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-01 09:24:24-04

Detail 3:

Ease of Install: 2
Status: Community Knowledge
Hardware Id: 5130
Detail Notes: <P>NVIDIA QUADRO4 980XGL</P>
<P>Install option : nofb </P>
<P>Driver: NVIDIA-1.0-4363</P>
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-01 09:25:18-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5130

Detail Notes: INTEL PENTIUM 4(tm) 2.40 GHZ

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-01 09:22:13-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5130

Detail Notes: 1 GB DDR266 SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-01 09:24:58-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5130

Detail Notes: Fast IDE / Ultra DMA 100 onboard

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-01 09:22:51-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5130

Detail Notes: <P>Fujitsu Siemens Computers D1356</P>

<P>BIOS V4.06 Rev 1.04.1356</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-09-01 09:26:31-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5130

Detail Notes: MAXTOR 6E040L0 40 GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-01 09:23:45-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5130

Detail Notes: INTEL 82540 10/100/1000 Mbps GbE onboard

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-01 09:27:49-04

Additional Certification Notes

No additional certification notes provided

2.6.2. PRIMERGY BX300 P3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148414>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-06-29 12:15:22-04
Returned On: mm-dd-yy
Last Touched On: 2004-06-29 12:23:28-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5564
Detail Notes: ATI Rage XL onboard (4 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-29 12:15:37-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5564
Detail Notes: <P>IDE PROMISE PDC 20270</P>
<P>used in standard IDE mode</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-29 12:18:09-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5564

Detail Notes: 2 x Intel Pentium III CPU 800MHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-29 12:18:46-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5564

Detail Notes: 2 x IBM Travelstar IC25N020ATCX04-0 20GB IDE

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-29 12:19:28-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5564

Detail Notes: 2 GB PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-06-29 12:20:06-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5564

Detail Notes: <P>Fujitsu Siemens Computers D1431</P>

<P>BIOS 4.06 Rev 3E01.1431</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-06-29 12:21:11-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5564

Detail Notes: 2 x BROADCOM 5701 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-06-29 12:23:19-04

Additional Certification Notes

No additional certification notes provided

2.6.3. PRIMERGY BX300 PM Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148582>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2004-10-21 11:11:10-04

Returned On: mm-dd-yy

Last Touched On: 2004-10-21 11:16:08-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5794

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:11:22-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5794

Detail Notes: IDE PROMISE PDC 20270

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-10-21 11:12:47-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5794
Detail Notes: 1 x Intel Pentium M CPU 1.4GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-21 11:13:23-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5794
Detail Notes: 2 x IBM Travelstar IC25N020ATCX04-0 20GB IDE
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-21 11:13:56-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5794
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 11:14:35-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5794
Detail Notes: Fujitsu Siemens Computers D1710
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 11:15:19-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5794
Detail Notes: 2 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:15:56-04

Additional Certification Notes

No additional certification notes provided

2.6.4. PRIMERGY BX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148591>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-10-22 10:29:43-04
Returned On: mm-dd-yy
Last Touched On: 2004-10-22 10:37:18-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5803
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-22 10:29:54-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5803
Detail Notes: ADAPTEC AIC7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-10-22 10:30:19-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5803
Detail Notes: 4 x Intel(R) Xeon(TM) CPU 3GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-22 10:30:46-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5803

Detail Notes: Maxtor Atlas10K4_146_SCA 146GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-22 10:31:12-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5803

Detail Notes: 16 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-22 10:31:46-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5803

Detail Notes: Fujitsu Siemens Computers D1652

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-10-22 10:32:20-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5803

Detail Notes: 4 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-10-22 10:33:21-04

Detail 8:

Status: Waiting for Authorization

Hardware Id: 5803

Detail Notes: <p> FC-I/O card 'BX600-FC22a'(QLA2342 compatible) has not been tested on this system.</p>

<p> Only a single NIC configuration has been tested on this system</p>

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2004-10-22 11:04:34-04

Additional Certification Notes

No additional certification notes provided

2.6.5. PRIMERGY C150 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148090>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2002-12-13 07:04:59-05

Returned On: mm-dd-yy

Last Touched On: 2002-12-13 07:10:06-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4780

Detail Notes: ATI Rage 128 Ultra (16 MB) (AGP)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-12-13 07:05:15-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4780

Detail Notes: IDE/ATAPI CD-ROM MITSUMI FX4830T

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-12-13 07:05:50-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4780
Detail Notes: ADAPTEC 29160
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-12-13 07:06:24-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4780
Detail Notes: Intel Pentium 4 1.8 GHz 512 kB 2nd LC
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-12-13 07:06:57-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4780
Detail Notes: SEAGATE ST318451LC 18 GB 7500rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-12-13 07:07:29-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4780
Detail Notes: 1,44 MB 3,5"
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-12-13 07:07:59-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4780
Detail Notes: 512 MB SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-12-13 07:08:26-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4780
Detail Notes: Fujitsu Siemens Computers D1329
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-12-13 07:08:59-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4780

Detail Notes: INTEL 82562EM 10/100 Mbps

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-12-13 07:09:36-05

Additional Certification Notes

No additional certification notes provided

2.6.6. PRIMERGY C200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148081>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2002-10-14 09:00:07-04

Returned On: mm-dd-yy

Last Touched On: 2002-10-14 09:06:25-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4580

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-14 09:00:22-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4580

Detail Notes: DE/ATAPI Lite-On LTN483L 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-14 09:00:47-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4580

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-14 09:01:44-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4580

Detail Notes: 2 x INTEL PENTIUM III 1266 MHZ

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-14 09:02:17-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4580

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-14 09:02:55-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4580

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-14 09:03:32-04

Detail 7:

Ease of Install: 4

Status: Compatible
Hardware Id: 4580
Detail Notes: 2,5 GB SDAM PC133
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-10-14 09:04:07-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4580
Detail Notes: <P> Fujitsu Siemens Computers D1306 </P>
<P> BIOS 4.06 Rev 1.03.1306 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-10-14 09:05:24-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4580
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-10-14 09:06:05-04

Additional Certification Notes

No additional certification notes provided

2.6.7. PRIMERGY Econel 30 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148134>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-07-15 06:19:10-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-15 06:25:40-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: ATI Rage 128 Pro-U (16 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-15 06:19:29-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: IDE/ATAPI CD/DVD-ROM LITEON LTD163
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-15 06:20:01-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: 1 x Intel Pentium 4 CPU 2.40GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-15 06:20:48-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: SEAGATE ST340810A 40 GB 5400 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-15 06:21:30-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-07-15 06:22:29-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: 2 GB PC2100 DDR-SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-15 06:22:58-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: <p>Fujitsu Siemens Computers D1447</p>
<p>Chipset: INTEL i845e</p>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-07-15 06:24:18-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5104
Detail Notes: INTEL 82562 10/100Mbps Fast Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-07-15 06:25:02-04

Additional Certification Notes

No additional certification notes provided

2.6.8. PRIMERGY Econel 40 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148587>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-10-21 11:45:06-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5799

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:44:52-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5799

Detail Notes: NEC DVD+RW ND-2100AD

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-10-21 11:44:52-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5799

Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-21 11:44:52-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5799

Detail Notes: MAXTOR SATA 6Y080M0 80GB 7200rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-21 11:44:52-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5799

Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 11:44:52-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5799
Detail Notes: 2 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 11:44:52-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5799
Detail Notes: Fujitsu Siemens Computers D1755
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 11:44:52-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5799
Detail Notes: Intel 825470EM 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:44:52-04

Detail 9:
Status: Waiting for Authorization
Hardware Id: 5799
Detail Notes: Note: LSI-53C1000R and Promise SATA RAID controllers have not been tested on this system
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-10-21 11:44:52-04

Additional Certification Notes

No additional certification notes provided

2.6.9. PRIMERGY F200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148100>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:29:25-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4846

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:29:00-05

Detail 2:

Status: Compatible

Hardware Id: 4846

Detail Notes: DE/ATAPI Lite-On LTN483L 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:29:00-05

Detail 3:

Status: Compatible

Hardware Id: 4846

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-20 10:29:00-05

Detail 4:

Status: Compatible
Hardware Id: 4846
Detail Notes: 2 x INTEL PENTIUM III 1266 MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-01-20 10:29:00-05

Detail 5:
Status: Compatible
Hardware Id: 4846
Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-01-20 10:29:00-05

Detail 6:
Status: Compatible
Hardware Id: 4846
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-01-20 10:29:01-05

Detail 7:
Status: Compatible
Hardware Id: 4846
Detail Notes: 2,5 GB SDAM PC133
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-01-20 10:29:01-05

Detail 8:
Status: Compatible
Hardware Id: 4846
Detail Notes: <P> Fujitsu Siemens Computers D1306 </P>
<P> BIOS 4.06 Rev 1.03.1306 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-01-20 10:29:01-05

Detail 9:
Status: Compatible
Hardware Id: 4846
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-01-20 10:29:01-05

Additional Certification Notes

No additional certification notes provided

2.6.10. PRIMERGY F250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148098>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:28:02-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4844

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:27:39-05

Detail 2:

Status: Compatible

Hardware Id: 4844

Detail Notes: IDE/ATAPI MITSUMI SR243T 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:27:39-05

Detail 3:

Status: Compatible

Hardware Id: 4844

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-01-20 10:27:39-05

Detail 4:

Status: Compatible

Hardware Id: 4844

Detail Notes: <P> 2 x INTEL XEON 2.0 GHZ </P>

<P> The system contains 2 physical CPUs with hyperthreading feature, which are visible as 4 logical CPUs under Linux. </P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-20 10:27:39-05

Detail 5:

Status: Compatible

Hardware Id: 4844

Detail Notes: SEAGATE ST 318451LC 18GB 15000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-20 10:27:39-05

Detail 6:

Status: Compatible

Hardware Id: 4844

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-20 10:27:39-05

Detail 7:

Status: Compatible

Hardware Id: 4844

Detail Notes: 3 GB DDR RAM PC1600

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-20 10:27:39-05

Detail 8:

Status: Compatible

Hardware Id: 4844

Detail Notes: <P> Fujitsu Siemens Computers D1309 </P>

<P> BIOS 4.06 Rev 1.00.1309 </P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-01-20 10:27:39-05

Detail 9:

Status: Compatible

Hardware Id: 4844

Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-20 10:27:39-05

Additional Certification Notes

No additional certification notes provided

2.6.11. PRIMERGY H250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148079>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2002-10-14 06:40:49-04

Returned On: mm-dd-yy

Last Touched On: 2002-10-14 06:48:27-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-14 06:41:34-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: IDE/ATAPI MITSUMI FX4830T 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-14 06:41:50-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: <P> Adaptec AIC 7899 SCSI 160 Onboard </P>

<P> Driver : aic7xxx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-14 06:42:57-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: <P> 2 x INTEL XEON 2.0 GHZ </P>

<P> The system contains 2 physical CPUs with hyper threading feature, which are visible as 4 logical CPUs </P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-14 06:44:20-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-14 06:45:13-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-14 06:45:26-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: 4 GB DDR RAM PC1600

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-14 06:45:58-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: <P> Fujitsu Siemens Computers D1242 </P>

<P> BIOS 4.06 Rev 1.05.1242 </P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2002-10-14 06:47:18-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4578

Detail Notes: INTEL 82559 Fast Ethernet 10/100Mbps

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-10-14 06:47:49-04

Additional Certification Notes

No additional certification notes provided

2.6.12. PRIMERGY H450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148075>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2002-10-08 04:57:34-04

Returned On: mm-dd-yy

Last Touched On: 2002-10-08 05:14:50-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4535
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-10-08 04:58:09-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4535
Detail Notes: IDE/ATAPI MITSUMI FX4830T 48x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-10-08 04:58:51-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4535
Detail Notes: Adaptec AIC 7899 SCSI 160 Onboard Driver : aic7xxx
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-10-08 04:59:46-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4535
Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-08 05:02:04-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4535
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-10-08 05:02:44-04

Detail 6:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 4535
 Detail Notes: 8,5 GB DDR RAM PC1600
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2002-10-08 05:03:28-04

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4535
 Detail Notes: Fujitsu Siemens Computers D1290
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2002-10-08 05:04:01-04

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4535
 Detail Notes: INTEL 82559 Fast Ethernet 10/100Mbps
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2002-10-08 05:06:11-04

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4535
 Detail Notes: <P> 4 x INTEL XEON MP 1.6 GHz </P>
 <P> The system contains 4 physical CPUs with hyper threading </P>
 <P> For certification kernel-2.4.9-e.8 was used. </P>
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2002-10-08 05:14:39-04

Additional Certification Notes

No additional certification notes provided

2.6.13. PRIMERGY L100 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148040>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-01 09:10:09-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 3950
Detail Notes: ATI Rage XL AGP (4 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-12-13 07:46:35-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 3950
Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-12-13 07:47:05-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 3950
Detail Notes: Intel Pentium III 1.2 GHz 256 kB 2nd LC
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-12-13 07:49:24-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 3950
Detail Notes: MAXTOR 4K020H1 20GB 5400rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-12-13 07:49:54-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 3950

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-12-13 07:50:27-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 3950

Detail Notes: 512 MB PC133 SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-12-13 07:51:00-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 3950

Detail Notes: Fujitsu Siemens Computers D1350

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2002-12-13 07:51:34-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 3950

Detail Notes: INTEL 82550 10/100Mbps Fast Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-12-13 07:52:08-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 3950

Detail Notes: <P>On-Board Promise Technologies PDC20265R IDE Controller</P>

<p>as standard IDE controller</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-29 08:14:10-04

Additional Certification Notes

No additional certification notes provided

2.6.14. PRIMERGY L200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148113>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2003-04-03 04:44:11-05

Returned On: mm-dd-yy

Last Touched On: 2003-04-03 04:51:19-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5016

Detail Notes: ATI Rage XL (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-04-03 04:44:28-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5016

Detail Notes: IDE CD-ROM MITSUMI SR243T1 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-04-03 04:44:59-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5016
Detail Notes: <p>LSI53C1000R SCSI 160 Onboard </p>
<p>Driver : SYM53C8xx</p>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-04-03 04:46:06-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5016
Detail Notes: Intel Pentium III Tualatin 1266 MHz (1266/133/512)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-04-03 04:46:48-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5016
Detail Notes: FUJITSU MAN3184MC 18GB 10000rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-04-03 04:47:52-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5016
Detail Notes: MITSUMI 1,44 MB 3,5
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-04-03 04:48:24-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5016
Detail Notes: 2 GB SDRAM (4 x 512 MB SAMSUNG)
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-04-03 04:48:54-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5016
Detail Notes: <p>Fujitsu Siemens Computers D1307</p>
<p>BIOS : PHOENIX 4.06 Rev 1.04.1307</p>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-04-03 04:50:29-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5016

Detail Notes: INTEL 82559C 10/100Mbps Fast Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-04-03 04:50:44-05

Additional Certification Notes

No additional certification notes provided

2.6.15. PRIMERGY P200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148103>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:30:42-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4849

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-20 10:30:24-05

Detail 2:

Status: Compatible

Hardware Id: 4849

Detail Notes: DE/ATAPI Lite-On LTN483L 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:30:24-05

Detail 3:

Status: Compatible

Hardware Id: 4849

Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>

<P> Driver : SYM53C8xx </P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-20 10:30:24-05

Detail 4:

Status: Compatible

Hardware Id: 4849

Detail Notes: 2 x INTEL PENTIUM III 1266 MHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-20 10:30:24-05

Detail 5:

Status: Compatible

Hardware Id: 4849

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-20 10:30:25-05

Detail 6:

Status: Compatible

Hardware Id: 4849

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-20 10:30:25-05

Detail 7:

Status: Compatible

Hardware Id: 4849

Detail Notes: 2,5 GB SDAM PC133

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-20 10:30:25-05

Detail 8:

Status: Compatible

Hardware Id: 4849

Detail Notes: <P> Fujitsu Siemens Computers D1306 </P>

<P> BIOS 4.06 Rev 1.03.1306 </P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2003-01-20 10:30:25-05

Detail 9:

Status: Compatible

Hardware Id: 4849

Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-20 10:30:25-05

Additional Certification Notes

No additional certification notes provided

2.6.16. PRIMERGY P250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148077>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2002-10-10 07:46:41-04

Returned On: mm-dd-yy

Last Touched On: 2002-10-10 07:54:59-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible
Hardware Id: 4550
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-10-10 07:48:15-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: IDE/ATAPI MITSUMI SR243T 24x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-10-10 07:48:39-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: <P> LSI53C1000R SCSI 160 Onboard </P>
<P> Driver : SYM53C8xx </P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-10-10 07:49:42-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: <P> 2 x INTEL XEON 2.0 GHZ </P>
<P> The system contains 2 physical CPUs with hyperthreading feature, which are visible as 4 logical CPUs under Linux. </P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-10-10 07:51:06-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: SEAGATE ST 318451LC 18GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-10 07:51:41-04

Detail 6:
Ease of Install: 4
Status: Compatible

Hardware Id: 4550
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-10-10 07:52:13-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: 3 GB DDR RAM PC1600
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-10-10 07:52:45-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: <P> Fujitsu Siemens Computers D1309 </P>
<P> BIOS 4.06 Rev 1.00.1309 </P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-10-10 07:54:00-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4550
Detail Notes: 2 x INTEL 8255x Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-10-10 07:54:35-04

Additional Certification Notes

No additional certification notes provided

2.6.17. PRIMERGY R450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148096>

Summary

- *Version: 2.1*

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-20 10:25:38-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4842

Detail Notes: IDE/ATAPI MITSUMI FX4830T 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-20 10:25:14-05

Detail 2:

Status: Compatible

Hardware Id: 4842

Detail Notes: FUJITSU MAN3184MC 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-20 10:25:14-05

Detail 3:

Status: Compatible

Hardware Id: 4842

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-20 10:25:14-05

Detail 4:

Status: Compatible

Hardware Id: 4842

Detail Notes: 8,5 GB DDR RAM PC1600

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-20 10:25:14-05

Detail 5:

Status: Compatible

Hardware Id: 4842

Detail Notes: Fujitsu Siemens Computers D1290

Component Class: MotherBoard

Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-01-20 10:25:14-05

Detail 6:

Status: Compatible
Hardware Id: 4842
Detail Notes: INTEL 82559 Fast Ethernet 10/100Mbps
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-01-20 10:25:14-05

Detail 7:

Status: Compatible
Hardware Id: 4842
Detail Notes: <P> 4 x INTEL XEON MP 1.6 GHz </P>
<P> The system contains 4 physical CPUs with hyper threading </P>
<P> For certification kernel-2.4.9-e.8 was used. </P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-01-20 10:25:14-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4842
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-01-22 04:47:15-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 4842
Detail Notes: Adaptec AIC 7899 SCSI 160 Onboard Driver : aic7xxx
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-01-22 04:47:58-05

Additional Certification Notes

No additional certification notes provided

2.6.18. PRIMERGY RX100 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148408>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2004-06-29 10:57:36-04
 Returned On: mm-dd-yy
 Last Touched On: 2004-06-29 11:04:08-04

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5558
 Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR244W
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2004-06-29 10:58:17-04

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5558
 Detail Notes: <P>1 x Intel(R) Pentium(R) 4 XEON 3.06 GHz</P>
 <P>Hyper-Threading : ENABLED</P>
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2004-06-29 11:00:21-04

Detail 3:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5558
 Detail Notes: 2 GB PC2100 DDR RAM
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None

Modified On: 2004-06-29 11:01:30-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5558

Detail Notes: <P>Fujitsu Siemens Computers D1483</P>

<P>BIOS V4.1 R02-A3F5.1483</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-06-29 11:03:11-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5558

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-29 10:57:50-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5558

Detail Notes: <P>PROMISE 20270 onboard</P>

<P>used in standard IDE mode</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-29 10:59:34-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5558

Detail Notes: SEAGATE ST380021A 80 GB 7200 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-29 11:00:51-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5558

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-06-29 11:02:02-04

Detail 9:


```
Ease of Install: 4
Status: Compatible
Hardware Id: 5558
Detail Notes: INTEL 82545EM Ethernet 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 11:03:55-04
```

Additional Certification Notes

No additional certification notes provided

2.6.19. PRIMERGY RX100 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148579>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

```
Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-10-21 10:33:58-04
Returned On: mm-dd-yy
Last Touched On: 2004-10-21 10:40:30-04
```

Detail Data:

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-21 10:34:10-04
```

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: IDE/ATAPI LG CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-10-21 10:34:46-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-21 10:35:26-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: MAXTOR 6Y080M0 80GB 7200rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-21 10:36:35-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: 1,44 MB 3,5"
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 10:37:12-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: 4 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 10:37:50-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5790

Detail Notes: Fujitsu Siemens Computers D1571
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 10:38:25-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5790
Detail Notes: 2 x Intel 82541 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 10:39:02-04

Detail 9:
Status: Waiting for Authorization
Hardware Id: 5790
Detail Notes: Controller Promise PDC20319 was not tested on this system
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-10-21 10:40:22-04

Additional Certification Notes

No additional certification notes provided

2.6.20. PRIMERGY RX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148172>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-10-13 08:24:45-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5156

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-10-13 08:24:17-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5156

Detail Notes: MAXTOR ATLASU320 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-10-13 08:24:17-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5156

Detail Notes: IDE/ATAPI CD/DVD-ROM MITSUMI SR244W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-10-13 08:24:17-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5156

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-10-13 08:24:17-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5156

Detail Notes: INTEL 82546EB (2 x 10/100/1000 Mbps Ethernet)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-13 08:24:17-04

```

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5156
Detail Notes: <P>2 x Intel(R) Xeon(TM) CPU 2.80GHz </P>
<P>( Hyper-Threading : ENABLED )</P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-10-13 08:24:17-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5156
Detail Notes: 3 GB ECC PC2100 SDDR
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-10-13 08:24:17-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5156
Detail Notes: ADAPTEC AHA-29160
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-10-13 08:24:17-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5156
Detail Notes: <P>Fujitsu Siemens Computers D1570</P>
<P>BIOS : F01B</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-10-13 08:24:17-04

```

Additional Certification Notes

No additional certification notes provided

2.6.21. PRIMERGY RX300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148126>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-06-11 05:47:54-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: <p>2 x Intel Xeon 3.06 GHz</p>
<p>For certification kernel-2.4.9-e.16enterprise was used</p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-06-13 08:08:33-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: <p>BROADCOM 5704 QUAD-PORT 10/100/1000BASE-T</p>
<p>Driver: tg3</p>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-06-13 08:12:57-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: <p>ADAPTEC AIC7902</p>
<p>Driver: aic79xx</p>
<p>HostRAID not supported</p>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-29 08:25:00-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-06-11 05:47:37-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-06-11 05:47:37-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T 24x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-06-11 05:47:37-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: 4 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-06-11 05:47:37-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: <p>Fujitsu Siemens Computers D1409</p>
<p>BIOS V4.06 Rev 1.03.1409</p>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-06-11 05:47:37-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5066
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-06-11 05:47:37-04

Additional Certification Notes

No additional certification notes provided

2.6.22. PRIMERGY RX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148169>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-30 06:06:22-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5153
Detail Notes: ADAPTEC AIC7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-30 06:05:55-04

Detail 2:
Status: Compatible
Hardware Id: 5153
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-30 06:05:56-04

Detail 3:
Status: Compatible
Hardware Id: 5153
Detail Notes: 4 x Intel(R) XEON(TM) MP CPU 2.50GHZ
Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-30 06:05:56-04

Detail 4:

Status: Compatible

Hardware Id: 5153

Detail Notes: IDE/ATAPI CD/DVD-ROM Lite-ON XJ-SD081D DVD 8X /CD 24X

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-30 06:05:56-04

Detail 5:

Status: Compatible

Hardware Id: 5153

Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-30 06:05:56-04

Detail 6:

Status: Compatible

Hardware Id: 5153

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-30 06:05:56-04

Detail 7:

Status: Compatible

Hardware Id: 5153

Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-30 06:05:56-04

Detail 8:

Status: Compatible

Hardware Id: 5153

Detail Notes: <P>Fujitsu Siemens Computers D1411</P>

<P>BIOS V4.06 Rev 1.00.1411</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-09-30 06:05:56-04

Detail 9:

Status: Compatible

Hardware Id: 5153

Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>

<P>Driver : tg3</P>

Component Class: Network Interface

Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-30 06:05:56-04

Additional Certification Notes

No additional certification notes provided

2.6.23. PRIMERGY RX800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148163>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-11 12:27:40-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-12 07:03:45-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: IDE/ATAPI CD/DVD-ROM MATSHITA SR-8177 DVD 24X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-11 12:27:17-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: <P>LSI53C1030</P>
<P>Driver : mptbase/mptscsih 2.05.00</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-11 12:27:17-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: FUJITSU MAS3367NC 36 GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-11 12:27:17-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-11 12:27:17-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: 8 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-11 12:27:17-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: <P>TX800 Boardset </P>
<P>BIOS 1.02</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-11 12:27:17-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>
<P>Driver : tg3 v1.2e4 </P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-11 12:27:17-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5146
Detail Notes: <P>8 x Intel(R) XEON(TM) MP CPU 2.50GHz</P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-10-17 07:55:13-04

Additional Certification Notes

No additional certification notes provided

2.6.24. PRIMERGY T850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148116>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-04-25 06:23:42-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-18 05:00:17-04

Detail Data:

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5028

Detail Notes: <p>S3 Inc. Savage 4 (4 MB)</p>

<p>Please use XFree86 4.1.0-44 from</p>

<p><http://updates.redhat.com/enterprise/2.1AS/en/os/></p>

<p>and disable all screensavers</p>

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-04-25 06:24:31-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5028

Detail Notes: FUJITSU MAN3367MC 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-04-25 06:26:35-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5028

Detail Notes: <p>T850 Boardset</p>

<p>BIOS 1.06 VIE115A</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-04-25 06:28:57-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5028

Detail Notes: IDE/ATAPI HITACHI GDR-8081N

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-04-25 06:25:12-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5028

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-04-25 06:27:11-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5028
Detail Notes: 8 GB SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-18 05:04:31-04

Detail 7:

Ease of Install: 3
Status: Compatible
Hardware Id: 5028
Detail Notes: <p>BROADCOM BCM5700 Gigabit Ethernet</p>
<p>Driver: tg3 v1.2e4</p>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-07-18 04:53:46-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5028
Detail Notes: <p>4 x Intel(R) XEON(TM) MP CPU 2.00GHz</p>
<p>with Hyperthreading seen as 8 CPUs</p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-18 04:56:31-04

Detail 9:

Ease of Install: 4
Status: Waiting for Authorization
Hardware Id: 5028
Detail Notes: <p>AIC7899 Ultra160 onboard</p>
<p>Driver: aic7xxx_mod v6.2.30</>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-18 04:59:34-04

Additional Certification Notes

No additional certification notes provided

2.6.25. PRIMERGY TX150 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148117>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2003-05-08 05:46:16-04
 Returned On: mm-dd-yy
 Last Touched On: 2003-05-08 05:55:06-04

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5033
 Detail Notes: ATI Rage 128 Ultra (8 MB)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2003-05-08 05:46:30-04

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5033
 Detail Notes: 1,44 MB 3,5 "
 Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2003-05-08 05:51:45-04

Detail 3:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5033
 Detail Notes: IDE/ATAPI CD-ROM MITSUMI FX48A0W
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2003-05-08 05:46:56-04

Detail 4:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5033

Detail Notes: 2 GB RAM DDR-SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-05-08 05:52:21-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5033

Detail Notes: 1 x Intel(R) Pentium(R) 4 CPU 2.66GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-05-08 05:47:41-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5033

Detail Notes: <p>Fujitsu Siemens Computers D1501</p>

<p>BIOS V4.1 R01-A4F4.1501</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-05-08 05:53:33-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5033

Detail Notes: <p>ADAPTEC AIC 7901 onboard </p>

<p>Driver : aic79xx</p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-08 05:49:58-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5033

Detail Notes: INTEL 82540EM Ethernet 10/100/1000 Mbit/s

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-05-08 05:54:30-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5033

Detail Notes: MAXTOR ATLASU320_18_SCA, 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-05-08 05:50:59-04

Additional Certification Notes

No additional certification notes provided

2.6.26. PRIMERGY TX150 S2 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153938>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2005-01-27 05:54:57-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 6039

Detail Notes: LiteOn LTN486S

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2005-01-27 05:49:31-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 6039

Detail Notes: 4 GB ECC PC3200 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2005-01-27 05:50:58-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 6039
Detail Notes: FUJITSU MAP3735NC 73GB 10000rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-01-27 05:51:26-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6039
Detail Notes: CPU 1 x Intel® Pentium® 4 3.2 GHz (Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-01-27 05:52:11-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6039
Detail Notes: 2 x Intel 82540EM 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-01-27 05:52:37-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 6039
Detail Notes: LSI1020
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-01-27 05:53:04-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6039
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-01-27 05:53:28-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6039
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2005-01-27 05:53:49-05

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 6039
 Detail Notes: <P>Fujitsu Siemens Computers D1751</P>
 <P>BIOS 08.09.020 D1751</P>
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2005-01-27 05:54:21-05

Additional Certification Notes

No additional certification notes provided

2.6.27. PRIMERGY TX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148130>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2003-07-08 09:11:09-04
 Returned On: mm-dd-yy
 Last Touched On: 2003-07-08 09:49:36-04

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5095
 Detail Notes: ATI Rage XL onboard (8 MB)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-08 09:11:25-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5095
Detail Notes: IDE/ATAPI Lite-On LTN486S 48x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-08 09:11:49-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5095
Detail Notes: <p>ADAPTEC AIC7902</P>
<p>driver: aic79xx</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-08 09:15:35-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5095
Detail Notes: 2 x Intel(R) Xeon(R) 2.8 GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-08 09:16:16-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5095
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-08 09:16:48-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5095
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None

Modified On: 2003-07-08 09:17:25-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5095

Detail Notes: 2.25 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-08 09:17:54-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5095

Detail Notes: Fujitsu Siemens Computers D1419

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-07-08 09:43:18-04

Detail 9:

Ease of Install: 3

Status: Compatible

Hardware Id: 5095

Detail Notes: <p>BROADCOM 5703 10/100/1000BASE-T</p>

<p>driver: tg3</p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-08 09:48:59-04

Additional Certification Notes

No additional certification notes provided

2.6.28. PRIMERGY TX300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148138>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-18 05:07:56-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5108

Detail Notes: <p>2 x Intel Xeon 3.06 GHz</p>

<p>For certification kernel-2.4.9-e.16enterprise was used</p>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-18 05:06:35-04

Detail 2:

Status: Compatible

Hardware Id: 5108

Detail Notes: <p>BROADCOM 5704 QUAD-PORT 10/100/1000BASE-T</p>

<p>Driver: tg3</p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-18 05:06:35-04

Detail 3:

Status: Compatible

Hardware Id: 5108

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-18 05:06:35-04

Detail 4:

Status: Compatible

Hardware Id: 5108

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-18 05:06:35-04

Detail 5:

Status: Compatible

Hardware Id: 5108

Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-18 05:06:35-04

Detail 6:

Status: Compatible

Hardware Id: 5108

Detail Notes: 4 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-18 05:06:35-04

Detail 7:

Status: Compatible

Hardware Id: 5108

Detail Notes: <p>Fujitsu Siemens Computers D1409</p>

<p>BIOS V4.06 Rev 1.03.1409</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-07-18 05:06:35-04

Detail 8:

Status: Compatible

Hardware Id: 5108

Detail Notes: <p>ADAPTEC AIC7902</p>

<p>Driver: aic79xx</p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-18 05:06:35-04

Detail 9:

Status: Compatible

Hardware Id: 5108

Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-18 05:06:35-04

Additional Certification Notes

No additional certification notes provided

2.6.29. PRIMERGY TX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148161>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-11 12:03:52-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5144
Detail Notes: ADAPTEC AIC7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-29 11:47:20-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5144
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-11 12:03:29-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5144
Detail Notes: 4 x Intel(R) XEON(TM) MP CPU 2.50GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-11 12:03:29-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5144
Detail Notes: IDE/ATAPI CD/DVD-ROM Lite-ON XJ-SD081D DVD 8X /CD 24X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-11 12:03:29-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5144

Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-11 12:03:29-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5144

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-11 12:03:29-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5144

Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-11 12:03:29-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5144

Detail Notes: <P>Fujitsu Siemens Computers D1411</P>

<P>BIOS V4.06 Rev 1.00.1411</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-09-11 12:03:29-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5144

Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>

<P>Driver : tg3</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-11 12:03:29-04

Additional Certification Notes

No additional certification notes provided

2.7. HCL Infosystems Ltd.

2.7.1. HCL Infosystems Ltd. Infiniti Global Line 1400 WP Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148198>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-20 01:02:45-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-20 01:29:21-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5230

Detail Notes: Integrated ATI Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-20 01:03:06-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5230

Detail Notes: BENQ 652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-20 01:03:44-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: Intel P4 3.06GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-20 01:04:34-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: Tekram 390U3W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-20 01:05:13-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: Seagate 36GB HDD ST336607LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-20 01:05:56-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: Mitsumi 1.44MB Mini Floppy disk drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-20 01:06:52-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: DDR 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-20 01:19:39-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: Intel S875WP1-E
Component Class: MotherBoard

Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-20 01:21:43-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: <P>Intel 82547EL Integrated Gigabit LAN</P>
<P>Intel 82562ET Integrated 10/100 LAN</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-20 01:25:51-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5230
Detail Notes: Etasis EFRP-250 250W Redundant Power Supply
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-20 01:28:51-05

Additional Certification Notes

No additional certification notes provided

2.7.2. HCL Infosystems Ltd. Infiniti Global Line 1400SD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148158>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-09-09 05:52:15-04
Returned On: mm-dd-yy

Last Touched On: 2003-09-09 06:00:32-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5141

Detail Notes: ATI Rage XL onboard

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-09-09 05:52:29-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5141

Detail Notes: <P>IDE CD 52X</P>

<P>Samsung SC 152AEB</P>

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-09 05:53:42-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5141

Detail Notes: Tekram onboard U160

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-09 05:54:19-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5141

Detail Notes: Intel P4 3.06GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-09 05:55:06-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5141

Detail Notes: Seagate U320 ST318406LW 18GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-09 05:55:57-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5141
Detail Notes: <P>1.44 MB Floppy disk drive</P>
<P>Mitsumi D359M3D</P>
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-09 05:57:11-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5141
Detail Notes: DDR SDRAM 1GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-09 05:57:47-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5141
Detail Notes: DAT13AMB6C3 Rev. C
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-09 05:58:39-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5141
Detail Notes: Intel 82540EM 10/100/1000 onboard
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-09 05:59:31-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5141
Detail Notes: Enhance ENS-0246B 460W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-09-09 06:00:14-04

Additional Certification Notes

No additional certification notes provided

2.7.3. HCL Infosystems Ltd. Infiniti Global Line 1450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148184>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-13 01:59:10-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-13 02:42:47-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-13 01:59:55-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-13 02:01:07-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: Adaptec AIC-7892X

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-13 02:03:17-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: Intel P4 3.06GHz 533 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-13 02:09:21-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: Seagate 18 GB ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-13 02:12:10-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: Mitsumi 1.4 MB Mini Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-13 02:16:03-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: DDR SDRAM 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-13 02:18:15-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: NRL/LS/533

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-13 02:19:58-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5190

Detail Notes: Enhance SFX-0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-13 02:26:17-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5190
Detail Notes: Broadcom BCM 5702 Integrated Gigabit Lan
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-13 02:27:31-05

Additional Certification Notes

No additional certification notes provided

2.7.4. HCL Infosystems Ltd. Infiniti Global Line 2700HN Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148156>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-09-09 05:35:24-04
Returned On: mm-dd-yy
Last Touched On: 2003-09-09 05:45:13-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: ATI Rage XL onboard

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-09 05:36:46-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: <P>IDE CD 52X</P>
<p>LG GCR-8251B</P>
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-09 05:36:57-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: Adaptec AIC7902W onboard
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-09 05:37:42-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: Mitsumi 1.44MB DM359M3D
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-09 05:40:09-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: 2XIntel Xeon 2.4GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-09 05:38:24-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: DDR SDRAM 1GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-09 05:40:42-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: Seagate U320 ST336607LC 36GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-09 05:39:18-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: Intel SE7501HG2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-09 05:41:24-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5139
Detail Notes: Enhance ENS-0246B 460W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-09-09 05:45:05-04

Additional Certification Notes

No additional certification notes provided

2.7.5. HCL Infosystems Ltd. Infiniti Global line 2700MS Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148174>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2003-10-29 00:17:56-05
Last Touched On: 2003-10-29 00:24:11-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: BENQ : 652A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-10-29 00:20:46-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: 2 x Intel Xeon 2.4 GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-10-29 00:23:04-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: Integrated ATI Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-10-29 00:23:55-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: Adaptec AIC-7902W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-10-29 00:26:50-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: Seagate 18GB HDD ST318406LW

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-10-29 00:30:06-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: Mitsumi 1.4 MB Mini Floppy disk drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-10-29 00:31:33-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: DDR SDRAM 512 MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-10-29 00:33:05-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: SuperMicro X5DPL-8GM
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-10-29 00:34:43-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: <P>Intel 82551QM Integrated 10/100 lan.</P>
<P>Intel 82545EM Integrated Giga Bit Lan.</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-10-29 00:38:16-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5165
Detail Notes: Enhance SFX-0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-10-29 00:43:48-05

Additional Certification Notes

No additional certification notes provided

2.7.6. HCL Infosystems Ltd. Infiniti Global Line 2760XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148188>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-17 04:40:47-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-17 05:16:02-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5205

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-17 04:41:14-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5205

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-17 04:42:12-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Intel Xeon 2.4GHz 533FSB X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-17 04:44:45-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Adaptec AIC-7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-17 04:46:19-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Seagate 18 GB ST318406LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-17 04:50:34-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Mitsumi 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-17 04:51:31-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: DDR 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-17 04:53:00-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Super Micro X5DP8-G2
Component Class: MotherBoard

Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-17 04:54:41-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Intel 82546EB Integrated Gigabit Lan
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-17 04:58:02-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5205
Detail Notes: Enhance SFX-0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-17 04:59:10-05

Additional Certification Notes

No additional certification notes provided

2.7.7. HCL Infosystems Ltd. Infiniti Global Line 2765XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148165>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-12 12:44:35-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: LG Electronics Inc. GCR-8521B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-12 12:44:08-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: Adaptec AIC-7902W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-12 12:44:08-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: Integrated ATI Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-12 12:44:08-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: 2 x Intel Xeon 2.4 GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-12 12:44:08-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: Seagate 36GB HDD ST336607LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-12 12:44:08-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5149

Detail Notes: Mitsumi 1.4 MB Mini Floppy disk drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-12 12:44:09-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-12 12:44:09-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: Intel SE7501 BR2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-12 12:44:09-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: Enhance SFX 0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-09-12 12:44:09-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5149
Detail Notes: <P>Intel 82450EM Integrated GigaBit Lan.</P>
<P>Intel 82550PM 10/100 Integrated LAN.</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-10-29 00:40:28-05

Additional Certification Notes

No additional certification notes provided

2.7.8. HCL Infosystems Ltd. Infiniti Global Line 2770XDN Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148192>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-18 01:31:47-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-18 01:43:57-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-18 01:32:06-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-18 01:32:42-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: Intel Xeon 2.4GHz 533 FSB X 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-18 01:33:17-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: Integrated LSI 53C1030

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-18 01:34:15-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: Seagate 18GB ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-18 01:35:31-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: Mitsumi 1.4MB Mini Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-18 01:36:38-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: DDR 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-18 01:37:49-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: Asus PR-DLS533

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-18 01:39:00-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5214

Detail Notes: <P>Intel 82540 Integrated Gigabit Lan </P>
<P>Intel 82544 Integrated Gigabit Lan </P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-18 01:40:27-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5214
Detail Notes: Enhance ENS-0246B
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-18 01:41:43-05

Additional Certification Notes

No additional certification notes provided

2.7.9. HCL Infosystems Ltd. Infiniti Global Line 2775XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148197>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2003-11-19 02:33:20-05
Returned On: mm-dd-yy
Last Touched On: 2003-11-19 02:46:51-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5229

Detail Notes: Integrated Ati Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-19 02:33:38-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5229
Detail Notes: LG Electronics:GCR-8523B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-11-19 02:34:09-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5229
Detail Notes: Intel Xeon 2.00GHz 400FSB X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-19 02:34:47-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5229
Detail Notes: Adaptec AIC-7899W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-19 02:35:30-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5229
Detail Notes: Seagate 18 GB ST318406LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-19 02:36:15-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5229
Detail Notes: Mitsumi 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-19 02:36:53-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5229

Detail Notes: DDR SDRAM 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-19 02:37:33-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5229

Detail Notes: Intel SHG2

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-19 02:38:15-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5229

Detail Notes: <P>Intel 82550PM Integrated 10/100 Lan</P>

<P>Intel 82544GC Integrated Gigabit Lan</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-19 02:41:30-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5229

Detail Notes: Enhance SFX-0246B 450W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-11-19 02:42:51-05

Additional Certification Notes

No additional certification notes provided

2.7.10. HCL Infosystems Ltd. Infiniti Global Line 2800TG Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149744>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: Intel(R) IPF
Created On: 2003-12-18 04:34:53-05
Returned On: mm-dd-yy
Last Touched On: 2003-12-18 04:58:46-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5262
Detail Notes: Ati Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-18 04:35:35-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5262
Detail Notes: Intel Itanium2 1500MHz X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-18 04:38:44-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5262
Detail Notes: DVD-ROM Drive - Lite-On : LSC-24081M
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-18 04:42:53-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5262
Detail Notes: <P>LSI 53C1030</P>

<P>Intel 82870</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-18 04:46:01-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5262

Detail Notes: Seagate 36GB ST336607LC

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-18 04:48:35-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5262

Detail Notes: DDR 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-18 04:50:34-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5262

Detail Notes: Intel - SR870BH2

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-12-18 04:52:14-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5262

Detail Notes: <P>Intel 82546EB Integrated 10/100/1000 Lan. </P>

<P>Intel 82546EB Integrated 10/100/1000 Lan. </P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-18 04:55:20-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5262

Detail Notes: DPS-350MB N 350W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-12-18 04:58:03-05

Additional Certification Notes

No additional certification notes provided

2.7.11. HCL Infosystems Ltd. Infiniti Global Line 4750XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148194>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-18 02:27:41-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-18 03:03:29-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5216

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-18 02:28:23-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5216

Detail Notes: LITE ON I.T. Corporation:LTN-526S

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-18 02:31:48-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: Intel Xeon 2.8GHz X 4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-18 02:33:56-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: Integrated Adaptec AIC 7902W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-18 02:35:57-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: Seagate 36GB ST336607LC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-18 02:38:03-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: TEAC 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-18 02:39:45-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: DDR 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-18 02:41:18-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: Intel SPSH4
Component Class: MotherBoard

Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-18 02:42:54-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: <P>Intel 82550PM Integrated 10/100 Lan</P>
<P>Intel 82544GC Integrated Gigabit Lan</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-18 02:46:45-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5216
Detail Notes: Enhance DPS 430 BBA
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-18 02:49:18-05

Additional Certification Notes

No additional certification notes provided

2.7.12. HCL Infosystems Ltd. Infiniti Xcel Line 2100RT Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148183>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2003-11-13 01:13:30-05
Returned On: mm-dd-yy

Last Touched On: 2003-12-03 00:42:30-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5189

Detail Notes: NVIDIA TNT2 M64

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-13 01:14:35-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5189

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-13 01:20:06-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5189

Detail Notes: Adaptec 29160

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-13 01:21:49-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5189

Detail Notes: AMD-768 Athlon MP 2000+ x 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-13 01:24:16-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5189

Detail Notes: Seagate 18GB ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-13 01:26:56-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5189
Detail Notes: Mitsumi 1.4 MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-13 01:30:12-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5189
Detail Notes: DDR 512 MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-13 01:34:37-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5189
Detail Notes: Tyan S2466N-4M
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed separately.
Modified On: 2003-11-13 01:37:14-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5189
Detail Notes: 3com 3C920 Integrated 10/100 Lan
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-13 01:39:44-05

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 5189
Detail Notes: Enhance SFX-0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-13 01:46:07-05

Additional Certification Notes

No additional certification notes provided

2.7.13. HCL Infosystems Ltd. Infiniti Xcel Line 2200AZ Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148190>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-17 05:43:17-05

Returned On: mm-dd-yy

Last Touched On: 2003-12-03 00:34:19-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-17 05:44:03-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-17 05:44:43-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: AMD Opteron 2000+ (1400GHz) X 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-17 05:48:50-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: Tekram DC-390U3 AMD 8131 & AMD 8111 Chipset

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-17 05:51:20-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: Seagate 18 GB ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-17 05:52:12-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: Mitsumi 1.4MB Mini Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-17 05:53:01-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: DDR 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-17 05:54:08-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: MSI MS-9131

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-17 05:55:04-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5210

Detail Notes: Broadcom BCM5704C Integrated Gigabit Lan
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-17 06:11:49-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5210
Detail Notes: Enhance ENS-0246B
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-17 06:12:29-05

Additional Certification Notes

No additional certification notes provided

2.7.14. HCL Infosystems Ltd. Net Manager 2700MS Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148175>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2003-10-31 07:05:27-05
Returned On: mm-dd-yy
Last Touched On: 2003-10-31 07:06:12-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5166
Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-10-31 07:06:41-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: BENQ : 652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-10-31 07:07:32-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: Intel Xeon 2.4Ghz 533 FSB x 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-10-31 07:10:17-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: Seagate 18 GB HDD ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-10-31 07:23:16-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: Mitsumi 1.4 MB drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-10-31 07:23:39-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: DDR SDRAM 512 MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-10-31 07:16:36-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: SuperMicro X5DPL-8GM

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-10-31 07:17:48-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: <P>Intel 82551QM Integrated 10/100 lan<P>

<P>Intel 82545EM Integrated Giga Bit Lan<P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-31 07:19:58-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5166

Detail Notes: Enhance SFX - 0246B 450W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-10-31 07:28:53-05

Additional Certification Notes

No additional certification notes provided

2.7.15. HCL Infosystems Ltd. NetManager 1400 WP Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148199>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-20 01:33:48-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-20 01:55:24-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5231

Detail Notes: Integrated ATI Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-20 01:34:13-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5231

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-20 01:34:44-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5231

Detail Notes: Intel P4 3.06GHz 533 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-20 01:35:39-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5231

Detail Notes: Tekram 390U3W

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-20 01:36:19-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5231

Detail Notes: Seagate 36GB HDD ST336607LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-20 01:38:59-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5231
Detail Notes: Mitsumi 1.44MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-20 01:41:41-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5231
Detail Notes: DDR 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-20 01:44:15-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5231
Detail Notes: Intel S875WP1-E
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-20 01:48:03-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5231
Detail Notes: <P>Intel 82547EL Integrated Gigabit LAN</P>
<P>Intel 82562ET Integrated 10/100 LAN</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-20 01:51:44-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5231
Detail Notes: Etasis EFRP-250 250W Redundant Power Supply
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-20 01:54:49-05

Additional Certification Notes

No additional certification notes provided

2.7.16. HCL Infosystems Ltd. NetManager 1400SD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148159>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-09 06:01:19-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5142
Detail Notes: ATI Rage XL onboard
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-09 06:00:47-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5142
Detail Notes: <P>IDE CD 52X</P>
<P>Samsung SC 152AEB</P>
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-09 06:00:47-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: Tekram onboard U160

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-09 06:00:47-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: Intel P4 3.06GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-09 06:00:47-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-09 06:00:47-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: <P>1.44 MB Floppy disk drive</P>

<P>Mitsumi D359M3D</P>

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-09 06:00:48-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: DDR SDRAM 1GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-09 06:00:48-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: DAT13AMB6C3 Rev. C

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-09 06:00:48-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: Intel 82540EM 10/100/1000 onboard

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-09 06:00:48-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5142

Detail Notes: Enhance ENS-0246B 460W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-09-09 06:00:48-04

Additional Certification Notes

No additional certification notes provided

2.7.17. HCL Infosystems Ltd. NetManager 1450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148185>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-14 06:57:12-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-14 07:08:50-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5202

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-14 06:57:34-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5202

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-14 06:58:24-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5202

Detail Notes: Intel P4 3.06GHz 533 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-14 07:00:05-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5202

Detail Notes: Adaptec AIC-7892X

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-14 07:01:03-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5202

Detail Notes: Seagate 18 GB ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-14 07:01:53-05

Detail 6:

Ease of Install: 4

Status: Compatible
Hardware Id: 5202
Detail Notes: Mitsumi 1.4 MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-14 07:03:27-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5202
Detail Notes: DDR SDRAM 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-14 07:04:25-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5202
Detail Notes: NRL/LS/533
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-14 07:05:20-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5202
Detail Notes: Broadcom BCM 5702 Integrated Gigabit Lan
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-14 07:06:19-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5202
Detail Notes: Enhance SFX-0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-14 07:07:12-05

Additional Certification Notes

No additional certification notes provided

2.7.18. HCL Infosystems Ltd. NetManager 2100RT Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148182>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-13 00:19:40-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-13 01:01:04-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5188

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-13 00:22:26-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5188

Detail Notes: AMD-768 Athlon MP 2000+ x 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-13 00:26:19-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5188

Detail Notes: NVIDIA TNT2 M64

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-13 00:33:46-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5188
Detail Notes: DDR 512 MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-13 00:46:11-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5188
Detail Notes: Tyan S2466N-4M
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-13 00:49:01-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5188
Detail Notes: Enhance SFX-0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-13 00:55:21-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5188
Detail Notes: Mitsumi 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-13 00:57:40-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5188
Detail Notes: <P>3com 3C920</P>
<P>Integrated 10/100 Lan</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-13 01:00:29-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5188
Detail Notes: Adaptec 29160

Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2003-11-13 00:24:17-05

Detail 10:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5188
 Detail Notes: Seagate 18GB ST318406LW
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2003-11-13 00:29:02-05

Additional Certification Notes

No additional certification notes provided

2.7.19. HCL Infosystems Ltd. NetManager 2200AZ Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148191>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
 Cpu Name: X86
 Created On: 2003-11-17 06:33:06-05
 Returned On: mm-dd-yy
 Last Touched On: 2003-11-17 06:42:24-05

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5211

Detail Notes: Integrated Ati Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-17 06:33:41-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5211
Detail Notes: BENQ:652A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-11-17 06:34:24-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5211
Detail Notes: AMD Opteron 2000+ (1400GHz) X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-17 06:35:05-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5211
Detail Notes: Tekram DC-390U3 AMD 8131 & AMD 8111 Chipset
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-17 06:36:07-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5211
Detail Notes: Seagate 18 GB ST318406LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-17 06:37:01-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5211
Detail Notes: Mitsumi 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-17 06:37:44-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5211

Detail Notes: DDR 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-17 06:38:30-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5211

Detail Notes: MSI MS-9131

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-17 06:39:17-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5211

Detail Notes: Broadcom BCM5704C Integrated Gigabit Lan

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-17 06:40:20-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5211

Detail Notes: Enhance ENS-0246B

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-11-17 06:41:40-05

Additional Certification Notes

No additional certification notes provided

2.7.20. HCL Infosystems Ltd. NetManager 2700HN Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148157>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-09-09 05:45:53-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5140

Detail Notes: ATI Rage XL onboard

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-09-09 05:45:19-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5140

Detail Notes: <P>IDE CD 52X</P>

<p>LG GCR-8251B</P>

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-09 05:45:19-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5140

Detail Notes: Adaptec AIC7902W onboard

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-09 05:45:19-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5140

Detail Notes: Mitsumi 1.44MB DM359M3D

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-09 05:45:19-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5140
Detail Notes: 2XIntel Xeon 2.4GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-09 05:45:19-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5140
Detail Notes: DDR SDRAM 1GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-09 05:45:19-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5140
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-09 05:45:19-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5140
Detail Notes: Intel SE7501HG2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-09 05:45:19-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5140
Detail Notes: Enhance ENS-0246B 460W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-09-09 05:45:20-04

Additional Certification Notes

No additional certification notes provided

2.7.21. HCL Infosystems Ltd. NetManager 2760XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148189>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-17 05:27:01-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-17 05:37:41-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-17 05:27:26-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Intel Xeon 2.4GHz 533FSB X 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-17 05:28:51-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: BENQ:652A

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-17 05:27:55-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Adaptec AIC-7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-17 05:29:53-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Seagate 18 GB ST318406LW

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-17 05:30:37-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Mitsumi 1.4MB Mini Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-17 05:31:22-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: DDR 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-17 05:32:44-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Super Micro X5DP8-G2

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-17 05:34:08-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Intel 82546EB Integrated Gigabit Lan

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-17 05:35:00-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5209

Detail Notes: Enhance SFX-0246B 450W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-11-17 05:35:54-05

Additional Certification Notes

No additional certification notes provided

2.7.22. HCL Infosystems Ltd. NetManager 2765XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148164>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2003-09-12 12:37:28-04

Returned On: mm-dd-yy

Last Touched On: 2003-09-12 12:44:03-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: LG Electronics Inc. GCR-8521B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-12 12:38:15-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Adaptec AIC-7902W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-12 12:39:24-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Integrated ATI Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-12 12:37:42-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: 2 x Intel Xeon 2.4 GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-12 12:38:55-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Seagate 36GB HDD ST336607LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-12 12:40:04-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Mitsumi 1.4 MB Mini Floppy disk drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-12 12:40:44-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: DDR SDRAM 512 MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-12 12:41:16-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Intel SE7501 BR2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-12 12:41:48-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: <P>Intel 82450EM Integrated GigaBit Lan.</P>
<P>Intel 82550PM 10/100 Integrated LAN.</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-12 12:42:58-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Enhance SFX 0246B 450W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-09-12 12:43:53-04

Additional Certification Notes

No additional certification notes provided

2.7.23. HCL Infosystems Ltd. NetManager 2765XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153803>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-09-12 12:37:28-04
Returned On: mm-dd-yy
Last Touched On: 2003-09-12 12:44:03-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: LG Electronics Inc. GCR-8521B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-12 12:38:15-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Adaptec AIC-7902W
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-12 12:39:24-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Integrated ATI Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-12 12:37:42-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: 2 x Intel Xeon 2.4 GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-12 12:38:55-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Seagate 36GB HDD ST336607LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-12 12:40:04-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Mitsumi 1.4 MB Mini Floppy disk drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-12 12:40:44-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: DDR SDRAM 512 MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-12 12:41:16-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148
Detail Notes: Intel SE7501 BR2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-12 12:41:48-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5148

Detail Notes: <P>Intel 82450EM Integrated GigaBit Lan.</P>

<P>Intel 82550PM 10/100 Integrated LAN.</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-12 12:42:58-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5148

Detail Notes: Enhance SFX 0246B 450W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-09-12 12:43:53-04

Additional Certification Notes

No additional certification notes provided

2.7.24. HCL Infosystems Ltd. NetManager 2770XDN Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148193>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-18 02:00:05-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-18 02:16:30-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5215

Detail Notes: Integrated Ati Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-18 02:00:56-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5215
Detail Notes: BENQ:652A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-11-18 02:02:07-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5215
Detail Notes: Intel Xeon 2.4GHz 533 FSB X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-18 02:03:28-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5215
Detail Notes: Integrated LSI 53C1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-18 02:04:35-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5215
Detail Notes: Seagate 18GB ST318406LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-18 02:05:34-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5215
Detail Notes: Mitsumi 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-18 02:06:51-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5215

Detail Notes: DDR 512MB PC2100

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-18 02:08:33-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5215

Detail Notes: Asus PR-DLS533

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-18 02:09:56-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5215

Detail Notes: <P>Intel 82540 Integrated Gigabit Lan</P>

<P>Intel 82544 Integrated Gigabit Lan</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-18 02:12:44-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5215

Detail Notes: Enhance ENS-0246B

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-11-18 02:14:56-05

Additional Certification Notes

No additional certification notes provided

2.7.25. HCL Infosystems Ltd. NetManager 2775XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148196>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-11-19 01:58:15-05

Returned On: mm-dd-yy

Last Touched On: 2003-11-19 02:29:53-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5228

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-19 01:58:44-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5228

Detail Notes: LG Electronics:GCR-8523B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-19 01:59:37-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5228

Detail Notes: Intel Xeon 2.00GHz 400FSB X 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-19 02:00:42-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5228

Detail Notes: Adaptec AIC-7899W

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-11-19 02:02:56-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5228
Detail Notes: Seagate 18 GB ST318406LW
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-19 02:04:14-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5228
Detail Notes: Mitsumi 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-19 02:18:47-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5228
Detail Notes: DDR SDRAM 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-19 02:20:50-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5228
Detail Notes: Intel SHG2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-19 02:23:10-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5228
Detail Notes: <P>Intel 82550PM Integrated 10/100 Lan</P>
<P>Intel 82544GC Integrated Gigabit Lan</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-19 02:26:29-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5228

Detail Notes: Enhance SFX-0246B 450W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-11-19 02:28:51-05

Additional Certification Notes

No additional certification notes provided

2.7.26. HCL Infosystems Ltd. NetManager 2800TG Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149745>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: Intel(R) IPF

Created On: 2003-12-18 05:34:37-05

Returned On: mm-dd-yy

Last Touched On: 2003-12-18 05:40:57-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5264

Detail Notes: Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-18 05:35:03-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: DVD-ROM Drive - Lite-On : LSC-24081M
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-18 05:35:42-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: Intel Itanium2 1500MHz X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-18 05:36:19-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: <P>LSI 53C1030</P>
<P>Intel 82870</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-18 05:37:04-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: Seagate 36GB ST336607LC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-18 05:37:41-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: DDR 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-18 05:38:21-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: Intel - SR870BH2
Component Class: MotherBoard

Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-12-18 05:39:14-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: <P>Intel 82546EB Integrated 10/100/1000 Lan. </P>
<P>Intel 82546EB Integrated 10/100/1000 Lan. </P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-18 05:39:58-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5264
Detail Notes: DPS-350MB N 350W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-12-18 05:40:42-05

Additional Certification Notes

No additional certification notes provided

2.7.27. HCL Infosystems Ltd. NetManager 4750XD Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148195>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2003-11-18 03:07:13-05
Returned On: mm-dd-yy

Last Touched On: 2003-11-18 03:18:05-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5217

Detail Notes: Integrated Ati Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-18 03:07:45-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5217

Detail Notes: Intel SPSH4

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-18 03:13:25-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5217

Detail Notes: LITE ON I.T. Corporation:LTN-526S

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-18 03:08:43-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5217

Detail Notes: Intel Xeon 2.8GHz X 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-18 03:09:28-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5217

Detail Notes: Integrated Adaptec AIC 7902W

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-18 03:10:09-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5217
Detail Notes: <P>Intel 82550PM Integrated 10/100 Lan</P>
<P>Intel 82544GC Integrated Gigabit Lan</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-18 03:15:39-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5217
Detail Notes: Seagate 36GB ST336607LC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-18 03:10:50-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5217
Detail Notes: Enhance DPS 430 BBA
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-11-18 03:16:44-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5217
Detail Notes: TEAC 1.4MB Mini Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-18 03:11:30-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5217
Detail Notes: DDR 512MB PC2100
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-18 03:12:21-05

Additional Certification Notes

No additional certification notes provided

2.8. Hewlett Packard

2.8.1. Hewlett Packard rx1600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149746>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-02-23 15:14:13-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: up to 16GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-02-23 15:07:26-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: LSI Logic 53c1010
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-23 15:07:48-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: Broadcom 5701 Copper Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-02-23 15:08:12-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: Intel 82557/8/9 (ethernet pro 100)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-02-23 15:08:33-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: DV-28E-A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-02-23 15:08:00-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: Broadcom 5701 Fibre Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-02-23 15:08:22-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: Intel Itanium-2 900MHz, 1000MHz, 1.3GHz, 1.4GHz, 1.5GHz
Qty: 1-2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-02-23 15:08:51-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: LSI Logic 53c1000
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-23 15:09:12-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5312

Detail Notes: LSI Logic 53c876
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-23 15:09:29-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: LSI Logic 53c1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-23 15:09:46-05

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: ATI Radeon VE 7000 QY
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-02-23 15:10:05-05

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: HP SmartArray (U320) 6402 2-port RAID
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-23 15:11:27-05

Detail 13:
Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: 4-port Tulip NIC
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-02-23 15:12:36-05

Detail 14:
Ease of Install: 4
Status: Compatible
Hardware Id: 5312
Detail Notes: Qlogic 2340 FibreChannel SCSI
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-23 15:12:57-05

Additional Certification Notes

No additional certification notes provided

2.8.2. Hewlett Packard rx2600 Server Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149740>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-02-23 15:24:03-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: 1GB - 24GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-08-15 14:45:14-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: LSI Logic 53c1010
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:46:12-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957

Detail Notes: DV-28E-A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-08-15 14:47:25-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: Broadcom 5701 Copper Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:50:30-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: Broadcom 5701 Fibre Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:51:20-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: Intel 82557/8/9 (ethernet pro 100)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:52:15-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: Intel Itanium-2 900MHz, 1000MHz, 1.3GHz, 1.4GHz, 1.5GHz
Qty: 1-2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-25 14:35:20-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: LSI Logic 53c1000
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:54:44-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: LSI Logic 53c876
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:55:39-04

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: LSI Logic 53c1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-11 09:20:20-04

Detail 11:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: ATI Radeon VE 7000 QY
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-11 09:38:31-04

Detail 12:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: HP SmartArray 53xx series RAID controller
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-10-06 09:08:04-04

Detail 13:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: 4-port Tulip NIC
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-10-06 09:08:55-04

Detail 14:

Ease of Install: 4
Status: Compatible
Hardware Id: 4957
Detail Notes: Qlogic 2340 FibreChannel SCSI
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-10-06 09:09:40-04

Additional Certification Notes

No additional certification notes provided

2.8.3. Hewlett Packard rx4640 Server Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149743>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-02-23 15:20:40-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5164
Detail Notes: 1 to 4 Madison (1.3GHz, 1.4GHz, or 1.5GHz) processors
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-24 10:13:33-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5164
Detail Notes: ATI Radeon VE 7000 QY

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-10-28 13:50:43-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: LSI Logic 53c1010 (U160) 2-port SCSI

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-10-28 13:52:04-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: Broadcom 5701 Copper Gigabit

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-28 13:52:54-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: Broadcom 5701 Fibre Gigabit

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-28 13:53:20-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: HP SmartArray (U320) 6402 2-port RAID

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-10-28 13:55:30-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: 4-port Tulip NIC

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-28 13:55:51-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: 1 GB - 64GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-10-28 13:56:43-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5164

Detail Notes: LSI Logic 53c1000 (U160) 1-port SCSI

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-13 12:01:14-05

Additional Certification Notes

No additional certification notes provided

2.8.4. Hewlett Packard rx5670 Server Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149741>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF

Last Touched On: 2003-08-15 14:58:00-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: ATI Radeon VE 7000 QY
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-11 09:43:02-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: DV-28E-A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-08-15 15:01:40-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: LSI Logic 53c1010
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 15:03:00-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: Broadcom 5701 Copper Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 15:03:57-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: Broadcom 5701 Fibre Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 15:07:27-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: Intel 82557/8/9 (ethernet pro 100)

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 15:07:55-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: LSI Logic 53c896
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 15:09:06-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: LSI Logic 53c876
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 15:09:44-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: LSI Logic 53c1000
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 15:10:16-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: HP SmartArray 53xx series RAID controler
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-10-06 09:18:19-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: 4-port Tulip NIC
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-10-06 09:18:48-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: Qlogic 2340 FibreChannel SCSI
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-10-06 09:17:47-04

Detail 13:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: Intel Itanium-2 900MHz, 1000MHz, 1.3GHz, 1.4GHz, or 1.5GHz
Qty: 1-4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-11-25 14:37:28-05

Detail 14:
Ease of Install: 4
Status: Compatible
Hardware Id: 4958
Detail Notes: 1 GB - 96GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-10-06 15:57:47-04

Additional Certification Notes

No additional certification notes provided

2.8.5. Hewlett Packard zx2000 Workstation Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149739>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2003-08-15 14:20:30-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: nvidia nv11 GeForce2 MXR
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-08-15 14:21:55-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: HL-DT-STDVD-ROM GDR8160B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-08-15 14:23:03-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: LSI Logic 53c1010
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:36:26-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: 0.5 GB - 8 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-08-15 14:21:43-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: LSI Logic 53c1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:22:51-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: Intel 82540EM Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:24:37-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: Broadcom 5701 Fibre Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:33:10-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: Intel 82557/8/9 (ethernet pro 100)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:34:24-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: LSI Logic 53c1000
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:37:39-04

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: LSI Logic 53c876.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-15 14:38:41-04

Detail 11:

Ease of Install: 4
Status: Compatible

Hardware Id: 4956
Detail Notes: Intel Itanium-2 900MHz and 1000MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-08-15 14:39:30-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: Broadcom 5701 Copper Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 14:41:23-04

Detail 13:
Ease of Install: 4
Status: Compatible
Hardware Id: 4956
Detail Notes: ATI Radeon VE 7000 QY
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-11 09:41:42-04

Additional Certification Notes

No additional certification notes provided

2.8.6. Hewlett Packard zx6000 Workstation Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149738>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2003-08-15 11:09:50-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4955
Detail Notes: Itanium-2 (900MHz and 1000MHz)
Qty: 1 or 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-08-15 11:12:51-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4955
Detail Notes: ATI Radeon VE 7000 QY
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-11 09:40:21-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4955
Detail Notes: 1GB to 24GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-08-15 11:13:31-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4955
Detail Notes: LSI Logic 53c1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-11 09:23:10-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4955
Detail Notes: DV-28E-A
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-08-15 11:16:04-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4955

Detail Notes: LSI 53c876

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-08-15 11:22:09-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4955

Detail Notes: LSI 53c1010

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-08-15 11:22:43-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4955

Detail Notes: Intel 82557/8/9 (ethernet pro 100)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-08-15 11:37:36-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4955

Detail Notes: nvidia nv11 GeForce2 MXR

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-08-15 11:16:32-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 4955

Detail Notes: LSI 53c1000

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-08-15 11:23:12-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 4955

Detail Notes: Broadcom 5701 Copper Gigabit

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 11:28:54-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 4955
Detail Notes: Broadcom 5701 Fibre Gigabit
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-15 11:38:10-04

Additional Certification Notes

No additional certification notes provided

2.8.7. HP cc2300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148127>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-06-12 15:04:10-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5069
Detail Notes: Intel Corporation 82544EI Gigabit Ethernet Controller (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.

Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-06-12 14:49:53-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5069
Detail Notes: SCSI storage controller: Adaptec 7899P (rev 1).
Adaptec 7899P 2-port SCSI
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-06-12 14:54:18-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5069
Detail Notes: SCSI storage controller: Adaptec 7892A (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-06-12 14:55:46-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5069
Detail Notes: HP DS2105 4-drive SCSI enclosure (DC)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-06-12 14:59:44-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5069
Detail Notes: HP DS2100 4-drive SCSI enclosure (AC)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-06-26 16:26:49-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5069
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-06-12 14:50:06-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5069

Detail Notes: 5BCD-224E, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-06-12 14:50:32-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5069

Detail Notes: Intel(R) Pentium(R) III CPU family 1266MHZ

Qty: 1 or 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-06-12 14:50:47-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5069

Detail Notes: 256MB - 6GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-06-12 14:50:58-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5069

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100]

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-06-12 14:59:18-04

Additional Certification Notes

No additional certification notes provided

2.8.8. HP cc3300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148128>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-06-12 15:01:01-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: SCSI storage controller: Adaptec 7899P (rev 1).

Adaptec 7899P 2-port SCSI

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-06-26 16:29:21-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: Intel Corporation 82544EI Gigabit Ethernet Controller (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-06-26 16:29:09-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: SCSI storage controller: Adaptec 7892A (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-06-12 15:00:19-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: HP DS2105 4-drive SCSI enclosure (DC)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-06-12 15:00:20-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100]

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-06-12 15:00:20-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-06-26 16:29:42-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: Standard 3.5" 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-06-26 16:30:02-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5070

Detail Notes: 5BCD-224E, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-06-26 16:30:20-04

Detail 9:


```
Ease of Install: 4
Status: Compatible
Hardware Id: 5070
Detail Notes: Intel(R) Pentium(R) III CPU family      1266MHz <br>
Qty: 1 or 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-06-26 16:30:38-04
```

```
Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5070
Detail Notes: 256MB - 6GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-06-26 16:30:57-04
```

```
Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5070
Detail Notes: HP DS2100 4-drive SCSI enclosure (AC)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-06-26 16:31:18-04
```

Additional Certification Notes

No additional certification notes provided

2.8.9. HP cc3310 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148147>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-04-28 11:54:53-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5128

Detail Notes: HP DS2105 4-drive SCSI enclosure (DC)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-08-22 14:53:47-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5128

Detail Notes: Intel(R) Xeon(TM) CPU 2.40GHz

Qty: 1 - 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-08-22 15:07:10-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5128

Detail Notes: Adaptec AIC-7902 (dual-port) SCSI controller

Adaptec AIC7902 Ultra320 SCSI adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-08-22 14:41:21-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5128

Detail Notes: 512MB - 12GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-08-22 15:07:54-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5128

Detail Notes: Intel 82546EB Gigabit NIC (2 ports)

one built in

tested with 4 more in expansion slots.

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-08-22 15:01:47-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5128
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-08-22 15:02:55-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5128
Detail Notes: HP DS2100 4-drive SCSI enclosure (AC)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-08-22 15:08:26-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5128
Detail Notes: Adaptec AIC-29320LP single-port SCSI
Adaptec 29320LP Ultra320 SCSI adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-22 14:53:01-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5128
Detail Notes: DV-28E-B, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-08-22 15:04:28-04

Additional Certification Notes

No additional certification notes provided

2.8.10. HP Compaq Evo N800w Laptop/Notebook

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148170>

Summary

- *Version:* 2.1
- *Category:* Laptop/Notebook
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-09-30 11:41:12-04
Last Touched On: 2003-10-08 10:13:19-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5154
Detail Notes: HP/Laptop Specific

NOTE: Minimum BIOS version of F.11A (23MAY03) is required.
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-10-07 11:10:43-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5154
Detail Notes: 256MB - 576MB 266MHz DDR SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-10-07 11:06:11-04

Detail 3:

Status: Compatible
Hardware Id: 5154
Detail Notes: Intel(R) Pentium(R) 4-M processor 2.20 GHz

NOTE: Update 2 ISO's are required. Original/Update 1 ISO's will load the SMP kernel by default which is not supported by this machine.

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-10-07 11:08:04-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: Standard 1.44MB Floppy (Mitsubishi Electronics MF355H-334MC)

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-09-30 12:03:01-04

Detail 5:

Status: Not Supported

Hardware Id: 5154

Detail Notes: Lucent Microelectronics LT WinModem (rev 02)

NOTE: WinModems are not supported by RHEL 2.1

Component Class: Modem

Component Test: Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: If voice is available; a software solution must be provided

Modified On: 2003-10-07 11:14:42-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: 50GB or 60GB (Hitachi Global Storage - Travelstar IC25T060ATCS05-0)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-30 12:13:49-04

Detail 7:

Status: Compatible

Hardware Id: 5154

Detail Notes: IR-port

NOTE: Red Hat does not support IR-ports within existing SLA's.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-10-07 12:28:11-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: 24X DVD/CD-RW IDE Combination Drive (Compaq GCC-4240N)

kernel module: ide-scsi (for cd-rw functionality)

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-09-30 12:18:03-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: Texas Instruments PCI1410 PC card Cardbus Controller (rev 02)

kernel module: yenta_socket

Component Class: PCMCIA/Card Bus Card

Component Test: Must pass the rhr-pcmcia test.

Component Notes: The given card will also need to pass the tests associated with its pcmcia independant function.<p><blockquote>For example:<i>A pcmcia network card will need to pass the rhr-pcmcia test as well as the rhr-net tests.</i></blockquote>

Modified On: 2003-09-30 12:19:52-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: Intel(R) IDE Controller: 82801CAM IDE U100

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-30 14:33:57-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: Intel(R) AC'97 Audio Controller (rev 02)

kernel module: i810_audio

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2003-10-06 14:08:19-04

Detail 12:

Ease of Install: 4

Status: Compatible

Hardware Id: 5154

Detail Notes: Intel(R) 82801CAM (ICH3) Chipset Ethernet Controller (rev 42)

kernel module: e100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-30 14:36:19-04

Detail 13:

Status: Compatible

Hardware Id: 5154

Detail Notes: ATI Radeon Mobility M9

XFree86 v4 module: ati or vesa

NOTE: Manual configuration is required.

The PCI ID is not autodetected; forcing vesa mode or the chipset id, to <i>"ATI Radeon VE QY (AGP)"</i>, on the radeon driver will enable this card.

Vesa mode impacts draw speed while the radeon driver may cause refresh timing issues upon swtiching from graphical X to text console modes.

To simplify this, preconfigured XF86Config-4 files have been made available; however you should review the files before using to ensure they match you're hardware configuration;

ati or

vesa.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-10-07 12:27:33-04

Additional Certification Notes

No additional certification notes provided

2.8.11. HP ProLiant BL10e Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148053>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-16 14:43:20-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4167

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 17:20:16-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4167

Detail Notes: ServerWorks CSB5 IDE Controller (rev 92)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-07 17:20:38-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4167

Detail Notes: Intel(R) Pentium(R) III Mobile CPU 700MHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-07 17:20:50-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4167

Detail Notes: Make: Hitachi

Model: DK23CA-30

Capacity: 30GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-07 17:21:49-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4167

Detail Notes: 1 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-07 17:22:03-04

Detail 6:

Ease of Install: 4

Status: Compatible
 Hardware Id: 4167
 Detail Notes: Compaq ServerWorks CNB20LE-based Motherboard
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2002-09-07 17:22:24-04

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4167
 Detail Notes: Intel Corp. 82557 [Ethernet Pro 100] (rev 08)

 Qty:2
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2002-09-07 17:22:43-04

Additional Certification Notes

No additional certification notes provided

2.8.12. HP ProLiant BL10e G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148146>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
 Last Touched On: 2003-07-24 10:06:32-04

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5122

Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-24 09:56:15-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5122
Detail Notes: IC25N030ATDA04-0, ATA DISK drive

40GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-24 10:03:27-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5122
Detail Notes: 1 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-24 10:03:57-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5122
Detail Notes: Intel(R) Pentium(R) M processor 1000MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-24 09:59:21-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5122
Detail Notes: Intel Corp. 82557 [Ethernet Pro 100] (rev 08)

Qty:2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-07-24 10:06:17-04

Additional Certification Notes

No additional certification notes provided

2.8.13. HP ProLiant BL20p Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148088>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-11-17 23:31:18-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4690

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-11-17 23:28:05-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4690

Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-11-17 23:28:14-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4690

Detail Notes: ServerWorks CSB5 IDE Controller (rev 92)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-11-17 23:28:27-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4690
Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Quantity: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-11-17 23:28:53-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4690
Detail Notes: SCSI hard drive
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-11-17 23:30:01-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4690
Detail Notes: standard 1.44M drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-11-17 23:30:08-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4690
Detail Notes: ServerWorks CNB20HE-based motherboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed separately.
Modified On: 2002-11-17 23:30:40-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4690
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)

Quantity: 3
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-11-17 23:30:51-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 4690

Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-11-17 23:31:11-05

Additional Certification Notes

No additional certification notes provided

2.8.14. HP ProLiant BL20p G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148108>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-06-18 10:30:15-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4947
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-06-18 10:28:59-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4947
Detail Notes: 4 GB
Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-06-18 10:29:37-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4947

Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-06-18 10:29:09-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4947

Detail Notes: ServerWorks CSB5 IDE Controller (rev 93)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-06-18 10:29:20-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4947

Detail Notes: Intel(R) Xeon(TM) CPU 2.80GHz

Quantity: 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-06-18 10:29:28-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4947

Detail Notes: BROADCOM Corporation NetXtreme BCM5703X Gigabit Ethernet (rev 02)

Quantity: 3

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-06-18 10:29:53-04

Additional Certification Notes

No additional certification notes provided

2.8.15. HP ProLiant BL20p G3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148677>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-12-03 17:06:33-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5943

Detail Notes: 1GB - 8GB PC3200 DDR2 SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-12-03 16:42:53-05

Detail 2:

Status: Compatible

Hardware Id: 5943

Detail Notes: Compaq Computer Corporation Smart Array 6i controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-03 16:42:53-05

Detail 3:

Status: Compatible

Hardware Id: 5943

Detail Notes: Intel Xeon processor 3.6 GHz/800 MHz - 1MB

Intel Xeon processor 3.4 GHz/800 MHz - 1MB

Intel Xeon processor 3.2 GHz/800 MHz - 1MB

Qty: 1-2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-03 16:42:53-05

Detail 4:

Status: Compatible

Hardware Id: 5943
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-03 16:42:53-05

Detail 5:
Status: Compatible
Hardware Id: 5943
Detail Notes: QLogic QLA2312 Fibre Channel Adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-03 16:42:53-05

Detail 6:
Status: Compatible
Hardware Id: 5943
Detail Notes: NC7781 PCI-X Gigabit Ethernet/BROADCOM Corporation NetXtreme BCM5703 Gigabit Ethernet (rev 10)

Qty: 4
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-03 16:42:53-05

Detail 7:
Status: Compatible
Hardware Id: 5943
Detail Notes: Intel E7520 chipset
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-03 16:42:53-05

Additional Certification Notes

No additional certification notes provided

2.8.16. HP ProLiant BL30p Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148471>

Summary

- *Version: 2.1*

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-07-27 14:10:59-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5647

Detail Notes: ServerWorks CSB5 RAID/IDE Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-27 14:10:06-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5647

Detail Notes: Intel Xeon Processor 3.2-GHz/533-MHz with 2MB L3 cache

Intel Xeon Processor 3.2-GHz/533-MHz with 1MB L3 cache

Intel Xeon Processor 3.06-GHz/533-MHz with 512KB L2 cach

Qty: 1-2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-07-27 14:10:12-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5647

Detail Notes: Braodcom NetXtreme BCM5703 Gigabit Ethernet

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-27 14:10:17-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5647

Detail Notes: 1 GB - 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-27 14:10:22-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5647

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-27 14:10:27-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5647

Detail Notes: ServerWorks GC-LE chipset

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-07-27 14:10:32-04

Additional Certification Notes

No additional certification notes provided

2.8.17. HP ProLiant BL40p Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148133>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-10 08:08:33-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5098
Detail Notes: Intel(R) XEON(TM) MP CPU 2.00GHz

Quantity: 4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-10 07:56:18-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5098
Detail Notes: Hot Plug Ultra3 hard Drives
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-10 08:06:52-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5098
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-10 07:56:48-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5098
Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-10 07:57:17-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5098
Detail Notes: ServerWorks CSB5 IDE Controller (rev 93)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-10 07:58:08-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5098
Detail Notes: 6 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-10 08:05:34-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5098

Detail Notes: ServerWorks CNB20HE-based motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-07-10 08:07:14-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5098

Detail Notes: Tigon3 [partno(NA) rev 1002 PHY(5703)] (PCIX:100MHz:64-bit) 10/100/1000BaseT Ethernet

Quantity: 4

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-10 08:08:05-04

Additional Certification Notes

No additional certification notes provided

2.8.18. HP ProLiant DL140 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148252>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-02-23 17:18:48-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5313

Detail Notes: Integrated Dual Channel Ultra ATA-100 IDE

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-02-24 15:34:16-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5313

Detail Notes: Broadcom Corporation NetXtreme BCM5703 Gigabit Ethernet (rev 02)/NC7781 PCI-X
Gigabit NIC

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-02-23 17:16:36-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5313

Detail Notes: Intel(R) Xeon(TM) 2.4GHz or 3.2GHz CPU

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-02-23 17:16:48-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5313

Detail Notes: CD-224E, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-02-23 17:16:57-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5313

Detail Notes: 512MB - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-02-23 17:17:21-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5313

```
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-02-23 17:17:30-05
```

Additional Certification Notes

No additional certification notes provided

2.8.19. HP ProLiant DL320 ATA Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148054>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-11-13 09:39:59-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: CMD Technology Inc PCI0649 (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 17:31:16-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-10-03 15:40:57-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-10-03 15:41:20-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: ServerWorks OSB4 IDE Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-10-03 15:41:57-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: Intel(R) Pentium(R) III CPU family 1266MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-10-03 15:42:21-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: MAXTOR 6L040J2, ATA DISK drive (40021 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-03 16:10:19-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4168
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None

Modified On: 2002-10-03 16:15:38-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4168

Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-10-03 16:17:22-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4168

Detail Notes: 2 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-03 16:18:06-04

Additional Certification Notes

No additional certification notes provided

2.8.20. HP ProLiant DL320 G2 ATA Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148085>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-11-13 11:24:10-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4673
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-11-11 14:50:57-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4673
Detail Notes: Compaq CRN-8241B IDE CD-ROM Drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-11-11 14:51:03-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4673
Detail Notes: On-Board ServerWorks IDE Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-11-11 14:51:21-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4673
Detail Notes: CMD Technology Inc PCI0649 (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-11-11 14:51:40-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4673
Detail Notes: Intel(R) Pentium(R) 4 CPU 2.20GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-11-11 14:52:03-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4673
Detail Notes: MAXTOR 6L040J2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-11-11 14:53:06-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4673

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-11-11 14:53:12-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4673

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-11-11 14:53:30-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4673

Detail Notes: Compaq ServerWorks based Motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2002-11-11 14:53:47-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 4673

Detail Notes: BROADCOM Corporation: Unknown device 16a6 (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-11-11 14:54:07-05

Additional Certification Notes

No additional certification notes provided

2.8.21. HP ProLiant DL320 G2 SCSI Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148323>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-04-21 15:47:11-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-04-21 15:45:21-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: Broadcom BCM5703br>

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-04-21 15:45:41-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: CD-224E, ATAPI CD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-04-21 15:45:49-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: Adaptec 7892A (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-04-21 15:45:55-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: Intel(R) Pentium(R) 4 Family CPU 2.26GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-04-21 15:46:01-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-04-21 15:46:17-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-04-21 15:46:23-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: Compaq ServerWorks CNB20LE-based Motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-04-21 15:46:31-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5405

Detail Notes: COMPAQ BD03674555 (36420 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-04-21 15:46:42-04

Additional Certification Notes

No additional certification notes provided

2.8.22. HP ProLiant DL320 SCSI Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148056>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-11-15 10:16:45-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 17:39:23-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c895a (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 17:39:40-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: CD-224E, ATAPI CD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-07 17:39:55-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: Intel(R) Pentium(R) III CPU family 1266MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 17:40:05-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 17:40:13-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: 2 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 17:40:29-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: Compaq ServerWorks CNB20LE-based Motherboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-09-07 17:40:43-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4170
Detail Notes: BD03674555 (36420 MB)

Qty: 2
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2002-09-07 17:42:20-04

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4170
 Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)

 Qty:2
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2002-09-07 17:42:38-04

Additional Certification Notes

No additional certification notes provided

2.8.23. HP ProLiant DL360 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148047>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
 Last Touched On: 2002-09-07 16:16:07-04

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4159

Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 15:59:21-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4159
Detail Notes: Compaq CRN-8245B, ATAPI CD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-07 16:00:12-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4159
Detail Notes: LSI Logic / Symbios Logic (formerly NCR): Unknown device 0010 rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 16:01:32-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4159
Detail Notes: Intel(R) Pentium(R) III CPU family, 1266MHz
Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 16:02:39-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4159
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 16:02:52-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4159
Detail Notes: 4GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None

Modified On: 2002-09-07 16:03:36-04

Detail 7:

Status: Compatible

Hardware Id: 4159

Detail Notes: Broadcom 5703

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-12-31 14:44:51-05

Additional Certification Notes

No additional certification notes provided

2.8.24. HP ProLiant DL360 G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148067>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-09 18:34:57-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4195

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-09 18:25:56-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4195
Detail Notes: CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-09 18:26:19-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4195
Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-09 18:26:44-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4195
Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-09 18:26:59-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4195
Detail Notes: Standard 3.5" 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-09 18:27:09-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4195
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-09 18:27:23-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4195
Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 15)

Qty:2
Component Class: Network Interface

Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-09 18:27:43-04

Additional Certification Notes

No additional certification notes provided

2.8.25. HP ProLiant DL360 G3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148104>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-02-05 15:47:21-05

Detail Data:

Detail 1:

Status: Compatible
Hardware Id: 4866
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-01-30 16:50:05-05

Detail 2:

Status: Compatible
Hardware Id: 4866
Detail Notes: CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-30 16:50:05-05

Detail 3:

Status: Compatible

Hardware Id: 4866

Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-30 16:50:06-05

Detail 4:

Status: Compatible

Hardware Id: 4866

Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty:2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-30 16:50:06-05

Detail 5:

Status: Compatible

Hardware Id: 4866

Detail Notes: Standard 3.5" 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-30 16:50:06-05

Detail 6:

Status: Compatible

Hardware Id: 4866

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-30 16:50:06-05

Detail 7:

Status: Compatible

Hardware Id: 4866

Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 15)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-30 16:50:06-05

Additional Certification Notes

No additional certification notes provided

2.8.26. HP ProLiant DL360 G4 (SCSI only) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148595>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-10-25 13:35:12-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5819

Detail Notes: Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-10-22 16:40:56-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5819

Detail Notes: 24x IDE CD-ROM Drive (Low-Profile)

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-10-22 16:41:11-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5819

Detail Notes: 1GB - 8GB PC2700 DDR 333 SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-22 16:41:34-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5819

Detail Notes: Integrated ATI RAGE XL Video Controller with 8-MB SDRAM Video Memory

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-22 16:41:40-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5819

Detail Notes: Compaq Computer Corporation Smart Array 6i SCSI Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-10-22 16:42:10-04

Detail 6:

Ease of Install: 4

Status: Certified

Hardware Id: 5819

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-10-22 16:42:16-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5819

Detail Notes: Intel Xeon Processor 3.0, 3.4 or 3.6 GHz/800MHZ -1MB L2

Qty:2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-25 14:29:50-04

Additional Certification Notes

No additional certification notes provided

2.8.27. HP ProLiant DL380 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148055>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-07 17:38:59-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4169

Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach 64 GT IIC] (rev 7a)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 17:34:54-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4169

Detail Notes: CRN-8245B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 17:35:28-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4169

Detail Notes: LSI Logic / Symbios Logic (formerly NCR): Unknown device 0010 (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 17:36:00-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4169
Detail Notes: Pentium III (Coppermine) 1 Ghz.

Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 17:36:31-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4169
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 17:36:36-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4169
Detail Notes: 4 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 17:36:57-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4169
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 17:37:08-04

Additional Certification Notes

No additional certification notes provided

2.8.28. HP ProLiant DL380 G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148048>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-07 16:37:32-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4160

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 16:30:20-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4160

Detail Notes: Compaq CRN-8241B, ATAPI CD drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 16:32:30-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4160

Detail Notes: ServerWorks OSB4 IDE Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-07 16:34:03-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4160

Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 16:34:08-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4160
Detail Notes: Standard 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 16:34:23-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4160
Detail Notes: ServerWorks CNB20HE-based Motherboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-09-07 16:34:54-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4160
Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)
Quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 16:35:27-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4160
Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 16:35:51-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 4160
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 16:36:26-04

Additional Certification Notes

No additional certification notes provided

2.8.29. HP ProLiant DL380 G3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148084>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-02-05 15:50:08-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4667

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-11-11 12:55:50-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4667

Detail Notes: Internal IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-11-11 12:55:56-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4667

Detail Notes: ServerWorks CSB5 IDE Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-11-11 12:56:05-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-11-11 12:56:15-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: SCSI Hard Drive
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-11-11 12:56:22-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-11-11 12:56:27-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: Compaq ServerWorks based Motherboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2002-11-11 12:56:32-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: BROADCOM Corporation NetXtreme BCM5703X Gigabit Ethernet (rev 02)

Quantity:2

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-11-11 12:56:45-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: Intel(R) <Xeon(TM) CPU 2.80GHz

Qty:4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-11-11 12:57:05-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 4667
Detail Notes: 6 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-11-11 12:57:27-05

Additional Certification Notes

No additional certification notes provided

2.8.30. HP ProLiant DL380 G4 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148676>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-12-03 15:42:48-05

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5942

Detail Notes: Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-12-03 12:43:46-05

Detail 2:

Status: Compatible

Hardware Id: 5942

Detail Notes: Intel Xeon Processor 3.4 GHz/800MHz -1MB L2

or

Intel Xeon Processor 3.6 GHz/800MHz -1MB L2

Qty:2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-03 12:43:46-05

Detail 3:

Status: Compatible

Hardware Id: 5942

Detail Notes: 1GB - 12GB PC3200 DDR-II Memory

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-12-03 12:43:46-05

Detail 4:

Status: Compatible

Hardware Id: 5942

Detail Notes: Integrated ATI RAGE XL Video Controller with 8-MB SDRAM Video Memory

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-03 12:43:46-05

Detail 5:

Status: Compatible

Hardware Id: 5942

Detail Notes: Compaq Computer Corporation Smart Array 6i U320 SCSI Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-03 12:43:46-05

Detail 6:

Status: Certified

Hardware Id: 5942

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-12-03 12:43:46-05

Detail 7:

Status: Certified

Hardware Id: 5942

Detail Notes: Intel Corp. 82801EB USB Controller (rev 2)

3 Ports

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-03 12:43:46-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5942

Detail Notes: 24x IDE CD-ROM Drive (Low-Profile)

DV-28E-C CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-03 13:02:28-05

Additional Certification Notes

No additional certification notes provided

2.8.31. HP ProLiant DL560 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148110>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-03-24 11:38:10-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4984
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-03-19 13:12:45-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4984
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-03-19 13:16:59-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4984
Detail Notes: 6GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-03-19 13:18:44-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4984
Detail Notes: Compaq NC7781 Gigabit Server Adapter
Broadcom BCM5703 Integrated Copper transceiver
Qty:2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-03-19 13:22:51-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4984
Detail Notes: ServerWorks CSB5-base chipset.
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-03-19 14:43:58-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4984
Detail Notes: ATAPI 24X CD-ROM drive, 128kB Cache

Uniform CD-ROM driver Revision: 3.12
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2003-03-19 14:47:55-05

Detail 7:
 Status: Compatible
 Hardware Id: 4984
 Detail Notes: Intel(R) XEON(TM) MP CPU 2.00GHz
 Qty:4
 hyperthreading capable
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2003-06-23 08:43:46-04

Additional Certification Notes

No additional certification notes provided

2.8.32. HP ProLiant DL580 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148061>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
 Last Touched On: 2002-09-07 18:54:18-04

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4177
 Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)
 Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 18:46:13-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4177
Detail Notes: CRN-8241B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-07 18:47:37-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4177
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c895 (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 18:48:26-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4177
Detail Notes: 900 Mhz Pentium III (Cascades) w/2048k cache

Qty: 4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 18:48:58-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4177
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 18:49:33-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4177
Detail Notes: 16 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 18:49:59-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4177
Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 05)

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 18:52:22-04

Additional Certification Notes

No additional certification notes provided

2.8.33. HP ProLiant DL580G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148060>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-09-07 18:19:11-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: ATI Technologies Inc Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 18:21:08-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: Compaq DVD-ROM DV28EB 01
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-07 18:21:10-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 18:21:14-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: Intel(R) Xeon(TM) CPU 1.60GHz
Qty: 4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 18:21:16-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 18:21:20-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: 16 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 18:21:23-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4174
Detail Notes: BROADCOM Corporation: Unknown device 16a6 (rev 01)
Component Class: Network Interface
Component Test: Must complete a network install.

Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 18:21:26-04

Additional Certification Notes

No additional certification notes provided

2.8.34. HP ProLiant DL740 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148111>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-03-25 14:12:21-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5003
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-03-25 13:56:59-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5003
Detail Notes: Internal IDE CD-ROM Drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-03-25 13:57:25-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5003

Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-03-25 13:59:03-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5003

Detail Notes: ServerWorks CSB5 IDE Controller (rev 93)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-03-25 14:00:30-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5003

Detail Notes: Intel(R) XEON(TM) MP CPU 2.00GHz

Qty 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-03-25 14:01:54-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5003

Detail Notes: 72 GB Hot Plug Ultra3 hard Drives

Qty 4

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-03-25 14:04:01-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5003

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-03-25 14:05:52-05

Detail 8:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5003
 Detail Notes: 8GB
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2003-03-25 14:07:11-05

Detail 9:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5003
 Detail Notes: Compaq Motherboard
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-03-25 14:07:55-05

Detail 10:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5003
 Detail Notes: BROADCOM Corporation: Unknown device 16a7 (rev 02)

 Qty 2
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2003-03-25 14:09:13-05

Detail 11:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5003
 Detail Notes: Compaq Computer Corporation PCI Hotplug Controller (rev 14)
 Component Class: Other
 Component Test: Determined on a case by case basis.
 Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
 Modified On: 2003-03-25 14:10:56-05

Additional Certification Notes

No additional certification notes provided

2.8.35. HP ProLiant DL760 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148039>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-09-07 18:24:24-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 3208
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c895 (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-06-13 19:36:23-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 3208
Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 18:18:48-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 3208
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 18:19:15-04

Detail 4:

Status: Compatible
Hardware Id: 3208
Detail Notes: Make: Intel
Model: Pentium III (Xeon)
Speed: 900MHz
Quantity: 8
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-07 18:21:36-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 3208

Detail Notes: Compaq CRN-8241B, ATAPI CD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 18:22:11-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 3208

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-07 18:22:52-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 3208

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Qty: 3

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-07 18:23:24-04

Additional Certification Notes

No additional certification notes provided

2.8.36. HP ProLiant DL760 G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148112>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-03-26 11:01:52-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5004

Detail Notes: Compaq Computer Corporation Smart Array 5i/532 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-03-25 16:20:25-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5004

Detail Notes: TI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-03-25 16:21:25-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5004

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-03-25 16:22:14-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5004

Detail Notes: Intel(R) XEON(TM) MP CPU 2.00GHz

Qty 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-03-25 16:23:22-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5004

Detail Notes: CD-224E, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-03-25 16:28:37-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5004
Detail Notes: 8 GB RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-03-25 16:29:34-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5004
Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 15)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-03-25 16:30:56-05

Additional Certification Notes

No additional certification notes provided

2.8.37. HP ProLiant ML310 ATA Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148094>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-01-10 15:31:02-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4814

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-10 14:54:08-05

Detail 2:

Status: Compatible

Hardware Id: 4814

Detail Notes: Compaq IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-10 14:54:08-05

Detail 3:

Status: Compatible

Hardware Id: 4814

Detail Notes: COMPAQ BD03674555 (36420 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-10 14:54:08-05

Detail 4:

Status: Compatible

Hardware Id: 4814

Detail Notes: Intel(R) Pentium(R) 4 CPU 2.20GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-10 14:54:08-05

Detail 5:

Status: Compatible

Hardware Id: 4814

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-10 14:54:08-05

Detail 6:

Status: Compatible

Hardware Id: 4814

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-10 14:54:08-05

Detail 7:

Status: Compatible

Hardware Id: 4814

Detail Notes: BROADCOM 5703

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-10 15:02:14-05

Additional Certification Notes

No additional certification notes provided

2.8.38. HP ProLiant ML310 SCSI Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148095>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-10 16:50:58-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4815

Detail Notes: ATI Technologies Inc Rage XL (rev 39)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-10 15:34:21-05

Detail 2:

Status: Compatible
Hardware Id: 4815
Detail Notes: ATAPI LTN486S CD/DVD-ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-01-10 15:34:21-05

Detail 3:

Status: Compatible
Hardware Id: 4815
Detail Notes: Intel(R) Pentium(R) 4 CPU 2.20GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-01-10 15:34:21-05

Detail 4:

Status: Compatible
Hardware Id: 4815
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-01-10 15:34:21-05

Detail 5:

Status: Compatible
Hardware Id: 4815
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-01-10 15:34:22-05

Detail 6:

Status: Compatible
Hardware Id: 4815
Detail Notes: BROADCOM 5703
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-01-10 15:34:22-05

Detail 7:

Status: Testing
Hardware Id: 4815
Detail Notes: Adaptec AIC-7892
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-01-19 17:10:36-05

Additional Certification Notes

No additional certification notes provided

2.8.39. HP ProLiant ML330 (IDE) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148057>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-04-02 15:48:38-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4171

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 17:43:42-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4171

Detail Notes: Compaq CRD-8402B, 40X

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 17:44:03-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4171

Detail Notes: CMD Technology Inc PCI0649 (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 17:48:08-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4171
Detail Notes: Intel Pentium III (Coppermine), 1Ghz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 17:49:14-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4171
Detail Notes: Maxtor 5T040H4 (40021 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-07 17:50:10-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4171
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 17:50:17-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4171
Detail Notes: 2 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 17:50:40-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4171
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 17:51:09-04

Additional Certification Notes

No additional certification notes provided

2.8.40. HP ProLiant ML330 (SCSI) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148059>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-04-02 15:49:35-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4173

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 18:09:47-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4173

Detail Notes: COMPAQ SC-140S, ATAPI CD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 18:10:37-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4173
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c895a (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 18:11:07-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4173
Detail Notes: Pentium III 1000 MHz (Coppermine)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 18:11:26-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4173
Detail Notes: COMPAQ Model: BD03674555 (36420 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-07 18:12:44-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4173
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 18:12:50-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4173
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 18:13:10-04

Additional Certification Notes

No additional certification notes provided

2.8.41. HP ProLiant ML330 G2 (SCSI) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148046>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA

Cpu Name: X86

Created On: 2002-08-08 20:11:48-04

Returned On: mm-dd-yy

Last Touched On: 2002-09-19 18:57:06-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4111

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-08-08 20:11:58-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4111

Detail Notes: Compaq CRD-8402B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-08-08 20:12:29-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4111
Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-08-08 20:13:01-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4111
Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-08-08 20:14:10-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4111
Detail Notes: COMPAQ BD03674555 (36420 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-08-08 20:34:15-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4111
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-08-08 20:34:40-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4111
Detail Notes: 4 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-08-08 20:37:52-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4111
Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.

Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-08-08 20:39:06-04

Additional Certification Notes

No additional certification notes provided

2.8.42. HP ProLiant ML330 G2 ATA Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148058>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-10-04 13:50:40-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4172
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 17:59:18-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4172
Detail Notes: Compaq CRD-8402B, 40X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 17:59:33-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4172

Detail Notes: CMD Technology Inc PCI0649 (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-07 18:00:01-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4172

Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-07 18:00:45-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4172

Detail Notes: Maxtor 5T040H4 (40021 MB)

Qty: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-07 18:01:45-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4172

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-09-07 18:01:54-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4172

Detail Notes: 4 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-07 18:02:07-04

Detail 8:

Ease of Install: 4

Status: Compatible
Hardware Id: 4172
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 18:02:19-04

Additional Certification Notes

No additional certification notes provided

2.8.43. HP ProLiant ML330 G3 (SCSI) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148145>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-07-23 11:06:02-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5121
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-23 10:53:18-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5121

Detail Notes: BROADCOM Tigon3 [partno(TBD) rev 1002 PHY(5703)] (PCI:33MHz:32-bit)
10/100/1000BaseT Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-23 11:05:03-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5121

Detail Notes: Intel(R) Xeon(TM) CPU 2.80GHz

Qty: 2

Hyperthreading

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-23 11:00:31-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5121

Detail Notes: 36GB

Vendor: COMPAQ Model: BD03674555

Rev: 3B08

Type: Direct-Access

ANSI SCSI revision: 02

Qty: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-23 11:02:08-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5121

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-23 11:02:21-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5121

Detail Notes: ATAPI 48X CD-ROM drive, 120kB Cache

Uniform CD-ROM driver Revision: 3.12

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-23 10:57:12-04

Detail 7:


```
Ease of Install: 4
Status: Compatible
Hardware Id: 5121
Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-23 10:59:04-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5121
Detail Notes: 4 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-23 11:03:04-04
```

Additional Certification Notes

No additional certification notes provided

2.8.44. HP ProLiant ML350 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148066>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

```
Cpu Name: X86
Last Touched On: 2002-09-09 18:21:30-04
```

Detail Data:

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4194
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
```

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-09 17:50:03-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4194
Detail Notes: Compaq CRD-8402B IDE CD-ROM Drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-09 18:15:44-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4194
Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-09 18:16:25-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4194
Detail Notes: Pentium III (Coppermine) 1 Ghz.

Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-09 18:17:02-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4194
Detail Notes: COMPAQ BD03664553 (36420 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-09 18:17:41-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4194
Detail Notes: COMPAQ BD0366349C (36420 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-09 18:18:31-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4194

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-09-09 18:18:47-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4194

Detail Notes: 4 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-09 18:19:06-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4194

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-09 18:19:36-04

Additional Certification Notes

No additional certification notes provided

2.8.45. HP ProLiant ML350 G3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148086>

Summary

- *Version:* 2.1
- *Category:* Server

- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-11-11 15:05:13-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4674

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-11-11 15:01:59-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4674

Detail Notes: LTN486S

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-11-11 15:02:06-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4674

Detail Notes: Adaptec 7899A (rev 01)

Qty: 2

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-11-11 15:02:34-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4674

Detail Notes: Intel(R) XEON(TM) CPU 2.20GHz

Qty: 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-11-11 15:03:59-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4674
Detail Notes: COMPAQ BD0366459B (36420 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-11-11 15:04:07-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4674
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-11-11 15:04:13-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4674
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-11-11 15:04:26-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4674
Detail Notes: BROADCOM Corporation
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-11-11 15:05:07-05

Detail 9:
Status: Certified
Hardware Id: 4674
Detail Notes: NC 7131
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-12-05 06:31:37-05

Additional Certification Notes

No additional certification notes provided

2.8.46. HP ProLiant ML350G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148068>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-18 17:23:27-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4200

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-12 13:49:10-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4200

Detail Notes: Compaq CRD-8402B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-12 13:50:22-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4200

Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-12 13:50:51-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4200
Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-12 14:02:23-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4200
Detail Notes: COMPAQ BD03663622 (36420 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-12 14:44:57-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4200
Detail Notes: COMPAQ BD0366459B (36420 MB)

Qty: 3
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-12 14:46:55-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4200
Detail Notes: COMPAQ BD03664553 (36420 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-12 14:48:02-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4200
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None

Modified On: 2002-09-12 14:48:10-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4200

Detail Notes: 4 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-12 14:48:44-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 4200

Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-12 14:49:10-04

Additional Certification Notes

No additional certification notes provided

2.8.47. HP Proliant ML370 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148050>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-07 17:12:51-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible
Hardware Id: 4163
Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 16:47:36-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4163
Detail Notes: COMPAQ CDR-8435, ATAPI CD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-07 16:48:03-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4163
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1510 (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 16:48:34-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4163
Detail Notes: Pentium III (Coppermine) 1Ghz

Qty:2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 16:48:59-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4163
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 16:49:11-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4163
Detail Notes: 2 GB
Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-07 16:49:32-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4163

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-07 16:50:02-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4163

Detail Notes: COMPAQ BB00911CA0

9.1 GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-07 16:54:00-04

Additional Certification Notes

No additional certification notes provided

2.8.48. HP ProLiant ML370G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148069>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-12 16:55:22-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-12 16:38:23-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: COMPAQ CR-589, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-12 16:38:39-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-12 16:38:55-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: Intel(R) Pentium(R) III CPU family 1400MHz

Qty:2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-12 16:39:14-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: COMPAQ BD0726459C (72839 MB)

Qty: 4

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-12 16:40:39-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: COMPAQ BD07264546 (72839 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-12 16:41:52-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: COMPAQ BD0726536C (72839 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-12 16:42:30-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-09-12 16:42:41-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: 6 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-12 16:43:10-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 4203

Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-12 16:43:24-04

Additional Certification Notes

No additional certification notes provided

2.8.49. HP ProLiant ML370G3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148062>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-18 13:12:58-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4179

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.

Modified On: 2002-09-07 19:11:07-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4179

Detail Notes: LTN486S, ATAPI CD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 19:11:35-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4179

Detail Notes: Adaptec AHA-3960D / AIC-7899A U160/m (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 19:12:00-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4179
Detail Notes: Intel(R) XEON(TM) CPU 2.40GHz

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 19:12:25-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4179
Detail Notes: COMPAQ BD07264546 (72839 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-07 19:14:00-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4179
Detail Notes: COMPAQ BD0726459C (72839 MB)

Qty: 5
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-07 19:14:58-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4179
Detail Notes: standard 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 19:15:12-04

Detail 8:
Ease of Install: 4
Status: Certified
Hardware Id: 4179
Detail Notes: 6 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None

Modified On: 2002-09-07 19:15:46-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4179

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-07 19:17:50-04

Additional Certification Notes

No additional certification notes provided

2.8.50. HP ProLiant ML530 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148049>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-07 16:50:39-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4162

Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 16:45:39-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4162

Detail Notes: CD-ROM CDU701-Q, ATAPI CD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 16:45:55-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4162

Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c896 (rev 05)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-07 16:46:38-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4162

Detail Notes: Pentium III (Coppermine) 1 Ghz

Qty:2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-07 16:46:55-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4162

Detail Notes: COMPAQ BD0096349A, 9.1 Gig

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-07 16:47:32-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4162

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-09-07 16:47:36-04

Detail 7:

Ease of Install: 4

Status: Compatible
Hardware Id: 4162
Detail Notes: 2 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 16:48:08-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4162
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 05)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 16:48:21-04

Additional Certification Notes

No additional certification notes provided

2.8.51. HP ProLiant ML530G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148051>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-09-07 17:05:41-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-07 17:01:00-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: COMPAQ CR-589, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-07 17:01:15-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-07 17:02:21-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: COMPAQ BD01864552 (18209 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-07 17:02:44-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 17:02:50-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: 512 MB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 17:03:05-04

```

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 17:03:27-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4165
Detail Notes: Intel(R) XEON(TM) CPU 2.40GHz<br>
Qty:2<br>
<b>NOTE:</b> HyperThreading is supported. /proc/cpuinfo reports 4 CPUs
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-07 17:03:46-04

```

Additional Certification Notes

No additional certification notes provided

2.8.52. HP Proliant ML570 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148052>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-09-07 17:14:36-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4166

Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 17:09:48-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4166

Detail Notes: COMPAQ XM-6402B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 17:10:10-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4166

Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1510 (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-07 17:10:29-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4166

Detail Notes: Pentium III Xeon (Cascades) 900 Mhz

Qty:4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-07 17:10:52-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4166

Detail Notes: COMPAQ BD03664553, 36 Gig.

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-07 17:11:20-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4166
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-07 17:11:24-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4166
Detail Notes: 1 Gig
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-07 17:11:40-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4166
Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 08)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-07 17:12:03-04

Additional Certification Notes

No additional certification notes provided

2.8.53. HP Proliant ML570 G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148074>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-04 20:16:11-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-04 19:55:38-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: Compaq CRD-8402B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-04 19:55:56-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-04 19:56:14-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: Intel(R) Pentium 4 XEON(TM) MP CPU 2.00GHz

Qty: 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-04 19:57:01-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: COMPAQ BD0726459C (72839 MB)

Qty: 5

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-04 19:58:23-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: COMPAQ BD07264546 (72839 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-04 20:11:52-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-04 20:12:05-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: 16 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-04 20:13:35-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 4528

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-10-04 20:14:11-04

Additional Certification Notes

No additional certification notes provided

2.8.54. HP ProLiant ML750 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148063>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-19 18:54:22-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: ATI Technologies Inc 3D Rage IIC 215IIC [Mach64 GT IIC] (rev 7a)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-07 19:44:58-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: CD-224E

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-07 19:45:22-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: Digital Equipment Corporation DECchip 21554 (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-07 19:46:07-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: Pentium III (Cascades) 700 Mhz

Qty: 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-07 19:47:10-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-09-07 19:47:43-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: 16 Gigs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-07 19:48:57-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4180

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 05)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-07 19:49:22-04

Additional Certification Notes

No additional certification notes provided

2.9. IBM

2.9.1. eServer BladeCenter HS20 (8832) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148148>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-08-26 17:17:06-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5129

Detail Notes: IDE interface: ServerWorks CSB6 IDE/RAID Controller (rev 93)<p>

<p>

Tested and supported as an IDE controller ONLY! All RAID functionality and unused channels must be disabled in the BIOS.

<p>

(This won't affect the operation of Linux SOFTWARE RAID)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-08-26 11:47:42-04

Detail 2:

Status: Compatible

Hardware Id: 5129

Detail Notes: IDE hard drives: Quantity 2<p>

TOSHIBA MK4019GAXB (40GB)<p>

IC25N040ATCX05-0 (40GB)<p>

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-08-26 11:35:58-04

Detail 3:

Status: Compatible

Hardware Id: 5129

Detail Notes: Requires BladeCenter Chassis (8677-1XX)

<p>

Please review certification for BladeCenter Chassis.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-08-26 11:35:58-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5129

Detail Notes: 8GB used for testing

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-08-26 11:44:24-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5129

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-08-26 11:52:30-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5129

Detail Notes: Ethernet controller: Broadcom Corporation NetXtreme BCM5703 Gigabit Ethernet (rev 02)

<p>

<p>

Red Hat Enterprise Linux AS (v.2.1 Update 2) requires the use of drvnet.img driver disk (included) for network based installations.

<p>

tg3.o is required for Update 2<p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-08-26 11:51:05-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5129

Detail Notes: Intel(R) XEON(TM) CPU 3.06GHz <p>

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-08-26 11:44:11-04

Additional Certification Notes

No additional certification notes provided

2.9.2. eServer BladeCenter HS40 (8839) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148344>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-05-05 13:13:21-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5444

Detail Notes: ** Optional **<p>

<p>

Requires addon scsi controller and drive enclosure blade module<p>

SCSI storage controller: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 07)<p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-05 13:10:08-04

Detail 2:

Status: Compatible

Hardware Id: 5444

Detail Notes: USB CD-ROM drive<p>

TEAC Model: CD-224E<p>

Part of BladeCenter Chassis<p>

Recognized as a SCSI CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-05-05 13:10:08-04

Detail 3:

Status: Compatible

Hardware Id: 5444

Detail Notes: IBM-ESXS Model: ST336732LC<p>
36400 MB<p>

Requires optional SCSI controller and drive enclosure

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-05 13:10:08-04

Detail 4:

Status: Compatible

Hardware Id: 5444

Detail Notes: USB Floppy drive <p>

TEAC Model: FD-05PUB<p>

Part of BladeCenter enclosure<p>

Recognized as a SCSI disk drive.

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-05-05 13:10:08-04

Detail 5:

Status: Compatible

Hardware Id: 5444

Detail Notes: TOSHIBA MK4019GAXB<p>

40000 MB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-05 13:10:08-04

Detail 6:

Status: Compatible

Hardware Id: 5444

Detail Notes: 16 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-05-05 13:10:08-04

Detail 7:

Status: Compatible

Hardware Id: 5444

Detail Notes: Four gigabit 10/100/1000 ethernet controllers / Intel 82545GM/82546EB

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-05-05 13:10:08-04

Detail 8:

Status: Compatible

Hardware Id: 5444

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-05-05 13:10:08-04

Detail 9:

Status: Compatible

Hardware Id: 5444

Detail Notes: This is a component designed to fit into a BladeCenter Chassis. The BladeCenter Chassis (8677-1xx) is required for operation.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2004-05-05 13:10:08-04

Detail 10:

Status: Compatible

Hardware Id: 5444

Detail Notes: ServerWorks CSB6 RAID/IDE Controller (rev b0)<p>

Tested and certified as an IDE controller ONLY. All RAID functionality MUST be disabled through BIOS settings prior to installation.

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-05 13:10:08-04

Detail 11:

Ease of Install: 1

Status: Waiting for Authorization

Hardware Id: 5444

Detail Notes: RHEL 2.1 Update 4 or later is required. When starting the installation from floppy or CD-ROM, use the pcmcia.img boot disk.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Additional Certification Notes

No additional certification notes provided

2.9.3. eServer BladeCenter LS20 (8850) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=172110>

Summary

- *Version:* RHEL2.1-QU7

- *Category:* Server
- *Platforms:* i686

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7841](#)² Will Red Hat Enterprise Linux 2.1 run on dual-core AMD Opteron systems?

2.9.4. IBM Blade HS20 (8678-41X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148124>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-06-06 18:13:55-04
Returned On: mm-dd-yy
Last Touched On: 2003-06-06 18:53:05-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5055
Detail Notes: Intel(R) XEON(TM) CPU 2.40GHz <p>
Quantity: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-06-06 19:08:50-04

Detail 2:
Status: Compatible
Hardware Id: 5055
Detail Notes: 1.5GB used for testing

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-06-06 19:09:07-04

Detail 3:

Status: Compatible

Hardware Id: 5055

Detail Notes: IDE interface: ServerWorks CSB5 IDE Controller (rev 93)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-06-06 19:09:16-04

Detail 4:

Status: Compatible

Hardware Id: 5055

Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 07)

<p>

Optional equipment

<p>

Advanced Server 2.1 Requires driver/boot disks at:

<p>

http://www.redhat.com/support/errata/partners/ibm/ibm_netfinity.html

<p>

Red Hat Enterprise Linux AS (v.2.1 Update 2) does not require driver disks and is highly recommended.

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-06-06 19:09:24-04

Detail 5:

Status: Compatible

Hardware Id: 5055

Detail Notes: IDE hard drives: Quantity 2<p>

TOSHIBA MK4019GAXB (40GB)<p>

IC25N040ATCX05-0 (40GB)<p>

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-06-06 19:09:43-04

Detail 6:

Status: Compatible

Hardware Id: 5055

Detail Notes: SCSI Hard drive IBM-ESXS Model: ST336732LC (36.4GB)

<p>

(included if blade is equipped with SCSI controller.)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-06-06 19:09:52-04

Detail 7:

Status: Compatible
 Hardware Id: 5055
 Detail Notes: Requires BladeCenter Chassis (8677-1XX)
 <p>
 Please review certification for BladeCenter Chassis.
 Component Class: Other
 Component Test: Determined on a case by case basis.
 Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
 Modified On: 2003-06-06 19:10:04-04

Detail 8:
 Status: Compatible
 Hardware Id: 5055
 Detail Notes: Ethernet controller: Broadcom Corporation NetXtreme BCM5703 Gigabit Ethernet (rev 02)
 <p>
 Advanced Server 2.1 requires driver disk at:
 <p>
http://www.redhat.com/support/errata/partners/ibm/ibm_netfinity.html
 <p>
 Red Hat Enterprise Linux AS (v.2.1 Update 2) requires the use of drvnet.img driver disk (included) for network based installations.
 <p>
 tg3.o is required for Update 2<p>
 tg3_12e3 is required Update 1
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2003-06-06 19:10:27-04

Additional Certification Notes

No additional certification notes provided

2.9.5. IBM BladeCenter (Model: 8677-1XX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153798>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-03-14 16:28:01-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4974

Detail Notes: S3 Inc. Savage 4 (rev 06)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-03-14 16:18:43-05

Detail 2:

Status: Compatible

Hardware Id: 4974

Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-03-14 16:18:43-05

Detail 3:

Status: Compatible

Hardware Id: 4974

Detail Notes: IBM-PSG Model: ST318404LC 18 Gig.

Quantity: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-03-14 16:18:43-05

Detail 4:

Status: Compatible

Hardware Id: 4974

Detail Notes: Broadcom

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-03-14 16:25:13-05

Detail 5:

Status: Compatible

Hardware Id: 4974

Detail Notes: Intel Corporation Pentium 4 Xeon MP, 2.4 Ghz.

Quantity: 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None
Modified On: 2003-03-14 16:27:49-05

Additional Certification Notes

No additional certification notes provided

2.9.6. IBM Bladecenter Chassis (8677-1XX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148123>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-06-06 17:32:38-04
Returned On: mm-dd-yy
Last Touched On: 2003-06-06 18:52:54-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5054
Detail Notes: VGA compatible controller: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-06-06 19:04:46-04

Detail 2:
Status: Compatible
Hardware Id: 5054
Detail Notes: USB floppy drive (part of Bladecenter Chassis)

<p>

There is a known bug affecting the usb-storage and usb-ohci kernel modules. Extended use of the CD-ROM drive or floppy may result in I/O errors causing commands such as cp or dd to

fail or possibly installation programs for some software to crash. This issue is expected to be corrected by the next kernel erratum. You may employ one of the following workarounds to avoid the problem:

- 1.) Boot the system with a uni-processor kernel.
- 2.) Disable hyper-threading in either the system bios or by passing the "noht" parameter to the kernel.
- 3.) Use an alternate method such as NFS to copy files to the system.

<p>

Your Red Hat Enterprise Linux AS (v.2.1) installation process will not be affected by this issue as it uses a uni-processor kernel.

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-06-06 19:06:51-04

Detail 3:

Status: Compatible

Hardware Id: 5054

Detail Notes: Requires at least one HS20 Blade (8678-41X)

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-06-06 19:07:36-04

Detail 4:

Status: Compatible

Hardware Id: 5054

Detail Notes: USB CD-ROM drive (part of BladeCenter Chassis)

<p>

There is a known bug affecting the usb-storage and usb-ohci kernel modules. Extended use of the CD-ROM drive or floppy may result in I/O errors causing commands such as cp or dd to fail or possibly installation programs for some software to crash. This issue is expected to be corrected by the next kernel erratum. You may employ one of the following workarounds to avoid the problem:

<p>

- 1.) Boot the system with a uni-processor kernel.
- 2.) Disable hyper-threading in either the system bios or by passing the "noht" parameter to the kernel.
- 3.) Use an alternate method such as NFS to copy files to the system.

<p>

Your Red Hat Enterprise Linux AS (v.2.1) installation process will not be affected by this issue as it uses a uni-processor kernel.

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-06-06 19:07:12-04

Detail 5:

Status: Compatible

Hardware Id: 5054

Detail Notes: This system requires kernel 2.4.9-e.24 or higher. The use of Red Hat Enterprise Linux AS (v2.1 Update 2) is highly recommended. If you have original Advanced Server 2.1 installation media, you will need to use the boot images and driver disks at:

<p>

http://www.redhat.com/support/errata/partners/ibm/ibm_netfinity.html

<p>

If you install from Advanced Server 2.1 media, you will need to immediately apply all applicable updates from Red Hat Network (RHN)

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-06-06 19:07:24-04

Additional Certification Notes

No additional certification notes provided

2.9.7. IBM eSeries xServer 360 (Model: 8686-3RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148072>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-25 14:48:50-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4209

Detail Notes: S3 Inc. Savage 4 (rev 06)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-23 21:00:00-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4209

Detail Notes: ATAPI 24X CD-ROM drive, 128kB Cache, UDMA(33)
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-23 21:00:08-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 4209
Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-09-23 21:00:13-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 4209
Detail Notes: Intel Corporation Pentium 4 Xeon MP, 1.6 Ghz.

Quantity: 4

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-23 21:00:24-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 4209
Detail Notes: IBM-PSG Model: ST318404LC 18 Gig.

Quantity: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-23 21:00:38-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4209
Detail Notes: 1.44M
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-23 21:00:43-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4209
Detail Notes: 8 Gigs
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-23 21:00:50-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4209

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 08)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-23 21:00:55-04

Additional Certification Notes

No additional certification notes provided

2.9.8. IBM Eserver 325 (8835-32Z) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148166>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)

Cpu Name: X86

Created On: 2003-09-22 18:11:33-04

Returned On: mm-dd-yy

Last Touched On: 2003-09-22 18:35:09-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5150

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-22 18:11:58-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5150
Detail Notes: LG CD-ROM CRN-8245B, ATAPI CD/DVD-ROM drive<p>
Tested as a CD-ROM reader
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-22 18:13:14-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5150
Detail Notes: Quantity: 2
<p>
AMD Opteron(tm) Processor 246 2GHz
<p>
This processor type tested and supported in the IBM eServer 325 running RHEL 2.1 in x86
compatibility mode ONLY<p>
<p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-22 18:19:36-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5150
Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev
07
<p>
RHEL AS 2.1 QU2 or newer is required for installation.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-22 18:22:31-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5150
Detail Notes: Vendor: IBM-ESXS Model: ST336607LC (36401 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-22 18:23:56-04

Detail 6:
Ease of Install: 4

Status: Compatible
 Hardware Id: 5150
 Detail Notes: 2GB PC2700
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2003-09-22 18:25:15-04

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5150
 Detail Notes: Quantity 2
 <p>
 Ethernet controller: Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet (rev 03)
 <p>
 drvnet.img (included with QU2) is required for any type of network based installation.
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2003-09-22 18:30:05-04

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5150
 Detail Notes: RHEL 2.1 supports this e325 configuration as a 32-bit x86 compatible system
 ONLY! Variants or other AMD64 Based systems are NOT SUPPORTED under RHEL 2.1.<p>
 Quarterly Update (QU) 2 is required for installation.
 Component Class: Other
 Component Test: Determined on a case by case basis.
 Component Notes: This class is reserved to list all hardware that does not properly fit into
 another category. Items listed in this group are subject to tests as determined by Red Hat,
 Inc. Please see the Program Information Pages for more detail.
 Modified On: 2003-09-22 18:34:26-04

Additional Certification Notes

No additional certification notes provided

2.9.9. IBM eServer xSeries 200 (Model: 8479-62X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153786>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-23 19:48:05-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4607

Detail Notes: ATI Technologies Inc Rage XL AGP (rev 39)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-23 19:47:27-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4607

Detail Notes: SAMSUNG CD-ROM SC-148C

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-23 19:47:35-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4607

Detail Notes: Adaptec 7892A (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-23 19:47:37-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4607

Detail Notes: 1.1 Ghz Intel Pentium III

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-23 19:47:40-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4607

Detail Notes: 18 Gig Quantum Fireball ATA DISK DRIVE
UDMA(33)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-23 19:47:43-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 4607
Detail Notes: 18 Gig IBM-PSG Model:ST318404LW

Synchronous 80.0 Mbyte/Sec

(Quantity: 2)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-10-23 19:47:45-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 4607
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-10-23 19:47:48-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4607
Detail Notes: 384 MB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-10-23 19:47:50-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4607
Detail Notes: Intel 82557 [Ethernet Pro 100] (rev 12)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-10-23 19:47:53-04

Additional Certification Notes

No additional certification notes provided

2.9.10. IBM eServer xSeries 205 (Model: 8480-22X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153795>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-02-24 17:19:04-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4943

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-02-24 17:18:24-05

Detail 2:

Status: Compatible

Hardware Id: 4943

Detail Notes: LTN486S

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-02-24 17:18:24-05

Detail 3:

Status: Compatible

Hardware Id: 4943

Detail Notes: Adaptec AIC-7892P U160/m (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-02-24 17:18:24-05

Detail 4:

Status: Compatible

Hardware Id: 4943
Detail Notes: Intel(R) Pentium(R) 4 CPU 2.00GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-02-24 17:18:24-05

Detail 5:
Status: Compatible
Hardware Id: 4943
Detail Notes: Intel Corp.: Unknown device 24c5 (rev 01)
(Generic i8x0 audio)
NOTE: Requires errata kernel-2.4.18-10 or higher to function.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-02-24 17:18:24-05

Detail 6:
Status: Compatible
Hardware Id: 4943
Detail Notes: IC35L060AVVA07-0, ATA DISK drive (60082 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-24 17:18:24-05

Detail 7:
Status: Compatible
Hardware Id: 4943
Detail Notes: IBM-ESXS MAN3184MP (18201 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-24 17:18:24-05

Detail 8:
Status: Compatible
Hardware Id: 4943
Detail Notes: IBM-ESXS ST318305LW (18201 MB)
Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-24 17:18:24-05

Detail 9:
Status: Compatible
Hardware Id: 4943
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-02-24 17:18:24-05

Detail 10:

Status: Compatible

Hardware Id: 4943

Detail Notes: 512 Megs

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-02-24 17:18:24-05

Detail 11:

Status: Compatible

Hardware Id: 4943

Detail Notes: BROADCOM Corporation NetXtreme BCM5702X Gigabit Ethernet (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-02-24 17:18:24-05

Additional Certification Notes

No additional certification notes provided

2.9.11. IBM eServer xSeries 206 (Type: 8482 Models: 34Z, 1MU, 1RU, 2MU, 2RU) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148458>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-07-26 15:07:51-04

Detail Data:

Detail 1:

Status: Compatible
Hardware Id: 5630
Detail Notes: Intel PRO/1000
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-07-26 15:07:27-04

Detail 2:
Status: Compatible
Hardware Id: 5630
Detail Notes: ATI Radeon 7000
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-07-26 15:07:27-04

Detail 3:
Status: Compatible
Hardware Id: 5630
Detail Notes: SAMSUNG CD-ROM SC-148C
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-07-26 15:07:27-04

Detail 4:
Status: Compatible
Hardware Id: 5630
Detail Notes: Intel 2.8 GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-07-26 15:07:27-04

Detail 5:
Status: Compatible
Hardware Id: 5630
Detail Notes: Intel Corp. Enterprise Southbridge PATA (IDE) controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-26 15:07:27-04

Detail 6:
Status: Compatible
Hardware Id: 5630
Detail Notes: Adaptec AIC-7901A U320 (rev 03) SCSI controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-26 15:07:27-04

Detail 7:

Status: Compatible
Hardware Id: 5630
Detail Notes: IBM-ESXS Model: ST336607LC
36.4GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-07-26 15:07:27-04

Detail 8:
Status: Compatible
Hardware Id: 5630
Detail Notes: 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-07-26 15:07:27-04

Detail 9:
Status: Compatible
Hardware Id: 5630
Detail Notes: 4GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-07-26 15:07:27-04

Additional Certification Notes

No additional certification notes provided

2.9.12. IBM eServer xSeries 220 (Model:8646-42x) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153790>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2002-12-18 13:56:51-05

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 4786
Detail Notes: S3 Inc. Savage 4 (rev 6)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-12-18 13:56:22-05

Detail 2:
Status: Compatible
Hardware Id: 4786
Detail Notes: CRD-8484B ATAPI CD drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-12-18 13:56:22-05

Detail 3:
Status: Compatible
Hardware Id: 4786
Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-12-18 13:56:22-05

Detail 4:
Status: Compatible
Hardware Id: 4786
Detail Notes: 1.1 Ghz Intel Pentium III

(Quantity: 2)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-12-18 13:56:22-05

Detail 5:
Status: Compatible
Hardware Id: 4786
Detail Notes: IBM-PSG Model: DDYS-T18350N

Synchronous at 80.0 Mbyte/sec.
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-12-18 13:56:22-05

Detail 6:

Status: Compatible
Hardware Id: 4786
Detail Notes: IBM-PSG Model: ST318404LW

Synchronous at 160.0 Mbyte/sec.
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-12-18 13:56:22-05

Detail 7:
Status: Compatible
Hardware Id: 4786
Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-12-18 13:56:22-05

Detail 8:
Status: Compatible
Hardware Id: 4786
Detail Notes: 384 MB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-12-18 13:56:22-05

Detail 9:
Status: Compatible
Hardware Id: 4786
Detail Notes: Intel 82557 [Ethernet Pro 100] (rev 12)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-12-18 13:56:22-05

Additional Certification Notes

No additional certification notes provided

2.9.13. IBM eServer xSeries 225 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153794>

Summary

- *Version: 2.1*

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-02-24 17:17:58-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4942

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-02-24 17:17:35-05

Detail 2:

Status: Compatible

Hardware Id: 4942

Detail Notes: LG CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-02-24 17:17:35-05

Detail 3:

Status: Compatible

Hardware Id: 4942

Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-02-24 17:17:35-05

Detail 4:

Status: Compatible

Hardware Id: 4942

Detail Notes: Intel(R) Xeon(TM) CPU 2.40GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-02-24 17:17:35-05

Detail 5:

Status: Compatible

Hardware Id: 4942

Detail Notes: Intel Corp.: Unknown device 24c5 (rev 02)

NOTE: Requires errata kernel 2.4.18-10 or higher to function.

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-02-24 17:17:35-05

Detail 6:
Status: Compatible
Hardware Id: 4942
Detail Notes: IBM-ESXS ST336732LW (36401 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-24 17:17:35-05

Detail 7:
Status: Compatible
Hardware Id: 4942
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-02-24 17:17:35-05

Detail 8:
Status: Compatible
Hardware Id: 4942
Detail Notes: 256 Mb
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-02-24 17:17:35-05

Detail 9:
Status: Compatible
Hardware Id: 4942
Detail Notes: BROADCOM Corporation NetXtreme BCM5703X Gigabit Ethernet (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-02-24 17:17:35-05

Additional Certification Notes

No additional certification notes provided

2.9.14. IBM eServer xSeries 232 (Model:8668-2SX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148083>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-11-08 18:22:23-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4662

Detail Notes: S3 Inc. Savage 4 (rev 6)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-11-08 18:22:00-05

Detail 2:

Status: Compatible

Hardware Id: 4662

Detail Notes: Internal IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-11-08 18:22:00-05

Detail 3:

Status: Compatible

Hardware Id: 4662

Detail Notes: Make: Adaptec

Model: AIC-7899P

Kernel Module: aic7xxx

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-11-08 18:22:01-05

Detail 4:

Status: Compatible

Hardware Id: 4662

Detail Notes: Make: Intel

Model: Pentium III

Speed: 1133MHz

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-11-08 18:22:01-05

Detail 5:

Status: Compatible

Hardware Id: 4662

Detail Notes: Make: IBM

Model: ST336704LC

Capacity: 33GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-11-08 18:22:01-05

Detail 6:

Status: Compatible

Hardware Id: 4662

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-11-08 18:22:01-05

Detail 7:

Status: Compatible

Hardware Id: 4662

Detail Notes: 128MB PC133 ECC SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-11-08 18:22:01-05

Detail 8:

Status: Compatible

Hardware Id: 4662

Detail Notes: IBM ServerWorks CNB20HE-based Motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2002-11-08 18:22:01-05

Detail 9:

Status: Compatible

Hardware Id: 4662

Detail Notes: Make: Intel

Model: i82557

Kernel Module: eeepro100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-11-08 18:22:01-05

Additional Certification Notes

No additional certification notes provided

2.9.15. IBM eServer xSeries 235 (Model: 8671-4AX) Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148119>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-05-08 15:37:49-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5037

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-05-08 15:37:32-04

Detail 2:

Status: Compatible

Hardware Id: 5037

Detail Notes: LG CD-ROM CRD-8484B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-05-08 15:37:32-04

Detail 3:

Status: Compatible

Hardware Id: 5037

Detail Notes: Intel(R) XEON(TM) CPU 2.40GHz

Qty: 2

NOTE: OS reports 4 CPUS (with HyperThreading enabled)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-05-08 15:37:32-04

Detail 4:

Status: Compatible

Hardware Id: 5037

Detail Notes: IBM-ESXS MAN3367MC (36401 MB)

Qty: 3

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-05-08 15:37:32-04

Detail 5:

Status: Compatible

Hardware Id: 5037

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-05-08 15:37:32-04

Detail 6:

Status: Compatible

Hardware Id: 5037

Detail Notes: 1 Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-05-08 15:37:32-04

Detail 7:

Status: Compatible

Hardware Id: 5037

Detail Notes: BROADCOM Corporation NetXtreme BCM5703X Gigabit Ethernet (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-05-08 15:37:32-04

Detail 8:

Status: Compatible

Hardware Id: 5037

Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)

NOTE: Requires driver disk from LSI to install, also requires additional RPM to upgrade to errata kernel-2.4.9-e.8

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-08 15:37:32-04

Additional Certification Notes

No additional certification notes provided

2.9.16. IBM eServer xSeries 235 (Model: 8671-7AX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148142>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-21 13:46:15-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5116

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-21 12:29:41-04

Detail 2:

Status: Compatible

Hardware Id: 5116

Detail Notes: LG CD-ROM CRD-8484B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-21 12:29:42-04

Detail 3:

Status: Compatible

Hardware Id: 5116

Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-21 12:29:42-04

Detail 4:

Status: Compatible

Hardware Id: 5116

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-21 12:29:42-04

Detail 5:

Status: Compatible

Hardware Id: 5116

Detail Notes: 1 Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-21 12:29:42-04

Detail 6:

Status: Compatible

Hardware Id: 5116

Detail Notes: BROADCOM Corporation NetXtreme BCM5703 Gigabit Ethernet (rev 02)

<p>

Requires kernel 2.4.9-e.24 or higher (QU2)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-21 12:37:16-04

Detail 7:

Status: Compatible

Hardware Id: 5116

Detail Notes: Intel(R) XEON(TM) CPU 2.80GHz

Qty: 2

NOTE: OS reports 4 CPUS (wiht HyperThreading enabled)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-21 12:37:25-04

Detail 8:

Status: Compatible

Hardware Id: 5116

Detail Notes: Vendor: IBM-ESXS Model: ST336732LC(36401 MB)

Qty: 3

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-21 12:37:32-04

Additional Certification Notes

No additional certification notes provided

2.9.17. IBM eServer xSeries 255 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153796>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-02-25 16:59:16-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4945

Detail Notes: Make: Adaptec

Model: AIC-7899P

Kernel Module: aic7xxx

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-02-25 16:52:09-05

Detail 2:

Status: Compatible

Hardware Id: 4945

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-02-25 16:52:10-05

Detail 3:

Status: Compatible

Hardware Id: 4945

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-02-25 16:53:51-05

Detail 4:

Status: Compatible
Hardware Id: 4945
Detail Notes: SAMSUNG CD-ROM SC-148C, ATAPI CD/DVD-ROM drive
ATAPI 48X CD-ROM drive, 128kB Cache
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-02-25 16:54:26-05

Detail 5:

Status: Compatible
Hardware Id: 4945
Detail Notes: Make:IBM
Model:ST336704LC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-25 16:55:56-05

Detail 6:

Status: Compatible
Hardware Id: 4945
Detail Notes: Intel(R) Xeon(TM) CPU 1.60GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-02-25 16:56:09-05

Detail 7:

Status: Compatible
Hardware Id: 4945
Detail Notes: 3.6GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-02-25 16:56:50-05

Detail 8:

Status: Compatible
Hardware Id: 4945
Detail Notes: BROADCOM 5700
Must use Driver Errata e12 or later
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-02-25 16:59:00-05

Additional Certification Notes

No additional certification notes provided

2.9.18. IBM eServer xSeries 300 (Model:8672-22X) Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153791>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-12-18 14:06:43-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4787

Detail Notes: CRN-8241B, ATAPI CDROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-12-18 14:06:14-05

Detail 2:

Status: Compatible

Hardware Id: 4787

Detail Notes: S3 Inc. Savage 4 (rev 6)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-12-18 14:06:14-05

Detail 3:

Status: Compatible

Hardware Id: 4787

Detail Notes: 800 Mhz Celeron (Coppermine) 128KB Cache

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-12-18 14:06:14-05

Detail 4:

Status: Compatible

Hardware Id: 4787

Detail Notes: 18 Gig IBM-DTLA-307020

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-12-18 14:06:14-05

Detail 5:

Status: Compatible

Hardware Id: 4787

Detail Notes: 1.44 MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-12-18 14:06:15-05

Detail 6:

Status: Compatible

Hardware Id: 4787

Detail Notes: 128 MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-12-18 14:06:15-05

Detail 7:

Status: Compatible

Hardware Id: 4787

Detail Notes: Intel 82557 [Ethernet Pro 100] (rev 12)
(Quantity: 2)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-12-18 14:06:15-05

Additional Certification Notes

No additional certification notes provided

2.9.19. IBM eServer xSeries 305 (Model: 8673-22Z IDE) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148070>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-28 16:14:26-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-23 19:43:57-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: CD-224E

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-23 19:44:50-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: ServerWorks CSB5 IDE Controller (rev 93)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-23 19:45:17-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: Intel(R) Pentium(R) 4 CPU 2.20GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-09-23 19:46:11-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: ST340016A (40016 MB)

Qty: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-09-23 19:46:48-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: 1.44 MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-09-23 19:46:59-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: 1 Gig

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-09-23 19:47:20-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 4206

Detail Notes: BROADCOM Corporation NetXtreme BCM5703X Gigabit Ethernet (rev 02)

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-09-23 19:47:53-04

Additional Certification Notes

No additional certification notes provided

2.9.20. IBM eServer xSeries 305 (Model: 8673-23Z SCSI) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148071>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-09-28 22:11:14-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4207

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-09-23 19:52:36-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4207

Detail Notes: LG CD-ROM CRN-8245B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-09-23 19:52:59-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4207

Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-09-23 19:53:53-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4207
Detail Notes: Intel(R) Pentium(R) 4 CPU 2.20GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-23 19:53:58-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4207
Detail Notes: IBM-ESXS ST336605LW (36401 MB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-23 19:54:05-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4207
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-23 19:54:09-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4207
Detail Notes: 1 Gig
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-23 19:54:13-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4207
Detail Notes: BROADCOM Corporation NetXtreme BCM5703X Gigabit Ethernet (rev 02)

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-23 19:54:17-04

Additional Certification Notes

No additional certification notes provided

2.9.21. IBM eServer xSeries 306 (Type: 8836-35X) Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148737>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2005-01-17 18:23:03-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 6021

Detail Notes: 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2005-01-07 14:40:25-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 6021

Detail Notes: 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2005-01-07 14:40:30-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 6021

Detail Notes: Intel Corp. 82547EI Gigabit Ethernet Controller (LOM)

Intel Corp. 82541GI/PI Gigabit Ethernet Controller

(dual network cards)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-01-07 14:40:34-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6021
Detail Notes: LG ATAPI CD-ROM CRN-8245B (24x)
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-01-07 14:40:40-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6021
Detail Notes: Intel 3.2 GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-01-07 14:40:45-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 6021
Detail Notes: Intel Corp. 6300ESB SATA Storage Controller (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-01-07 14:40:50-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6021
Detail Notes: Maxtor 6Y080M0

80GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-01-07 14:40:55-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6021
Detail Notes: ATI Radeon 7000/VE

Note: Option "NoAccel"

must be added to the Device section of the /etc/X11/XF86Config-4
file for proper
functionality
Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2005-01-07 14:41:02-05

Additional Certification Notes

No additional certification notes provided

2.9.22. IBM eServer xSeries 330 (8675-4MX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148447>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
 Last Touched On: 2004-07-22 15:39:44-04

Detail Data:

Detail 1:

Status: Compatible
 Hardware Id: 5615
 Detail Notes: Make: Intel

 Model: EtherExpress Pro 100 (integrated)

 Kernel Module: e100

 Quantity: 2
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-07-22 15:39:05-04

Detail 2:

Status: Compatible
 Hardware Id: 5615
 Detail Notes: CRN-8241B IDE 24X
 Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-07-22 14:50:14-04

Detail 3:

Status: Compatible

Hardware Id: 5615

Detail Notes: Controller: Adaptec AIC-7892

Kernel Module: aic7xxx

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-22 14:50:14-04

Detail 4:

Status: Compatible

Hardware Id: 5615

Detail Notes: Make: IBM

Model: Katana 18 SCA

Capacity: 18GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-22 14:50:14-04

Detail 5:

Status: Compatible

Hardware Id: 5615

Detail Notes: Standard 1.44MB 3.5

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-22 14:50:15-04

Detail 6:

Status: Compatible

Hardware Id: 5615

Detail Notes: Two bay SCA drive cage (one available).

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2004-07-22 14:50:15-04

Detail 7:

Status: Compatible

Hardware Id: 5615

Detail Notes: Chipset: S3 Savage4/LT

Memory: 8MB

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-22 14:51:29-04

Detail 8:

Status: Compatible

Hardware Id: 5615

Detail Notes: Controller: Serverworks OSB4 On-Board IDE Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-22 14:53:06-04

Detail 9:

Status: Compatible

Hardware Id: 5615

Detail Notes: Make: Intel

Model: Xeon

Speed: 1.4 GHz

Quantity: 1

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-07-22 15:37:31-04

Detail 10:

Status: Compatible

Hardware Id: 5615

Detail Notes: 4GB

The MXT memory compression is not supported by Red Hat. Please disable in the system BIOS prior to production use.

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-22 15:41:16-04

Additional Certification Notes

No additional certification notes provided

2.9.23. IBM eServer xSeries 330 (Model:8674-11X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153787>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-25 09:48:58-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4609

Detail Notes: S3 Inc. Savage 4 (rev 6)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-25 09:48:27-04

Detail 2:

Status: Compatible

Hardware Id: 4609

Detail Notes: CRN-8241B ATAPI CDROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-25 09:48:27-04

Detail 3:

Status: Compatible

Hardware Id: 4609

Detail Notes: Adaptec AIC7892 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-25 09:48:27-04

Detail 4:

Status: Compatible

Hardware Id: 4609

Detail Notes: 1.1 Ghz Intel Pentium III

(Quantity: 2)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-25 09:48:27-04

Detail 5:

Status: Compatible

Hardware Id: 4609

Detail Notes: 18 Gig IBM-PSG Model:DDYS-T18350M

Synchronous at 160.0 Mbyte/sec.

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-25 09:48:27-04

Detail 6:

Status: Compatible

Hardware Id: 4609

Detail Notes: 1.44 MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-25 09:48:27-04

Detail 7:

Status: Compatible

Hardware Id: 4609

Detail Notes: 512 MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-25 09:48:27-04

Detail 8:

Status: Compatible

Hardware Id: 4609

Detail Notes: Intel 82557 [Ethernet Pro 100] (rev8)

(Quantity: 2)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-10-25 09:48:28-04

Additional Certification Notes

No additional certification notes provided

2.9.24. IBM eServer xSeries 330 (Model:8674-12X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153788>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-25 16:34:05-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4611

Detail Notes: S3 Inc. Savage 4 (rev 6)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-25 16:33:41-04

Detail 2:

Status: Compatible

Hardware Id: 4611

Detail Notes: CRN-8241B ATAPI CD Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-25 16:33:42-04

Detail 3:

Status: Compatible

Hardware Id: 4611

Detail Notes: Adaptec AIC-7892 Ultra 160/m

SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-25 16:33:42-04

Detail 4:

Status: Compatible

Hardware Id: 4611

Detail Notes: 1.1 Ghz Intel Pentium III

(Quantity: 2)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-25 16:33:42-04

Detail 5:

Status: Compatible

Hardware Id: 4611

Detail Notes: 17 Gig Maxtor 5T020H2 ATA DISK DRIVE

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2002-10-25 16:33:42-04

Detail 6:

Status: Compatible

Hardware Id: 4611

Detail Notes: 1.44 MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-25 16:33:42-04

Detail 7:

Status: Compatible

Hardware Id: 4611

Detail Notes: 512 MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2002-10-25 16:33:42-04

Detail 8:

Status: Compatible

Hardware Id: 4611

Detail Notes: Intel 82557 [Ethernet Pro 100] (rev 8)

(Quantity: 2)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2002-10-25 16:33:42-04

Additional Certification Notes

No additional certification notes provided

2.9.25. IBM eServer xSeries 335 (Model: 8676-11X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148143>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-21 15:30:30-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5117

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-21 15:24:10-04

Detail 2:

Status: Compatible

Hardware Id: 5117

Detail Notes: LG CD-ROM CRN-8245B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-21 15:24:10-04

Detail 3:

Status: Compatible

Hardware Id: 5117

Detail Notes: Intel(R) XEON(TM) CPU 2.40GHz

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-21 15:24:11-04

Detail 4:

Status: Compatible

Hardware Id: 5117

Detail Notes: IBM-ESXS ST373405LC (73407 MB)

Qty: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-21 15:24:11-04

Detail 5:

Status: Compatible

Hardware Id: 5117

Detail Notes: 1.44 Mb.

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-21 15:24:11-04

Detail 6:

Status: Compatible

Hardware Id: 5117

Detail Notes: 4 Gigs.

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-21 15:24:11-04

Detail 7:

Status: Compatible

Hardware Id: 5117

Detail Notes: BROADCOM Corporation: Unknown device 16a7 (rev 02)

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-21 15:24:11-04

Detail 8:

Status: Compatible

Hardware Id: 5117

Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-21 15:24:11-04

Additional Certification Notes

No additional certification notes provided

2.9.26. IBM eServer xSeries 335 (Model: 8676-61X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148073>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2002-09-24 22:18:58-04
Returned On: mm-dd-yy
Last Touched On: 2003-04-08 11:03:58-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2002-09-24 22:19:09-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: LG CD-ROM CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2002-09-24 22:19:32-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: Intel(R) XEON(TM) CPU 2.40GHz
Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2002-09-24 22:22:23-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: IBM-ESXS ST373405LC (73407 MB)
Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2002-09-24 22:23:22-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: 1.44 Mb.
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2002-09-24 22:23:52-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: 4 Gigs.
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-09-24 22:24:23-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: BROADCOM Corporation: Unknown device 16a7 (rev 02)

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-09-24 22:24:57-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 4215
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-04-11 12:32:11-04

Detail 9:

Ease of Install: 4
Status: Waiting for Authorization
Hardware Id: 4215
Detail Notes: RHEL 2.1 QU2 or newer is needed for native support of the SCSI and network cards. Network based installations will require the use of the network driver disk (drvnet.img) provided with the QU2 install media.
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2003-09-16 12:09:07-04

Additional Certification Notes

No additional certification notes provided

2.9.27. IBM eServer xSeries 336 (Type: 8837 Models: 01Y, 01X, 11Y, 11X, 21Y, 21X, 2AY, 2AX, 31Y, 31X, 41Y, 41X, 4AY, 4AX, 41Y, 41X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148694>

Summary

- *Version:* RHEL2.1-QU6
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-12-13 15:56:35-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5973

Detail Notes: ATI 7000M

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-13 15:54:03-05

Detail 2:

Status: Compatible

Hardware Id: 5973

Detail Notes: IDE DVD/CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-13 15:54:03-05

Detail 3:

Status: Compatible

Hardware Id: 5973

Detail Notes: Intel ICH5<p>

Tested as a PATA controller with CD/DVD-ROM driver only.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-13 15:54:03-05

Detail 4:
Status: Compatible
Hardware Id: 5973
Detail Notes: Intel 3.2GHz Xeon with EM64T<p>
Quantity: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-13 15:54:03-05

Detail 5:
Status: Compatible
Hardware Id: 5973
Detail Notes: IBM 73.2GB 15kRPM U320 SCSI drive<p>
Quantity: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-13 15:54:03-05

Detail 6:
Status: Compatible
Hardware Id: 5973
Detail Notes: 8 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-13 15:54:04-05

Detail 7:
Status: Compatible
Hardware Id: 5973
Detail Notes: Broadcom 5721 10/100/1000 ethernet <p>
Quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-13 15:54:04-05

Detail 8:
Status: Compatible
Hardware Id: 5973
Detail Notes: LSI Logic 53C1020 U320 SCSI<p>
Tested with and without mirroring (RAID1) enabled.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-13 15:54:04-05

Detail 9:

Status: Compatible
Hardware Id: 5973
Detail Notes: Red Hat Enterprise Linux (v.2.1 Update 6) or newer update level required. Red Hat Enterprise Linux (v.2.1 Update 6) supports this hardware in 32-bit x86 mode only.
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-12-13 15:56:05-05

Additional Certification Notes

No additional certification notes provided

2.9.28. IBM eServer xSeries 342 (Model:3669-4RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153792>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-01-14 17:01:04-05

Detail Data:

Detail 1:

Status: Compatible
Hardware Id: 4830
Detail Notes: Make: S3
Model: Savage4
XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3 Driver: None
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-01-14 17:00:44-05

Detail 2:

Status: Compatible

Hardware Id: 4830

Detail Notes: Internal IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-14 17:00:44-05

Detail 3:

Status: Compatible

Hardware Id: 4830

Detail Notes: Make: Adaptec

Model: AIC-7899P

Kernel Module: aic7xxx

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-14 17:00:44-05

Detail 4:

Status: Compatible

Hardware Id: 4830

Detail Notes: Make: Intel

Model: Pentium III

Speed: 1266MHz

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-14 17:00:44-05

Detail 5:

Status: Compatible

Hardware Id: 4830

Detail Notes: Make: IBM

Model: ST336704LC

Capacity: 33GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-14 17:00:44-05

Detail 6:

Status: Compatible

Hardware Id: 4830

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-14 17:00:44-05

Detail 7:

Status: Compatible

Hardware Id: 4830

Detail Notes: 128MB PC133 ECC SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-14 17:00:44-05

Detail 8:

Status: Compatible

Hardware Id: 4830

Detail Notes: IBM ServerWorks CNB20HE-based Motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-01-14 17:00:44-05

Detail 9:

Status: Compatible

Hardware Id: 4830

Detail Notes: Make: Intel

Model: i82557

Kernel Module: eeepro100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-14 17:00:44-05

Additional Certification Notes

No additional certification notes provided

2.9.29. IBM eServer xSeries 342 (Model:3669-4RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153793>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-01-15 17:59:57-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4837

Detail Notes: Make: S3

Model: Savage4

XFree86 3.3.6 Server: XF86_SVGA

XFree86 4.0.3 Driver: None

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-01-15 17:59:37-05

Detail 2:

Status: Compatible

Hardware Id: 4837

Detail Notes: Internal IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-01-15 17:59:37-05

Detail 3:

Status: Compatible

Hardware Id: 4837

Detail Notes: Make: Adaptec

Model: AIC-7899P

Kernel Module: aic7xxx

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-01-15 17:59:37-05

Detail 4:

Status: Compatible

Hardware Id: 4837

Detail Notes: Make: Intel

Model: Pentium III

Speed: 1266MHz

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-01-15 17:59:37-05

Detail 5:

Status: Compatible

Hardware Id: 4837

Detail Notes: Make: IBM

Model: ST336704LC

Capacity: 33GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-01-15 17:59:38-05

Detail 6:

Status: Compatible

Hardware Id: 4837

Detail Notes: Standard 3.5 1.44MB Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-01-15 17:59:38-05

Detail 7:

Status: Compatible

Hardware Id: 4837

Detail Notes: 128MB PC133 ECC SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-01-15 17:59:38-05

Detail 8:

Status: Compatible

Hardware Id: 4837

Detail Notes: IBM ServerWorks CNB20HE-based Motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2003-01-15 17:59:38-05

Detail 9:

Status: Compatible

Hardware Id: 4837

Detail Notes: Make: Intel

Model: i82557

Kernel Module: eeepro100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-01-15 17:59:38-05

Additional Certification Notes

No additional certification notes provided

2.9.30. IBM eServer xSeries 343 (Type: 8847 Models:14X,24X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148517>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2004-09-07 17:17:39-04
Returned On: mm-dd-yy
Last Touched On: 2004-09-08 17:13:01-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5710
Detail Notes: ATI Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-09-07 17:20:40-04

Detail 2:
Status: Compatible
Hardware Id: 5710
Detail Notes: CD-224E CD-ROM reader
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-09-07 17:21:51-04

Detail 3:
Status: Compatible
Hardware Id: 5710
Detail Notes: Intel 82801CA Ultra ATA Storage Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-09-07 17:23:22-04

Detail 4:
Status: Compatible
Hardware Id: 5710
Detail Notes: Intel Xeon 2.4 GHz <p>
Quantity: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-09-07 17:24:21-04

```
Detail 5:
Status: Compatible
Hardware Id: 5710
Detail Notes: IBM ESXS Model CBR146C34810ESFN 73GB <p>
Quantity: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-09-07 17:29:04-04

Detail 6:
Status: Compatible
Hardware Id: 5710
Detail Notes: 12 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-09-07 17:30:02-04

Detail 7:
Status: Compatible
Hardware Id: 5710
Detail Notes: Intel 82546B Gigabit Ethernet Controller <p>
quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-09-07 17:31:24-04

Detail 8:
Status: Compatible
Hardware Id: 5710
Detail Notes: Intel 82801CA USB Controller (4 ports)
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into
another category. Items listed in this group are subject to tests as determined by Red Hat,
Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-09-07 17:40:57-04
```

Additional Certification Notes

No additional certification notes provided

2.9.31. IBM eServer xSeries 345 (8670-61X) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148107>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-21 15:52:57-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: 1.44M

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-21 15:52:07-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: CD-224E, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-21 15:51:55-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: ATI Technologies Inc Rage XL (rev 39)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-21 15:52:01-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: LSI 53c1030

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-21 15:52:13-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: 8 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-21 15:52:19-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: Intel E1000

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-21 15:52:30-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4938

Detail Notes: Intel(R) XEON(TM) CPU 2.80GHz

<p>

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-21 15:52:37-04

Detail 8:

Status: Red Hat Ready

Hardware Id: 4938

Detail Notes: RHEL 2.1 QU2 or newer is needed for native support of the SCSI and network cards. Network based installations will require the use of the network driver disk (drvnet.img) provided with the QU2 install media.

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-10 09:55:06-05

Additional Certification Notes

No additional certification notes provided

2.9.32. IBM eServer xSeries 346 (Type: 8840 Models: 01Y, 01U, 11Y, 11U, 21Y, 21U, 31Y, 31U, 41Y, 41U) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148695>

Summary

- *Version:* RHEL2.1-QU6
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-12-13 16:53:31-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5974

Detail Notes: ATI 7000M

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-13 16:51:01-05

Detail 2:

Status: Compatible

Hardware Id: 5974

Detail Notes: IDE DVD/CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-13 16:51:01-05

Detail 3:

Status: Compatible

Hardware Id: 5974

Detail Notes: Intel ICH5<p>

Tested as a PATA controller with CD/DVD-ROM driver only.

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-13 16:51:01-05

Detail 4:

Status: Compatible
Hardware Id: 5974
Detail Notes: Intel 3.2GHz Xeon with EM64T<p>
Quantity: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-13 16:51:01-05

Detail 5:

Status: Compatible
Hardware Id: 5974
Detail Notes: IBM 73.2GB 15kRPM U320 SCSI drive<p>
Quantity: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-13 16:51:01-05

Detail 6:

Status: Compatible
Hardware Id: 5974
Detail Notes: 8 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-13 16:51:01-05

Detail 7:

Status: Compatible
Hardware Id: 5974
Detail Notes: Broadcom 5721 10/100/1000 ethernet <p>
Quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-13 16:51:01-05

Detail 8:

Status: Compatible
Hardware Id: 5974
Detail Notes: LSI Logic 53C1020 U320 SCSI<p>
Tested with and without mirroring (RAID1) enabled.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-13 16:51:01-05

Detail 9:

Status: Compatible
Hardware Id: 5974
Detail Notes: 1.44M
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-12-13 16:51:58-05

Detail 10:

Status: Compatible

Hardware Id: 5974

Detail Notes: Red Hat Enterprise Linux (v.2.1 Update 6) or newer update level required. Red Hat Enterprise Linux (v.2.1 Update 6) supports this hardware in 32-bit x86 operation only.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2004-12-13 16:53:17-05

Additional Certification Notes

No additional certification notes provided

2.9.33. IBM eServer xSeries 350 (8682-2RY) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153785>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2002-10-01 16:59:47-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: S3 Inc. Savage 4 (rev 04)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2002-10-01 16:55:45-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: LTN403

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2002-10-01 16:56:02-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: IBM ServeRAID-3x (rev 0d)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-01 16:56:31-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: Adaptec AIC-7899 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2002-10-01 16:56:58-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: Pentium III (Cascades) 600 Mhz

Qty: 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2002-10-01 16:57:30-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2002-10-01 16:57:59-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 4520

Detail Notes: 512 Meg RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2002-10-01 16:58:15-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4520
Detail Notes: Advanced Micro Devices [AMD] 79c970 [PCnet LANCE] (rev 43)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2002-10-01 16:59:34-04

Additional Certification Notes

No additional certification notes provided

2.9.34. IBM eServer xSeries 365 (8861-2RZ) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148398>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-06-09 13:42:51-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5544
Detail Notes: CD-224E CD-ROM reader
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-09 13:41:21-04

Detail 2:

Status: Compatible

Hardware Id: 5544

Detail Notes: Intel(R) Xeon(TM) MP CPU 2.50GHz<p>

Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-09 13:41:21-04

Detail 3:

Status: Compatible

Hardware Id: 5544

Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)<p>

(Dual Channel, Capable of Hardware RAID 1 (mirroring))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-09 13:41:21-04

Detail 4:

Status: Compatible

Hardware Id: 5544

Detail Notes: IDE interface: ServerWorks CSB6 RAID/IDE Controller (rev a0)<p>

Tested as an IDE controller with a CD-ROM attached only.

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-09 13:41:21-04

Detail 5:

Status: Compatible

Hardware Id: 5544

Detail Notes: IBM 73.4GB 10k RPM p/n 24P3713

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-09 13:41:21-04

Detail 6:

Status: Compatible

Hardware Id: 5544

Detail Notes: 1.44M floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-06-09 13:41:21-04

Detail 7:

Status: Compatible

Hardware Id: 5544

Detail Notes: Ethernet controller: Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet (rev 02)<p>

Quantity: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-06-09 13:41:21-04

Detail 8:

Status: Compatible

Hardware Id: 5544

Detail Notes: 16 GB<p>

Memory mirroring also tested (16GB)

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-06-09 13:42:19-04

Detail 9:

Status: Compatible

Hardware Id: 5544

Detail Notes: VGA compatible controller: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-09 13:41:52-04

Additional Certification Notes

No additional certification notes provided

2.9.35. IBM eServer xSeries 382 (Type: 8834 Models 21X,32X) Server

Original Catalog Posting URL

<http://hardware.redhat.com/show.cgi?id=148357>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: Intel(R) IPF
Created On: 2004-05-20 16:02:33-04
Returned On: mm-dd-yy
Last Touched On: 2004-05-20 16:12:29-04

Detail Data:

Detail 1:

Status: Compatible
Hardware Id: 5472
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-05-20 16:03:41-04

Detail 2:

Status: Compatible
Hardware Id: 5472
Detail Notes: Slimtype COMBO LSC-24081M (DVD/CD-RW/CD-ROM drive)
<p>
The use of ide-scsi on this system has been known to cause problems with writing CD's.
Problems may also exist when using it for reading as well. The ide-scsi module is
automatically loaded by the installer. You will need to follow the steps below after
installation to disable ide-scsi and use the drive as a normal IDE/ATAPI device.
<p>
1.) Modify /etc/elilo.conf and remove all instances of hda=ide-scsi (depending on system
configuration, it may be an ide device other than hda)
<p>
2.) Save this file and reboot your system.
<p>
3.) Verify that /dev/cdrom points to the IDE cdrom device from step 1, NOT /dev/scd0. (This
should automatically happen as a result of step 2)
<p>
Your CD/DVD drive should now function normally as a reader.
<p>
CD-Writing instructions:
<p>
Red Hat Enterprise Linux 3 supports writing of CD's through the ATAPI interface. To use
cdrecord with an ATAPI device, you will need to modify the command line slightly:
<p>
Finding the location of your CD writer on the ATAPI bus:
<p>
cdrecord -dev=ATAPI --scanbus
<p>
Your command line output should look something like:
<p>
Cdrecord 2.0 (ia64-unknown-linux-gnu) Copyright (C)
<p>
scsibus0:
<p>
0,0,0 0) 'HL-DT-ST' 'RW/DVD GCC-4160N' '0012' Removable CD-ROM
<p>
0,1,0 1) *
<p>
0,2,0 2) *
<p>
0,3,0 3) *
<p>

0,4,0 4) *

<p>

0,5,0 5) *

<p>

0,6,0 6) *

<p>

0,7,0 7) *

<p>

Once you have found the location of the CD writer on the ATAPI bus, in this case 0,0,0, you are now ready to begin writing.

<p>

To use cdrecord to write a .iso file to a blank CD-R/CD-RW you would use a command like:

<p>

```
cdrecord -dev=ATAPI:0,0,0 /path/to/cdimage.iso
```

<p>

The ATAPI: in the dev= statement tells cdrecord to use ATAPI bus rather than its default of SCSI.

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-05-20 16:03:51-04

Detail 3:

Status: Compatible

Hardware Id: 5472

Detail Notes: Itanium 2 (1.4GHz) Quantity: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-05-20 16:03:59-04

Detail 4:

Status: Compatible

Hardware Id: 5472

Detail Notes: Dual-Channel SCSI storage controller: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 07)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-20 16:05:08-04

Detail 5:

Status: Compatible

Hardware Id: 5472

Detail Notes: IBM-ESXS Model: ST336607LC (36GB) Quantity: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-20 16:05:56-04

Detail 6:

Status: Compatible

Hardware Id: 5472

Detail Notes: 16GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-05-20 16:06:16-04

Detail 7:

Status: Compatible

Hardware Id: 5472

Detail Notes: PCI bridge: Intel Corp. 82801BA/CA/DB/EB PCI Bridge (rev 82)<p>

ISA bridge: Intel Corp. 82801DB LPC Interface Controller (rev 02)<p>

PIC: Intel Corp. 82870P2 P64H2 I/OxAPIC (rev 04)<p>

PCI bridge: Intel Corp. 82870P2 P64H2 Hub PCI Bridge (rev 04)<p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-05-20 16:06:59-04

Detail 8:

Status: Compatible

Hardware Id: 5472

Detail Notes: Ethernet controller: Intel Corp. 82546EB Gigabit Ethernet Controller (Copper) (rev 01) Quantity: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-05-20 16:07:54-04

Detail 9:

Status: Compatible

Hardware Id: 5472

Detail Notes: IDE interface: Intel Corp. 82801DB Ultra ATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-20 16:09:25-04

Additional Certification Notes

No additional certification notes provided

2.9.36. IBM eServer xSeries 440 (Model: 8687-2RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148105>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-08-17 16:02:16-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 4932

Detail Notes: S3 Inc. Savage 4 (rev 06)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-02-18 12:39:26-05

Detail 2:

Status: Compatible

Hardware Id: 4932

Detail Notes: Adaptec AIC-7892 Ultra 160/m SCSI host adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-02-18 12:39:26-05

Detail 3:

Status: Compatible

Hardware Id: 4932

Detail Notes: IBM-PSG Model: ST318404LC 18 Gig.

Quantity: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-02-18 12:39:26-05

Detail 4:

Status: Compatible

Hardware Id: 4932

Detail Notes: 1.44M

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-02-18 12:39:26-05

Detail 5:

Status: Compatible

Hardware Id: 4932

Detail Notes: LG CDRom CRN-8245B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-02-18 12:46:24-05

Detail 6:

Status: Compatible

Hardware Id: 4932

Detail Notes: 18.5 Gigs

<i>Must use e12 or later kernel errata</i>

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-02-18 12:49:35-05

Detail 7:

Status: Compatible

Hardware Id: 4932

Detail Notes: Intel Corporation Pentium 4 Xeon MP, 1.5 Ghz.

Quantity: 8

<i>Must use e12 or later kernel errata</i>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-02-18 12:49:52-05

Detail 8:

Status: Compatible

Hardware Id: 4932

Detail Notes: Broadcom NetExtreme BCM5700<p>

The Red Hat supplied tg3 driver was used for network testing and is the recommended driver for this system.

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-18 15:30:00-04

Detail 9:

Status: Compatible

Hardware Id: 4932

Detail Notes: This system requires the use of the kernel-summit kernel package for proper operation, you may need to install it manually after completing the RHEL 2.1 installation.
<p>

Not using the summit kernel for this system may cause problems such as failure to recognize all of the installed CPU's. The summit kernel will support up to 16GB of RAM.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2004-08-17 16:09:43-04

Additional Certification Notes

No additional certification notes provided

2.9.37. IBM eServer xSeries 445 (Model: 8870-4RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153946>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-07-07 17:42:05-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-07 18:06:03-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5094
Detail Notes: HL-DT-STDVD-ROM GDR8081N (IDE CD/DVD reader)
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-07 18:03:32-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5094
Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)

Dual Channel controller.

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-07 18:03:51-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5094
Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Using XFree86 version 4 ati driver.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-07 18:03:42-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: IDE interface: VIA Technologies, Inc. Bus Master IDE (rev 06)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-07 18:04:23-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: 16GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-07 18:04:39-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Intel(R) Xeon(TM) MP CPU 2.80GHz Qty. 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-07 18:04:04-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet

Qty. 2

Use of tg3 driver from kernel 2.4.9-e.24 or newer (Update 2) is required.

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-07 18:05:08-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Red Hat Enterprise Linux v. 2.1 Update 2 or newer is required.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-07-07 18:05:20-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Minimum BIOS and Service processor (SP) and Diagnostics (DIAG) code levels required.

BIOS: 18

SP: 13

DIAG: 9

Please contact IBM if you need assistance in determining if your system BIOS and firmware is up to date.

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-07-07 18:04:53-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: IBM-ESXS Model: DTN036C3UCDY10FN Rev: S23J

34 GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-07 18:05:35-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: This system requires the use of the kernel-summit kernel package for proper operation, you may need to install it manually after completing the RHEL 2.1 installation.
<p>

Not using the summit kernel for this system may cause problems such as failure to recognize all of the installed CPU's. The summit kernel will support up to 16GB of RAM.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-09-18 15:28:07-04

Additional Certification Notes

No additional certification notes provided

2.9.38. IBM eServer xSeries 445 (Model: 8870-4RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148129>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-07-07 17:42:05-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-07 18:06:03-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5094
Detail Notes: HL-DT-STDVD-ROM GDR8081N (IDE CD/DVD reader)
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-07 18:03:32-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5094
Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)

Dual Channel controller.

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-07 18:03:51-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5094
Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Using XFree86 version 4 ati driver.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-07 18:03:42-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: IDE interface: VIA Technologies, Inc. Bus Master IDE (rev 06)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-07 18:04:23-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: 16GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-07 18:04:39-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Intel(R) Xeon(TM) MP CPU 2.80GHz Qty. 8

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-07 18:04:04-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Broadcom Corporation NetXtreme BCM5704 Gigabit Ethernet

Qty. 2

Use of tg3 driver from kernel 2.4.9-e.24 or newer (Update 2) is required.

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-07 18:05:08-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Red Hat Enterprise Linux v. 2.1 Update 2 or newer is required.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-07-07 18:05:20-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: Minimum BIOS and Service processor (SP) and Diagnostics (DIAG) code levels required.

BIOS: 18

SP: 13

DIAG: 9

Please contact IBM if you need assistance in determining if your system BIOS and firmware is up to date.

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2003-07-07 18:04:53-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: IBM-ESXS Model: DTN036C3UCDY10FN Rev: S23J

34 GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-07 18:05:35-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5094

Detail Notes: This system requires the use of the kernel-summit kernel package for proper operation, you may need to install it manually after completing the RHEL 2.1 installation.
<p>

Not using the summit kernel for this system may cause problems such as failure to recognize all of the installed CPU's. The summit kernel will support up to 16GB of RAM.

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2003-09-18 15:28:07-04

Additional Certification Notes

No additional certification notes provided

2.9.39. IBM eServer xseries 450 (Model: 8688-5RX) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149742>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
 Cpu Name: Intel(R) IPF
 Created On: 2003-06-06 19:15:58-04
 Returned On: mm-dd-yy
 Last Touched On: 2003-08-06 10:39:27-04

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5056
 Detail Notes: Kernel 2.4.18-e.31 (RHEL 2.1 Quarterly Update 2) is required.
 Component Class: Other
 Component Test: Determined on a case by case basis.
 Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
 Modified On: 2003-08-01 15:06:05-04

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5056
 Detail Notes: Itanium 2 1.4GHz
 <p>

Quantity 4

Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2003-08-01 15:02:45-04

Detail 3:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5056
 Detail Notes: VGA compatible controller: ATI Technologies Inc Rage XL (rev 39)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-06-06 19:36:35-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5056
Detail Notes: IDE interface: VIA Technologies, Inc. Bus Master IDE (rev 6)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-06-06 19:36:49-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5056
Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (#2) (rev 7)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-06-06 19:36:59-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5056
Detail Notes: Broadcom 5704 Gigabit Ethernet Adapter<p>
Quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-06-06 19:37:09-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5056
Detail Notes: IBM-ESXS Model: ST336732LC (35GB)
<p>
Quantity: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-06-06 19:37:20-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5056
Detail Notes: 16GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None
Modified On: 2003-06-06 19:37:34-04

Additional Certification Notes

No additional certification notes provided

2.9.40. IBM eServer xseries 455 Type: 8855 Model: 1RX Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148322>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-04-12 11:59:00-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5401
Detail Notes: 32GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-04-12 11:58:01-04

Detail 2:
Status: Compatible
Hardware Id: 5401
Detail Notes: Kernel 2.4.18-e.41 (RHEL 2.1 Quarterly Update 3) or newer is required.
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-04-12 11:58:10-04

Detail 3:
Status: Compatible
Hardware Id: 5401

Detail Notes: Itanium 2 1.3GHz

<p>

Quantity 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-04-12 11:58:14-04

Detail 4:

Status: Compatible

Hardware Id: 5401

Detail Notes: VGA compatible controller: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-04-12 11:58:20-04

Detail 5:

Status: Compatible

Hardware Id: 5401

Detail Notes: IDE interface: VIA Technologies, Inc. VT82C586B PIPC Bus Master IDE (rev 6)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-04-12 11:58:25-04

Detail 6:

Status: Compatible

Hardware Id: 5401

Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (#2) (rev 8)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-04-12 11:58:29-04

Detail 7:

Status: Compatible

Hardware Id: 5401

Detail Notes: Broadcom 5704 Gigabit Ethernet Adapter<p>

Quantity: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-04-12 11:58:33-04

Detail 8:

Status: Compatible

Hardware Id: 5401

Detail Notes: IBM-ESXS Model: ST336732LC (35GB)

<p>

Quantity: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-04-12 11:58:38-04

Detail 9:

Status: Compatible

Hardware Id: 5401

Detail Notes: 9M processor upgrade option<p>

Intel Itanium 2 1.5GHz, 9MB cache<p>

Required firmware level of 0YJT21A or higher. Please contact IBM for special firmware upgrade instructions prior to performing the upgrade.<p>

Quantity tested: 4 (single node system)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-26 10:38:06-04

Additional Certification Notes

No additional certification notes provided

2.9.41. IBM Intellistation M Pro (Model: 6219-36U) Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148121>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-05-16 16:12:48-04

Detail Data:

Detail 1:

Status: Red Hat Ready

Hardware Id: 5042

Detail Notes: HL-DT-ST GCE-8400B, ATAPI CD/DVD-ROM drive

Vendor: HL-DT-ST Model: CD-RW GCE-8400B Rev: 1.12

Type: CD-ROM ANSI SCSI revision: 02

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-05-16 16:12:13-04

Detail 2:

Status: Red Hat Ready

Hardware Id: 5042

Detail Notes: Vendor: IBM-ESXS Model: ST336607LW FN Rev: B258

Type: Direct-Access ANSI SCSI revision: 03

(36401 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-05-16 16:12:13-04

Detail 3:

Status: Red Hat Ready

Hardware Id: 5042

Detail Notes: 1.44 Mb

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-05-16 16:12:13-04

Detail 4:

Status: Red Hat Ready

Hardware Id: 5042

Detail Notes: Adaptec 7901A Ultra320 SCSI adapter

PCI device 9005:801e (Adaptec) (rev 3)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-16 16:12:13-04

Detail 5:

Status: Red Hat Ready

Hardware Id: 5042

Detail Notes: nVidia Corporation Quadro4 200/400NVS (rev a3)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-05-16 16:12:14-04

Detail 6:

Status: Red Hat Ready

Hardware Id: 5042

Detail Notes: Intel E7205 chipset based

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2003-05-16 16:12:14-04

Detail 7:

Status: Red Hat Ready
Hardware Id: 5042
Detail Notes: Intel(R) Pentium(R) 4 CPU 2.80GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-05-16 16:12:14-04

Detail 8:
Status: Red Hat Ready
Hardware Id: 5042
Detail Notes: Broadcom Corporation NetXtreme BCM5702X Gigabit Ethernet (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-05-16 16:12:14-04

Detail 9:
Status: Red Hat Ready
Hardware Id: 5042
Detail Notes: Intel integrated 82801DB based
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-05-16 16:12:14-04

Additional Certification Notes

No additional certification notes provided

2.9.42. IBM Intellistation Z Pro (Model: 6221-37Z) Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148141>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-07-21 11:46:38-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-21 11:57:23-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5115
Detail Notes: Matrox Graphics, Inc. MGA G400 AGP (rev 85
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-21 11:47:41-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5115
Detail Notes: Intel(R) Xeon(TM) CPU 2.40GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-21 11:48:44-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5115
Detail Notes: SCSI storage controller: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 07)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-21 11:49:36-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5115
Detail Notes: Intel IDE interface
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-21 11:50:38-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5115
Detail Notes: Intel AC 97 Audio
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None

Modified On: 2003-07-21 11:52:18-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5115

Detail Notes: 1.44MB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-21 11:52:45-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5115

Detail Notes: Model: ST336732LW 34GB (SCSI)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-21 11:53:55-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5115

Detail Notes: 1GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-21 11:54:28-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5115

Detail Notes: Broadcom Corporation|NetXtreme BCM5703 Gigabit Ethernet
<p>

Requires tg3 driver from 2.4.9-e.24 or newer (Update 2)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-21 11:56:07-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5115

Detail Notes: LTN486S (CDROM reader)

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-21 11:56:52-04

```
Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5115
Detail Notes: * Optional Equipment * <p>
HL-DT-ST DVDROM GSA-440B <p>

CD/DVD writer <p>

Note: tested as a CD/DVD reader only.
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-17 16:04:18-04
```

Additional Certification Notes

No additional certification notes provided

2.9.43. IBM Thinkpad t40 (Model: 2373-9BU) Laptop/Notebook

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148144>

Summary

- *Version:* 2.1
- *Category:* Laptop/Notebook
- *Platforms:* i386

Additional Comments

```
Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-07-22 11:36:26-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-22 11:58:20-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5120
Detail Notes: Intel AC 97
Component Class: Digital Audio Adapter
```

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2003-07-22 11:46:51-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5120

Detail Notes: PCI1250 PC card Cardbus Controller (qty. 2)

Component Class: PCMCIA/Card Bus Card

Component Test: Must pass the rhr-pcmcia test.

Component Notes: The given card will also need to pass the tests associated with its pcmcia independant function.

<p><blockquote>For example:<i>A pcmcia network card will need to pass the rhr-pcmcia test as well as the rhr-net tests.</i></blockquote>

Modified On: 2003-07-22 11:53:24-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5120

Detail Notes: ATI Radeon 9M

<p>

2D mode only with XFree v.4.1 vesa driver

<p>

Choose "Generic 1400x1050 laptop display

<p>

panel.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-22 11:37:00-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5120

Detail Notes: IC25N040ATCS05-0 (36 GB) IDE (PIO mode only)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-22 11:47:58-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5120

Detail Notes: Matshita UJDA745 DVD/CDRW

<p>

Tested/supported as a cdrom reader.

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-22 11:38:57-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5120
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-07-22 11:53:40-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5120
Detail Notes: Intel(R) Pentium(R) M processor 1600MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-22 11:39:11-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5120
Detail Notes: 512MB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-22 11:57:47-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5120
Detail Notes: Intel ATA-100 IDE controller

PIO mode only.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-22 11:45:04-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5120
Detail Notes: Intel e1000

Requires e.24 kernel or newer (Update 2)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-07-22 11:58:06-04

Additional Certification Notes

No additional certification notes provided

2.9.44. IBM Thinkpad T40p (2373-G1U) Laptop/Notebook

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148139>

Summary

- *Version:* 2.1
- *Category:* Laptop/Notebook
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-07-18 17:31:55-04
Returned On: mm-dd-yy
Last Touched On: 2003-07-18 17:54:55-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5110
Detail Notes: Intel(R) Pentium(R) M processor 1600MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-18 17:39:52-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5110
Detail Notes: UJDA745 DVD/CDRW
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-18 17:40:11-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5110
Detail Notes: ATI Mobility FIRE GL 9000

<p>

(2D only with vesa driver)

<p>

Use "Generic Laptop Display Panel 1400x1050" for display/monitor type.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-18 17:44:28-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5110

Detail Notes: Intel ATA-100 IDE controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-18 17:45:20-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5110

Detail Notes: SoundMAX AC'97 Audio

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2003-07-18 17:47:04-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5110

Detail Notes: IC25N040ATCS05-0 (36 GB) IDE (PIO mode only)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-18 17:49:16-04

Detail 7:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5110

Detail Notes: Intel e1000

Requires e.24 kernel or newer (Update 2)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-18 17:53:30-04

Detail 8:

Ease of Install: 4

Status: Compatible
Hardware Id: 5110
Detail Notes: PCI1250 PC card Cardbus Controller (qty. 2)
Component Class: PCMCIA/Card Bus Card
Component Test: Must pass the rhr-pcmcia test.
Component Notes: The given card will also need to pass the tests associated with its pcmcia independant function.<p><blockquote>For example:<i>A pcmcia network card will need to pass the rhr-pcmcia test as well as the rhr-net tests.</i></blockquote>
Modified On: 2003-07-18 17:54:04-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5110
Detail Notes: 512 MB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-18 17:54:26-04

Additional Certification Notes

No additional certification notes provided

2.9.45. Intellistation M Pro (6230) Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=154039>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10. Intel Corporation

2.10.1. Intel SE7501WV2-SCSI Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148132>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-22 07:29:00-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: Intel(R) Xeon(TM) CPU 3.06G

Quantity: 2

Hyperthreading capable

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-09 12:16:26-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-07-09 12:24:29-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: MATSHITADVD-ROM SR-8177, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-07-09 12:25:10-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: Adaptec aic7902 Ultra320 SCSI adapter

Requires the QU2 update of RHEL 2.1. Specifically it needs the 1.3.4 based version of the aic79xx driver.

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-22 07:24:14-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: 12G

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-09 12:17:50-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: Vendor: SEAGATE Model: ST318452LC Rev: 0004

Qty: 6

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-09 12:30:56-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: SAMSUNG SP8004H, ATA DISK drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-09 12:31:19-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: Intel Corp. 82546EB Gigabit Ethernet Controller (rev 01)

Quantity: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-09 12:32:52-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5097

Detail Notes: Intel Corp. 82801CA/CAM USB (Hub #1) (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-09 12:33:07-04

Additional Certification Notes

No additional certification notes provided

2.10.2. Intel SR870BH2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148140>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF

Last Touched On: 2003-07-21 11:16:59-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5111

Detail Notes: ATI Technologies Inc Rage XL (rev 27) Video RAM: 8 MB

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-10-08 11:54:04-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5111
Detail Notes: Slimtype COMBO LSC-24081M, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-21 10:57:59-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5111
Detail Notes: 16G
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-07-21 10:59:31-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5111
Detail Notes: Vendor: MAXTOR Model: ATLASU320_18_SCA Rev: B810
Type: Direct-Access ANSI SCSI revision: 03
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-21 11:11:05-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5111
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 08)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-21 11:11:42-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5111
Detail Notes: IA-64 Itanium 2 Quantity: 2 Speed: 1.5GHz Cache: 6 MB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-10-08 11:54:53-04

Detail 7:

Status: Compatible
Hardware Id: 5111
Detail Notes: Intel Corp. 82546EB 2-port Gigabit Ethernet Controller (rev 01)
Component Class: Network Interface
Component Test: Must complete a network install.

Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-13 12:19:25-05

Additional Certification Notes

No additional certification notes provided

2.10.3. Intel SR870BN4 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148247>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-02-12 10:06:07-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5306
Detail Notes: ATI Technologies Inc Rage XL (rev 27) Video RAM: 8 MB
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-02-12 09:50:36-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5306
Detail Notes: Matsushita SR-8177, Slimline ATAPI CD/DVD-ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-02-12 09:52:29-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5306

Detail Notes: Intel ICH4 USB Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-02-12 10:00:01-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5306

Detail Notes: LSI Logic 53C1030 Dual-Channel Ultra320 Adapter (Rev 07)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-02-12 09:51:46-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5306

Detail Notes: Up to 32GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-02-12 09:52:52-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5306

Detail Notes: Maxtor Atlas 10K III Ultra320 18.4 GB SCA (Rev B810)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-02-12 09:53:56-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5306

Detail Notes: Itanium 2 1.0 GHz 3 MB cache

Qty: up to 4

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-02-12 09:57:32-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5306
Detail Notes: Intel Corp. 82540EM Gigabit Ethernet Controller (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-02-12 09:58:15-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5306
Detail Notes: Intel ICH4 Bus Master IDE (ATA-100) (Rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-02-12 10:02:44-05

Additional Certification Notes

No additional certification notes provided

2.10.4. Intel SSH4 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148173>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-10-14 11:19:50-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5157
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-10-14 11:17:32-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5157
Detail Notes: Adptec aic7902 Ultra320 SCSI adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-10-14 11:18:01-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5157
Detail Notes: 24G
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-10-14 11:16:53-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5157
Detail Notes: Intel(R) XEON(TM) MP CPU 2.8Ghz

Quantity: 4

Hyperthreading capable
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-10-14 11:17:10-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5157
Detail Notes: ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-10-14 11:17:48-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5157
Detail Notes: ServerWorks CSB5 IDE Controller (rev 93)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-10-14 11:18:15-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5157

Detail Notes: QUANTUM ATLAS10K3_18_SCA1

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-10-14 11:18:31-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5157

Detail Notes: WDC WD400EB-00CPF0, ATA DISK drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-10-14 11:18:46-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5157

Detail Notes: ServerWorks OSB4/CSB5 USB Controller (rev 05)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-10-14 11:19:02-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5157

Detail Notes: Intel Corp. 82544GC Gigabit Ethernet Controller (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-10-14 11:19:17-04

Additional Certification Notes

No additional certification notes provided

2.11. Itaotec

2.11.1. Itautec Servidor Itautec 1251, 2250, 2252 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148245>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
 Cpu Name: X86
 Created On: 2004-01-30 16:57:23-05
 Returned On: mm-dd-yy
 Last Touched On: 2004-12-16 15:40:59-05

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5304
 Detail Notes: Intel(R) Xeon(TM) CPU 2.80 GB
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2004-01-30 16:58:02-05

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5304
 Detail Notes: ATI Technologies Inc Rage XL (rev 27)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2004-01-30 16:58:39-05

Detail 3:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5304
 Detail Notes: ACER Model 656A-002
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-01-30 16:59:34-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5304

Detail Notes: 3 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-01-30 17:03:23-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5304

Detail Notes: Intel 82551 10/100M Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-01-30 17:07:33-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5304

Detail Notes: Adaptec aic7902 Ultra320 SCSI adapter

Requires RHEL 2.1 Update 3

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-01-30 17:01:36-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5304

Detail Notes: SEAGATE Model: ST39173W

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-01-30 17:04:11-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5304

Detail Notes: Intel 82545EM Gigabit Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-01-30 17:08:07-05

Detail 9:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5304
 Detail Notes: Standard Floppy Drive
 Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2004-01-30 17:12:10-05

Detail 10:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5304
 Detail Notes: Intel E7501 Chipset

 SuperMicro X5DPL Based
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2004-09-16 17:13:19-04

Additional Certification Notes

No additional certification notes provided

2.11.2. Itautec Servidor Itautec 1251, 2250, 2252 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153809>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
 Cpu Name: X86
 Created On: 2004-01-30 16:57:23-05
 Returned On: mm-dd-yy
 Last Touched On: 2004-12-16 15:40:59-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: Intel(R) Xeon(TM) CPU 2.80 GB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-01-30 16:58:02-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-01-30 16:58:39-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: ACER Model 656A-002
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-01-30 16:59:34-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: 3 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-01-30 17:03:23-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: Intel 82551 10/100M Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-01-30 17:07:33-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: Adaptec aic7902 Ultra320 SCSI adapter

Requires RHEL 2.1 Update 3
Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-01-30 17:01:36-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: SEAGATE Model: ST39173W
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-01-30 17:04:11-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: Intel 82545EM Gigabit Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-01-30 17:08:07-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: Standard Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-01-30 17:12:10-05

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 5304
Detail Notes: Intel E7501 Chipset
SuperMicro X5DPL Based
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-09-16 17:13:19-04

Additional Certification Notes

No additional certification notes provided

2.11.3. Itaotec Servidor Itaotec 3254 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148345>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-12-16 15:41:22-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Quantum ATLAS V (9100 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-10 14:55:18-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Intel(R) Xeon(TM) CPU 2.80 GB

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-05-10 14:50:19-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-05-10 14:50:42-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Acer 56x CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-05-10 14:51:09-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: 1 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-05-10 14:51:30-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Intel 82557/8/9 Ethernet pro 100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-05-10 14:52:06-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Adaptec aic7899 Ultra160 SCSI Adapter

Requires RHEL 2.1 Update 3

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-10 14:53:01-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Quantum ATLAS IV (18200 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-10 14:53:33-04

Detail 9:

Ease of Install: 4

```
Status: Compatible
Hardware Id: 5447
Detail Notes: Intel 82544GC Gigabit Ethernet Controller
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-05-10 14:54:02-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
Detail Notes: Standard Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-05-10 14:54:11-04
```

Additional Certification Notes

No additional certification notes provided

2.11.4. Itautec Servidor Itautec 3254 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153840>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

```
Additional Data:

Cpu Name: X86
Last Touched On: 2004-12-16 15:41:22-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
```

Detail Notes: Quantum ATLAS V (9100 MB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-05-10 14:55:18-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
Detail Notes: Intel(R) Xeon(TM) CPU 2.80 GB
Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-05-10 14:50:19-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-05-10 14:50:42-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
Detail Notes: Acer 56x CD-ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-05-10 14:51:09-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
Detail Notes: 1 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-05-10 14:51:30-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5447
Detail Notes: Intel 82557/8/9 Ethernet pro 100
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-05-10 14:52:06-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Adaptec aic7899 Ultra160 SCSI Adapter

Requires RHEL 2.1 Update 3

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-10 14:53:01-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Quantum ATLAS IV (18200 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-10 14:53:33-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Intel 82544GC Gigabit Ethernet Controller

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-05-10 14:54:02-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5447

Detail Notes: Standard Floppy Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-05-10 14:54:11-04

Additional Certification Notes

No additional certification notes provided

2.12. Micropoint

2.12.1. Micropoint Karma 22 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148390>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-06-08 02:19:24-04

Returned On: mm-dd-yy

Last Touched On: 2004-06-08 02:27:59-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: 80GB Seagate Hard Disk

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-08 02:22:38-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: 1.44 MB Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-06-08 02:23:23-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: 2 GB memory

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-06-08 02:24:12-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: Intel SE750ICW2

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-06-08 02:25:06-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: <p>Intel 82550PM(10/100 base-Tx)</p>

<p>Intel 82540EM(10/100/1000 base-Tx)</p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-06-08 02:27:33-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: ATI Rage XL PCI graphics with 8MB VRAM

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-08 02:19:43-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: Sony 52X

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-08 02:20:16-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5530

Detail Notes: Xeon 3.06Ghz, 512KB L2 cache x 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-08 02:21:29-04

Additional Certification Notes

No additional certification notes provided

2.13. NEC

2.13.1. Express5800 1020Ba Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149048>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* ia64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.2. Express5800 120Ef Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=160249>

Summary

- *Version:* RHEL2.1-QU3
- *Category:* Server
- *Platforms:* All

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14. NEC/Bull

2.14.1. Express5800 110Eh Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149050>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.2. Express5800 120Lg Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153765>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.3. Express5800 120Lh Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153154>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.4. Express5800 120Rd-1 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148686>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.5. Express5800 120Rf-2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148304>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.6. Express5800 140Hd Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149076>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.7. Express5800 140Rc-4 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=149068>

Summary

- *Version:* 2.1
- *Category:* Server

- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.8. Express5800 180Rd-4 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148522>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.9. Express5800 420Ma Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148684>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.14.10. NEC/Bull Express5800/120Rd-1 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153893>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-12-15 11:06:02-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5955

Detail Notes: 12GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-12-07 14:28:08-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5955

Detail Notes: ATI Technologies Rage XL PCI video(8MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-07 14:28:20-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5955

Detail Notes: Standard 3.5 1.44MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-07 14:32:30-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5955
Detail Notes: IDE/ATAPI x24 CD-ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-12-07 14:32:35-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5955
Detail Notes: LSI Logic MegaRAID

LSI Logic / Symbios Logic PowerEdge Expandable RAID Controller 4 (rev 01)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 14:32:41-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5955
Detail Notes: Intel Xeon 2GB, 2.40GB, 2.80GB, 3.06GB, or 3.20GB

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-02-11 17:09:58-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5955
Detail Notes: 2x Intel 82546EB(Gbit)

Optional - 1000BaseT

Optional - 1000BaseSx

Optional - 100BaseTx

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-02-15 13:58:50-05

Additional Certification Notes

No additional certification notes provided

2.14.11. NEC/Bull Express5800/120Rf-2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153832>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-03-23 15:56:40-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5379
Detail Notes: Standard 3.5 1.44MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-03-23 15:35:59-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5379
Detail Notes: IDE/ATAPI x24 CD-ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-03-23 15:43:47-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5379
Detail Notes: Intel(R) Xeon (2.8GHz, 3.05GHz, or 3.2GHz)

Qty: 1-2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None

Modified On: 2004-03-23 15:48:03-05

Detail 4:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5379
 Detail Notes: 512MB - 12GB
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2004-03-23 15:48:56-05

Detail 5:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5379
 Detail Notes: ATI Rage XL PCI Video(8MB)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2004-03-23 15:49:55-05

Detail 6:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5379
 Detail Notes: Intel 82546EB(Gbit)

 Qty:2
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-03-23 15:51:42-05

Detail 7:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5379
 Detail Notes: LSI Logic MegaRAID LD0 RAID5 69372R 1L20(1ch)
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2004-03-23 15:52:49-05

Additional Certification Notes

No additional certification notes provided

2.14.12. NEC/Bull Express5800/140Hd Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153868>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-08-27 14:38:42-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5688
Detail Notes: 8GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-08-27 14:24:53-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5688
Detail Notes: Intel 82557 (100Mb)

Intel 82544GC (1Gb)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-08-27 14:30:22-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5688
Detail Notes: ATI Technologies Rage XL PCI video(8MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-08-27 14:30:38-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5688
Detail Notes: Standard 3.5 1.44MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-08-27 14:30:53-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5688

Detail Notes: MITSUMI SR243T ATAPI CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-08-27 14:31:17-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5688

Detail Notes: Adaptec AIC-7902B (Rev 10)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-27 14:32:05-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5688

Detail Notes: (4x) Intel Xeon MP CPU 2.8/3GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-08-27 14:34:06-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5688

Detail Notes: ServerWorks CMIC-HE (rev 22)

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2004-08-27 14:35:09-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5688

Detail Notes: SEAGATE ST373307LC 73.3GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-08-27 14:35:53-04

Additional Certification Notes

No additional certification notes provided

2.15. Olidata

2.15.1. Olidata Toraton DXJ-A Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148181>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2003-11-10 17:05:19-05
Returned On: mm-dd-yy
Last Touched On: 2003-11-11 21:09:57-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5185
Detail Notes: ATI Technologies Inc Rage XL

X driver=svga
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-10 17:06:50-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5185
Detail Notes: Adaptec 7902 Dual Channel U320 SCSI

kernel module=aic79xx.o

NOTE: Requires use of Red Hat Enterprise Linux Quarterly Update 2 or Red Hat Enterprise Linux
Quarterly Update 1 using driver disk 2.1as-dd-multi-i686.img.gz
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-11 21:25:11-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5185

Detail Notes: Intel(R) Xeon(TM) CPU 3.06GHz

Hyperthreading capable

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-10 17:10:18-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5185

Detail Notes: 1 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-10 17:12:08-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5185

Detail Notes: standard floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-10 17:13:11-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5185

Detail Notes: standard ATAPI-CD ROM-DRIVE-52MAX

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-10 17:14:19-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5185

Detail Notes: SEAGATE ST336706LW (36704 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-10 17:16:54-05

```
Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5185
Detail Notes: Intel 82545EM Gigabit Ethernet<br>
kernel module=e1000.o <br>
NOTE: Requires use of Red Hat Enterprise Linux Quarterly Update 2 or Red Hat Enterprise Linux
Quarterly Update 1 using
driver disk 2.1as-dd-multi-i686.img.gz
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-11-10 17:10:45-05
```

Additional Certification Notes

No additional certification notes provided

2.16. RLX Technologies

2.16.1. RLX Technologies ServerBlade 2800i Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148167>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-09-24 17:53:06-04

Detail Data:

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5151
Detail Notes: Intel 82801CA IDE controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
```

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-09-24 14:25:28-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5151

Detail Notes: Two Intel 82544EI 1000Mb NICs

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-24 14:26:19-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5151

Detail Notes: Up to two Intel P4 Xeon processors (2800MHz - 3200MHz)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-09-24 14:26:44-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5151

Detail Notes: Up to 8GB DDR PC2100 ECC memory

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-09-24 14:27:16-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5151

Detail Notes: Up to two 2.5in ATA/100 IDE disk drives.

20GB or 60GB capacities available

20GB - Fujitsu MHS2020AT

60GB - Fujitsu MHS2060AT

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-09-24 14:28:22-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5151

Detail Notes: Intel 82801CA 10/100Mb NIC

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-09-24 14:32:12-04

```
Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5151
Detail Notes: ATI Mach64 Rage XL w/8MB video memory
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-24 14:32:43-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5151
Detail Notes: Intel 82801CA USB Hub (USB connector part of VGA option card).
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-24 14:33:09-04
```

Additional Certification Notes

No additional certification notes provided

2.17. Sai InfoSystem (India) Ltd.

2.17.1. Sai InfoSystem (India) Ltd. Sunny S333 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148154>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-09-04 09:22:36-04

Returned On: mm-dd-yy
Last Touched On: 2004-07-13 07:20:34-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: Adaptec aic7892 Ultra 160 SCSI Adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-09-04 09:24:34-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: 1.44 MB floppy drive
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-04 09:25:52-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: ATI Rage-XL PCI based VGA controller.
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-04 09:22:53-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: 52X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-04 09:23:22-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: Intel 2.4 Ghz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-04 09:23:58-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: SCSI 18GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-04 09:25:21-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: DDR 1 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-04 09:26:36-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: ASUS NRL-LS
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-09-04 09:27:30-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5137
Detail Notes: Intel 82540EM gigabit ethernet controller
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-04 09:28:19-04

Additional Certification Notes

No additional certification notes provided

2.17.2. Sai InfoSystem (India) Ltd. Sunny S450 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148153>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-09-04 09:00:56-04
Returned On: mm-dd-yy
Last Touched On: 2004-07-13 07:19:50-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: HP 9.1x2GB Ultra SCSI hot swap
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-09-04 09:04:38-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: Intel 82557/8/9 Ethernet pro 100
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-04 09:07:17-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: ATI Technologies INC Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-09-04 09:01:32-04

Detail 4:

Ease of Install: 4
Status: Compatible

Hardware Id: 5136
Detail Notes: 1.44 MB floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-09-04 09:05:13-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: Intel 82544GC Gigabit Ethernet Controller
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-09-04 09:07:49-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: Yamaha CRW 2100S
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-09-04 09:01:49-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: 1 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-09-04 09:05:46-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: ATX 300W
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2003-09-04 09:08:34-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5136
Detail Notes: <P>2xIntel Xeon CPU 2.2Ghz</P>
<P>Note: OS shows 4 CPUs (HyperThreading enabled)</P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-09-04 09:03:50-04

Detail 10:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5136
 Detail Notes: Intel SHG2
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-09-04 09:06:33-04

Additional Certification Notes

No additional certification notes provided

2.17.3. Sai InfoSystem (India) Ltd. Sunny S630 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148109>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2003-03-05 10:27:16-05
 Returned On: mm-dd-yy
 Last Touched On: 2004-07-13 07:18:11-04

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 4968
 Detail Notes: ATI Rage (8MB SDRAM onboard)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2003-03-05 10:27:27-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: Yamaha CRW 2100S
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-03-05 10:27:59-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: <p>Adaptec AIC 7880 SCSI</p>
<p>Adaptec AIC 7899 Ultra SCSI</p>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-03-05 10:28:54-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: Intel PIII Xeon 900 MHz, 4 CPUs
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-03-05 10:29:27-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: HP 9.1 x 2 GB Ultra SCSI Hot Swap
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-03-05 10:30:16-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: 1.44 MB floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-03-05 10:30:43-05

Detail 7:

Ease of Install: 4
Status: Compatible

Hardware Id: 4968
Detail Notes: 8GB ECC
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-03-05 10:31:17-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: Intel SPKA4
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-03-05 10:32:03-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 4968
Detail Notes: Intel Pro100 10/100 LAN (onboard)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-03-05 10:32:47-05

Additional Certification Notes

No additional certification notes provided

2.17.4. Sai InfoSystem (India) Ltd. Sunny S630G2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148135>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86

Created On: 2003-07-15 07:54:13-04
Returned On: mm-dd-yy
Last Touched On: 2004-07-13 07:19:02-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5105
Detail Notes: ATI Technologies INC Rage XL
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-15 08:01:16-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5105
Detail Notes: LG CDROM CRD8522B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-15 08:01:37-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5105
Detail Notes: <p> 4 x Intel Xeon CPU 2Ghz</p>
<p> Hyperthreading enabled OS shows 8 CPUs</p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-07-15 08:03:41-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5105
Detail Notes: Adaptec aic7899 Ultra 160 SCSI Adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-15 08:04:17-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5105
Detail Notes: HP 9.1x2GB Ultra SCSI
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-07-15 08:20:23-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5105

Detail Notes: 1.44 MB floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-07-15 08:20:56-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5105

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-15 08:24:46-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5105

Detail Notes: Intel SPSH4

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-07-15 08:25:27-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5105

Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 0d)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-07-15 08:26:28-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5105

Detail Notes: ATX 300W

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Modified On: 2003-07-15 08:27:14-04

Additional Certification Notes

No additional certification notes provided

2.18. Sun Microsystems, Inc.

2.18.1. Sun Fire B100X Server Blade (B1600 System Chasis) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148237>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)

Cpu Name: X86

Created On: 2004-01-11 20:39:51-05

Returned On: mm-dd-yy

Last Touched On: 2004-01-11 20:52:31-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Certified

Hardware Id: 5295

Detail Notes: AMD Mobile Athlon 1800+ processor

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-01-11 21:18:53-05

Detail 2:

Ease of Install: 4

Status: Certified

Hardware Id: 5295

Detail Notes: 2 X 266 Mhz PC2100 DDR registered DIMMs with ECC. 2 GB addressable memory space.

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-01-11 21:19:28-05

Detail 3:

Ease of Install: 4

Status: Certified

Hardware Id: 5295

Detail Notes: The shelf has dual power supply units (PSUs') installed.

110-240V draws 1.27 KW and provides 1.015 Kw at 12 VDC to each of the five midplane power rails.

Component Class: Power Supply
 Component Test: Must Pass all tests attached hardware
 Component Notes: Power Supplies are not tested outside of full systems.
 Modified On: 2004-01-11 21:20:36-05

Detail 4:
 Ease of Install: 4
 Status: Certified
 Hardware Id: 5295
 Detail Notes: Dual Gbit Ethernet connections with the shelf having dual redundant 24-port Gbit Ethernet switches.
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-01-11 21:20:59-05

Detail 5:
 Ease of Install: 4
 Status: Certified
 Hardware Id: 5295
 Detail Notes: Shelf has a dual layer 2 switch and a dual System controller using star configuration. The system controller connects to the midplane with 16 serial connections.
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2004-01-11 21:20:50-05

Detail 6:
 Ease of Install: 4
 Status: Certified
 Hardware Id: 5295
 Detail Notes: 2.5'' Ultra DMA100 ATA hard drive disk 30 GByte.
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2004-01-11 21:21:14-05

Additional Certification Notes

No additional certification notes provided

2.18.2. Sun Fire B200X Server Blade (B1600 System Chasis) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148501>

Summary

- Version: 2.1

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2004-08-26 14:09:08-04
Returned On: mm-dd-yy
Last Touched On: 2004-08-27 15:27:30-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5685
Detail Notes: Input Rating: (Sun Blade Platform) 110-240 V AC, 47-63 Hz
12 A max at 110V, 6 A max at 230 V. Average Power Consumption: (Sun Fire B1600 Blade Platform)16 x86 blade servers + 2 switches = 700 W.
Component Class: Power Supply
Component Test: Must Pass all tests attached hardware
Component Notes: Power Supplies are not tested outside of full systems.
Modified On: 2004-08-27 15:28:05-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5685
Detail Notes: Four 10/100/1000-Mbps Ethernet connections
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-08-27 15:28:24-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5685
Detail Notes: One 30 GB, 2.5-in., 5400 RPM, UltraATA 100, 24X7 server-class drive with 16 MB buffer and 12 ms average latency
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-08-27 15:28:31-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5685
Detail Notes: Four PC-2100 (DDR1) DIMM slots supporting up to 4 GB of upgradable memory.
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-08-27 15:28:43-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5685

Detail Notes: Two 2.0 GHz Low Voltage Intel Xeon processor with 512kb cache

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-08-27 15:28:52-04

Additional Certification Notes

No additional certification notes provided

2.18.3. Sun Fire V60x Server Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148120>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-07-16 11:43:54-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: Intel Corp. 82546EB Gigabit Ethernet Controller (rev 01)

Quantity: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-05-16 15:04:05-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: PCI IDE adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-16 14:43:54-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.

Modified On: 2003-05-16 14:06:55-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: MATSHITADVD-ROM SR-8177, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-05-16 14:09:15-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: PCI USB adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-16 14:43:34-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: Adaptec aic7902 Ultra320 SCSI adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-16 14:14:03-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5040

Detail Notes: Vendor: SEAGATE Model: ST336753LSUN36G Rev: 0249

Type: Direct-Access ANSI SCSI revision: 03

 Quantity: 2
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2003-05-16 14:17:38-04

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5040
 Detail Notes: 1.44M
 Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.
 Component Notes: None
 Modified On: 2003-05-16 14:20:46-04

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5040
 Detail Notes: Intel(R) XEON(TM) CPU 3.06 GHZ

 Qty: 2

 Hyperthreading capable
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2003-05-19 17:26:57-04

Detail 10:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5040
 Detail Notes: 12G
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2003-05-19 17:20:33-04

Additional Certification Notes

No additional certification notes provided

2.18.4. Sun Fire V65x Server Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148122>

Summary

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-05-19 17:27:37-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5043

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-05-19 13:33:20-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5043

Detail Notes: MATSHITADVD-ROM SR-8177, ATAPI CD/DVD-ROM drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-05-19 13:33:28-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5043

Detail Notes: 12G

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-05-19 17:22:27-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5043

Detail Notes: PCI USB adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-19 13:33:40-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5043

Detail Notes: Adaptec aic7902 Ultra320 SCSI adapter

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-05-19 13:34:02-04

Detail 10:

Ease of Install: 4

```
Status: Compatible
Hardware Id: 5043
Detail Notes: Intel Corp. 82546EB Gigabit Ethernet Controller (rev 01)<br>
Quantity: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-05-19 13:32:56-04
```

Additional Certification Notes

No additional certification notes provided

2.18.5. Sun Microsystems Cobalt LX 50 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148136>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-07-15 16:49:19-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5106
Detail Notes: Two Intel(R) 10/100 82550PM Fast Ethernet Controllers
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-07-15 15:39:42-04

Detail 2:
Ease of Install: 4
Status: Compatible

Hardware Id: 5106
Detail Notes: ATAPI CDRom drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-07-15 15:57:04-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5106
Detail Notes: Dual-channel Ultra 160 SCSI LCD, 10,000 rpm
36GB - Bay 1.
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-07-15 16:10:44-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5106
Detail Notes: ATI Rage* XL video controller with 8 MB of SDRAM
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-07-15 16:11:06-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5106
Detail Notes: 1.44M - Bay3 for SCSI configuration.
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-07-15 16:19:37-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5106
Detail Notes: Promise Technology* PDC20267 Dual channel ATA-100 Controller. (ATA-100 board only)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-07-15 16:19:52-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5106

Detail Notes: Intel Pentium III, 1.4 GHz, Quantity 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-07-15 16:21:25-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5106

Detail Notes: PC133 Registered ECC SDRAM DIMM, installed in pairs

Installed RAM - 2GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-07-15 16:22:26-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5106

Detail Notes: CSB5 controller includes USB and IDE controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-15 16:29:57-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5106

Detail Notes: One Adaptec 7899 dual-channel Ultra-160 SCSI controller. (SCSI Board Only)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-07-15 16:48:33-04

Additional Certification Notes

No additional certification notes provided

2.19. TOSHIBA

2.19.1. MAGNIA 3300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148212>

Summary

- *Version:* 2.1

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2003-12-09 11:07:38-05

Returned On: mm-dd-yy

Last Touched On: 2003-12-09 11:15:23-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: ATI Technologies Inc. Rage XL 3D (8MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-09 11:07:53-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: Panasonic CR-594 ATAPI 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-09 11:08:19-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: 2x 2,8 GHz Intel Xeon (512 KB cache)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-09 11:08:50-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: Adaptec AIC7899W 2 channel Ultra 160

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-09 11:09:27-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: <P>73 GB Fujitsu MAM3367MC</P>

<P>146GB Fujitsu MAP3147NC</P>

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-09 11:10:34-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: Mitsumi Electronics D359M3D

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-09 11:11:07-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: 4 GB memory (DDR200) registerd ECC

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-09 11:14:17-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5245

Detail Notes: Intel 82550 / Intel 82545EM 100Base-TX/10BaseT

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-09 11:15:10-05

Additional Certification Notes

No additional certification notes provided

2.20. Wipro Limited

2.20.1. NetPower NP7225 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153780>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: Make: Intel

Model: Pentium III Xeon

Speed: 1000MHz

Quantity: Two

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: 256MB PC133 ECC SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: Reliance CNB20HE based motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: Make: Intel

Model: Onboard EtherExpress Pro 82559

Kernel Module: eeepro100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: Make: Delta

Model: RPS-350B

Quantity: Two, redundant

Component Class: Power Supply

Component Test: Must Pass all tests attached hardware

Component Notes: Power Supplies are not tested outside of full systems.

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: XFree86 3.3.6 Server: XF86_Mach64

Chipset: ATI Rage

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: Aopen CD-948E/KU (48X) IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Created On: 2001-11-21 13:27:29-05

Modified On: 2001-11-21 13:27:29-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 3907

Detail Notes: Make: Adaptec

Model: AHA-7899 Onboard

Kernel Module: aic7xxx

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:27:29-05
Modified On: 2001-11-21 13:27:29-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 3907
Detail Notes: Make: IBM
Model: DDYS-T18350
Capacity: 18.3GB
Speed: 160Mb/s, 10K RPM
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Created On: 2001-11-21 13:27:29-05
Modified On: 2001-11-21 13:27:29-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 3907
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Created On: 2001-11-21 13:27:29-05
Modified On: 2001-11-21 13:27:29-05

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 3907
Detail Notes: Make: IBM
Model: DDYS-318350
Capacity: 18.3GB
Speed: 160Mb/s, 10K RPM
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Created On: 2001-11-21 13:27:29-05
Modified On: 2001-11-21 13:27:29-05

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 3907
Detail Notes: Onboard Reliance CNB20HE IDE Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:27:30-05

Modified On: 2001-11-21 13:27:30-05

Additional Certification Notes

No additional certification notes provided

2.20.2. SuperGenius SG9100ME Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153781>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3910

Detail Notes: XFree86 3.3.6 Server: XF86_SVGA

Chipset: Intel i810 Integrated Video

NOTE: Please see this page for more information on how to configure XFree86 on this chipset.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:27:30-05

Modified On: 2001-11-21 13:27:30-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 3910

Detail Notes: Internal 52x IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:30-05
Modified On: 2001-11-21 13:27:30-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 3910
Detail Notes: Chipset: Integrated Intel i810 IDE Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:27:30-05
Modified On: 2001-11-21 13:27:30-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 3910
Detail Notes: Make: Intel
Model: Pentium III Coppermine
Speed: 667MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:27:30-05
Modified On: 2001-11-21 13:27:30-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 3910
Detail Notes: Make: Seagate
Model: ST310212A
Interface: IDE
Capacity: 10.2GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Created On: 2001-11-21 13:27:30-05
Modified On: 2001-11-21 13:27:30-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 3910
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Created On: 2001-11-21 13:27:31-05
Modified On: 2001-11-21 13:27:31-05

Detail 7:
Ease of Install: 4

Status: Compatible
Hardware Id: 3910
Detail Notes: 32MB PC-133 SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Created On: 2001-11-21 13:27:31-05
Modified On: 2001-11-21 13:27:31-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 3910
Detail Notes: Intel i810E-based Motherboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Created On: 2001-11-21 13:27:31-05
Modified On: 2001-11-21 13:27:31-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 3910
Detail Notes: Chipset: Realtek RTL-8139
Kernel Module: rtl8139
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:31-05
Modified On: 2001-11-21 13:27:31-05

Additional Certification Notes

No additional certification notes provided

2.20.3. SuperGenius SG9133MV Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153782>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3911

Detail Notes: XFree86 3.3.6 Server: XF86_Mach64

Chipset: ATI 3D Rage Pro

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:27:31-05

Modified On: 2001-11-21 13:27:31-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 3911

Detail Notes: Internal 48x IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Created On: 2001-11-21 13:27:31-05

Modified On: 2001-11-21 13:27:31-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 3911

Detail Notes: Onboard VIA Apollo Pro 133/133A IDE Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Created On: 2001-11-21 13:27:31-05

Modified On: 2001-11-21 13:27:31-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 3911

Detail Notes: Make: Intel

Model: Pentium III Coppermine

Speed: 733MHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Created On: 2001-11-21 13:27:32-05

Modified On: 2001-11-21 13:27:32-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 3911
Detail Notes: Make: Seagate
Model: ST310212A
Interface: IDE
Capacity: 10.2GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 3911
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 3911
Detail Notes: 128MB PC133 SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 3911
Detail Notes: VIA Apollo Pro 133A based motherboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 3911
Detail Notes: Controller: Realtek RTL-8139
Kernel Module: rtl8139
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Additional Certification Notes

No additional certification notes provided

2.20.4. SuperGenius SG9815E Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153783>

Summary

- *Version:* 2.1
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3912

Detail Notes: XFree86 3.3.6 Server: N/A

XFree86 4.0.1 Driver: i810

Chipset: Intel i815E Integrated Video

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:27:32-05

Modified On: 2001-11-21 13:27:32-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 3912

Detail Notes: Internal 48x IDE CD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 3912
Detail Notes: Chipset: Integrated Intel i815E IDE Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 3912
Detail Notes: Make: Intel
Model: Pentium III Coppermine
Speed: 1GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 3912
Detail Notes: Make: Seagate
Model: ST320423A
Interface: IDE
Capacity: 20.4GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 3912
Detail Notes: Standard 3.5 1.44MB Floppy Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Created On: 2001-11-21 13:27:32-05
Modified On: 2001-11-21 13:27:32-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 3912
Detail Notes: 256MB PC-133 SDRAM

Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Created On: 2001-11-21 13:27:32-05
 Modified On: 2001-11-21 13:27:32-05

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3912
 Detail Notes: Intel i815E-based Motherboard
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Created On: 2001-11-21 13:27:32-05
 Modified On: 2001-11-21 13:27:32-05

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3912
 Detail Notes: Chipset: Realtek RTL-8139

 Kernel Module: rtl8139
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Created On: 2001-11-21 13:27:33-05
 Modified On: 2001-11-21 13:27:33-05

Additional Certification Notes

No additional certification notes provided

2.21. Zenith Computers Limited

2.21.1. Zenith Computers Limited Zenith Data Server Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148115>

Summary

- *Version:* 2.1
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2003-04-23 06:25:26-04
Returned On: mm-dd-yy
Last Touched On: 2003-04-23 06:34:28-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: ATI Rage (8MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-04-23 06:25:41-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: Samsung 52X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-04-23 06:26:11-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: Adaptec 19160 Ultra 160 SCSI Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-04-23 06:26:46-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: IBM Ultrastor Ultra 160 SCSI 36.4 GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-04-23 06:27:21-04

Detail 5:

Ease of Install: 4

Status: Compatible
Hardware Id: 5027
Detail Notes: Panasonic 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-04-23 06:27:52-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: 256 MB DDR 266 ECC SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-04-23 06:28:27-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: S845WD1-E Intel Original Server Board
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-04-23 06:29:16-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: Dual Intel Pro 10/100 Server (82557)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-04-23 06:30:00-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: HP C1554C DAT (12/24 GB)
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-04-23 06:30:37-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5027
Detail Notes: Intel Pentium 4 2.4GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-04-23 06:33:49-04

Additional Certification Notes

No additional certification notes provided

Red Hat Enterprise Linux 2.1 Certified Components

3.1. 3Com

3.1.1. 3Com 3C509 (Etherlink III ISA) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153343>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3683
Detail Notes: <FONT SIZE=3>3C509 (EtherLink III)<BR>
Kernel Module: <B>3c509.o</B><BR>
Specifications: 16-bit ISA, Ethernet
- 10BT, 10B2, 10B5 (AUI)(see below)<BR>
<BR>
<BR>
<P>Before installing Red Hat Linux, we
recommend that you use the DOS-based
utility provided by 3Com to disable
the PnP functionality and set the IRQ
and I/O port. This utility are
provided on the shipping drivers disk
(version 6.1 as of 26 July 00).</P>

<A HREF=http://support.3com.com/infodeli/tools/nic/3c509.htm>support.3com.com/infodeli/tools/
nic/3c509.htm</A>
<BR>
<P>A description of the available
options and how to set them can be
found at:</P>

<A HREF=http://www.scyld.com/network/3c509.html>www.scyld.com/network/3c509.html</A>
<BR>
<P>The various 3c509 cards broken down
by interface:<BR>
<BR>

```

```
<TABLE BORDER>
<TR><TD> 3c509</TD><TD>BNC, AUI</TR>
<TR><TD> 3c509-TP</TD><TD>RJ-45, AUI</TR>
<TR><TD> 3c509-TP0</TD><TD>smaller, RJ-45</TR>
<TR><TD> 3c509-TPC</TD><TD>RJ-45, BNC</TR>
<TR><TD> 3c509-COMBO</TD><TD>BNC, AUI, and RJ-45</TR>
</TABLE>
```


These cards are virtually identical except for the interface, all use the same driver, and are all certified compatible.</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Created On: 2001-11-21 13:26:46-05

Modified On: 2001-11-21 13:26:46-05

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7796](#)¹ How do I install Red Hat Enterprise Linux 2.1 when a 3COM 3C509 (Etherlink III ISA) is in the system?

3.1.2. 3Com 3C509B (Etherlink III ISA) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153344>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3684

Detail Notes: 3C509B (EtherLink III)

Kernel Module: 3c509.o

Specifications: 16-bit ISA, Ethernet

- 10BT, 10B2, 10B5 (AUI)(see below)

Before installing Red Hat Linux, we recommend that you use the DOS-based utility provided by 3Com to disable the PnP functionality and set the IRQ and I/O port. This utility are provided on the shipping drivers disk (version 6.1 as of 26 July 00).

support.3com.com/infodeli/tools/nic/3c509.htm

A description of the available options and how to set them can be found at:

www.scyld.com/network/3c509.html

The various 3c509 cards broken down by interface:

<TABLE BORDER>

| | |
|--------|----------|
| 3c509B | BNC, AUI |
|--------|----------|

| | |
|-----------|------------|
| 3c509B-TP | RJ-45, AUI |
|-----------|------------|

| | |
|------------|----------------|
| 3c509B-TP0 | smaller, RJ-45 |
|------------|----------------|

| | |
|------------|------------|
| 3c509B-TPC | RJ-45, BNC |
|------------|------------|

| | |
|--------------|---------------------|
| 3c509B-COMBO | BNC, AUI, and RJ-45 |
|--------------|---------------------|

</TABLE>

These cards are virtually identical except for the interface, all use the same driver, and are all certified compatible.

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Created On: 2001-11-21 13:26:46-05

Modified On: 2001-11-21 13:26:46-05

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7792](#) How do I install Red Hat Enterprise Linux 2.1 when a 3COM 3C509B (Etherlink III ISA) is in the system?

3.1.3. 3Com 3C590 (Etherlink III PCI) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153349>

Summary

- Version: 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7767](#)³ How do I get support for 3Com 3C590 cards?

3.1.4. 3Com 3C595 (Fast Etherlink III 10/100 PCI) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153350>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7765](#)⁴ How do I get support for 3Com 3C595 cards?

3.1.5. 3Com 3C900 (Etherlink XL PCI) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153351>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3691
Detail Notes: <FONT SIZE=3>3C900 (Etherlink XL PCI, Boomerang)<BR>
Kernel Module: <B>3c59x.o</B><BR>
Specifications: 32-bit PCI, Ethernet 10/100BT<BR>
<BR>
<BR>
<P>A second generation 3C590-family card. You may see this card as the 3C900-TP0 (RJ-45) or
the 3C900-COMBO (BNC, AUI, RJ-45). All versions of the card use the same driver..</P>
<A HREF=http://support.3com.com/infodeli/tools/nic/3c900.htm>support.3com.com/infodeli/tools/
nic/3c900.htm</A>
<BR>
<P>A description of the available
options and how to set them can be
found at:</P>

<A HREF=http://www.scyld.com/network/vortex.html>www.scyld.com/network/vortex.html</A>
<BR>
<P>Note that this card is <B><I>not</I></B> supported by the 3Com 3c90x.o driver.<BR>
</FONT>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:47-05
Modified On: 2001-11-21 13:26:47-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3691
Detail Notes: Insert product description here.
[make/model]
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:47-05
Modified On: 2001-11-21 13:26:47-05

```

Additional Certification Notes

No additional certification notes provided

3.1.6. 3Com 3C900B (Etherlink XL PCI) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153352>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7772](#)⁵ How do I get support for 3Com 3C900B cards?

3.1.7. 3Com 3C905 (Fast Etherlink XL PCI 10/100, 3C905-TX) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153353>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7763](#)⁶ How do I get support for 3Com 3C905C, 3Com 3C905B and 3Com 3C905 cards?

3.1.8. 3Com 3C905B (Fast Etherlink XL PCI 10/100, 3C905B-TX) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153354>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7763](#)⁷ How do I get support for 3Com 3C905C, 3Com 3C905B and 3Com 3C905 cards?

3.1.9. 3Com 3C905C (Fast Etherlink XL PCI 10/100, 3C905C-TX) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153355>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7763](#)⁸ How do I get support for 3Com 3C905C, 3Com 3C905B and 3Com 3C905 cards?

3.2. 3DVision

3.2.1. 3DVision i740 AGP Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153437>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3794  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3 Driver:</b> i740<br>  
<b>Card Chipset:</b> Intel i740  
Component Class: 2D Video Adapter  
Component Test: Must complete an installation, either graphical or text.  
Must pass the rhr-core tests.  
Must pass the rhr-dd_x test @ each available color depth.  
Component Notes: 24 bpp testing is not required if 32 bpp is available.  
3D is not tested at this time.  
Created On: 2001-11-21 13:27:08-05  
Modified On: 2001-11-21 13:27:08-05
```

Additional Certification Notes

No additional certification notes provided

3.3. 3Ware

3.3.1. 3Ware 5xxx/6xxx Series ATA-RAID Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153524>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3917
 Detail Notes: Kernel Module: 3w-xxxx.o
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Created On: 2001-11-21 13:27:35-05
 Modified On: 2001-11-21 13:27:35-05

Additional Certification Notes

No additional certification notes provided

3.4. A-Trend

3.4.1. A-Trend 3DIO740 (ATC-2740) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153467>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3824
 Detail Notes: XFree86 3.3.6 Server: XF86_SVGA

 XFree86 4.0.3 Driver: i740

 Card Chipset: Intel i740
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Created On: 2001-11-21 13:27:14-05
 Modified On: 2001-11-21 13:27:14-05

Additional Certification Notes

No additional certification notes provided

3.5. Abit

3.5.1. Abit G740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153439>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3796
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> i740<br>
<b>Card Chipset:</b> Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:08-05
Modified On: 2001-11-21 13:27:08-05
```

Additional Certification Notes

No additional certification notes provided

3.6. AccelStar

3.6.1. AccelStar Permedia II Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153463>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3820
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_3dlabs<br>
<b>XFree86 4.0.3-5 Driver:</b> glint<br>
<b>Card Chipset:</b> 3D Labs Permedia 2
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05
```

Additional Certification Notes

No additional certification notes provided

3.7. Acer Inc.

3.7.1. Acer Inc. Acer Notebook Sound Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153380>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3732  
Detail Notes: <b>Sound Module:</b> sb  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:26:57-05  
Modified On: 2001-11-21 13:26:57-05
```

Additional Certification Notes

No additional certification notes provided

3.8. Acorp

3.8.1. Acorp AGP i740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153464>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3821  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3-5 Driver:</b> i740<br>  
<b>Card Chipset:</b> Intel i740  
Component Class: 2D Video Adapter
```


Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05

Additional Certification Notes

No additional certification notes provided

3.9. Adaptec

3.9.1. Adaptec 29160 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153537>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2002-07-09 18:44:24-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4048
Detail Notes: 29160

Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:54:11-04

Additional Certification Notes

No additional certification notes provided

3.9.2. Adaptec 29160LP Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153538>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2002-07-09 18:45:00-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4049
Detail Notes: 29160LP<br>
<br>
Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:54:30-04
```

Additional Certification Notes

No additional certification notes provided

3.9.3. Adaptec 2940U2W Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153536>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
 Created On: 2002-07-09 18:42:48-04
 Returned On: mm-dd-yy
 Last Touched On: 2002-07-09 18:43:24-04
 Detail 1:
 Ease of Install: 4
 Status: Red Hat Ready
 Hardware Id: 4047
 Detail Notes: 2940U2W

 Approved for Clustering
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2002-07-09 21:53:16-04

Additional Certification Notes

No additional certification notes provided

3.9.4. Adaptec 39160 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153540>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
 Created On: 2002-07-09 18:59:45-04
 Returned On: mm-dd-yy
 Last Touched On: 2002-07-09 19:00:11-04
 Detail 1:
 Ease of Install: 4
 Status: Red Hat Ready
 Hardware Id: 4052
 Detail Notes: 39160

 Approved for Clustering
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:55:00-04

Additional Certification Notes

No additional certification notes provided

3.9.5. Adaptec 3950U2 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153539>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2002-07-09 18:46:02-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4050
Detail Notes: 3950U2

Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:54:43-04

Additional Certification Notes

No additional certification notes provided

3.9.6. Adaptec AHA-1520B Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153326>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3664
Detail Notes: Adaptec AHA-1520B ISA Scsi Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:26:43-05
Modified On: 2001-11-21 13:26:43-05

Additional Certification Notes

No additional certification notes provided

3.9.7. Adaptec (Cogent) EM110 TX (PCI Fast Ethernet, 10/100, ISA, EM110TX-PCI, EM110-PCI-C, EM110TX-ISA, EM110TX-ISA-C) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153374>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7761](#)⁹ How many versions are there of the Adaptec (Cogent) EM110 TX?

3.10. AdLib

3.10.1. AdLib AdLib Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153387>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3739
Detail Notes: <b>Sound Module:</b> adlib_card<br>
This should work with most versions of the original AdLib cards.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:58-05
Modified On: 2001-11-21 13:26:58-05
```

Additional Certification Notes

No additional certification notes provided

3.11. Advance Logic

3.11.1. Advance Logic ALS-007 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153386>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3738  
Detail Notes: <b>Sound Module:</b> sb  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:26:58-05  
Modified On: 2001-11-21 13:26:58-05
```

Additional Certification Notes

No additional certification notes provided

3.11.2. Advance Logic ALS-100 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153388>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3740  
Detail Notes: <b>Sound Module:</b> sb<br>  
This includes both the ALS-100 and the ALS-110.  
Component Class: Digital Audio Adapter
```

Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:58-05
Modified On: 2001-11-21 13:26:58-05

Additional Certification Notes

No additional certification notes provided

3.12. Advansys

3.12.1. Advansys ABP-930/40 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153329>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3669
Detail Notes: Advansys ABP-930/40 PCI Scsi Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:26:43-05
Modified On: 2001-11-21 13:26:43-05

Additional Certification Notes

No additional certification notes provided

3.13. ALi

3.13.1. ALi Various PCI Chipsets Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153383>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3735  
Detail Notes: This includes most of the IDE controller chipsets from ALi, which are integrated  
into your the south bridge chip on your motherboard. Examples include <i>M1641</i>,  
<i>M1631</i>, <i>M1561</i>, <i>M1541</i>, etc.  
Component Class: Controller Card  
Component Test: Must make all required hardware available to the installation program.  
Must pass the rhr-core tests.  
Component Notes: Must pass all tests required for attached hardware.  
Created On: 2001-11-21 13:26:58-05  
Modified On: 2001-11-21 13:26:58-05
```

Additional Certification Notes

No additional certification notes provided

3.14. AMD

3.14.1. AMD Athlon Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153377>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3725
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:26:56-05
Modified On: 2001-11-21 13:26:56-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3725
Detail Notes: Insert product description here.
[make/model]
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Created On: 2001-11-21 13:26:56-05
Modified On: 2001-11-21 13:26:56-05
```

Additional Certification Notes

No additional certification notes provided

3.14.2. AMD Athlon (Thunderbird) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153378>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
```

Hardware Id: 3726
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:26:56-05
Modified On: 2001-11-21 13:26:56-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3726
Detail Notes: Insert product description here.
[make/model]
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:56-05
Modified On: 2001-11-21 13:26:56-05

Additional Certification Notes

No additional certification notes provided

3.14.3. AMD Duron (Spitfire) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153379>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3727
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:26:56-05
Modified On: 2001-11-21 13:26:56-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3727
Detail Notes: Asus/A7V
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Created On: 2001-11-21 13:26:56-05
Modified On: 2001-11-21 13:26:56-05

Additional Certification Notes

No additional certification notes provided

3.14.4. AMD Irongate 75x Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153384>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3736
Detail Notes: The IDE controller functionality of both the 750 and 751 chipsets is fully supported by Red Hat Linux 7.
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program. Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:26:58-05
Modified On: 2001-11-21 13:26:58-05

Additional Certification Notes

No additional certification notes provided

3.15. Analog Devices

3.15.1. Analog Devices AD1816 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153385>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3737
Detail Notes: <b>Sound Module:</b> ad1816<br>
The Analog Devices AD1816 chip is used on many boards with many different model names from
many manufacturers, including Acer, HP, Terratech, HighScreen, and others. Most of them
should work fine with this driver.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:58-05
Modified On: 2001-11-21 13:26:58-05
```

Additional Certification Notes

No additional certification notes provided

3.15.2. Analog Devices AD1848 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153390>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3742
Detail Notes: <b>Sound Module:</b> ad1848<br>
This sound chip is used for integrated sound support on many motherboards from many
manufacturers, and on sound cards from an equally large number.<br>Some examples include the
C-Media CMI8330, the Ensoniq SoundScape VIVO, and the Compaq Deskpro XL series.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:59-05
Modified On: 2001-11-21 13:26:59-05
```

Additional Certification Notes

No additional certification notes provided

3.16. AOpen

3.16.1. AOpen PA2010 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153440>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
```

```

Hardware Id: 3797
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> tdfx<br>
<b>Card Chipset:</b> 3Dfx Voodoo Banshee
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:08-05
Modified On: 2001-11-21 13:27:08-05

```

Additional Certification Notes

No additional certification notes provided

3.16.2. AOpen PA45 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153441>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3798
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> SiS 6326
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:09-05
Modified On: 2001-11-21 13:27:09-05

```

Additional Certification Notes

No additional certification notes provided

3.16.3. AOpen PA80/DVD Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153443>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3800
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> SiS 6326
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:09-05
Modified On: 2001-11-21 13:27:09-05
```

Additional Certification Notes

No additional certification notes provided

3.16.4. AOpen PG128 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153444>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3801
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: s3virge
Card Chipset: S3 Trio3D/2X
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:10-05
Modified On: 2001-11-21 13:27:10-05

Additional Certification Notes

No additional certification notes provided

3.16.5. AOpen PG50D/E/V Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153442>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3799
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: None
Card Chipset: SiS 6326

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:09-05
Modified On: 2001-11-21 13:27:09-05

Additional Certification Notes

No additional certification notes provided

3.16.6. AOpen PG975 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153445>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3802
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: trident
Card Chipset: Trident 3Dimage 975
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:10-05
Modified On: 2001-11-21 13:27:10-05

Additional Certification Notes

No additional certification notes provided

3.16.7. AOpen PS3010 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153446>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3803
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA TNT2
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:10-05
Modified On: 2001-11-21 13:27:10-05
```

Additional Certification Notes

No additional certification notes provided

3.16.8. AOpen PT70/5 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153447>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3804
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: s3virge
Card Chipset: S3 ViRGE/DX
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:10-05
Modified On: 2001-11-21 13:27:10-05

Additional Certification Notes

No additional certification notes provided

3.16.9. AOpen PT80 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153448>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3805
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: None
Card Chipset: SiS 6326
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.
Created On: 2001-11-21 13:27:10-05
Modified On: 2001-11-21 13:27:10-05

Additional Certification Notes

No additional certification notes provided

3.17. Apple

3.17.1. Apple Xserve RAID Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153600>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-06 08:44:11-05
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5265
Detail Notes: Dual Independent RAID controllers

Dual 2GB copper Fibre Channel ports

14 hot-swappable ATA-100 Apple Drive Modules

180GB to 2.02TB of storage
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2003-12-18 09:14:53-05

Additional Certification Notes

No additional certification notes provided

3.18. Aristo

3.18.1. Aristo ART-390G Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153466>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3823
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> S3 Savage 3D
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05
```

Additional Certification Notes

No additional certification notes provided

3.18.2. Aristo i740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153465>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3822
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: i740
Card Chipset: Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05

Additional Certification Notes

No additional certification notes provided

3.19. Asus

3.19.1. Asus 3D Explorer Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153449>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4

```
Status: Compatible
Hardware Id: 3806
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA Riva 128
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:11-05
Modified On: 2001-11-21 13:27:11-05
```

Additional Certification Notes

No additional certification notes provided

3.19.2. Asus AGP-V2740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153450>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3807
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> i740<br>
<b>Card Chipset:</b> Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:11-05
Modified On: 2001-11-21 13:27:11-05
```


Additional Certification Notes

No additional certification notes provided

3.19.3. Asus PCI-A/V264CT Component/Peripheral**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153452>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3809
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:11-05
Modified On: 2001-11-21 13:27:11-05
```

Additional Certification Notes

No additional certification notes provided

3.19.4. Asus PCI-A/V264GT Component/Peripheral**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153451>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3808
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Rage II
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:11-05
Modified On: 2001-11-21 13:27:11-05
```

Additional Certification Notes

No additional certification notes provided

3.19.5. Asus Video Magic PCI V864/VT64 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153453>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3810
```

```
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_S3<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> Unknown
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:11-05
Modified On: 2001-11-21 13:27:11-05
```

Additional Certification Notes

No additional certification notes provided

3.20. ATC

3.20.1. ATC 2345C Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153332>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3672
Detail Notes: S3 Virge/DX PCI Video
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:44-05
Modified On: 2001-11-21 13:26:44-05
```

Additional Certification Notes

No additional certification notes provided

3.21. ATI

3.21.1. ATI 3D Pro Turbo / PC2TV Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153335>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3675
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Rage II
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:44-05
Modified On: 2001-11-21 13:26:44-05
```

Additional Certification Notes

No additional certification notes provided

3.21.2. ATI 3D Rage Pro AGP Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153342>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3682
Detail Notes: ATI 3D Rage Pro AGP Video
<ul>
<b>Xserver: </b>XF86_Mach64<br>
<b>Xdriver: </b>ati
</ul>
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:45-05
Modified On: 2001-11-21 13:26:45-05
```

Additional Certification Notes

No additional certification notes provided

3.21.3. ATI 3D Xpression / Xpression+ / Xpression+PC2TV Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153348>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3688

Detail Notes: XFree86 3.3.6 Server: XF86_Mach64

XFree86 4.0.3-5 Driver: ati

Card Chipset: ATI Rage I/II

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:26:46-05

Modified On: 2001-11-21 13:26:46-05

Additional Certification Notes

No additional certification notes provided

3.21.4. ATI All-In-Wonder / All-In-Wonder Pro Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153347>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3687

Detail Notes: XFree86 3.3.6 Server: XF86_Mach64

XFree86 4.0.3-5 Driver: ati

Card Chipset: ATI Rage II/Pro

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:26:46-05

Modified On: 2001-11-21 13:26:46-05

Additional Certification Notes

No additional certification notes provided

3.21.5. ATI Graphics Pro Turbo Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153346>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3686
Detail Notes: XFree86 3.3.6 Server: XF86_Mach64
XFree86 4.0.3-5 Driver: ati
Card Chipset: ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:46-05
Modified On: 2001-11-21 13:26:46-05

Additional Certification Notes

No additional certification notes provided

3.21.6. ATI Graphics Ultra / Pro Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153345>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3685
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:46-05
Modified On: 2001-11-21 13:26:46-05
```

Additional Certification Notes

No additional certification notes provided

3.21.7. ATI Graphics Xpression Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153341>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
```



```
Ease of Install: 4
Status: Compatible
Hardware Id: 3681
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:45-05
Modified On: 2001-11-21 13:26:45-05
```

Additional Certification Notes

No additional certification notes provided

3.21.8. ATI Mach32 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153330>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3670
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach32<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> ATI Mach32
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:44-05
Modified On: 2001-11-21 13:26:44-05
```

Additional Certification Notes

No additional certification notes provided

3.21.9. ATI Mach64 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153454>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3811
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:12-05
Modified On: 2001-11-21 13:27:12-05
```

Additional Certification Notes

No additional certification notes provided

3.21.10. ATI Rage 128/Fury/LT Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153455>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3812
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: r128
Card Chipset: ATI Rage128
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:12-05
Modified On: 2001-11-21 13:27:12-05

Additional Certification Notes

No additional certification notes provided

3.21.11. ATI Rage II/II+DVD Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153331>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 3671
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:44-05
Modified On: 2001-11-21 13:26:44-05
```

Additional Certification Notes

No additional certification notes provided

3.21.12. ATI Rage Mobility Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153456>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3813
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Rage Mobility
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:12-05
Modified On: 2001-11-21 13:27:12-05
```

Additional Certification Notes

No additional certification notes provided

3.21.13. ATI Rage Pro Turbo Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153337>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3677
Detail Notes: ATI Rage Pro Turbo AGP Video
<ul>
<b>Xserver: </b>XF86_Mach64</br>
<b>Xdriver: </b>ati</br>
</ul>
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:45-05
Modified On: 2001-11-21 13:26:45-05
```

Additional Certification Notes

No additional certification notes provided

3.21.14. ATI WinBoost Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153457>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3814
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:12-05
Modified On: 2001-11-21 13:27:12-05
```

Additional Certification Notes

No additional certification notes provided

3.21.15. ATI WinCharger Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153458>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
```

```
Ease of Install: 4
Status: Compatible
Hardware Id: 3815
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:12-05
Modified On: 2001-11-21 13:27:12-05
```

Additional Certification Notes

No additional certification notes provided

3.21.16. ATI WinTurbo Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153459>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3816
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Mach64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:12-05
Modified On: 2001-11-21 13:27:12-05
```

Additional Certification Notes

No additional certification notes provided

3.21.17. ATI Xpert 98 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153460>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3817
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_Mach64<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Rage Pro
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05
```

Additional Certification Notes

No additional certification notes provided

3.21.18. ATI Xpert 99/128 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153461>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3818
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> r128<br>
<b>Card Chipset:</b> ATI Rage 128
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05
```

Additional Certification Notes

No additional certification notes provided

3.21.19. ATI Xpert@Work/@Play/@Play 98 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153462>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
```

```
Ease of Install: 4
Status: Compatible
Hardware Id: 3819
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> ati<br>
<b>Card Chipset:</b> ATI Rage Pro
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:13-05
Modified On: 2001-11-21 13:27:13-05
```

Additional Certification Notes

No additional certification notes provided

3.22. Aztec

3.22.1. Aztec CDA268-01A Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153430>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3787
Detail Notes: Aztec/CDA268-01A
This model and the following modules all use the aztcd.o module:
Orchid CD-3110, Okano/Wearnes CDD110, Conrad TXC, CyCDROM CD250/CD540
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:06-05
```

Modified On: 2001-11-21 13:27:06-05

Additional Certification Notes

No additional certification notes provided

3.23. Aztech

3.23.1. Aztech Sound Galaxy Waverider Pro 32-3D Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153389>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3741
Detail Notes: Sound Module: sgalaxy
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:58-05
Modified On: 2001-11-21 13:26:58-05

Additional Certification Notes

No additional certification notes provided

3.24. BusLogic

3.24.1. BusLogic BT-946C Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153325>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3663
Detail Notes: PCI SCSI Controller (BA80C30 Chipset)
<ul>
<b>Kernel Module: </b>buslogic.o
</ul>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:26:42-05
Modified On: 2001-11-21 13:26:42-05
```

Additional Certification Notes

No additional certification notes provided

3.25. C-Media

3.25.1. C-Media CMI8x38 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153391>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3743
Detail Notes: Sound Module: cmpci

This includes both the CMI8338 and the CMI8738.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:59-05
Modified On: 2001-11-21 13:26:59-05

Additional Certification Notes

No additional certification notes provided

3.26. Certance

3.26.1. Certance CD72, CD72LWE, CD72LW1U, CD144LW1U Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153599>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2003-12-17 14:31:50-05
Detail 1:
Ease of Install: 4

Status: Compatible
Hardware Id: 5261
Detail Notes: CD72, CD72LWE, CD72LW1U, CD144LW1U Tape Drives
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-12-17 14:31:39-05

Additional Certification Notes

No additional certification notes provided

3.26.2. Certance CL 400H - LTO Ultrium 2 Half-Height Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153642>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2004-12-07 12:26:54-05
Returned On: mm-dd-yy
Last Touched On: 2004-12-07 12:28:10-05
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5950
Detail Notes: Certance CL 400H - LTO Ultrium 2 Half-Height

kernel module: st.o

Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2004-12-07 12:27:59-05

Additional Certification Notes

No additional certification notes provided

3.26.3. Certance DAT432 Autoloader, CDL 432 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153634>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2004-09-08 13:00:53-04
Detail 1:
Status: Compatible
Hardware Id: 5709
Detail Notes: DDS4 6-tape autoloader
<p>
<font size=-1><b>NOTE:</b>Tapes are manually changed through front panel controls
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2004-09-07 17:09:26-04
```

Additional Certification Notes

No additional certification notes provided

3.26.4. CL800 CL110x-SS Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=154257>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

3.27. Chaintech

3.27.1. Chaintech Desperado 3F10 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153468>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3825
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> tdfx<br>
<b>Card Chipset:</b> 3Dfx Voodoo Banshee
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:14-05
Modified On: 2001-11-21 13:27:14-05
```

Additional Certification Notes

No additional certification notes provided

3.27.2. Chaintech Desperado RI20 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153469>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3826
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA Riva 128ZX
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:14-05
Modified On: 2001-11-21 13:27:14-05
```

Additional Certification Notes

No additional certification notes provided

3.27.3. Chaintech Desperado RI30 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153470>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3827
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA TNT
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:14-05
Modified On: 2001-11-21 13:27:14-05
```

Additional Certification Notes

No additional certification notes provided

3.27.4. Chaintech Desperado RI40/41 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153471>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3828
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA TNT2
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:14-05
```

Modified On: 2001-11-21 13:27:14-05

Additional Certification Notes

No additional certification notes provided

3.27.5. Chaintech Desperado RI50 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153472>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3829
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: nv
Card Chipset: NVIDIA TNT2 Vanta
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:14-05
Modified On: 2001-11-21 13:27:14-05

Additional Certification Notes

No additional certification notes provided

3.27.6. Chaintech Desperado SI21/31 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153474>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3831  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3-5 Driver:</b> None<br>  
<b>Card Chipset:</b> SiS 6326  
Component Class: 2D Video Adapter  
Component Test: Must complete an installation, either graphical or text.  
Must pass the rhr-core tests.  
Must pass the rhr-dd_x test @ each available color depth.  
Component Notes: 24 bpp testing is not required if 32 bpp is available.  
3D is not tested at this time.  
Created On: 2001-11-21 13:27:15-05  
Modified On: 2001-11-21 13:27:15-05
```

Additional Certification Notes

No additional certification notes provided

3.27.7. Chaintech RI60 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153473>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4
```

```

Status: Compatible
Hardware Id: 3830
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA TNT2-M64
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:14-05
Modified On: 2001-11-21 13:27:14-05

```

Additional Certification Notes

No additional certification notes provided

3.27.8. Chaintech Tornado I7000 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153475>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3832
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> i740<br>
<b>Card Chipset:</b> Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:15-05
Modified On: 2001-11-21 13:27:15-05

```

Additional Certification Notes

No additional certification notes provided

3.27.9. Chaintech Tornado S6000 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153476>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3833
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> SiS 6326
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:15-05
Modified On: 2001-11-21 13:27:15-05
```

Additional Certification Notes

No additional certification notes provided

3.28. Chips & Technologies

3.28.1. Chips & Technologies CT64xxx Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153477>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3834
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: None
Card Chipset: CT64200, CT64300
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:15-05
Modified On: 2001-11-21 13:27:15-05

Additional Certification Notes

No additional certification notes provided

3.28.2. Chips & Technologies CT65xxx Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153478>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible

```
Hardware Id: 3835
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> chips<br>
<b>Card Chipset:</b> CT65520, CT65530, CT65535, etc.
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:15-05
Modified On: 2001-11-21 13:27:15-05
```

Additional Certification Notes

No additional certification notes provided

3.29. Creative Labs

3.29.1. Creative Labs 3D Blaster PCI Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153479>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3836
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> rendition<br>
<b>Card Chipset:</b> Rendition Verite
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:15-05
Modified On: 2001-11-21 13:27:15-05
```


Additional Certification Notes

No additional certification notes provided

3.29.2. Creative Labs Blaster Extreme Component/Peripheral**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153480>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3837
Detail Notes: XFree86 3.3.6 Server: XF86_3dlabs
XFree86 4.0.3-5 Driver: glint
Card Chipset: 3D Labs Permedia 2
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:15-05
Modified On: 2001-11-21 13:27:15-05

Additional Certification Notes

No additional certification notes provided

3.29.3. Creative Labs Graphics Blaster 3D Component/Peripheral**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153481>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3838  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3-5 Driver:</b> cirrus<br>  
<b>Card Chipset:</b> Cirrus Logic GD5464  
Component Class: 2D Video Adapter  
Component Test: Must complete an installation, either graphical or text.  
Must pass the rhr-core tests.  
Must pass the rhr-dd_x test @ each available color depth.  
Component Notes: 24 bpp testing is not required if 32 bpp is available.  
3D is not tested at this time.  
Created On: 2001-11-21 13:27:16-05  
Modified On: 2001-11-21 13:27:16-05
```

Additional Certification Notes

No additional certification notes provided

3.29.4. Creative Labs Graphics Blaster MA201/202 Component/ Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153482>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3839
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: cirrus
Card Chipset: Cirrus Logic GD5446
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:16-05
Modified On: 2001-11-21 13:27:16-05

Additional Certification Notes

No additional certification notes provided

3.29.5. Creative Labs Sound Blaster - CT1350B Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153333>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3673
Detail Notes: Sound Blaster (original 8bit) sound card.
Model: CT1350B
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:44-05
Modified On: 2001-11-21 13:26:44-05

Additional Certification Notes

No additional certification notes provided

3.29.6. Creative Labs Sound Blaster 16 - CT2290 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153334>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3674  
Detail Notes: Sound Blast 16 Sound Card.  
Model: CT2290  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:26:44-05  
Modified On: 2001-11-21 13:26:44-05
```

Additional Certification Notes

No additional certification notes provided

3.29.7. Creative Labs Sound Blaster 32 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153416>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3768
Detail Notes: <b>Sound Module:</b> sb<br>
Uses the awe_wave module for MIDI playback. <i>Only</i> works with official Creative Sound
Blaster 32 boards. Read /usr/src/linux/Documentation/AWE32 for more info on using this card
under Linux.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:03-05
Modified On: 2001-11-21 13:27:03-05
```

Additional Certification Notes

No additional certification notes provided

3.29.8. Creative Labs Sound Blaster AWE32 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153417>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3769
Detail Notes: <b>Sound Module:</b> sb<br>
```

Uses the `awe_wave` module for MIDI playback. *Only* works with official Creative Sound Blaster AWE32 boards. Read `/usr/src/linux/Documentation/AWE32` for more info on using this card under Linux.

Component Class: Digital Audio Adapter

Component Test: Must pass the `rh-r-core` tests.

Must pass the `rh-r-audio` tests.

Component Notes: None

Created On: 2001-11-21 13:27:03-05

Modified On: 2001-11-21 13:27:03-05

Additional Certification Notes

No additional certification notes provided

3.29.9. Creative Labs Sound Blaster AWE64 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153418>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7758](#)¹⁰ How does Creative Labs Sound Blaster AWE64 work with Red Hat Enterprise Linux 2.1?

3.29.10. Creative Labs Sound Blaster Live! Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153338>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3678
Detail Notes: Includes Value/MP3+/X-Gamer/Platnum versions<br>
<ul>
<b>Kernel Module: </b>emu10k1.o
</ul>
NOTE: Midi is not supported by use of this module.
<p>
Note on Platnum Versions: The Live!Drive has not been tested for use with Red Hat Linux.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:45-05
Modified On: 2001-11-21 13:26:45-05

```

Additional Certification Notes

No additional certification notes provided

3.30. Creative/Ensoniq

3.30.1. Creative/Ensoniq AudioPCI (ES1371) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153395>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible

```

```
Hardware Id: 3747
Detail Notes: <b>Sound Module:</b> es1371<br>
This is the AudioPCI card manufactured by Creative under the Ensoniq name, utilizing the
ES1371 chip. There have been some reported issues with cards of revision level 7 where the
card simply would not work with this driver.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:59-05
Modified On: 2001-11-21 13:26:59-05
```

Additional Certification Notes

No additional certification notes provided

3.31. Crystal Audio

3.31.1. Crystal Audio SoundFusion (CS46xx Series) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153393>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3745
Detail Notes: <b>Sound Module:</b> cs46xx
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:59-05
Modified On: 2001-11-21 13:26:59-05
```


Additional Certification Notes

No additional certification notes provided

3.32. D-Link

3.32.1. D-Link DFE500-TX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153370>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3711
Detail Notes: Kernel Module: tulip.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:52-05
Modified On: 2001-11-21 13:26:52-05
```

Additional Certification Notes

No additional certification notes provided

3.32.2. D-Link DFE540-TX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153371>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3712  
Detail Notes: Kernel Module: tulip.o  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Created On: 2001-11-21 13:26:52-05  
Modified On: 2001-11-21 13:26:52-05
```

Additional Certification Notes

No additional certification notes provided

3.33. Danpex

3.33.1. Danpex EN9400 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153373>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible
```

```
Hardware Id: 3714
Detail Notes: Kernel Module: tulip.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:53-05
Modified On: 2001-11-21 13:26:53-05
```

Additional Certification Notes

No additional certification notes provided

3.34. Dell

3.34.1. PowerVault 100T DAT72 Component/Peripheral

Original Catalog Posting URL

<http://hardware.redhat.com/show.cgi?id=153628>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

```
Where: Red Hat (Durham, NC USA)
Created On: 2004-08-26 14:40:05-04
Returned On: mm-dd-yy
Last Touched On: 2004-08-26 14:41:45-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 5686
Detail Notes: PowerVault 100T DAT 72
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2004-08-26 14:40:22-04
```

Additional Certification Notes

No additional certification notes provided

3.34.2. PowerVault 110T DLT VS80 Tape Drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153551>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Where: Red Hat (Durham, NC USA)
Created On: 2002-09-04 16:17:36-04
Returned On: mm-dd-yy
Last Touched On: 2002-09-13 21:31:24-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4149
Detail Notes: PowerVault 110T DLT VS80 SCSI Tape Drive
40/80 GB Capacity 3/6MB/sec Throughput
No special driver required
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2002-09-13 21:27:00-04
```

Additional Certification Notes

No additional certification notes provided

3.34.3. PowerVault 110T DLT1 Tape Drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153550>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2002-09-04 16:15:15-04
Returned On: mm-dd-yy
Last Touched On: 2002-09-13 21:30:25-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4147
Detail Notes: PowerVault 110T DLT1 SCSI Tape Drive
40/80 GB Capacity 3/6MB/sec Throughput
No special driver required
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2002-09-13 21:24:36-04

Additional Certification Notes

No additional certification notes provided

3.34.4. PowerVault 110T LTO Tape Drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153549>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2002-09-04 16:11:08-04
Returned On: mm-dd-yy
Last Touched On: 2002-09-13 21:30:55-04
Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 4145
Detail Notes: PowerVault 110T LTO SCSI Tape Drive
100/200 GB Capacity 15/30MB/sec Throughput
No special driver required
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2002-09-13 21:25:35-04

Additional Certification Notes

No additional certification notes provided

3.34.5. PowerVault 122T DLT VS80 Tape Autoloader Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153552>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2002-09-04 16:22:13-04
Returned On: mm-dd-yy
Last Touched On: 2002-09-13 21:31:38-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4151
Detail Notes: PowerVault 122T DLT VS80 SCSI (LUN-based) Tape Autoloader
320/640 GB Capacity (8 cartridges) 3/6MB/sec Throughput
No special driver required
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2002-09-13 21:27:25-04

Additional Certification Notes

No additional certification notes provided

3.34.6. PowerVault 122T LTO Tape Autoloader Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153553>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Where: Red Hat (Durham, NC USA)
Created On: 2002-09-04 16:24:19-04
Returned On: mm-dd-yy
Last Touched On: 2002-09-13 21:31:51-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 4153
Detail Notes: PowerVault 122T LTO SCSI Tape Autoloader
800/1600 GB Capacity (8 cartridges) 15/30MB/sec Throughput
No special driver required
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2002-09-13 21:28:36-04
```

Additional Certification Notes

No additional certification notes provided

3.34.7. PowerVault 122T LTO-2 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153638>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

```
Last Touched On: 2004-09-13 11:49:05-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 5738
Detail Notes: PowerVault 122T LT0-2
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2004-09-13 11:48:30-04
```

Additional Certification Notes

No additional certification notes provided

3.34.8. PowerVault 132T SDLT320 Tape Autoloader Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153558>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-01-07 18:07:51-05
Detail 1:
Status: Compatible
Hardware Id: 4806
Detail Notes: PowerVault 136T SDLT320 Tape Autoloader
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
```


Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-02 19:06:59-05

Additional Certification Notes

No additional certification notes provided

3.34.9. PowerVault 136T LTO TapeLibrary Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153557>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-01-02 18:52:24-05
Detail 1:
Status: Compatible
Hardware Id: 4796
Detail Notes: PowerVault 136T LTO TapeLibrary
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-02 18:52:06-05

Additional Certification Notes

No additional certification notes provided

3.34.10. PowerVault 136T SDLT320 TapeLibrary Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153565>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-01-30 19:07:06-05
Detail 1:
Status: Compatible
Hardware Id: 4867
Detail Notes: PowerVault 136T SDLT320 TapeLibrary
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-30 19:06:38-05
```

Additional Certification Notes

No additional certification notes provided

3.34.11. PowerVault 220S Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153554>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-01-06 15:55:30-05
Detail 1:
Status: Certified
Hardware Id: 4737
Detail Notes: PowerVault 220S
Component Class: Tape Drive
```

Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-03 03:05:57-05

Additional Certification Notes

No additional certification notes provided

3.34.12. PowerVault 220S U320 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153582>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Vendor (Self Certification) - NC,USA
Created On: 2003-05-29 12:59:11-04
Returned On: 05-29-03
Last Touched On: 2003-07-24 10:19:20-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5049
Detail Notes: Storage Enclosure: PowerVault 220S U320
This has tested with 14 SCSI HDDs
Component Class: Removable Storage Device
Component Test: Must pass the rhr-core tests.
Must pass the rhr-remdisk test.
Component Notes: The device is not required to be bootable or available during install.
Modified On: 2003-07-24 10:18:59-04

Additional Certification Notes

No additional certification notes provided

3.35. Diamond

3.35.1. Diamond Edge 3D Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153483>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3840
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> NVIDIA NV1
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:16-05
Modified On: 2001-11-21 13:27:16-05
```

Additional Certification Notes

No additional certification notes provided

3.35.2. Diamond FireGL 1000/1000 Pro/3000 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153484>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3841
 Detail Notes: XFree86 3.3.6 Server: XF86_3dlabs

 XFree86 4.0.3-5 Driver: glint

 Card Chipset: 3D Labs Permedia 2
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Created On: 2001-11-21 13:27:16-05
 Modified On: 2001-11-21 13:27:16-05

Additional Certification Notes

No additional certification notes provided

3.35.3. Diamond Monster Fusion Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153485>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3842
 Detail Notes: XFree86 3.3.6 Server: XF86_SVGA

 XFree86 4.0.3-5 Driver: tdfx

 Card Chipset: 3Dfx Voodoo Banshee
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Created On: 2001-11-21 13:27:16-05

Modified On: 2001-11-21 13:27:16-05

Additional Certification Notes

No additional certification notes provided

3.35.4. Diamond Speedstar 24 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153489>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3845
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: cirrus
Card Chipset: Cirrus Logic GD5424
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:17-05
Modified On: 2001-11-21 13:27:17-05

Additional Certification Notes

No additional certification notes provided

3.35.5. Diamond Speedstar A50 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153488>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3844
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: None
Card Chipset: SiS 6326
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:16-05
Modified On: 2001-11-21 13:27:16-05

Additional Certification Notes

No additional certification notes provided

3.35.6. Diamond Stealth 32 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153490>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4

```
Status: Compatible
Hardware Id: 3846
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> S3 928
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:17-05
Modified On: 2001-11-21 13:27:17-05
```

Additional Certification Notes

No additional certification notes provided

3.35.7. Diamond Stealth 3D (2000/2000 Pro/3000) Component/ Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153486>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3843
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> s3virge<BR>
<b>Card Chipset:</b> S3 ViRGE DX/VX
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:16-05
Modified On: 2001-11-21 13:27:16-05
```


Additional Certification Notes

No additional certification notes provided

3.35.8. Diamond Stealth 64 (DRAM/VRAM) Component/Peripheral**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153491>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3847
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: None
Card Chipset: S3 964
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:17-05
Modified On: 2001-11-21 13:27:17-05

Additional Certification Notes

No additional certification notes provided

3.35.9. Diamond Viper Component/Peripheral**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153492>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3848
Detail Notes: <b>XFree86 3.3.6 Server:</b> XFree86_p9000<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> Weitek P9000
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:17-05
Modified On: 2001-11-21 13:27:17-05
```

Additional Certification Notes

No additional certification notes provided

3.35.10. Diamond Viper Pro Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153493>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
```

```

Status: Compatible
Hardware Id: 3849
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> Weitek P9100
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:17-05
Modified On: 2001-11-21 13:27:17-05

```

Additional Certification Notes

No additional certification notes provided

3.35.11. Diamond Viper V330 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153494>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3850
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA Riva 128
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:17-05
Modified On: 2001-11-21 13:27:17-05

```

Additional Certification Notes

No additional certification notes provided

3.35.12. Diamond Viper V550 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153495>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3851
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA TNT
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:18-05
Modified On: 2001-11-21 13:27:18-05
```

Additional Certification Notes

No additional certification notes provided

3.35.13. Diamond Viper V770/V770 Ultra Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153496>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3852
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> nv<br>
<b>Card Chipset:</b> NVIDIA TNT2/TNT2 Ultra
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:18-05
Modified On: 2001-11-21 13:27:18-05

```

Additional Certification Notes

No additional certification notes provided

3.36. Diamond Multimedia

3.36.1. Diamond Multimedia Monster Fusion Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153339>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible

```

Hardware Id: 3679
Detail Notes: Utilizes the 3dfx Voodoo Banshee chipset.

X Server/Driver: 3.3.6: XF86_SVGA 4.0.1: tdfx/glide*<p>
Note: In order to use the glide XFree86 4.0.1 driver, you must have the Glide 2.x libraries installed. These are available seperately from 3dfx and are unsupported by us.
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:45-05
Modified On: 2001-11-21 13:26:45-05

Additional Certification Notes

No additional certification notes provided

3.37. Digital Equipment Corporation

3.37.1. Digital Equipment Corporation DE434 (EtherWorks Turbo PCI TP) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153356>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3696
Detail Notes: Kernel Module: de4x5.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:48-05
Modified On: 2001-11-21 13:26:48-05

Additional Certification Notes

No additional certification notes provided

3.37.2. Digital Equipment Corporation DE435 (EtherWorks Turbo PCI Combo) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153357>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3697
Detail Notes: Kernel Module: de4x5.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:48-05
Modified On: 2001-11-21 13:26:48-05

Additional Certification Notes

No additional certification notes provided

3.37.3. Digital Equipment Corporation DE450 (EtherWorks Turbo PCI 10) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153358>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3698  
Detail Notes: Kernel Module: de4x5.o  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Created On: 2001-11-21 13:26:49-05  
Modified On: 2001-11-21 13:26:49-05
```

Additional Certification Notes

No additional certification notes provided

3.37.4. Digital Equipment Corporation DE500 (Fast EtherWorks PCI 10/100) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153359>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible
```



```
Hardware Id: 3699
Detail Notes: Kernel Module: de4x5.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:49-05
Modified On: 2001-11-21 13:26:49-05
```

Additional Certification Notes

No additional certification notes provided

3.37.5. Digital Equipment Corporation QSILVER Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153372>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3713
Detail Notes: Kernel Module: tulip.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:53-05
Modified On: 2001-11-21 13:26:53-05
```

Additional Certification Notes

No additional certification notes provided

3.38. Dot Hill

3.38.1. Dot Hill SANnet II Storage Systems Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153547>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Where: Red Hat (Durham, NC USA)
Created On: 2002-07-09 19:40:25-04
Returned On: mm-dd-yy
Last Touched On: 2003-10-13 16:32:23-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 4060
Detail Notes: SANnet II Storage Systems<br>
http://www.dothill.com<br>
<br>
Approved for Clustering
Component Class: Removable Storage Device
Component Test: Must pass the rhr-core tests.<br>Must pass the rhr-remdisk test.
Component Notes: The device is not required to be bootable or available during install.
Modified On: 2003-10-13 17:53:17-04
```

Additional Certification Notes

No additional certification notes provided

3.39. Elsa

3.39.1. Elsa GLoria L/MX/XL/XXL Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153498>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3854
 Detail Notes: XFree86 3.3.6 Server: XF86_3dlabs

 XFree86 4.0.3-5 Driver: glint

 Card Chipset: Glint 200TX, Delta+MX, Glint+MX, etc.
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Created On: 2001-11-21 13:27:18-05
 Modified On: 2001-11-21 13:27:18-05

Additional Certification Notes

No additional certification notes provided

3.39.2. Elsa GLoria Synergy Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153497>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4

```
Status: Compatible
Hardware Id: 3853
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_3dlabs<br>
<b>XFree86 4.0.3-5 Driver:</b> glint<br>
<b>Card Chipset:</b> 3D Labs Permedia 2
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:18-05
Modified On: 2001-11-21 13:27:18-05
```

Additional Certification Notes

No additional certification notes provided

3.39.3. Elsa Victory 3D Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153499>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3855
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> s3virge<br>
<b>Card Chipset:</b> S3 ViRGE
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:19-05
Modified On: 2001-11-21 13:27:19-05
```

Additional Certification Notes

No additional certification notes provided

3.39.4. Elsa Winner 1000/AVI/ISA/PRO/TRIO/TRIO-V Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153500>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3856
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_S3<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> S3 928/868/864/Trio64/Trio64V+,etc.
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:19-05
Modified On: 2001-11-21 13:27:19-05
```

Additional Certification Notes

No additional certification notes provided

3.39.5. Elsa Winner 2000/AVI/PRO/PRO-X Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153502>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3858
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_S3<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> S3 928/968/964
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:20-05
Modified On: 2001-11-21 13:27:20-05
```

Additional Certification Notes

No additional certification notes provided

3.39.6. Elsa Winner 2000AVI/3D/30000-L/M/S Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153501>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3857
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
```

```

<b>Card Chipset:</b> S3 ViRGE/VX
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:19-05
Modified On: 2001-11-21 13:27:19-05

```

Additional Certification Notes

No additional certification notes provided

3.40. Emulex

3.40.1. Emulex LP10000, LP10000DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153590>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Where: Red Hat (Durham, NC USA)
Created On: 2003-12-12 15:48:25-05
Returned On: mm-dd-yy
Last Touched On: 2004-01-05 10:21:14-05
Detail 1:
Ease of Install: 3
Status: Compatible
Hardware Id: 5246
Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter<br>

```

```

Red Hat Supported drivers for this device at: http://www.redhat.com/software/drivers/emulex/
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-12 16:41:45-05

```

Additional Certification Notes

No additional certification notes provided

3.40.2. Emulex LP10000, LP10000DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153591>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-05 10:21:49-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5247

Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:44:43-05

Additional Certification Notes

No additional certification notes provided

3.40.3. Emulex LP1050, LP1050DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153604>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

Last Touched On: 2004-01-05 10:50:40-05

Detail 1:

Status: Compatible

Hardware Id: 5289

Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-01-05 10:50:09-05

Additional Certification Notes

No additional certification notes provided

3.40.4. Emulex LP1050,LP1050DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153605>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-05 10:51:45-05

Detail 1:

Status: Compatible

Hardware Id: 5290

Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-01-05 10:51:21-05

Additional Certification Notes

No additional certification notes provided

3.40.5. Emulex LP8000, LP8000DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153596>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-05 10:31:55-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5252

Detail Notes: 1Gb/s Fibre Channel PCI Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:35:55-05

Additional Certification Notes

No additional certification notes provided

3.40.6. Emulex LP8000, LP8000DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153597>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-01-05 10:32:27-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5253

Detail Notes: 16Gb/s Fibre Channel PCI Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:36:11-05

Additional Certification Notes

No additional certification notes provided

3.40.7. Emulex LP9002, LP9002DC, LP9002L Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153594>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-01-05 10:30:07-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5250

Detail Notes: 2Gb/s Fibre Channel PCI Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:32:46-05

Additional Certification Notes

No additional certification notes provided

3.40.8. Emulex LP9002, LP9002DC, LP9002L Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153595>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-05 10:30:53-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5251

Detail Notes: 2Gb/s Fibre Channel PCI Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:33:05-05

Additional Certification Notes

No additional certification notes provided

3.40.9. Emulex LP9402DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153606>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-01-05 10:54:49-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5291

Detail Notes: 2Gb/s Dual Chanel Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>
Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-01-05 10:54:35-05

Additional Certification Notes

No additional certification notes provided

3.40.10. Emulex LP9402DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153607>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-05 10:55:32-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5292

Detail Notes: 2Gb/s Dual Chane1 Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-01-05 10:54:57-05

Additional Certification Notes

No additional certification notes provided

3.40.11. Emulex LP9802, LP9802DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153592>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

Last Touched On: 2004-01-05 10:28:02-05

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5248

Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:28:41-05

Additional Certification Notes

No additional certification notes provided

3.40.12. Emulex LP9802, LP9802DC Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153593>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-01-05 10:27:21-05

Detail 1:

Ease of Install: 3

Status: Compatible

Hardware Id: 5249

Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter

Red Hat Supported drivers for this device at: <http://www.redhat.com/software/drivers/emulex/>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-12 16:43:50-05

Additional Certification Notes

No additional certification notes provided

3.40.13. Emulex LP982 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153602>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2004-01-05 10:44:56-05
Detail 1:
Ease of Install: 3
Status: Compatible
Hardware Id: 5287
Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter<br>

Red Hat Supported drivers for this device at: http://www.redhat.com/software/drivers/emulex/
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-01-05 10:45:22-05
```

Additional Certification Notes

No additional certification notes provided

3.40.14. Emulex LP982 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153603>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* All

Additional Comments

```
Last Touched On: 2004-01-05 10:47:07-05
Detail 1:
Status: Compatible
Hardware Id: 5288
Detail Notes: 2Gb/s Fibre Channel PCI-X Host Bus Adapter<br>

Red Hat Supported drivers for this device at: http://www.redhat.com/software/drivers/emulex/
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-01-05 10:46:28-05
```


Additional Certification Notes

No additional certification notes provided

3.41. Ensoniq

3.41.1. Ensoniq AudioPCI 1370 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153394>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3746
Detail Notes: <b>Sound Module:</b> es1370<br>
This is the original Ensoniq AudioPCI. Creative is currently producing two cards, the Sound
Blaster 64 and the Sound Blaster 128, which are almost identical to the AudioPCI and can use
this driver just fine.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:59-05
Modified On: 2001-11-21 13:26:59-05
```

Additional Certification Notes

No additional certification notes provided

3.41.2. Ensoniq SoundScape Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153396>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3748  
Detail Notes: <b>Sound Module:</b> sscape  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:26:59-05  
Modified On: 2001-11-21 13:26:59-05
```

Additional Certification Notes

No additional certification notes provided

3.41.3. Ensoniq SoundScape VIVO Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153397>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3749  
Detail Notes: <b>Sound Module:</b> ad1848  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.
```

Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:00-05
Modified On: 2001-11-21 13:27:00-05

Additional Certification Notes

No additional certification notes provided

3.42. EONtronics

3.42.1. EONtronics Picasso 740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153503>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3859
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: i740
Card Chipset: Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:20-05
Modified On: 2001-11-21 13:27:20-05

Additional Certification Notes

No additional certification notes provided

3.42.2. EONtronics Van Goh Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153504>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3860
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> i740<br>
<b>Card Chipset:</b> Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:20-05
Modified On: 2001-11-21 13:27:20-05
```

Additional Certification Notes

No additional certification notes provided

3.43. ESS

3.43.1. ESS ESS1868 AudioDrive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153398>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3750
Detail Notes: <b>Sound Module:</b> sb
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:00-05
Modified On: 2001-11-21 13:27:00-05
```

Additional Certification Notes

No additional certification notes provided

3.43.2. ESS Maestro 1, Maestro 2, Maestro 2E Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153399>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3751
Detail Notes: <b>Sound Module:</b> maestro
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:00-05
Modified On: 2001-11-21 13:27:00-05
```

Additional Certification Notes

No additional certification notes provided

3.43.3. ESS Solo 1 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153400>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3752  
Detail Notes: <b>Sound Module:</b> esssolo1  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:00-05  
Modified On: 2001-11-21 13:27:00-05
```

Additional Certification Notes

No additional certification notes provided

3.44. Everex

3.44.1. Everex MVGA i740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153506>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3862
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: i740
Card Chipset: Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:21-05
Modified On: 2001-11-21 13:27:21-05

Additional Certification Notes

No additional certification notes provided

3.45. ExpertColor

3.45.1. ExpertColor S3365 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153507>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3863

Detail Notes: XFree86 3.3.6 Server: XF86_S3

XFree86 4.0.3-5 Driver: None

Card Chipset: S3 Trio64

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:27:21-05

Modified On: 2001-11-21 13:27:21-05

Additional Certification Notes

No additional certification notes provided

3.45.2. ExpertColor SI601A Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153508>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3864

Detail Notes: XFree86 3.3.6 Server: XF86_SVGA

XFree86 4.0.3-5 Driver: None

Card Chipset: SiS 6326

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Created On: 2001-11-21 13:27:21-05

Modified On: 2001-11-21 13:27:21-05

Additional Certification Notes

No additional certification notes provided

3.46. Flagpoint

3.46.1. Flagpoint Shocker i740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153509>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3865
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: i740
Card Chipset: Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:21-05
Modified On: 2001-11-21 13:27:21-05

Additional Certification Notes

No additional certification notes provided

3.47. Gainward

3.47.1. Gainward CardExpert 740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153510>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3866  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3-5 Driver:</b> i740<br>  
<b>Card Chipset:</b> Intel i740  
Component Class: 2D Video Adapter  
Component Test: Must complete an installation, either graphical or text.  
Must pass the rhr-core tests.  
Must pass the rhr-dd_x test @ each available color depth.  
Component Notes: 24 bpp testing is not required if 32 bpp is available.  
3D is not tested at this time.  
Created On: 2001-11-21 13:27:21-05  
Modified On: 2001-11-21 13:27:21-05
```

Additional Certification Notes

No additional certification notes provided

3.48. Generic

3.48.1. Generic Keyboard (USB) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153375>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3716
Detail Notes: Generic USB Keyboard
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:53-05
Modified On: 2001-11-21 13:26:53-05
```

Additional Certification Notes

No additional certification notes provided

3.48.2. Generic Mouse (USB) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153436>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3793
Detail Notes: Generic USB mouse
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into
another category. Items listed in this group are subject to tests as determined by Red Hat,
Inc. Please see the Program Information Pages for more detail.
Created On: 2001-11-21 13:27:08-05
Modified On: 2001-11-21 13:27:08-05
```

Additional Certification Notes

No additional certification notes provided

3.48.3. Generic SCSI CD-Rom Drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153429>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3786
Detail Notes: SCSI/Generic CDRoms
If the SCSI adapter is supported, the CDRom should also work.
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:06-05
Modified On: 2001-11-21 13:27:06-05

Additional Certification Notes

No additional certification notes provided

3.49. Genoa

3.49.1. Genoa Phantom 32/i Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153511>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3867
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> Tseng ET4000 w32/w32i
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:22-05
Modified On: 2001-11-21 13:27:22-05
```

Additional Certification Notes

No additional certification notes provided

3.49.2. Genoa Phantom 64 G2000 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153513>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
```

```
Hardware Id: 3869
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> Arklogic 2000
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:22-05
Modified On: 2001-11-21 13:27:22-05
```

Additional Certification Notes

No additional certification notes provided

3.49.3. Genoa Phantom 64 V2000/V2001/G2001 Component/ Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153512>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3868
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_S3<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> S3 868/765/764
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:22-05
Modified On: 2001-11-21 13:27:22-05
```

Additional Certification Notes

No additional certification notes provided

3.49.4. Genoa Phantom 740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153514>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3870
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> i740<br>
<b>Card Chipset:</b> Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:22-05
Modified On: 2001-11-21 13:27:22-05
```

Additional Certification Notes

No additional certification notes provided

3.50. Gigabyte

3.50.1. Gigabyte Predator i740 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153515>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3871  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3-5 Driver:</b> i740<br>  
<b>Card Chipset:</b> Intel i740  
Component Class: 2D Video Adapter  
Component Test: Must complete an installation, either graphical or text.  
Must pass the rhr-core tests.  
Must pass the rhr-dd_x test @ each available color depth.  
Component Notes: 24 bpp testing is not required if 32 bpp is available.  
3D is not tested at this time.  
Created On: 2001-11-21 13:27:22-05  
Modified On: 2001-11-21 13:27:22-05
```

Additional Certification Notes

No additional certification notes provided

3.51. Goldstar

3.51.1. Goldstar R420 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153427>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments


```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3784
Detail Notes: Goldstart/R420 (GSCD)
Module used is gscd.o. Options include io_port
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:06-05
Modified On: 2001-11-21 13:27:06-05
```

Additional Certification Notes

No additional certification notes provided

3.52. Gravis

3.52.1. Gravis UltraSound Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153401>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3753
Detail Notes: <b>Sound Module:</b> gus
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:00-05
Modified On: 2001-11-21 13:27:00-05
```

Additional Certification Notes

No additional certification notes provided

3.52.2. Gravis UltraSound MAX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153402>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3754  
Detail Notes: <b>Sound Module:</b> gus  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:00-05  
Modified On: 2001-11-21 13:27:00-05
```

Additional Certification Notes

No additional certification notes provided

3.52.3. Gravis UltraSound PnP Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153403>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3755
Detail Notes: Sound Module: gus
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:01-05
Modified On: 2001-11-21 13:27:01-05

Additional Certification Notes

No additional certification notes provided

3.53. Hewlett Packard

3.53.1. Hewlett Packard Deskpro XL Sound Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153392>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3744
Detail Notes: Sound Module: ad1848
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:26:59-05
Modified On: 2001-11-21 13:26:59-05

Additional Certification Notes

No additional certification notes provided

3.53.2. Hewlett Packard HP d220M Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153608>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* x86_64

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2004-03-17 08:30:04-05
Returned On: mm-dd-yy
Last Touched On: 2004-03-17 08:49:58-05
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5370
Detail Notes: <P>Integrated Intel eXtreme Graphics 2<P>
<P>(based on Intel 845G chipset)<P>
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-03-17 08:31:14-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5370
Detail Notes: 48X IDE
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-03-17 08:32:37-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5370
Detail Notes: Intel P4 2.4
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-03-17 08:34:04-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5370

Detail Notes: Integrated Ultra ATA 100

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-03-17 08:35:45-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5370

Detail Notes: SoundMax Digital AC97 Integrated Audio

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-03-17 08:38:03-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5370

Detail Notes: 40GB 5400RPM SMART III Ultra ATA/100

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-03-17 08:39:31-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5370

Detail Notes: 1.44MB Floppy Disk drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-03-17 08:41:52-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5370

Detail Notes: 2 X 256MB 333MHz DDR SDRAM (PC2700)

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-03-17 08:43:37-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5370

Detail Notes: HP OEM certified
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed separately.
Modified On: 2004-03-17 08:45:50-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5370
Detail Notes: Integrated HP 10/100 Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-03-17 08:47:24-05

Additional Certification Notes

No additional certification notes provided

3.53.3. Hewlett Packard HP DAT 72x6 Autoloader Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153621>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-05-14 10:42:05-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 5458
Detail Notes: HP DAT 72x6 Autoloader

Includes drive and changer

Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None

Modified On: 2004-05-14 10:41:37-04

Additional Certification Notes

No additional certification notes provided

3.53.4. Hewlett Packard Modular Smart Array 500 G2 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153622>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-07-26 12:52:43-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 5566
Detail Notes: Tested on ProLiant DL350 G3 With RedHat Advanced Server 2.1
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-07-07 09:55:30-04

Additional Certification Notes

No additional certification notes provided

3.53.5. Hewlett Packard MSA 1000 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153567>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-02-05 16:28:34-05
Detail 1:
Status: Certified
Hardware Id: 4876
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-02-05 16:24:25-05

Additional Certification Notes

No additional certification notes provided

3.53.6. Hewlett Packard QLogic QLA2312 Fibre Channel Adapter Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153626>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-08-31 11:09:55-04
Detail 1:
Ease of Install: 4
Status: Certified

Hardware Id: 5662
Detail Notes: Tested on ProLiant BL30p G1 With RedHat Advanced Server 2.1
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-10 11:15:39-04

Additional Certification Notes

No additional certification notes provided

3.53.7. Hewlett Packard RA4100 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153548>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2002-07-09 19:42:26-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4061
Detail Notes: RA4100

<http://www.hp.com>

Approved for Clustering
Component Class: Removable Storage Device
Component Test: Must pass the rhr-core tests.
Must pass the rhr-remdisk test.
Component Notes: The device is not required to be bootable or available during install.
Modified On: 2002-07-09 21:57:12-04

Additional Certification Notes

No additional certification notes provided

3.53.8. Hewlett Packard Smart Array 5302 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153573>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-02-17 13:58:26-05
Detail 1:
Status: Certified
Hardware Id: 4929
Detail Notes: Tested on ProLiant ML350 G3 With RedHat AdvancedServer2.1
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-17 13:58:14-05
```

Additional Certification Notes

No additional certification notes provided

3.53.9. Hewlett Packard Smart Array 5312 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153570>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-02-17 14:00:41-05
Detail 1:
Status: Certified
Hardware Id: 4879
Detail Notes: Tested on ProLiant ML350 G3 With RedHat AdvancedServer2.1
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-17 14:00:33-05

Additional Certification Notes

No additional certification notes provided

3.53.10. Hewlett Packard Smart Array SA431 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153568>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-02-18 18:27:10-05
Detail 1:
Status: Certified
Hardware Id: 4877
Detail Notes: Tested on ProLiant ML350 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-02-18 18:27:06-05

Additional Certification Notes

No additional certification notes provided

3.53.11. Hewlett Packard Smart Array SA532 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153569>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-02-17 13:59:28-05
Detail 1:
Status: Certified
Hardware Id: 4878
Detail Notes: Tested on ProLiant ML350 G3 With RedHat AdvancedServer2.1
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-17 13:59:18-05
```

Additional Certification Notes

No additional certification notes provided

3.53.12. Hewlett Packard Smart Array SA642 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153624>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2004-07-26 13:02:09-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 5568
Detail Notes: Tested on ProLiant DL350 G3 With RedHat Advanced Server 2.1
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-07 09:28:19-04

Additional Certification Notes

No additional certification notes provided

3.53.13. Hewlett Packard Storageworks 12/24 GB DAT drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153575>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-06-23 08:55:08-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4976
Detail Notes: Tested in a ProLiant DL560

Vendor: COMPAQ Model: SDT-9000 Rev: 4.30

Type: Sequential-Access ANSI SCSI revision: 02

Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-06-23 08:54:18-04

Additional Certification Notes

No additional certification notes provided

3.53.14. Hewlett Packard StorageWorks 20/40 GB DAT hot plug tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153576>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-03-24 12:13:38-05
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4979
Detail Notes: Tested in a ProLiant DL560<br>

Vendor: COMPAQ      Model: SDT-10000      Rev: 1.16<br>
Type: Sequential-Access      ANSI SCSI revision: 02<br>
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-03-24 12:21:24-05
```

Additional Certification Notes

No additional certification notes provided

3.53.15. Hewlett Packard StorageWorks 20/40 GB DAT tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153574>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-03-24 12:12:33-05
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4975
Detail Notes: Tested in a ProLiant DL560<br>
Vendor: COMPAQ      Model: SDT-10000      Rev: 1.05<br>
Type:  Sequential-Access      ANSI SCSI revision: 02
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-03-24 12:22:11-05
```

Additional Certification Notes

No additional certification notes provided

3.53.16. Hewlett Packard StorageWorks AIT 100GB hot plug tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153581>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-06-10 16:06:36-04
Detail 1:
```

```
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 5026
Detail Notes: Tested in a ProLiant DL560<br>

Vendor: COMPAQ      Model: SDX-700C      Rev: 7.0A <br>
Type: Sequential-Access      ANSI SCSI revision: 02 <br>
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-04-22 16:19:26-04
```

Additional Certification Notes

No additional certification notes provided

3.53.17. Hewlett Packard StorageWorks AIT 100GB tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153584>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-07-01 01:38:23-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5088
Detail Notes: Tested in a ProLiant DL560<br>

  Vendor: COMPAQ      Model: SDX-700C      Rev: 7.05<br>
  Type: Sequential-Access      ANSI SCSI revision: 02
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-07-01 02:12:41-04
```


Additional Certification Notes

No additional certification notes provided

3.53.18. Hewlett Packard Storageworks AIT 35GB LVD Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153564>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-01-14 16:30:56-05
Detail 1:
Status: Certified
Hardware Id: 4827
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-14 16:30:28-05
```

Additional Certification Notes

No additional certification notes provided

3.53.19. Hewlett Packard StorageWorks AIT 35GB LVD hot plug tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153577>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-03-24 12:15:01-05
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4980
Detail Notes: Tested in a ProLiant DL560<br>
Vendor: COMPAQ      Model: SDX-400C      Rev: 3.0D<br>
Type: Sequential-Access      ANSI SCSI revision: 02<br>
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-03-24 12:21:05-05
```

Additional Certification Notes

No additional certification notes provided

3.53.20. Hewlett Packard StorageWorks AIT 50GB hot plug tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153578>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-03-24 12:15:27-05
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4981
Detail Notes: Tested in a ProLiant DL560<br>
```

Vendor: COMPAQ Model: SDX-500C Rev: 1.35

Type: Sequential-Access ANSI SCSI revision: 02

Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-03-24 12:20:26-05

Additional Certification Notes

No additional certification notes provided

3.53.21. Hewlett Packard StorageWorks AIT 50GB tape drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153579>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-03-24 12:16:06-05
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4982
Detail Notes: Tested in a ProLiant DL560

Vendor: COMPAQ Model: SDX-700C Rev: 7.0A

Type: Sequential-Access ANSI SCSI revision: 02

Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-04-22 16:18:44-04

Additional Certification Notes

No additional certification notes provided

3.53.22. Hewlett Packard StorageWorks DAT72 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153580>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-03-24 12:15:42-05
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4983
Detail Notes: Tested in a ProLiant DL560<br>
Vendor: HP          Model: C7438A          Rev: V301<br>
Type: Sequential-Access          ANSI SCSI revision: 03<br>
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-03-24 12:20:10-05
```

Additional Certification Notes

No additional certification notes provided

3.53.23. Hewlett Packard Storageworks DLT 40/80GB Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153572>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

Last Touched On: 2003-02-06 20:28:54-05
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 4882
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-06-23 16:33:22-04

Additional Certification Notes

No additional certification notes provided

3.53.24. Hewlett Packard Storageworks DLT VS 40/80 GB Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153562>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-04-02 12:19:18-05
Detail 1:
Status: Certified
Hardware Id: 4825
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-14 16:29:17-05

Additional Certification Notes

No additional certification notes provided

3.53.25. Hewlett Packard Storageworks Enclosure 4314 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153571>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-02-17 13:57:01-05
Detail 1:
Status: Certified
Hardware Id: 4881
Detail Notes: Tested on ProLiant ML350 G3 With RedHat AdvancedServer2.1
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation **to** from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-02-17 13:56:56-05

Additional Certification Notes

No additional certification notes provided

3.53.26. Hewlett Packard Storageworks SDLT 110/220 GB Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153561>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-01-14 16:29:14-05
Detail 1:
Status: Certified
Hardware Id: 4824
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-14 16:28:56-05

Additional Certification Notes

No additional certification notes provided

3.53.27. Hewlett Packard Storageworks SDLT 160/320 GB Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153560>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-01-14 16:28:51-05
Detail 1:
Status: Certified
Hardware Id: 4823

Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-01-14 16:28:15-05

Additional Certification Notes

No additional certification notes provided

3.53.28. Hewlett Packard Storageworks Ultrium 215 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153589>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-08-15 15:42:47-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5126
Detail Notes: Tested in ProLiant DL560 under Red Hat Enterprise Linux 2.1 AS.

Vendor: HP Model: Ultrium 1-SCSI Rev: N26D

Type: Sequential-Access ANSI SCSI revision: 03
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-08-15 15:42:15-04

Additional Certification Notes

No additional certification notes provided

3.53.29. Hewlett Packard Storageworks Ultrium 230 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153559>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7701](#)¹¹ How do I config a Hewlett Packard Storageworks Ultrium 230 and control tape changer on Red Hat Enterprise Linux 2.1?

3.53.30. Hewlett Packard Storageworks Ultrium 460 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153563>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-01-14 16:30:26-05
Detail 1:
Status: Certified
Hardware Id: 4826
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
```

Component Notes: None
Modified On: 2003-01-14 16:29:58-05

Additional Certification Notes

No additional certification notes provided

3.53.31. Hewlett Packard Surestore DAT 40x6 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153585>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2003-07-01 01:58:06-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5089
Detail Notes: Tested in a ProLiant DL560

Vendor: HP Model: C5713A Rev: H107

Type: Sequential-Access ANSI SCSI revision: 02
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-07-01 01:57:56-04

Additional Certification Notes

No additional certification notes provided

3.53.32. Hewlett Packard Surestore DAT24 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153583>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-07-01 01:33:38-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5087
Detail Notes: Tested in a ProLiant DL560<br>
  Vendor: HP           Model: C1537A           Rev: L812<br>
  Type:   Sequential-Access           ANSI SCSI revision: 02
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-07-01 01:33:52-04
```

Additional Certification Notes

No additional certification notes provided

3.53.33. Hewlett Packard Surestore DAT40 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153586>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-07-01 02:03:00-04
Detail 1:
Ease of Install: 4
Status: Compatible
```

```
Hardware Id: 5090
Detail Notes: Tested in a ProLiant DL560<br>
  Vendor: HP      Model: C5683A      Rev: C111<br>
  Type: Sequential-Access      ANSI SCSI revision: 02
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-07-01 02:02:51-04
```

Additional Certification Notes

No additional certification notes provided

3.53.34. Hewlett Packard Surestore DLT vs80 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153587>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2003-07-01 02:10:45-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5091
Detail Notes: Tested on ProLiant DL360 G3 With RedHat AdvancedServer2.1<br>
  Vendor: BNCHMARK Model: DLT1      Rev: 5032<br>
  Type: Sequential-Access      ANSI SCSI revision: 02
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Modified On: 2003-07-01 02:14:13-04
```

Additional Certification Notes

No additional certification notes provided

3.54. IBM

3.54.1. IBM ServeRAID 4MX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153588>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2003-08-07 17:07:25-04
Returned On: mm-dd-yy
Last Touched On: 2003-08-07 17:08:02-04
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5125
Detail Notes: IBM ServeRAID 4MX
<p>
uses ips driver, requires kernel 2.4.9-e.12 or newer (QU 1)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-08-07 17:07:57-04

Additional Certification Notes

No additional certification notes provided

3.55. IDE

3.55.1. IDE Multidisk Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153431>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3788  
Detail Notes: IDE/Multidisk  
IDE ATAPI-compliant multi-disc CD-ROMs (CD changers or juke-boxes)  
Component Class: CD-ROM Drive  
Component Test: Must be available as an installation medium.  
Must pass the rhr-core tests.  
Must pass the rhr-cdromdata test.  
Component Notes: None  
Created On: 2001-11-21 13:27:07-05  
Modified On: 2001-11-21 13:27:07-05
```

Additional Certification Notes

No additional certification notes provided

3.56. Intel Corporation

3.56.1. Intel Celeron (Original, Celeron A, PPGA) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153528>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
```

```
Ease of Install: 4
Status: Compatible
Hardware Id: 3939
Detail Notes: Multiprocessor systems should be detected as such by the installer and have the
proper kernel installed.
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:26:54-05
Modified On: 2001-11-21 13:26:54-05
```

Additional Certification Notes

No additional certification notes provided

3.56.2. Intel i810/i810E Integrated AC97 Audio Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153532>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3944
Detail Notes: <B>Sound Module:</b> i810_audio<br>
This module <i>may</i> also work with any AC97 compliant audio solution.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:01-05
Modified On: 2001-11-21 13:27:01-05
```

Additional Certification Notes

No additional certification notes provided

3.56.3. Intel i82557 (Ether Express Pro 100) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153534>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3948
Detail Notes: Kernel Module: eeepro100.o<p>
<b>Note</b>: A bug in the eeepro100 driver prevents use of more than one of these cards
simultaneously in one machine. This should not affect situations where the eeepro100 driver is
used by both network cards, but the chipset is different. To determine the chipsets on your
network card, run the <tt>lspci</tt> command.
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:28-05
Modified On: 2001-11-21 13:27:28-05
```

Additional Certification Notes

No additional certification notes provided

3.56.4. Intel i82558 (Ether Express Pro 100) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153533>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3947
Detail Notes: Kernel Module: eeepro100.o<p>
<b>Note</b>: A bug in the eeepro100 driver prevents use of more than one of these cards
simultaneously in one machine. This should not affect situations where the eeepro100 driver is
used by both network cards, but the chipset is different. To determine the chipset on your
network card, run the <tt>lspci</tt> command.
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:28-05
Modified On: 2001-11-21 13:27:28-05

```

Additional Certification Notes

No additional certification notes provided

3.56.5. Intel i82559 (Ether Express Pro 100) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153525>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3933
Detail Notes: Kernel Module: eeepro100.o<p>
<b>Note</b>: A bug in the eeepro100 driver prevents use of more than one of these cards
simultaneously in one machine. This should not affect situations where the e
eepro100 driver is used by both network cards, but the chipset is different. To determine the
chipset on your network card, run the <tt>lspci</tt> command.
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.

```

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Created On: 2001-11-21 13:26:53-05

Modified On: 2001-11-21 13:26:53-05

Additional Certification Notes

No additional certification notes provided

3.56.6. Intel Pentium 4 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153535>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3949

Detail Notes: Pentium 4 CPU

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Created On: 2001-11-21 13:27:30-05

Modified On: 2001-11-21 13:27:30-05

Additional Certification Notes

No additional certification notes provided

3.56.7. Intel Pentium II Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153527>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3938  
Detail Notes: Multiprocessor systems should be detected as such by the installer and have the  
proper kernel installed.  
Component Class: CPU  
Component Test: Must pass the rhr-core tests.  
Must identify properly in /proc/cpuinfo.  
Component Notes: None  
Created On: 2001-11-21 13:26:54-05  
Modified On: 2001-11-21 13:26:54-05
```

Additional Certification Notes

No additional certification notes provided

3.56.8. Intel Pentium II Xeon Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153529>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3940
```

Detail Notes: Multiprocessor systems should be detected as such by the installer and have the proper kernel installed.

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Created On: 2001-11-21 13:26:54-05

Modified On: 2001-11-21 13:26:54-05

Additional Certification Notes

No additional certification notes provided

3.56.9. Intel Pentium III (Original, E Series, B Series, EB Series) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153530>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 3941

Detail Notes: Multiprocessor systems should be detected as such by the installer and have the proper kernel installed.
Some early Pentium III processors had some bugs in the core which the kernel can work around in software.

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Created On: 2001-11-21 13:26:54-05

Modified On: 2001-11-21 13:26:54-05

Additional Certification Notes

No additional certification notes provided

3.56.10. Intel Pentium III Xeon Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153531>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3942
Detail Notes: Multiprocessor systems should be detected as such by the installer and have the
proper kernel installed.
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Created On: 2001-11-21 13:26:55-05
Modified On: 2001-11-21 13:26:55-05
```

Additional Certification Notes

No additional certification notes provided

3.56.11. Intel Pentium Pro Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153526>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3936  
Detail Notes: Multiprocessor systems should be detected as such by the installer and have the  
proper kernel installed.  
Component Class: CPU  
Component Test: Must pass the rhr-core tests.  
Must identify properly in /proc/cpuinfo.  
Component Notes: None  
Created On: 2001-11-21 13:26:54-05  
Modified On: 2001-11-21 13:26:54-05
```

Additional Certification Notes

No additional certification notes provided

3.57. Kingston

3.57.1. Kingston KNE100TX (Fast EtherRx PCI 10/100) Component/ Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153360>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3700  
Detail Notes: Kernel Module: de4x5.o or tulip.o  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Created On: 2001-11-21 13:26:49-05
```

Modified On: 2001-11-21 13:26:49-05

Additional Certification Notes

No additional certification notes provided

3.57.2. Kingston KNE110TX (Fast PCI Ethernet) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153361>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3701
Detail Notes: Kernel Module: tulip.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:49-05
Modified On: 2001-11-21 13:26:49-05

Additional Certification Notes

No additional certification notes provided

3.57.3. Kingston KNE40BT (EtherRx PCI Ethernet) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153364>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3705  
Detail Notes: Kernel Module: tulip.o  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Created On: 2001-11-21 13:26:50-05  
Modified On: 2001-11-21 13:26:50-05
```

Additional Certification Notes

No additional certification notes provided

3.57.4. Kingston KNE40T (EtherRx PCI Ethernet) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153363>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible
```


Hardware Id: 3704
Detail Notes: Kernel Module: tulip.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:50-05
Modified On: 2001-11-21 13:26:50-05

Additional Certification Notes

No additional certification notes provided

3.57.5. Kingston KNECB4TX (Fast EtherRx CardBus 10/100TX Fast Ethernet) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153362>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3703
Detail Notes: Kernel Module: tulip.o (handled by PCMCIA subsystem)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:50-05
Modified On: 2001-11-21 13:26:50-05

Additional Certification Notes

No additional certification notes provided

3.58. Logitech

3.58.1. Logitech SoundMan Games Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153404>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3756
Detail Notes: <b>Sound Module:</b> sb<br>
This is <i>not</i> the SoundMan 16 or the SoundMan Wave the SoundMan 16 uses the Pro Audio
Spectrum Studio 16 module (<b>Sound Module:</b> pas2) and the SoundMan Wave uses the
MediaVision Jazz16 module (<b>Sound Module:</b> sb).
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:01-05
Modified On: 2001-11-21 13:27:01-05
```

Additional Certification Notes

No additional certification notes provided

3.59. LSI Logic

3.59.1. LSI Logic LSI53C1030 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153566>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Last Touched On: 2003-02-05 11:10:35-05
Detail 1:
Status: Certified
Hardware Id: 4875
Detail Notes: <B>Make:</b> LSI Logic<BR>
<B>Model:</b> LSI53C1030<BR><BR>
<B>NOTE:</B> You will need an updated driver diskette from LSI Logic. Get the disk image
here:<BR><BR>

<a href=ftp://ftp.lsil.com/HostAdapterDrivers/linux/Fusion-MPT/2.03.00/2.03.00-disks/
redhat2.1ase-2.03.00.tar.gz>
ftp://ftp.lsil.com/HostAdapterDrivers/linux/Fusion-MPT/2.03.00/2.03.00-disks/
redhat2.1ase-2.03.00.tar.gz</a><br>
<br>
Please view the readme for installation instructions<br>
<a href=ftp://ftp.lsil.com/HostAdapterDrivers/linux/Fusion-MPT/2.03.00/2.03.00-disks/
RedHat_readme.txt>
ftp://ftp.lsil.com/HostAdapterDrivers/linux/Fusion-MPT/2.03.00/2.03.00-disks/
RedHat_readme.txt</a><br>
<br>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-04-11 16:01:53-04

```

Additional Certification Notes

No additional certification notes provided

3.59.2. LSI Logic SYM22915 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153544>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2002-07-09 19:03:46-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4056
Detail Notes: SYM22915<br>
<br>
Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:55:48-04
```

Additional Certification Notes

No additional certification notes provided

3.60. MediaTrix

3.60.1. MediaTrix AudioTrix Pro Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153405>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3757
Detail Notes: <b>Sound Module:</b> trix
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:01-05
```

Modified On: 2001-11-21 13:27:01-05

Additional Certification Notes

No additional certification notes provided

3.61. MediaVision

3.61.1. MediaVision Jazz16 (ProSonic, SoundMan Wave) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153406>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3758
Detail Notes: Sound Module: sb
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:01-05
Modified On: 2001-11-21 13:27:01-05

Additional Certification Notes

No additional certification notes provided

3.62. microSOUND

3.62.1. microSOUND PCM12 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153409>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3761  
Detail Notes: <b>Sound Module:</b> mad16  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:01-05  
Modified On: 2001-11-21 13:27:01-05
```

Additional Certification Notes

No additional certification notes provided

3.63. MKE

3.63.1. MKE LKM-DC4G-5 Tape Drive Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153522>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3914
Detail Notes: <B>Make:</b> MKE<BR>
<B>Model:</b> LKM-DC4G-5 SCSI Tape Drive
<BR><BR>
<B>Notes:</B> This model SCSI tape drive from MKE is branded under the following list of
model numbers. This certification applies to ALL of the listed models below:<BR><BR>

LKM-DC4G-5W1<BR>
LKM-DC4g-5W2 <BR>
LKM-DC4g-7W3 <BR>
LKM-DC4g-5F1 <BR>
LKM-DC4g-3J1 <BR>
LKM-DC4g-5X2 <BR>
LKM-DC4g-7X3 <BR>
LKM-DC4g-5Y1 <BR>
LKM-DC4g-3Y2 <BR>
LKM-DC4g-5M1 <BR>
LKM-DC4g-3M2 <BR>
LKM-DC4g-5H1 <BR>
LKM-DC4g-3H2 <BR>
LKM-DC4g-3 <BR>
LKM-DC4g-4 <BR>
LKM-DC4g-7 <BR><BR>
    <B>The MKE FW Inquiry Data is ARCHIVE Python 06240-XXX8M7E with Dip Switch No. 10 set to
    OFF</B>
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Created On: 2001-11-21 13:27:34-05
Modified On: 2001-11-21 13:27:34-05

```

Additional Certification Notes

No additional certification notes provided

3.63.2. MKE LKM-LC4G-9 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153523>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3915
Detail Notes: Make: MKE SCSI Tape Changer

Model: This Hardware Certification listing applies to all of the following
devices:

MKE LKM-LC4G-7W1

MKE LKM-LC4G-5W2

MKE LKM-LC4G-5W3

MKE LKM-LC4G-9M1

MKE LKM-LC4G-7

MKE LKM-LC4G-9

NOTE: The MKE FW Inquiry Data is ARCHIVE Python 06241-XXX8M7H with Dip Sw. No. 10 set to
OFF
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
Must pass the rhr-tape test.
Component Notes: None
Created On: 2001-11-21 13:27:34-05
Modified On: 2001-11-21 13:27:34-05

Additional Certification Notes

No additional certification notes provided

3.64. NCR

3.64.1. NCR 53c810 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153328>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4

Status: Compatible
Hardware Id: 3667
Detail Notes: NCR 53c810 PCI Scsi Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Created On: 2001-11-21 13:26:43-05
Modified On: 2001-11-21 13:26:43-05

Additional Certification Notes

No additional certification notes provided

3.65. NeoMagic

3.65.1. NeoMagic MagicMedia 256AV Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153410>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3762
Detail Notes: Sound Module: nm256
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:02-05
Modified On: 2001-11-21 13:27:02-05

Additional Certification Notes

No additional certification notes provided

3.66. Netgear

3.66.1. Netgear FA310-TX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153376>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3717  
Detail Notes: Kernel Module: tulip.o  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Created On: 2001-11-21 13:26:53-05  
Modified On: 2001-11-21 13:26:53-05
```

Additional Certification Notes

No additional certification notes provided

3.67. Novell

3.67.1. Novell NE2000 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153517>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3873
Detail Notes: Kernel Module: ne.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:22-05
Modified On: 2001-11-21 13:27:22-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3873
Detail Notes: Insert product description here.
[make/model]
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:23-05
Modified On: 2001-11-21 13:27:23-05
```

Additional Certification Notes

No additional certification notes provided

3.68. Number Nine

3.68.1. Number Nine 928Movie Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153438>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3795
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>
<b>XFree86 4.0.3-5 Driver:</b> None<br>
<b>Card Chipset:</b> S3 928
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:08-05
Modified On: 2001-11-21 13:27:08-05
```

Additional Certification Notes

No additional certification notes provided

3.68.2. Number Nine Imagine 128, Ticket 2 Ride, Revolution 3D and Revolution IV Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153327>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3665
Detail Notes: Number Nine Imagine 128/II/T2R
(Ticket to Ride)
<ul>
Xserver:XF86_i128
```

```

</ul>
<p>
<b>Note</b>: The Imagine 128 has been known to be incompatible in certain cases. A downgrade
of the XF86_i128 is a possible workaround.
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:26:43-05
Modified On: 2001-11-21 13:26:43-05

```

Additional Certification Notes

No additional certification notes provided

3.69. NVIDIA

3.69.1. NVIDIA GeForce2 MX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153521>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3909
Detail Notes: <b>XFree86-4.0.3 Driver:</b> nv
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:30-05
Modified On: 2001-11-21 13:27:30-05

```

Additional Certification Notes

No additional certification notes provided

3.70. OPTi

3.70.1. OPTi MAD16 Pro (82C929, 82C930) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153408>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3760  
Detail Notes: <b>Sound Module:</b> mad16  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:01-05  
Modified On: 2001-11-21 13:27:01-05
```

Additional Certification Notes

No additional certification notes provided

3.70.2. OPTi Mozart/MAD16 (82C928) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153407>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3759
Detail Notes: Sound Module: mad16
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:01-05
Modified On: 2001-11-21 13:27:01-05

Additional Certification Notes

No additional certification notes provided

3.71. Optics

3.71.1. Optics Dolphin Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153432>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3789
Detail Notes: Optics/Dolphin
Optics storage 8000 AT CDROM Dolphin drive Lasermate CR328A
Both use optcd.o module.

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:07-05
Modified On: 2001-11-21 13:27:07-05

Additional Certification Notes

No additional certification notes provided

3.72. Pro Audio Spectrum

3.72.1. Pro Audio Spectrum Studio 16, SoundMan 16 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153413>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3765
Detail Notes: Sound Module: pas2
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:02-05
Modified On: 2001-11-21 13:27:02-05

Additional Certification Notes

No additional certification notes provided

3.73. PSS

3.73.1. PSS Orchid SW32, Cardinal DSP16 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153414>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3766
Detail Notes: <b>Sound Module:</b> pss<br>
This module <i>may</i> work with most cards which use ECHO chips.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:03-05
Modified On: 2001-11-21 13:27:03-05
```

Additional Certification Notes

No additional certification notes provided

3.74. Qlogic

3.74.1. Qlogic QLA1080 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153541>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2002-07-09 19:01:06-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4053
Detail Notes: QLA1080<br>
<br>
Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:55:14-04
```

Additional Certification Notes

No additional certification notes provided

3.74.2. Qlogic QLA12160 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153542>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2002-07-09 19:01:41-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4054
Detail Notes: QLA12160<br>
<br>
```

Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:55:27-04

Additional Certification Notes

No additional certification notes provided

3.74.3. Qlogic QLA2200 (Fibre Channel) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153545>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Last Touched On: 2002-07-09 19:05:09-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4057
Detail Notes: QLA2200 (Fibre Channel)

Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:56:04-04

Additional Certification Notes

No additional certification notes provided

3.75. Quantum

3.75.1. Quantum SDLT220 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153520>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2002-12-05 15:30:33-05
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3908
Detail Notes: Quantum Super DLTtape? incorporates multiple advances in technology, achieving
             huge increases in capacity and transfer speed.
             (Quantum/SDLT)
Component Class: Tape Drive
Component Test: Must pass the rhr-core tests.
               Must pass the rhr-tape test.
Component Notes: None
Created On: 2001-11-21 13:27:30-05
Modified On: 2001-11-21 13:27:30-05
```

Additional Certification Notes

No additional certification notes provided

3.76. Realtek

3.76.1. Realtek RTL8139 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153518>

Summary

- *Version:* 2.1

- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3874
Detail Notes: Kernel Module: 8139too
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:27:23-05
Modified On: 2001-11-21 13:27:23-05

Additional Certification Notes

No additional certification notes provided

3.77. S3

3.77.1. S3 SonicVibes Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153415>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3767
Detail Notes: Sound Module: sonicvibes
Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:03-05
Modified On: 2001-11-21 13:27:03-05

Additional Certification Notes

No additional certification notes provided

3.78. Sanyo

3.78.1. Sanyo H94A Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153433>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7756](#)¹² Does the Sanyo H94A work with Red Hat Enterprise Linux 2.1?

3.79. SiS

3.79.1. SiS Various PCI Chipsets Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153382>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 3734
 Detail Notes: This includes most of the chipsets SiS produces, which include the IDE controller functionality in the south bridge of the chipset. Examples include *<i>600/5595</i>*, *<i>620/5595</i>*, *<I>530/5595</I>*, *<I>5598</I>*, *<I>5591/5595</I>*, *<I>5596/5513</I>*, *<I>5582</I>*, *<I>5571</I>*, *<I>5511</I>*, etc.
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program. Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Created On: 2001-11-21 13:26:57-05
 Modified On: 2001-11-21 13:26:57-05

Additional Certification Notes

No additional certification notes provided

3.80. SMC

3.80.1. SMC 8432 (EtherPower 10 PCI) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153365>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 3706
Detail Notes: Kernel Module: de4x5.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:50-05
Modified On: 2001-11-21 13:26:50-05
```

Additional Certification Notes

No additional certification notes provided

3.80.2. SMC 9332 (EtherPower 10/100 PCI) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153366>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3707
Detail Notes: Kernel Module: de4x5.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:50-05
Modified On: 2001-11-21 13:26:50-05
```

Additional Certification Notes

No additional certification notes provided

3.81. Sony

3.81.1. Sony CDU-3xA Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153434>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3791
Detail Notes: Sony/CDU-3xA
The CDU-31A and 33A use the cdu31a.o module.
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:07-05
Modified On: 2001-11-21 13:27:07-05
```

Additional Certification Notes

No additional certification notes provided

3.81.2. Sony CDU-5xx Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153435>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3792
Detail Notes: Sony/CDU-5xx
Sony CDU-510,515,535, and 531 use the sonycd535.o module.
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Created On: 2001-11-21 13:27:07-05
Modified On: 2001-11-21 13:27:07-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 3792
Detail Notes: Insert product description here.
[make/model]
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:07-05
Modified On: 2001-11-21 13:27:07-05
```

Additional Certification Notes

No additional certification notes provided

3.82. Spacewalker/Shuttle

3.82.1. Spacewalker/Shuttle Hot-158 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153516>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3872
Detail Notes: XFree86 3.3.6 Server: XF86_SVGA
XFree86 4.0.3-5 Driver: i740
Card Chipset: Intel i740
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:22-05
Modified On: 2001-11-21 13:27:22-05

Additional Certification Notes

No additional certification notes provided

3.83. Teac

3.83.1. Teac CD-55A Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153428>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3785
Detail Notes: Teac/CD-55A SuperQuad

```
Yet another sbpcd.o using drive.  
Component Class: CD-ROM Drive  
Component Test: Must be available as an installation medium.  
Must pass the rhr-core tests.  
Must pass the rhr-cdromdata test.  
Component Notes: None  
Created On: 2001-11-21 13:27:06-05  
Modified On: 2001-11-21 13:27:06-05
```

Additional Certification Notes

No additional certification notes provided

3.84. Tekram

3.84.1. Tekram DC390F Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153340>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3680  
Detail Notes: Tekram DC390F PCI Scsi Controller  
Component Class: Controller Card  
Component Test: Must make all required hardware available to the installation program.  
Must pass the rhr-core tests.  
Component Notes: Must pass all tests required for attached hardware.  
Created On: 2001-11-21 13:26:45-05  
Modified On: 2001-11-21 13:26:45-05
```

Additional Certification Notes

No additional certification notes provided

3.84.2. Tekram Ultra2 DC-3902W Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153543>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Last Touched On: 2002-07-09 19:02:59-04
Detail 1:
Ease of Install: 4
Status: Red Hat Ready
Hardware Id: 4055
Detail Notes: Ultra2 DC-3902W<br>
<br>
Approved for Clustering
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2002-07-09 21:55:38-04
```

Additional Certification Notes

No additional certification notes provided

3.85. Trident

3.85.1. Trident 4D-Wave NX/DX Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153419>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral

- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3771  
Detail Notes: <b>Sound Module:</b> trident  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:03-05  
Modified On: 2001-11-21 13:27:03-05
```

Additional Certification Notes

No additional certification notes provided

3.86. Tseng

3.86.1. Tseng ET3000/4000/4000 w32/w32i/6000/6100 Component/ Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153505>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3861  
Detail Notes: <b>XFree86 3.3.6 Server:</b> XF86_SVGA<br>  
<b>XFree86 4.0.3-5 Driver:</b> None<br>  
<b>Card Chipset:</b> Tseng ET3000/4000/4000 w32/w32i/6000/6100
```

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Created On: 2001-11-21 13:27:20-05
Modified On: 2001-11-21 13:27:20-05

Additional Certification Notes

No additional certification notes provided

3.87. Turtle Beach

3.87.1. Turtle Beach MultiSound Classic Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153420>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3772
Detail Notes: Sound Module: msnd_classic
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:04-05
Modified On: 2001-11-21 13:27:04-05

Additional Certification Notes

No additional certification notes provided

3.87.2. Turtle Beach MultiSound Fiji Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153424>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3776  
Detail Notes: <b>Sound Module</b>: msnd_pinnacle  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:04-05  
Modified On: 2001-11-21 13:27:04-05
```

Additional Certification Notes

No additional certification notes provided

3.87.3. Turtle Beach MultiSound Monterey Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153421>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments


```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3773
Detail Notes: <b>Sound Module</b>: msnd_classic
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:04-05
Modified On: 2001-11-21 13:27:04-05
```

Additional Certification Notes

No additional certification notes provided

3.87.4. Turtle Beach MultiSound Pinnacle Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153423>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3775
Detail Notes: <b>Sound Module</b>: msnd_pinnacle
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:04-05
Modified On: 2001-11-21 13:27:04-05
```

Additional Certification Notes

No additional certification notes provided

3.87.5. Turtle Beach MultiSound Tahiti Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153422>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3774  
Detail Notes: <b>Sound Module</b>: msnd_classic  
Component Class: Digital Audio Adapter  
Component Test: Must pass the rhr-core tests.  
Must pass the rhr-audio tests.  
Component Notes: None  
Created On: 2001-11-21 13:27:04-05  
Modified On: 2001-11-21 13:27:04-05
```

Additional Certification Notes

No additional certification notes provided

3.88. Winchester Systems, Inc.

3.88.1. Winchester Systems, Inc. FlashDisk RAID Array Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153546>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Where: Red Hat (Durham, NC USA)
Created On: 2002-07-09 19:37:40-04
Returned On: mm-dd-yy
Last Touched On: 2003-05-13 15:36:48-04
Detail 1:
Ease of Install: 4
Status: Certified
Hardware Id: 4058
Detail Notes: FlashDisk RAID Array

http://www.winsys.com

Approved for Clustering
Component Class: Removable Storage Device
Component Test: Must pass the rhr-core tests.
Must pass the rhr-remdisk test.
Component Notes: The device is not required to be bootable or available during install.
Modified On: 2003-05-13 15:38:12-04

Additional Certification Notes

No additional certification notes provided

3.89. Yamaha

3.89.1. Yamaha OPL3-SA1 Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153411>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3763
Detail Notes: Sound Module: opl3sa
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.

Component Notes: None
Created On: 2001-11-21 13:27:02-05
Modified On: 2001-11-21 13:27:02-05

Additional Certification Notes

No additional certification notes provided

3.89.2. Yamaha OPL3-SA2, OPL3-SA3, OPL3-SAx Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153412>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3764
Detail Notes: Sound Module: opl3sa2
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:02-05
Modified On: 2001-11-21 13:27:02-05

Additional Certification Notes

No additional certification notes provided

3.89.3. Yamaha YMF PCI Audio Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153426>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3778
Detail Notes: Sound Module: ymfsb

This only provides support for legacy Sound Blaster cards.
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Created On: 2001-11-21 13:27:05-05
Modified On: 2001-11-21 13:27:05-05

Additional Certification Notes

No additional certification notes provided

3.90. Zynx

3.90.1. Zynx 312 (EtherArray) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153369>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

Detail 1:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 3710
Detail Notes: Kernel Module: tulip.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:52-05
Modified On: 2001-11-21 13:26:52-05
```

Additional Certification Notes

No additional certification notes provided

3.90.2. Zynx 31[45] Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153367>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 3708
Detail Notes: Kernel Module: de4x5.o
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Created On: 2001-11-21 13:26:51-05
Modified On: 2001-11-21 13:26:51-05
```

Additional Certification Notes

No additional certification notes provided

3.90.3. Zynx 346 (No SROM) Component/Peripheral

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153368>

Summary

- *Version:* 2.1
- *Category:* Component/Peripheral
- *Platforms:* i386

Additional Comments

```
Detail 1:  
Ease of Install: 4  
Status: Compatible  
Hardware Id: 3709  
Detail Notes: Kernel Module: de4x5.o  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Created On: 2001-11-21 13:26:51-05  
Modified On: 2001-11-21 13:26:51-05
```

Additional Certification Notes

No additional certification notes provided
