

Red Hat Enterprise Linux 3

Certified Hardware

Systems and Components - Part I



Red Hat Enterprise Linux 3 Certified Hardware Systems and Components - Part I Edition 1.0

Copyright © 2012 Red Hat, Inc.

The text of and illustrations in this document are licensed by Red Hat under a Creative Commons Attribution–Share Alike 3.0 Unported license ("CC-BY-SA"). An explanation of CC-BY-SA is available at <http://creativecommons.org/licenses/by-sa/3.0/>. In accordance with CC-BY-SA, if you distribute this document or an adaptation of it, you must provide the URL for the original version.

Red Hat, as the licensor of this document, waives the right to enforce, and agrees not to assert, Section 4d of CC-BY-SA to the fullest extent permitted by applicable law.

Red Hat, Red Hat Enterprise Linux, the Shadowman logo, JBoss, MetaMatrix, Fedora, the Infinity Logo, and RHCE are trademarks of Red Hat, Inc., registered in the United States and other countries.

Linux® is the registered trademark of Linus Torvalds in the United States and other countries.

Java® is a registered trademark of Oracle and/or its affiliates.

XFS® is a trademark of Silicon Graphics International Corp. or its subsidiaries in the United States and/or other countries.

All other trademarks are the property of their respective owners.

1801 Varsity Drive
Raleigh, NC 27606-2072 USA
Phone: +1 919 754 3700
Phone: 888 733 4281
Fax: +1 919 754 3701

The Red Hat Enterprise Linux 3 Certified Hardware document provides the archived list of hardware certified for use with Red Hat Enterprise Linux 3.

1. Introduction	1
1.1. About this document	1
1.2. Background	1
2. Red Hat Enterprise Linux 3 Certified Systems	3
2.1. Acer Inc.	3
2.2. Acer India (Pvt) Ltd.	41
2.3. Arima	42
2.4. BPL Telecom Pvt. Ltd.	45
2.5. Bull	52
2.6. Celestica	58
2.7. Cisco	60
2.8. Connoisseur Electronics Pvt Ltd.	61
2.9. Dedicated Computing	70
2.10. Dell	73
2.11. Egenera	207
2.12. Fujitsu	219
2.13. Fujitsu Siemens Computers	258

Introduction

1.1. About this document

Red Hat is making it easier to search the Red Hat Hardware Catalog (<http://hardware.redhat.com>) for currently available hardware by archiving hardware certified on older versions of Red Hat Enterprise Linux. Hardware certified with Red Hat Enterprise Linux 3 is now listed in this file and has been removed from the Hardware Catalog. This file is attached to Knowledgebase article 69958 (<https://access.redhat.com/knowledge/articles/69958>). Accessing archived certification entries in the Hardware Catalog will automatically redirect to Knowledgebase 69958.

1.2. Background

As described on the Red Hat Enterprise Linux Life Cycle page (<https://access.redhat.com/support/policy/updates/errata/>), Red Hat Enterprise Linux 3 reached the end of its regular life cycle (end of Production Phase 3) in October 2010.

Red Hat Enterprise Linux 3 Certified Systems

2.1. Acer Inc.

2.1.1. Acer Inc Altos G530 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=163494>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.1.2. Acer Inc Altos G530 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=163496>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.1.3. Acer Inc. AcerPower Sle- i4 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148295>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-03-17 08:18:05-05

Returned On: mm-dd-yy

Last Touched On: 2004-03-17 08:24:42-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: Onboard Intel DVMT

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-03-17 08:18:20-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: 52X Acer CDROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-03-17 08:19:06-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: P4 3.0GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-03-17 08:19:44-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: 40GB [7200RPM]

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-03-17 08:20:48-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: 1.44MB Floppy Disk Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-03-17 08:21:38-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: 256MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-03-17 08:22:29-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: MX4SG-4DL

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-03-17 08:23:22-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5368

Detail Notes: Onboard Intel

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-03-17 08:24:10-05

Additional Certification Notes

No additional certification notes provided

2.1.4. Acer Inc. Altos G310 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148634>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-11-08 00:50:04-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5862

Detail Notes: nVidia Corporation NV34 [GeForce FX 5200] (rev a1)

XFree86 Version 4.3.0-62.EL

driver = nv

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-11-08 00:52:17-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5862

Detail Notes: Standard ATAPI CD-ROM/52XMAX CD/DVD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-11-08 00:52:31-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5862

Detail Notes: Intel Corp. 82547GI Gigabit Ethernet Controller

kernel module = e1000.o

NOTE: Requires use of Red Hat Enterprise Linux 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-11-08 00:52:58-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5862
Detail Notes: 4 GB

NOTE: ~0.5GB may be reserved by the BIOS as I/O resources
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-11-08 00:53:11-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5862
Detail Notes: Genuine Intel(R) CPU 3.00GHz

Hyperthreading Capable
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-08 00:53:22-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5862
Detail Notes: Seagate Model: ST380011A (80.00 GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-11-08 00:53:35-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5862
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-11-08 00:53:48-05

Additional Certification Notes

No additional certification notes provided

2.1.5. Acer Inc. Altos G310 Mk2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=151454>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Hong Kong (Hong Kong, Hong Kong)

Cpu Name: X86

Created On: 2005-03-18 01:17:48-05

Returned On: 03-10-05

Last Touched On: 2005-03-18 01:17:48-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Detail Notes: Intel Corp. E7221 Integrated Graphics Controller (rev 04)

XFree86 Version 4.3.0-78.EL

driver = vesa

Note: vesa driver is a non accelerated driver

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2005-03-18 01:17:48-05

Detail 2:

Ease of Install: 4

Status: Compatible

Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 10)

kernel module = e100.o

Note: Require uses of RHEL 3 Update 4 Installation Disc

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-03-18 01:17:48-05

Detail 3:

Ease of Install: 4
Status: Compatible
Detail Notes: Genuine Intel(R) CPU 3.40GHz
Hyperthreading Capable
EM64T Capable
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Detail 4:

Ease of Install: 4
Status: Compatible
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Detail 5:

Ease of Install: 4
Status: Compatible
Detail Notes: Standard ATAPI-CD ROM LITE-ON CD-ROM LTN-529S
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Detail 6:

Ease of Install: 4
Status: Compatible
Detail Notes: Intel Corp. 82801FR/FRW (ICH6R/ICH6RW) SATA Controller (rev 03)
kernel module = ata_piix.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-03-18 01:17:48-05

Detail 7:

Ease of Install: 4
Status: Compatible
Detail Notes: Western Digital Model: WD1600JD-22H (160.0 GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Additional Certification Notes

No additional certification notes provided

2.1.6. Acer Inc. Altos G310 Mk2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=151460>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Where: Red Hat Hong Kong (Hong Kong, Hong Kong)

Cpu Name: X86_64

Created On: 2005-03-18 01:17:48-05

Returned On: 03-10-05

Last Touched On: 2005-03-18 01:17:48-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Detail Notes: Intel Corp. E7221 Integrated Graphics Controller (rev 04)

XFree86 Version 4.3.0-78.EL

driver = vesa

Note: vesa driver is a non accelerated driver

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2005-03-18 01:17:48-05

Detail 2:

Ease of Install: 4

Status: Compatible

Detail Notes: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 10)

kernel module = e100.o

Note: Require uses of RHEL 3 Update 4 Installation Disc

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-03-18 01:17:48-05

Detail 3:

Ease of Install: 4

Status: Compatible

Detail Notes: Genuine Intel(R) CPU 3.40GHz
Hyperthreading Capable
EM64T Capable
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Detail 4:
Ease of Install: 4
Status: Compatible
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Detail 5:
Ease of Install: 4
Status: Compatible
Detail Notes: Standard ATAPI-CD ROM LITE-ON CD-ROM LTN-529S
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Detail 6:
Ease of Install: 4
Status: Compatible
Detail Notes: Intel Corp. 82801FR/FRW (ICH6R/ICH6RW) SATA Controller (rev 03)
kernel module = ata_piix.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-03-18 01:17:48-05

Detail 7:
Ease of Install: 4
Status: Compatible
Detail Notes: Western Digital Model: WD1600JD-22H (160.0 GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-03-18 01:17:48-05

Additional Certification Notes

No additional certification notes provided

2.1.7. Acer Inc. Altos G310S Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148680>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-12-07 03:56:03-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-07 04:23:16-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5947

Detail Notes: Ati Rage XL 8 MB

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-07 04:12:39-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5947

Detail Notes: 52X ATAPI

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-07 04:13:05-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5947

Detail Notes: LSI Dual Channel Ultra 320 Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 04:13:29-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5947
Detail Notes: P4 3.0 Ghz CPU(1MB l2 cache, 800 Mhz)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-07 04:13:59-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5947
Detail Notes: 36 GB Ultra 320 SCSI 10k rpm 68 pin X 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-07 04:14:43-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5947
Detail Notes: 1.44MB Floppy Disk Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-07 04:15:32-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5947
Detail Notes: 512 MB Unbuffered ECC Memory
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-07 04:16:43-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5947
Detail Notes: E7210 Master Farm
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-07 04:17:15-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5947

```
Detail Notes: <p>Intel 82547 GBE</p>
<p>Intel 82541 GBE</p>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 04:22:55-05
```

Additional Certification Notes

No additional certification notes provided

2.1.8. Acer Inc. Altos G510S Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148641>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2004-11-09 00:24:25-05
Returned On: mm-dd-yy
Last Touched On: 2004-11-09 01:28:44-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: Ati Rage XL 8 MB
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-11-09 00:24:41-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: 52X ATAPI
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-11-09 00:25:11-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: On board Dual Channel Ultra 320 Adaptec 7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-11-09 00:25:38-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: Intel Xeon 2.8 Ghz (512 kb L2 cache)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-09 00:26:07-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: 36 GB Ultra 320 SCSI 10k rpm 80 pin (x3)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-11-09 00:26:40-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: 1.44 FDD
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-11-09 00:27:38-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5870
Detail Notes: 512 MB PC2100 DDR RAM SDRAM Registered ECC
Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-11-09 00:30:24-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5870

Detail Notes: E7501 Master LS2M

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-11-09 01:27:14-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5870

Detail Notes: 1X Intel 82545 Gbe

1X Intel 82540 Gbe

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-11-09 01:28:20-05

Additional Certification Notes

No additional certification notes provided

2.1.9. Acer Inc. Altos G510S Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148679>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)

Cpu Name: X86

Created On: 2004-12-07 03:06:01-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-07 03:12:25-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5946

Detail Notes: Ati Rage XL 8 MB

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.

Modified On: 2004-12-07 03:06:17-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5946

Detail Notes: 52X ATAPI

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-07 03:06:46-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5946

Detail Notes: On board Dual Channel Ultra 320 Adaptec 7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-07 03:07:46-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5946

Detail Notes: Intel Xeon 2.8 Ghz (512 kb L2 cache)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-07 03:08:21-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5946

Detail Notes: 36 GB Ultra 320 SCSI 10k rpm 80 pin (x3)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-12-07 03:08:52-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5946
Detail Notes: 1.44MB Floppy Disk Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-07 03:10:01-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5946
Detail Notes: 512 MB PC2100 DDR RAM SDRAM Registered ECC
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-07 03:10:30-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5946
Detail Notes: E7501 Master LS2M
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-07 03:10:57-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5946
Detail Notes: <p>Intel 82545 GBE</p>
<p>Intel 82540 GBE</p>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 03:12:03-05

Additional Certification Notes

No additional certification notes provided

2.1.10. Acer Inc. Altos G520 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148657>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-11-24 22:28:47-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5900
Detail Notes: ATI Technologies Inc Rage XL

XFree86 Version 4.3.0-62.EL

driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-11-24 22:20:18-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5900
Detail Notes: Intel(R) Xeon(TM) CPU 2.80GHz

Intel(R) Xeon(TM) CPU 3.60GHz

Hyperthreading Capable

EM64T Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-24 22:24:42-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5900
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-11-24 22:25:20-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5900

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-11-24 22:25:33-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5900

Detail Notes: Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

kernel module = e1000.o

Note: Require uses of RHEL 3 Update 2 Installation Disc

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-11-24 22:25:48-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5900

Detail Notes: Western Digital Model: WDC WD1200JD-00 (120.0GB)

Qty: 2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-11-24 22:26:03-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5900

Detail Notes: Intel Corp. 6300ESB SATA Storage Controller (rev 02)

kernel module = ata_piix.o

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-11-24 22:26:20-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5900

Detail Notes: Standard ATAPI CD-ROM/52XMAX CD/DVD-ROM Drive

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-11-24 22:26:32-05

Additional Certification Notes

No additional certification notes provided

2.1.11. Acer Inc. Altos G520 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148658>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-11-24 22:29:17-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: ATI Technologies Inc Rage XL

XFree86 Version 4.3.0-62.EL

driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-11-24 22:30:01-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: Intel(R) Xeon(TM) CPU 2.80GHz

Intel(R) Xeon(TM) CPU 3.60GHz

Hyperthreading Capable

EM64T Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-24 22:30:09-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-11-24 22:30:17-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-11-24 22:30:24-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

kernel module = e1000.o

Note: Require uses of RHEL 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-11-24 22:30:33-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: Western Digital Model: WDC WD1200JD-00 (120.0GB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-11-24 22:30:42-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5901
Detail Notes: Intel Corp. 6300ESB SATA Storage Controller (rev 02)

kernel module = ata_piix.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-11-24 22:30:50-05

Detail 8:
Ease of Install: 4
Status: Compatible

Hardware Id: 5901
Detail Notes: Standard ATAPI CD-ROM52XMAX CD/DVD-ROM Drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-11-24 22:30:58-05

Additional Certification Notes

No additional certification notes provided

2.1.12. Acer Inc. Altos G710 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148644>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Japan (Tokyo, Japan)
Cpu Name: X86
Created On: 2004-11-12 01:27:26-05
Returned On: 11-10-04
Last Touched On: 2004-11-12 01:27:39-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: ATI Technologies Inc Rage XL (rev 27)

XFree86 Version 4.3.0-68.EL

driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-11-12 01:27:51-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Hyperthreading Capable

EM64T Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-12 01:30:08-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: 8 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-11-12 01:30:38-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: Standard ATAPI-CD ROM LITE-ON CD-ROM LTN-527T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-11-12 01:31:17-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-11-12 01:31:52-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual

Ultra320 SCSI (rev 08)

kernel module = mptscsih.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-11-12 01:32:44-05

Detail 7:

Ease of Install: 4

```

Status: Compatible
Hardware Id: 5873
Detail Notes: IBM Model: IC35L036UCDY10-0 (36.7GB)<br>
Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-11-12 01:33:21-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5873
Detail Notes: Broadcom Corporation NetXtreme BCM5721 Gigabit Ethernet<br> PCI Express (rev
10)<br>
Qty: 2<br>
kernel module = tg3.o<br>
Note: Require uses of RHEL 3 Update 3 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-11-12 01:34:00-05

```

Additional Certification Notes

No additional certification notes provided

2.1.13. Acer Inc. Altos G710 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148645>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-11-12 01:35:27-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5874

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

XFree86 Version 4.3.0-68.EL

driver = ati

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-11-12 01:35:06-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5874

Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Hyperthreading Capable

EM64T Capable

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-11-12 01:35:06-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5874

Detail Notes: 8 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-11-12 01:35:06-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5874

Detail Notes: Standard ATAPI-CD ROM LITE-ON CD-ROM LTN-527T

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-11-12 01:35:06-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5874

Detail Notes: Standard 1.44MB Floppy

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-11-12 01:35:06-05

Detail 6:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5874
 Detail Notes: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual

 Ultra320 SCSI (rev 08)

 kernel module = mptscsih.o
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2004-11-12 01:35:06-05

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5874
 Detail Notes: IBM Model: IC35L036UCDY10-0 (36.7GB)

 Qty: 2
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2004-11-12 01:35:06-05

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5874
 Detail Notes: Broadcom Corporation NetXtreme BCM5721 Gigabit Ethernet
 PCI Express (rev
 10)

 Qty: 2

 kernel module = tg3.o

 Note: Require uses of RHEL 3 Update 3 Installation Disc
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-11-12 01:35:06-05

Additional Certification Notes

No additional certification notes provided

2.1.14. Acer Inc. Altos R310 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148372>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Japan (Tokyo, Japan)
Cpu Name: X86
Created On: 2004-06-03 00:06:03-04
Returned On: 06-03-04
Last Touched On: 2004-06-03 00:06:22-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: ATI Technologies Inc Rage XL

XFree86 Version 4.3.0-62.EL

driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-03 00:08:55-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: Standard ATAPI SR244W1 CD/DVD-ROM Drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-06-03 00:22:04-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: Intel Corp. 6300ESB SATA Storage Controller (rev 02)

kernel module = ata_piix.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-03 00:24:29-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5511

Detail Notes: Intel(R) Pentium(R) 4 CPU 2.40GHz

Hyperthreading Capable
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-03 00:17:16-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: Western Digital Model: WDC WD2000JD-22G (200.00 GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-03 00:27:31-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-03 00:18:21-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: Intel Corp. 82547GI Gigabit Ethernet Controller

kernel module = e1000.o

NOTE: Requires use of Red Hat Enterprise Linux 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-14 22:25:46-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5511
Detail Notes: Intel Corp. 82541GI/PI Gigabit Ethernet Controller

kernel module = e1000.o

NOTE: Requires use of Red Hat Enterprise Linux 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-14 22:26:22-04

Detail 9:
Ease of Install: 4
Status: Compatible

```
Hardware Id: 5511
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-14 22:29:33-04
```

Additional Certification Notes

No additional certification notes provided

2.1.15. Acer Inc. Altos R510 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148730>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

```
Where: Red Hat Japan (Tokyo, Japan)
Cpu Name: X86
Created On: 2004-12-28 20:55:00-05
Returned On: 12-29-04
Last Touched On: 2004-12-28 20:55:24-05
```

Detail Data:

Detail 1:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: ATI Technologies Inc Rage XL (rev 27)<br>
XFree86 Version 4.3.0-68.EL<br>
driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-28 20:55:42-05
```

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

kernel module = e1000.o

Note: Require uses of RHEL 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-28 20:57:24-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

EM64T Capable

Hyperthreading Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-28 20:58:36-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-28 20:59:37-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: Standard ATAPI-CD ROM SR244W1T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-12-28 21:00:34-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-28 21:01:41-05

Detail 7:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: Intel Corp. 6300ESB SATA Storage Controller (rev 02)<br>
kernel module = ata_piix.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-28 21:02:46-05
```

```
Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6014
Detail Notes: Western Digital Model: WDC WD2000JD-22H (200.0GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-28 21:03:31-05
```

Additional Certification Notes

No additional certification notes provided

2.1.16. Acer Inc. Altos R510 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148731>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-12-28 21:05:13-05

Detail Data:

Detail 1:
Ease of Install: 4

Status: Compatible
Hardware Id: 6015
Detail Notes: ATI Technologies Inc Rage XL (rev 27)

XFree86 Version 4.3.0-68.EL

driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-28 21:04:37-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

kernel module = e1000.o

Note: Require uses of RHEL 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-28 21:04:37-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

EM64T Capable

Hyperthreading Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-28 21:04:37-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: 4 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-28 21:04:37-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: Standard ATAPI-CD ROM SR244W1T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-12-28 21:04:37-05

Detail 6:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: Standard 1.44MB Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-28 21:04:37-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: Intel Corp. 6300ESB SATA Storage Controller (rev 02)<br>
kernel module = ata_piix.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-28 21:04:37-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6015
Detail Notes: Western Digital Model: WDC WD2000JD-22H (200.0GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-28 21:04:37-05
```

Additional Certification Notes

No additional certification notes provided

2.1.17. Acer Inc. Altos R701 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148363>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Japan (Tokyo, Japan)
Cpu Name: X86
Created On: 2004-05-24 04:39:44-04
Returned On: 24-05-04
Last Touched On: 2004-05-24 04:40:17-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5481
Detail Notes: ATI Technologies Inc Rage XL

XFree86 Version 4.3.0-35.EL

driver = ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-05-24 05:48:50-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5481
Detail Notes: Adaptec AIC-7902 Dual Channel U320 (rev 03)

kernel module = aic79xx.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-05-24 05:01:02-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5481
Detail Notes: Intel Corp. 82546EB Gigabit Ethernet Controller (Copper) (rev01)

kernel module = e1000.o

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-05-24 05:49:09-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5481
Detail Notes: Intel(R) Xeon(TM) CPU 2.00GHz

Hyperthreading Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-14 22:30:38-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5481

Detail Notes: Standard ATAPI SAMSUNG CD/DVD-ROM SN-124

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-14 22:31:01-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5481

Detail Notes: 4 GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-06-14 22:30:16-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5481

Detail Notes: IBM Model: IC35L018UCD210-0 (18.30 GB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-14 22:30:30-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5481

Detail Notes: Standard 1.44MB Floppy

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-06-14 22:30:53-04

Additional Certification Notes

No additional certification notes provided

2.1.18. Acer Inc. Altos R710 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148642>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Japan (Tokyo, Japan)
 Cpu Name: X86
 Created On: 2004-11-12 01:16:25-05
 Returned On: 11-10-04
 Last Touched On: 2004-11-12 01:16:40-05

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5871
 Detail Notes: ATI Technologies Inc Rage XL (rev 27)

 XFree86 Version 4.3.0-68.EL

 driver = ati
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2004-11-12 01:17:48-05

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5871
 Detail Notes: Intel Corp. 82546GB Gigabit Ethernet Controller (rev 03)

 Qty: 2

 kernel module = e1000.o

 Note: Require uses of RHEL 3 Update 2 Installation Disc
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-11-12 01:18:05-05

Detail 3:

Ease of Install: 4

Status: Compatible
Hardware Id: 5871
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

Hyperthreading Capable

EM64T Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-12 01:19:20-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5871
Detail Notes: 8 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-11-12 01:20:29-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5871
Detail Notes: Standard ATAPI-CD ROM QSI CD-ROM SCR-242
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-11-12 01:21:11-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5871
Detail Notes: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual
 Ultra320 SCSI
(rev 08)

kernel module = mptscsih.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-11-12 01:22:59-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5871
Detail Notes: IBM Model: IC35L036UCDY10-0 (36.7GB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-11-12 01:23:43-05

Detail 8:
Ease of Install: 4
Status: Compatible

Hardware Id: 5871
 Detail Notes: QLogic Corp. QLA2312 Fibre Channel Adapter (rev 02)
 kernel module = qla2300.o
 Storage Device: Acer Altos S205F were tested
 Approved for Red Hat Cluster Suite
 (High Availability Clustering)
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation
 program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2004-11-12 01:22:59-05

Additional Certification Notes

No additional certification notes provided

2.1.19. Acer Inc. Altos R710 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148643>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
 Last Touched On: 2004-11-12 01:25:04-05

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5872
 Detail Notes: ATI Technologies Inc Rage XL (rev 27)

 XFree86 Version 4.3.0-68.EL

 driver = ati
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2004-11-12 01:24:42-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5872
Detail Notes: Intel Corp. 82546GB Gigabit Ethernet Controller (rev 03)

Qty: 2

kernel module = e1000.o

Note: Require uses of RHEL 3 Update 2 Installation Disc
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-11-12 01:24:42-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5872
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

Hyperthreading Capable

EM64T Capable

Qty: 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-11-12 01:24:42-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5872
Detail Notes: 8 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-11-12 01:24:42-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5872
Detail Notes: Standard ATAPI-CD ROM QSI CD-ROM SCR-242
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-11-12 01:24:42-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5872
Detail Notes: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual
 Ultra320 SCSI (rev 08)

kernel module = mptscsih.o
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-11-12 01:24:43-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5872
Detail Notes: IBM Model: IC35L036UCDY10-0 (36.7GB)

Qty: 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-11-12 01:24:43-05

Additional Certification Notes

No additional certification notes provided

2.2. Acer India (Pvt) Ltd.

2.2.1. Acer APSLe Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=159698>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

CPU : Athlon 3000+
Memory : 256MB DDR 400Mhz x 2
Video Adapter : Onboard
CDROM Drive : 52x CDROM
Digital Audio Adapter : Via VT1617A
Fixed Hard Disk : 80GB/7200 rpm SATA Hitachi
Note : Requires a minimum of RHEL3 - Update 3
Controller Card : N/A

Floppy Disk Drive : Acer OEM

Network Interface : Onboard Via 10/100 Ethernet (Chip - Via VT6174)

Motherboard : K8MM - V (MS - 7142 Ver.1)

Additional Certification Notes

No additional certification notes provided

2.2.2. Acer India (Pvt) Ltd. Acer Power FV Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=158178>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

CPU : Intel P4 3.6Ghz /1MB/800Mhz

RAM : 256MB DDR 400Mhz x 2

Video Adapter : Intel Corp 82915G Express Chipset Family Graphics Controller

CDROM Drive : LITE-ON CD-ROM LTN-529S

Digital Audio Adapter : Intel 82801FB (ICH6) AC'97 Audio Controller

Fixed Hard Disk : Hitachi 80GB/7200Rpm SATA HDD

Note : Requires RHEL3 - Update 3 and above

Floppy Disk Drive : Standard 3.5" 1.44MB Floppy Drive

Network Interface : Onboard RTL8139 10/100 Ethernet Controller

Motherboard : MSI 915GVM-V (915GV Chipset)

Additional Certification Notes

No additional certification notes provided

2.3. Arima

2.3.1. Arima HDAMA Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148214>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
 Cpu Name: AMD64 and Intel(R) EM64T
 Created On: 2003-12-14 02:41:39-05
 Returned On: 12-12-03
 Last Touched On: 2003-12-14 02:45:13-05

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5256
 Detail Notes: Chipset: AMD8111 + 8131

 PCI slot: 2 x PCI-X, 2 x PCI-64bit, 2 x PCI-32bit
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-12-15 01:51:17-05

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5256
 Detail Notes: ATI Technologies Inc Rage XL

 XFree86 Version 4.3.0-35.EL

 driver=ati
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2003-12-14 06:40:15-05

Detail 3:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5256
 Detail Notes: Broadcom 5702 Gigabit Ethernet

 kernel module=tg3.o

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-14 02:53:53-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5256

Detail Notes: AMD Opteron(tm)Processor 244

CPU 1.8GHz

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-14 02:55:24-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5256

Detail Notes: 8 GB RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-14 02:57:44-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5256

Detail Notes: Standard 1.44MB Floppy

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-14 02:58:39-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5256

Detail Notes: Standard ATAPI-CD ROM-DRIVE-SR244W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-14 03:00:01-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5256

Detail Notes: Maxtor 6E040L0 (41110 MB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-14 03:01:14-05

Additional Certification Notes

No additional certification notes provided

2.4. BPL Telecom Pvt. Ltd.

2.4.1. BPL Telecom Pvt. Ltd. BPL Cybercom Smart Series Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148717>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2004-12-22 04:31:30-05
Returned On: mm-dd-yy
Last Touched On: 2004-12-22 04:40:07-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5999
Detail Notes: ATI Technologies Inc RAGE XL PCI Video Controller with 8 MB VRAM
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-22 04:32:07-05

Detail 2:

Ease of Install: 4
Status: Compatible

Hardware Id: 5999
Detail Notes: 52x32x52 CD - RW
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-12-22 04:32:44-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5999
Detail Notes: Integrated Dual Channel Ultra 320 SCSI Controller
Intel SRCU42L RAID Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-22 04:33:21-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5999
Detail Notes: Dual Intel Xeon 2.66 GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-22 04:34:49-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5999
Detail Notes: 36 GB Ultra 320 SCSI HDD X 2
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-22 04:35:41-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5999
Detail Notes: 1.44MB Floppy Disk Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-22 04:37:25-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5999
Detail Notes: 1024 MB ECC DDR SDRAM Upgradeable to 12 GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-12-22 04:38:14-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5999

Detail Notes: Intel SE7501HG2

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2004-12-22 04:38:53-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5999

Detail Notes: Intel dual port Gigabit Ethernet connection

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-12-22 04:39:56-05

Additional Certification Notes

No additional certification notes provided

2.4.2. BPL Telecom Pvt. Ltd. BPL Cybercom Smart Series Smart Professional Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153904>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-12-22 04:55:08-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-22 05:28:30-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: Integrated Intel Extreme Graphics with DVM

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-22 04:55:32-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: 52x32x52 CD - RW

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-22 04:56:14-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: Intel(R) 82801EB Ultra ATA Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-22 04:57:04-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: Intel Pentium 4 CPU HT Technology with

3.0 GHz / 800 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-22 04:57:40-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: Intel 82801EB ICH5 - AC'97 Audio Controller

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-12-22 04:58:23-05

Detail 6:

Ease of Install: 4

Status: Compatible
Hardware Id: 6000
Detail Notes: 40 GB Hard disk Drive
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-22 05:00:06-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: 1.44MB Floppy Disk Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-22 05:01:37-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: 256 MB DDR SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-22 05:22:17-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: Intel 865G Chipset
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-22 05:27:32-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: Intel 10/100 Ethernet card
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-22 05:28:14-05

Additional Certification Notes

No additional certification notes provided

2.4.3. BPL Telecom Pvt. Ltd. BPL Cybercom Smart Series Smart Professional Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148718>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-12-22 04:55:08-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-22 05:28:30-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: Integrated Intel Extreme Graphics with DVM

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-22 04:55:32-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: 52x32x52 CD - RW

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-22 04:56:14-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 6000

Detail Notes: Intel(R) 82801EB Ultra ATA Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-22 04:57:04-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: Intel Pentium 4 CPU HT Technology with
3.0 GHz / 800 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-22 04:57:40-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: Intel 82801EB ICH5 - AC'97 Audio Controller
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-12-22 04:58:23-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: 40 GB Hard disk Drive
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-22 05:00:06-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: 1.44MB Floppy Disk Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-22 05:01:37-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: 256 MB DDR SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-22 05:22:17-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: Intel 865G Chipset
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-22 05:27:32-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 6000
Detail Notes: Intel 10/100 Ethernet card
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-22 05:28:14-05

Additional Certification Notes

No additional certification notes provided

2.5. Bull

2.5.1. Bull NovaScale 4020 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148504>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-09-07 13:13:40-04

Detail Data:

Detail 1:
Ease of Install: 4

Status: Compatible
 Hardware Id: 5692
 Detail Notes: Embeddded PCI ATI Rage XL VGA video controller (8MB SDRAM)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2004-09-03 11:12:32-04

Detail 2:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5692
 Detail Notes: LSI Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 07)
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2004-09-03 11:12:55-04

Detail 3:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5692
 Detail Notes: MAXTOR ATLASU320_36_SCAB120, 36 GByte
 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2004-09-03 11:13:02-04

Detail 4:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5692
 Detail Notes: Intel Corp. 82870P2 P64H2 Chipset
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2004-09-03 11:15:27-04

Detail 5:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5692
 Detail Notes: Intel Pro 1000 T - PCI Ethernet 10/100/1000Mb/s

 Intel Pro 1000 MT - PCI Ethernet 10/100/1000Mb/s Dual Port

 Intel Pro 1000 MF - PCI Ethernet 1Gb/s Fiber Dual Port
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-09-03 11:15:33-04

Detail 6:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5692
 Detail Notes: Slimtype, Model: COMBO LSC-24081

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-09-03 11:16:38-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5692
Detail Notes: 1024MB min/up to 16GB

DDR200/266 SDRAM - 4-way Interleaved

8 DIMM slots
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-09-03 11:18:48-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5692
Detail Notes: Intel Itanium 2 (up to 2)

1.0GHz (1.5MB of L3 cache)

1.4GHz (3MB of L3 cache)

1.6GHz (3MB of L3 cache)

1.5GHz (6MB of L3 cache)

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-09-07 12:54:38-04

Additional Certification Notes

No additional certification notes provided

2.5.2. Bull NovaScale 4040 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148503>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: Intel(R) IPF
Created On: 2004-09-03 10:07:09-04
Returned On: mm-dd-yy
Last Touched On: 2004-09-07 12:57:54-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: Embeddded PCI ATI Rage XL VGA video controller (8MB SDRAM)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-09-03 10:07:45-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: MATSHITADVD-ROM SR-8176, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-09-03 10:08:12-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: LSI Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 07)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-09-03 10:57:11-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: Intel Itanium 2 (up to 4)

1.3GHz (3MB of L3 cache)

1.4GHz (4MB of L3 cache)

1.5GHz (6MB of L3 cache)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-09-03 10:58:36-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: MAXTOR ATLASU320_36_SCAB120, 36 GByte
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-09-03 10:59:53-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: LS-120/240 00 UHD Floppy, ATAPI FLOPPY
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-09-03 11:00:28-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: 1024MB min/up to 32GB

DDR200/266 SDRAM - 4-way Interleaved

16 DIMM slots
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-09-03 11:01:20-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: Intel Corp. 82870P2 P64H2 Chipset
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-09-03 11:03:46-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5691
Detail Notes: Intel Pro 1000 T - PCI Ethernet 10/100/1000Mb/s

Intel Pro 1000 MT - PCI Ethernet 10/100/1000Mb/s Dual Port

Intel Pro 1000 MF - PCI Ethernet 1Gb/s Fiber Dual Port
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-09-03 11:05:14-04

Additional Certification Notes

No additional certification notes provided

2.5.3. NovaScale 5080/6080 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=159651>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* ia64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.5.4. NovaScale 5160/6160 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=155461>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* ia64

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [3276](#)¹ Why do I get multiple directories called 'ff' in /proc/bus/pci?

2.5.5. NovaScale BladeServer 2021 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=165534>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7449](#)² What is the certified configuration of Bull BladeServer 2021 servers?

2.6. Celestica

2.6.1. Celestica Celestica IYA210 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148356>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: Intel(R) IPF
Created On: 2004-05-19 16:44:04-04
Returned On: mm-dd-yy
Last Touched On: 2004-05-19 17:21:48-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5460

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-05-19 16:44:16-04

Detail 2:

Status: Compatible

Hardware Id: 5460

Detail Notes: CD-224E

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-05-19 16:44:56-04

Detail 3:

Status: Compatible

Hardware Id: 5460

Detail Notes: Itanium 2 1.4GHz (Quantity: 2)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-05-19 16:45:48-04

Detail 4:

Status: Compatible

Hardware Id: 5460

Detail Notes: IDE interface: Intel Corp. 82801DB Ultra ATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-19 16:46:25-04

Detail 5:

Status: Compatible

Hardware Id: 5460

Detail Notes: dual-channel SCSI storage controller: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-19 17:17:04-04

Detail 6:

Ease of Install: 1

Status: Waiting for Authorization

Hardware Id: 5460

Detail Notes: SEAGATE ST318453LC (18GB)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

```
Must pass the rhr-core tests.  
Must pass the rhr-fdisk test.  
Component Notes: None
```

```
Detail 7:  
Status: Compatible  
Hardware Id: 5460  
Detail Notes: Ethernet controller: Intel Corp. 82557/8/9 [Ethernet Pro 100] (rev 0d)  
Ethernet controller: Broadcom Corporation NetXtreme BCM5703 Gigabit Ethernet (rev 02)  
Component Class: Network Interface  
Component Test: Must complete a network install.  
Must pass the rhr-core tests.  
Must pass the rhr-net test.  
Component Notes: PXE booting must operate properly, if available.  
Modified On: 2004-05-19 17:19:59-04
```

```
Detail 8:  
Status: Compatible  
Hardware Id: 5460  
Detail Notes: 8GB  
Component Class: Memory  
Component Test: Must pass the rhr-core tests.  
Component Notes: None  
Modified On: 2004-05-19 17:21:05-04
```

Additional Certification Notes

No additional certification notes provided

2.7. Cisco

2.7.1. MCS 7816-C1 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=448580>

Summary

- *Version:* RHEL3.8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

```
Product: Red Hat Enterprise Linux  
Version: 3  
Make: 7816
```


Model: C3
Vendor: Intel
Category: Server

Additional Certification Notes

No additional certification notes provided

2.8. Connoisseur Electronics Pvt Ltd.

2.8.1. Connoisseur Electronics Pvt Ltd. Connoi Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153900>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)
Cpu Name: X86
Created On: 2004-12-14 07:28:23-05
Returned On: mm-dd-yy
Last Touched On: 2004-12-14 07:34:28-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5988
Detail Notes: Onboard Intel 845G
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-14 07:28:39-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5988
Detail Notes: 52X CDROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-14 07:29:07-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: SMSC LPC47M172 LPC Bus I/O controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-14 07:29:36-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Intel Pentium 4 - 2.4Ghz with 533FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-14 07:30:29-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Integrated AC ?97 processing using the Realtek ALC202A codec

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-12-14 07:31:01-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: 40GB IDE , 7200 Rpm Hard Disk Drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-12-14 07:31:34-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Generic 1.44MB Floppy Disk Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-12-14 07:32:14-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5988
Detail Notes: DDR 256MB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-14 07:32:54-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5988
Detail Notes: Intel D845GVSRL
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-14 07:33:22-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5988
Detail Notes: Integrated Intel 82562ET chipset based 10/100
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-14 07:34:07-05

Additional Certification Notes

No additional certification notes provided

2.8.2. Connoisseur Electronics Pvt Ltd. Connoi Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148707>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-12-14 07:28:23-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-14 07:34:28-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Onboard Intel 845G

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-14 07:28:39-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: 52X CDROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-14 07:29:07-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: SMSC LPC47M172 LPC Bus I/O controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-14 07:29:36-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Intel Pentium 4 - 2.4Ghz with 533FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-14 07:30:29-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Integrated AC ?97 processing using the Realtek ALC202A codec

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-12-14 07:31:01-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: 40GB IDE , 7200 Rpm Hard Disk Drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-12-14 07:31:34-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Generic 1.44MB Floppy Disk Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-12-14 07:32:14-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: DDR 256MB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-12-14 07:32:54-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Intel D845GVSRL

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-12-14 07:33:22-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5988

Detail Notes: Integrated Intel 82562ET chipset based 10/100

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-12-14 07:34:07-05

Additional Certification Notes

No additional certification notes provided

2.8.3. Connoisseur Electronics Pvt Ltd. Skyrunner Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153901>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-12-14 07:35:46-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-14 07:44:11-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: Onboard ATI Rage XL - 8MB

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-14 07:36:03-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: 52X CDROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-14 07:36:40-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989
Detail Notes: Adaptec AIC-7902 Dual Channel Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-14 07:37:18-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: Intel Xeon 2.4 with 533 FSB X 2
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-14 07:38:00-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: 36GB SCSI, 10K RPM
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-14 07:39:05-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: Generic 1.44MB Floppy Disk Drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-12-14 07:40:10-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: 1GB DDR - ECC RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-14 07:41:57-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: Intel SE7501WV2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-12-14 07:42:48-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: Intel® PRO/1000 82546EB Controller X 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-12-14 07:43:51-05

Additional Certification Notes

No additional certification notes provided

2.8.4. Connoisseur Electronics Pvt Ltd. Skyrunner Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148708>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat Europe (Guildford, Surrey, United Kingdom)

Cpu Name: X86

Created On: 2004-12-14 07:35:46-05

Returned On: mm-dd-yy

Last Touched On: 2004-12-14 07:44:11-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: Onboard ATI Rage XL - 8MB

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-12-14 07:36:03-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: 52X CDROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-14 07:36:40-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: Adaptec AIC-7902 Dual Channel Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-14 07:37:18-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: Intel Xeon 2.4 with 533 FSB X 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-12-14 07:38:00-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: 36GB SCSI, 10K RPM

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-12-14 07:39:05-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989

Detail Notes: Generic 1.44MB Floppy Disk Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-12-14 07:40:10-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5989
Detail Notes: 1GB DDR - ECC RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-14 07:41:57-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: Intel SE7501WV2
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed separately.
Modified On: 2004-12-14 07:42:48-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5989
Detail Notes: Intel(R) PRO/1000 82546EB Controller X 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-14 07:43:51-05

Additional Certification Notes

No additional certification notes provided

2.9. Dedicated Computing

2.9.1. Dedicated Computing OEM-F3425R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148401>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2004-06-22 15:53:47-04
Returned On: mm-dd-yy
Last Touched On: 2004-06-23 15:04:26-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: ATI Technologies Inc Rage XL (On-Board) 8MB SDRAM
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-22 15:54:15-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Mitsumi SR244W1 24X ATAPI Slim CD-ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-06-22 16:03:06-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Intel XEON 533Mhz FSB 2.4Ghz to 2.8Ghz (x2)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-22 16:04:09-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Intel Corp. 82801CA IDE U100 (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-22 16:04:49-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Adaptec aic7902 Ultra320 SCSI adapter
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-22 16:05:23-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Sony MPF920E 1.44MB 3.5 Floppy
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-22 16:09:50-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Seagate 7200.7 series 7200RPM IDE Parallel ATA (40-80GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-22 16:07:12-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Micron SDRAM 266Mhz ECC Registered (256MB-1GB)
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-22 16:10:43-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Intel Corp. 82546EB Gigabit Ethernet Controller (2x Onboard)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-22 16:13:03-04

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Optional: Seagate 10K U320 SCSI (73-146GB)
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-22 16:08:37-04

Detail 11:

Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Intel SE7501WV2-SCSI Dual XEON 533Mhz FSB
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-22 16:11:27-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Optional: Intel Pro/1000MF Adapter
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-22 16:23:10-04

Detail 13:
Ease of Install: 4
Status: Compatible
Hardware Id: 5548
Detail Notes: Optional: Intel Pro/1000MT Adapter
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-22 16:23:59-04

Additional Certification Notes

No additional certification notes provided

2.10. Dell

2.10.1. Latitude D600 Laptop

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148371>

Summary

- *Version:* 3
- *Category:* Laptop
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-06-01 18:26:03-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: On-Board Intel 82801DBM Ultra ATA Storage Controller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-01 17:58:47-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: Intel 82855PM Mobile Motherboard

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-06-01 18:16:23-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: On-Board O2 Micro, Inc.: 7113 (rev 20)

Component Class: PCMCIA/Card Bus Card

Component Test: Must pass the rhr-pcmcia test.

Component Notes: The given card will also need to pass the tests associated with its pcmcia independant function.<p><blockquote>For example:<i>A pcmcia network card will need to pass the rhr-pcmcia test as well as the rhr-net tests.</i></blockquote>

Modified On: 2004-06-01 18:19:34-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: On-Board Intel 82801DB AC'97 Audio Controller (rev 01)

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-06-01 18:16:59-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: Intel Mobile Pentium M 1.3GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-01 18:20:04-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: ATI Radeon Mobility 9000 M9 (rev 01)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-01 18:21:42-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: 384MB 266MHz DDR SDRAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-06-01 18:22:30-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: Modular Drive Bay installed

IDE MATSHITA CD-RW/DVD-ROM UJDA740

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-01 18:24:47-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: 40GB Internal IDE Hard Drive

Model: IC25N020ATCS04-0

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-01 18:25:11-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5510

Detail Notes: On-Board Broadcom Corporation NetXtreme BCM5702 Gigabit Ethernet (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-06-01 18:25:46-04

Additional Certification Notes

No additional certification notes provided

2.10.2. Optiplex GX270 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148397>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2004-06-08 18:51:25-04
Returned On: 06-08-04
Last Touched On: 2004-06-08 19:46:58-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: On-board Intel Corp. 82801EB Ultra ATA Storage Controller (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-08 19:23:52-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: On-board Intel Corp. 82865G Integrated Graphics Device (rev 02)

NOTE: For proper X-windows video operation above 640x480@8bit depth, a Dell BIOS revision of A04 or above will be required.

Please see the Dell.com site for BIOS update information.

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-08 19:24:04-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: On-board Intel Corp. 82540EM Gigabit Ethernet Controller (rev 02)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-08 19:24:40-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: On-board Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-06-08 19:26:13-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: Intel Corp. 82865G/PE/P Mainboard
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-08 19:27:22-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: Single Intel(R) Pentium(R) 4 CPU 2.80GHZ
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-08 19:28:39-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: 1Gb DDR SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-08 19:43:11-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5543
Detail Notes: LITEON DVD-ROM LTD163, ATAPI CD/DVD-ROM Drive
Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-08 19:45:08-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5543

Detail Notes: Maxtor 6E040L0 40Gb ATA/IDE Drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-08 19:46:02-04

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [2418](#)³ What is the proper X-windows video operation above 640x480 at 8bit depth on Dell Optiplex GX270?

2.10.3. Optiplex GX280n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148743>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* All

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)

Cpu Name: All Architectures

Created On: 2005-01-18 17:42:45-05

Returned On: mm-dd-yy

Last Touched On: 2005-01-18 18:09:41-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible
Hardware Id: 6032
Detail Notes: Intel i915

NOTE: Uses VESA Driver
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-01-18 17:43:26-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: NEC DVD+RW ND-6100A

Quanta SBW-242U

TEAC DV-28E

Toshiba SN-124
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-01-18 17:46:41-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: Intel 82801FB/FBRM/FR/FW/FRW (ICH6 Family) IDE Controller

Intel 82801FB/FW (ICH6/ICH6W) SATA IDE Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-01-18 17:48:07-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: Intel Pentium 4 w/HT 2.8GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-01-18 17:48:46-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: Intel 82801FB/FBM/FR/FW/FRW (ICH6 Family) AC97 Audio Controller
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2005-01-18 17:49:38-05

Detail 6:
Ease of Install: 4
Status: Compatible

Hardware Id: 6032
Detail Notes: Western Digital WD800JD-75HK SATA
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-01-18 17:50:24-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: 2GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-01-18 17:50:46-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: Intel i915 based
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2005-01-18 17:51:08-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: Broadcom NetXtreme BCM5751 Gigabit Ethernet PCI Express
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-01-18 17:52:16-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 6032
Detail Notes: Add on option:

ATI Radeon X300 SE PCIe x16 64MB graphics card, DVI
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-01-18 18:06:09-05

Detail 11:
Status: Not Supported
Hardware Id: 6032
Detail Notes: Add on option:

Sound Blaster(R) Live! 24-bit ADVANCED HD

Is currently NOT SUPPORTED on this release

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2005-01-18 18:08:49-05

Additional Certification Notes

No additional certification notes provided

2.10.4. Power Edge 1800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=158226>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.5. Power Edge 1800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=158184>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.6. PowerEdge 1425SC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153923>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: AMD64 and Intel(R) EM64T
Created On: 2005-02-07 14:28:05-05
Returned On: mm-dd-yy
Last Touched On: 2005-02-11 09:02:23-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 6088
Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-02-07 14:28:14-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 6088
Detail Notes: HL-DT-STCD-RW/DVD-ROM GCC-4243N, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-02-07 14:28:32-05

Detail 3:

Ease of Install: 4
Status: Compatible

Hardware Id: 6088

Detail Notes: onboard Intel Corp. 82801EB (ICH5) Serial ATA 150 Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2005-02-07 14:28:55-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 6088

Detail Notes: (2X) 3.6GHz/1MB/800MHz FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2005-02-07 14:29:24-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 6088

Detail Notes: WDC WD2500JD-75H sata

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2005-02-07 14:29:57-05

Detail 6:

Ease of Install: 1

Status: Waiting for Authorization

Hardware Id: 6088

Detail Notes: 12GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 6088

Detail Notes: Intel E7520 Based

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2005-02-07 14:31:42-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 6088

Detail Notes: onboard Dual Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Option - Intel Corp. 82545GM Gigabit Ethernet Controller (rev 04)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-02-07 14:32:41-05

Additional Certification Notes

No additional certification notes provided

2.10.7. PowerEdge 1425SC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153924>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2005-02-11 09:03:50-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-02-07 14:35:21-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: HL-DT-STCD-RW/DVD-ROM GCC-4243N, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-02-07 14:35:21-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: onboard Intel Corp. 82801EB (ICH5) Serial ATA 150 Storage Controller (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-02-07 14:35:21-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: (2x) 3.6GHz/1MB/800MHz FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-02-07 14:35:21-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: WDC WD2500JD-75H sata
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-02-07 14:35:21-05

Detail 6:
Status: Waiting for Authorization
Hardware Id: 6089
Detail Notes: 12GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-02-07 14:35:21-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: Intel E7520 Based
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2005-02-07 14:35:21-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6089
Detail Notes: onboard Dual Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)
Option - Intel Corp. 82545GM Gigabit Ethernet Controller (rev 04)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-02-07 14:35:21-05

Additional Certification Notes

No additional certification notes provided

2.10.8. PowerEdge 1600SC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148227>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-21 10:38:23-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5277

Detail Notes: 1.44MB

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-21 10:43:25-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5277

Detail Notes: 48X IDE CD-ROM

16X IDE DVD ROM

48X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-21 10:28:43-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5277

Detail Notes: 256MB - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-21 10:29:24-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5277

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-21 10:34:43-05

Detail 5:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5277

Detail Notes: Maximum 6 SCSI Drives

18GB/36GB/73GB/146GB each

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-21 10:35:50-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5277

Detail Notes: Primary: SCSI LSI 1020/1030

Secondary: SCSI RAID LSI PERC4 SC/DC

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-21 10:37:45-05

Detail 7:

Status: Compatible

Hardware Id: 5277

Detail Notes: 1-2 Intel XEON CPUs

2.4 - 3.2GHz 533 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-21 12:31:02-05

Detail 8:

Status: Compatible

Hardware Id: 5277
Detail Notes: Onboard Intel Pro 82536 GB (e1000) Ethernet

Options:

1-3 (ports) Broadcom 5703 Copper GB Ethernet Adapter

1-4 (ports) Intel Pro 1000MT Copper GB Ethernet Adapters

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-21 12:38:42-05

Additional Certification Notes

No additional certification notes provided

2.10.9. PowerEdge 1650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148219>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-19 18:18:54-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: ATI RAGE XL 8MB
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-19 18:16:58-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: SAMSUNG CD-ROM SN-124
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-19 18:17:10-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: Adaptec AIC7899 embedded
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-19 18:17:22-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: Intel PIII 1.4GHz/512KB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-19 18:17:40-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: HITACHI DK32DJ-18MC
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-19 18:18:00-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: Standard 1.44
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-19 18:18:11-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: 256MB - 4GB
Component Class: Memory

```
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-21 13:12:47-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5268
Detail Notes: Dual Intel Pro 1000XT (84540GT e1000) embedded <br>
Options:<br>
1-2 Broadcom 5701 GB Ethernet<br>
1-2 Intel 1000MT GB Ethernet<br>
1-2 Intel Pro 100+ Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-21 13:13:39-05
```

Additional Certification Notes

No additional certification notes provided

2.10.10. PowerEdge 1655MC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148224>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

```
Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-20 22:57:47-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5274
Detail Notes: Dual Intel PIII 1.2GHz with 133 FSB
Component Class: CPU
```

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-20 22:41:01-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5274

Detail Notes: Maximum of 2 SCSI Drives

18GB/36GB/73GB per drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-20 22:45:12-05

Detail 3:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5274

Detail Notes: External attachment capability via USB Port

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-20 22:57:34-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5274

Detail Notes: 256MB - 2GB ECC (2 SDRAM slots)

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-20 23:03:23-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5274

Detail Notes: LSI 1020 SCSI (embedded) PERC4/IM

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-20 23:04:17-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5274

Detail Notes: ATI RAGE XL 8MB

Enclosure has internal KVM switch

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-20 23:09:51-05

Detail 7:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5274

Detail Notes: CD-ROM/CD-RW/DVD external attachment
capability via USB Port

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-20 23:10:20-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5274

Detail Notes: Dual Broadcom 5700 NetXtreme GB Ethernet NICs
Enclosure contains one or two Ethernet Switches

(see Dell website for details)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-20 23:12:44-05

Additional Certification Notes

No additional certification notes provided

2.10.11. PowerEdge 1750 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148222>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-20 19:33:42-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: 24X IDE CD-ROM

8X DVD-ROM

24X IDE CD-RW/DVD ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-20 19:13:27-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: ATI RAGE XL (rev 27)

X driver : ati
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-20 19:13:44-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: 256MB-8GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-20 19:30:01-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: Dell Specific - ServerWorks GC LE w/ 5 peer PCI buses
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-12-20 19:30:16-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: Dual onboard Broadcom BCM 5704

1-2 Intel Pro 1000MT Dual Port GB

1-3 Intel Pro 1000MT Single Port Copper GB

1-3 Intel Pro 1000MF Fiber GB
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-20 19:24:17-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: Standard 1.44
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-20 19:11:10-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: Primary: SCSI LSI 1020/1030

Secondary: SCSI RAID LSI PERC4 Di
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-20 19:32:53-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: 1-3 Ultra 320 SCSI 18GB/36GB/73GB/146GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-20 19:35:57-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5272
Detail Notes: 1-2 Intel XEON CPUs

2.4-3.2GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-21 13:58:00-05

Additional Certification Notes

No additional certification notes provided

2.10.12. PowerEdge 1850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148494>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-08-17 17:16:17-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: 8Gb

Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-08-12 12:59:23-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Qty:2

EM64T Capable

Hyperthreading Capable

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-08-12 12:59:39-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 13:01:02-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5672

Detail Notes: Additonal Network interface card optional addons:

Intel Pro 100

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Dual Port Fiber Channel Ethernet

Intel Pro 1000MT DUAL PORT COPPER Ethernet

Intel Pro 1000XT Single Port Copper Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 13:01:13-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5672

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-08-12 13:01:23-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5672

Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 13:01:36-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5672

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 13:01:47-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5672

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-12 13:02:00-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:3

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-08-12 13:02:11-04

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-08-12 13:02:21-04

Detail 11:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-08-12 13:02:32-04

Detail 12:

Ease of Install: 4
Status: Compatible
Hardware Id: 5672
Detail Notes: Optional add on storage controllers:

PERC4E/Si: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-12 13:02:44-04

Additional Certification Notes

No additional certification notes provided

2.10.13. PowerEdge 1850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148495>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-08-17 17:16:40-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: 8Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-08-12 13:03:16-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Qty:2

EM64T Capable

Hyperthreading Capable

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-08-12 13:03:25-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 13:03:40-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-08-12 13:04:05-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 13:04:47-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Additional Network interface card optional addons:

Intel Pro 100

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Dual Port Fiber Channel Ethernet

Intel Pro 1000MT DUAL PORT COPPER Ethernet

Intel Pro 1000XT Single Port Copper Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 13:03:51-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 13:04:16-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 13:04:37-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:3

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-08-12 13:04:59-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-08-12 13:05:10-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-08-12 13:05:22-04

Detail 12:

Ease of Install: 4

Status: Compatible

Hardware Id: 5673

Detail Notes: Optional add on storage controllers:

PERC4E/Si: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 13:05:31-04

Additional Certification Notes

No additional certification notes provided

2.10.14. PowerEdge 1850 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=167646>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
 Version: 3
 Make: PowerEdge
 Model: 1850
 Vendor: Dell
 Category: Server
 Kernel Version: kernel-hugemem-2.4.21-32.EL

File Uploaded:
 PE1850-RHEL3U5_i386_Paxville.rpm
https://bugzilla.redhat.com/hwcert/data/rpms/5dbcd472f37e7beea6356ac01bf67c94/PE1850-RHEL3U5_i386_Paxville.rpm

Please note the following failures:
 WARNING: Kickstart file not found for required tests check.

```
0  PASSED  INFO
   PASSED  CORE
```

Additional Certification Notes

No additional certification notes provided

2.10.15. PowerEdge 1850 (16GB) Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=172115>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
Version: 3
Make: PowerEdge
Model: 1850
Vendor: Dell
Category: Server
Kernel Version: kernel-hugemem-2.4.21-37.EL

File Uploaded:

PE1850_RHEL3U6-i386_16GB.rpm

https://bugzilla.redhat.com/hwcert/data/rpms/e201707af1c3b805ad53d0c2bcf995dd/PE1850_RHEL3U6-i386_16GB.rpm

Please note the following failures:

WARNING: Kickstart file not found for required tests check.

0 PASSED INFO
PASSED MEMORY

Additional Certification Notes

No additional certification notes provided

2.10.16. PowerEdge 1855 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=168683>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
Version: 3
Make: PowerEdge
Model: 1855
Vendor: Dell
Category: Server
Kernel Version: kernel-hugemem-2.4.21-32.EL

File Uploaded:

PE1855_RHEL3U5-i386_Paxville.rpm

https://bugzilla.redhat.com/hwcert/data/rpms/53a5c004a11b5ef19d4a9b370a44b280/PE1855_RHEL3U5-i386_Paxville.rpm

Please note the following failures:

WARNING: Kickstart file not found for required tests check.

0 PASSED INFO
PASSED CORE

Additional Certification Notes

No additional certification notes provided

2.10.17. PowerEdge 1855 (16GB) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=172118>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
Version: 3
Make: PowerEdge
Model: 1855
Vendor: Dell
Category: Server
Kernel Version: kernel-hugemem-2.4.21-37.EL

File Uploaded:

PE1855_RHEL3U6-i386_16GB.rpm

https://bugzilla.redhat.com/hwcert/data/rpms/f9ef8e0c579c8053c1a1b0de09c81ff2/PE1855_RHEL3U6-i386_16GB.rpm

Please note the following failures:
WARNING: Kickstart file not found for required tests check.

```
0  PASSED  INFO
   PASSED  MEMORY
```

Additional Certification Notes

No additional certification notes provided

2.10.18. PowerEdge 1855MC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=147827>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.19. PowerEdge 1855MC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=147862>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.20. PowerEdge 1900 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=206337>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

This system is certified for "i386" only and not for "x86_64".
Update:
This system now support Quad Core CPU 5300 Sequence.
This update is certified on RHEL3 32 bit.

Additional Certification Notes

No additional certification notes provided

2.10.21. PowerEdge 1900 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=211845>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted
Product: Red Hat Enterprise Linux

```
Version:      3
Make:        PowerEdge
Model:       1900
Vendor:      Dell
Category:    Server
Kernel Version: kernel-hugemem-2.4.21-47.EL
File Uploaded: PE1900-RHEL3-i386_CPU-4core-2.66GHz.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/7f9b6a7db304795e6fc3a0a8de5445fc/PE1900-
RHEL3-i386_CPU-4core-2.66GHz.rpmPlease note the following failures:
WARNING: Kickstart file not found for required tests check.

0  PASSED  INFO
    PASSED  CORE2<br>PowerEdge 1900 will ship Quad-core CPU with the system. This bug
    is for Quadcore
CPU.
```

Additional Certification Notes

No additional certification notes provided

2.10.22. PowerEdge 1950 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192286>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7831](#)⁴ Can I use the fiber Host Bus Adapter (HBA) (qllogic / emulex) that I got with my Dell server with any type of SAN storage device ?

2.10.23. PowerEdge 1950 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=211850>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

```
Product:      Red Hat Enterprise Linux
Version:      3
Make:         PowerEdge
Model:        1950
Vendor:       Dell
Category:     Server
Kernel Version: kernel-hugemem-2.4.21-47.EL
File Uploaded: PE1950-RHEL3-i386_CPU-4core-2.66GHz.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/aed3a9bfd4360fca1043ef375d7ed90/PE1950-
RHEL3-i386_CPU-4core-2.66GHz.rpmPlease note the following failures:
WARNING: Kickstart file not found for required tests check.
```

```
0  PASSED  INFO
   PASSED  CORE2
```

Additional Certification Notes

No additional certification notes provided

2.10.24. PowerEdge 1955 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=211856>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

```
Product:      Red Hat Enterprise Linux
Version:      3
Make:         PowerEdge
```

```
Model:          1955
Vendor:         Dell
Category:       Server
Kernel Version: kernel-hugemem-2.4.21-47.EL
File Uploaded:  PE1955-RHEL3-i386_CPU-4core-2.66GHz.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/24f3cb04c8ddd31509fdee211a4827d6/PE1955-
RHEL3-i386_CPU-4core-2.66GHz.rpmPlease note the following failures:
WARNING: Kickstart file not found for required tests check.

0  PASSED  INFO
   PASSED  CORE2
```

Additional Certification Notes

No additional certification notes provided

2.10.25. PowerEdge 1955 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=197530>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7831](#)⁵ Can I use the fiber Host Bus Adapter (HBA) (qllogic / emulex) that I got with my Dell server with any type of SAN storage device ?

2.10.26. PowerEdge 2600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148220>

Summary

- *Version:* 3

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-19 18:40:23-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: 24X IDE CD-ROM

8X DVD-ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-19 18:29:21-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: 256MB - 12GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-19 18:30:18-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: ATI Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-19 18:25:59-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: Standard 1.44

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-19 18:30:29-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: Primary: SCSI/RAID LSI Logic 1020/PERC4DI

Secondary: SCSI/RAID LSI Logic PERC4 SC/DC

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-19 18:39:20-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: 1-2 Intel XEON CPUs

2.4-3.0GHz/512Kb 533 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-21 13:33:32-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: 6 SCSI Drives Maximum

18GB/36GB/72GB/146GB each

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-21 13:36:20-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5269

Detail Notes: Intel PRO 82544GC Gigabit EN

Optional:

2-4 (ports) Intel 100 Ethernet

1-4 (ports) Intel Pro 1000MT Ethernet

1-4 (ports) Intel Pro 1000MT Copper GB Ethernet

1-4 (ports) Intel 1000MF Fiber GB Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-21 13:48:29-05

Additional Certification Notes

No additional certification notes provided

2.10.27. PowerEdge 2650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148221>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-19 19:04:06-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5270

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-19 18:43:49-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5270

Detail Notes: 24X IDE CD-ROM

8X DVD-ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-19 18:45:25-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5270

Detail Notes: Primary: LSI PERC3/Di

Secondary: LSI PERC4 SC/DC

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-19 18:47:59-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5270
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-19 18:51:53-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5270
Detail Notes: 256MB - 12GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-19 18:52:43-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5270
Detail Notes: 1-2 Intel XEON CPUs

2.4-3.2GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-21 14:06:36-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5270
Detail Notes: 2 Maximum

- Broadcom 5703 GB EN

- Intel Pro 100+ Dual Port NIC

- Intel 1000MT Dual Port GB NIC

- Broadcom NetXtreme BCM5701 10/100/1000 Copper Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-21 14:12:42-05

Additional Certification Notes

No additional certification notes provided

2.10.28. PowerEdge 2800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148646>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-11-12 15:28:17-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)
Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-11-12 13:45:23-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-11-12 13:45:35-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-11-12 13:45:41-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Optional add on storage controllers:

PERC4E/Di: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-11-12 13:45:46-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-11-12 13:45:51-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-11-12 13:45:56-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-11-12 13:46:01-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-11-12 13:46:07-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:6

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-11-12 13:46:12-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: 8Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-11-12 13:46:19-05

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Intel(R) Xeon(TM) CPU 2.8-3.60GHz

Qty:2

Hyperthreading Capable

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-11-12 13:46:52-05

Detail 12:

Ease of Install: 4

Status: Compatible

Hardware Id: 5875

Detail Notes: Additonal Network interface card optional addons:

Intel Pro 100S

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Single Port Fiber Channel Ethernet

Intel Pro 1000MT Dual Port Copper Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-11-12 14:39:56-05

Additional Certification Notes

No additional certification notes provided

2.10.29. PowerEdge 2800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148682>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-12-07 12:08:22-05

Detail Data:

Detail 1:

Status: Compatible
Hardware Id: 5949
Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)
Qty:2

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 12:07:56-05

Detail 2:

Status: Compatible
Hardware Id: 5949
Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-12-07 12:07:56-05

Detail 3:

Status: Compatible
Hardware Id: 5949
Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-12-07 12:07:56-05

Detail 4:

Status: Compatible

Hardware Id: 5949

Detail Notes: Optional add on storage controllers:

PERC4E/Di: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-07 12:07:56-05

Detail 5:

Status: Compatible

Hardware Id: 5949

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-07 12:07:56-05

Detail 6:

Status: Compatible

Hardware Id: 5949

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-12-07 12:07:56-05

Detail 7:

Status: Compatible

Hardware Id: 5949

Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-12-07 12:07:56-05

Detail 8:

Status: Compatible

Hardware Id: 5949

Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-12-07 12:07:56-05

Detail 9:

Status: Compatible

Hardware Id: 5949

Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:6

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-12-07 12:07:56-05

Detail 10:
Status: Compatible
Hardware Id: 5949
Detail Notes: 8Gb

Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-12-07 12:07:56-05

Detail 11:
Status: Compatible
Hardware Id: 5949
Detail Notes: Intel(R) Xeon(TM) CPU 2.8-3.60GHz

Qty:2

Hyperthreading Capable

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-12-07 12:07:56-05

Detail 12:
Status: Compatible
Hardware Id: 5949
Detail Notes: Additional Network interface card optional addons:

Intel Pro 100S

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Single Port Fiber Channel Ethernet

Intel Pro 1000MT Dual Port Copper Ethernet

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-12-07 12:07:56-05

Additional Certification Notes

No additional certification notes provided

2.10.30. PowerEdge 2800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=167651>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
 Version: 3
 Make: PowerEdge
 Model: 2800
 Vendor: Dell
 Category: Server
 Kernel Version: kernel-hugemem-2.4.21-32.EL

File Uploaded:

PE2800_RHEL3U5_i386_Paxville.rpm

<https://bugzilla.redhat.com/hwcert/data/rpms/8e30c55485e9c13d42961a6bd111af52/>

PE2800_RHEL3U5_i386_Paxville.rpm

Please note the following failures:

WARNING: Kickstart file not found for required tests check.

0 PASSED INFO

PASSED CORE
Intel Paxville Dual Core 2.8GHz CPU

Additional Certification Notes

No additional certification notes provided

2.10.31. PowerEdge 2800 (16GB) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=172121>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux

```
Version:      3
Make:        PowerEdge
Model:       2800
Vendor:      Dell
Category:    Server
Kernel Version: kernel-hugemem-2.4.21-37.EL

File Uploaded:
PE2800_RHEL3U6-i386_16GB.rpm
https://bugzilla.redhat.com/hwcert/data/rpms/25cc9f8abda4d7ab8a2625ec477e52f1/PE2800_RHEL3U6-i386_16GB.rpm

Please note the following failures:
WARNING: Kickstart file not found for required tests check.

0  PASSED  INFO
   PASSED  MEMORY
```

Additional Certification Notes

No additional certification notes provided

2.10.32. PowerEdge 2850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148492>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

```
Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: X86
Created On: 2004-08-12 11:54:34-04
Returned On: mm-dd-yy
Last Touched On: 2004-08-17 17:15:51-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5670
Detail Notes: 8Gb<br>
Component Class: Memory
Component Test: Must pass the rhr-core tests.
```

Component Notes: None

Modified On: 2004-08-12 11:54:59-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Qty:2

EM64T Capable

Hyperthreading Capable

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-08-12 11:58:45-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 12:00:44-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Additional Network interface card optional addons:

Intel Pro 100

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Dual Port Fiber Channel Ethernet

Intel Pro 1000MT DUAL PORT COPPER Ethernet

Intel Pro 1000XT Single Port Copper Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 12:06:55-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-08-12 12:09:03-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 12:21:10-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Optional add on storage controllers:

PERC4E/Di: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 12:28:27-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 12:29:41-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-12 12:31:08-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-08-12 12:48:52-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5670

Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-08-12 12:49:44-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5670
Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive

Qty:6

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-08-12 12:57:15-04

Additional Certification Notes

No additional certification notes provided

2.10.33. PowerEdge 2850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148493>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-08-17 17:15:21-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5671

Detail Notes: 8Gb

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-08-12 12:50:35-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5671

Detail Notes: Intel(R) Xeon(TM) CPU 3.40GHz

Qty:2

EM64T Capable

Hyperthreading Capable

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-08-12 12:50:35-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5671

Detail Notes: Integrated Intel Corp. 82541GI/PI Gigabit Ethernet Controller (rev 05)

Qty:2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 12:50:35-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5671

Detail Notes: Additonal Network interface card optional addons:

Intel Pro 100

Intel Pro 1000MT Single Port Copper Ethernet

Intel Pro 1000MF Dual Port Fiber Channel Ethernet

Intel Pro 1000MT DUAL PORT COPPER Ethernet

Intel Pro 1000XT Single Port Copper Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-12 12:50:35-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5671

Detail Notes: ATI Technologies Inc Radeon RV100 QY [Radeon 7000/VE]

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-08-12 12:50:35-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5671
Detail Notes: Integrated LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 08)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-12 12:50:35-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5671
Detail Notes: Optional add on storage controllers:

PERC4E/Di: LSI Logic / Symbios Logic MegaRAID (rev 01)

PERC4 SC/DC: LSI Logic / Symbios Logic MegaRAID (rev 01)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-12 12:50:35-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5671
Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) Ultra ATA 100 Storage Controller (rev 02)

Note: This controller is configured as the interface to the CD-ROM drive(s) on this system

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-12 12:50:35-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5671
Detail Notes: Intel Corp. 82801EB/ER (ICH5/ICH5R) USB Contoller

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-12 12:50:35-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5671
Detail Notes: Generic 1.44M Floppy Disk drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-08-12 12:50:35-04

Detail 11:
Ease of Install: 4
Status: Compatible

```
Hardware Id: 5671
Detail Notes: 24X IDE CD-ROM<br>
8X IDE DVD ROM<br>
24X IDE CD-RW/DVD ROM<br>
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-08-12 12:50:35-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5671
Detail Notes: Vendor:FUJITSU Model: MAP3735NC 73Gb SCSI Disk drive<br>
Qty:6<br>
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation <b>to</b> from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-08-12 12:58:09-04
```

Additional Certification Notes

No additional certification notes provided

2.10.34. PowerEdge 2850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=167652>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

```
Product:      Red Hat Enterprise Linux
Version:      3
Make:         PowerEdge
Model:        2850
Vendor:       Dell
Category:     Server
```

Kernel Version: kernel-hugemem-2.4.21-32.EL

File Uploaded:

PE2850_RHEL3U5-i386_Paxville.rpm

https://bugzilla.redhat.com/hwcert/data/rpms/1b05831b422fbc645c9770449fbc2b63/PE2850_RHEL3U5-i386_Paxville.rpm

Please note the following failures:

WARNING: Kickstart file not found for required tests check.

```
0  PASSED  INFO
   PASSED  CORE
```

Additional Certification Notes

No additional certification notes provided

2.10.35. PowerEdge 2850 (16GB) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=172123>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux

Version: 3

Make: PowerEdge

Model: 2850

Vendor: Dell

Category: Server

Kernel Version: kernel-hugemem-2.4.21-37.EL

File Uploaded:

PE2850_RHEL3U6-i386_16GB.rpm

https://bugzilla.redhat.com/hwcert/data/rpms/1d67b25f298f10bc6d67a1167ce79e3e/PE2850_RHEL3U6-i386_16GB.rpm

Please note the following failures:

WARNING: Kickstart file not found for required tests check.

```
0  PASSED  INFO
   PASSED  MEMORY
```

Additional Certification Notes

No additional certification notes provided

2.10.36. PowerEdge 2900 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=211858>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux

Version: 3

Make: PowerEdge

Model: 2900

Vendor: Dell

Category: Server

Kernel Version: kernel-hugemem-2.4.21-47.EL

File Uploaded: PE2900-RHEL3-i386_CPU-4core-2.66GHz.rpm

https://bugdev.devel.redhat.com/hwcert/data/rpms/b76c79b8cbdac2dde4256249c7d91665/PE2900-RHEL3-i386_CPU-4core-2.66GHz.rpm

Please note the following failures:

WARNING: Kickstart file not found for required tests check.

0 PASSED INFO

PASSED CORE2
PowerEdge 2900 will ship Quad-core CPU with the system.
This bug is for Quadcore

CPU. Please review but don't post before 11/20/2006.
Reviewed; results look fine. Since we don't post specs anyway, I'm going to go ahead and close these one as compatible but leave this private and the system still certified.

Original 2900 RHEL3 Cert.

<https://hardware.redhat.com/hwcert/show.cgi?id=191938>

Additional Certification Notes

No additional certification notes provided

2.10.37. PowerEdge 2900 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=191938>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7831](#)⁶ Can I use the fiber Host Bus Adapter (HBA) (qllogic / emulex) that I got with my Dell server with any type of SAN storage device ?

2.10.38. PowerEdge 2950 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=211860>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
 Version: 3
 Make: PowerEdge
 Model: 2950
 Vendor: Dell
 Category: Server

Kernel Version: kernel-hugemem-2.4.21-47.EL

File Uploaded: PE2950-RHEL3-i386_CPU-4Core-2.66GHz.rpm

https://bugdev.devel.redhat.com/hwcert/data/rpms/f6179a8ce025ef5d6535d41fc988a3e9/PE2950-RHEL3-i386_CPU-4Core-2.66GHz.rpmPlease note the following failures:

WARNING: Kickstart file not found for required tests check.

0	PASSED	INFO
	PASSED	CORE2

Additional Certification Notes

No additional certification notes provided

2.10.39. PowerEdge 2950 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=236704>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.40. PowerEdge 2950 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192419>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7831](#)⁷ Can I use the fiber Host Bus Adapter (HBA) (qllogic / emulex) that I got with my Dell server with any type of SAN storage device ?

2.10.41. PowerEdge 3250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148741>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2005-01-07 18:49:01-05

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 6025
Detail Notes: ATI Technologies Inc Rage XL (rev 27) Video RAM: 8 MB
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-01-07 18:48:06-05

Detail 2:
Status: Compatible
Hardware Id: 6025
Detail Notes: Slimtype COMBO LSC-24081M, ATAPI CD/DVD-ROM drive
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-01-07 18:48:06-05

Detail 3:
Status: Compatible
Hardware Id: 6025
Detail Notes: 16G
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-01-07 18:48:06-05

Detail 4:
Status: Compatible
Hardware Id: 6025
Detail Notes: Vendor: MAXTOR Model: ATLASU320_18_SCA Rev: B810
Type: Direct-Access ANSI SCSI revision: 03
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-01-07 18:48:06-05

Detail 5:
Status: Compatible
Hardware Id: 6025
Detail Notes: LSI Logic / Symbios Logic (formerly NCR) 53c1030 (rev 08)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-01-07 18:48:06-05

Detail 6:
Status: Compatible
Hardware Id: 6025
Detail Notes: Intel Corp. 82546EB 2-port Gigabit Ethernet Controller (rev 01)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-01-07 18:48:06-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6025
Detail Notes: IA-64 Itanium 2 Quantity: 2 Speed: 1.5GHz Cache: 6/9 MB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-01-13 14:32:47-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6025
Detail Notes: Optional add-on: LSI Logic / Symbios Logic PowerEdge Expandable
RAID Controller 4 (rev 01)
Component Class: Controller Card
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-04-04 12:01:47-05

Additional Certification Notes

No additional certification notes provided

2.10.42. PowerEdge 400SC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148226>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-21 10:17:39-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5276

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-21 10:10:50-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5276

Detail Notes: 48X IDE CD-ROM

16X IDE DVD ROM

48X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-21 10:05:17-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5276

Detail Notes: 512MB - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-21 10:05:31-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5276

Detail Notes: Primary: IDE-PATA/SATA Intel ICH5

Secondary: SCSI LSI 21320 (no hardware RAID)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-02-11 11:33:20-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5276

Detail Notes: Onboard Intel Pro 82540 GB (e1000) Ethernet Adapter

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-21 10:22:17-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5276

Detail Notes: Single Intel Pentium 4 CPU:

* 2.0 - 2.4GHz with 400MHz FSB

* 2.26GHz with 533MHz FSB

* 2.4 - 3.2GHz with 800MHz FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-21 12:49:54-05

Detail 7:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5276

Detail Notes: Maximum 2 PATA or 2 SATA Drives: 40GB/80GB/120GB

Optional Maximum 2 SCSI Drives: 36GB/73GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-02-11 11:33:57-05

Additional Certification Notes

No additional certification notes provided

2.10.43. PowerEdge 420SC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153922>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
Cpu Name: All Architectures
Created On: 2005-02-07 09:25:21-05
Returned On: mm-dd-yy
Last Touched On: 2005-02-09 14:07:55-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: Intel Corp.|E7221 Integrated Graphics Controller
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-02-07 09:25:31-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: Tsstcorp CDRW/DVD TSH492B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-02-07 09:25:57-05

Detail 3:
Ease of Install: 4
Status: Compatible

Hardware Id: 6087
Detail Notes: SATA HDD: Ata WDC WD2500JD-75H

SATA HDD: Ata Maxtor 7Y250M0
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-02-07 09:27:25-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: Standard FDD 3 1/2" 1.44MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2005-02-07 09:28:28-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: 4GB RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-02-07 09:29:12-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: Intel E7221 Based
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2005-02-07 09:29:48-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: Broadcom Corporation NetXtreme BCM5751 Gigabit Ethernet PCI Express (rev 01)

Option - Intel Corp. 82545GM Gigabit Ethernet Controller (rev 04)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-02-07 09:30:28-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 6087
Detail Notes: onboard Intel Corp. 82801FR/FRW (ICH6R/ICH6RW) SATA Controller (rev 03)
<fontsize=-1>NOTE: Update 2 is required for SATA support.
Option: Adaptec 39320

Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2005-02-09 14:07:37-05

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 6087
 Detail Notes: 3.6GHz CPUs/FSB: 800MHz/1MB cache
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2005-02-09 14:11:54-05

Additional Certification Notes

No additional certification notes provided

2.10.44. PowerEdge 4600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148218>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
 Last Touched On: 2003-12-19 18:03:04-05

Detail Data:

Detail 1:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5267
 Detail Notes: 1.44 Mb
 Component Class: Floppy Disk Drive
 Component Test: Must be bootable and start the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-19 17:29:30-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5267

Detail Notes: BROADCOM Corporation NetXtreme BCM5700 Gigabit Ethernet (rev 14)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-19 18:05:17-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5267

Detail Notes: 512MB - 12GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-19 17:31:12-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5267

Detail Notes: Integrated BCM 570x 10/100/1000 and Intel 82559 10/100 MB

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-19 17:50:45-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5267

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-19 17:21:33-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5267

Detail Notes: Intel(R) P3 XEON(TM) CPU 1.8-3.0GHz 400 FSB

Qty: 1-2

NOTE: Hyperthreading enabled, will appear to be 4 CPUs to the Operating System.

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-19 17:48:57-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5267
Detail Notes: BROADCOM Corporation NetXtreme BCM5701 Gigabit Ethernet (rev 12)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-19 18:05:31-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5267
Detail Notes: 24X IDE IDE CD-ROM

8X DVD-ROM

24X IDE CD-RW/DVD ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-19 18:08:21-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5267
Detail Notes: 18GB/36GB/73GB Drives Media Bay 1&2

Optional Backplane 18GB/36GB/73GB/146GB

- All drives must match for RAID 1 or 5

- 8 Drives Maximum
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-19 18:12:02-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5267
Detail Notes: Intel Corporation 82557 [Ethernet Pro 100] (rev 05)

Qty: 2
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-19 18:05:01-05

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5267
Detail Notes: PERC3/Di 128MB

PERC3/DC 128MB

PERC3/QC 128MB

PERC4SC/DC 128MB

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-19 18:11:04-05

Additional Certification Notes

No additional certification notes provided

2.10.45. PowerEdge 600SC Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148223>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-20 22:17:54-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5273
Detail Notes: 48X IDE CD-ROM

16X IDE DVD ROM

48X IDE CD-RW/DVD ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-20 21:46:19-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5273
Detail Notes: 256MB - 4GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None

Modified On: 2003-12-20 21:47:29-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5273

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-20 21:57:18-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5273

Detail Notes: Primary: IDE-PATA Serverworks CSB5

Secondary: IDE RAID LSI CERC ATA 100

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-20 22:20:43-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5273

Detail Notes: Intel Pentium 4

CPU 2.4 - 3.0GHz 533 FSB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-21 13:16:18-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5273

Detail Notes: 1-3 (ports) Intel Pro 1000MT Copper GB Ethernet Adapters

1-2 (ports) Broadcom Copper GB Ethernet Adapters

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-21 13:16:38-05

Detail 7:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5273

Detail Notes: Maximum 4 PATA Drives: 40GB/80GB/120GB each

Maximum 4 SCSI drives: 18GB/36GB/73GB/146GB each

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-21 13:21:41-05

Additional Certification Notes

No additional certification notes provided

2.10.46. PowerEdge 650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148228>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-21 10:54:48-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5278
Detail Notes: 256MB - 4GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-21 10:47:07-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5278
Detail Notes: Single Intel(R) Pentium(R) 4 CPU

2.4 - 3.0GHz 533 FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-21 10:50:23-05

Detail 3:
Ease of Install: 4

Status: Compatible
Hardware Id: 5278
Detail Notes: Onboard Intel Pro 82546 GB (e1000) NIC
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-21 10:50:00-05

Detail 4:
Ease of Install: 4
Status: Waiting for Authorization
Hardware Id: 5278
Detail Notes: Maximum 2 PATA drives: 40GB/80GB/120GB
Maximum 2 SCSI RAID drives: 18GB/36GB/73GB/146GB
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-21 10:52:48-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5278
Detail Notes: Primary: IDE-PATA Silicon Image CMD680
Secondary: IDE RAID LSI PERC4 SC/DC
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-21 10:54:14-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5278
Detail Notes: 48X IDE CD-ROM
16X IDE DVD ROM
48X IDE CD-RW/DVD ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-21 10:45:14-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5278
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-21 10:50:35-05

Additional Certification Notes

No additional certification notes provided

2.10.47. PowerEdge 6600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148225>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-20 23:39:15-05

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5275

Detail Notes: BROADCOM Corporation NetXtreme BCM5700 Gigabit Ethernet (rev 14)

Qty: 2

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-20 23:13:55-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5275

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-20 23:17:31-05

Detail 3:

Ease of Install: 4

Status: Compatible
Hardware Id: 5275
Detail Notes: 12x24 Slim CD-ROM

8X DVD ROM

24X IDE CR-RW/DVD ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-20 23:19:27-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5275
Detail Notes: Primary: SCSI/RAID LSI PERC3 QC

Secondary: SCSI/RAID LSI PERC4 SC/DC
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-20 23:21:01-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5275
Detail Notes: 1-4 Intel(R) 1.5-2.8GHz

400 MHz FSB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-20 23:23:30-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5275
Detail Notes: Maximum 8 drives:

18GB/36GB/72GB/146GB drives
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-20 23:24:41-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5275
Detail Notes: 1.44 MB
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-20 23:24:53-05

Detail 8:
Ease of Install: 4

```
Status: Compatible
Hardware Id: 5275
Detail Notes: 512MB - 32GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-20 23:25:46-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5275
Detail Notes: Dual Broadcom 570x GB <br>
1-2 Broadcom NetXtreme 10/100/1000 MB<br>
2-4 Intel 10/100 MB<br>
1-4 Intel 1000MT Copper GB<br>
2-3 Intel 1000MF Fiber GB
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-20 23:38:31-05
```

Additional Certification Notes

No additional certification notes provided

2.10.48. PowerEdge 6650 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148229>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

```
Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-21 11:51:37-05

Detail Data:

Detail 1:
Ease of Install: 4
```

Status: Compatible
Hardware Id: 5279
Detail Notes: Primary: SCSI LSI PERC3 DC

Secondary: SCSI RAID LSI PERC4 SC/DC
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-21 11:06:36-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: 1-4 Intel(R) Xeon CPUs

2.0 - 3.0GHz with 400MHz FSB

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-21 11:10:50-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: Maximum 5 SCSI Drives:

18GB/36GB/73GB/146GB each
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-21 11:43:24-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: 1.44 Mb
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-21 11:43:38-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: 512MB - 32GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-21 11:45:07-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: ATI Technologies Inc Rage XL (rev 27)
Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-21 11:00:05-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: 24X IDE CD-ROM

8X IDE DVD ROM

24X IDE CD-RW/DVD ROM
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-21 11:05:15-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5279
Detail Notes: Dual Onboard Broadcom 5701

Options:

1-2 Intel Pro 100+ Dual Port

1-2 Broadcom 5703 10/100/1000 Copper GB Ethernet

1-4 (ports) Intel Pro 1000MT Copper GB Ethernet

1-4 (ports) Intel Pro 1000MF Fiber GB Ethernet

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-21 12:05:26-05

Additional Certification Notes

No additional certification notes provided

2.10.49. Poweredge 6800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=159293>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

```
Update:
This system now supports:
- 64GB memory.
- Paxville 3.0GHz CPU
- Cranford 3.66GHz CPU
- Potomac 3.33GHz CPU
This update is ceritifed on RHEL3.
```

Additional Certification Notes

No additional certification notes provided

2.10.50. PowerEdge 6800 (64GB) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=171290>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.51. Poweredge 6850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=159294>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

```
update:
This system now supports:
- 64GB memory.
- Paxville 3.0GHz CPU
- Cranford 3.66GHz CPU
- Potomac 3.33GHz CPU
This update is ceritifed on RHEL3.
```

Additional Certification Notes

No additional certification notes provided

2.10.52. PowerEdge 6850 (64GB) Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=171292>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.53. PowerEdge 700 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148312>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-04-06 18:51:22-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5390

Detail Notes: Single Intel(R) Pentium(R) 4 CPU 800MHz FSB
2.8Ghz - 3.4 Ghz

or

Single Intel(R) Celeron(R) 400MHz FSB

2.4Ghz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-04-06 16:29:45-04

Detail 2:

Status: Compatible

Hardware Id: 5390

Detail Notes: 256MB - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-04-06 16:29:45-04

Detail 3:

Status: Compatible

Hardware Id: 5390

Detail Notes: Intel Corp. 82547EI Gigabit Ethernet Controller (e1000)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-04-06 17:25:03-04

Detail 4:

Status: Compatible

Hardware Id: 5390

Detail Notes: Maximum 2 SATA drives: 40GB/80GB/120GB/250GB

Maximum 2 SCSI RAID drives: 18GB/36GB/73GB/146GB

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-04-06 16:29:45-04

Detail 5:

Status: Compatible

Hardware Id: 5390

Detail Notes: 48X IDE CD-ROM

16X IDE DVD ROM

48X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-04-06 16:29:45-04

Detail 6:

Status: Compatible

Hardware Id: 5390

Detail Notes: Primary: CERC SATA RAID controller

Secondary: SCSI RAID LSI PERC4 SC/DC

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-04-06 16:29:45-04

Detail 7:

Status: Compatible

Hardware Id: 5390

Detail Notes: ATI Technologies Inc Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-04-06 16:29:45-04

Additional Certification Notes

No additional certification notes provided

2.10.54. PowerEdge 7250 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148444>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF

Last Touched On: 2004-07-20 19:24:33-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5612

Detail Notes: Intel Corp. 82801DB USB (Hub #1) (rev 02)

Intel Corp. 82801DB USB (Hub #2) (rev 02)

Intel Corp. 82801DB USB2 (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-20 19:12:36-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5612

Detail Notes: Intel Corp. 82540EM Gigabit Ethernet Controller (rev 02)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-20 18:46:24-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5612

Detail Notes: TEAC CD-ROM CD-224E (24x)

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-07-20 18:51:21-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5612

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-20 18:57:07-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5612

Detail Notes: 32GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-20 19:01:46-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5612
Detail Notes: Primary: LSI Logic / Symbios Logic PowerEdge Expandable RAID Controller 4 (rev 01)

Secondary: LSI Logic / Symbios Logic 53c1030 PCI-X Fusion-MPT Dual Ultra320 SCSI (rev 07)

NOTE: Requires a minimum of RHEL3 U1 for proper installation
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 12:10:26-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5612
Detail Notes: Intel Corp. 82801DB Ultra ATA Storage Controller (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 12:11:42-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5612
Detail Notes: Vendor: Fujitsu Model: MAP3735NC 73GB (rev 5608) SCSI Disk drive

Qty: 3

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-07-23 15:45:17-04

Detail 9:
Status: Compatible
Hardware Id: 5612
Detail Notes: Intel(R) Itanium 2(TM) 1.6Ghz

9 MB Cache

Qty: 4

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-01-07 18:53:30-05

Additional Certification Notes

No additional certification notes provided

2.10.55. Poweredge 750 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148311>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Red Hat (Durham, NC USA)
 Cpu Name: X86
 Created On: 2004-04-02 17:51:27-05
 Returned On: mm-dd-yy
 Last Touched On: 2004-04-02 18:17:36-05

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5389
 Detail Notes: Single Intel(R) Pentium(R) 4 CPU 800MHz FSB

 2.8Ghz - 3.4 Ghz

 or
 Single Intel(R) Celeron(R) 400MHz FSB

 2.4Ghz
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2004-04-02 18:18:16-05

Detail 2:

Status: Compatible
 Hardware Id: 5389
 Detail Notes: Maximum 2 SATA drives: 40GB/80GB/120GB/250GB

 Maximum 2 SCSI RAID drives: 18GB/36GB/73GB/146GB

 Component Class: Fixed Disk Drive
 Component Test: Must be post install bootable.
 Must be available for installation to from the installation program.
 Must pass the rhr-core tests.
 Must pass the rhr-fdisk test.
 Component Notes: None
 Modified On: 2004-04-02 18:18:29-05

Detail 3:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5389

Detail Notes: 48X IDE CD-ROM

16X IDE DVD ROM

48X IDE CD-RW/DVD ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-04-02 18:18:42-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5389

Detail Notes: Primary: CERC SATA RAID controller

Secondary: SCSI RAID LSI PERC4 SC/DC

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-04-02 18:19:28-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5389

Detail Notes: ATI Technologies Inc Rage XL

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-04-02 18:19:44-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5389

Detail Notes: 256MB - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-04-02 18:19:56-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5389

Detail Notes: Dual Intel Corp. 82547EI Gigabit Ethernet Controllers (e1000)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-04-02 18:20:26-05

Additional Certification Notes

No additional certification notes provided

2.10.56. PowerEdge 800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=158325>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.57. PowerEdge 800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=158347>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.58. PowerEdge 830 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=164924>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.59. PowerEdge 840 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=203134>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.60. PowerEdge 840 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=215761>

Summary

- *Version:* RHEL3-U8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

```
Product:      Red Hat Enterprise Linux
Version:      3
Make:         PowerEdge
Model:        840
Vendor:       Dell
Category:     Server
Kernel Version: kernel-hugemem-2.4.21-47.EL
File Uploaded: PE840-RHEL3-i386_CPU-4core-2.4GHz.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/65b741cb3300c244b9b554539d3d7ce3/PE840-RHEL3-i386_CPU-4core-2.4GHz.rpm
Please note the following failures:
WARNING: Kickstart file not found for required tests check.

0  PASSED  INFO
   PASSED  CORE2
```

Additional Certification Notes

No additional certification notes provided

2.10.61. PowerEdge 850 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=164999>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.62. PowerEdge 860 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=203145>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

This system is certified for x86 only (not for x86_64).

Additional Certification Notes

No additional certification notes provided

2.10.63. PowerEdge 860 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=215768>

Summary

- *Version:* RHEL3-U8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux

Version: 3

Make: PowerEdge

Model: 860

Vendor: Dell

Category: Server

Kernel Version: kernel-hugemem-2.4.21-47.EL

File Uploaded: PE860-RHEL3-i386_CPU-4core-2.4GHz.rpm

https://bugdev.devel.redhat.com/hwcert/data/rpms/a6559e771b6116d0ad89a37bb6a3ba7a/PE860-RHEL3-i386_CPU-4core-2.4GHz.rpmPlease note the following failures:

WARNING: Kickstart file not found for required tests check.

0 PASSED INFO
PASSED CORE2

Additional Certification Notes

No additional certification notes provided

2.10.64. PowerEdge SC 1420 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148485>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-12-07 13:11:02-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: ATI Technologies Inc Rage XL (rev 27)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-08-05 12:49:33-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: 8GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-08-05 12:49:53-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: Intel Corp. 82545GM Gigabit Ethernet Controller (rev 04)(e1000)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-08-05 12:51:08-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: Primary: 82801EB (ICH5) Serial ATA (SATA) 150 Storage Controller (rev 02)

Secondary: SCSI RAID LSI PERC4 DC

Tertiary: Adaptec AHA-3960D / AIC-7899A U160/m (rev 01)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-05 12:54:13-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: Vendor: Maxtor Model: 6Y250M0 250G SATA Disk Drive Qty:2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-08-05 13:04:04-04

Detail 6:

Ease of Install: 4

Status: Waiting for Authorization

Hardware Id: 5661

Detail Notes: Generic 1.44M IDE Floppy Disk Drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-08-05 13:07:51-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: Vendor: SEAGATE Model: DAT72-052 Rev: A060 External SCSI tape drive

Component Class: Tape Drive

Component Test: Must pass the rhr-core tests.

Must pass the rhr-tape test.

Component Notes: None

Modified On: 2004-08-05 13:08:32-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5661

Detail Notes: 48x GCR-8481B CD-ROM

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-08-05 13:09:02-04

Detail 9:

Ease of Install: 4

Status: Compatible

```

Hardware Id: 5661
Detail Notes: Intel(R) Pentium(R) 4 CPU<br>
Hyperthreading enabled<br>
800MHz FSB <br>
3.6 Ghz <br>
Qty:2<br>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-08-05 13:13:56-04

```

Additional Certification Notes

No additional certification notes provided

2.10.65. PowerEdge SC1430 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=211863>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

```

Product:      Red Hat Enterprise Linux
Version:      3
Make:         PowerEdge
Model:        SC1430
Vendor:       Dell
Category:     Server
Kernel Version: kernel-hugemem-2.4.21-47.EL
File Uploaded: PESC1430-RHEL3-i386_CPU-4core-2.66GHz.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/bf0a814bc4beec9d841ce1600426540e/PESC1430-
RHEL3-i386_CPU-4core-2.66GHz.rpmPlease note the following failures:
WARNING: Kickstart file not found for required tests check.

```

```

0  PASSED  INFO
   PASSED  CORE2

```

Additional Certification Notes

No additional certification notes provided

2.10.66. PowerEdge SC1430 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=203763>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.10.67. PowerEdge SC440 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=203758>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

This system is certified for "i386" only and not for "x86_64"

Additional Certification Notes

No additional certification notes provided

2.10.68. Precision 370n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148490>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-08-11 15:41:39-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: 4GB
Note:On systems with a large memory configuration of 4GB, not all memory will be available to the operating system
For more information, see Precision 370 Documentation - Memory
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-08-11 14:42:25-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Intel Corp. 82801BA USB
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program. Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 14:43:38-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Intel Corp. 82801BA Ultra ATA/SATA Storage Controller (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program. Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 14:43:56-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Vendor: SAMSUNG Model: CD-R/RW SW-252S

Or:

Vendor: HL-DT-ST Model: RW/DVD GCC-4481B

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-08-11 14:47:37-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Qty:2

Vendor: Hitachi Model: HDS724040KLSA80 400Gb SATA Disk drive

Qty:2

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-08-11 15:00:40-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Onboard Broadcom Corporation 5750 Gigabit Ethernet

Qty:1

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 15:05:31-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Genuine Intel(R) CPU 3.20GHz

Qty:1

HT Capable

Note: Not all configurations of this model are hyperthreading capable

Note: Not all configurations of this model are EM64T capable

Note: 64 bit installation on EM64T capable systems require a minimum of Red Hat Enterprise Linux 3 Update 2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-08-11 15:48:35-04

Detail 8:

Ease of Install: 4
Status: Waiting for Authorization
Hardware Id: 5668

Detail Notes: Intel onboard AC'97 Audio

Or:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-08-11 15:50:43-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-08-11 15:50:58-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5668
Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-08-11 15:51:32-04

Detail 11:
Ease of Install: 3
Status: Compatible
Hardware Id: 5668
Detail Notes: Adaptec ASC-39320(B) U320 SCSI Controller

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
EM64T Red Hat Enterprise Linux 3 Update 2 Driver Disk
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 16:30:55-04

Additional Certification Notes

No additional certification notes provided

2.10.69. Precision 370n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148491>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-08-11 15:54:15-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5669
Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-08-11 15:43:08-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5669
Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-08-11 15:43:08-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5669
Detail Notes: 4GB

Note: On systems with a large memory configuration of 4GB, not all memory will be available to the operating system

For more information, see <http://support.dell.com/support/edocs/systems/ws370/en/ug/memory.htm#1113005> Precision 370 Documentation - Memory

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-08-11 15:43:08-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5669

Detail Notes: Intel Corp. 82801BA USB

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-11 15:43:08-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5669

Detail Notes: Intel Corp. 82801BA Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-08-11 15:43:08-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5669

Detail Notes: Vendor: SAMSUNG Model: CD-R/RW SW-252S

Or:

Vendor: HL-DT-ST Model: RW/DVD GCC-4481B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-08-11 15:43:08-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5669

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Qty:2

Vendor: Hitachi Model: HDS724040KLSA80 400Gb SATA Disk drive

Qty:2

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-08-11 15:43:08-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5669
Detail Notes: Onboard Broadcom Corporation 5750 Gigabit Ethernet

Qty:1

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 15:43:08-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5669
Detail Notes: Intel onboard AC'97 Audio

Or:

Creative Labs SB Audigy (rev 04)

Component Class: Midi Playback Device
Component Test: Must pass the rhr-core tests.
Must pass the rhr-midi test.
Component Notes: None
Modified On: 2004-08-11 15:46:47-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5669
Detail Notes: Genuine Intel(R) CPU 3.20GHz

Qty:1

HT Capable

Note: Not all configurations of this model are hyperthreading capable

Note: Not all configurations of this model are EM64T capable

Note: 64 bit installation on EM64T capable systems require a minimum of Red Hat Enterprise Linux 3 Update 2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-08-11 15:53:18-04

Detail 11:
Status: Compatible
Hardware Id: 5669
Detail Notes: Adaptec ASC-39320(B) U320 SCSI Controller

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
x86 Red Hat Enterprise Linux 3 Update 1 and Update 2 Driver Disk
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 16:33:09-04

Additional Certification Notes

No additional certification notes provided

2.10.70. Precision 470 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148451>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2004-07-23 11:37:56-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-07-23 11:01:49-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 11:01:50-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: 8GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-23 11:01:51-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:01:51-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-23 11:01:51-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-23 11:01:51-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:01:51-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-23 11:01:52-04

Detail 9:

Ease of Install: 3
Status: Compatible
Hardware Id: 5622
Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
EM64T Red Hat Enterprise Linux 3 Update 2 Driver Disk
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 11:23:26-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-07-23 11:24:36-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz EM64T Capable

Qty: 2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-07-23 11:25:56-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-07-23 11:26:43-04

Additional Certification Notes

No additional certification notes provided

2.10.71. Precision 470 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148452>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-07-23 11:38:11-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-23 11:05:24-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:05:25-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: 8GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-23 11:05:25-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:05:25-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-23 11:05:25-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-23 11:05:25-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:05:25-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-23 11:05:25-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5623
Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-07-23 11:18:42-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5623
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

Qty: 2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-07-23 11:19:52-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5623
Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-07-23 11:21:09-04

Detail 12:
Status: Compatible
Hardware Id: 5623
Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
x86 Red Hat Enterprise Linux 3 Update 1 and Update 2 Driver Disk
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 16:33:26-04

Additional Certification Notes

No additional certification notes provided

2.10.72. Precision 470n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153854>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2005-02-02 17:47:46-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-07-23 11:01:49-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 11:01:50-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5622
Detail Notes: 8GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-23 11:01:51-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:01:51-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-23 11:01:51-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-23 11:01:51-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:01:51-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5622

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-23 11:01:52-04

Detail 9:

Ease of Install: 3
 Status: Compatible
 Hardware Id: 5622
 Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
 EM64T Red Hat Enterprise Linux 3 Update 2 Driver Disk
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2004-07-23 11:23:26-04

Detail 10:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5622
 Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

 OR:

 Creative Labs SB Audigy (rev 04)

 Component Class: Digital Audio Adapter
 Component Test: Must pass the rhr-core tests.
 Must pass the rhr-audio tests.
 Component Notes: None
 Modified On: 2004-07-23 11:24:36-04

Detail 11:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5622
 Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz EM64T Capable

 Qty: 2

 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2004-07-23 11:25:56-04

Detail 12:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5622
 Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

 Vendor: NEC Model: DVD+RW ND-2100AD

 Vendor: SAMSUNG Model: CDRW/DVD SM-352F

 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2004-07-23 11:26:43-04

Additional Certification Notes

No additional certification notes provided

2.10.73. Precision 470n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153855>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2005-02-02 17:47:53-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-23 11:05:24-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:05:25-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: 8GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-23 11:05:25-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:05:25-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-23 11:05:25-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-23 11:05:25-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:05:25-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5623

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-23 11:05:25-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5623
Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-07-23 11:18:42-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5623
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

Qty: 2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-07-23 11:19:52-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5623
Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-07-23 11:21:09-04

Detail 12:
Status: Compatible
Hardware Id: 5623
Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
x86 Red Hat Enterprise Linux 3 Update 1 and Update 2 Driver Disk
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-08-11 16:33:26-04

Additional Certification Notes

No additional certification notes provided

2.10.74. Precision 670 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148449>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-07-23 10:10:03-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-07-22 18:46:56-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-22 18:53:48-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-22 18:05:25-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 10:44:28-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-07-22 18:16:23-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-22 18:19:28-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-22 18:25:58-04

Detail 8:

Ease of Install: 3

Status: Compatible

Hardware Id: 5617

Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3

x86 Red Hat Enterprise Linux 3 Update 1 and Update 2 Driver Disk

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 10:59:44-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5617
Detail Notes: 8GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-07-22 18:29:56-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5617
Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-07-22 18:51:33-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5617
Detail Notes: Generic 1.44M IDE Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-07-22 19:00:37-04

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5617
Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-07-22 19:01:56-04

Additional Certification Notes

No additional certification notes provided

2.10.75. Precision 670 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148450>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA

Cpu Name: AMD64 and Intel(R) EM64T

Created On: 2004-07-23 10:22:02-04

Returned On: mm-dd-yy

Last Touched On: 2004-07-23 11:00:39-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-23 10:22:30-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 10:29:31-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: 8GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-23 10:23:11-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 10:46:00-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-23 10:26:12-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-23 10:25:49-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 10:39:30-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-23 10:42:12-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-07-23 10:28:27-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz EM64T Capable

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-07-23 10:40:56-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-07-23 10:47:29-04

Detail 12:

Ease of Install: 3

Status: Compatible

Hardware Id: 5621

Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3

EM64T Red Hat Enterprise Linux 3 Update 2 Driver Disk

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 11:00:15-04

Additional Certification Notes

No additional certification notes provided

2.10.76. Precision 670n Desktop/Workstation**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=153852>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2005-02-02 17:48:13-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2004-07-22 18:46:56-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-22 18:53:48-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-22 18:05:25-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 10:44:28-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz

Qty: 2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-07-22 18:16:23-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-07-22 18:19:28-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-22 18:25:58-04

Detail 8:

Ease of Install: 3

Status: Compatible

Hardware Id: 5617

Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3

[x86 Red Hat Enterprise Linux 3 Update 1 and Update 2 Driver Disk](http://hardware.redhat.com/hcl/files/aic7xxx-1.3.10-RH1-dd-GU1U2-x86.img)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-23 10:59:44-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: 8GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-07-22 18:29:56-04

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-07-22 18:51:33-04

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Generic 1.44M IDE Floppy drive

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-07-22 19:00:37-04

Detail 12:

Ease of Install: 4

Status: Compatible

Hardware Id: 5617

Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-07-22 19:01:56-04

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7663](#)⁸ Why does integrated sound not work on my Intel ICH7-based motherboard under Red Hat Enterprise Linux 3?

2.10.77. Precision 670n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153853>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - NC,USA

Cpu Name: AMD64 and Intel(R) EM64T

Created On: 2004-07-23 10:22:02-04

Returned On: mm-dd-yy

Last Touched On: 2005-02-02 17:48:18-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: nVidia Corporation: Quadro FX 3400

OR:

nVidia Corporation: Quadro FX 1300

OR:

nVidia Corporation: Quadro 4 280NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-07-23 10:22:30-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5621

Detail Notes: PERC320/DC (Adaptec AAC-RAID (rev 01))

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 10:29:31-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: 8GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-07-23 10:23:11-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Intel Corp. 82801EB Ultra ATA/SATA Storage Controller (rev 02)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 10:46:00-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Generic 1.44M IDE Floppy drive
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-07-23 10:26:12-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Vendor: Fujitsu Model: MAP3147NP 147Gb SCSI Disk drive

Vendor: Western Digital Model: WD2500JD-75H 250Gb SATA Disk drive

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-07-23 10:25:49-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Intel Corp. 82801EB USB (rev 02)

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 10:39:30-04

Detail 8:
Ease of Install: 4
Status: Compatible

Hardware Id: 5621
Detail Notes: Intel Corp. 82545 Gigabit Ethernet Controller (rev 01)

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-07-23 10:42:12-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Intel Corp. 82801EB AC'97 Audio Controller (rev 02)

OR:

Creative Labs SB Audigy (rev 04)

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2004-07-23 10:28:27-04

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Intel(R) Xeon(TM) CPU 3.60GHz EM64T Capable

Qty: 2

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-07-23 10:40:56-04

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5621
Detail Notes: Vendor: Liteon Model: DVD-ROM XJ-HD166

Vendor: NEC Model: DVD+RW ND-2100AD

Vendor: SAMSUNG Model: CDRW/DVD SM-352F

Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-07-23 10:47:29-04

Detail 12:
Ease of Install: 3
Status: Compatible
Hardware Id: 5621
Detail Notes: Adaptec AIC-7901 U320 (rev 10)

NOTE: Requires a driver disk for installation and proper function of this controller prior to Update 3
EM64T Red Hat Enterprise Linux 3 Update 2 Driver Disk
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-07-23 11:00:15-04

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7663⁹](#) Why does integrated sound not work on my Intel ICH7-based motherboard under Red Hat Enterprise Linux 3?

2.10.78. Precision Workstation 390n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=208662>

Summary

- *Version:* Update 8
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

```
Product:      Red Hat Enterprise Linux
Version:      3
Make:         Precision
Model:        WorkStation 390
Vendor:       Dell
Category:     Desktop/Workstation
Kernel Version: kernel-smp-2.4.21-47.EL
File Uploaded: rhr2-Precision-WorkStation_390-Taroon_Update_8_results-1.noarch.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/942376b61afe363adf561f1935e603f8/rhr2-
Precision-WorkStation_390-Taroon_Update_8_results-1.noarch.rpmPlease note the following
failures:
WARNING: Kickstart file not found for required tests check.
```

```
0  PASSED  USB
    PASSED  INFO
    PASSED  VIDEO
    PASSED  STORAGE
    PASSED  FLOPPY
    PASSED  MEMORY
    FAILED  CORE
    FAILED  CDROM
```

Additional Certification Notes

No additional certification notes provided

2.10.79. Precision Workstation 390n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=206691>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

This system is certified for x86_64 only; not for x86.

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7663](#)¹⁰ Why does integrated sound not work on my Intel ICH7-based motherboard under Red Hat Enterprise Linux 3?

2.10.80. Precision Workstation 490n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=206670>

Summary

- *Version:* Update 8
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

This system is certified for x86_64 only, not for x86.

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7663](#)¹¹ Why does integrated sound not work on my Intel ICH7-based motherboard under Red Hat Enterprise Linux 3?

2.10.81. Precision Workstation 690N Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=206688>

Summary

- *Version:* Update 8
- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

This system is certified for x86_64 only, not for x86.

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7663](#)¹² Why does integrated sound not work on my Intel ICH7-based motherboard under Red Hat Enterprise Linux 3?

2.10.82. Precision Workstation 690n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=211670>

Summary

- *Version:* Update 8
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Red Hat Hardware Certification Submitted

Product: Red Hat Enterprise Linux
Version: 3
Make: Precision

```
Model:      WorkStation 690
Vendor:     Dell
Category:   Desktop/Workstation
Kernel Version: kernel-smp-2.4.21-47.EL
File Uploaded: rhr2-Precision-WorkStation_690-Taroon_Update_8_results-1.noarch.rpm
https://bugdev.devel.redhat.com/hwcert/data/rpms/1f0ac297d15beb300a614b14cf2cc495/rhr2-
Precision-WorkStation_690-Taroon_Update_8_results-1.noarch.rpmPlease note the following
failures:
WARNING: Kickstart file not found for required tests check.

0  FAILED  NETWORK2
   PASSED  FLOPPY
   FAILED  CDROM
   PASSED  INFO
   FAILED  USB
   PASSED  VIDEO
   PASSED  CORE2
   FAILED  STORAGE
   FAILED  MEMORY
```

Additional Certification Notes

No additional certification notes provided

2.10.83. Precision WS360n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148206>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-08 13:49:58-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: Intel Pentium Xeon P4 3.20, 3.00, 2.80, 2.60, 2.40 GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-05 16:16:45-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5238

Detail Notes: 256K - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-05 16:17:55-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5238

Detail Notes: 80GB IDE (ATA-100)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-08 08:37:19-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5238

Detail Notes: 64MB USB Keyfob

Component Class: Removable Storage Device

Component Test: Must pass the rhr-core tests.
Must pass the rhr-remdisk test.

Component Notes: The device is not required to be bootable or available during install.

Modified On: 2003-12-08 08:50:22-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5238

Detail Notes: nVidia Quadro4 280 NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-05 16:24:56-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5238

Detail Notes: 120GB SATA

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-08 08:36:13-05

Detail 7:

Ease of Install: 4

Status: Compatible
Hardware Id: 5238
Detail Notes: nVidia QuadroFX 500/1000/3000
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-05 16:31:45-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: 146GB SCSI
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-08 08:39:29-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: Audigy II - Intel 82801EB AC'97 Audio
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-12-15 16:46:16-05

Detail 10:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: Intel Gigabit 82545EM Driver e1000
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-05 16:21:23-05

Detail 11:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: 48x CD-ROM, 48x/32x/48x CD-RW, 48x CD-RW/DVD, 16x DVD-ROM, 4x DVD+RW/+R
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-08 08:47:47-05

Detail 12:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: Adaptec PERC320 Controller

Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-15 16:45:01-05

Detail 13:
Ease of Install: 4
Status: Compatible
Hardware Id: 5238
Detail Notes: LSI Logic 53c1030 PCI-X Fusion-MPT Dual U320
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-15 16:45:57-05

Additional Certification Notes

No additional certification notes provided

2.10.84. Precision WS450n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148208>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-08 13:50:20-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: 48x CD-ROM, 48x/32x/48x CD-RW, 48x CD-RW/DVD, 16x DVD-ROM, 4x DVD+RW/+R
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-08 08:56:19-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5241

Detail Notes: 80GB IDE (ATA-100)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-08 08:56:19-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5241

Detail Notes: 64MB USB Keyfob

Component Class: Removable Storage Device

Component Test: Must pass the rhr-core tests.
Must pass the rhr-remdisk test.

Component Notes: The device is not required to be bootable or available during install.

Modified On: 2003-12-08 08:56:19-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5241

Detail Notes: 120GB SATA

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-08 08:56:19-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5241

Detail Notes: 146GB SCSI

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-08 08:56:19-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5241

Detail Notes: Intel Pentium Xeon P4 3.20, 3.00, 2.80, 2.60, 2.40 GHz

Qty: 1-2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-08 09:11:27-05

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: 256K - 4GB
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-08 09:11:52-05

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: nVidia Quadro4 280 NVS
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-08 09:12:18-05

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: nVidia QuadroFX 500/1000/3000
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-08 09:12:40-05

Detail 10:

Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: Intel Gigabit 82545EM Driver e1000
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-08 09:13:07-05

Detail 11:

Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: Audio add-in SB Audigy II
Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-12-15 16:30:57-05

Detail 12:

Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: Audio on-board Intel AC'97

Component Class: Digital Audio Adapter
Component Test: Must pass the rhr-core tests.
Must pass the rhr-audio tests.
Component Notes: None
Modified On: 2003-12-15 16:29:53-05

Detail 13:
Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: LSI Logic 53c1030 PCI-X Fusion-MPT Dual U320
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-15 16:32:15-05

Detail 14:
Ease of Install: 4
Status: Compatible
Hardware Id: 5241
Detail Notes: Adaptec PERC320 Controller
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-15 16:42:43-05

Additional Certification Notes

No additional certification notes provided

2.10.85. Precision WS650n Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148209>

Summary

- *Version:* 3
- *Category:* Desktop/Workstation
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-08 13:50:36-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: Intel Pentium Xeon P4 3.20, 3.00, 2.80, 2.60, 2.40 GHz

Qty: 1-2

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-08 09:09:52-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: Intel Gigabit 82545EM Driver e1000

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-15 16:20:38-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: 256K - 4GB

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-15 16:21:11-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: 80GB IDE (ATA-100)

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-15 16:21:26-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: 64MB USB Keyfob

Component Class: Removable Storage Device

Component Test: Must pass the rhr-core tests.
Must pass the rhr-remdisk test.

Component Notes: The device is not required to be bootable or available during install.

Modified On: 2003-12-15 16:22:38-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: nVidia Quadro4 280 NVS

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-15 16:24:00-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: 120GB SATA

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-15 16:24:17-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: nVidia QuadroFX 500/1000/3000

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-15 16:24:33-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: 146GB SCSI

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-15 16:25:19-05

Detail 10:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: Audio add-in SB Audigy II

Component Class: Digital Audio Adapter

Component Test: Must pass the rhr-core tests.

Must pass the rhr-audio tests.

Component Notes: None

Modified On: 2003-12-15 16:20:05-05

Detail 11:

Ease of Install: 4

Status: Compatible

Hardware Id: 5242

Detail Notes: LSI Logic 53c1030 PCI-X Fusion-MPT Dual U320

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2003-12-15 16:26:11-05

Detail 12:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5242
 Detail Notes: Adaptec PERC320 Controller
 Component Class: Controller Card
 Component Test: Must make all required hardware available to the installation program.
 Must pass the rhr-core tests.
 Component Notes: Must pass all tests required for attached hardware.
 Modified On: 2003-12-15 16:40:08-05

Detail 13:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5242
 Detail Notes: Audio on-board Intel AC'97
 Component Class: Digital Audio Adapter
 Component Test: Must pass the rhr-core tests.
 Must pass the rhr-audio tests.
 Component Notes: None
 Modified On: 2003-12-15 16:19:06-05

Detail 14:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5242
 Detail Notes: 48x CD-ROM, 48x/32x/48x CD-RW, 48x CD-RW/DVD, 16x DVD-ROM, 4x DVD+RW/+R
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2003-12-15 16:20:55-05

Additional Certification Notes

No additional certification notes provided

2.11. Egenera

2.11.1. pBlade Model 11xx, 12xx, 13xx, 22xx, 24xx Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=156725>

Summary

- *Version: 3*

- *Category:* Server
- *Platforms:* All

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.2. pBlade Model 19xx, 18xx, 17xx Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=156720>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.3. pBlade Model 43xx Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=156723>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.4. pBlade PB300001R Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=205918>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.5. pBlade PB300002R Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=205917>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.6. pBlade PB300003R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=205916>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.7. pBlade PB300004R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=205777>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.8. pBlade PB600001R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207869>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹³ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.9. pBlade PB600002R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207152>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹⁴ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.10. pBlade PB600003R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207878>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹⁵ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.11. pBlade PB600004R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207877>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹⁶ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.12. pBlade PB600005R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207876>

Summary

- *Version:* Update 8

- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹⁷ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.13. pBlade PB600006R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207153>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹⁸ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.14. pBlade PB600007R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207874>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7863](#)¹⁹ Is there a clock skew problem with AMD rev. F Opterons running Red Hat Enterprise Linux 3 i386 kernel?

2.11.15. Processing Blade PB100600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=189240>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.16. Processing Blade PB100601 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=189243>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.17. Processing Blade PB200504 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=183522>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.18. Processing Blade PB200507 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=189248>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.19. Processing Blade PB200508 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=189251>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.20. Processing Blade PB200600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=182316>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.21. Processing Blade PB200601 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=182318>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.22. Processing Blade PB200700 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=189261>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.23. Processing Blade PB200701 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=183523>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.24. Processing Blade PB200703 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=187246>

Summary

- *Version:* RHEL3-U4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.25. Processing Blade PB300005R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=224223>

Summary

- *Version:* RHEL3-U8
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.11.26. Processing Blade PB300006R Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=238176>

Summary

- *Version:* RHEL3-U8
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12. Fujitsu

2.12.1. PRIMERGY BX300 P3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148407>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-06-29 10:28:47-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5555

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-29 10:28:29-04

Detail 2:

Ease of Install: 4

Status: Compatible
Hardware Id: 5555
Detail Notes: <P>Fujitsu Siemens Computers D1431</P>
<P>BIOS: 4.06 Rev 3E01.1431</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-29 10:28:29-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5555
Detail Notes: IDE PROMISE PDC 20270
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-29 10:28:29-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5555
Detail Notes: 1 x IBM Travelstar IC25N020ATCX04-0 20GB IDE
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-29 10:28:29-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5555
Detail Notes: 2 x BROADCOM 5701 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 10:28:29-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5555
Detail Notes: 2 x Intel Pentium III CPU 800MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-29 10:28:29-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5555
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None

Modified On: 2004-06-29 10:28:29-04

Additional Certification Notes

No additional certification notes provided

2.12.2. PRIMERGY BX300 PM Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148358>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2004-05-21 12:57:53-04

Returned On: mm-dd-yy

Last Touched On: 2004-05-21 13:06:43-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-05-21 12:58:08-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: 1 x Intel Pentium M CPU 1.4GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-05-21 12:58:38-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: 2 x IBM Travelstar IC25N020ATCX04-0 20GB IDE

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-05-21 12:59:13-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: 2 GB PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-05-21 13:00:38-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: 2 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-05-21 13:02:21-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: IDE PROMISE PDC 20268R (rev 02)

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-21 13:05:01-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5473

Detail Notes: <P>Fujitsu Siemens Computers D1710</P>

<P>BIOS: 4.06 Rev 3B04.1710</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-05-21 13:06:36-04

Additional Certification Notes

No additional certification notes provided

2.12.3. PRIMERGY BX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148594>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2004-10-22 11:11:14-04

Returned On: mm-dd-yy

Last Touched On: 2004-10-22 11:15:29-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-22 11:11:45-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: ADAPTEC AIC7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-10-22 11:12:10-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: 4 x Intel(R) Xeon(TM) CPU 3GHz
(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-22 11:12:32-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: Maxtor Atlas10K4_146_SCA 146GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-22 11:12:56-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: 16 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-22 11:13:18-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: Fujitsu Siemens Computers D1652

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-10-22 11:13:41-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5818

Detail Notes: 4 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-10-22 11:14:02-04

Detail 8:

Ease of Install: 1

Status: Waiting for Authorization

Hardware Id: 5818

Detail Notes: <p> FC-I/O card 'BX600-FC22a'(QLA2342 compatible) has not been tested in this system</p>

<p> Only a single NIC configuration has been tested on this system</p>

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Additional Certification Notes

No additional certification notes provided

2.12.4. PRIMERGY BX620 S2 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=179121>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.5. PRIMERGY Econel 40 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148589>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-10-21 11:45:40-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5801

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:45:27-04

Detail 2:

Status: Compatible

Hardware Id: 5801

Detail Notes: NEC DVD+RW ND-2100AD

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-10-21 11:45:27-04

Detail 3:

Status: Compatible

Hardware Id: 5801

Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz

(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-21 11:45:27-04

Detail 4:

Status: Compatible

Hardware Id: 5801

Detail Notes: MAXTOR SATA 6Y080M0 80GB 7200rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-21 11:45:27-04

Detail 5:

Status: Compatible

Hardware Id: 5801

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-10-21 11:45:27-04

Detail 6:

Status: Compatible

Hardware Id: 5801
 Detail Notes: 2 GB ECC PC3200 DDR RAM
 Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2004-10-21 11:45:27-04

Detail 7:
 Status: Compatible
 Hardware Id: 5801
 Detail Notes: Fujitsu Siemens Computers D1755
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2004-10-21 11:45:27-04

Detail 8:
 Status: Compatible
 Hardware Id: 5801
 Detail Notes: Intel 825470EM 10/100/1000 Mbit/s
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2004-10-21 11:45:27-04

Detail 9:
 Status: Waiting for Authorization
 Hardware Id: 5801
 Detail Notes: Note: LSI-53C1000R and Promise SATA RAID controllers have not been tested on this system
 Component Class: Other
 Component Test: Determined on a case by case basis.
 Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
 Modified On: 2004-10-21 11:45:27-04

Additional Certification Notes

No additional certification notes provided

2.12.6. PRIMERGY RX100 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148413>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-06-29 11:41:44-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5563

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-29 11:41:26-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5563

Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR244W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-29 11:41:27-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5563

Detail Notes: <P>PROMISE 20270 onboard</P>

<P>used in standard IDE mode</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-29 11:41:27-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5563

Detail Notes: <P>1 x Intel(R) Pentium(R) 4 XEON 3.06 GHz</P>

<P>Hyper-Threading : ENABLED</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-29 11:41:27-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5563

Detail Notes: SEAGATE ST380021A 80 GB 7200 rpm

Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-29 11:41:27-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5563
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-29 11:41:27-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5563
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-29 11:41:27-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5563
Detail Notes: <P>Fujitsu Siemens Computers D1483</P>
<P>BIOS V4.1 R02-A3F5.1483</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-29 11:41:27-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5563
Detail Notes: INTEL 82545EM Ethernet 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 11:41:27-04

Additional Certification Notes

No additional certification notes provided

2.12.7. PRIMERGY RX100 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148581>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-10-21 11:08:22-04

Detail Data:

Detail 1:

Status: Compatible

Hardware Id: 5792

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:07:41-04

Detail 2:

Status: Compatible

Hardware Id: 5792

Detail Notes: IDE/ATAPI LG CRN-8245B

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-10-21 11:07:41-04

Detail 3:

Status: Compatible

Hardware Id: 5792

Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz

(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-21 11:07:41-04

Detail 4:

Status: Compatible
Hardware Id: 5792
Detail Notes: MAXTOR 6Y080M0 80GB 7200rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-21 11:07:41-04

Detail 5:
Status: Compatible
Hardware Id: 5792
Detail Notes: 1,44 MB 3,5"
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 11:07:41-04

Detail 6:
Status: Compatible
Hardware Id: 5792
Detail Notes: 4 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 11:07:41-04

Detail 7:
Status: Compatible
Hardware Id: 5792
Detail Notes: Fujitsu Siemens Computers D1571
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 11:07:41-04

Detail 8:
Status: Compatible
Hardware Id: 5792
Detail Notes: 2 x Intel 82541 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:07:41-04

Detail 9:
Status: Waiting for Authorization
Hardware Id: 5792
Detail Notes: Controller Promise PDC20319 was not tested on this system
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-10-21 11:07:41-04

Additional Certification Notes

No additional certification notes provided

2.12.8. PRIMERGY RX100 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=208269>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.9. PRIMERGY RX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148235>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-30 04:05:16-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285

Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-29 07:54:20-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: MAXTOR ATLASU320 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-29 07:54:20-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: IDE/ATAPI CD/DVD-ROM MITSUMI SR244W
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-29 07:54:20-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-29 07:54:20-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: INTEL 82546EB (2 x 10/100/1000 Mbps Ethernet)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-29 07:54:20-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: <P>2 x Intel(R) Xeon(TM) CPU 2.80GHz </P>
<P>(Hyper-Threading : ENABLED)</P>

Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-29 07:54:20-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: 3 GB ECC PC2100 SDDR
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-12-29 07:54:20-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: ADAPTEC AIC7902 Onboard
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-29 07:54:20-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5285
Detail Notes: <P>Fujitsu Siemens Computers D1570</P>
<P>BIOS : F20</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-12-29 07:54:20-05

Additional Certification Notes

No additional certification notes provided

2.12.10. PRIMERGY RX200 A Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148343>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-05-04 06:11:52-04
Returned On: mm-dd-yy
Last Touched On: 2004-05-04 06:23:37-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-05-04 06:12:07-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: <P>Fujitsu Siemens Computers D1770</P>
<P>BIOS : F02A</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-05-04 06:22:28-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: IDE/ATAPI Mitsumi CD-ROM SR243T
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-05-04 06:12:41-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: 2 x Intel(R) Xeon(TM) CPU 3.06GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-05-04 06:13:17-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5442

Detail Notes: 2 x INTEL 82546EB 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-05-04 06:23:13-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: ADAPTEC AIC7902
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-05-04 06:13:58-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: MAXTOR ATLASU320_18_SCA 18 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-05-04 06:20:00-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-05-04 06:20:38-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5442
Detail Notes: 2 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-05-04 06:21:14-04

Additional Certification Notes

No additional certification notes provided

2.12.11. PRIMERGY RX200 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=180858>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.12. PRIMERGY RX300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148187>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-11-14 09:00:11-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: <p>2 x Intel Xeon 3.06 GHz</p>

<p>For certification kernel-2.4.21-4.0.1 was used</p>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-17 05:12:19-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: <p>BROADCOM 5704 QUAD-PORT 10/100/1000BASE-T</p>

<p>Driver: tg3</p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-17 05:13:00-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: <p>ADAPTEC AIC7902</p>

<p>Driver: aic79xx</p>

<p>HostRAID not supported</p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-17 05:13:12-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-11-17 05:13:22-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-11-17 05:13:34-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-17 05:13:47-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: 4 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-11-17 05:13:59-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: <p>Fujitsu Siemens Computers D1409</p>

<p>BIOS V4.06 Rev 1.03.1409</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-11-17 05:14:09-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5204

Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-11-17 05:14:23-05

Additional Certification Notes

No additional certification notes provided

2.12.13. PRIMERGY RX300 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=180860>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.14. PRIMERGY RX300 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=215297>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.15. PRIMERGY RX600 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192066>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.16. PRIMERGY RX600 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=213443>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.17. Primergy RX600S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192063>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.18. PRIMERGY RX800 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148233>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-29 06:14:59-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5283
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-29 06:14:38-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5283
Detail Notes: LSI53C1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-29 06:14:38-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5283
Detail Notes: FUJITSU MAP3367NC 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-29 06:14:38-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5283
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2003-12-29 06:14:38-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5283

Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-29 06:14:39-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5283

Detail Notes: <P>TX800 Boardset</P>

<P>BIOS: 1.03</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-12-29 06:14:39-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5283

Detail Notes: IDE/ATAPI CD/DVD-ROM MATSHITA SR-8177 DVD 24X

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-29 06:14:39-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5283

Detail Notes: 2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-29 06:14:39-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5283

Detail Notes: <P>8 x Intel(R) XEON(TM) MP CPU 2.80GHz</P>

<P>HyperThreading : ENABLED</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-29 06:14:39-05

Additional Certification Notes

No additional certification notes provided

2.12.19. PRIMERGY RXI300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=150254>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* ia64

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2005-01-27 06:03:33-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 6041
Detail Notes: Slimtype COMBO LSC-24081
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-01-27 05:59:22-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 6041
Detail Notes: 8 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-01-27 05:59:46-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 6041
Detail Notes: 2 x FUJITSU MAS3184NC 18GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2005-01-27 06:00:02-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 6041

Detail Notes: 2x Intel® Itanium2 1600MHz L3Cache: 9MB

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2005-01-27 06:00:23-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 6041

Detail Notes: Intel 82546 dual

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-01-27 06:00:41-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 6041

Detail Notes: LSI 53C1030 SCSI

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2005-01-27 06:00:59-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 6041

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2005-01-27 06:01:22-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 6041

Detail Notes: <P>Fujitsu Siemens Computers S870BH2</P>

<P>BIOS S870BH2A.86B.0183.P02</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2005-01-27 06:03:22-05

Additional Certification Notes

No additional certification notes provided

2.12.20. PRIMERGY RXI600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148411>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* ia64

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2004-06-29 11:25:18-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: <P>Fujitsu Siemens Computers S870BN4</P>
<P>BIOS Version 3.00; BIOS Build 0907</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-07-05 10:14:45-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-29 11:24:59-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: MATSHITA DVD-ROM SR-8177
Component Class: CD-ROM Drive
Component Test: Must be avilable as an installation medium.

Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-06-29 11:24:59-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: <P>LSI MegaRAID SCSI 320-2 </P>
<P>LSI 53c1030 SCSI (inactive, only for external SCSI connections)</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-29 11:24:59-04

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: 4x Intel(R) Itanium2 1500MHz; L1/L2/L3 Cache: 32KB/256KB/6MB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-29 11:24:59-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: 2 x SEAGATE ST336753LC 34GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-29 11:24:59-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: LS120/240
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-29 11:24:59-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: 16 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-29 11:24:59-04

Detail 9:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 5561
Detail Notes: Intel 82540EM 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 11:24:59-04
```

Additional Certification Notes

No additional certification notes provided

2.12.21. PRIMERGY TX150 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148335>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-04-30 08:02:20-04

Detail Data:

Detail 1:

```
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: ATI Rage XL ( 8 MB )
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-04-30 08:01:46-04
```

Detail 2:

```
Ease of Install: 4
```

Status: Compatible
Hardware Id: 5434
Detail Notes: IDE/ATAPI CD-ROM MITSUMI FX48A0W
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-04-30 08:01:46-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: 1 x Intel(R) Pentium(R) 4 CPU 2.66GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-04-30 08:01:46-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: <P>ADAPTEC AIC 7901 onboard</P>
<P>Driver : aic79xx</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-04-30 08:01:46-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: MAXTOR ATLASU320_18_SCA, 18GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-04-30 08:01:46-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: INTEL 82540EM Ethernet 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-04-30 08:01:46-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-04-30 08:01:46-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: 2 GB RAM DDR-SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-04-30 08:01:46-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5434
Detail Notes: <P>Fujitsu Siemens Computers D1501</P>
<P>BIOS: V4.1 R02-A1F2.1501</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-04-30 08:01:47-04

Additional Certification Notes

No additional certification notes provided

2.12.22. PRIMERGY TX150 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148585>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

Cpu Name: All Architectures
Last Touched On: 2004-10-21 11:25:37-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5797

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-21 11:25:21-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5797

Detail Notes: LSI1020

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-10-21 11:25:21-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5797

Detail Notes: CPU 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-21 11:25:21-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5797

Detail Notes: Fujitsu MAP3735NC 73 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-21 11:25:21-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5797

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-10-21 11:25:21-04

Detail 6:

Ease of Install: 4

Status: Compatible
Hardware Id: 5797
Detail Notes: IDE/ATAPI Lite-On LTN486S
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-10-21 11:25:21-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5797
Detail Notes: 2 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 11:25:21-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5797
Detail Notes: Fujitsu Siemens Computers D1751
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 11:25:21-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5797
Detail Notes: Intel 82540EM 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:25:21-04

Detail 10:
Status: Waiting for Authorization
Hardware Id: 5797
Detail Notes: Promise SATA 150 TM TX4 has not been tested on this system
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.
Modified On: 2004-10-21 11:25:21-04

Additional Certification Notes

No additional certification notes provided

2.12.23. PRIMERGY TX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148210>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-09 07:03:59-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5243

Detail Notes: IDE/ATAPI Lite-On LTN486S 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-09 07:02:22-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5243

Detail Notes: 2 x Intel(R) Xeon(R) 2.8 GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-09 07:02:42-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5243

Detail Notes: 2.25 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-09 07:03:14-05

Detail 4:

Ease of Install: 4

Status: Compatible
Hardware Id: 5243
Detail Notes: Fujitsu Siemens Computers D1419
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-12-09 07:03:25-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5243
Detail Notes: <p>ADAPTEC AIC7902</P>
<p>driver: aic79xx</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-09 07:02:31-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5243
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-09 07:02:51-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5243
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-09 07:02:05-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5243
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-09 07:03:03-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5243
Detail Notes: <p>BROADCOM 5703 10/100/1000BASE-T</p>
<p>driver: tg3</p>

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-09 07:03:38-05

Additional Certification Notes

No additional certification notes provided

2.12.24. PRIMERGY TX200 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=179120>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.25. PRIMERGY TX300 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=509145>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.12.26. PRIMERGY TX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148231>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-29 05:29:32-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-29 05:28:39-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: MAXTOR ATLASU320_18_SCA 18 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-29 05:28:39-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: ADAPTEC AIC7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-29 05:28:39-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: <P>Fujitsu Siemens Computers D1411</P>

<P>BIOS V4.06 Rev 1.00.1411</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-12-29 05:28:39-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2003-12-29 05:28:39-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>

<P>Driver : tg3</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-12-29 05:28:39-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: IDE/ATAPI CD/DVD-ROM Lite-ON XJ-SD081D DVD 8X /CD 24X

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-29 05:28:39-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5281

Detail Notes: <P>4 x Intel(R) XEON(TM) MP CPU 2.50GHz</P>

<P>(Hyper-Threading : ENABLED)</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-29 05:28:39-05

```
Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5281
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-29 05:28:39-05
```

Additional Certification Notes

No additional certification notes provided

2.12.27. PRIMERGY TX600 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=213442>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13. Fujitsu Siemens Computers

2.13.1. CELSIUS V810 Desktop/Workstation

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=153756>

Summary

- *Version:* 3

- *Category:* Desktop/Workstation
- *Platforms:* x86_64

Additional Comments

Additional Data:

Cpu Name: AMD64 and Intel(R) EM64T
Last Touched On: 2005-01-27 06:17:08-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: ATAPI CD/DVD-ROM Hitachi COMBO GCC-4481B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-01-27 06:12:29-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: 8 GB DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-01-27 06:12:44-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: <P>Maxtor 6Y080M0 80 GB 7200 rpm</P>
<P>FUJITSU MAP3367NP 36 GB 10000 rpm</P>
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-01-27 06:13:26-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: 2x AMD 64 Opteron CPU (2.0 GHz)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2005-01-27 06:13:41-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: <P>Broadcom BCM5703X Gigabit Ethernet</P>
<P>Driver: tg3</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2005-01-27 06:14:23-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: nVidia FX-3000
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2005-01-27 06:15:58-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: <P>Fujitsu Siemens Computers D1692</P>
<P>BIOS V 4.06 R1.05.D1692</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2005-01-27 06:16:41-05

Detail 8:
Ease of Install: 4
Status: Waiting for Authorization
Hardware Id: 6043
Detail Notes: <P>Adaptec U320</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-01-28 05:44:57-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 6043
Detail Notes: <P>Onboard-SATA SiI 3114</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2005-01-28 07:35:35-05

Additional Certification Notes

No additional certification notes provided

2.13.2. LogoXfers Egenera pBlades FSC PRIMERGY BFxxx Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192203>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.3. PRIMERGY BFa20 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192218>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.4. PRIMERGY BFa40 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192225>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.5. PRIMERGY BFi20 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=192222>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.6. PRIMERGY BFi20S2/2X 5140 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=207952>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.7. PRIMERGY BFi20S2/2X 5160 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=207954>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.8. PRIMERGY BFi40 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=192227>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.9. PRIMERGY BFi40 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=194492>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.10. PRIMERGY BX300 P3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148406>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-06-29 10:24:04-04
Returned On: mm-dd-yy

Last Touched On: 2004-06-29 10:28:24-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5554

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.

Modified On: 2004-06-29 10:24:16-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5554

Detail Notes: <P>Fujitsu Siemens Computers D1431</P>

<P>BIOS: 4.06 Rev 3E01.1431</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-06-29 10:27:40-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5554

Detail Notes: <P>IDE PROMISE PDC 20270</P>

<P>used in standard IDE mode</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-07-02 08:40:23-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5554

Detail Notes: 1 x IBM Travelstar IC25N020ATCX04-0 20GB IDE

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-29 10:26:10-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5554

Detail Notes: 2 x BROADCOM 5701 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-06-29 10:28:15-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5554
Detail Notes: 2 x Intel Pentium III CPU 800MHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-29 10:25:36-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5554
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-29 10:26:43-04

Additional Certification Notes

No additional certification notes provided

2.13.11. PRIMERGY BX300 PM Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148359>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-05-21 13:07:11-04

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5474

Detail Notes: ATI Rage XL onboard (4 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-05-21 13:06:49-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5474
Detail Notes: 1 x Intel Pentium M CPU 1.4GHz
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-05-21 13:06:49-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5474
Detail Notes: 2 x IBM Travelstar IC25N020ATCX04-0 20GB IDE
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-05-21 13:06:49-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5474
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-05-21 13:06:49-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5474
Detail Notes: 2 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-05-21 13:06:49-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5474
Detail Notes: IDE PROMISE PDC 20268R (rev 02)
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-05-21 13:06:49-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5474

Detail Notes: <P>Fujitsu Siemens Computers D1710</P>

<P>BIOS: 4.06 Rev 3B04.1710</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-05-21 13:06:49-04

Additional Certification Notes

No additional certification notes provided

2.13.12. PRIMERGY BX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148592>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom

Cpu Name: X86

Created On: 2004-10-22 10:46:52-04

Returned On: mm-dd-yy

Last Touched On: 2004-10-22 11:04:42-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-10-22 10:47:09-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: ADAPTEC AIC7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-10-22 10:47:35-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: 4 x Intel(R) Xeon(TM) CPU 3GHz

(Hyper-Threading : ENABLED)

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-10-22 10:48:00-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: Maxtor Atlas10K4_146_SCA 146GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-10-22 10:48:33-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: 16 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-22 10:49:04-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: Fujitsu Siemens Computers D1652

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-10-22 11:02:16-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5814

Detail Notes: 4 x BROADCOM 5704S 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-22 11:02:43-04

Detail 8:
Ease of Install: 1
Status: Waiting for Authorization
Hardware Id: 5814
Detail Notes: <p>FC-I/O card 'BX600-FC22a'(QLA2342 compatible) has not been tested on this system</p>
<p> Only a single NIC configuration has been tested on this system</p>
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another category. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Additional Certification Notes

No additional certification notes provided

2.13.13. PRIMERGY BX620 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=165691>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.14. PRIMERGY BX620 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=213610>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.15. PRIMERGY BX660 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=165695>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.16. PRIMERGY Econel 100 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=186928>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.17. PRIMERGY Econel 200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=169436>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.18. PRIMERGY Econel 30 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148402>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-06-28 12:26:13-04
Returned On: mm-dd-yy

Last Touched On: 2004-06-28 12:32:58-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5550

Detail Notes: ATI Rage 128 Pro-U (16 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-28 12:26:33-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5550

Detail Notes: IDE/ATAPI CD/DVD-ROM LITEON LTD163

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-28 12:27:01-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5550

Detail Notes: 1xIntel(R) Pentium(R) 4 CPU 2.40GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-28 12:27:38-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5550

Detail Notes: INTEL i845e

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-28 12:28:15-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5550

Detail Notes: SEAGATE ST340810A 40 GB 5400rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-28 12:29:06-04

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5550
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-28 12:29:46-04

Detail 7:

Ease of Install: 4
Status: Compatible
Hardware Id: 5550
Detail Notes: 2 GB PC2100 DDR-SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-28 12:30:32-04

Detail 8:

Ease of Install: 4
Status: Compatible
Hardware Id: 5550
Detail Notes: INTEL 82562 10/100Mbps Fast Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-28 12:31:53-04

Detail 9:

Ease of Install: 4
Status: Compatible
Hardware Id: 5550
Detail Notes: <P>Fujitsu Siemens Computers D1447</P>
<P>BIOS V4.06 R1.04.1447</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-28 12:32:36-04

Additional Certification Notes

No additional certification notes provided

2.13.19. PRIMERGY Econel 40 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148586>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-10-21 11:33:43-04
Returned On: mm-dd-yy
Last Touched On: 2004-10-21 11:44:30-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-21 11:34:12-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: NEC DVD+RW ND-2100AD
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-10-21 11:34:22-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-21 11:34:51-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: MAXTOR SATA 6Y080M0 80GB 7200rpm
Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-21 11:35:37-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 11:36:12-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: 2 GB ECC PC3200 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-10-21 11:37:08-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: Fujitsu Siemens Computers D1755
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-10-21 11:37:52-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5798
Detail Notes: Intel 825470EM 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-10-21 11:38:48-04

Detail 9:
Ease of Install: 1
Status: Waiting for Authorization
Hardware Id: 5798
Detail Notes: Note: LSI-53C1000R and Promise SATA RAID controllers have not been tested on this system
Component Class: Other
Component Test: Determined on a case by case basis.
Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Additional Certification Notes

No additional certification notes provided

2.13.20. PRIMERGY Econel 50 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=176924>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.21. PRIMERGY RX100 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148412>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: X86
Created On: 2004-06-29 11:35:32-04
Returned On: mm-dd-yy
Last Touched On: 2004-06-29 11:41:20-04

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5562

Detail Notes: ATI Rage XL onboard (4 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2004-06-29 11:35:44-04

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5562

Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR244W

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-06-29 11:36:13-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5562

Detail Notes: <P>PROMISE 20270 onboard</P>

<P>used in standard IDE mode</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-06-29 11:37:03-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5562

Detail Notes: <P>1 x Intel(R) Pentium(R) 4 XEON 3.06 GHz</P>

<P>Hyper-Threading : ENABLED</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-06-29 11:38:02-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5562

Detail Notes: SEAGATE ST380021A 80 GB 7200 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-06-29 11:38:36-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5562
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-29 11:39:08-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5562
Detail Notes: 2 GB PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-29 11:39:39-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5562
Detail Notes: <P>Fujitsu Siemens Computers D1483</P>
<P>BIOS V4.1 R02-A3F5.1483</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-06-29 11:40:40-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5562
Detail Notes: INTEL 82545EM Ethernet 10/100/1000 Mbit/s
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 11:41:12-04

Additional Certification Notes

No additional certification notes provided

2.13.22. PRIMERGY RX100 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148590>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2004-10-22 10:12:59-04

Detail Data:

Detail 1:
Status: Compatible
Hardware Id: 5802
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-22 10:12:43-04

Detail 2:
Status: Compatible
Hardware Id: 5802
Detail Notes: IDE/ATAPI LG CRN-8245B
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-10-22 10:12:43-04

Detail 3:
Status: Compatible
Hardware Id: 5802
Detail Notes: 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-22 10:12:43-04

Detail 4:
Status: Compatible
Hardware Id: 5802
Detail Notes: MAXTOR 6Y080M0 80GB 7200rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None

Modified On: 2004-10-22 10:12:43-04

Detail 5:

Status: Compatible

Hardware Id: 5802

Detail Notes: 1,44 MB 3,5"

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-10-22 10:12:43-04

Detail 6:

Status: Compatible

Hardware Id: 5802

Detail Notes: 4 GB ECC PC3200 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-22 10:12:43-04

Detail 7:

Status: Compatible

Hardware Id: 5802

Detail Notes: Fujitsu Siemens Computers D1571

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-10-22 10:12:43-04

Detail 8:

Status: Compatible

Hardware Id: 5802

Detail Notes: 2 x Intel 82541 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-10-22 10:12:43-04

Detail 9:

Status: Waiting for Authorization

Hardware Id: 5802

Detail Notes: Controller Promise PDC20319 was not tested on this system

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Modified On: 2004-10-22 10:12:43-04

Additional Certification Notes

No additional certification notes provided

2.13.23. PRIMERGY RX100 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=179003>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.24. PRIMERGY RX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148234>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-29 07:54:10-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5284
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-29 07:50:29-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5284
Detail Notes: MAXTOR ATLASU320 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-29 07:50:45-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5284
Detail Notes: IDE/ATAPI CD/DVD-ROM MITSUMI SR244W
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-29 07:50:57-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5284
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-29 07:51:10-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5284
Detail Notes: INTEL 82546EB (2 x 10/100/1000 Mbps Ethernet)
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-29 07:51:23-05

Detail 6:

Ease of Install: 4
Status: Compatible
Hardware Id: 5284
Detail Notes: <P>2 x Intel(R) Xeon(TM) CPU 2.80GHz </P>
<P>(Hyper-Threading : ENABLED)</P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None

Modified On: 2003-12-29 07:51:36-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5284

Detail Notes: 3 GB ECC PC2100 SDDR

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-29 07:51:48-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5284

Detail Notes: ADAPTEC AIC7902 Onboard

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-29 07:52:16-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5284

Detail Notes: <P>Fujitsu Siemens Computers D1570</P>

<P>BIOS : F20</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-12-29 07:53:00-05

Additional Certification Notes

No additional certification notes provided

2.13.25. PRIMERGY RX200 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=178791>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.26. PRIMERGY RX200 S3 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=208530>

Summary

- *Version:* Update 7
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.27. PRIMERGY RX300 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148186>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments**Additional Data:**

Cpu Name: X86
Last Touched On: 2003-11-14 08:59:37-05

Detail Data:

Detail 1:
Ease of Install: 4
Status: Compatible
Hardware Id: 5203

Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-11-17 05:16:13-05

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5203
Detail Notes: 4 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2003-11-17 05:15:51-05

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5203
Detail Notes: <p>Fujitsu Siemens Computers D1409</p>
<p>BIOS V4.06 Rev 1.03.1409</p>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2003-11-17 05:16:00-05

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5203
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-11-17 05:15:24-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5203
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-11-17 05:15:34-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5203
Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T 24x
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-11-17 05:15:42-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5203

Detail Notes: <p>ADAPTEC AIC7902</p>

<p>Driver: aic79xx</p>

<p>HostRAID not supported</p>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-11-14 10:26:06-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5203

Detail Notes: <p>BROADCOM 5704 QUAD-PORT 10/100/1000BASE-T</p>

<p>Driver: tg3</p>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2003-11-17 05:16:36-05

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5203

Detail Notes: <p>2 x Intel Xeon 3.06 GHz</p>

<p>For certification kernel- 2.4.21-4.0.1 was used</p>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-11-17 05:17:01-05

Additional Certification Notes

No additional certification notes provided

2.13.28. PRIMERGY RX300 S2 / TX300 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=178792>

Summary

- *Version:* Update 6
- *Category:* Server

- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.29. PRIMERGY RX300 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=199637>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.30. PRIMERGY RX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148236>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2004-01-08 05:28:33-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5294

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.

Modified On: 2004-01-08 05:29:15-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5294

Detail Notes: <P>4 x Intel(R) XEON(TM) MP CPU 2.50GHz</P>

<P>(Hyper-Threading : ENABLED)</P>

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-01-08 05:29:47-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5294

Detail Notes: ADAPTEC AIC7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-01-08 05:28:57-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5294

Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>

<P>Driver : tg3</P>

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-01-08 05:29:25-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5294

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-01-08 05:29:57-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5294
Detail Notes: <P>Fujitsu Siemens Computers D1411</P>
<P>BIOS V4.06 Rev 1.00.1411</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-01-08 05:29:07-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5294
Detail Notes: 8 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-01-08 05:28:41-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5294
Detail Notes: MAXTOR ATLASU320_18_SCA 18 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-01-08 05:28:50-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5294
Detail Notes: IDE/ATAPI CD/DVD-ROM Lite-ON XJ-SD081D DVD 8X /CD 24X
Component Class: CD-ROM Drive
Component Test: Must be avilable as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-01-08 05:29:37-05

Additional Certification Notes

No additional certification notes provided

2.13.31. PRIMERGY RX600 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=168347>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.32. PRIMERGY RX600 S3 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=212156>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.33. PRIMERGY RX800 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148232>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86
Last Touched On: 2003-12-29 06:14:14-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5282
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-29 06:09:28-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5282
Detail Notes: LSI53C1030
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-29 06:10:13-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5282
Detail Notes: FUJITSU MAP3367NC 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-29 06:10:45-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5282
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-29 06:10:55-05

Detail 5:

Ease of Install: 4
Status: Compatible
Hardware Id: 5282
Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory
 Component Test: Must pass the rhr-core tests.
 Component Notes: None
 Modified On: 2003-12-29 06:11:21-05

Detail 6:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5282
 Detail Notes: <P>TX800 Boardset</P>
 <P>BIOS: 1.03</P>
 Component Class: MotherBoard
 Component Test: Must pass rhr-core tests
 Component Notes: Any built in hardware must be listed seperately.
 Modified On: 2003-12-29 06:12:06-05

Detail 7:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5282
 Detail Notes: IDE/ATAPI CD/DVD-ROM MATSHITA SR-8177 DVD 24X
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.
 Component Notes: None
 Modified On: 2003-12-29 06:09:49-05

Detail 8:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5282
 Detail Notes: 2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet
 Component Class: Network Interface
 Component Test: Must complete a network install.
 Must pass the rhr-core tests.
 Must pass the rhr-net test.
 Component Notes: PXE booting must operate properly, if available.
 Modified On: 2003-12-29 06:12:38-05

Detail 9:
 Ease of Install: 4
 Status: Compatible
 Hardware Id: 5282
 Detail Notes: <P>8 x Intel(R) XEON(TM) MP CPU 2.80GHz</P>
 <P>HyperThreading : ENABLED</P>
 Component Class: CPU
 Component Test: Must pass the rhr-core tests.
 Must identify properly in /proc/cpuinfo.
 Component Notes: None
 Modified On: 2003-12-29 06:13:32-05

Additional Certification Notes

No additional certification notes provided

2.13.34. PRIMERGY RX800 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=182947>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7883](#)²⁰ Is there a driver for the ServeRAID 8i Raid on Mother Board (RoMB) chip on a Fujitsu-Siemens RX800 S2 server?

2.13.35. PRIMERGY RX800 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=285811>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.36. PRIMERGY RXI300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=150255>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* ia64

Additional Comments

Additional Data:

Cpu Name: Intel(R) IPF
Last Touched On: 2005-01-27 06:03:55-05

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 6042
Detail Notes: Slimtype COMBO LSC-24081
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2005-01-27 06:03:36-05

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 6042
Detail Notes: 8 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2005-01-27 06:03:36-05

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 6042
Detail Notes: 2 x FUJITSU MAS3184NC 18GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2005-01-27 06:03:36-05

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 6042
Detail Notes: 2x Intel® Itanium2 1600MHz L3Cache: 9MB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None

Modified On: 2005-01-27 06:03:36-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 6042

Detail Notes: Intel 82546 dual

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2005-01-27 06:03:36-05

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 6042

Detail Notes: LSI 53C1030 SCSI

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2005-01-27 06:03:36-05

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 6042

Detail Notes: ATI Rage XL onboard (8 MB)

Component Class: 2D Video Adapter

Component Test: Must complete an installation, either graphical or text.

Must pass the rhr-core tests.

Must pass the rhr-dd_x test @ each available color depth.

Component Notes: 24 bpp testing is not required if 32 bpp is available.

3D is not tested at this time.

Modified On: 2005-01-27 06:03:36-05

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 6042

Detail Notes: <P>Fujitsu Siemens Computers S870BH2</P>

<P>BIOS S870BH2A.86B.0183.P02</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2005-01-27 06:03:36-05

Additional Certification Notes

No additional certification notes provided

2.13.37. PRIMERGY RXI600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148410>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* ia64

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: Intel(R) IPF
Created On: 2004-06-29 11:14:45-04
Returned On: mm-dd-yy
Last Touched On: 2004-06-29 11:24:54-04

Detail Data:

Detail 1:

Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-06-29 11:14:58-04

Detail 2:

Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: MATSHITA DVD-ROM SR-8177
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2004-06-29 11:15:29-04

Detail 3:

Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: <P>LSI MegaRAID SCSI 320-2 </P>
<P>LSI 53c1030 SCSI (inactive, only for external SCSI connections)</P>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-06-29 11:17:23-04

Detail 4:

Ease of Install: 4
Status: Compatible
Hardware Id: 5560

Detail Notes: 4x Intel(R) Itanium2 1500MHz; L1/L2/L3 Cache: 32KB/256KB/6MB
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-06-29 11:18:32-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: <P>Fujitsu Siemens Computers S870BN4</P>
<P>BIOS Version 3.00; BIOS Build 0907</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-07-05 10:13:42-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: 2 x SEAGATE ST336753LC 34GB 15000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-06-29 11:19:08-04

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: LS120/240
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-06-29 11:22:07-04

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: 16 GB ECC PC2100 DDR RAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-06-29 11:22:36-04

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5560
Detail Notes: Intel 82540EM 10/100/1000 Mbit/s Ethernet
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2004-06-29 11:24:37-04

Additional Certification Notes

No additional certification notes provided

2.13.38. PRIMERGY TX150 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=148334>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
 Cpu Name: X86
 Created On: 2004-04-30 07:54:30-04
 Returned On: mm-dd-yy
 Last Touched On: 2004-04-30 08:01:38-04

Detail Data:

Detail 1:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5433
 Detail Notes: ATI Rage XL (8 MB)
 Component Class: 2D Video Adapter
 Component Test: Must complete an installation, either graphical or text.
 Must pass the rhr-core tests.
 Must pass the rhr-dd_x test @ each available color depth.
 Component Notes: 24 bpp testing is not required if 32 bpp is available.
 3D is not tested at this time.
 Modified On: 2004-04-30 07:54:48-04

Detail 2:

Ease of Install: 4
 Status: Compatible
 Hardware Id: 5433
 Detail Notes: IDE/ATAPI CD-ROM MITSUMI FX48A0W
 Component Class: CD-ROM Drive
 Component Test: Must be available as an installation medium.
 Must pass the rhr-core tests.
 Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-04-30 07:55:28-04

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5433

Detail Notes: 1 x Intel(R) Pentium(R) 4 CPU 2.66GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2004-04-30 07:56:07-04

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5433

Detail Notes: <P>ADAPTEC AIC 7901 onboard</P>

<P>Driver : aic79xx</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2004-04-30 07:57:08-04

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5433

Detail Notes: MAXTOR ATLASU320_18_SCA, 18GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2004-04-30 07:57:46-04

Detail 6:

Ease of Install: 4

Status: Compatible

Hardware Id: 5433

Detail Notes: INTEL 82540EM Ethernet 10/100/1000 Mbit/s

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-04-30 08:00:15-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5433

Detail Notes: 1,44 MB 3,5 "

Component Class: Floppy Disk Drive

Component Test: Must be bootable and start the installation program.

Must pass the rhr-core tests.

Must pass the rhr-floppy test.

Component Notes: None

Modified On: 2004-04-30 07:58:20-04

Detail 8:


```
Ease of Install: 4
Status: Compatible
Hardware Id: 5433
Detail Notes: 2 GB RAM DDR-SDRAM
Component Class: Memory
Component Test: Must pass the rhr-core tests.
Component Notes: None
Modified On: 2004-04-30 07:58:55-04
```

```
Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5433
Detail Notes: <P>Fujitsu Siemens Computers D1501</P>
<P>BIOS: V4.1 R02-A1F2.1501</P>
Component Class: MotherBoard
Component Test: Must pass rhr-core tests
Component Notes: Any built in hardware must be listed seperately.
Modified On: 2004-04-30 08:01:29-04
```

Additional Certification Notes

No additional certification notes provided

2.13.39. PRIMERGY TX150 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148584>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* All

Additional Comments

Additional Data:

```
Where: Vendor (Self Certification) - Guildford, Surrey, United Kingdom
Cpu Name: All Architectures
Created On: 2004-10-21 11:18:17-04
Returned On: mm-dd-yy
Last Touched On: 2004-10-21 11:25:12-04
```

Detail Data:

```
Detail 1:
Ease of Install: 4
Status: Compatible
```

Hardware Id: 5796
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2004-10-21 11:18:28-04

Detail 2:
Ease of Install: 4
Status: Compatible
Hardware Id: 5796
Detail Notes: LSI1020
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2004-10-21 11:18:58-04

Detail 3:
Ease of Install: 4
Status: Compatible
Hardware Id: 5796
Detail Notes: CPU 1 x Intel(R) Pentium(R) 4 3.2 GHz
(Hyper-Threading : ENABLED)
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2004-10-21 11:19:32-04

Detail 4:
Ease of Install: 4
Status: Compatible
Hardware Id: 5796
Detail Notes: Fujitsu MAP3735NC 73 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2004-10-21 11:20:01-04

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5796
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2004-10-21 11:20:44-04

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5796
Detail Notes: IDE/ATAPI Lite-On LTN486S
Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2004-10-21 11:21:12-04

Detail 7:

Ease of Install: 4

Status: Compatible

Hardware Id: 5796

Detail Notes: 2 GB ECC PC3200 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2004-10-21 11:22:26-04

Detail 8:

Ease of Install: 4

Status: Compatible

Hardware Id: 5796

Detail Notes: Fujitsu Siemens Computers D1751

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2004-10-21 11:22:54-04

Detail 9:

Ease of Install: 4

Status: Compatible

Hardware Id: 5796

Detail Notes: Intel 82540EM 10/100/1000 Mbit/s Ethernet

Component Class: Network Interface

Component Test: Must complete a network install.

Must pass the rhr-core tests.

Must pass the rhr-net test.

Component Notes: PXE booting must operate properly, if available.

Modified On: 2004-10-21 11:23:24-04

Detail 10:

Ease of Install: 1

Status: Waiting for Authorization

Hardware Id: 5796

Detail Notes: Promise SATA 150 TM TX4 has not been tested on this system

Component Class: Other

Component Test: Determined on a case by case basis.

Component Notes: This class is reserved to list all hardware that does not properly fit into another catagory. Items listed in this group are subject to tests as determined by Red Hat, Inc. Please see the Program Information Pages for more detail.

Additional Certification Notes

No additional certification notes provided

2.13.40. PRIMERGY TX150 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=168679>

Summary

- *Version:* Update 5
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.41. PRIMERGY TX150 S4 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=175733>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.42. PRIMERGY TX200 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148211>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-09 07:04:49-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5244

Detail Notes: IDE/ATAPI Lite-On LTN486S 48x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-09 07:04:12-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5244

Detail Notes: 2 x Intel(R) Xeon(R) 2.8 GHz

Component Class: CPU

Component Test: Must pass the rhr-core tests.

Must identify properly in /proc/cpuinfo.

Component Notes: None

Modified On: 2003-12-09 07:04:12-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5244

Detail Notes: 2.25 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-09 07:04:12-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5244

Detail Notes: Fujitsu Siemens Computers D1419

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed separately.

Modified On: 2003-12-09 07:04:12-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5244

Detail Notes: <p>ADAPTEC AIC7902</P>

<p>driver: aic79xx</P>

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-09 07:04:12-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5244
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-09 07:04:13-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5244
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-09 07:04:13-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5244
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-09 07:04:13-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5244
Detail Notes: <p>BROADCOM 5703 10/100/1000BASE-T</p>
<p>driver: tg3</p>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-09 07:04:13-05

Additional Certification Notes

No additional certification notes provided

2.13.43. PRIMERGY TX200 S2 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=178793>

Summary

- *Version:* Update 6
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.44. PRIMERGY TX200 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=227664>

Summary

- *Version:* Update 9
- *Category:* Server
- *Platforms:* i386 and x86_64

Additional Comments

No additional comments provided

Additional Certification Notes

Please see the following references for important information regarding this certification:

- Red Hat Knowledge Base (Article): [7694](#)²¹ Why does the Red Hat Enterprise Linux 3 Update 9 installer running on my Fujitsu or Fujitsu-Siemens TX200S3 with LSI MegaRAID 8300XLP ZCR card not recognise my disks?

2.13.45. PRIMERGY TX300 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148207>

Summary

- *Version:* 3
- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-08 06:41:27-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5240

Detail Notes: IDE/ATAPI CD-ROM MITSUMI SR243T 24x

Component Class: CD-ROM Drive

Component Test: Must be available as an installation medium.

Must pass the rhr-core tests.

Must pass the rhr-cdromdata test.

Component Notes: None

Modified On: 2003-12-10 07:35:11-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5240

Detail Notes: <p>Fujitsu Siemens Computers D1409</p>

<p>BIOS V4.06 Rev 1.03.1409</p>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-12-10 07:35:30-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5240

Detail Notes: 4 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-10 07:35:20-05

Detail 4:

Ease of Install: 4

Status: Compatible
Hardware Id: 5240
Detail Notes: MAXTOR ATLASU320_36_SCA 36 GB 10000 rpm
Component Class: Fixed Disk Drive
Component Test: Must be post install bootable.
Must be available for installation to from the installation program.
Must pass the rhr-core tests.
Must pass the rhr-fdisk test.
Component Notes: None
Modified On: 2003-12-10 07:35:40-05

Detail 5:
Ease of Install: 4
Status: Compatible
Hardware Id: 5240
Detail Notes: <p>2 x Intel Xeon 3.06 GHz</p>
<p>For certification kernel-2.4.21-4.0.1 was used</p>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-10 07:34:29-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5240
Detail Notes: <p>BROADCOM 5704 QUAD-PORT 10/100/1000BASE-T</p>
<p>Driver: tg3</p>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-10 07:34:39-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5240
Detail Notes: <p>ADAPTEC AIC7902</p>
<p>Driver: aic79xx</p>
<p>HostRAID not supported</p>
Component Class: Controller Card
Component Test: Must make all required hardware available to the installation program.
Must pass the rhr-core tests.
Component Notes: Must pass all tests required for attached hardware.
Modified On: 2003-12-10 07:34:46-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5240
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-10 07:34:54-05

Detail 9:
Ease of Install: 4

```
Status: Compatible
Hardware Id: 5240
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-10 07:35:03-05
```

Additional Certification Notes

No additional certification notes provided

2.13.46. PRIMERGY TX300 S3 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=220617>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

Note:

This system is certified for i386 only.
This system supports 2xIntel Xeon 5160 Speed: 3GHz, L2 Cache: 4MB processor.

Additional Certification Notes

No additional certification notes provided

2.13.47. PRIMERGY TX600 Server

Original Catalog Posting URL

<https://hardware.redhat.com/show.cgi?id=148230>

Summary

- *Version:* 3

- *Category:* Server
- *Platforms:* i386

Additional Comments

Additional Data:

Cpu Name: X86

Last Touched On: 2003-12-29 05:29:04-05

Detail Data:

Detail 1:

Ease of Install: 4

Status: Compatible

Hardware Id: 5280

Detail Notes: 8 GB ECC PC2100 DDR RAM

Component Class: Memory

Component Test: Must pass the rhr-core tests.

Component Notes: None

Modified On: 2003-12-29 05:27:16-05

Detail 2:

Ease of Install: 4

Status: Compatible

Hardware Id: 5280

Detail Notes: MAXTOR ATLASU320_18_SCA 18 GB 10000 rpm

Component Class: Fixed Disk Drive

Component Test: Must be post install bootable.

Must be available for installation to from the installation program.

Must pass the rhr-core tests.

Must pass the rhr-fdisk test.

Component Notes: None

Modified On: 2003-12-29 05:28:02-05

Detail 3:

Ease of Install: 4

Status: Compatible

Hardware Id: 5280

Detail Notes: ADAPTEC AIC7902

Component Class: Controller Card

Component Test: Must make all required hardware available to the installation program.

Must pass the rhr-core tests.

Component Notes: Must pass all tests required for attached hardware.

Modified On: 2003-12-29 05:26:43-05

Detail 4:

Ease of Install: 4

Status: Compatible

Hardware Id: 5280

Detail Notes: <P>Fujitsu Siemens Computers D1411</P>

<P>BIOS V4.06 Rev 1.00.1411</P>

Component Class: MotherBoard

Component Test: Must pass rhr-core tests

Component Notes: Any built in hardware must be listed seperately.

Modified On: 2003-12-29 05:27:26-05

Detail 5:

Ease of Install: 4

Status: Compatible

Hardware Id: 5280
Detail Notes: ATI Rage XL onboard (8 MB)
Component Class: 2D Video Adapter
Component Test: Must complete an installation, either graphical or text.
Must pass the rhr-core tests.
Must pass the rhr-dd_x test @ each available color depth.
Component Notes: 24 bpp testing is not required if 32 bpp is available.
3D is not tested at this time.
Modified On: 2003-12-29 05:26:51-05

Detail 6:
Ease of Install: 4
Status: Compatible
Hardware Id: 5280
Detail Notes: <P>2 x BROADCOM 5704 10/100/1000 Mbit/s Ethernet</P>
<P>Driver : tg3</P>
Component Class: Network Interface
Component Test: Must complete a network install.
Must pass the rhr-core tests.
Must pass the rhr-net test.
Component Notes: PXE booting must operate properly, if available.
Modified On: 2003-12-29 05:27:38-05

Detail 7:
Ease of Install: 4
Status: Compatible
Hardware Id: 5280
Detail Notes: IDE/ATAPI CD/DVD-ROM Lite-ON XJ-SD081D DVD 8X /CD 24X
Component Class: CD-ROM Drive
Component Test: Must be available as an installation medium.
Must pass the rhr-core tests.
Must pass the rhr-cdromdata test.
Component Notes: None
Modified On: 2003-12-29 05:27:00-05

Detail 8:
Ease of Install: 4
Status: Compatible
Hardware Id: 5280
Detail Notes: <P>4 x Intel(R) XEON(TM) MP CPU 2.50GHz</P>
<P>(Hyper-Threading : ENABLED)</P>
Component Class: CPU
Component Test: Must pass the rhr-core tests.
Must identify properly in /proc/cpuinfo.
Component Notes: None
Modified On: 2003-12-29 05:27:51-05

Detail 9:
Ease of Install: 4
Status: Compatible
Hardware Id: 5280
Detail Notes: 1,44 MB 3,5 "
Component Class: Floppy Disk Drive
Component Test: Must be bootable and start the installation program.
Must pass the rhr-core tests.
Must pass the rhr-floppy test.
Component Notes: None
Modified On: 2003-12-29 05:27:08-05

Additional Certification Notes

No additional certification notes provided

2.13.48. PRIMERGY TX600 S2 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=192069>

Summary

- *Version:* Update 4
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

2.13.49. PRIMERGY TX600 S3 Server**Original Catalog Posting URL**

<https://hardware.redhat.com/show.cgi?id=210819>

Summary

- *Version:* Update 8
- *Category:* Server
- *Platforms:* i386

Additional Comments

No additional comments provided

Additional Certification Notes

No additional certification notes provided

