

System Comparison API Documentation

Drift API end-points:

<https://cloud.redhat.com/docs/api/drift>

<https://cloud.redhat.com/docs/api/system-baseline>

<https://cloud.redhat.com/docs/api/historical-system-profiles>

Comparison report (GET and POST)

[https://cloud.redhat.com/api/drift/v1/comparison_report?
system_ids\[\]=87c34d4e-91b8-4393-b433-23fc98ae8911&
baseline_ids\[\]=ac802938-e2a2-4505-9648-1966a5ad7491](https://cloud.redhat.com/api/drift/v1/comparison_report?system_ids[]=87c34d4e-91b8-4393-b433-23fc98ae8911&baseline_ids[]=ac802938-e2a2-4505-9648-1966a5ad7491)

CSV (instead of JSON):

`-H 'accept: text/csv'`

Get all baselines

<https://cloud.redhat.com/api/system-baseline/v1/baselines>

Create new baseline

Baseline examples on <https://github.com/jeromemarc/insights-webinar>

[baseline-1.json](#)

[baseline-2.json](#)

[baseline-3.json](#)

```
curl -u <username>:<password>
```

```
https://cloud.redhat.com/api/system-baseline/v1/baselines -X POST -d "$(curl  
https://raw.githubusercontent.com/jeromemarc/insights-webinar/master/baselines  
/baseline-3.json)" -H "content-type: application/json"
```